

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1700 1799	2.0	(15.4)	72.8	491.5	65.5	8.4	2.8	5.5	3.0	4.0	3.0
			1500 1599	1.0	(7.7)	71.5	352.5	56.0	7.1	3.8	4.0	3.0	3.0	3.0
			1400 1499	3.0	(23.1)	71.6	419.3	51.3	7.5	2.4	3.3	4.0	2.7	3.0
			1300 1399	2.0	(15.4)	71.5	362.4	48.5	6.4	2.0	2.5	4.5	2.0	3.0
			1200 1299	2.0	(15.4)	70.8	431.5	47.0	7.7	2.8	2.0	5.0	2.0	2.0
			1100 1199	1.0	(7.7)	73.4	380.0	66.0	6.5	2.4	3.0	4.0	2.0	3.0
			1000 1099	2.0	(15.4)	69.7	407.5	41.5	7.0	3.0	3.0	4.0	2.5	2.5
				13.0	(18.6)	71.5	413.6	52.4	7.3	2.7	3.3	4.0	2.6	2.8
			1300 1399	1.0	(1.4)	69.3	377.0	45.0	5.3	3.0	3.0	4.0	2.0	3.0
			1100 1199	1.0	(1.4)	71.1	409.0	41.0	7.2	1.5	3.0	5.0	2.0	3.0
			499	1.0	(1.4)	70.9	273.0	38.0	4.5	1.1	2.0	5.0	2.0	2.0
			1600 1699	1.0	(33.3)	72.9	532.0	66.0	8.8	2.6	7.0	4.0	4.0	2.0
			1400 1499	1.0	(33.3)	71.2	451.0	50.0	7.5	2.3	6.0	4.0	4.0	3.0
			1300 1399	1.0	(33.3)	70.8	493.0	48.0	7.7	2.0	3.0	4.0	3.0	3.0
				3.0	(4.3)	71.6	492.0	54.7	8.0	2.3	5.3	4.0	3.7	2.7
			1700 1799	1.0	(25.0)	72.2	486.0	60.0	8.3	2.7	8.0	4.0	5.0	3.0
			1400 1499	2.0	(50.0)	70.8	504.5	57.5	7.7	3.3	6.5	4.5	4.0	3.5
			1300 1399	1.0	(25.0)	72.4	420.0	58.0	8.3	3.1	7.0	4.0	4.0	3.0
				4.0	(5.7)	71.5	478.8	58.3	8.0	3.1	7.0	4.3	4.3	3.3
			1000 1099	1.0	(1.4)	69.4	374.5	35.0	5.3	1.5	2.0	5.0	2.0	5.0
			1700 1799	1.0	(50.0)	72.8	536.0	65.0	9.8	3.1	7.0	4.0	4.0	2.0
			1300 1399	1.0	(50.0)	70.2	417.0	45.0	5.7	1.8	3.0	3.0	2.0	3.0
				2.0	(2.9)	71.5	476.5	55.0	7.8	2.5	5.0	3.5	3.0	2.5
			800 899	1.0	(1.4)	68.9	300.0	31.0	5.2	2.6	2.0	4.0	2.0	3.0
			1200 1299	1.0	(1.4)	71.3	413.6	56.0	7.4	3.5	4.0	5.0	3.0	3.0
			1600 1699	1.0	(1.4)	72.8	375.8	55.0	7.8	2.4	5.0	3.0	4.0	3.0
			1400 1499	11.0	(45.8)	69.6	451.1	47.3	7.5	3.7	2.0	4.5	2.0	3.0
			1300 1399	2.0	(8.3)	71.5	433.6	57.0	6.8	2.6	3.0	4.0	3.0	3.0
			1200 1299	11.0	(45.8)	69.3	449.5	47.9	7.0	3.8	2.0	4.6	2.0	3.1
				24.0	(34.3)	69.6	448.9	48.4	7.2	3.6	2.1	4.5	2.1	3.0

					(%)		(kg)	(m2)	(m)	(m)				
			2000 2099	1.0	(2.0)	74.0	558.0	81.0	8.3	2.8	10.0	3.0	5.0	2.0
			1900 1999	1.0	(2.0)	72.4	465.0	60.0	7.7	2.4	7.0	4.0	4.0	3.0
			1800 1899	2.0	(4.0)	73.4	537.0	68.0	8.3	1.9	6.5	3.0	4.5	2.5
			1700 1799	1.0	(2.0)	71.3	560.0	58.0	8.0	2.2	7.0	3.0	4.0	3.0
			1600 1699	5.0	(10.0)	72.6	496.1	59.4	8.4	2.1	5.0	4.0	3.4	2.8
			1500 1599	6.0	(12.0)	70.8	507.2	55.0	8.0	3.0	4.7	3.7	3.3	2.7
			1400 1499	11.0	(22.0)	71.8	455.5	54.9	7.3	2.1	3.8	3.7	2.7	2.8
			1300 1399	12.0	(24.0)	71.3	455.2	53.0	7.3	2.4	3.1	4.0	2.3	2.8
			1200 1299	5.0	(10.0)	71.3	464.1	53.2	7.1	2.2	2.8	4.2	2.2	2.6
			1100 1199	3.0	(6.0)	69.3	471.3	45.7	6.5	2.8	3.0	4.0	2.0	2.7
			1000 1099	1.0	(2.0)	68.7	485.0	44.0	7.1	3.4	3.0	4.0	2.0	3.0
			900 999	1.0	(2.0)	70.4	336.0	48.0	5.5	3.0	2.0	6.0	2.0	3.0
			800 899	1.0	(2.0)	71.0	428.0	56.0	6.0	2.6	2.0	6.0	2.0	2.0
				50.0	(0.7)	71.4	472.7	55.1	7.4	2.4	4.0	3.9	2.8	2.7
			1400 1499	1.0	(33.3)	71.6	398.0	48.0	6.7	1.7	2.0	4.0	2.0	3.0
			1300 1399	1.0	(33.3)	69.9	414.0	40.0	6.4	2.0	3.0	4.0	3.0	2.0
			1100 1199	1.0	(33.3)	71.3	430.0	60.0	6.3	3.0	2.0	4.0	2.0	3.0
				3.0	(0.0)	70.9	414.0	49.3	6.5	2.2	2.3	4.0	2.3	2.7
			1300 1399	2.0	(0.0)	71.0	422.0	46.5	7.3	2.3	3.0	4.5	2.5	2.0
			1600 1699	1.0	(0.0)	73.6	551.5	72.0	7.8	1.5	7.0	3.0	5.0	2.0
			900 999	1.0	(0.0)	71.4	386.0	48.0	6.1	1.6	3.0	5.0	2.0	4.0
			1500 1599	1.0	(0.0)	71.4	457.5	52.0	7.3	2.1	5.0	5.0	4.0	3.0
			1500 1599	1.0	(33.3)	68.7	565.6	57.0	8.4	5.1	4.0	4.0	3.0	3.0
			1300 1399	1.0	(33.3)	70.3	430.6	43.0	6.6	1.8	4.0	4.0	3.0	2.0
			1200 1299	1.0	(33.3)	71.2	397.0	51.0	5.9	2.0	3.0	4.0	2.0	3.0
				3.0	(0.0)	70.1	464.4	50.3	7.0	3.0	3.7	4.0	2.7	2.7
			1500 1599	1.0	(50.0)	74.6	577.0	82.0	7.7	1.6	5.0	3.0	4.0	3.0
			1200 1299	1.0	(50.0)	74.1	551.0	73.0	8.3	1.6	4.0	3.0	4.0	3.0
				2.0	(0.0)	74.3	564.0	77.5	8.0	1.6	4.5	3.0	4.0	3.0
			1700 1799	1.0	(0.0)	69.6	618.0	56.0	8.1	3.1	5.0	4.0	4.0	3.0
			1600 1699	2.0	(50.0)	71.8	512.5	55.0	8.2	2.0	4.5	4.0	3.0	2.5
			1400 1499	2.0	(50.0)	70.8	486.5	48.5	7.7	2.1	4.5	4.0	3.0	2.5
				4.0	(0.1)	71.3	499.5	51.8	8.0	2.1	4.5	4.0	3.0	2.5

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1600 1699	50.0	(1.2)	72.6	534.9	64.0	9.2	2.8	5.8	3.9	4.0	3.0
			1500 1599	1458.0	(34.6)	71.2	512.3	55.7	8.6	3.1	3.4	4.0	3.0	3.0
			1400 1499	1702.0	(40.4)	70.5	505.6	52.6	8.4	3.3	2.4	4.2	2.1	3.0
			1300 1399	523.0	(12.4)	69.8	502.3	49.6	8.0	3.5	2.2	4.5	2.1	3.0
			1200 1299	307.0	(7.3)	70.9	503.7	55.1	8.4	3.3	3.1	4.2	2.7	3.0
			1100 1199	170.0	(4.0)	70.4	491.3	51.7	8.1	3.3	2.0	4.5	2.0	3.0
			1000 1099	3.0	(0.1)	68.6	517.4	48.0	7.9	4.2	2.0	5.0	2.0	3.0
			500 599	3.0	(0.1)	69.5	325.3	34.7	5.4	2.2	1.7	6.0	2.0	4.0
				4216.0	(58.6)	70.7	507.0	53.5	8.4	3.2	2.8	4.2	2.5	3.0
			1600 1699	1.0	(0.0)	72.1	487.0	56.0	7.7	1.7	6.0	4.0	4.0	3.0
			1400 1499	1.0	(0.0)	71.2	482.6	51.0	7.2	1.7	4.0	3.0	3.0	2.0
			1500 1599	1.0	(0.0)	71.2	497.0	49.0	8.8	2.5	6.0	4.0	4.0	3.0
			1600 1699	3.0	(0.4)	72.2	508.0	61.7	7.8	2.3	4.7	3.7	3.7	3.0
			1500 1599	81.0	(11.7)	71.5	514.0	57.8	8.6	3.0	3.4	4.0	3.0	3.0
			1400 1499	282.0	(40.6)	70.8	504.8	54.1	8.3	3.2	2.6	4.2	2.3	3.0
			1300 1399	277.0	(39.9)	70.2	511.1	52.5	8.2	3.4	2.1	4.4	2.0	3.0
			1200 1299	42.0	(6.1)	69.3	517.7	49.9	8.1	3.9	2.0	4.6	2.0	3.0
			1100 1199	1.0	(0.1)	70.5	520.8	50.0	7.7	2.1	3.0	4.0	3.0	2.0
			1000 1099	2.0	(0.3)	70.3	432.2	43.5	6.6	1.9	2.0	4.5	2.0	2.5
			900 999	3.0	(0.4)	70.7	337.7	43.0	5.6	1.8	1.7	4.3	1.7	2.7
			700 799	1.0	(0.1)	69.2	292.2	25.0	5.4	1.5	1.0	5.0	1.0	2.0
			500 599	1.0	(0.1)	69.7	234.2	28.0	3.7	0.9	1.0	6.0	1.0	4.0
			499	1.0	(0.1)	69.8	238.0	32.0	3.4	1.1	1.0	5.0	1.0	3.0
				694.0	(9.7)	70.6	507.2	53.5	8.3	3.3	2.4	4.3	2.2	3.0
			1500 1599	3.0	(1.7)	70.4	488.1	53.7	7.3	3.0	3.3	4.0	3.0	3.0
			1400 1499	16.0	(9.1)	69.3	509.8	48.9	7.8	3.6	2.6	4.3	2.4	3.0
			1300 1399	61.0	(34.9)	69.8	526.8	53.9	7.8	3.5	3.1	4.0	3.0	3.0
			1200 1299	94.0	(53.7)	69.5	504.1	49.3	7.4	3.2	2.0	4.3	2.0	3.0
			700 799	1.0	(0.6)	71.3	204.6	37.0	3.9	1.0	1.0	5.0	1.0	3.0
				175.0	(2.4)	69.6	510.5	50.9	7.5	3.4	2.5	4.2	2.4	3.0
			1600 1699	6.0	(2.3)	71.5	590.5	65.2	9.0	3.3	5.7	3.3	4.0	3.0
			1500 1599	35.0	(13.5)	71.1	531.6	58.0	8.6	3.2	4.1	3.7	3.2	3.0
			1400 1499	120.0	(46.2)	70.5	525.6	54.9	8.4	3.4	3.1	4.0	2.7	3.0
			1300 1399	87.0	(33.5)	69.8	519.1	51.2	8.3	3.6	2.3	4.1	2.2	3.0
			1200 1299	11.0	(4.2)	68.9	496.0	46.5	7.7	3.9	2.2	4.3	2.0	3.0
			1100 1199	1.0	(0.4)	68.1	526.6	44.0	6.6	3.2	2.0	5.0	2.0	3.0
				260.0	(3.6)	70.3	524.5	53.9	8.4	3.5	3.0	4.0	2.6	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1800 1899	1.0	(25.0)	71.1	469.0	50.0	7.8	2.3	5.0	4.0	4.0	3.0
			1700 1799	2.0	(50.0)	72.5	433.8	58.5	6.6	1.7	6.5	2.0	4.5	3.0
			1600 1699	1.0	(25.0)	72.1	476.2	59.0	6.5	1.4	5.0	4.0	4.0	2.0
				4.0	(0.1)	72.0	453.2	56.5	6.9	1.8	5.8	3.0	4.3	2.8
			1300 1399	1.0	(0.0)	70.3	452.0	48.0	6.3	2.0	3.0	4.0	2.0	3.0
			1500 1599	2.0	(0.9)	71.6	531.9	56.0	9.4	3.0	6.0	4.0	4.0	3.0
			1400 1499	25.0	(10.9)	70.6	500.4	53.5	8.1	3.1	3.9	4.1	3.0	3.0
			1300 1399	168.0	(73.0)	70.1	493.2	50.9	7.8	3.2	2.6	4.3	2.0	2.8
			1200 1299	34.0	(14.8)	70.0	486.4	50.7	7.8	3.5	2.7	4.3	2.1	2.9
			900 999	1.0	(0.4)	71.2	391.5	43.0	6.5	1.3	4.0	4.0	2.0	2.0
				230.0	(3.2)	70.2	492.9	51.2	7.8	3.2	2.8	4.3	2.2	2.9
			1800 1899	1.0	(50.0)	72.3	534.0	65.0	8.4	2.7	6.0	2.0	4.0	3.0
			1300 1399	1.0	(50.0)	72.1	452.4	57.0	7.5	2.2	5.0	4.0	3.0	3.0
				2.0	(0.0)	72.2	493.2	61.0	8.0	2.5	5.5	3.0	3.5	3.0
			1500 1599	19.0	(11.9)	71.6	499.2	57.8	8.4	2.9	3.1	4.1	2.5	3.0
			1400 1499	62.0	(39.0)	70.7	482.4	52.0	8.0	3.0	2.9	4.1	2.5	3.0
			1300 1399	54.0	(34.0)	69.7	465.4	47.7	7.7	3.6	2.2	4.3	2.1	3.0
			1200 1299	12.0	(7.5)	69.2	485.1	48.9	7.4	3.7	2.3	4.5	2.1	2.9
			1100 1199	2.0	(1.3)	68.2	488.1	46.5	6.8	4.1	2.0	5.0	2.0	3.0
			800 899	4.0	(2.5)	71.1	531.5	58.5	7.7	2.5	3.0	4.0	2.0	3.0
			700 799	4.0	(2.5)	71.1	479.8	57.5	7.8	3.3	2.3	4.3	2.0	3.0
			600 699	1.0	(0.6)	70.6	493.6	55.0	7.3	2.9	2.0	4.0	2.0	3.0
			499	1.0	(0.6)	71.7	302.4	40.0	6.0	1.1	1.0	5.0	1.0	2.0
				159.0	(2.2)	70.3	479.0	51.2	7.9	3.3	2.6	4.2	2.3	3.0
			1600 1699	19.0	(1.4)	72.5	494.9	59.5	8.5	2.3	5.4	3.7	4.0	3.0
			1500 1599	145.0	(10.5)	71.5	512.4	58.0	8.5	3.0	4.0	3.9	3.1	3.0
			1400 1499	499.0	(36.2)	70.8	513.5	54.6	8.4	3.2	3.1	4.0	2.7	3.0
			1300 1399	543.0	(39.4)	69.9	512.2	51.1	8.1	3.5	2.4	4.2	2.2	3.0
			1200 1299	148.0	(10.7)	69.7	499.7	50.2	7.9	3.6	2.2	4.3	2.1	3.0
			1100 1199	21.0	(1.5)	68.6	519.4	46.4	7.8	3.9	2.0	4.3	2.0	3.0
			1000 1099	1.0	(0.1)	73.1	444.8	65.0	7.6	2.5	10.0	3.0	5.0	3.0
			499	1.0	(0.1)	72.2	453.0	62.0	7.0	2.4	6.0	4.0	4.0	3.0
				1377.0	(19.2)	70.4	511.1	53.1	8.3	3.4	2.8	4.1	2.5	3.0
			2000 2099	1.0	(0.0)	74.0	558.0	81.0	8.3	2.8	10.0	3.0	5.0	2.0
			1900 1999	1.0	(0.0)	72.4	465.0	60.0	7.7	2.4	7.0	4.0	4.0	3.0
			1800 1899	4.0	(0.1)	72.5	519.3	62.8	8.2	2.2	6.0	3.0	4.3	2.8
			1700 1799	4.0	(0.1)	71.5	511.4	57.8	7.3	2.2	6.3	2.8	4.3	3.0

