

							(kg)	(m2)	(m)	(m)				
					(%)									
			1800 1899	2.0	(0.9)	72.0	519.5	66.5	7.5	2.9	6.0	4.0	4.0	3.0
			1700 1799	5.0	(2.2)	72.7	522.4	68.8	8.1	2.7	5.6	3.6	3.6	3.0
			1600 1699	16.0	(6.9)	71.7	526.2	61.8	8.0	2.7	5.9	3.8	3.8	2.7
			1500 1599	29.0	(12.6)	71.7	499.4	59.6	7.7	2.6	4.7	4.0	3.5	2.6
			1400 1499	86.0	(37.2)	70.7	495.8	54.6	7.5	2.9	3.8	4.1	3.0	2.5
			1300 1399	59.0	(25.5)	70.2	483.9	52.7	7.1	3.0	3.2	4.3	2.4	2.4
			1200 1299	17.0	(7.4)	70.0	485.1	51.9	7.1	3.1	2.6	4.5	2.1	2.4
			1100 1199	10.0	(4.3)	68.3	513.1	48.4	7.4	4.3	2.7	4.5	2.1	2.4
			1000 1099	1.0	(0.4)	69.1	509.0	43.0	6.7	2.2	3.0	4.0	2.0	4.0
			900 999	1.0	(0.4)	68.7	378.0	42.0	5.9	3.7	3.0	6.0	2.0	2.0
			800 899	3.0	(1.3)	69.3	454.7	46.7	6.7	3.2	3.0	4.7	2.0	3.3
			700 799	2.0	(0.9)	69.7	360.5	36.5	5.5	1.7	2.5	5.0	2.0	4.5
				231.0	(7.2)	70.6	493.9	54.8	7.4	2.9	3.8	4.2	2.8	2.5
			1600 1699	4.0	(4.5)	72.1	518.0	64.8	7.5	2.4	6.0	4.3	3.8	2.3
			1500 1599	15.0	(17.0)	71.7	463.5	57.1	7.2	2.3	4.9	3.7	3.5	2.3
			1400 1499	35.0	(39.8)	71.2	467.0	56.1	7.1	2.6	3.7	4.0	2.7	2.3
			1300 1399	27.0	(30.7)	70.7	452.0	52.1	7.0	2.7	2.9	4.4	2.2	2.1
			1200 1299	6.0	(6.8)	69.7	470.8	50.2	7.1	3.4	2.8	5.2	2.3	2.0
			800 899	1.0	(1.1)	69.9	378.0	39.0	6.3	2.2	3.0	5.0	2.0	4.0
				88.0	(2.7)	71.0	463.4	54.8	7.1	2.6	3.7	4.2	2.7	2.2
			1700 1799	2.0	(5.1)	71.5	479.5	62.0	7.9	3.6	7.0	4.5	4.0	2.5
			1600 1699	7.0	(17.9)	71.8	492.3	61.3	7.6	2.8	5.9	4.0	3.9	2.1
			1500 1599	5.0	(12.8)	71.9	471.4	58.6	7.4	2.4	5.0	4.4	3.6	2.2
			1400 1499	14.0	(35.9)	71.3	469.0	57.3	7.0	2.6	4.2	4.4	3.0	2.1
			1300 1399	5.0	(12.8)	70.9	424.6	51.4	6.8	2.7	3.6	4.0	2.6	2.2
			1200 1299	3.0	(7.7)	69.7	417.3	47.7	6.0	2.9	3.0	4.7	2.0	2.0
			1100 1199	2.0	(5.1)	71.2	398.5	50.0	6.2	2.0	3.0	5.0	2.0	2.5
			800 899	1.0	(2.6)	68.2	444.0	41.0	5.3	2.8	3.0	5.0	2.0	4.0
				39.0	(1.2)	71.2	460.1	56.1	7.0	2.6	4.5	4.3	3.1	2.2
			1800 1899	1.0	(0.9)	71.8	585.2	72.0	9.0	4.1	8.0	4.0	5.0	3.0
			1600 1699	6.0	(5.1)	71.9	531.6	65.3	8.8	3.5	6.2	4.0	3.8	2.7
			1500 1599	28.0	(23.9)	71.5	521.3	59.0	8.7	3.1	4.9	4.1	3.5	2.5
			1400 1499	26.0	(22.2)	70.9	502.6	55.7	8.1	3.0	4.1	3.9	3.0	2.4
			1300 1399	24.0	(20.5)	70.1	506.5	52.9	7.8	3.3	2.9	4.3	2.2	2.5
			1200 1299	8.0	(6.8)	70.0	509.0	53.5	7.5	3.2	3.4	5.0	2.3	2.3
			1100 1199	9.0	(7.7)	69.9	490.3	50.7	7.2	3.0	2.8	4.9	2.2	2.4
			1000 1099	6.0	(5.1)	70.1	448.0	50.3	6.9	3.0	2.8	4.7	2.0	2.2
			900 999	3.0	(2.6)	69.1	494.5	44.0	7.6	3.2	2.7	5.0	2.0	2.3
			800 899	1.0	(0.9)	69.1	369.0	38.0	4.3	1.6	2.0	5.0	2.0	3.0
			700 799	2.0	(1.7)	68.4	413.5	39.0	5.1	2.5	2.5	5.5	2.0	3.5
			600 699	3.0	(2.6)	70.2	294.0	36.0	5.0	1.7	2.0	4.0	2.0	3.3
				117.0	(3.6)	70.7	498.5	54.5	7.9	3.1	3.8	4.3	2.8	2.5

					(%)		(kg)	(cm2)	(cm)	(cm)				
			800 899	1.0	(50.0)	70.4	304.0	39.0	5.0	1.7	2.0	5.0	2.0	3.0
			600 699	1.0	(50.0)	69.2	323.0	31.0	4.7	1.4	2.0	5.0	2.0	3.0
				2.0	(0.1)	69.8	313.5	35.0	4.8	1.6	2.0	5.0	2.0	3.0
			1700 1799	1.0	(0.4)	72.0	546.0	67.0	8.5	3.3	8.0	3.0	5.0	3.0
			1600 1699	7.0	(2.8)	72.6	519.6	66.1	8.1	2.5	7.3	3.7	4.4	2.3
			1500 1599	17.0	(6.8)	71.3	501.7	58.2	7.6	2.7	5.5	4.0	3.8	2.5
			1400 1499	73.0	(29.3)	70.8	482.8	56.1	7.4	3.0	4.5	3.9	3.3	2.3
			1300 1399	74.0	(29.7)	70.5	480.4	53.7	7.2	2.9	3.8	4.1	2.8	2.3
			1200 1299	44.0	(17.7)	70.1	472.2	52.4	7.1	3.3	3.5	4.2	2.7	2.2
			1100 1199	30.0	(12.0)	69.7	483.0	51.4	6.9	3.3	3.0	4.5	2.3	2.1
			1000 1099	3.0	(1.2)	69.3	436.8	43.0	6.3	2.7	2.7	4.0	2.0	3.0
				249.0	(7.7)	70.5	482.3	54.5	7.2	3.0	4.1	4.1	3.0	2.3
			1900 1999	1.0	(0.4)	71.1	479.0	53.0	8.8	3.4	9.0	4.0	5.0	2.0
			1800 1899	1.0	(0.4)	72.2	587.0	81.0	7.8	4.0	7.0	4.0	4.0	3.0
			1700 1799	3.0	(1.3)	73.4	542.7	73.3	8.6	2.7	6.3	3.3	4.0	2.3
			1600 1699	27.0	(11.6)	71.3	501.1	58.7	7.8	3.0	5.9	3.7	3.9	2.5
			1500 1599	71.0	(30.6)	71.2	495.7	57.5	7.4	2.7	4.5	4.1	3.4	2.5
			1400 1499	64.0	(27.6)	70.6	486.0	54.4	7.4	3.0	3.8	4.4	2.8	2.4
			1300 1399	42.0	(18.1)	70.1	487.3	51.3	7.4	3.1	3.6	4.5	2.7	2.5
			1200 1299	17.0	(7.3)	69.0	479.1	46.6	6.8	3.3	3.1	4.5	2.5	2.5
			1100 1199	4.0	(1.7)	69.8	462.1	49.5	6.8	3.1	3.5	4.0	2.3	2.8
			1000 1099	2.0	(0.9)	68.3	444.5	43.0	6.2	3.5	3.5	4.5	2.5	2.5
				232.0	(7.2)	70.7	490.8	54.9	7.4	3.0	4.3	4.2	3.1	2.5
			1800 1899	1.0	(0.7)	72.3	532.0	68.0	8.1	3.0	9.0	4.0	5.0	3.0
			1700 1799	6.0	(4.1)	72.4	487.1	62.5	8.0	2.6	7.2	3.8	4.3	2.8
			1600 1699	17.0	(11.6)	71.4	538.9	62.0	8.1	2.9	5.8	4.1	3.9	2.5
			1500 1599	44.0	(30.1)	71.1	492.9	56.0	7.6	2.7	4.1	4.2	3.2	2.6
			1400 1499	42.0	(28.8)	70.5	503.8	55.2	7.4	3.0	3.8	4.2	2.8	2.5
			1300 1399	21.0	(14.4)	70.0	509.0	53.8	7.5	3.3	3.5	4.5	2.6	2.2
			1200 1299	10.0	(6.8)	70.0	484.0	54.0	6.9	3.2	3.3	4.4	2.4	2.3
			1100 1199	2.0	(1.4)	69.0	470.0	45.5	6.9	3.4	3.0	4.5	2.0	2.0
			1000 1099	1.0	(0.7)	66.5	559.0	43.0	8.6	5.8	3.0	4.0	2.0	2.0
			800 899	1.0	(0.7)	68.2	338.0	33.0	5.4	3.1	2.0	5.0	2.0	2.0
			700 799	1.0	(0.7)	70.2	362.0	38.0	5.7	1.5	3.0	6.0	2.0	5.0
				146.0	(4.5)	70.7	501.3	55.8	7.5	3.0	4.2	4.3	3.0	2.5
			1900 1999	4.0	(0.9)	73.0	520.5	70.8	8.4	3.0	7.0	3.8	4.5	2.5
			1800 1899	12.0	(2.6)	72.5	489.0	62.6	7.8	2.3	6.5	4.0	4.3	2.6
			1700 1799	20.0	(4.3)	72.4	492.9	63.0	7.7	2.4	6.5	3.6	4.3	2.7
			1600 1699	73.0	(15.7)	71.6	506.0	60.6	7.6	2.7	5.4	3.8	3.9	2.8
			1500 1599	143.0	(30.8)	71.3	481.8	58.2	7.2	2.7	4.4	4.0	3.3	2.7
			1400 1499	136.0	(29.2)	70.7	469.8	53.9	6.9	2.8	3.7	4.2	2.8	2.7

[illegible]

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1400 1499	3.0	(4.9)	70.4	461.7	51.7	6.5	2.5	3.0	4.0	3.0	3.0
			1300 1399	20.0	(32.8)	70.3	432.7	48.8	6.5	2.6	3.3	4.3	2.5	2.4
			1200 1299	22.0	(36.1)	69.7	431.6	46.2	6.3	2.8	2.5	4.6	2.0	2.3
			1100 1199	13.0	(21.3)	69.7	419.5	44.8	6.1	2.5	2.4	4.4	2.1	2.5
			1000 1099	3.0	(4.9)	69.7	357.0	40.0	5.6	2.3	2.3	4.3	2.0	2.7
				61.0	(1.9)	69.9	427.2	46.7	6.3	2.6	2.8	4.4	2.2	2.4
			1600 1699	2.0	(9.5)	71.2	485.3	60.5	7.3	3.1	5.5	4.0	3.5	2.5
			1500 1599	2.0	(9.5)	71.0	395.9	51.5	6.2	2.5	4.5	4.0	3.5	3.0
			1400 1499	7.0	(33.3)	71.2	496.9	58.3	7.6	2.9	3.9	4.0	3.1	2.9
			1300 1399	7.0	(33.3)	70.5	458.9	52.0	6.7	2.7	3.3	3.9	2.4	2.6
			1200 1299	3.0	(14.3)	70.4	451.3	54.0	6.8	3.3	2.3	4.3	2.0	2.3
				21.0	(0.7)	70.8	467.0	55.1	7.0	2.8	3.7	4.0	2.8	2.7
			1700 1799	1.0	(16.7)	73.8	456.4	69.0	8.2	2.5	5.0	3.0	4.0	3.0
			1600 1699	1.0	(16.7)	70.5	515.4	56.0	7.2	2.8	3.0	4.0	3.0	3.0
			1500 1599	1.0	(16.7)	70.6	557.2	59.0	7.9	3.0	5.0	4.0	4.0	3.0
			1400 1499	1.0	(16.7)	68.9	556.4	59.0	7.0	4.3	3.0	4.0	3.0	3.0
			1300 1399	2.0	(33.3)	70.5	486.5	52.5	7.3	2.8	2.5	4.5	2.0	3.5
				6.0	(0.2)	70.8	509.7	58.0	7.5	3.0	3.5	4.0	3.0	3.2
			1700 1799	2.0	(2.8)	70.8	504.3	58.5	7.8	3.4	4.5	4.0	3.5	3.0
			1600 1699	13.0	(18.1)	70.6	441.0	52.5	6.5	2.8	3.3	4.2	2.6	3.0
			1500 1599	26.0	(36.1)	70.2	433.2	47.8	6.5	2.5	2.9	4.3	2.5	3.0
			1400 1499	19.0	(26.4)	69.5	426.2	45.3	6.2	2.9	2.6	4.3	2.2	3.0
			1300 1399	8.0	(11.1)	69.2	431.2	45.8	6.0	3.1	2.6	4.6	2.3	3.0
			1200 1299	3.0	(4.2)	70.6	390.2	46.3	6.0	2.2	2.3	4.7	2.0	3.0
			1000 1099	1.0	(1.4)	70.3	286.0	39.0	3.0	0.7	2.0	5.0	2.0	2.0
				72.0	(2.2)	70.0	430.7	47.9	6.3	2.7	2.9	4.3	2.4	3.0
			1800 1899	1.0	(2.6)	70.2	557.0	68.0	6.5	3.7	5.0	4.0	4.0	3.0
			1700 1799	4.0	(10.5)	70.1	510.5	61.0	7.2	4.0	3.8	4.0	3.0	3.0
			1600 1699	4.0	(10.5)	70.7	511.6	59.3	7.8	3.5	4.3	3.8	3.3	3.0
			1500 1599	7.0	(18.4)	69.7	488.6	53.9	7.5	3.9	4.0	4.0	3.1	3.0
			1400 1499	10.0	(26.3)	69.5	472.6	52.8	6.9	3.8	2.9	4.1	2.4	3.0
			1300 1399	5.0	(13.2)	69.6	483.8	50.6	7.1	3.4	3.0	4.2	2.2	3.0
			1200 1299	1.0	(2.6)	71.4	494.0	58.0	7.3	2.4	3.0	4.0	3.0	3.0
			1100 1199	3.0	(7.9)	70.7	397.0	48.7	5.6	1.9	2.7	4.0	2.0	3.0
			900 999	2.0	(5.3)	69.9	336.5	36.0	4.7	1.1	2.0	4.5	2.0	3.0
			600 699	1.0	(2.6)	69.2	293.0	32.0	4.4	1.7	1.0	6.0	1.0	4.0
				38.0	(1.2)	69.9	470.0	53.0	6.9	3.4	3.3	4.1	2.6	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1600 1699	8.0	(9.6)	71.3	487.9	59.4	7.7	3.1	5.3	3.3	3.9	2.9
			1500 1599	32.0	(38.6)	71.0	479.0	55.6	7.2	2.7	4.1	3.8	3.2	2.8
			1400 1499	27.0	(32.5)	70.5	508.3	56.8	7.4	3.1	3.6	4.1	2.7	2.7
			1300 1399	7.0	(8.4)	70.1	490.3	53.3	7.4	3.3	2.7	4.1	2.3	2.9
			1200 1299	7.0	(8.4)	69.5	459.0	46.4	6.6	2.9	2.6	4.4	2.0	3.0
			1100 1199	1.0	(1.2)	68.9	530.2	49.0	6.9	3.1	3.0	4.0	2.0	3.0
			1000 1099	1.0	(1.2)	70.6	373.0	47.0	5.8	2.3	3.0	6.0	2.0	2.0
				83.0	(2.6)	70.6	488.0	55.2	7.3	2.9	3.7	4.0	2.9	2.8
			1900 1999	1.0	(1.2)	70.4	503.4	56.0	7.4	3.2	7.0	4.0	4.0	3.0
			1800 1899	2.0	(2.4)	73.5	474.6	70.0	7.3	2.1	5.5	3.5	4.0	3.0
			1700 1799	4.0	(4.8)	73.0	452.3	61.3	7.3	1.8	5.8	3.5	4.0	2.8
			1600 1699	10.0	(11.9)	71.5	482.8	60.8	7.4	3.0	5.4	3.9	3.8	3.1
			1500 1599	25.0	(29.8)	71.1	496.8	58.4	7.7	3.1	4.1	3.7	3.2	2.9
			1400 1499	22.0	(26.2)	70.0	488.9	55.2	7.0	3.4	4.1	3.9	3.0	3.0
			1300 1399	12.0	(14.3)	70.5	472.6	54.1	7.1	3.0	2.8	4.3	2.4	2.8
			1200 1299	5.0	(6.0)	68.7	479.0	49.6	6.8	4.1	2.8	4.2	2.2	3.0
			1100 1199	3.0	(3.6)	69.5	457.2	42.3	6.6	2.3	2.7	5.0	2.3	2.7
				84.0	(2.6)	70.7	484.6	56.5	7.3	3.1	4.1	3.9	3.1	2.9
			1600 1699	1.0	(25.0)	69.8	414.5	45.0	6.6	2.9	3.0	5.0	3.0	3.0
			1400 1499	1.0	(25.0)	69.3	524.5	50.0	7.7	3.6	4.0	4.0	3.0	3.0
			800 899	2.0	(50.0)	68.9	291.5	29.0	4.2	1.5	2.0	4.5	2.0	3.0
				4.0	(0.1)	69.2	380.5	38.3	5.7	2.4	2.8	4.5	2.5	3.0
			2200 2299	1.0	(4.8)	71.5	550.4	66.0	8.6	3.7	9.0	4.0	5.0	3.0
			1400 1499	4.0	(19.0)	69.3	449.5	44.3	6.6	2.9	3.8	4.3	3.0	2.8
			1300 1399	8.0	(38.1)	70.6	436.1	50.3	6.6	2.5	3.0	4.1	2.3	2.6
			1200 1299	7.0	(33.3)	70.0	434.0	50.1	6.2	2.8	2.6	4.1	2.0	2.7
			1100 1199	1.0	(4.8)	68.6	347.4	35.0	5.4	2.8	2.0	4.0	2.0	3.0
				21.0	(0.7)	70.1	439.2	49.1	6.5	2.7	3.2	4.1	2.4	2.7
			2000 2099	1.0	(1.3)	73.0	525.0	65.0	8.7	2.2	9.0	4.0	5.0	3.0
			1800 1899	1.0	(1.3)	72.2	428.0	55.0	8.5	3.0	6.0	4.0	4.0	3.0
			1600 1699	4.0	(5.1)	71.5	481.5	61.8	7.4	3.1	5.0	3.3	4.0	3.0
			1500 1599	15.0	(19.0)	70.9	486.6	56.9	7.2	3.0	3.6	3.8	3.1	2.7
			1400 1499	24.0	(30.4)	69.8	495.5	52.0	7.3	3.4	3.2	4.0	2.6	2.8
			1300 1399	29.0	(36.7)	69.7	476.1	49.9	7.0	3.2	2.4	4.0	2.0	2.9
			1200 1299	4.0	(5.1)	68.3	499.7	45.5	7.5	4.1	2.5	4.0	2.0	2.5
			700 799	1.0	(1.3)	66.4	559.6	52.0	6.7	5.7	2.0	5.0	2.0	2.0
				79.0	(2.4)	70.0	486.5	52.5	7.2	3.3	3.1	3.9	2.6	2.8

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1500 1599	1.0	(20.0)	70.9	455.0	51.0	7.9	3.0	3.0	4.0	3.0	3.0
			1400 1499	1.0	(20.0)	68.4	425.6	40.0	6.5	3.5	2.0	4.0	2.0	3.0
			1300 1399	1.0	(20.0)	67.6	393.4	36.0	5.9	3.8	2.0	4.0	2.0	3.0
			1000 1099	2.0	(40.0)	70.5	364.6	45.0	5.0	1.6	1.0	5.5	1.0	3.0
				5.0	(0.2)	69.6	400.6	43.4	6.1	2.7	1.8	4.6	1.8	3.0
			1500 1599	1.0	(16.7)	70.0	570.0	53.0	8.3	2.9	4.0	4.0	3.0	3.0
			1400 1499	3.0	(50.0)	69.2	497.5	51.7	7.3	3.9	3.7	4.0	3.0	3.0
			1300 1399	1.0	(16.7)	69.6	469.6	52.0	7.1	3.7	2.0	5.0	2.0	2.0
			1200 1299	1.0	(16.7)	68.1	421.8	38.0	5.5	2.8	2.0	5.0	2.0	2.0
				6.0	(0.2)	69.2	492.3	49.7	7.1	3.5	3.2	4.3	2.7	2.7
			1800 1899	2.0	(18.2)	70.8	508.5	56.0	7.2	2.6	6.5	4.0	4.0	2.5
			1700 1799	2.0	(18.2)	70.2	497.0	59.0	7.1	3.8	6.0	4.0	4.0	2.5
			1600 1699	2.0	(18.2)	71.8	482.4	61.0	7.7	2.9	6.0	3.5	4.0	2.5
			1500 1599	1.0	(9.1)	70.2	489.8	50.0	7.7	3.0	5.0	4.0	3.0	3.0
			1400 1499	2.0	(18.2)	71.0	480.1	56.5	7.0	2.6	4.0	4.0	2.5	2.5
			1300 1399	2.0	(18.2)	69.5	485.4	54.5	6.6	3.5	3.5	4.5	2.5	3.0
				11.0	(0.3)	70.6	490.6	56.7	7.2	3.1	5.2	4.0	3.4	2.6
			1100 1199	1.0	(0.0)	69.1	414.8	45.0	6.4	3.5	2.0	5.0	2.0	4.0
			1800 1899	1.0	(1.1)	72.6	517.0	60.0	8.1	1.6	5.0	5.0	4.0	2.0
			1700 1799	5.0	(5.5)	72.7	468.8	62.2	7.6	2.2	6.2	3.8	4.0	2.8
			1600 1699	8.0	(8.8)	72.4	469.4	60.4	7.5	2.1	5.6	3.5	3.9	2.8
			1500 1599	21.0	(23.1)	71.0	468.7	55.1	7.1	2.6	4.3	4.1	3.2	2.8
			1400 1499	37.0	(40.7)	70.7	481.3	55.4	7.3	3.0	3.4	4.4	2.6	2.8
			1300 1399	13.0	(14.3)	69.6	493.2	51.2	7.0	3.2	2.8	4.1	2.3	2.5
			1200 1299	5.0	(5.5)	69.9	476.6	50.4	6.6	2.7	2.2	4.6	2.2	2.4
			1000 1099	1.0	(1.1)	71.5	334.4	47.0	5.9	1.9	3.0	4.0	2.0	2.0
				91.0	(2.8)	70.9	476.9	55.2	7.2	2.8	3.8	4.2	2.9	2.7
			1600 1699	21.0	(14.4)	70.8	485.4	56.7	7.6	3.3	5.5	3.8	4.0	2.6
			1500 1599	71.0	(48.6)	70.4	480.5	53.5	7.4	3.1	3.6	4.0	3.0	2.5
			1400 1499	27.0	(18.5)	70.4	476.2	53.4	7.2	3.1	3.1	4.0	2.6	2.6
			1300 1399	23.0	(15.8)	69.6	481.6	49.3	7.3	3.4	2.6	4.2	2.1	2.7
			1200 1299	3.0	(2.1)	68.5	465.7	44.7	7.1	3.9	2.3	5.0	2.0	3.0
			1100 1199	1.0	(0.7)	68.5	618.0	64.0	8.7	5.8	3.0	5.0	2.0	3.0
				146.0	(4.5)	70.3	481.2	53.2	7.4	3.2	3.6	4.0	2.9	2.6
			1600 1699	1.0	(3.2)	69.7	535.0	58.0	7.1	3.6	5.0	3.0	4.0	3.0
			1500 1599	10.0	(32.3)	71.0	485.4	55.7	7.4	2.8	4.2	4.0	3.2	2.7
			1400 1499	10.0	(32.3)	70.4	492.0	52.9	7.4	2.9	3.7	4.2	2.8	2.5
			1300 1399	7.0	(22.6)	69.6	500.9	53.4	6.8	3.3	3.0	5.0	2.0	2.4
			1200 1299	3.0	(9.7)	68.8	466.2	45.0	6.3	3.1	3.0	4.7	2.0	2.3

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				31.0	(1.0)	70.2	490.8	53.3	7.2	3.0	3.7	4.3	2.7	2.5
			2000 2099	2.0	(3.0)	73.2	591.0	82.5	8.4	3.5	6.0	3.5	4.0	2.5
			1800 1899	2.0	(3.0)	70.5	521.6	61.0	7.8	3.9	6.0	3.0	4.0	2.5
			1700 1799	3.0	(4.5)	72.0	532.1	66.3	7.6	2.7	5.7	3.7	4.0	2.7
			1600 1699	8.0	(12.1)	71.3	494.2	60.4	7.4	2.9	5.4	3.5	3.8	2.9
			1500 1599	21.0	(31.8)	70.2	488.3	54.1	7.1	3.2	3.6	3.9	2.9	2.5
			1400 1499	15.0	(22.7)	70.1	481.3	52.7	6.8	2.9	3.1	4.1	2.5	2.7
			1300 1399	12.0	(18.2)	69.3	463.5	48.0	6.6	3.2	2.8	4.1	2.2	2.9
			1200 1299	1.0	(1.5)	69.9	479.2	54.0	7.6	4.0	2.0	4.0	2.0	3.0
			700 799	2.0	(3.0)	69.5	324.0	36.5	5.0	2.0	2.5	5.5	2.0	4.5
				66.0	(2.0)	70.3	483.9	54.5	7.0	3.1	3.7	3.9	2.8	2.7
			1600 1699	4.0	(22.2)	71.5	469.2	58.0	7.4	2.7	4.8	3.8	3.8	2.8
			1500 1599	4.0	(22.2)	70.5	465.3	52.5	7.3	3.0	3.3	3.3	3.0	2.5
			1400 1499	5.0	(27.8)	70.0	486.5	48.8	7.4	2.8	3.6	4.0	2.8	2.6
			1300 1399	5.0	(27.8)	69.5	443.2	43.6	6.8	2.8	2.4	4.0	2.2	2.8
				18.0	(0.6)	70.3	465.9	50.2	7.2	2.8	3.4	3.8	2.9	2.7
			1700 1799	1.0	(4.5)	71.8	453.0	58.0	6.8	2.2	5.0	3.0	4.0	2.0
			1600 1699	1.0	(4.5)	70.5	500.8	67.0	8.2	5.3	4.0	3.0	3.0	3.0
			1500 1599	6.0	(27.3)	69.5	513.1	56.0	7.1	3.9	3.8	3.7	3.3	2.8
			1400 1499	8.0	(36.4)	69.9	462.7	49.3	6.7	2.8	3.4	3.3	2.8	2.9
			1300 1399	3.0	(13.6)	70.4	474.6	49.7	6.9	2.3	3.0	4.0	2.0	2.7
			1200 1299	1.0	(4.5)	68.5	502.6	46.0	7.9	4.2	2.0	4.0	2.0	3.0
			700 799	1.0	(4.5)	71.0	302.0	41.0	4.6	1.1	3.0	5.0	2.0	2.0
			500 599	1.0	(4.5)	69.7	255.0	34.0	3.2	1.1	1.0	6.0	1.0	4.0
				22.0	(0.7)	69.9	464.4	51.1	6.7	3.0	3.4	3.7	2.7	2.8
			1800 1899	1.0	(1.9)	69.8	579.1	58.0	8.4	3.8	5.0	4.0	4.0	3.0
			1700 1799	7.0	(13.2)	70.3	471.1	52.6	6.9	2.9	3.4	4.3	2.4	2.9
			1600 1699	4.0	(7.5)	69.2	502.8	49.0	7.6	3.7	2.3	4.0	2.3	3.0
			1500 1599	6.0	(11.3)	70.9	462.1	53.2	7.0	2.5	3.3	3.8	3.0	2.8
			1400 1499	12.0	(22.6)	70.4	434.1	50.1	6.8	2.9	3.3	4.2	2.6	2.8
			1300 1399	21.0	(39.6)	69.8	406.0	46.0	6.1	2.7	2.8	4.3	2.0	2.7
			1200 1299	2.0	(3.8)	69.5	433.9	47.5	6.5	3.3	2.0	4.5	2.0	2.5
				53.0	(1.6)	70.1	438.9	49.1	6.6	2.9	3.0	4.2	2.4	2.8
			1600 1699	2.0	(13.3)	71.3	492.3	58.5	7.3	2.5	6.5	4.0	4.0	2.5
			1500 1599	2.0	(13.3)	70.8	456.9	52.0	7.0	2.6	3.5	3.5	3.0	2.5
			1400 1499	4.0	(26.7)	70.1	481.6	51.5	7.7	3.5	3.5	4.0	3.0	3.0
			1300 1399	6.0	(40.0)	69.7	452.6	47.8	7.0	3.3	2.7	4.2	2.0	3.0
			1200 1299	1.0	(6.7)	68.7	462.4	44.0	8.1	4.5	3.0	4.0	2.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				15.0	(0.5)	70.1	466.8	50.5	7.3	3.2	3.5	4.0	2.7	2.9
			1700 1799	1.0	(0.5)	71.2	578.7	65.0	8.8	3.6	6.0	4.0	4.0	3.0
			1600 1699	5.0	(2.5)	72.4	477.9	62.2	7.9	2.6	5.6	4.2	4.0	2.8
			1500 1599	17.0	(8.3)	70.6	481.0	52.6	7.4	2.8	4.3	4.1	3.1	2.9
			1400 1499	62.0	(30.4)	70.5	462.8	51.4	7.2	2.9	3.6	4.2	2.7	2.8
			1300 1399	85.0	(41.7)	69.9	466.2	49.7	7.1	3.1	3.0	4.5	2.2	2.8
			1200 1299	34.0	(16.7)	69.0	451.2	45.1	6.8	3.4	2.5	4.6	2.1	2.7
				204.0	(6.3)	70.0	464.7	50.1	7.1	3.1	3.3	4.4	2.5	2.8
			1600 1699	2.0	(16.7)	70.2	479.9	55.0	7.0	3.3	3.0	3.5	2.5	2.5
			1400 1499	2.0	(16.7)	71.3	505.4	58.0	8.3	3.0	4.0	4.5	3.0	2.5
			1300 1399	3.0	(25.0)	70.2	384.8	42.3	5.8	1.9	3.3	4.7	2.3	2.3
			1200 1299	3.0	(25.0)	69.9	395.7	46.0	5.6	2.5	2.0	4.7	2.0	2.7
			1100 1199	1.0	(8.3)	69.7	304.4	37.0	5.0	2.2	2.0	4.0	2.0	3.0
			800 899	1.0	(8.3)	67.9	436.6	44.0	6.3	4.3	2.0	5.0	2.0	4.0
				12.0	(0.4)	70.1	421.1	47.7	6.3	2.7	2.8	4.4	2.3	2.7
			1100 1199	1.0	(0.0)	68.9	493.7	48.0	7.2	3.8	3.0	4.0	2.0	3.0
			1900 1999	1.0	(1.0)	74.0	455.0	76.0	6.3	2.1	9.0	4.0	5.0	2.0
			1800 1899	1.0	(1.0)	72.5	524.3	66.0	8.2	2.6	8.0	4.0	5.0	2.0
			1700 1799	2.0	(2.1)	71.7	487.9	62.0	7.7	3.0	5.5	3.5	4.0	3.0
			1600 1699	8.0	(8.3)	71.6	509.7	63.1	8.2	3.4	4.8	3.4	3.6	3.0
			1500 1599	27.0	(28.1)	70.6	500.8	56.7	7.6	3.2	3.1	3.9	2.9	3.0
			1400 1499	34.0	(35.4)	70.3	491.7	53.6	7.4	3.2	2.4	4.2	2.2	2.9
			1300 1399	20.0	(20.8)	69.2	473.7	50.9	7.0	3.9	2.6	4.4	2.3	2.9
			1200 1299	1.0	(1.0)	70.6	512.0	51.0	8.8	3.2	4.0	4.0	3.0	3.0
			1100 1199	1.0	(1.0)	68.7	563.0	49.0	8.5	4.2	3.0	4.0	2.0	3.0
			900 999	1.0	(1.0)	68.7	364.3	38.0	5.0	2.6	2.0	5.0	2.0	5.0
				96.0	(3.0)	70.3	491.5	55.0	7.4	3.4	3.1	4.1	2.6	2.9
			1300 1399	2.0	(66.7)	69.0	525.2	56.0	7.5	4.5	3.5	4.5	2.5	3.0
			1200 1299	1.0	(33.3)	68.5	571.2	46.0	8.0	3.3	3.0	5.0	2.0	3.0
				3.0	(0.1)	68.9	540.5	52.7	7.7	4.1	3.3	4.7	2.3	3.0
			2200 2299	1.0	(0.0)	71.5	550.4	66.0	8.6	3.7	9.0	4.0	5.0	3.0
			2000 2099	5.0	(0.2)	73.2	526.8	74.2	8.0	2.9	8.0	3.4	4.6	2.4
			1900 1999	8.0	(0.2)	72.4	501.6	66.1	8.0	3.0	7.6	3.9	4.6	2.4
			1800 1899	36.0	(1.1)	72.1	507.5	64.0	7.8	2.7	6.7	3.8	4.4	2.6
			1700 1799	101.0	(3.1)	72.1	497.0	63.2	7.7	2.6	6.2	3.7	4.0	2.7
			1600 1699	319.0	(9.9)	71.5	499.1	59.9	7.7	2.8	5.4	3.8	3.8	2.7
			1500 1599	717.0	(22.2)	71.0	486.9	56.4	7.4	2.8	4.2	4.0	3.2	2.6
			1400 1499	936.0	(29.0)	70.6	482.0	54.1	7.2	2.9	3.7	4.1	2.8	2.6
			1300 1399	681.0	(21.1)	70.1	472.5	51.2	7.0	3.1	3.1	4.3	2.4	2.5
			1200 1299	256.0	(7.9)	69.6	463.1	48.9	6.8	3.2	2.9	4.5	2.3	2.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2000 2099	1.0	(0.4)	70.3	559.0	54.0	8.0	2.7	7.0	3.0	5.0	2.0
			1900 1999	2.0	(0.7)	72.7	557.5	65.5	8.4	2.1	7.0	4.0	4.5	2.5
			1800 1899	3.0	(1.1)	72.0	549.5	66.0	7.6	2.3	6.7	3.7	4.3	2.0
			1700 1799	5.0	(1.8)	71.0	546.0	58.2	7.8	2.6	5.8	3.2	4.0	2.4
			1600 1699	17.0	(6.1)	71.3	559.5	61.2	7.9	2.5	5.0	3.8	3.6	2.4
			1500 1599	49.0	(17.6)	70.7	557.7	57.9	7.8	2.7	4.1	3.7	3.2	2.4
			1400 1499	119.0	(42.8)	70.1	539.8	55.0	7.5	3.0	3.6	4.0	2.7	2.5
			1300 1399	69.0	(24.8)	69.6	526.7	51.4	7.1	3.0	3.0	4.2	2.3	2.4
			1200 1299	11.0	(4.0)	69.0	504.5	47.8	6.9	3.1	2.5	4.3	2.1	2.8
			1100 1199	2.0	(0.7)	69.0	518.5	51.5	6.5	3.3	2.5	5.0	2.0	2.0
				278.0	(9.9)	70.1	539.8	55.0	7.5	2.9	3.7	4.0	2.8	2.4
			1700 1799	2.0	(5.6)	72.3	558.5	70.0	8.3	3.0	6.0	4.0	4.0	2.5
			1600 1699	4.0	(11.1)	71.7	520.8	64.5	8.0	3.1	4.8	3.8	3.5	2.8
			1500 1599	9.0	(25.0)	71.1	513.9	57.6	7.5	2.6	4.0	4.0	3.1	2.1
			1400 1499	15.0	(41.7)	70.9	528.9	55.7	7.7	2.5	3.5	4.2	2.6	2.4
			1300 1399	5.0	(13.9)	69.7	515.7	53.2	7.2	3.2	2.8	4.8	2.2	2.4
			1000 1099	1.0	(2.8)	71.4	377.0	46.0	5.5	1.0	2.0	5.0	2.0	3.0
				36.0	(1.3)	71.0	519.8	57.3	7.6	2.7	3.8	4.2	2.8	2.4
			1600 1699	7.0	(11.5)	71.7	553.9	63.0	8.1	2.6	5.9	3.9	3.9	2.1
			1500 1599	11.0	(18.0)	71.0	558.3	57.9	8.0	2.6	5.3	4.3	3.6	2.5
			1400 1499	26.0	(42.6)	70.2	590.3	56.9	8.3	3.0	4.5	4.4	3.2	2.5
			1300 1399	14.0	(23.0)	68.6	611.1	53.9	7.9	3.8	3.7	4.7	2.8	2.4
			1200 1299	1.0	(1.6)	67.1	582.0	42.0	7.9	4.2	4.0	5.0	3.0	2.0
			1100 1199	2.0	(3.3)	67.3	655.5	48.5	8.8	4.5	3.5	4.0	3.0	2.5
				61.0	(2.2)	70.0	587.1	56.6	8.1	3.1	4.6	4.4	3.2	2.4
			1900 1999	1.0	(1.1)	73.0	623.0	75.0	10.4	3.7	8.0	4.0	5.0	3.0
			1700 1799	2.0	(2.1)	73.1	531.8	64.5	9.1	2.3	6.0	4.0	4.0	3.0
			1600 1699	7.0	(7.4)	71.1	582.6	60.0	8.7	2.9	6.0	4.0	3.9	2.6
			1500 1599	29.0	(30.9)	70.9	561.2	56.9	8.6	2.9	4.4	4.1	3.3	2.4
			1400 1499	35.0	(37.2)	70.1	580.6	55.7	8.5	3.2	4.0	3.9	3.1	2.3
			1300 1399	12.0	(12.8)	68.9	545.7	46.9	7.9	3.3	2.9	4.3	2.3	2.8
			1200 1299	5.0	(5.3)	69.8	514.7	49.2	7.5	2.8	2.0	4.4	2.0	2.2
			1100 1199	1.0	(1.1)	70.7	369.5	42.0	6.6	2.1	3.0	5.0	2.0	3.0
			800 899	2.0	(2.1)	68.4	540.5	47.5	6.4	3.0	2.5	5.5	2.0	2.5
				94.0	(3.4)	70.3	563.1	55.0	8.4	3.0	4.1	4.1	3.1	2.4
			1600 1699	2.0	(0.1)	70.7	642.3	61.0	9.2	3.0	4.0	4.0	3.0	2.5
			1600 1699	2.0	(5.6)	72.1	549.5	67.0	7.8	2.6	7.0	4.0	4.5	2.0
			1500 1599	4.0	(11.1)	70.9	571.3	60.5	7.7	2.7	5.5	3.8	4.0	2.0
			1400 1499	10.0	(27.8)	70.3	546.3	57.2	7.5	3.0	4.5	4.3	3.4	2.2
			1300 1399	9.0	(25.0)	69.7	534.7	53.2	7.6	3.3	4.0	4.3	3.1	2.0

							(kg)	(m2)	(m)	(m)				
					(%)									
			1200 1299	5.0	(13.9)	69.7	554.6	57.4	7.5	3.6	4.0	4.4	3.0	2.2
			1100 1199	5.0	(13.9)	69.9	531.4	53.2	7.4	2.9	3.2	4.8	2.4	2.4
			800 899	1.0	(2.8)	69.0	251.0	27.0	3.2	1.0	2.0	5.0	2.0	2.0
				36.0	(1.3)	70.1	537.2	55.8	7.4	3.0	4.3	4.3	3.2	2.1
			2000 2099	1.0	(0.5)	72.3	624.0	67.0	7.9	1.4	8.0	4.0	5.0	2.0
			1800 1899	2.0	(1.0)	76.0	539.5	88.5	8.8	2.2	8.5	3.5	4.5	2.5
			1700 1799	15.0	(7.7)	72.0	571.1	64.4	8.3	2.5	6.1	3.3	4.1	2.6
			1600 1699	36.0	(18.6)	71.1	562.0	60.6	8.0	2.7	5.6	3.7	3.8	2.6
			1500 1599	64.0	(33.0)	71.0	550.7	58.0	7.8	2.6	4.4	4.0	3.3	2.5
			1400 1499	52.0	(26.8)	70.0	539.3	52.9	7.4	2.7	3.7	3.9	2.8	2.3
			1300 1399	16.0	(8.2)	69.3	538.4	51.6	7.2	3.1	3.2	4.4	2.3	2.3
			1200 1299	6.0	(3.1)	70.4	485.1	50.8	7.0	2.5	2.7	4.7	2.0	2.5
			1100 1199	1.0	(0.5)	71.1	296.0	37.0	5.1	0.8	2.0	4.0	2.0	3.0
			1000 1099	1.0	(0.5)	68.4	551.5	44.0	8.0	3.5	3.0	4.0	2.0	3.0
				194.0	(6.9)	70.7	547.2	57.0	7.7	2.7	4.4	3.9	3.2	2.5
			2000 2099	3.0	(0.6)	72.4	591.3	64.0	8.9	2.0	7.0	3.3	4.7	2.3
			1900 1999	1.0	(0.2)	72.1	631.0	75.0	8.2	2.8	6.0	3.0	4.0	3.0
			1800 1899	8.0	(1.5)	72.7	591.6	71.8	8.6	2.6	7.9	3.6	4.6	2.8
			1700 1799	45.0	(8.4)	71.4	582.2	63.3	8.4	2.9	6.4	3.6	4.1	2.4
			1600 1699	98.0	(18.4)	70.8	589.7	61.0	8.1	2.8	5.4	3.8	3.7	2.4
			1500 1599	129.0	(24.2)	70.6	581.1	59.1	7.9	2.7	4.3	4.1	3.2	2.4
			1400 1499	149.0	(28.0)	70.3	586.6	58.2	7.7	2.7	3.6	4.3	2.7	2.3
			1300 1399	70.0	(13.1)	69.8	568.6	54.8	7.4	2.7	3.2	4.6	2.4	2.1
			1200 1299	20.0	(3.8)	69.0	545.2	50.1	7.0	3.0	3.0	4.5	2.3	2.4
			1100 1199	4.0	(0.8)	70.5	435.0	44.5	6.3	1.5	3.0	4.8	2.0	2.3
			1000 1099	3.0	(0.6)	70.3	415.2	45.3	6.1	2.1	2.0	4.3	2.0	2.3
			800 899	3.0	(0.6)	70.2	337.0	39.0	4.9	1.4	2.3	3.0	2.0	2.0
				533.0	(19.1)	70.5	578.2	58.6	7.8	2.7	4.3	4.1	3.1	2.4
			1900 1999	2.0	(1.0)	73.0	603.5	75.0	8.5	2.5	8.5	3.0	5.0	2.5
			1800 1899	1.0	(0.5)	70.2	566.0	68.0	6.9	3.9	8.0	3.0	5.0	3.0
			1700 1799	9.0	(4.4)	72.0	559.3	62.4	8.3	2.3	6.7	3.2	4.3	2.8
			1600 1699	37.0	(18.0)	71.4	547.4	59.3	8.0	2.5	5.6	3.7	3.9	2.6
			1500 1599	70.0	(34.0)	71.0	528.6	57.3	7.5	2.5	4.4	3.9	3.4	2.7
			1400 1499	58.0	(28.2)	70.6	513.2	54.0	7.1	2.4	3.5	4.2	2.8	2.7
			1300 1399	18.0	(8.7)	69.4	512.0	48.0	7.0	2.7	3.0	4.3	2.3	2.7
			1200 1299	7.0	(3.4)	69.9	440.1	45.7	6.3	2.4	2.6	4.3	2.3	2.1
			1100 1199	3.0	(1.5)	68.8	452.7	42.3	6.2	2.8	2.3	4.3	2.0	2.7
			900 999	1.0	(0.5)	71.2	362.0	48.0	4.5	1.0	3.0	5.0	2.0	3.0
				206.0	(7.4)	70.8	523.5	55.7	7.4	2.5	4.3	4.0	3.2	2.7
			1600 1699	3.0	(16.7)	71.0	559.7	55.3	8.8	2.7	7.3	4.0	4.7	3.0
			1500 1599	3.0	(16.7)	71.6	573.2	60.7	8.8	2.6	4.7	4.0	3.3	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1400 1499	9.0	(50.0)	70.0	580.1	54.0	8.0	2.8	3.4	4.6	2.9	2.8
			1300 1399	1.0	(5.6)	71.5	509.5	51.0	7.1	0.9	3.0	5.0	2.0	3.0
			1200 1299	1.0	(5.6)	66.6	549.0	36.0	8.3	4.5	2.0	5.0	2.0	3.0
			800 899	1.0	(5.6)	68.5	326.5	33.0	3.5	1.6	2.0	3.0	2.0	2.0
				18.0	(0.6)	70.2	555.8	53.0	8.0	2.7	4.1	4.3	3.1	2.8
			1900 1999	2.0	(0.7)	71.9	587.5	66.5	8.8	2.9	8.5	3.0	4.5	2.0
			1800 1899	6.0	(2.1)	71.9	603.2	67.7	8.6	2.7	7.8	3.7	4.7	2.5
			1700 1799	21.0	(7.3)	71.6	578.2	62.8	8.2	2.4	7.0	3.8	4.3	2.1
			1600 1699	52.0	(18.0)	71.4	566.3	62.4	7.9	2.5	5.7	3.8	3.8	2.2
			1500 1599	90.0	(31.1)	70.5	566.2	58.7	7.7	2.8	4.8	4.0	3.4	2.2
			1400 1499	64.0	(22.1)	70.4	540.1	56.3	7.4	2.7	3.7	4.3	2.8	2.2
			1300 1399	39.0	(13.5)	69.8	550.8	53.1	7.3	2.7	3.1	4.5	2.2	2.0
			1200 1299	12.0	(4.2)	68.4	547.2	47.2	6.9	3.3	3.1	4.6	2.2	2.1
			1100 1199	3.0	(1.0)	68.4	570.3	51.0	7.4	3.8	3.0	5.0	2.0	2.0
				289.0	(10.3)	70.6	559.4	58.1	7.6	2.7	4.7	4.1	3.2	2.1
			1600 1699	2.0	(10.0)	71.8	602.0	62.0	9.3	2.5	5.0	4.0	3.5	2.5
			1500 1599	3.0	(15.0)	70.4	537.3	56.0	7.3	2.7	5.3	3.3	3.7	2.3
			1400 1499	3.0	(15.0)	69.7	562.7	48.0	7.6	2.2	3.0	4.7	2.7	2.0
			1300 1399	6.0	(30.0)	69.1	519.3	49.3	6.9	3.1	3.0	4.0	2.3	3.0
			1200 1299	4.0	(20.0)	67.6	611.3	55.5	7.8	5.1	3.3	4.3	2.5	2.8
			1100 1199	2.0	(10.0)	67.8	621.5	50.5	8.8	4.7	3.0	4.5	2.0	2.0
				20.0	(0.7)	69.2	565.4	52.8	7.7	3.4	3.6	4.1	2.7	2.5
			1500 1599	1.0	(1.2)	69.9	517.0	50.0	7.2	2.6	4.0	4.0	3.0	2.0
			1400 1499	17.0	(20.0)	70.7	518.9	55.1	7.3	2.5	3.7	4.3	2.8	2.1
			1300 1399	37.0	(43.5)	69.9	492.8	48.2	6.8	2.4	3.0	4.4	2.2	2.0
			1200 1299	19.0	(22.4)	69.7	466.5	46.9	6.3	2.4	2.6	4.7	2.0	2.1
			1100 1199	9.0	(10.6)	69.0	473.6	42.2	6.2	2.3	2.0	4.7	2.0	2.0
			1000 1099	2.0	(2.4)	70.0	406.0	43.5	5.5	1.8	2.0	5.0	2.0	2.0
				85.0	(3.0)	69.9	488.4	48.6	6.7	2.4	2.9	4.5	2.2	2.0
			1700 1799	1.0	(7.1)	71.9	460.5	58.0	6.5	1.7	6.0	3.0	4.0	2.0
			1500 1599	4.0	(28.6)	70.1	527.0	56.8	7.2	3.1	4.0	3.8	3.0	2.5
			1400 1499	3.0	(21.4)	70.5	494.8	57.7	6.9	3.1	3.7	3.0	3.0	2.3
			1300 1399	4.0	(28.6)	70.1	511.3	53.0	7.1	2.8	3.0	3.5	2.0	2.8
			1200 1299	2.0	(14.3)	71.2	510.5	56.5	7.0	1.9	2.0	3.5	2.0	3.0
				14.0	(0.5)	70.5	508.5	55.9	7.0	2.8	3.5	3.4	2.6	2.6
			2000 2099	1.0	(5.9)	69.4	570.0	60.0	8.5	4.8	6.0	3.0	4.0	3.0
			1700 1799	2.0	(11.8)	71.3	576.0	61.5	8.3	2.7	5.5	3.5	4.0	3.0
			1600 1699	2.0	(11.8)	72.0	597.5	67.0	8.2	2.3	3.5	3.5	3.0	3.0
			1500 1599	3.0	(17.6)	69.4	483.7	49.0	6.4	2.8	3.3	4.0	3.0	3.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1400 1499	5.0	(29.4)	71.1	460.6	53.8	7.3	2.6	3.0	4.2	2.8	3.0
			1300 1399	3.0	(17.6)	69.9	512.3	51.0	7.2	2.7	2.0	4.3	2.0	3.0
			1100 1199	1.0	(5.9)	72.3	362.0	55.0	5.1	1.2	2.0	4.0	2.0	3.0
				17.0	(0.6)	70.7	504.1	55.4	7.3	2.7	3.4	3.9	2.9	3.0
			2000 2099	1.0	(0.8)	74.7	597.4	74.0	10.2	1.8	8.0	3.0	5.0	3.0
			1700 1799	4.0	(3.2)	70.6	527.8	57.8	7.5	2.9	5.5	3.0	4.0	2.5
			1600 1699	19.0	(15.3)	71.6	547.0	60.7	7.8	2.2	5.1	3.4	3.8	2.6
			1500 1599	48.0	(38.7)	70.3	540.3	56.4	7.4	2.8	4.0	3.7	3.1	2.6
			1400 1499	36.0	(29.0)	70.1	537.4	54.1	7.4	2.9	3.2	4.0	2.5	2.6
			1300 1399	11.0	(8.9)	68.9	539.6	48.7	7.3	3.2	2.7	3.9	2.2	2.5
			1200 1299	2.0	(1.6)	70.2	396.5	45.0	5.6	2.0	2.5	4.5	2.0	2.5
			1100 1199	1.0	(0.8)	67.6	414.4	34.0	5.1	2.6	2.0	4.0	2.0	2.0
			1000 1099	1.0	(0.8)	69.5	421.0	42.0	6.4	2.5	2.0	6.0	2.0	2.0
			800 899	1.0	(0.8)	69.6	264.0	33.0	4.4	1.9	2.0	6.0	2.0	4.0
				124.0	(4.4)	70.3	534.0	55.2	7.4	2.8	3.8	3.8	3.0	2.6
			2100 2199	1.0	(0.6)	72.0	481.4	57.0	7.2	1.8	8.0	3.0	5.0	3.0
			2000 2099	2.0	(1.2)	71.5	541.1	62.0	7.5	2.4	8.0	3.5	5.0	2.0
			1900 1999	3.0	(1.8)	71.5	526.5	58.0	8.0	2.4	7.0	3.0	4.3	2.3
			1800 1899	7.0	(4.2)	71.6	538.3	63.1	7.9	2.7	5.9	3.1	4.1	2.7
			1700 1799	9.0	(5.4)	72.1	507.7	61.9	7.8	2.4	6.0	3.2	4.1	2.6
			1600 1699	30.0	(18.0)	70.8	503.3	56.3	7.2	2.6	4.9	3.6	3.6	2.5
			1500 1599	57.0	(34.1)	70.0	523.1	54.5	7.2	2.9	3.9	3.8	3.1	2.5
			1400 1499	41.0	(24.6)	69.4	513.8	50.4	7.0	3.1	3.3	3.9	2.5	2.5
			1300 1399	12.0	(7.2)	69.6	497.5	51.1	6.8	2.9	2.7	3.9	2.2	2.3
			1200 1299	4.0	(2.4)	68.6	525.8	49.5	6.6	3.3	2.5	4.0	2.0	2.5
			1100 1199	1.0	(0.6)	70.2	403.8	42.0	5.3	1.2	3.0	5.0	2.0	2.0
				167.0	(6.0)	70.2	514.6	54.3	7.2	2.9	4.1	3.7	3.1	2.5
			1700 1799	2.0	(3.6)	71.3	574.3	61.0	8.2	2.5	5.0	4.0	4.0	3.0
			1600 1699	51.0	(92.7)	69.6	543.3	49.3	7.5	2.7	3.0	4.3	2.6	3.0
			1500 1599	2.0	(3.6)	70.1	544.5	52.0	7.2	2.3	3.0	4.0	3.0	3.0
				55.0	(2.0)	69.7	544.5	49.9	7.5	2.7	3.1	4.3	2.7	3.0
			1500 1599	1.0	(10.0)	71.4	639.4	60.0	9.2	2.1	4.0	4.0	4.0	3.0
			1300 1399	2.0	(20.0)	69.3	449.7	45.5	5.8	2.5	3.0	4.0	3.0	2.5
			1200 1299	4.0	(40.0)	69.0	470.3	45.3	6.2	2.8	2.5	4.0	2.0	2.8
			1100 1199	1.0	(10.0)	69.5	427.6	37.0	5.9	1.4	2.0	5.0	2.0	3.0
			1000 1099	2.0	(20.0)	70.0	402.5	42.0	5.3	1.4	2.0	4.0	2.0	2.5
				10.0	(0.4)	69.6	465.3	45.3	6.2	2.2	2.6	4.1	2.4	2.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1700 1799	1.0	(5.3)	69.7	545.8	55.0	7.4	3.1	5.0	3.0	4.0	2.0
			1600 1699	3.0	(15.8)	71.0	548.9	56.0	7.9	2.3	5.0	3.3	3.7	2.7
			1500 1599	9.0	(47.4)	70.6	539.1	56.3	7.6	2.6	3.9	3.6	2.9	2.3
			1400 1499	4.0	(21.1)	69.8	531.3	52.0	7.4	2.9	3.3	4.0	2.8	2.8
			1300 1399	2.0	(10.5)	69.8	474.0	50.0	6.8	3.0	2.5	4.0	2.0	3.0
				19.0	(0.7)	70.4	532.5	54.6	7.5	2.7	3.8	3.6	2.9	2.5
			1600 1699	1.0	(7.1)	72.3	455.0	56.0	7.1	1.5	5.0	4.0	4.0	3.0
			1500 1599	6.0	(42.9)	70.8	466.3	50.0	6.9	2.0	3.2	4.0	3.0	3.0
			1400 1499	7.0	(50.0)	70.5	480.4	50.0	6.4	1.8	2.0	4.3	2.0	3.0
				14.0	(0.5)	70.8	472.6	50.4	6.7	1.9	2.7	4.1	2.6	3.0
			1800 1899	1.0	(4.8)	72.4	495.4	61.0	8.2	2.4	5.0	3.0	4.0	2.0
			1700 1799	3.0	(14.3)	70.8	595.3	64.7	7.9	3.1	5.3	3.3	4.0	2.7
			1600 1699	6.0	(28.6)	70.9	578.3	62.0	8.6	3.3	4.8	2.8	3.7	2.5
			1500 1599	7.0	(33.3)	70.6	569.2	63.1	7.6	3.3	4.0	3.3	3.4	3.0
			1400 1499	4.0	(19.0)	69.1	539.5	48.5	7.1	2.8	3.3	4.3	2.8	2.3
				21.0	(0.8)	70.5	566.4	60.1	7.9	3.1	4.3	3.3	3.5	2.6
			1700 1799	1.0	(2.0)	71.4	554.0	69.0	7.0	3.0	8.0	4.0	5.0	2.0
			1600 1699	15.0	(30.0)	71.3	554.6	60.8	7.8	2.5	4.7	3.8	3.6	2.6
			1500 1599	15.0	(30.0)	70.3	559.6	55.9	7.6	2.7	4.3	4.1	3.1	2.5
			1400 1499	11.0	(22.0)	70.0	578.2	55.1	7.8	2.8	3.4	4.2	2.7	2.0
			1300 1399	6.0	(12.0)	69.2	578.5	57.2	7.4	3.6	3.0	4.3	2.2	2.3
			1200 1299	2.0	(4.0)	69.6	584.0	60.5	6.8	3.1	2.5	2.5	2.5	2.5
				50.0	(1.8)	70.4	565.3	57.8	7.6	2.8	4.1	4.0	3.1	2.4
			1700 1799	4.0	(8.7)	72.6	482.9	64.5	7.2	2.0	6.5	3.5	4.3	2.3
			1600 1699	7.0	(15.2)	70.5	501.3	55.9	6.7	2.5	4.6	4.0	3.4	2.3
			1500 1599	17.0	(37.0)	70.0	507.2	49.8	6.9	2.4	4.0	3.7	3.2	2.5
			1400 1499	9.0	(19.6)	69.6	521.9	51.4	7.0	2.9	3.4	4.1	2.9	2.6
			1300 1399	8.0	(17.4)	70.2	446.6	48.6	6.5	2.5	2.9	4.1	2.1	2.3
			1200 1299	1.0	(2.2)	69.8	493.8	49.0	5.5	1.5	3.0	5.0	2.0	2.0
				46.0	(1.6)	70.3	496.2	52.1	6.8	2.5	4.0	3.9	3.1	2.4
			1700 1799	1.0	(5.9)	69.8	548.6	61.0	8.3	4.6	8.0	4.0	5.0	4.0
			1500 1599	3.0	(17.6)	70.8	471.7	52.3	6.9	2.3	3.7	4.0	3.0	2.7
			1400 1499	4.0	(23.5)	69.8	502.8	51.5	6.8	2.7	3.3	3.8	2.8	2.5
			1300 1399	7.0	(41.2)	71.0	485.3	54.9	6.9	2.2	2.6	4.0	2.0	2.3
			1200 1299	2.0	(11.8)	68.3	480.7	36.5	6.5	2.5	2.5	4.0	2.0	2.0
				17.0	(0.6)	70.3	490.2	51.8	6.9	2.5	3.2	3.9	2.5	2.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1700 1799	1.0	(11.1)	71.7	586.0	68.0	8.3	3.0	7.0	4.0	4.0	3.0
			1500 1599	6.0	(66.7)	70.3	471.8	49.5	6.8	2.4	3.3	4.0	2.7	2.7
			1400 1499	2.0	(22.2)	70.2	546.6	54.0	7.3	2.5	4.0	4.0	3.0	3.0
				9.0	(0.3)	70.4	501.1	52.6	7.1	2.5	3.9	4.0	2.9	2.8
			1700 1799	1.0	(2.1)	70.4	570.2	54.0	6.8	1.5	6.0	4.0	4.0	2.0
			1600 1699	7.0	(14.6)	70.8	550.1	60.9	7.5	2.8	4.6	3.4	3.4	2.3
			1500 1599	19.0	(39.6)	70.2	534.0	56.5	7.3	2.9	4.0	3.7	3.1	2.3
			1400 1499	13.0	(27.1)	69.5	532.2	52.7	7.3	3.2	3.3	3.8	2.7	2.6
			1300 1399	7.0	(14.6)	68.9	483.0	44.7	6.7	3.0	2.3	4.1	2.1	2.1
			1100 1199	1.0	(2.1)	71.4	530.2	59.0	6.3	1.3	2.0	6.0	2.0	2.0
				48.0	(1.7)	70.0	529.1	54.4	7.2	3.0	3.6	3.8	2.9	2.3
			1600 1699	4.0	(13.3)	70.3	585.2	57.8	8.2	3.0	5.3	3.0	4.0	2.3
			1500 1599	10.0	(33.3)	69.8	552.5	54.8	7.2	2.9	3.8	3.5	3.0	2.7
			1400 1499	12.0	(40.0)	68.9	551.7	49.3	7.2	3.1	3.1	3.8	2.6	2.4
			1300 1399	4.0	(13.3)	68.3	484.0	40.3	6.9	3.3	2.3	3.8	2.0	2.8
				30.0	(1.1)	69.3	547.4	51.0	7.3	3.0	3.5	3.6	2.8	2.5
			1800 1899	4.0	(9.3)	70.4	527.5	58.3	7.3	3.0	5.8	3.5	4.3	2.8
			1700 1799	3.0	(7.0)	70.1	482.6	50.0	6.7	2.5	5.3	3.7	4.0	2.3
			1600 1699	9.0	(20.9)	71.1	523.7	58.8	7.1	2.2	4.9	3.7	3.7	2.3
			1500 1599	16.0	(37.2)	69.6	502.2	50.3	6.9	2.9	3.6	3.9	3.1	2.2
			1400 1499	2.0	(4.7)	69.6	490.6	48.5	6.7	2.6	3.5	4.0	2.5	2.5
			1300 1399	6.0	(14.0)	69.3	481.5	48.0	6.1	2.6	2.8	4.0	2.3	2.0
			1200 1299	1.0	(2.3)	69.3	408.6	43.0	4.8	1.9	3.0	5.0	2.0	2.0
			1100 1199	2.0	(4.7)	71.3	367.6	48.0	5.4	1.4	2.5	4.5	2.0	3.0
				43.0	(1.5)	70.1	495.8	52.1	6.7	2.6	4.0	3.9	3.2	2.3
			1700 1799	6.0	(10.3)	70.8	512.4	56.5	6.9	2.3	4.2	4.5	2.8	2.5
			1600 1699	7.0	(12.1)	70.4	503.4	52.0	7.2	2.5	4.1	4.1	3.0	2.7
			1500 1599	14.0	(24.1)	70.8	517.8	56.4	7.3	2.6	3.9	3.9	3.1	2.6
			1400 1499	14.0	(24.1)	70.0	493.6	50.9	6.8	2.5	3.1	4.1	2.3	2.6
			1300 1399	15.0	(25.9)	69.3	483.9	46.0	6.6	2.6	3.0	4.1	2.1	2.4
			1200 1299	2.0	(3.4)	68.2	504.4	43.5	6.3	3.0	2.0	5.0	2.0	2.0
				58.0	(2.1)	70.1	500.4	51.4	6.9	2.5	3.5	4.1	2.6	2.5
			1800 1899	1.0	(16.7)	71.1	468.7	55.0	6.8	2.3	8.0	3.0	5.0	2.0
			1700 1799	1.0	(16.7)	70.8	446.0	45.0	6.1	1.0	5.0	4.0	4.0	2.0
			1500 1599	2.0	(33.3)	69.2	507.6	48.0	7.8	3.6	4.0	4.5	3.0	3.0
			1400 1499	2.0	(33.3)	71.3	482.9	53.0	7.5	2.1	4.5	4.5	2.5	3.0
				6.0	(0.2)	70.5	482.6	50.3	7.3	2.5	5.0	4.2	3.3	2.7
			1800 1899	1.0	(1.3)	73.6	516.8	64.0	8.8	1.6	8.0	3.0	5.0	3.0
			1700 1799	1.0	(1.3)	72.6	449.4	60.0	7.5	2.1	5.0	4.0	3.0	3.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1600 1699	9.0	(11.4)	70.3	551.8	58.3	8.2	3.5	5.1	4.0	3.8	3.0
			1500 1599	9.0	(11.4)	70.6	496.7	52.3	7.8	2.8	4.2	4.1	3.0	2.9
			1400 1499	24.0	(30.4)	70.4	504.8	51.6	7.5	2.6	3.4	4.3	2.5	2.8
			1300 1399	31.0	(39.2)	69.8	486.2	48.7	7.0	2.7	2.8	4.6	2.1	2.7
			1200 1299	4.0	(5.1)	69.7	455.7	48.3	6.3	2.7	2.3	5.0	2.0	2.0
				79.0	(2.8)	70.2	498.9	51.4	7.4	2.8	3.5	4.4	2.6	2.8
			2200 2299	1.0	(1.6)	72.0	573.8	73.0	7.4	3.0	5.0	3.0	4.0	2.0
			1800 1899	3.0	(4.8)	70.3	548.1	57.0	7.7	3.0	4.3	3.0	3.3	3.0
			1700 1799	2.0	(3.2)	71.0	576.9	62.0	8.3	3.0	5.0	3.5	4.0	2.5
			1600 1699	8.0	(12.7)	70.5	535.2	56.3	7.7	2.8	4.4	3.6	3.4	2.8
			1500 1599	24.0	(38.1)	70.0	561.4	54.8	8.1	3.2	3.8	3.9	2.8	2.8
			1400 1499	10.0	(15.9)	70.1	550.5	54.7	7.8	2.9	3.3	4.1	2.5	2.9
			1300 1399	12.0	(19.0)	69.6	528.2	48.2	7.5	2.7	2.6	4.7	2.0	2.9
			1200 1299	3.0	(4.8)	67.3	570.6	49.0	7.5	4.7	3.0	4.3	2.0	2.3
				63.0	(2.3)	70.0	550.5	54.1	7.8	3.1	3.6	4.0	2.7	2.8
			1200 1299	1.0	(0.0)	66.9	583.4	48.0	7.0	4.6	3.0	4.0	2.0	3.0
			1700 1799	3.0	(5.9)	70.6	546.8	53.7	7.8	2.3	4.0	4.3	3.0	3.0
			1600 1699	12.0	(23.5)	70.5	519.0	52.3	7.6	2.5	4.3	3.9	3.3	2.9
			1500 1599	14.0	(27.5)	69.8	521.6	52.4	7.2	3.0	3.6	4.1	3.0	2.9
			1400 1499	12.0	(23.5)	70.6	521.6	55.4	7.2	2.4	2.6	4.2	2.4	2.9
			1300 1399	6.0	(11.8)	69.7	466.3	46.5	6.0	2.1	2.5	4.8	2.0	2.8
			1200 1299	2.0	(3.9)	69.2	522.6	39.0	7.8	2.2	2.0	4.5	2.0	3.0
			1100 1199	1.0	(2.0)	68.9	536.0	50.0	7.4	3.6	3.0	4.0	2.0	3.0
			800 899	1.0	(2.0)	71.3	354.1	47.0	4.7	1.0	2.0	5.0	2.0	2.0
				51.0	(1.8)	70.2	513.0	51.8	7.2	2.5	3.3	4.2	2.7	2.9
			1400 1499	1.0	(33.3)	69.4	588.1	64.0	7.5	4.5	4.0	4.0	3.0	3.0
			1300 1399	2.0	(66.7)	70.8	544.8	61.5	7.7	3.2	3.0	4.5	2.5	2.5
				3.0	(0.1)	70.3	559.2	62.3	7.6	3.6	3.3	4.3	2.7	2.7
			2200 2299	1.0	(0.0)	72.0	573.8	73.0	7.4	3.0	5.0	3.0	4.0	2.0
			2100 2199	1.0	(0.0)	72.0	481.4	57.0	7.2	1.8	8.0	3.0	5.0	3.0
			2000 2099	9.0	(0.3)	71.9	578.5	63.4	8.5	2.4	7.3	3.3	4.8	2.3
			1900 1999	11.0	(0.4)	72.2	575.5	67.1	8.5	2.6	7.5	3.3	4.5	2.5
			1800 1899	37.0	(1.3)	71.9	558.1	66.2	8.1	2.7	6.8	3.4	4.4	2.6
			1700 1799	145.0	(5.2)	71.5	558.8	62.0	8.1	2.6	6.1	3.6	4.1	2.5
			1600 1699	457.0	(16.3)	70.9	556.3	58.8	7.9	2.7	5.0	3.8	3.6	2.5
			1500 1599	748.0	(26.7)	70.5	547.9	56.8	7.6	2.7	4.2	3.9	3.2	2.5
			1400 1499	773.0	(27.6)	70.2	545.5	54.9	7.5	2.8	3.6	4.1	2.7	2.4
			1300 1399	434.0	(15.5)	69.6	526.1	50.9	7.1	2.8	3.0	4.4	2.3	2.4
			1200 1299	121.0	(4.3)	69.2	510.7	48.5	6.8	3.0	2.7	4.4	2.2	2.3
			1100 1199	40.0	(1.4)	69.4	484.8	46.4	6.6	2.6	2.6	4.7	2.1	2.3

[illegible]

[illegible]