

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1600 1699	1.0	(10.0)	73.0	436.4	58.0	6.7	3.2	5.0	4.0	3.0	3.0
			1400 1499	3.0	(30.0)	73.0	471.6	51.3	7.4	2.3	2.3	4.7	2.0	3.3
			1300 1399	1.0	(10.0)	74.4	443.0	54.0	7.6	1.7	3.0	5.0	2.0	3.0
			1200 1299	1.0	(10.0)	73.6	470.0	55.0	7.5	2.3	3.0	5.0	2.0	3.0
			1000 1099	1.0	(10.0)	71.9	318.9	38.0	5.1	2.1	2.0	4.0	2.0	3.0
			800 899	1.0	(10.0)	74.1	387.5	51.0	6.7	1.8	2.0	4.0	2.0	3.0
			600 699	2.0	(20.0)	72.8	361.5	40.5	5.7	1.3	2.5	6.5	1.5	5.0
				10.0	(7.5)	73.2	419.4	49.1	6.7	2.1	2.7	4.9	2.0	3.5
			700 799	1.0	(0.8)	71.9	301.0	32.0	5.1	1.4	2.0	6.0	2.0	6.0
			2000 2099	1.0	(50.0)	69.3	609.0	56.0	7.7	5.5	2.0	4.0	2.0	3.0
			700 799	1.0	(50.0)	72.1	412.5	48.0	6.1	2.7	3.0	4.0	2.0	2.0
				2.0	(1.5)	70.7	510.8	52.0	6.9	4.1	2.5	4.0	2.0	2.5
			600 699	1.0	(0.8)	71.4	345.0	33.0	5.9	2.1	2.0	6.0	2.0	4.0
			600 699	1.0	(50.0)	71.0	365.0	40.0	5.7	3.2	2.0	6.0	2.0	7.0
			499	1.0	(50.0)	70.6	408.0	38.0	6.3	3.2	2.0	6.0	2.0	7.0
				2.0	(1.5)	70.8	386.5	39.0	6.0	3.2	2.0	6.0	2.0	7.0
			2500	1.0	(50.0)	73.5	542.0	50.0	9.2	2.0	9.0	4.0	5.0	3.0
			500 599	1.0	(50.0)	70.4	317.5	34.0	4.2	2.5	2.0	6.0	2.0	7.0
				2.0	(1.5)	72.0	429.8	42.0	6.7	2.3	5.5	5.0	3.5	5.0
			500 599	1.0	(0.8)	71.4	317.0	45.0	4.7	3.4	2.0	6.0	1.0	5.0
			800 899	1.0	(25.0)	71.9	393.2	51.0	4.8	2.7	2.0	5.0	2.0	4.0
			700 799	1.0	(25.0)	72.4	501.8	52.0	7.2	2.6	2.0	5.0	2.0	5.0
			600 699	2.0	(50.0)	72.2	449.0	54.0	5.2	2.3	2.0	6.0	2.0	6.0
				4.0	(3.0)	72.2	448.3	52.8	5.6	2.5	2.0	5.5	2.0	5.3
			1800 1899	2.0	(50.0)	71.5	540.3	57.0	8.2	4.5	4.0	4.0	3.0	3.0
			1700 1799	1.0	(25.0)	70.5	525.4	55.0	7.6	5.0	3.0	4.0	3.0	3.0
			1400 1499	1.0	(25.0)	69.8	606.0	57.0	7.3	4.8	2.0	5.0	2.0	3.0
				4.0	(3.0)	70.8	553.0	56.5	7.8	4.7	3.3	4.3	2.8	3.0
			2500	9.0	(11.1)	74.7	426.8	55.7	7.8	2.1	4.7	4.3	3.3	3.0
			2400 2499	6.0	(7.4)	75.0	436.0	57.0	8.2	2.0	5.7	4.5	4.0	3.2
			2300 2399	10.0	(12.3)	73.6	438.8	52.5	7.5	2.4	3.7	4.8	2.6	3.0
			2200 2299	8.0	(9.9)	73.7	402.5	50.5	7.3	2.4	4.0	4.6	3.0	3.1
			2100 2199	7.0	(8.6)	73.5	428.1	49.3	7.9	2.5	3.9	4.4	3.0	3.1
			2000 2099	11.0	(13.6)	73.2	407.0	48.8	7.4	2.7	3.5	4.5	2.5	3.1

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1900 1999	8.0	(9.9)	73.8	384.8	47.9	6.9	1.8	3.0	5.1	2.3	2.9
			1800 1899	5.0	(6.2)	73.2	406.4	47.2	7.3	2.4	3.0	4.8	2.2	3.2
			1700 1799	7.0	(8.6)	72.2	401.1	42.4	7.1	2.8	3.0	4.6	2.1	3.1
			1600 1699	5.0	(6.2)	71.3	410.0	42.0	6.8	3.3	2.4	4.8	2.0	3.2
			1500 1599	2.0	(2.5)	72.4	382.0	44.5	5.7	2.0	2.0	5.0	2.0	3.0
			1200 1299	1.0	(1.2)	73.0	399.0	49.0	6.8	2.6	3.0	5.0	2.0	3.0
			1100 1199	1.0	(1.2)	72.8	361.5	43.0	6.2	2.0	2.0	5.0	2.0	3.0
			499	1.0	(1.2)	74.6	474.5	62.0	8.2	2.7	4.0	5.0	3.0	3.0
				81.0	(60.9)	73.5	413.6	49.7	7.4	2.4	3.7	4.7	2.7	3.1
			1700 1799	1.0	(33.3)	72.4	496.0	57.0	7.1	3.3	3.0	4.0	2.0	3.0
			1600 1699	1.0	(33.3)	72.4	540.6	53.0	8.6	3.2	3.0	5.0	2.0	3.0
			499	1.0	(33.3)	69.6	442.0	38.0	5.8	3.5	2.0	5.0	2.0	7.0
				3.0	(2.3)	71.5	492.9	49.3	7.2	3.3	2.7	4.7	2.0	4.3
			600 699	2.0	(1.5)	71.0	310.1	31.0	4.7	1.9	1.5	5.5	1.5	5.5
			2500	3.0	(30.0)	74.4	492.1	68.0	8.2	3.5	5.7	3.3	3.7	2.7
			2400 2499	1.0	(10.0)	73.5	505.3	61.0	8.0	3.1	5.0	3.0	3.0	2.0
			2300 2399	2.0	(20.0)	73.6	495.9	63.0	8.0	3.5	3.5	3.5	2.5	3.0
			2200 2299	1.0	(10.0)	71.7	430.7	48.0	7.9	4.2	3.0	4.0	3.0	3.0
			2000 2099	1.0	(10.0)	74.2	384.6	54.0	7.0	2.3	4.0	4.0	3.0	3.0
			1600 1699	1.0	(10.0)	73.0	550.5	67.0	7.2	3.3	5.0	5.0	3.0	4.0
			1500 1599	1.0	(10.0)	73.2	407.8	52.0	6.8	2.7	2.0	4.0	2.0	3.0
				10.0	(7.5)	73.6	474.7	61.2	7.7	3.3	4.3	3.7	3.0	2.9
			800 899	2.0	(20.0)	71.8	372.1	40.0	6.2	2.5	2.0	4.5	2.0	4.0
			700 799	2.0	(20.0)	71.5	398.4	41.0	6.2	2.7	2.0	5.5	2.0	4.5
			600 699	4.0	(40.0)	72.1	422.5	43.5	6.4	2.1	2.0	4.8	2.0	4.3
			500 599	2.0	(20.0)	72.8	405.5	48.0	6.8	2.5	2.0	5.0	2.0	3.5
				10.0	(7.5)	72.0	404.2	43.2	6.4	2.4	2.0	4.9	2.0	4.1
			2500	13.0	(9.8)	74.5	450.7	58.1	8.0	2.4	5.2	4.1	3.5	2.9
			2400 2499	7.0	(5.3)	74.8	445.9	57.6	8.2	2.2	5.6	4.3	3.9	3.0
			2300 2399	12.0	(9.0)	73.6	448.3	54.3	7.5	2.6	3.7	4.6	2.6	3.0
			2200 2299	9.0	(6.8)	73.4	405.6	50.2	7.4	2.6	3.9	4.6	3.0	3.1
			2100 2199	7.0	(5.3)	73.5	428.1	49.3	7.9	2.5	3.9	4.4	3.0	3.1
			2000 2099	13.0	(9.8)	73.0	420.9	49.8	7.4	2.9	3.5	4.5	2.5	3.1
			1900 1999	8.0	(6.0)	73.8	384.8	47.9	6.9	1.8	3.0	5.1	2.3	2.9
			1800 1899	7.0	(5.3)	72.7	444.7	50.0	7.6	3.0	3.3	4.6	2.4	3.1
			1700 1799	9.0	(6.8)	72.0	425.4	45.4	7.2	3.1	3.0	4.4	2.2	3.1
			1600 1699	8.0	(6.0)	71.9	447.2	48.5	7.0	3.3	3.1	4.8	2.3	3.3
			1500 1599	3.0	(2.3)	72.7	390.6	47.0	6.1	2.2	2.0	4.7	2.0	3.0
			1400 1499	4.0	(3.0)	72.2	505.2	52.8	7.4	3.0	2.3	4.8	2.0	3.3

