

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			700 799	3.0	(16.7)	69.2	380.3	37.0	4.7	1.5	1.3	6.7	1.3	4.0
			600 699	10.0	(55.6)	69.3	324.4	33.8	3.7	1.0	1.5	6.1	1.3	3.9
			500 599	5.0	(27.8)	69.7	284.8	32.4	3.4	0.6	1.2	6.6	1.0	5.4
				18.0	(2.2)	69.4	322.7	33.9	3.8	1.0	1.4	6.3	1.2	4.3
			700 799	2.0	(50.0)	69.7	380.5	42.0	4.3	1.4	2.0	5.5	2.0	2.5
			600 699	2.0	(50.0)	69.1	344.5	32.0	3.8	0.7	2.0	5.0	1.5	4.0
				4.0	(0.5)	69.4	362.5	37.0	4.0	1.1	2.0	5.3	1.8	3.3
			700 799	7.0	(26.9)	68.9	382.3	36.1	4.3	1.4	2.0	5.7	2.0	4.0
			600 699	19.0	(73.1)	68.9	327.4	31.8	3.8	1.1	1.7	6.1	1.3	4.9
				26.0	(3.1)	68.9	342.2	33.0	3.9	1.2	1.8	6.0	1.5	4.7
			900 999	6.0	(6.0)	69.3	421.9	40.5	5.6	2.0	2.0	4.7	2.0	2.3
			800 899	1.0	(1.0)	68.7	393.5	37.0	4.9	2.0	2.0	4.0	2.0	2.0
			700 799	25.0	(25.0)	68.6	394.2	35.4	4.5	1.6	2.2	4.8	2.0	2.8
			600 699	52.0	(52.0)	68.8	353.7	31.8	4.2	1.2	2.0	5.3	1.8	3.2
			500 599	14.0	(14.0)	69.7	302.3	31.0	3.9	0.6	1.9	5.4	1.3	3.9
			499	2.0	(2.0)	70.2	269.5	32.0	4.0	0.7	2.0	5.0	1.0	5.5
				100.0	(12.1)	68.9	359.4	33.2	4.3	1.3	2.0	5.1	1.8	3.2
			800 899	1.0	(25.0)	68.6	450.5	33.0	6.0	1.6	2.0	5.0	2.0	2.0
			600 699	2.0	(50.0)	68.0	339.5	27.5	3.9	1.5	1.5	6.0	1.5	3.5
			500 599	1.0	(25.0)	70.4	242.0	31.0	3.3	0.2	1.0	7.0	1.0	5.0
				4.0	(0.5)	68.7	342.9	29.8	4.3	1.2	1.5	6.0	1.5	3.5
			700 799	1.0	(0.1)	70.2	504.5	48.0	6.1	1.3	3.0	5.0	2.0	3.0
			700 799	6.0	(21.4)	68.8	388.1	35.8	4.4	1.4	2.2	5.3	2.0	3.8
			600 699	10.0	(35.7)	68.6	368.7	33.0	4.4	1.6	2.1	5.0	1.9	4.9
			500 599	11.0	(39.3)	69.0	360.6	32.5	4.3	1.1	1.8	5.3	1.6	4.3
			499	1.0	(3.6)	70.8	193.0	28.0	3.4	0.1	1.0	7.0	1.0	7.0
				28.0	(3.4)	68.9	363.4	33.2	4.3	1.3	2.0	5.3	1.8	4.5
			800 899	4.0	(4.3)	69.5	442.8	41.5	5.6	1.6	2.0	4.5	2.3	2.5
			700 799	31.0	(33.7)	69.1	431.5	39.5	5.1	1.6	2.1	4.9	2.1	3.5
			600 699	49.0	(53.3)	68.9	361.4	33.5	4.0	1.1	1.9	5.2	1.7	4.0
			500 599	4.0	(4.3)	68.1	329.3	27.3	3.6	1.3	2.0	5.0	1.8	4.0
			499	4.0	(4.3)	69.0	381.1	33.5	4.5	1.1	2.3	5.0	1.5	4.3
				92.0	(11.1)	69.0	388.0	35.6	4.5	1.3	2.0	5.0	1.8	3.8
			800 899	1.0	(0.7)	69.1	477.0	38.0	6.1	1.5	2.0	5.0	2.0	4.0
			700 799	51.0	(35.4)	68.7	420.4	36.7	4.9	1.6	2.1	5.0	2.0	3.6

					(%)		(kg)	(cm2)	(cm)	(cm)				
			600 699	83.0	(57.6)	68.9	365.3	33.8	4.1	1.1	1.8	5.4	1.7	4.0
			500 599	9.0	(6.3)	69.5	294.4	33.4	3.3	0.8	1.8	5.3	1.1	4.2
				144.0	(17.4)	68.9	381.2	34.8	4.4	1.3	1.9	5.2	1.7	3.8
			800 899	1.0	(2.4)	71.2	368.5	53.0	4.3	1.5	2.0	4.0	2.0	4.0
			700 799	8.0	(19.0)	69.0	352.6	34.3	4.3	1.4	2.1	4.6	2.0	3.4
			600 699	27.0	(64.3)	68.6	343.7	31.3	3.8	1.2	1.9	5.0	1.9	4.1
			500 599	5.0	(11.9)	69.0	287.5	28.2	2.9	0.5	1.8	5.0	1.2	4.6
			499	1.0	(2.4)	68.6	320.0	30.0	4.3	1.7	2.0	6.0	1.0	4.0
				42.0	(5.1)	68.8	338.8	32.0	3.8	1.2	1.9	4.9	1.8	4.0
			700 799	11.0	(84.6)	69.0	421.4	37.3	4.9	1.4	2.2	4.8	2.0	3.7
			600 699	2.0	(15.4)	68.7	327.8	28.5	3.9	1.0	2.0	5.5	1.5	4.5
				13.0	(1.6)	68.9	407.0	35.9	4.8	1.4	2.2	4.9	1.9	3.8
			800 899	4.0	(4.5)	69.0	384.8	35.3	4.9	1.5	2.5	4.8	2.0	3.3
			700 799	23.0	(25.8)	68.9	415.9	38.4	4.7	1.5	2.0	5.9	1.9	3.4
			600 699	59.0	(66.3)	69.1	319.7	31.1	3.7	0.8	1.6	6.2	1.2	3.9
			500 599	3.0	(3.4)	68.7	256.7	23.3	3.1	0.6	1.3	6.0	1.0	3.7
				89.0	(10.7)	69.1	345.4	32.9	4.0	1.0	1.7	6.0	1.4	3.8
			700 799	3.0	(60.0)	68.7	399.8	36.7	4.4	1.4	2.0	4.7	2.0	4.0
			600 699	2.0	(40.0)	67.0	459.8	30.5	5.0	2.1	2.5	4.5	2.0	4.0
				5.0	(0.6)	68.1	423.8	34.2	4.6	1.7	2.2	4.6	2.0	4.0
			700 799	5.0	(45.5)	68.4	431.6	39.4	4.5	1.8	2.4	5.6	2.0	2.8
			600 699	4.0	(36.4)	69.5	350.0	37.0	4.0	1.1	1.5	5.8	1.3	3.5
			500 599	2.0	(18.2)	68.2	289.0	26.5	3.0	1.1	1.5	5.5	1.0	3.5
				11.0	(1.3)	68.8	376.0	36.2	4.0	1.4	1.9	5.6	1.5	3.2
			700 799	1.0	(14.3)	69.1	453.0	39.0	5.3	1.3	2.0	4.0	2.0	4.0
			600 699	6.0	(85.7)	69.0	403.7	38.3	4.5	1.5	2.0	4.7	2.0	4.2
				7.0	(0.8)	69.0	410.7	38.4	4.6	1.5	2.0	4.6	2.0	4.1
			700 799	3.0	(60.0)	68.3	429.5	38.0	4.2	1.5	2.0	5.7	2.0	4.3
			600 699	2.0	(40.0)	70.0	438.5	47.5	4.5	1.3	2.0	6.5	1.5	5.0
				5.0	(0.6)	69.0	433.1	41.8	4.3	1.4	2.0	6.0	1.8	4.6
			800 899	2.0	(10.0)	69.8	324.5	36.0	4.8	1.6	2.0	4.5	2.0	3.0
			700 799	3.0	(15.0)	68.7	412.0	36.3	5.0	1.8	2.3	5.0	2.0	3.0
			600 699	14.0	(70.0)	68.6	353.3	32.1	3.9	1.2	1.8	5.8	1.4	3.5
			500 599	1.0	(5.0)	67.9	433.0	37.0	3.8	1.5	1.0	7.0	1.0	5.0
				20.0	(2.4)	68.7	363.2	33.4	4.2	1.3	1.9	5.6	1.5	3.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			800 899	2.0	(10.0)	69.3	411.0	36.5	5.5	1.5	2.5	5.0	2.0	2.5
			700 799	8.0	(40.0)	69.0	450.8	43.6	4.5	1.5	2.0	6.1	1.9	3.9
			600 699	9.0	(45.0)	68.9	368.5	33.9	4.3	1.3	2.2	5.6	1.8	4.2
			500 599	1.0	(5.0)	69.0	262.0	30.0	2.8	0.9	2.0	6.0	1.0	3.0
				20.0	(2.4)	69.0	400.4	37.9	4.4	1.4	2.1	5.8	1.8	3.9
			600 699	1.0	(0.1)	68.8	326.5	31.0	4.1	1.5	2.0	6.0	1.0	2.0
			499	1.0	(0.1)	70.3	227.0	26.0	3.6	0.1	1.0	7.0	1.0	4.0
			600 699	1.0	(33.3)	67.0	350.0	26.0	3.4	1.8	2.0	5.0	2.0	5.0
			500 599	2.0	(66.7)	67.7	416.4	31.5	4.4	1.6	1.5	6.0	1.0	4.0
				3.0	(0.4)	67.4	394.3	29.7	4.1	1.7	1.7	5.7	1.3	4.3
			600 699	4.0	(80.0)	69.0	443.0	44.3	5.0	2.0	1.0	6.0	1.0	3.3
			500 599	1.0	(20.0)	70.9	403.2	49.0	4.8	1.0	1.0	6.0	1.0	4.0
				5.0	(0.6)	69.4	435.0	45.2	5.0	1.8	1.0	6.0	1.0	3.4
			600 699	5.0	(0.6)	68.9	379.8	35.0	4.3	1.3	2.0	4.6	2.0	4.0
			1000 1099	3.0	(9.4)	69.1	374.3	36.7	5.4	2.2	2.7	4.3	2.7	2.0
			900 999	6.0	(18.8)	69.0	439.8	43.2	6.0	2.8	2.2	4.5	2.0	2.5
			800 899	4.0	(12.5)	68.2	451.7	37.8	5.0	2.0	2.5	5.8	2.0	3.3
			700 799	13.0	(40.6)	68.0	414.9	34.2	4.6	1.9	2.0	5.8	1.7	3.5
			600 699	4.0	(12.5)	68.5	432.1	39.3	4.8	1.9	2.0	6.0	2.0	3.3
			500 599	2.0	(6.3)	67.8	413.5	29.5	4.4	1.3	1.5	6.0	1.0	3.5
				32.0	(3.9)	68.4	422.4	36.9	5.0	2.1	2.1	5.5	1.9	3.1
			1000 1099	3.0	(7.3)	69.5	394.0	39.7	6.1	2.3	2.0	4.0	2.0	2.0
			900 999	28.0	(68.3)	68.6	399.5	36.5	5.9	2.7	2.1	4.3	2.0	2.1
			700 799	2.0	(4.9)	70.9	361.4	45.5	4.5	1.0	1.0	6.0	1.0	4.0
			600 699	6.0	(14.6)	68.8	395.9	36.5	4.2	1.2	1.8	5.5	1.7	4.2
			500 599	2.0	(4.9)	68.5	351.7	31.0	3.8	1.1	1.5	6.0	1.0	4.0
				41.0	(5.0)	68.8	394.4	36.9	5.5	2.3	2.0	4.6	1.9	2.6
			800 899	1.0	(6.7)	68.2	407.8	30.0	4.8	1.3	2.0	6.0	2.0	5.0
			600 699	10.0	(66.7)	68.7	372.1	34.4	4.1	1.3	1.7	6.1	1.3	3.0
			500 599	4.0	(26.7)	69.0	346.5	33.8	4.0	1.2	1.0	6.3	1.0	3.5
				15.0	(1.8)	68.8	367.7	33.9	4.1	1.3	1.5	6.1	1.3	3.3
			600 699	1.0	(33.3)	68.9	400.2	40.0	5.1	2.3	3.0	5.0	2.0	4.0
			500 599	1.0	(33.3)	67.1	340.4	22.0	3.5	1.3	3.0	6.0	2.0	5.0
			499	1.0	(33.3)	68.2	284.2	25.0	3.4	1.3	1.0	6.0	1.0	4.0

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
				3.0	(0.4)	68.1	341.6	29.0	4.0	1.6	2.3	5.7	1.7	4.3
			800 899	2.0	(5.3)	69.3	431.4	41.0	5.6	1.9	2.0	5.0	2.0	3.5
			700 799	12.0	(31.6)	68.4	405.4	36.1	4.2	1.5	1.9	5.1	1.9	3.9
			600 699	22.0	(57.9)	68.9	404.7	37.9	4.5	1.4	1.9	5.3	1.8	4.1
			499	2.0	(5.3)	67.8	486.3	40.0	4.8	2.0	2.0	5.0	2.0	3.5
				38.0	(4.6)	68.7	410.6	37.6	4.5	1.5	1.9	5.2	1.9	4.0
			700 799	1.0	(50.0)	68.2	295.5	29.0	3.0	1.4	2.0	4.0	2.0	3.0
			600 699	1.0	(50.0)	64.7	435.6	16.0	3.6	1.9	2.0	5.0	2.0	4.0
				2.0	(0.2)	66.5	365.6	22.5	3.3	1.6	2.0	4.5	2.0	3.5
			1400 1499	1.0	(4.2)	70.2	569.4	53.0	7.6	2.1	3.0	4.0	3.0	3.0
			1300 1399	1.0	(4.2)	69.8	474.8	53.0	4.8	1.9	3.0	4.0	2.0	3.0
			1200 1299	1.0	(4.2)	69.0	472.9	47.0	5.5	2.5	3.0	5.0	2.0	3.0
			1100 1199	6.0	(25.0)	68.6	469.3	39.8	5.3	1.7	2.0	5.2	2.0	3.3
			1000 1099	15.0	(62.5)	68.9	457.6	42.3	5.0	1.7	2.0	4.9	2.0	3.2
				24.0	(2.9)	68.9	466.6	42.8	5.2	1.8	2.1	4.9	2.0	3.2
			700 799	1.0	(25.0)	68.5	395.0	37.0	4.0	1.6	2.0	5.0	2.0	4.0
			600 699	3.0	(75.0)	68.5	401.0	34.0	3.9	1.0	1.3	6.0	1.3	4.7
				4.0	(0.5)	68.5	399.5	34.8	4.0	1.1	1.5	5.8	1.5	4.5
			1100 1199	1.0	(4.0)	68.2	415.2	37.0	5.6	2.8	2.0	5.0	2.0	3.0
			900 999	1.0	(4.0)	69.0	474.7	45.0	6.3	2.7	2.0	4.0	2.0	2.0
			700 799	3.0	(12.0)	68.0	480.4	37.7	4.8	1.5	2.3	5.0	2.0	3.0
			500 599	20.0	(80.0)	68.9	439.1	40.5	4.7	1.6	2.0	5.2	1.9	3.3
				25.0	(3.0)	68.7	444.5	40.2	4.8	1.7	2.1	5.1	1.9	3.2
			1400 1499	1.0	(0.1)	70.2	569.4	53.0	7.6	2.1	3.0	4.0	3.0	3.0
			1300 1399	1.0	(0.1)	69.8	474.8	53.0	4.8	1.9	3.0	4.0	2.0	3.0
			1200 1299	1.0	(0.1)	69.0	472.9	47.0	5.5	2.5	3.0	5.0	2.0	3.0
			1100 1199	7.0	(0.8)	68.5	461.6	39.4	5.3	1.9	2.0	5.1	2.0	3.3
			1000 1099	21.0	(2.5)	69.0	436.6	41.1	5.2	1.9	2.1	4.7	2.1	2.9
			900 999	41.0	(5.0)	68.8	410.5	38.3	5.9	2.6	2.1	4.4	2.0	2.2
			800 899	23.0	(2.8)	69.1	415.1	38.1	5.2	1.7	2.2	4.9	2.0	3.1
			700 799	223.0	(26.9)	68.8	413.3	37.3	4.7	1.6	2.1	5.2	1.9	3.5
			600 699	410.0	(49.5)	68.9	357.9	33.3	4.1	1.2	1.8	5.5	1.6	3.9
			500 599	88.0	(10.6)	69.0	347.6	33.3	3.9	1.0	1.8	5.5	1.4	4.0
			499	12.0	(1.4)	69.2	338.4	32.3	4.2	1.1	1.8	5.5	1.3	4.5
				828.0	(100.0)	68.9	379.0	35.0	4.4	1.4	1.9	5.3	1.7	3.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1000 1099	4.0	(10.8)	69.4	516.3	47.5	6.7	2.5	2.8	5.0	2.0	2.3
			900 999	33.0	(89.2)	68.5	487.6	42.3	6.1	2.7	2.1	4.7	2.0	2.5
				37.0	(9.7)	68.6	490.7	42.9	6.2	2.6	2.2	4.8	2.0	2.5
			900 999	3.0	(75.0)	69.5	369.3	35.3	5.4	1.7	2.0	5.0	2.0	2.0
			500 599	1.0	(25.0)	70.8	291.5	41.0	5.0	1.8	3.0	4.0	2.0	3.0
				4.0	(1.1)	69.8	349.9	36.8	5.3	1.7	2.3	4.8	2.0	2.3
			700 799	2.0	(66.7)	70.0	484.0	48.0	6.3	2.0	2.0	5.5	2.0	2.0
			600 699	1.0	(33.3)	68.0	367.0	31.0	4.2	1.8	3.0	6.0	2.0	7.0
				3.0	(0.8)	69.3	445.0	42.3	5.6	2.0	2.3	5.7	2.0	3.7
			1000 1099	1.0	(4.8)	69.6	428.7	47.0	5.2	2.2	3.0	4.0	3.0	2.0
			900 999	20.0	(95.2)	68.6	463.2	40.7	5.2	2.0	2.0	4.3	2.0	2.3
				21.0	(5.5)	68.6	461.6	41.0	5.2	2.0	2.1	4.2	2.0	2.3
			1000 1099	2.0	(4.5)	69.2	530.5	48.0	7.0	2.8	2.0	4.5	2.0	3.0
			900 999	31.0	(70.5)	68.5	495.4	42.2	5.8	2.3	2.1	4.3	2.1	2.3
			800 899	1.0	(2.3)	65.7	539.0	33.0	5.2	2.9	3.0	5.0	2.0	4.0
			700 799	10.0	(22.7)	69.2	369.9	35.4	4.6	1.4	2.0	4.4	1.9	2.1
				44.0	(11.6)	68.6	469.5	40.7	5.6	2.1	2.1	4.3	2.1	2.3
			900 999	1.0	(25.0)	70.1	394.0	45.0	5.3	2.0	2.0	4.0	2.0	3.0
			800 899	2.0	(50.0)	69.0	351.0	34.0	4.5	1.4	2.0	5.0	2.0	2.0
			700 799	1.0	(25.0)	68.5	392.0	35.0	4.6	1.8	1.0	6.0	1.0	2.0
				4.0	(1.1)	69.2	372.0	37.0	4.7	1.7	1.8	5.0	1.8	2.3
			800 899	2.0	(66.7)	69.7	359.5	35.0	5.0	1.3	2.0	3.5	2.0	3.0
			600 699	1.0	(33.3)	69.8	320.5	37.0	2.9	0.4	2.0	4.0	2.0	2.0
				3.0	(0.8)	69.7	346.5	35.7	4.3	1.0	2.0	3.7	2.0	2.7
			1000 1099	3.0	(33.3)	69.0	478.0	39.3	5.8	1.6	2.3	4.7	2.0	2.0
			900 999	5.0	(55.6)	69.4	428.6	41.8	5.1	1.6	2.4	5.6	2.0	2.2
			600 699	1.0	(11.1)	69.2	291.0	25.0	3.6	0.2	2.0	7.0	1.0	3.0
				9.0	(2.4)	69.2	429.8	39.1	5.2	1.5	2.3	5.4	1.9	2.2
			800 899	2.0	(50.0)	68.5	486.0	41.5	5.4	2.0	2.5	4.5	2.0	2.0
			600 699	1.0	(25.0)	68.6	330.0	28.0	3.3	0.5	1.0	5.0	1.0	3.0
			500 599	1.0	(25.0)	68.6	197.0	22.0	2.5	1.0	2.0	5.0	1.0	2.0
				4.0	(1.1)	68.5	374.8	33.3	4.2	1.4	2.0	4.8	1.5	2.3
			900 999	18.0	(54.5)	68.6	485.4	43.6	5.5	2.2	2.2	4.8	2.0	2.1
			800 899	15.0	(45.5)	67.7	507.4	40.3	5.5	2.4	2.0	5.1	2.0	2.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				33.0	(8.7)	68.2	495.4	42.1	5.5	2.3	2.1	5.0	2.0	2.0
			1000 1099	8.0	(66.7)	68.2	481.1	40.1	5.9	2.6	2.0	4.6	2.0	2.8
			900 999	2.0	(16.7)	69.0	441.2	40.5	5.8	2.2	2.0	5.0	2.0	3.5
			800 899	2.0	(16.7)	68.9	367.5	36.5	3.9	1.4	2.0	5.5	1.5	3.0
				12.0	(3.2)	68.4	455.5	39.6	5.6	2.3	2.0	4.8	1.9	2.9
			900 999	2.0	(16.7)	69.0	420.0	38.5	5.3	1.9	2.5	5.5	2.0	2.0
			800 899	1.0	(8.3)	70.5	345.0	44.0	4.9	1.6	2.0	5.0	2.0	3.0
			700 799	3.0	(25.0)	70.3	366.7	41.7	4.9	1.3	2.3	6.3	2.0	2.0
			600 699	4.0	(33.3)	69.0	313.3	31.8	4.4	1.7	2.0	5.3	2.0	2.8
			500 599	2.0	(16.7)	69.3	284.5	31.0	4.0	1.3	2.0	5.5	1.5	2.5
				12.0	(3.2)	69.5	342.3	36.3	4.6	1.5	2.2	5.6	1.9	2.4
			900 999	2.0	(0.5)	68.5	445.0	43.5	5.0	2.5	2.0	4.5	2.0	2.0
			800 899	1.0	(4.3)	69.8	514.8	50.0	6.0	1.8	3.0	4.0	3.0	3.0
			700 799	22.0	(95.7)	68.1	522.5	44.2	6.4	3.0	2.0	4.1	2.0	3.0
				23.0	(6.1)	68.2	522.1	44.4	6.4	3.0	2.0	4.1	2.0	3.0
			1000 1099	1.0	(33.3)	68.2	477.8	42.0	5.5	2.6	3.0	4.0	2.0	2.0
			900 999	2.0	(66.7)	69.0	416.2	43.5	5.0	2.5	2.0	5.0	2.0	2.0
				3.0	(0.8)	68.7	436.7	43.0	5.2	2.5	2.3	4.7	2.0	2.0
			1000 1099	1.0	(14.3)	68.8	447.6	39.0	6.2	2.4	2.0	4.0	2.0	2.0
			900 999	5.0	(71.4)	67.4	416.8	31.6	5.1	2.5	2.0	4.4	2.0	2.0
			800 899	1.0	(14.3)	69.1	353.4	32.0	4.7	1.2	2.0	4.0	2.0	2.0
				7.0	(1.8)	67.8	412.1	32.7	5.2	2.3	2.0	4.3	2.0	2.0
			1000 1099	8.0	(28.6)	68.3	464.1	42.5	4.9	2.3	2.0	4.6	2.0	3.0
			900 999	19.0	(67.9)	68.8	459.2	43.1	5.5	2.3	2.0	4.5	2.0	3.0
			800 899	1.0	(3.6)	69.2	372.0	36.0	4.0	0.9	2.0	5.0	1.0	3.0
				28.0	(7.4)	68.7	457.5	42.6	5.3	2.3	2.0	4.6	2.0	3.0
			1000 1099	20.0	(40.0)	68.1	440.0	35.4	5.8	2.5	2.0	4.3	2.0	2.1
			900 999	29.0	(58.0)	69.2	435.7	41.0	5.6	2.0	2.0	4.2	2.0	2.0
			600 699	1.0	(2.0)	66.8	319.0	18.0	4.2	1.9	2.0	6.0	2.0	3.0
				50.0	(13.2)	68.7	435.1	38.3	5.7	2.2	2.0	4.3	2.0	2.1
			900 999	55.0	(14.5)	68.5	429.9	35.4	6.0	2.3	2.1	4.3	2.0	2.2

