

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1400 1499	1.0	( 16.7)	74.1	446.6	57.0	8.8	3.4	2.0	4.0	2.0	3.0
			1200 1299	2.0	( 33.3)	71.6	435.0	48.0	7.3	3.9	3.0	4.0	2.0	2.0
			900 999	2.0	( 33.3)	71.1	529.3	45.5	7.8	3.1	2.0	4.5	2.0	3.5
			600 699	1.0	( 16.7)	71.0	601.0	43.0	8.5	2.4	3.0	5.0	2.0	3.0
				6.0	( 12.8)	71.8	496.0	47.8	7.9	3.3	2.5	4.3	2.0	2.8
			900 999	1.0	( 20.0)	73.7	414.0	52.0	7.4	2.5	2.0	5.0	2.0	3.0
			800 899	2.0	( 40.0)	70.9	457.5	51.0	8.0	5.3	2.0	5.5	2.0	3.0
			600 699	2.0	( 40.0)	70.9	353.5	31.5	4.2	1.1	2.0	6.5	2.0	6.0
				5.0	( 10.6)	71.5	407.2	43.4	6.4	3.1	2.0	5.8	2.0	4.2
			1600 1699	2.0	( 15.4)	70.2	467.0	47.5	6.7	4.5	2.0	5.0	2.0	6.0
			1400 1499	1.0	( 7.7)	74.0	441.0	58.0	7.3	2.6	3.0	5.0	2.0	3.0
			1300 1399	1.0	( 7.7)	72.5	489.0	54.0	8.0	3.6	3.0	3.0	2.0	3.0
			1200 1299	1.0	( 7.7)	72.8	353.0	46.0	6.8	3.0	4.0	3.0	3.0	2.0
			1000 1099	1.0	( 7.7)	70.5	405.0	50.0	6.9	5.5	2.0	5.0	2.0	2.0
			700 799	1.0	( 7.7)	69.4	540.0	50.0	8.8	6.3	4.0	4.0	3.0	4.0
			500 599	1.0	( 7.7)	69.2	523.0	41.0	7.7	4.6	2.0	5.0	2.0	6.0
			499	5.0	( 38.5)	71.3	387.0	37.4	5.4	1.9	1.8	6.2	1.4	6.4
				13.0	( 27.7)	71.2	432.3	44.7	6.6	3.4	2.4	5.1	1.9	4.9
			2100 2199	1.0	( 7.1)	68.8	503.0	44.0	6.9	5.3	4.0	4.0	3.0	3.0
			600 699	3.0	( 21.4)	71.5	351.3	41.0	4.9	2.4	1.0	4.0	1.0	4.0
			500 599	8.0	( 57.1)	71.1	373.6	36.3	5.4	2.2	1.8	5.5	1.8	5.0
			499	2.0	( 14.3)	71.5	307.0	32.5	4.3	1.4	1.5	5.5	1.5	6.0
				14.0	( 29.8)	71.1	368.6	37.3	5.2	2.3	1.7	5.1	1.6	4.8
			1300 1399	1.0	( 33.3)	70.7	472.0	48.0	7.4	4.5	3.0	4.0	3.0	2.0
			1100 1199	1.0	( 33.3)	70.3	533.0	55.0	7.2	4.9	3.0	4.0	2.0	2.0
			800 899	1.0	( 33.3)	68.8	424.0	39.0	6.8	5.5	2.0	5.0	2.0	2.0
				3.0	( 6.4)	69.9	476.3	47.3	7.1	5.0	2.7	4.3	2.3	2.0
			1900 1999	1.0	( 2.1)	74.7	407.0	56.0	7.0	1.8	5.0	4.0	4.0	3.0
			600 699	2.0	( 4.3)	70.5	336.3	31.5	4.2	1.8	1.5	6.5	1.0	5.0
			1600 1699	1.0	( 50.0)	73.6	412.0	53.0	7.0	2.5	4.0	4.0	3.0	2.0
			1000 1099	1.0	( 50.0)	73.2	411.0	47.0	7.5	2.5	3.0	3.0	2.0	2.0
				2.0	( 4.3)	73.4	411.5	50.0	7.3	2.5	3.5	3.5	2.5	2.0
			2200 2299	1.0	( 2.1)	74.6	396.4	63.0	7.0	3.0	8.0	4.0	5.0	3.0
			2200 2299	1.0	( 2.1)	74.6	396.4	63.0	7.0	3.0	8.0	4.0	5.0	3.0
			2100 2199	1.0	( 2.1)	68.8	503.0	44.0	6.9	5.3	4.0	4.0	3.0	3.0

[illegible]

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1600 1699	1.0	( 10.0)	73.3	484.0	57.0	7.7	3.0	4.0	4.0	3.0	3.0
			1300 1399	5.0	( 50.0)	73.0	508.8	57.8	7.9	3.2	2.6	4.6	2.2	2.4
			1200 1299	2.0	( 20.0)	71.2	568.5	55.5	7.5	3.6	3.0	5.0	2.0	2.0
			1100 1199	1.0	( 10.0)	72.5	492.0	54.0	7.6	3.2	2.0	5.0	2.0	3.0
			1000 1099	1.0	( 10.0)	71.7	494.0	43.0	7.5	2.3	2.0	5.0	2.0	3.0
				10.0	( 22.2)	72.5	515.1	55.4	7.7	3.2	2.7	4.7	2.2	2.5
			1200 1299	1.0	( 50.0)	71.9	633.0	59.0	9.6	4.2	4.0	4.0	3.0	3.0
			1100 1199	1.0	( 50.0)	71.2	578.0	49.0	9.3	4.0	3.0	5.0	2.0	3.0
				2.0	( 4.4)	71.5	605.5	54.0	9.4	4.1	3.5	4.5	2.5	3.0
			1600 1699	10.0	( 45.5)	71.3	518.7	51.0	7.1	3.2	2.3	5.4	2.0	5.5
			1500 1599	1.0	( 4.5)	72.8	565.0	52.0	8.3	2.1	2.0	5.0	2.0	5.0
			1400 1499	3.0	( 13.6)	73.8	397.0	48.3	6.7	1.6	4.0	3.7	3.0	2.0
			1300 1399	1.0	( 4.5)	73.7	401.0	55.0	6.3	2.3	4.0	4.0	3.0	2.0
			1200 1299	2.0	( 9.1)	71.5	457.5	51.0	6.8	3.7	2.5	4.5	2.0	2.5
			1100 1199	3.0	( 13.6)	72.5	427.3	51.0	7.0	3.2	2.7	4.0	2.3	2.3
			1000 1099	1.0	( 4.5)	72.7	403.0	47.0	6.4	2.3	3.0	5.0	2.0	3.0
			800 899	1.0	( 4.5)	72.5	311.0	35.0	5.7	1.6	2.0	3.0	2.0	2.0
				22.0	( 48.9)	72.1	466.1	50.0	6.9	2.8	2.7	4.7	2.2	3.9
			2200 2299	1.0	( 2.2)	73.0	508.0	55.0	7.9	2.8	6.0	4.0	4.0	2.0
			1100 1199	1.0	( 25.0)	72.0	600.0	57.0	7.3	2.5	3.0	5.0	2.0	3.0
			1000 1099	2.0	( 50.0)	70.0	545.5	48.0	7.0	4.0	2.0	4.5	2.0	2.0
			700 799	1.0	( 25.0)	68.5	658.0	53.0	8.2	5.6	3.0	5.0	2.0	2.0
				4.0	( 8.9)	70.1	587.3	51.5	7.4	4.0	2.5	4.8	2.0	2.3
			1000 1099	1.0	( 50.0)	72.5	470.0	47.0	7.6	2.5	2.0	4.0	2.0	2.0
			900 999	1.0	( 50.0)	72.2	403.0	48.0	6.2	2.9	2.0	6.0	2.0	2.0
				2.0	( 4.4)	72.3	436.5	47.5	6.9	2.7	2.0	5.0	2.0	2.0
			1400 1499	1.0	( 50.0)	71.6	435.0	44.0	7.1	3.2	3.0	4.0	2.0	3.0
			1200 1299	1.0	( 50.0)	71.5	375.0	39.0	6.7	3.1	2.0	5.0	2.0	2.0
				2.0	( 4.4)	71.5	405.0	41.5	6.9	3.1	2.5	4.5	2.0	2.5
			2000 2099	1.0	( 2.2)	73.0	415.2	53.0	6.9	3.0	5.0	4.0	4.0	3.0
			1600 1699	1.0	( 2.2)	74.1	575.7	70.0	8.3	3.1	7.0	5.0	4.0	2.0
			2200 2299	1.0	( 2.2)	73.0	508.0	55.0	7.9	2.8	6.0	4.0	4.0	2.0
			2000 2099	1.0	( 2.2)	73.0	415.2	53.0	6.9	3.0	5.0	4.0	4.0	3.0
			1600 1699	12.0	( 26.7)	71.7	520.6	53.1	7.2	3.2	2.8	5.3	2.3	5.0
			1500 1599	1.0	( 2.2)	72.8	565.0	52.0	8.3	2.1	2.0	5.0	2.0	5.0

[illegible]

[illegible]