

[illegible]

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2000 2099	1.0	(16.7)	74.0	558.0	81.0	8.3	2.8	10.0	3.0	5.0	2.0
			1800 1899	1.0	(16.7)	72.1	559.0	59.0	8.5	1.8	7.0	3.0	5.0	2.0
			1700 1799	1.0	(16.7)	71.3	560.0	58.0	8.0	2.2	7.0	3.0	4.0	3.0
			1600 1699	1.0	(16.7)	72.6	488.0	57.0	9.0	2.3	3.0	3.0	3.0	2.0
			900 999	1.0	(16.7)	70.4	336.0	48.0	5.5	3.0	2.0	6.0	2.0	3.0
			800 899	1.0	(16.7)	71.0	428.0	56.0	6.0	2.6	2.0	6.0	2.0	2.0
				6.0	(0.3)	71.9	488.2	59.8	7.5	2.5	5.2	4.0	3.5	2.3
			1300 1399	1.0	(0.1)	70.5	481.0	54.0	6.9	2.7	3.0	5.0	2.0	2.0
			1600 1699	1.0	(0.1)	73.6	551.5	72.0	7.8	1.5	7.0	3.0	5.0	2.0
			900 999	1.0	(0.1)	71.4	386.0	48.0	6.1	1.6	3.0	5.0	2.0	4.0
			1500 1599	1.0	(0.1)	71.4	457.5	52.0	7.3	2.1	5.0	5.0	4.0	3.0
			1500 1599	1.0	(0.1)	68.7	565.6	57.0	8.4	5.1	4.0	4.0	3.0	3.0
			1200 1299	1.0	(0.1)	74.1	551.0	73.0	8.3	1.6	4.0	3.0	4.0	3.0
			1600 1699	1.0	(50.0)	71.0	516.0	52.0	7.6	1.9	4.0	4.0	3.0	3.0
			1400 1499	1.0	(50.0)	70.1	553.0	48.0	7.3	1.7	5.0	4.0	3.0	2.0
				2.0	(0.1)	70.5	534.5	50.0	7.5	1.8	4.5	4.0	3.0	2.5
			1600 1699	1.0	(0.1)	72.1	487.0	56.0	7.7	1.7	6.0	4.0	4.0	3.0
			1500 1599	1.0	(0.1)	71.2	497.0	49.0	8.8	2.5	6.0	4.0	4.0	3.0
			1600 1699	1.0	(0.2)	72.9	530.0	64.0	8.2	1.8	4.0	4.0	4.0	3.0
			1500 1599	25.0	(6.1)	72.1	533.4	61.9	9.0	3.0	3.7	4.0	3.1	3.0
			1400 1499	132.0	(32.3)	70.9	511.3	55.6	8.3	3.1	2.9	4.1	2.5	3.0
			1300 1399	217.0	(53.1)	70.3	513.8	53.0	8.2	3.4	2.1	4.4	2.0	3.0
			1200 1299	34.0	(8.3)	69.5	513.4	50.4	8.0	3.8	2.1	4.7	2.0	3.0
				409.0	(21.4)	70.5	514.2	54.2	8.3	3.3	2.5	4.3	2.2	3.0
			1400 1499	4.0	(6.5)	70.3	562.8	61.3	8.8	4.3	4.3	4.0	3.5	3.0
			1300 1399	36.0	(58.1)	69.9	522.9	55.0	7.7	3.5	3.2	4.0	3.0	3.0
			1200 1299	21.0	(33.9)	69.8	504.0	52.5	7.3	3.2	2.0	4.2	2.0	3.0
			700 799	1.0	(1.6)	71.3	204.6	37.0	3.9	1.0	1.0	5.0	1.0	3.0
				62.0	(3.2)	69.9	514.0	54.3	7.6	3.4	2.8	4.1	2.7	3.0
			1600 1699	3.0	(1.4)	72.2	588.2	66.7	9.3	3.0	6.0	3.3	4.0	3.0
			1500 1599	26.0	(12.6)	71.2	532.2	58.5	8.8	3.3	4.1	3.8	3.2	3.0
			1400 1499	96.0	(46.4)	70.6	520.5	54.8	8.4	3.4	3.1	4.0	2.7	3.0
			1300 1399	70.0	(33.8)	69.8	522.8	51.4	8.3	3.6	2.4	4.1	2.2	3.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1200 1299	11.0	(5.3)	68.9	496.0	46.5	7.7	3.9	2.2	4.3	2.0	3.0
			1100 1199	1.0	(0.5)	68.1	526.6	44.0	6.6	3.2	2.0	5.0	2.0	3.0
				207.0	(10.8)	70.3	522.5	53.8	8.4	3.5	3.0	4.0	2.6	3.0
			1700 1799	2.0	(66.7)	72.5	433.8	58.5	6.6	1.7	6.5	2.0	4.5	3.0
			1600 1699	1.0	(33.3)	72.1	476.2	59.0	6.5	1.4	5.0	4.0	4.0	2.0
				3.0	(0.2)	72.3	447.9	58.7	6.6	1.6	6.0	2.7	4.3	2.7
			1400 1499	7.0	(8.0)	70.7	514.8	55.7	8.2	3.2	3.7	4.1	3.0	3.0
			1300 1399	79.0	(89.8)	69.9	494.7	50.3	7.8	3.3	2.5	4.3	2.0	2.8
			1200 1299	1.0	(1.1)	68.5	588.6	43.0	9.1	3.5	3.0	4.0	2.0	2.0
			900 999	1.0	(1.1)	71.2	391.5	43.0	6.5	1.3	4.0	4.0	2.0	2.0
				88.0	(4.6)	70.0	496.2	50.6	7.9	3.3	2.6	4.3	2.1	2.8
			1500 1599	6.0	(5.0)	72.8	476.2	61.3	8.1	2.2	3.5	4.2	2.7	3.0
			1400 1499	55.0	(45.8)	70.7	484.2	52.5	8.1	3.1	2.9	4.1	2.5	3.0
			1300 1399	39.0	(32.5)	69.6	463.1	47.5	7.6	3.6	2.2	4.4	2.1	3.0
			1200 1299	9.0	(7.5)	68.9	492.6	48.3	7.5	3.9	2.1	4.6	2.0	2.9
			1100 1199	2.0	(1.7)	68.2	488.1	46.5	6.8	4.1	2.0	5.0	2.0	3.0
			800 899	4.0	(3.3)	71.1	531.5	58.5	7.7	2.5	3.0	4.0	2.0	3.0
			700 799	4.0	(3.3)	71.1	479.8	57.5	7.8	3.3	2.3	4.3	2.0	3.0
			600 699	1.0	(0.8)	70.6	493.6	55.0	7.3	2.9	2.0	4.0	2.0	3.0
				120.0	(6.3)	70.3	479.1	51.3	7.8	3.3	2.6	4.2	2.3	3.0
			1600 1699	11.0	(1.1)	72.3	487.9	58.5	8.3	2.3	5.6	3.7	4.0	3.0
			1500 1599	88.0	(8.7)	71.3	516.2	57.5	8.5	3.1	4.2	3.9	3.2	3.0
			1400 1499	358.0	(35.5)	70.9	512.8	55.0	8.5	3.2	3.1	4.0	2.7	3.0
			1300 1399	388.0	(38.5)	70.0	512.7	51.5	8.2	3.5	2.5	4.2	2.3	3.0
			1200 1299	141.0	(14.0)	69.8	498.3	50.4	7.9	3.6	2.2	4.3	2.1	3.0
			1100 1199	21.0	(2.1)	68.6	519.4	46.4	7.8	3.9	2.0	4.3	2.0	3.0
			1000 1099	1.0	(0.1)	73.1	444.8	65.0	7.6	2.5	10.0	3.0	5.0	3.0
			499	1.0	(0.1)	72.2	453.0	62.0	7.0	2.4	6.0	4.0	4.0	3.0
				1009.0	(52.7)	70.4	510.8	53.1	8.3	3.4	2.9	4.1	2.5	3.0
			2000 2099	1.0	(0.1)	74.0	558.0	81.0	8.3	2.8	10.0	3.0	5.0	2.0
			1800 1899	1.0	(0.1)	72.1	559.0	59.0	8.5	1.8	7.0	3.0	5.0	2.0
			1700 1799	3.0	(0.2)	72.1	475.9	58.3	7.1	1.9	6.7	2.3	4.3	3.0
			1600 1699	20.0	(1.0)	72.3	509.0	60.2	8.3	2.3	5.5	3.6	4.0	2.9
			1500 1599	148.0	(7.7)	71.5	520.1	58.5	8.6	3.1	4.1	3.9	3.1	3.0
			1400 1499	653.0	(34.1)	70.8	511.6	54.9	8.4	3.2	3.1	4.0	2.7	3.0
			1300 1399	830.0	(43.4)	70.0	510.2	51.7	8.1	3.5	2.4	4.2	2.2	3.0
			1200 1299	218.0	(11.4)	69.7	501.5	50.4	7.8	3.6	2.2	4.3	2.0	3.0
			1100 1199	24.0	(1.3)	68.5	517.1	46.3	7.7	3.9	2.0	4.4	2.0	3.0
			1000 1099	1.0	(0.1)	73.1	444.8	65.0	7.6	2.5	10.0	3.0	5.0	3.0
			900 999	3.0	(0.2)	71.0	371.2	46.3	6.0	2.0	3.0	5.0	2.0	3.0
			800 899	5.0	(0.3)	71.1	510.8	58.0	7.3	2.5	2.8	4.4	2.0	2.8

