

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			800 899	1.0	(5.3)	67.7	484.5	38.0	5.2	2.3	2.0	4.0	2.0	3.0
			600 699	7.0	(36.8)	69.0	369.4	39.3	3.9	1.5	1.7	5.7	1.7	4.0
			500 599	11.0	(57.9)	69.1	349.1	35.2	3.7	1.1	1.5	6.2	1.4	4.5
				19.0	(3.2)	69.0	363.7	36.8	3.9	1.3	1.6	5.9	1.5	4.2
			600 699	1.0	(50.0)	70.6	379.0	44.0	5.2	1.4	2.0	5.0	2.0	3.0
			500 599	1.0	(50.0)	67.6	385.0	26.0	4.5	1.5	2.0	6.0	2.0	5.0
				2.0	(0.3)	69.1	382.0	35.0	4.8	1.4	2.0	5.5	2.0	4.0
			700 799	1.0	(5.3)	66.2	472.0	27.0	5.0	2.4	2.0	6.0	2.0	5.0
			600 699	3.0	(15.8)	68.0	372.3	31.3	4.0	1.6	2.0	5.3	2.0	4.3
			500 599	14.0	(73.7)	69.0	332.3	33.7	3.8	1.2	1.6	5.9	1.1	5.3
			499	1.0	(5.3)	70.5	190.0	31.0	3.5	0.9	2.0	6.0	1.0	4.0
				19.0	(3.2)	68.8	338.5	32.8	3.9	1.3	1.7	5.8	1.3	5.1
			700 799	2.0	(7.7)	67.7	413.5	30.5	4.7	1.8	2.0	5.0	2.0	2.5
			600 699	14.0	(53.8)	68.9	368.0	33.0	4.6	1.4	2.1	5.3	1.9	2.4
			500 599	5.0	(19.2)	69.4	321.0	31.4	4.1	0.9	2.0	5.6	1.6	3.2
			499	5.0	(19.2)	70.1	304.6	31.0	4.3	0.5	2.0	5.8	1.0	3.8
				26.0	(4.4)	69.2	350.3	32.1	4.5	1.1	2.0	5.4	1.7	2.8
			600 699	1.0	(0.2)	68.5	395.0	39.0	4.2	2.0	2.0	7.0	2.0	3.0
			700 799	1.0	(4.2)	68.8	375.0	38.0	4.5	2.0	3.0	4.0	2.0	2.0
			600 699	4.0	(16.7)	68.7	415.4	35.8	4.8	1.6	2.0	4.0	2.0	3.3
			500 599	13.0	(54.2)	68.5	342.3	30.9	3.4	0.9	1.8	4.6	1.5	4.5
			499	6.0	(25.0)	69.5	328.0	31.7	4.4	1.0	1.7	5.2	1.5	4.3
				24.0	(4.1)	68.8	352.3	32.2	3.9	1.1	1.8	4.6	1.6	4.1
			600 699	29.0	(63.0)	68.5	373.0	33.1	3.7	1.1	1.8	5.5	1.7	3.8
			500 599	15.0	(32.6)	68.7	382.6	35.5	3.7	1.1	1.9	4.9	1.9	3.6
			499	2.0	(4.3)	69.0	295.5	31.0	3.6	1.2	2.0	4.5	1.5	5.5
				46.0	(7.8)	68.6	372.7	33.8	3.7	1.1	1.8	5.2	1.7	3.8
			700 799	3.0	(2.0)	68.5	435.0	36.3	4.9	1.6	2.0	5.3	2.0	3.0
			600 699	72.0	(48.6)	68.9	394.3	36.4	4.4	1.3	1.9	5.4	1.7	4.2
			500 599	65.0	(43.9)	69.0	388.1	36.6	4.4	1.3	1.7	5.5	1.6	4.5
			499	8.0	(5.4)	68.6	322.4	29.6	3.1	0.8	2.0	4.9	1.6	4.5
				148.0	(25.2)	68.9	388.5	36.1	4.3	1.3	1.8	5.4	1.6	4.3
			600 699	17.0	(68.0)	68.5	370.5	33.8	3.8	1.2	1.9	4.6	1.8	3.5
			500 599	8.0	(32.0)	68.5	373.0	34.1	3.9	1.4	2.0	4.6	1.8	4.0
				25.0	(4.3)	68.5	371.3	33.9	3.8	1.3	1.9	4.6	1.8	3.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			600 699	4.0	(44.4)	69.4	339.6	36.3	4.0	1.2	2.0	5.0	2.0	3.3
			500 599	5.0	(55.6)	69.5	383.0	39.0	4.3	1.2	2.2	4.8	1.8	3.4
				9.0	(1.5)	69.4	363.7	37.8	4.2	1.2	2.1	4.9	1.9	3.3
			700 799	4.0	(3.2)	68.5	436.5	38.0	4.8	1.7	2.0	5.8	2.0	3.0
			600 699	65.0	(52.4)	68.8	379.6	34.9	4.2	1.3	1.8	5.9	1.6	4.2
			500 599	51.0	(41.1)	68.9	350.5	33.5	3.9	1.1	1.6	6.0	1.4	4.2
			499	4.0	(3.2)	68.7	362.5	33.0	3.9	1.1	1.5	6.0	1.3	5.0
				124.0	(21.1)	68.9	368.9	34.4	4.1	1.2	1.7	6.0	1.5	4.2
			600 699	5.0	(0.9)	69.1	373.5	34.0	4.4	1.0	1.8	5.4	1.8	4.2
			900 999	1.0	(14.3)	70.0	414.0	44.0	6.1	2.2	2.0	6.0	2.0	2.0
			700 799	1.0	(14.3)	68.0	537.0	42.0	6.0	2.3	2.0	6.0	2.0	5.0
			600 699	3.0	(42.9)	68.8	355.3	34.3	3.8	1.3	2.0	5.7	1.7	4.0
			500 599	2.0	(28.6)	68.4	357.5	30.0	3.9	1.1	2.0	6.0	1.5	4.5
				7.0	(1.2)	68.7	390.3	35.6	4.5	1.5	2.0	5.9	1.7	4.0
			600 699	6.0	(66.7)	68.2	370.3	31.3	3.8	1.3	1.8	4.5	1.8	4.2
			500 599	2.0	(22.2)	69.8	283.5	32.0	3.5	0.5	1.5	4.0	1.5	3.5
			499	1.0	(11.1)	67.8	308.5	29.0	2.6	1.3	2.0	5.0	1.0	4.0
				9.0	(1.5)	68.5	344.2	31.2	3.6	1.1	1.8	4.4	1.7	4.0
			499	1.0	(0.2)	71.0	415.5	48.0	5.5	1.2	1.0	7.0	1.0	5.0
			1000 1099	1.0	(5.3)	67.7	522.8	47.0	6.6	4.0	3.0	4.0	2.0	3.0
			700 799	1.0	(5.3)	69.1	249.0	25.0	3.6	0.9	2.0	5.0	2.0	3.0
			600 699	8.0	(42.1)	68.7	390.0	34.3	4.6	1.6	1.5	5.9	1.4	3.9
			500 599	9.0	(47.4)	68.3	337.0	27.7	3.9	1.1	1.3	6.2	1.2	4.9
				19.0	(3.2)	68.5	364.5	31.3	4.3	1.4	1.5	5.9	1.4	4.3
			800 899	1.0	(3.1)	68.6	462.0	40.0	5.3	1.9	2.0	6.0	2.0	4.0
			700 799	5.0	(15.6)	69.2	418.8	40.8	5.0	1.7	2.0	5.4	2.0	3.2
			600 699	11.0	(34.4)	68.7	393.2	35.8	4.1	1.3	1.8	6.0	1.5	3.8
			500 599	15.0	(46.9)	68.4	325.2	28.5	3.6	1.1	1.6	6.3	1.3	4.2
				32.0	(5.4)	68.6	367.5	33.3	4.0	1.3	1.8	6.1	1.5	3.9
			700 799	2.0	(40.0)	68.0	376.1	33.0	4.1	1.9	2.5	5.0	1.5	4.0
			600 699	3.0	(60.0)	67.2	374.1	26.7	3.9	1.7	1.7	6.3	1.3	3.0
				5.0	(0.9)	67.5	374.9	29.2	4.0	1.8	2.0	5.8	1.4	3.4
			600 699	1.0	(50.0)	68.9	376.4	40.0	4.2	1.8	2.0	5.0	2.0	3.0
			500 599	1.0	(50.0)	70.2	386.0	48.0	4.3	1.5	1.0	6.0	1.0	4.0
				2.0	(0.3)	69.5	381.2	44.0	4.3	1.6	1.5	5.5	1.5	3.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			600 699	2.0	(0.3)	68.1	370.1	28.0	4.6	1.4	2.0	5.0	1.5	2.0
			800 899	1.0	(50.0)	68.1	438.6	38.0	5.6	2.7	2.0	5.0	2.0	3.0
			600 699	1.0	(50.0)	67.6	343.0	23.0	3.6	1.0	1.0	6.0	1.0	4.0
				2.0	(0.3)	67.8	390.8	30.5	4.6	1.9	1.5	5.5	1.5	3.5
			1000 1099	1.0	(4.8)	70.3	418.6	42.0	7.0	2.2	2.0	4.0	2.0	2.0
			900 999	1.0	(4.8)	68.1	388.2	37.0	5.4	3.0	3.0	4.0	2.0	2.0
			800 899	1.0	(4.8)	67.8	411.8	34.0	4.7	2.2	2.0	4.0	2.0	2.0
			700 799	8.0	(38.1)	68.5	440.4	38.0	4.9	1.7	2.0	5.9	1.9	3.3
			600 699	2.0	(9.5)	68.1	367.7	32.0	3.5	1.4	1.5	6.0	1.0	3.0
			500 599	2.0	(9.5)	69.3	319.7	36.0	3.1	0.9	1.5	5.5	1.0	3.5
			499	6.0	(28.6)	69.7	279.5	31.2	3.4	0.6	1.2	6.0	1.0	3.2
				21.0	(3.6)	68.9	371.1	35.2	4.3	1.4	1.7	5.6	1.5	3.0
			900 999	4.0	(80.0)	69.1	418.1	45.0	5.5	2.9	2.0	4.3	2.0	2.0
			500 599	1.0	(20.0)	67.7	331.7	26.0	3.5	1.5	2.0	5.0	1.0	4.0
				5.0	(0.9)	68.8	400.8	41.2	5.1	2.6	2.0	4.4	1.8	2.4
			700 799	1.0	(33.3)	68.7	415.2	37.0	4.9	1.7	2.0	6.0	1.0	5.0
			600 699	1.0	(33.3)	67.9	463.4	29.0	5.4	1.1	3.0	4.0	2.0	4.0
			500 599	1.0	(33.3)	67.7	377.4	27.0	4.6	1.7	2.0	6.0	1.0	4.0
				3.0	(0.5)	68.1	418.7	31.0	5.0	1.5	2.3	5.3	1.3	4.3
			499	2.0	(0.3)	68.2	275.9	20.5	3.3	0.7	1.0	6.0	1.0	4.0
			499	1.0	(0.2)	68.2	385.6	32.0	4.3	1.5	1.0	6.0	1.0	2.0
			700 799	3.0	(16.7)	66.4	422.5	30.0	4.3	2.8	2.0	5.0	2.0	4.7
			600 699	11.0	(61.1)	68.7	370.4	34.4	4.1	1.4	1.6	5.5	1.5	4.1
			500 599	3.0	(16.7)	68.4	436.2	37.3	4.6	1.5	2.0	5.3	2.0	4.3
			499	1.0	(5.6)	69.9	403.0	43.0	4.4	1.1	2.0	6.0	2.0	4.0
				18.0	(3.1)	68.3	391.9	34.6	4.2	1.6	1.8	5.4	1.7	4.2
			600 699	1.0	(0.2)	68.2	391.0	38.0	4.0	2.1	2.0	5.0	2.0	4.0
			500 599	10.0	(1.7)	68.1	454.9	38.0	4.9	2.0	2.0	5.7	2.0	3.5
			1000 1099	2.0	(0.3)	69.0	470.7	44.5	6.8	3.1	2.5	4.0	2.0	2.5
			900 999	6.0	(1.0)	69.1	412.4	43.5	5.6	2.8	2.2	4.5	2.0	2.0
			800 899	4.0	(0.7)	68.0	449.2	37.5	5.2	2.3	2.0	4.8	2.0	3.0
			700 799	32.0	(5.4)	68.3	423.9	36.1	4.8	1.8	2.1	5.5	1.9	3.4
			600 699	272.0	(46.3)	68.7	381.1	34.8	4.2	1.3	1.8	5.5	1.7	3.9
			500 599	234.0	(39.8)	68.8	365.2	34.2	4.0	1.2	1.7	5.6	1.5	4.3

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			900 999	15.0	(88.2)	68.9	474.9	41.3	6.2	2.3	2.1	5.0	2.0	2.5
			800 899	2.0	(11.8)	67.9	518.5	40.5	6.0	2.5	2.0	5.0	2.0	3.0
				17.0	(6.0)	68.8	480.0	41.2	6.2	2.3	2.1	5.0	2.0	2.5
			900 999	1.0	(25.0)	67.6	377.0	30.0	4.2	2.0	2.0	5.0	2.0	3.0
			800 899	1.0	(25.0)	69.6	341.0	36.0	3.9	1.0	2.0	5.0	2.0	4.0
			500 599	1.0	(25.0)	68.7	325.0	28.0	4.2	1.2	2.0	6.0	1.0	2.0
			499	1.0	(25.0)	69.4	313.0	31.0	3.7	0.6	1.0	5.0	1.0	3.0
				4.0	(1.4)	68.8	339.0	31.3	4.0	1.2	1.8	5.3	1.5	3.0
			600 699	2.0	(66.7)	69.5	459.5	42.5	5.8	1.8	2.0	5.0	2.0	2.0
			499	1.0	(33.3)	69.5	321.0	33.0	3.5	0.6	2.0	6.0	1.0	3.0
				3.0	(1.1)	69.5	413.3	39.3	5.1	1.4	2.0	5.3	1.7	2.3
			900 999	24.0	(8.5)	68.1	455.0	38.3	5.3	2.3	2.1	4.4	2.0	2.0
			900 999	18.0	(81.8)	68.5	486.9	39.9	5.7	2.0	2.1	4.4	2.0	2.2
			700 799	1.0	(4.5)	67.4	592.0	43.0	5.4	2.0	2.0	4.0	2.0	4.0
			600 699	1.0	(4.5)	69.0	449.0	40.0	6.8	2.7	3.0	3.0	2.0	2.0
			500 599	2.0	(9.1)	68.3	340.0	29.0	4.2	1.6	2.5	4.5	2.0	2.5
				22.0	(7.8)	68.4	476.6	39.1	5.6	2.0	2.2	4.4	2.0	2.3
			900 999	1.0	(14.3)	69.4	419.0	38.0	6.0	1.9	2.0	5.0	2.0	2.0
			700 799	2.0	(28.6)	69.3	392.5	36.5	5.2	1.4	2.0	5.0	2.0	2.0
			600 699	1.0	(14.3)	68.3	403.0	31.0	5.9	2.3	2.0	4.0	2.0	2.0
			500 599	2.0	(28.6)	69.0	366.5	33.0	4.9	1.6	2.5	5.0	2.0	2.0
			499	1.0	(14.3)	69.4	252.0	28.0	3.0	0.5	1.0	6.0	1.0	3.0
				7.0	(2.5)	69.1	370.3	33.7	5.0	1.5	2.0	5.0	1.9	2.1
			600 699	1.0	(50.0)	68.0	329.0	29.0	4.9	2.6	2.0	5.0	2.0	2.0
			500 599	1.0	(50.0)	69.8	338.0	38.0	4.5	1.5	2.0	5.0	2.0	2.0
				2.0	(0.7)	68.9	333.5	33.5	4.7	2.0	2.0	5.0	2.0	2.0
			900 999	1.0	(0.4)	70.2	493.0	52.0	5.5	1.6	2.0	6.0	2.0	2.0
			800 899	3.0	(15.8)	69.5	422.7	42.0	5.5	1.9	2.0	5.0	2.0	2.3
			700 799	3.0	(15.8)	68.6	443.3	39.7	4.9	1.8	2.0	4.7	1.7	2.0
			600 699	4.0	(21.1)	68.7	483.3	45.5	5.9	2.8	2.0	5.0	2.0	2.3
			500 599	9.0	(47.4)	68.6	451.1	43.6	5.3	2.6	2.0	4.6	2.0	2.4
				19.0	(6.7)	68.8	452.2	43.1	5.4	2.4	2.0	4.7	1.9	2.3
			900 999	6.0	(31.6)	67.9	494.0	39.5	5.6	2.4	2.0	5.5	2.0	2.7
			800 899	5.0	(26.3)	67.6	460.0	34.6	5.1	2.1	2.2	5.6	2.0	2.6
			600 699	2.0	(10.5)	69.2	268.8	26.0	3.5	0.6	2.0	3.0	1.0	2.5
			500 599	5.0	(26.3)	70.4	300.8	35.2	4.3	0.7	1.8	3.0	1.8	2.8

					(%)		(kg)	(cm2)	(cm)	(cm)				
			499	1.0	(5.3)	71.0	280.5	37.0	3.9	0.3	2.0	3.0	1.0	3.0
				19.0	(6.7)	68.8	399.3	35.5	4.8	1.6	2.0	4.5	1.8	2.7
			700 799	1.0	(0.4)	67.1	358.0	24.0	4.8	2.4	2.0	6.0	2.0	2.0
			1000 1099	2.0	(50.0)	67.8	518.3	42.5	5.9	2.9	2.5	4.5	2.0	3.5
			900 999	1.0	(25.0)	69.3	516.2	47.0	7.2	2.8	3.0	4.0	2.0	3.0
			700 799	1.0	(25.0)	68.9	266.0	30.0	3.6	1.6	2.0	6.0	2.0	3.0
				4.0	(1.4)	68.4	454.7	40.5	5.7	2.5	2.5	4.8	2.0	3.3
			800 899	1.0	(25.0)	69.0	489.0	44.0	5.7	2.0	2.0	5.0	2.0	2.0
			700 799	2.0	(50.0)	68.6	437.3	38.5	5.5	2.1	2.0	5.5	2.0	3.5
			499	1.0	(25.0)	70.2	227.0	29.0	3.3	0.3	1.0	6.0	1.0	3.0
				4.0	(1.4)	69.1	397.6	37.5	5.0	1.6	1.8	5.5	1.8	3.0
			900 999	1.0	(0.4)	68.3	496.0	41.0	5.5	2.1	2.0	4.0	2.0	2.0
			800 899	4.0	(25.0)	68.8	511.9	44.5	6.3	2.4	2.3	4.0	2.3	3.0
			700 799	12.0	(75.0)	67.8	481.5	41.6	5.9	3.3	2.0	4.0	2.0	2.9
				16.0	(5.7)	68.0	489.1	42.3	6.0	3.0	2.1	4.0	2.1	2.9
			1000 1099	1.0	(0.4)	67.3	428.4	41.0	5.5	4.0	3.0	4.0	2.0	2.0
			800 899	4.0	(57.1)	68.7	359.6	33.5	4.4	1.7	2.0	5.0	2.0	2.5
			700 799	2.0	(28.6)	68.6	355.3	29.5	4.5	1.4	1.0	6.0	1.0	2.5
			600 699	1.0	(14.3)	70.4	344.6	37.0	5.1	1.0	1.0	6.0	1.0	3.0
				7.0	(2.5)	68.9	356.2	32.9	4.6	1.5	1.6	5.4	1.6	2.6
			900 999	38.0	(13.5)	68.2	436.3	37.0	5.0	2.1	2.0	4.7	2.0	3.0
			1100 1199	1.0	(2.2)	69.9	418.8	44.0	6.0	2.1	3.0	4.0	3.0	2.0
			1000 1099	26.0	(57.8)	68.8	442.0	40.4	5.9	2.5	2.0	4.4	2.0	2.2
			900 999	18.0	(40.0)	69.0	427.4	39.7	5.9	2.3	2.0	4.3	2.0	2.2
				45.0	(16.0)	68.9	435.6	40.2	5.9	2.4	2.0	4.4	2.0	2.2
			900 999	37.0	(13.1)	68.5	420.1	37.5	5.8	2.6	2.0	4.2	2.0	2.1
			1200 1299	1.0	(0.4)	66.5	531.5	42.0	6.1	4.2	2.0	5.0	2.0	2.0
			1100 1199	9.0	(3.2)	67.9	480.0	39.4	5.5	2.5	2.0	4.9	2.0	2.7

[illegible]

[illegible]