

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1700 1799	1.0	( 3.4)	72.2	553.0	69.0	9.2	3.7	5.0	5.0	3.0	3.0
			1500 1599	4.0	( 13.8)	72.7	467.1	67.0	7.8	3.0	4.3	4.0	3.5	3.3
			1400 1499	2.0	( 6.9)	70.7	412.8	45.0	8.9	3.6	4.5	4.5	3.0	3.0
			1300 1399	3.0	( 10.3)	70.0	440.0	45.0	7.9	3.3	4.7	4.0	3.3	3.3
			1200 1299	8.0	( 27.6)	71.1	423.8	51.4	7.4	2.9	3.6	4.5	2.9	2.9
			1100 1199	5.0	( 17.2)	70.1	491.4	54.4	7.6	3.6	3.2	4.6	2.4	2.8
			1000 1099	3.0	( 10.3)	69.2	405.3	41.7	6.0	2.8	3.0	4.7	2.3	3.3
			900 999	1.0	( 3.4)	69.1	343.3	37.0	5.1	2.4	2.0	5.0	2.0	3.0
			600 699	2.0	( 6.9)	69.4	466.5	45.0	6.0	2.3	1.0	7.0	1.0	7.0
				29.0	( 27.1)	70.7	445.0	51.6	7.4	3.1	3.6	4.6	2.7	3.3
			1300 1399	1.0	( 0.9)	71.5	487.0	57.0	7.4	2.4	3.0	5.0	2.0	3.0
			1300 1399	1.0	( 0.9)	71.3	514.0	59.0	9.7	4.3	5.0	4.0	4.0	2.0
			1900 1999	1.0	( 0.9)	72.7	445.0	71.0	7.3	3.6	9.0	3.0	5.0	3.0
			1900 1999	2.0	( 28.6)	73.0	391.0	57.5	7.1	1.9	5.5	4.5	4.0	3.0
			1400 1499	1.0	( 14.3)	72.7	365.0	53.0	6.7	1.6	4.0	5.0	3.0	3.0
			1300 1399	1.0	( 14.3)	72.3	380.5	50.0	7.3	1.8	4.0	4.0	3.0	3.0
			1100 1199	2.0	( 28.6)	69.8	394.5	46.5	6.3	3.3	2.0	4.5	2.0	3.0
			700 799	1.0	( 14.3)	67.7	539.0	49.0	8.3	5.3	2.0	5.0	2.0	2.0
				7.0	( 6.5)	71.2	407.9	51.4	7.0	2.7	3.6	4.6	2.9	2.9
			1000 1099	1.0	( 50.0)	72.1	518.0	79.0	7.8	4.7	4.0	5.0	2.0	2.0
			500 599	1.0	( 50.0)	71.8	251.0	43.0	3.9	0.7	2.0	7.0	1.0	5.0
				2.0	( 1.9)	72.0	384.5	61.0	5.8	2.7	3.0	6.0	1.5	3.5
			1200 1299	1.0	( 33.3)	71.1	422.0	52.0	6.4	2.3	4.0	5.0	3.0	2.0
			900 999	1.0	( 33.3)	71.8	380.0	58.0	5.8	2.5	2.0	4.0	2.0	2.0
			800 899	1.0	( 33.3)	69.8	327.0	40.0	4.2	1.6	4.0	5.0	2.0	2.0
				3.0	( 2.8)	70.9	376.3	50.0	5.5	2.1	3.3	4.7	2.3	2.0
			1200 1299	1.0	( 0.9)	70.1	346.0	46.0	5.3	2.8	5.0	4.0	3.0	4.0
			1700 1799	2.0	( 25.0)	72.5	450.0	62.0	7.3	2.4	7.0	4.0	4.5	2.5
			1600 1699	2.0	( 25.0)	72.3	522.5	67.5	7.8	2.8	6.5	3.5	4.0	2.0
			1500 1599	1.0	( 12.5)	70.9	422.0	46.0	7.3	2.3	6.0	4.0	4.0	2.0
			1400 1499	1.0	( 12.5)	71.8	311.0	45.0	5.9	1.6	5.0	4.0	4.0	3.0
			1100 1199	2.0	( 25.0)	69.1	421.0	50.0	6.0	3.9	3.0	4.0	2.5	2.5
				8.0	( 7.5)	71.3	440.0	56.3	6.9	2.8	5.5	3.9	3.8	2.4

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1000 1099	1.0	( 50.0)	69.5	554.0	54.0	8.5	4.0	3.0	4.0	3.0	2.0
			500 599	1.0	( 50.0)	70.0	312.0	44.0	4.4	2.3	2.0	7.0	1.0	3.0
				2.0	( 1.9)	69.8	433.0	49.0	6.5	3.1	2.5	5.5	2.0	2.5
			1600 1699	1.0	( 0.9)	70.6	344.8	43.0	6.6	2.7	4.0	3.0	3.0	3.0
			1300 1399	1.0	( 0.9)	71.5	470.4	57.0	7.3	2.5	4.0	4.0	3.0	3.0
			1300 1399	1.0	( 25.0)	74.1	490.4	68.0	8.3	1.7	5.0	4.0	4.0	3.0
			1200 1299	2.0	( 50.0)	73.0	435.3	65.5	7.2	2.5	6.5	4.0	4.0	3.0
			1100 1199	1.0	( 25.0)	73.2	386.2	58.0	7.2	1.9	3.0	4.0	3.0	3.0
				4.0	( 3.7)	73.3	436.8	64.3	7.5	2.2	5.3	4.0	3.8	3.0
			1400 1499	1.0	( 0.9)	72.4	517.2	67.0	7.1	2.2	5.0	5.0	3.0	3.0
			1500 1599	1.0	( 50.0)	73.9	482.6	71.0	8.6	2.6	6.0	3.0	4.0	3.0
			1000 1099	1.0	( 50.0)	70.8	451.2	48.0	7.2	2.2	3.0	5.0	2.0	2.0
				2.0	( 1.9)	72.3	466.9	59.5	7.9	2.4	4.5	4.0	3.0	2.5
			1200 1299	1.0	( 50.0)	70.7	338.6	48.0	6.1	3.1	3.0	4.0	2.0	2.0
			900 999	1.0	( 50.0)	71.3	419.3	59.0	5.6	2.5	3.0	4.0	2.0	3.0
				2.0	( 1.9)	71.0	378.9	53.5	5.8	2.8	3.0	4.0	2.0	2.5
			1400 1499	1.0	( 9.1)	71.2	418.8	50.0	7.9	3.1	4.0	4.0	3.0	3.0
			1300 1399	2.0	( 18.2)	72.0	407.8	47.5	7.7	1.6	5.5	4.0	3.5	2.5
			1200 1299	3.0	( 27.3)	72.2	391.8	55.3	6.9	2.3	4.3	4.3	3.0	3.0
			1000 1099	3.0	( 27.3)	69.7	450.3	49.3	7.5	3.9	3.0	4.3	2.3	3.0
			900 999	1.0	( 9.1)	70.1	377.7	45.0	6.7	3.1	4.0	4.0	3.0	3.0
			800 899	1.0	( 9.1)	70.9	344.1	45.0	6.0	2.2	2.0	5.0	2.0	3.0
				11.0	( 10.3)	71.1	407.5	49.9	7.2	2.7	3.9	4.3	2.8	2.9
			2000 2099	2.0	( 7.4)	72.4	461.3	61.5	8.3	3.0	6.5	3.5	4.0	3.0
			1500 1599	1.0	( 3.7)	72.3	441.7	62.0	7.0	2.5	6.0	4.0	4.0	3.0
			1400 1499	2.0	( 7.4)	72.0	396.5	55.0	7.1	2.6	3.5	4.5	3.0	3.0
			1300 1399	15.0	( 55.6)	71.2	493.2	58.0	8.1	3.3	3.0	4.1	2.7	3.1
			1200 1299	5.0	( 18.5)	70.6	455.0	51.8	7.9	3.4	2.0	4.4	2.0	3.2
			700 799	2.0	( 7.4)	69.5	368.5	41.5	5.2	2.4	2.5	4.5	2.0	3.5
				27.0	( 25.2)	71.1	465.4	55.8	7.7	3.1	3.2	4.1	2.7	3.1
			600 699	2.0	( 66.7)	68.4	389.0	34.5	5.5	2.5	2.0	5.0	2.0	4.5
			500 599	1.0	( 33.3)	70.4	408.0	45.0	5.5	1.5	1.0	6.0	1.0	4.0
				3.0	( 2.8)	69.1	395.3	38.0	5.5	2.2	1.7	5.3	1.7	4.3
			2000 2099	2.0	( 1.9)	72.4	461.3	61.5	8.3	3.0	6.5	3.5	4.0	3.0
			1900 1999	3.0	( 2.8)	72.9	409.0	62.0	7.2	2.5	6.7	4.0	4.3	3.0



					(%)		(kg)	(m2)	(m)	(m)				
			1700 1799	3.0	( 8.8)	72.6	469.3	63.0	7.7	2.4	7.3	3.3	4.3	2.7
			1600 1699	4.0	( 11.8)	71.7	509.2	56.0	8.4	2.5	5.8	3.5	4.0	2.5
			1500 1599	3.0	( 8.8)	72.6	489.9	61.3	7.9	2.1	5.0	4.3	3.3	3.0
			1400 1499	4.0	( 11.8)	71.8	457.7	59.3	7.0	2.5	5.5	3.3	3.8	2.5
			1300 1399	3.0	( 8.8)	71.1	487.8	57.0	7.6	2.9	3.7	4.0	3.0	2.3
			1200 1299	6.0	( 17.6)	71.0	445.8	52.7	7.1	2.7	3.8	4.0	2.7	2.5
			1100 1199	10.0	( 29.4)	70.5	477.7	50.5	7.5	2.7	3.3	3.9	2.4	2.7
			800 899	1.0	( 2.9)	69.7	371.0	41.0	5.9	2.6	3.0	4.0	2.0	3.0
				34.0	( 0.5)	71.3	471.5	54.9	7.5	2.6	4.5	3.8	3.1	2.6
			1500 1599	1.0	( 50.0)	70.3	456.0	52.0	7.3	3.3	4.0	5.0	3.0	3.0
			1400 1499	1.0	( 50.0)	73.2	558.0	75.0	9.3	3.5	3.0	5.0	2.0	3.0
				2.0	( 0.0)	71.8	507.0	63.5	8.3	3.4	3.5	5.0	2.5	3.0
			1400 1499	1.0	( 50.0)	72.6	501.0	65.0	8.1	2.6	4.0	5.0	3.0	2.0
			1200 1299	1.0	( 50.0)	71.8	433.0	56.0	7.0	2.3	4.0	7.0	2.0	3.0
				2.0	( 0.0)	72.2	467.0	60.5	7.5	2.5	4.0	6.0	2.5	2.5
			1100 1199	1.0	( 0.0)	70.6	536.0	60.0	7.8	3.4	4.0	4.0	3.0	3.0
			1800 1899	1.0	( 16.7)	72.2	560.0	58.0	9.6	2.3	6.0	4.0	4.0	3.0
			1600 1699	1.0	( 16.7)	70.3	559.0	55.0	8.4	3.2	5.0	4.0	4.0	3.0
			1300 1399	2.0	( 33.3)	72.5	445.5	59.5	8.0	2.6	6.5	4.0	3.5	3.0
			1200 1299	1.0	( 16.7)	69.8	527.0	55.0	8.5	4.3	3.0	4.0	3.0	2.0
			1100 1199	1.0	( 16.7)	72.1	425.0	55.0	8.1	2.8	4.0	4.0	3.0	3.0
				6.0	( 0.1)	71.6	493.7	57.0	8.4	3.0	5.2	4.0	3.5	2.8
			1900 1999	1.0	( 25.0)	74.7	494.0	79.0	8.0	2.3	10.0	3.0	5.0	2.0
			1500 1599	1.0	( 25.0)	73.5	501.0	68.0	8.1	2.0	4.0	4.0	3.0	3.0
			1200 1299	1.0	( 25.0)	69.4	440.0	47.0	7.1	3.6	3.0	5.0	2.0	3.0
			1000 1099	1.0	( 25.0)	69.0	568.0	58.0	7.0	3.8	2.0	4.0	2.0	3.0
				4.0	( 0.1)	71.7	500.8	63.0	7.5	2.9	4.8	4.0	3.0	2.8
			1400 1499	1.0	( 50.0)	71.6	580.0	60.0	8.2	2.1	4.0	4.0	3.0	3.0
			1200 1299	1.0	( 50.0)	67.6	490.0	46.0	5.8	3.8	5.0	5.0	3.0	2.0
				2.0	( 0.0)	69.6	535.0	53.0	7.0	3.0	4.5	4.5	3.0	2.5
			1700 1799	1.0	( 50.0)	70.8	601.0	58.0	9.7	3.4	7.0	4.0	4.0	2.0
			1300 1399	1.0	( 50.0)	74.3	440.0	70.0	6.7	1.2	7.0	3.0	5.0	2.0
				2.0	( 0.0)	72.5	520.5	64.0	8.2	2.3	7.0	3.5	4.5	2.0
			1900 1999	1.0	( 16.7)	71.9	553.0	58.0	9.9	3.0	8.0	3.0	5.0	3.0
			1700 1799	1.0	( 16.7)	71.8	493.0	61.0	7.4	2.5	8.0	4.0	5.0	2.0
			1600 1699	2.0	( 33.3)	72.5	518.0	67.0	7.4	2.2	7.0	4.0	4.0	2.5
			1400 1499	1.0	( 16.7)	69.0	502.0	55.0	6.0	3.6	3.0	4.0	3.0	3.0

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1300 1399	1.0	( 16.7)	71.3	482.0	51.0	7.2	1.6	5.0	4.0	3.0	3.0
				6.0	( 0.1)	71.5	511.0	59.8	7.5	2.5	6.3	3.8	4.0	2.7
			1000 1099	1.0	( 0.0)	72.0	446.4	56.0	6.8	1.7	2.0	5.0	2.0	2.0
			1800 1899	1.0	( 0.1)	72.7	551.6	64.0	9.5	2.7	8.0	4.0	5.0	2.0
			1500 1599	38.0	( 2.2)	72.3	509.6	60.9	8.3	2.4	5.8	4.1	4.1	2.9
			1400 1499	178.0	( 10.4)	71.9	506.1	59.1	8.2	2.5	4.1	4.1	3.1	2.9
			1300 1399	515.0	( 30.1)	71.1	512.1	55.4	8.1	2.8	3.1	4.2	2.5	2.9
			1200 1299	854.0	( 50.0)	70.5	506.1	52.8	7.8	3.0	2.4	4.5	2.0	3.0
			1100 1199	114.0	( 6.7)	69.7	491.0	49.7	7.6	3.4	2.6	4.6	2.0	2.9
			1000 1099	2.0	( 0.1)	69.5	370.6	39.0	6.0	2.5	2.5	5.0	2.0	2.5
			700 799	3.0	( 0.2)	69.9	306.9	37.3	4.7	1.8	2.0	5.3	1.7	3.0
			600 699	2.0	( 0.1)	70.5	369.1	45.0	5.3	1.8	2.0	6.0	1.0	3.0
			500 599	2.0	( 0.1)	70.0	276.2	36.0	5.2	2.3	2.0	5.5	1.5	2.0
				1709.0	( 23.8)	70.8	506.0	54.1	7.9	2.9	2.9	4.3	2.3	2.9
			1800 1899	1.0	( 2.3)	73.1	493.2	72.0	7.6	2.8	8.0	4.0	5.0	3.0
			1700 1799	1.0	( 2.3)	73.5	481.8	66.0	8.7	2.4	8.0	3.0	5.0	3.0
			1600 1699	5.0	( 11.4)	71.5	514.5	59.8	7.9	2.7	6.6	3.6	4.4	3.0
			1500 1599	13.0	( 29.5)	71.2	484.0	57.9	7.5	2.9	5.8	4.0	4.1	3.0
			1400 1499	18.0	( 40.9)	70.9	475.8	55.8	7.2	2.8	3.3	4.0	2.9	3.0
			1300 1399	4.0	( 9.1)	70.7	533.0	60.0	7.6	3.2	2.5	4.5	2.5	3.0
			1000 1099	1.0	( 2.3)	71.6	372.8	53.0	6.0	2.2	2.0	5.0	2.0	3.0
			800 899	1.0	( 2.3)	71.9	316.6	48.0	6.0	2.0	2.0	4.0	2.0	4.0
				44.0	( 0.6)	71.2	482.4	57.6	7.4	2.8	4.5	4.0	3.4	3.0
			1100 1199	1.0	( 50.0)	71.6	429.6	58.0	6.0	2.2	3.0	3.0	3.0	3.0
			1000 1099	1.0	( 50.0)	70.8	450.8	53.0	6.0	2.0	3.0	4.0	2.0	3.0
				2.0	( 0.0)	71.2	440.2	55.5	6.0	2.1	3.0	3.5	2.5	3.0
			1500 1599	68.0	( 11.5)	71.8	538.6	61.9	8.4	2.8	6.0	3.9	4.1	3.0
			1400 1499	165.0	( 27.8)	71.5	521.5	58.3	8.2	2.6	4.4	4.0	3.2	3.0
			1300 1399	196.0	( 33.1)	70.9	516.5	54.8	8.1	2.9	3.2	4.1	2.7	2.9
			1200 1299	132.0	( 22.3)	70.2	508.0	51.3	7.8	3.0	2.6	4.3	2.1	3.0
			1100 1199	32.0	( 5.4)	69.9	521.7	50.6	8.3	3.4	2.5	4.5	2.0	2.8
				593.0	( 8.3)	71.0	518.8	55.6	8.1	2.9	3.7	4.1	2.8	3.0
			1500 1599	1.0	( 0.0)	71.3	496.4	54.0	6.9	1.6	4.0	4.0	3.0	2.0
			1500 1599	1.0	( 1.0)	68.8	478.2	45.0	6.8	3.3	6.0	4.0	4.0	3.0
			1400 1499	21.0	( 21.6)	71.4	575.8	64.8	8.7	3.3	4.2	4.0	3.1	3.0
			1300 1399	26.0	( 26.8)	70.1	560.8	58.9	8.1	3.6	2.8	4.4	2.2	3.0
			1200 1299	34.0	( 35.1)	70.5	575.7	61.5	8.3	3.6	2.9	4.4	2.1	3.0

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1100 1199	15.0	( 15.5)	69.7	571.2	58.2	7.9	3.7	2.7	4.6	2.0	3.1
				97.0	( 1.4)	70.5	570.0	60.8	8.3	3.6	3.2	4.4	2.4	3.0
			1400 1499	3.0	( 33.3)	71.1	460.0	51.7	8.0	2.8	3.7	4.3	3.0	3.0
			1300 1399	3.0	( 33.3)	71.2	440.5	55.3	6.8	2.7	3.7	4.7	2.7	3.0
			1200 1299	3.0	( 33.3)	70.0	489.8	47.3	7.6	2.8	3.3	4.7	2.3	2.3
				9.0	( 0.1)	70.7	463.4	51.4	7.5	2.8	3.6	4.6	2.7	2.8
			1500 1599	27.0	( 6.1)	71.2	536.9	57.8	8.3	2.8	3.9	4.1	3.0	3.1
			1400 1499	55.0	( 12.5)	71.0	525.4	56.0	8.2	2.9	3.6	4.0	2.8	3.1
			1300 1399	140.0	( 31.7)	70.5	512.7	54.7	7.8	3.0	3.2	4.2	2.6	3.1
			1200 1299	159.0	( 36.1)	69.9	505.9	50.9	7.8	3.2	2.6	4.4	2.1	3.1
			1100 1199	57.0	( 12.9)	68.9	514.4	46.8	7.5	3.5	2.5	4.5	2.0	3.1
			1000 1099	3.0	( 0.7)	68.2	477.3	40.3	6.9	3.4	2.0	5.0	2.0	3.3
				441.0	( 6.1)	70.2	513.3	52.6	7.8	3.1	2.9	4.3	2.4	3.1
			2000 2099	1.0	( 0.0)	73.7	538.9	80.0	7.5	2.5	6.0	3.0	4.0	3.0
			1500 1599	173.0	( 4.1)	71.5	561.8	61.4	8.8	2.9	6.0	3.8	4.3	3.0
			1400 1499	590.0	( 14.0)	71.0	555.3	59.1	8.4	3.0	4.4	4.0	3.2	3.1
			1300 1399	1637.0	( 38.8)	70.3	553.3	55.3	8.3	3.2	3.3	4.1	2.7	3.1
			1200 1299	1498.0	( 35.5)	69.6	549.6	52.7	8.1	3.5	2.5	4.3	2.1	3.1
			1100 1199	314.0	( 7.4)	68.9	541.9	50.3	7.8	3.8	2.6	4.5	2.0	3.1
			1000 1099	8.0	( 0.2)	68.4	563.7	49.1	8.1	4.1	2.5	4.9	2.3	3.0
			700 799	2.0	( 0.0)	70.0	253.1	30.5	3.7	0.7	1.0	5.5	2.0	4.0
			500 599	1.0	( 0.0)	71.9	403.1	53.0	5.6	1.2	3.0	4.0	3.0	3.0
				4224.0	( 58.8)	70.1	551.6	54.8	8.2	3.3	3.2	4.2	2.6	3.1
			1200 1299	1.0	( 0.0)	70.6	565.0	56.0	7.1	2.0	4.0	5.0	3.0	3.0
			2000 2099	1.0	( 0.0)	73.7	538.9	80.0	7.5	2.5	6.0	3.0	4.0	3.0
			1900 1999	2.0	( 0.0)	73.3	523.5	68.5	8.9	2.6	9.0	3.0	5.0	2.5
			1800 1899	3.0	( 0.0)	72.7	534.9	64.7	8.9	2.6	7.3	4.0	4.7	2.7
			1700 1799	6.0	( 0.1)	72.3	497.3	62.3	8.1	2.6	7.5	3.5	4.5	2.5
			1600 1699	12.0	( 0.2)	71.7	517.0	59.3	8.0	2.6	6.3	3.7	4.2	2.8
			1500 1599	326.0	( 4.5)	71.6	544.1	61.0	8.5	2.8	5.8	3.9	4.1	3.0
			1400 1499	1038.0	( 14.5)	71.3	538.2	58.9	8.3	2.9	4.3	4.0	3.1	3.0
			1300 1399	2528.0	( 35.2)	70.5	539.5	55.3	8.2	3.1	3.2	4.1	2.7	3.0
			1200 1299	2691.0	( 37.5)	69.9	531.1	52.7	8.0	3.3	2.5	4.3	2.1	3.1
			1100 1199	545.0	( 7.6)	69.2	526.4	50.1	7.8	3.6	2.6	4.5	2.0	3.0
			1000 1099	17.0	( 0.2)	69.1	501.2	47.8	7.2	3.4	2.4	4.8	2.1	2.9
			800 899	2.0	( 0.0)	70.8	343.8	44.5	6.0	2.3	2.5	4.0	2.0	3.5
			700 799	5.0	( 0.1)	70.0	285.4	34.6	4.3	1.3	1.6	5.4	1.8	3.4
			600 699	2.0	( 0.0)	70.5	369.1	45.0	5.3	1.8	2.0	6.0	1.0	3.0

[illegible]

[illegible]