

					(%)		(kg)	(m2)	(m)	(m)				
			800 899	1.0	(5.9)	68.5	343.0	32.0	3.9	1.5	2.0	6.0	2.0	3.0
			700 799	1.0	(5.9)	67.7	469.0	37.0	5.3	2.4	2.0	5.0	2.0	3.0
			600 699	10.0	(58.8)	69.8	362.3	36.3	4.6	1.0	2.0	5.6	1.6	3.2
			500 599	5.0	(29.4)	69.5	270.2	30.0	3.6	0.8	1.6	5.8	1.4	3.4
				17.0	(2.2)	69.5	340.4	34.2	4.3	1.0	1.9	5.6	1.6	3.2
			900 999	2.0	(0.3)	69.3	406.0	40.0	6.0	2.5	3.0	4.5	2.5	2.5
			700 799	3.0	(8.8)	68.9	426.0	41.3	4.4	1.6	2.3	4.7	2.0	4.0
			600 699	4.0	(11.8)	67.9	374.3	30.0	3.9	1.4	2.0	5.0	2.0	3.3
			500 599	27.0	(79.4)	69.1	319.6	32.6	3.7	1.1	1.9	5.4	1.3	4.6
				34.0	(4.4)	68.9	335.4	33.1	3.8	1.2	2.0	5.3	1.4	4.4
			800 899	4.0	(4.3)	69.7	389.1	34.8	6.0	1.4	2.0	4.0	2.0	2.0
			600 699	53.0	(57.0)	68.9	368.2	32.3	4.8	1.4	2.0	4.7	1.9	3.1
			500 599	34.0	(36.6)	68.7	318.7	27.1	4.2	1.1	1.7	5.0	1.5	3.7
			499	2.0	(2.2)	69.3	291.0	26.5	4.5	1.0	1.5	5.0	1.5	6.5
				93.0	(12.0)	68.9	349.3	30.4	4.6	1.3	1.9	4.8	1.8	3.3
			700 799	1.0	(20.0)	67.8	458.5	36.0	5.7	2.5	2.0	4.0	2.0	3.0
			600 699	4.0	(80.0)	68.2	375.3	30.0	4.6	1.6	2.5	4.5	2.0	2.5
				5.0	(0.6)	68.1	391.9	31.2	4.8	1.8	2.4	4.4	2.0	2.6
			700 799	1.0	(0.1)	67.7	431.0	27.0	4.7	1.1	2.0	5.0	2.0	2.0
			700 799	3.0	(10.0)	69.1	447.7	38.7	6.0	1.8	2.0	4.7	2.3	3.3
			600 699	11.0	(36.7)	69.1	402.3	39.2	4.5	1.4	2.2	5.5	1.9	4.8
			500 599	10.0	(33.3)	68.6	415.4	34.6	5.0	1.6	2.2	5.8	2.0	4.6
			499	6.0	(20.0)	69.3	302.9	30.0	3.9	0.8	2.0	6.2	1.5	4.3
				30.0	(3.9)	69.0	391.3	35.8	4.7	1.4	2.1	5.7	1.9	4.5
			800 899	2.0	(2.3)	69.7	367.5	41.0	4.4	1.4	2.0	5.0	2.0	3.0
			700 799	9.0	(10.3)	69.0	442.2	41.1	5.0	1.8	2.3	5.1	2.2	4.3
			600 699	40.0	(46.0)	69.0	399.3	37.6	4.4	1.4	2.0	5.5	1.9	3.9
			500 599	30.0	(34.5)	68.6	372.9	34.1	3.9	1.3	1.9	5.5	1.8	4.2
			499	6.0	(6.9)	68.6	320.1	25.5	3.5	0.5	1.7	5.2	1.2	4.5
				87.0	(11.2)	68.8	388.5	36.0	4.3	1.3	2.0	5.4	1.9	4.1
			900 999	1.0	(0.6)	67.5	429.5	42.0	4.3	3.2	2.0	6.0	2.0	4.0
			800 899	5.0	(3.1)	69.0	438.9	43.4	5.6	2.5	2.6	5.0	2.2	3.6
			700 799	16.0	(9.9)	68.5	430.0	37.4	4.7	1.6	2.2	4.9	2.1	3.9
			600 699	75.0	(46.6)	68.5	402.2	35.9	4.3	1.5	2.0	5.5	1.9	4.0
			500 599	61.0	(37.9)	68.9	346.0	32.9	3.9	1.1	1.9	5.8	1.5	4.8
			499	3.0	(1.9)	68.9	310.8	29.0	3.5	0.8	2.0	5.3	1.3	4.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				161.0	(20.8)	68.7	383.3	35.1	4.2	1.4	2.0	5.5	1.7	4.3
			800 899	2.0	(5.7)	69.0	490.5	45.5	6.2	2.5	2.0	5.0	2.0	3.5
			600 699	15.0	(42.9)	69.2	364.7	35.5	4.3	1.2	1.9	5.9	1.7	4.5
			500 599	16.0	(45.7)	69.0	313.0	29.6	3.6	0.7	1.7	6.1	1.6	5.1
			499	2.0	(5.7)	68.2	232.5	21.0	2.5	0.7	2.0	6.0	1.0	6.0
				35.0	(4.5)	69.1	340.7	32.5	4.0	1.0	1.8	6.0	1.7	4.8
			700 799	4.0	(23.5)	68.8	444.6	39.3	5.3	1.8	2.0	5.3	2.0	5.0
			600 699	2.0	(11.8)	68.8	299.5	26.0	3.5	0.6	2.0	5.5	2.0	4.5
			500 599	11.0	(64.7)	68.8	329.2	30.8	3.7	1.0	2.0	5.8	1.9	4.3
				17.0	(2.2)	68.8	352.9	32.2	4.0	1.1	2.0	5.6	1.9	4.5
			800 899	2.0	(1.9)	67.9	440.0	35.5	4.5	1.8	2.0	4.5	2.0	3.0
			700 799	7.0	(6.8)	68.4	435.9	39.3	4.7	2.0	2.0	5.0	2.0	2.9
			600 699	38.0	(36.9)	68.6	387.6	36.1	4.2	1.6	2.1	5.4	1.7	3.7
			500 599	56.0	(54.4)	69.1	313.5	31.8	3.5	0.9	1.9	5.6	1.2	4.5
				103.0	(13.3)	68.8	351.6	34.0	3.8	1.2	2.0	5.5	1.4	4.0
			600 699	2.0	(28.6)	68.5	370.3	31.0	3.9	1.0	2.0	5.5	2.0	3.5
			500 599	5.0	(71.4)	68.4	307.2	28.0	3.4	1.1	2.0	5.8	1.6	4.6
				7.0	(0.9)	68.4	325.2	28.9	3.5	1.1	2.0	5.7	1.7	4.3
			700 799	3.0	(21.4)	69.2	403.0	39.7	5.4	2.1	1.7	5.7	1.7	4.3
			600 699	4.0	(28.6)	68.6	350.0	31.0	3.7	1.0	1.8	6.0	1.8	4.0
			500 599	6.0	(42.9)	68.6	263.2	23.3	3.0	0.6	2.0	5.7	1.2	3.8
			499	1.0	(7.1)	68.3	200.0	21.0	2.7	1.2	2.0	6.0	1.0	5.0
				14.0	(1.8)	68.7	313.4	28.9	3.7	1.1	1.9	5.8	1.4	4.1
			600 699	5.0	(0.6)	68.5	358.9	31.2	4.1	1.3	2.0	6.0	1.8	4.2
			700 799	3.0	(11.1)	68.4	436.5	36.0	4.9	1.6	2.0	4.0	2.0	4.0
			600 699	11.0	(40.7)	68.2	381.1	34.0	4.0	1.6	2.0	5.0	2.0	3.8
			500 599	12.0	(44.4)	69.2	336.3	34.4	3.7	1.0	1.8	5.4	1.3	4.7
			499	1.0	(3.7)	69.9	224.0	28.0	3.2	0.5	2.0	6.0	1.0	5.0
				27.0	(3.5)	68.7	361.5	34.2	3.9	1.3	1.9	5.1	1.7	4.3
			800 899	2.0	(10.5)	69.0	411.5	39.0	5.2	2.0	2.5	5.0	2.0	2.5
			700 799	2.0	(10.5)	70.1	457.5	47.0	5.4	1.4	2.0	6.5	2.0	3.5
			600 699	6.0	(31.6)	68.8	408.5	39.0	4.2	1.5	2.0	5.7	1.8	4.0
			500 599	7.0	(36.8)	68.7	316.1	31.6	3.7	1.4	2.0	5.7	1.3	4.4
			499	2.0	(10.5)	68.5	492.8	40.5	5.5	2.0	2.0	6.0	1.5	4.0
				19.0	(2.5)	68.9	388.8	37.3	4.4	1.6	2.1	5.7	1.6	3.9

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			499	2.0	(0.3)	69.3	300.8	27.0	4.1	0.7	2.0	6.0	1.0	5.0
			1000 1099	1.0	(0.1)	66.6	519.2	48.0	5.9	5.0	3.0	6.0	2.0	4.0
			800 899	19.0	(86.4)	69.2	421.9	43.8	5.6	2.5	2.0	4.3	2.0	3.3
			600 699	3.0	(13.6)	69.6	389.1	40.3	4.6	1.3	1.3	5.0	1.3	3.3
				22.0	(2.8)	69.3	417.4	43.3	5.4	2.4	1.9	4.4	1.9	3.3
			700 799	1.0	(14.3)	68.4	400.0	36.0	4.7	1.9	2.0	6.0	2.0	5.0
			600 699	5.0	(71.4)	68.5	383.4	33.4	4.5	1.6	2.0	5.8	2.0	4.6
			500 599	1.0	(14.3)	68.2	341.0	26.0	4.6	1.5	2.0	6.0	2.0	6.0
				7.0	(0.9)	68.4	379.7	32.7	4.6	1.6	2.0	5.9	2.0	4.9
			1000 1099	10.0	(40.0)	68.4	436.6	38.8	5.9	2.8	2.2	4.0	2.0	2.7
			900 999	3.0	(12.0)	68.3	568.9	45.7	6.4	2.4	2.3	4.3	2.3	3.3
			700 799	8.0	(32.0)	68.5	453.6	39.3	4.8	1.7	2.0	5.1	2.0	3.5
			600 699	4.0	(16.0)	68.4	408.6	40.5	4.3	2.3	2.0	5.0	2.0	3.3
				25.0	(3.2)	68.4	453.4	40.0	5.4	2.3	2.1	4.6	2.0	3.1
			900 999	9.0	(45.0)	68.5	451.2	43.2	5.7	2.9	2.2	4.1	2.1	2.7
			700 799	2.0	(10.0)	69.5	413.1	43.0	4.0	1.1	2.0	5.5	1.5	3.0
			600 699	5.0	(25.0)	68.1	404.3	35.8	3.8	1.6	2.0	6.0	1.8	3.6
			500 599	4.0	(20.0)	68.3	346.9	33.0	3.1	1.2	1.8	6.0	1.0	3.3
				20.0	(2.6)	68.5	414.8	39.3	4.5	2.1	2.0	5.1	1.8	3.0
			500 599	1.0	(0.1)	67.8	399.2	29.0	6.2	2.6	2.0	5.0	2.0	5.0
			700 799	8.0	(32.0)	68.7	392.0	37.0	4.0	1.3	1.9	5.4	1.8	2.8
			600 699	10.0	(40.0)	68.4	382.6	37.0	3.6	1.5	1.9	5.7	1.6	3.2
			500 599	6.0	(24.0)	68.5	369.7	33.7	3.5	1.0	1.5	6.3	1.2	3.3
			499	1.0	(4.0)	67.0	469.7	32.0	4.3	1.7	2.0	5.0	2.0	2.0
				25.0	(3.2)	68.5	386.0	36.0	3.7	1.4	1.8	5.7	1.6	3.0
			600 699	1.0	(0.1)	69.5	355.9	44.0	3.0	1.3	2.0	5.0	2.0	3.0
			800 899	1.0	(0.1)	67.8	419.2	36.0	4.3	2.1	2.0	6.0	2.0	2.0
			600 699	2.0	(66.7)	67.8	383.6	32.5	3.3	1.4	1.5	5.5	1.5	3.5
			500 599	1.0	(33.3)	68.2	399.0	36.0	3.3	1.2	2.0	5.0	2.0	5.0
				3.0	(0.4)	67.9	388.7	33.7	3.3	1.3	1.7	5.3	1.7	4.0
			500 599	9.0	(1.2)	67.5	545.1	42.3	5.5	2.4	2.1	5.1	2.0	3.7
			1000 1099	11.0	(1.4)	68.2	444.1	39.6	5.9	3.0	2.3	4.2	2.0	2.8
			900 999	15.0	(1.9)	68.5	467.2	43.2	5.8	2.8	2.3	4.3	2.2	2.9

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			900 999	21.0	(87.5)	68.9	468.1	42.8	5.8	2.3	2.3	4.6	2.1	2.3
			800 899	2.0	(8.3)	66.3	515.0	35.5	6.5	3.9	2.0	5.0	2.0	3.5
			700 799	1.0	(4.2)	69.6	284.0	27.0	4.9	1.1	2.0	5.0	2.0	2.0
				24.0	(9.8)	68.8	464.4	41.5	5.8	2.3	2.3	4.7	2.1	2.4
			900 999	1.0	(33.3)	68.0	394.5	24.0	5.5	1.3	2.0	4.0	2.0	2.0
			800 899	2.0	(66.7)	70.2	440.0	40.5	6.4	1.4	2.5	4.0	2.0	2.5
				3.0	(1.2)	69.4	424.8	35.0	6.1	1.4	2.3	4.0	2.0	2.3
			900 999	5.0	(83.3)	68.6	510.4	43.4	5.5	1.8	2.4	4.2	2.0	2.0
			800 899	1.0	(16.7)	68.4	528.0	46.0	5.5	2.1	2.0	5.0	2.0	2.0
				6.0	(2.5)	68.6	513.3	43.8	5.5	1.9	2.3	4.3	2.0	2.0
			900 999	1.0	(50.0)	70.1	506.0	49.0	5.8	1.3	2.0	4.0	2.0	3.0
			800 899	1.0	(50.0)	68.2	488.0	38.0	5.3	1.7	3.0	4.0	3.0	2.0
				2.0	(0.8)	69.2	497.0	43.5	5.5	1.5	2.5	4.0	2.5	2.5
			900 999	21.0	(8.6)	68.8	429.6	40.7	5.0	2.1	2.1	4.5	2.0	2.9
			900 999	3.0	(75.0)	69.3	452.5	46.0	5.6	2.4	2.0	4.7	2.0	2.0
			700 799	1.0	(25.0)	69.0	429.0	42.0	6.3	3.0	2.0	5.0	2.0	4.0
				4.0	(1.6)	69.2	446.6	45.0	5.8	2.5	2.0	4.8	2.0	2.5
			1000 1099	1.0	(10.0)	70.9	454.5	51.0	6.8	2.2	4.0	4.0	3.0	3.0
			900 999	7.0	(70.0)	70.0	453.0	48.0	6.3	2.4	2.1	4.3	2.0	3.0
			800 899	1.0	(10.0)	69.0	499.0	49.0	6.3	3.0	2.0	5.0	2.0	3.0
			600 699	1.0	(10.0)	70.0	353.0	41.0	4.3	1.3	2.0	6.0	2.0	6.0
				10.0	(4.1)	70.0	447.8	47.7	6.2	2.3	2.3	4.5	2.1	3.3
			900 999	2.0	(0.8)	68.2	524.0	45.0	6.0	2.8	2.5	5.0	2.0	2.5
			900 999	1.0	(0.4)	70.1	371.0	42.0	4.4	1.1	2.0	6.0	2.0	2.0
			900 999	14.0	(73.7)	68.1	462.0	39.4	4.8	2.0	2.1	4.7	2.1	2.7
			800 899	3.0	(15.8)	68.4	430.7	38.7	4.6	1.8	2.0	5.0	2.0	2.3
			700 799	2.0	(10.5)	68.6	358.0	33.5	3.5	1.1	2.0	5.5	2.0	2.0
				19.0	(7.8)	68.2	446.1	38.6	4.7	1.9	2.1	4.8	2.1	2.6
			1000 1099	9.0	(52.9)	68.2	492.6	41.9	5.6	2.4	2.2	4.7	2.1	3.0
			900 999	2.0	(11.8)	69.2	486.9	41.0	6.6	2.0	2.0	5.5	2.0	2.0
			800 899	1.0	(5.9)	70.2	327.0	42.0	3.9	1.2	2.0	4.0	2.0	2.0
			700 799	1.0	(5.9)	68.7	297.0	26.0	3.9	1.0	1.0	4.0	1.0	2.0
			600 699	3.0	(17.6)	69.5	247.8	28.7	4.1	1.3	1.7	5.0	1.7	3.7
			500 599	1.0	(5.9)	69.4	254.0	31.0	3.0	0.9	1.0	5.0	1.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				17.0	(7.0)	68.8	413.5	37.9	5.1	2.0	1.9	4.8	1.9	2.9
			900 999	4.0	(21.1)	69.6	396.8	38.5	4.5	0.9	2.0	4.5	2.0	2.3
			800 899	6.0	(31.6)	69.1	365.2	33.5	4.4	1.1	2.0	4.7	2.0	2.2
			700 799	1.0	(5.3)	69.9	315.0	35.0	3.9	0.8	2.0	5.0	2.0	2.0
			600 699	3.0	(15.8)	69.5	320.7	33.3	3.9	0.9	2.0	5.0	1.7	2.3
			500 599	5.0	(26.3)	69.9	284.2	32.0	3.9	0.7	2.0	5.4	1.8	2.2
				19.0	(7.8)	69.5	340.8	34.2	4.2	0.9	2.0	4.9	1.9	2.2
			800 899	11.0	(4.5)	69.2	486.2	47.4	6.5	2.9	2.0	4.3	2.0	3.1
			1000 1099	2.0	(0.8)	69.3	472.7	50.0	6.6	3.5	3.5	4.0	2.5	3.0
			1000 1099	1.0	(0.4)	67.6	415.4	38.0	4.6	2.8	2.0	5.0	2.0	2.0
			1000 1099	24.0	(43.6)	68.2	467.4	38.5	5.9	2.5	2.1	3.9	2.0	2.5
			900 999	30.0	(54.5)	68.2	480.1	41.4	5.9	2.7	2.0	3.9	2.0	2.7
			600 699	1.0	(1.8)	69.7	320.2	39.0	3.2	0.9	2.0	4.0	2.0	2.0
				55.0	(22.5)	68.2	471.7	40.1	5.8	2.6	2.1	3.9	2.0	2.6
			900 999	39.0	(16.0)	68.6	451.4	41.2	5.7	2.5	2.0	3.8	2.0	2.6
			1000 1099	1.0	(0.4)	67.5	486.9	43.0	5.7	3.6	2.0	4.0	2.0	2.0
			1200 1299	1.0	(20.0)	69.9	503.5	52.0	5.5	1.8	3.0	4.0	2.0	3.0
			900 999	1.0	(20.0)	68.4	497.5	43.0	5.2	2.0	2.0	5.0	2.0	3.0
			800 899	1.0	(20.0)	69.1	405.9	42.0	4.9	2.2	2.0	5.0	2.0	3.0
			700 799	1.0	(20.0)	67.1	364.4	25.0	3.5	1.4	2.0	5.0	2.0	3.0
			600 699	1.0	(20.0)	68.9	268.8	24.0	4.1	1.0	2.0	6.0	2.0	3.0
				5.0	(2.0)	68.7	408.0	37.2	4.6	1.7	2.2	5.0	2.0	3.0
			600 699	1.0	(0.4)	68.5	368.4	37.0	2.3	0.7	2.0	5.0	1.0	2.0
			600 699	1.0	(0.4)	68.8	354.9	38.0	3.5	1.6	2.0	6.0	2.0	5.0
			1200 1299	1.0	(0.4)	69.9	503.5	52.0	5.5	1.8	3.0	4.0	2.0	3.0
			1000 1099	38.0	(15.6)	68.3	472.5	40.3	5.9	2.6	2.3	4.1	2.1	2.6
			900 999	152.0	(62.3)	68.7	459.1	41.6	5.6	2.3	2.1	4.3	2.0	2.6
			800 899	29.0	(11.9)	68.9	447.9	41.6	5.6	2.2	2.1	4.5	2.0	2.7
			700 799	7.0	(2.9)	68.8	343.6	31.7	4.2	1.4	1.9	5.0	1.9	2.4
			600 699	11.0	(4.5)	69.4	306.4	33.2	3.8	1.1	1.9	5.2	1.7	3.3
			500 599	6.0	(2.5)	69.8	279.2	31.8	3.7	0.8	1.8	5.3	1.7	2.3

[illegible]