

					(%)		(kg)	(m2)	(m)	(m)				
			1200 1299	1.0	(1.7)	72.0	522.0	53.0	7.0	2.7	2.0	5.0	2.0	2.0
			2100 2199	1.0	(12.5)	72.7	568.0	59.0	8.7	3.5	5.0	5.0	3.0	3.0
			1700 1799	1.0	(12.5)	70.2	529.0	48.0	8.2	4.8	5.0	4.0	4.0	3.0
			1600 1699	5.0	(62.5)	71.8	502.6	53.0	8.0	3.8	3.2	4.2	2.6	3.0
			1500 1599	1.0	(12.5)	68.8	500.0	49.0	7.4	6.3	3.0	4.0	2.0	3.0
				8.0	(13.8)	71.4	513.8	52.6	8.0	4.2	3.6	4.3	2.8	3.0
			1600 1699	3.0	(37.5)	71.3	540.3	56.7	8.2	4.8	3.7	4.3	3.0	3.0
			1400 1499	1.0	(12.5)	71.8	571.0	63.0	9.7	5.8	5.0	3.0	3.0	3.0
			1200 1299	2.0	(25.0)	72.5	514.0	60.5	8.2	4.3	3.0	4.5	2.0	3.0
			1000 1099	1.0	(12.5)	73.3	464.0	47.0	7.8	1.8	3.0	5.0	2.0	6.0
			500 599	1.0	(12.5)	74.0	462.5	56.0	8.0	2.4	2.0	4.0	2.0	3.0
				8.0	(13.8)	72.2	518.3	57.1	8.3	4.1	3.4	4.3	2.5	3.4
			800 899	1.0	(1.7)	69.7	414.0	31.0	5.6	2.5	2.0	5.0	2.0	7.0
			2500	1.0	(3.6)	73.0	438.5	46.0	8.4	2.7	6.0	4.0	4.0	3.0
			2400 2499	3.0	(10.7)	75.1	460.2	61.0	8.2	2.2	6.3	4.3	4.0	3.0
			2300 2399	2.0	(7.1)	74.6	415.8	56.0	7.7	2.2	5.0	5.0	3.5	3.0
			2200 2299	2.0	(7.1)	74.3	380.5	51.0	7.8	2.4	3.0	4.5	2.0	2.5
			2100 2199	4.0	(14.3)	73.3	410.5	51.0	7.0	2.5	3.8	4.5	2.8	3.0
			2000 2099	5.0	(17.9)	73.4	415.3	47.8	7.5	2.2	3.0	4.6	2.6	3.2
			1900 1999	3.0	(10.7)	72.2	381.5	43.7	6.3	2.6	2.3	4.7	2.3	3.0
			1800 1899	1.0	(3.6)	75.3	446.0	63.0	7.8	2.2	3.0	5.0	2.0	4.0
			1700 1799	2.0	(7.1)	71.7	423.3	45.0	6.7	3.0	2.5	5.0	2.0	2.5
			1500 1599	1.0	(3.6)	74.6	386.5	57.0	5.7	1.3	2.0	5.0	2.0	4.0
			1200 1299	1.0	(3.6)	75.6	338.0	56.0	5.6	0.7	2.0	6.0	2.0	3.0
			900 999	1.0	(3.6)	73.0	318.8	47.0	5.3	2.3	2.0	5.0	2.0	3.0
			800 899	1.0	(3.6)	72.9	362.5	44.0	5.8	1.8	2.0	5.0	2.0	3.0
			700 799	1.0	(3.6)	72.9	273.5	39.0	4.8	1.5	2.0	5.0	1.0	4.0
				28.0	(48.3)	73.6	401.7	50.5	7.0	2.2	3.4	4.7	2.6	3.1
			1800 1899	1.0	(1.7)	71.6	499.5	52.0	7.9	4.0	3.0	5.0	2.0	3.0
			2500	2.0	(40.0)	74.5	456.4	65.0	7.8	3.2	4.0	3.0	3.0	3.0
			2400 2499	1.0	(20.0)	74.0	435.6	59.0	7.3	2.8	2.0	4.0	2.0	3.0
			2300 2399	1.0	(20.0)	74.0	416.6	53.0	7.1	2.0	5.0	3.0	3.0	2.0
			2200 2299	1.0	(20.0)	73.1	458.4	59.0	7.0	3.2	3.0	5.0	2.0	3.0
				5.0	(8.6)	74.0	444.7	60.2	7.4	2.9	3.6	3.6	2.6	2.8
			500 599	6.0	(10.3)	71.6	406.7	45.2	6.0	2.8	2.8	4.7	2.2	4.0
			2500	3.0	(5.2)	74.0	450.4	58.7	8.0	3.0	4.7	3.3	3.3	3.0
			2400 2499	4.0	(6.9)	74.8	454.0	60.5	8.0	2.4	5.3	4.3	3.5	3.0

[illegible]

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1400 1499	1.0	(0.9)	73.7	562.0	73.0	7.3	3.3	3.0	3.0	3.0	3.0
			1700 1799	1.0	(7.1)	71.9	532.0	53.0	7.5	3.0	5.0	3.0	4.0	3.0
			1600 1699	2.0	(14.3)	74.5	479.0	59.0	8.0	2.2	3.5	3.5	2.5	2.5
			1500 1599	1.0	(7.1)	75.6	527.0	68.0	8.3	1.8	3.0	4.0	3.0	3.0
			1400 1499	5.0	(35.7)	71.8	548.4	56.0	8.3	4.1	3.6	3.8	3.0	2.8
			1300 1399	3.0	(21.4)	72.3	529.3	54.3	8.0	3.3	3.3	4.7	2.7	2.3
			1200 1299	2.0	(14.3)	69.5	536.5	50.0	7.7	5.5	4.0	4.5	2.5	3.0
				14.0	(12.5)	72.2	530.0	55.9	8.1	3.6	3.6	4.0	2.9	2.7
			1500 1599	1.0	(33.3)	72.7	520.0	56.0	7.9	3.0	3.0	4.0	3.0	2.0
			1200 1299	1.0	(33.3)	74.2	573.0	70.0	8.2	2.9	4.0	5.0	3.0	3.0
			1100 1199	1.0	(33.3)	72.7	650.0	69.0	8.1	3.3	3.0	4.0	2.0	3.0
				3.0	(2.7)	73.2	581.0	65.0	8.1	3.1	3.3	4.3	2.7	2.7
			2500	19.0	(23.8)	75.5	533.1	65.4	9.1	2.1	7.4	4.1	4.5	2.7
			2400 2499	14.0	(17.5)	75.2	503.5	61.7	8.5	1.8	5.8	4.1	4.0	3.0
			2300 2399	7.0	(8.8)	74.0	479.5	52.7	8.5	2.1	3.7	4.4	2.9	3.0
			2200 2299	9.0	(11.3)	73.7	463.4	50.3	7.6	1.8	3.1	4.0	2.6	3.1
			2100 2199	9.0	(11.3)	73.6	485.9	52.4	8.0	2.0	3.3	4.7	2.7	2.9
			2000 2099	8.0	(10.0)	73.7	446.3	51.3	7.3	1.9	3.0	4.1	2.6	3.1
			1900 1999	3.0	(3.8)	74.6	437.0	56.7	6.8	1.4	3.0	4.3	2.3	3.0
			1800 1899	6.0	(7.5)	72.9	466.6	50.0	7.1	2.1	3.0	4.5	2.2	3.0
			1700 1799	2.0	(2.5)	72.0	420.5	44.0	6.2	2.1	2.0	5.0	2.0	3.5
			1600 1699	3.0	(3.8)	72.8	370.5	40.3	6.4	1.7	2.7	4.0	2.3	3.0
				80.0	(71.4)	74.3	483.9	56.1	8.1	1.9	4.6	4.2	3.3	3.0
			2500	9.0	(64.3)	74.0	539.4	65.6	7.9	2.7	7.8	3.3	4.4	2.4
			2400 2499	4.0	(28.6)	74.5	503.4	68.0	8.1	3.2	6.0	2.5	3.8	2.8
			2300 2399	1.0	(7.1)	74.0	530.6	62.0	8.1	2.6	4.0	3.0	3.0	3.0
				14.0	(12.5)	74.1	528.5	66.0	8.0	2.9	7.0	3.1	4.1	2.6
			2500	28.0	(25.0)	75.0	535.2	65.4	8.7	2.3	7.5	3.8	4.5	2.6
			2400 2499	18.0	(16.1)	75.0	503.5	63.1	8.4	2.1	5.8	3.8	3.9	2.9
			2300 2399	8.0	(7.1)	74.0	485.9	53.9	8.4	2.1	3.8	4.3	2.9	3.0
			2200 2299	9.0	(8.0)	73.7	463.4	50.3	7.6	1.8	3.1	4.0	2.6	3.1
			2100 2199	9.0	(8.0)	73.6	485.9	52.4	8.0	2.0	3.3	4.7	2.7	2.9
			2000 2099	8.0	(7.1)	73.7	446.3	51.3	7.3	1.9	3.0	4.1	2.6	3.1
			1900 1999	3.0	(2.7)	74.6	437.0	56.7	6.8	1.4	3.0	4.3	2.3	3.0
			1800 1899	6.0	(5.4)	72.9	466.6	50.0	7.1	2.1	3.0	4.5	2.2	3.0
			1700 1799	3.0	(2.7)	72.0	457.7	47.0	6.6	2.4	3.0	4.3	2.7	3.3
			1600 1699	5.0	(4.5)	73.4	413.9	47.8	7.0	1.9	3.0	3.8	2.4	2.8
			1500 1599	2.0	(1.8)	74.2	523.5	62.0	8.1	2.4	3.0	4.0	3.0	2.5
			1400 1499	6.0	(5.4)	72.1	550.7	58.8	8.2	3.9	3.5	3.7	3.0	2.8

[illegible]

[illegible]