

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1800 1899	2.0	(0.6)	73.6	564.5	75.0	7.9	1.9	6.5	4.0	4.0	2.5
			1700 1799	4.0	(1.3)	72.0	582.5	70.3	8.8	3.4	6.3	3.5	4.3	2.8
			1600 1699	4.0	(1.3)	72.5	531.3	65.5	8.4	2.6	5.5	3.5	4.0	2.8
			1500 1599	18.0	(5.8)	71.1	522.4	59.5	8.2	3.2	5.3	3.6	3.9	2.8
			1400 1499	23.0	(7.4)	71.4	511.8	60.1	7.8	2.9	4.4	3.9	3.4	2.9
			1300 1399	46.0	(14.9)	71.1	508.4	58.4	7.8	3.0	4.3	3.9	3.2	2.8
			1200 1299	93.0	(30.1)	70.6	484.8	55.2	7.3	3.1	3.5	4.1	2.8	2.8
			1100 1199	60.0	(19.4)	70.2	488.4	53.3	7.4	3.3	3.1	4.3	2.5	2.8
			1000 1099	48.0	(15.5)	70.0	478.6	52.0	7.1	3.2	2.8	4.4	2.1	2.9
			900 999	4.0	(1.3)	69.8	406.3	44.5	5.0	1.8	2.3	4.8	2.0	3.3
			800 899	4.0	(1.3)	69.0	421.3	43.8	5.2	2.4	2.3	4.8	2.0	2.8
			700 799	3.0	(1.0)	69.2	472.3	43.0	6.1	2.1	2.7	5.0	2.3	4.0
				309.0	(10.5)	70.6	492.7	55.5	7.4	3.1	3.6	4.1	2.8	2.9
			1600 1699	1.0	(2.6)	74.3	477.0	77.0	7.3	2.2	5.0	4.0	3.0	2.0
			1500 1599	2.0	(5.1)	71.8	494.5	62.0	7.7	2.9	6.0	4.0	3.5	3.0
			1400 1499	7.0	(17.9)	70.9	490.9	57.1	7.3	2.9	4.0	4.0	3.3	2.9
			1300 1399	5.0	(12.8)	71.4	475.6	59.2	7.4	3.0	3.2	4.2	2.6	3.0
			1200 1299	16.0	(41.0)	70.8	460.6	54.1	7.1	2.9	3.3	4.1	2.6	2.6
			1100 1199	3.0	(7.7)	70.2	489.3	56.7	7.2	3.6	3.3	3.7	2.3	2.3
			1000 1099	3.0	(7.7)	69.7	532.3	55.3	7.5	3.5	3.3	5.0	2.3	3.3
			800 899	2.0	(5.1)	68.8	461.5	46.0	5.8	2.9	2.5	5.0	2.5	3.5
				39.0	(1.3)	70.8	477.9	56.2	7.2	3.0	3.6	4.2	2.7	2.8
			1700 1799	2.0	(6.7)	72.2	523.0	65.0	7.8	2.5	7.0	4.5	4.5	2.0
			1600 1699	3.0	(10.0)	72.2	504.3	66.3	7.6	2.8	7.0	3.3	4.3	2.3
			1500 1599	2.0	(6.7)	71.4	451.5	54.0	7.0	2.1	5.0	3.5	4.0	2.0
			1400 1499	5.0	(16.7)	71.1	477.0	58.2	7.3	3.1	5.0	4.0	3.8	2.8
			1300 1399	5.0	(16.7)	70.7	500.8	56.2	7.6	3.1	4.2	4.2	3.0	2.4
			1200 1299	5.0	(16.7)	70.6	467.2	51.4	7.2	2.7	3.6	3.8	3.2	2.4
			1100 1199	3.0	(10.0)	70.4	475.0	53.7	6.8	2.8	3.0	4.0	3.0	2.7
			1000 1099	3.0	(10.0)	70.7	409.7	48.7	6.4	2.4	2.7	4.3	2.0	2.3
			900 999	1.0	(3.3)	71.0	380.0	53.0	4.3	1.5	3.0	5.0	2.0	2.0
			600 699	1.0	(3.3)	69.1	281.0	30.0	4.6	1.9	4.0	5.0	2.0	5.0
				30.0	(1.0)	71.0	466.7	55.2	7.0	2.7	4.4	4.0	3.3	2.5
			1800 1899	3.0	(3.4)	73.0	522.4	71.3	8.2	2.8	8.7	3.3	4.7	3.0
			1700 1799	1.0	(1.1)	72.5	597.8	73.0	9.3	3.4	7.0	4.0	4.0	3.0
			1500 1599	8.0	(9.1)	71.7	563.8	66.1	8.6	3.3	6.0	3.5	3.9	3.0
			1400 1499	13.0	(14.8)	71.5	555.6	63.0	8.6	3.2	5.1	3.8	3.8	2.8
			1300 1399	18.0	(20.5)	70.4	508.5	53.7	8.2	3.4	4.1	4.2	3.2	2.9
			1200 1299	10.0	(11.4)	70.2	519.0	54.0	7.5	3.0	3.7	3.9	2.8	2.6
			1100 1199	10.0	(11.4)	69.7	532.3	50.3	7.9	3.1	3.8	4.1	2.9	2.8
			1000 1099	14.0	(15.9)	69.7	514.4	49.9	7.4	2.9	3.6	3.9	2.7	2.8
			900 999	5.0	(5.7)	69.8	541.6	53.4	7.5	3.1	3.0	4.6	2.2	3.0
			800 899	2.0	(2.3)	70.3	398.8	44.5	6.7	2.5	2.5	4.5	1.5	4.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			700 799	3.0	(3.4)	69.0	404.0	39.7	5.4	2.3	2.7	4.7	2.0	2.7
			500 599	1.0	(1.1)	70.6	327.0	37.0	5.8	1.6	4.0	5.0	3.0	7.0
				88.0	(3.0)	70.5	520.6	55.2	7.9	3.1	4.3	4.0	3.1	2.9
			800 899	1.0	(0.0)	69.7	508.5	49.0	7.7	3.1	3.0	4.0	2.0	3.0
			1800 1899	1.0	(0.5)	74.1	604.0	80.0	9.7	3.0	7.0	4.0	5.0	2.0
			1700 1799	3.0	(1.6)	72.9	559.7	74.3	8.3	2.9	7.3	3.7	4.7	2.0
			1600 1699	4.0	(2.1)	71.0	550.3	60.3	8.2	3.1	5.8	3.8	4.0	3.0
			1500 1599	10.0	(5.2)	71.5	510.5	63.1	7.8	3.2	6.2	4.0	4.1	2.8
			1400 1499	11.0	(5.8)	71.5	491.5	60.7	7.5	2.9	5.4	3.9	3.8	2.8
			1300 1399	19.0	(9.9)	70.6	490.4	56.8	7.5	3.3	4.3	4.1	3.4	2.7
			1200 1299	56.0	(29.3)	70.5	492.2	57.3	7.3	3.4	4.0	4.3	3.0	2.7
			1100 1199	48.0	(25.1)	70.7	491.5	56.9	7.3	3.0	3.5	4.1	2.8	2.7
			1000 1099	25.0	(13.1)	69.7	506.7	55.7	7.2	3.7	3.1	4.5	2.4	2.6
			900 999	10.0	(5.2)	70.1	440.7	51.3	6.4	3.0	3.2	4.3	2.2	2.8
			800 899	4.0	(2.1)	69.7	366.3	42.5	4.8	2.0	2.8	4.3	2.0	2.3
				191.0	(6.5)	70.6	492.2	57.3	7.3	3.2	4.0	4.2	3.0	2.7
			1900 1999	1.0	(0.6)	75.5	501.0	88.0	7.9	2.5	10.0	3.0	5.0	2.0
			1800 1899	1.0	(0.6)	71.8	473.0	54.0	8.4	2.6	5.0	3.0	4.0	3.0
			1700 1799	7.0	(4.0)	71.9	504.0	62.9	7.5	2.6	6.3	3.9	4.0	2.7
			1600 1699	14.0	(8.1)	71.3	481.1	58.7	7.3	2.8	6.1	3.9	4.0	2.6
			1500 1599	23.0	(13.3)	71.9	486.5	60.2	7.7	2.7	5.3	3.8	3.7	2.9
			1400 1499	28.0	(16.2)	71.2	475.2	58.7	7.1	2.9	4.6	3.8	3.5	2.7
			1300 1399	42.0	(24.3)	71.0	470.8	55.0	7.2	2.7	3.8	3.9	3.0	2.8
			1200 1299	30.0	(17.3)	70.0	477.1	52.2	7.1	3.2	3.5	4.1	2.6	2.7
			1100 1199	20.0	(11.6)	70.2	447.9	49.5	6.7	2.8	3.0	4.3	2.3	2.5
			1000 1099	4.0	(2.3)	70.0	463.1	48.0	6.8	2.6	2.3	4.8	2.0	2.5
			900 999	2.0	(1.2)	69.4	455.0	42.0	6.9	2.6	3.0	4.5	2.5	3.0
			800 899	1.0	(0.6)	69.3	238.5	26.0	3.8	1.1	1.0	4.0	1.0	3.0
				173.0	(5.9)	70.9	472.7	55.5	7.2	2.8	4.3	4.0	3.1	2.7
			1800 1899	1.0	(0.7)	75.9	517.0	80.0	9.0	1.6	7.0	4.0	5.0	3.0
			1700 1799	5.0	(3.4)	72.4	528.6	68.0	8.4	3.1	6.0	3.4	4.2	3.0
			1600 1699	9.0	(6.0)	72.2	503.7	59.8	8.2	2.4	5.8	3.7	3.9	2.7
			1500 1599	18.0	(12.1)	71.9	498.9	59.7	7.8	2.4	4.8	3.9	3.6	2.6
			1400 1499	20.0	(13.4)	71.1	496.6	56.5	7.6	2.7	4.1	3.8	3.1	2.9
			1300 1399	24.0	(16.1)	70.4	481.3	52.7	7.1	2.8	3.6	4.1	2.8	2.8
			1200 1299	18.0	(12.1)	70.7	477.7	55.4	7.1	2.9	3.8	4.4	2.9	2.7
			1100 1199	25.0	(16.8)	70.1	465.0	51.8	7.1	3.3	3.4	4.3	2.6	2.6
			1000 1099	25.0	(16.8)	69.5	469.0	47.8	6.7	3.0	2.8	4.5	2.2	2.4
			900 999	4.0	(2.7)	68.5	531.5	49.8	7.5	4.0	2.8	4.8	2.3	3.0
				149.0	(5.1)	70.7	484.8	54.5	7.3	2.9	3.9	4.1	2.9	2.7

					(%)		(kg)	(m ²)	(m)	(m)				
			2100 2199	1.0	(0.3)	76.5	534.0	90.0	9.8	2.7	8.0	3.0	5.0	3.0
			1900 1999	2.0	(0.5)	74.4	560.5	79.0	8.8	2.4	6.5	3.5	4.0	2.0
			1800 1899	6.0	(1.5)	73.3	546.0	79.2	7.3	2.6	7.5	4.0	4.8	2.3
			1700 1799	16.0	(4.1)	72.6	528.6	69.4	7.7	2.6	6.3	3.5	4.4	2.4
			1600 1699	35.0	(8.9)	71.7	513.7	64.9	7.5	3.0	5.7	3.7	4.1	2.5
			1500 1599	42.0	(10.7)	71.8	523.6	65.7	7.5	2.8	4.8	3.9	3.8	2.4
			1400 1499	78.0	(19.8)	71.4	513.6	62.3	7.3	2.8	4.2	4.0	3.4	2.5
			1300 1399	80.0	(20.3)	71.0	496.5	58.1	7.2	2.8	3.7	4.2	3.0	2.5
			1200 1299	57.0	(14.5)	70.6	493.6	57.2	7.0	3.0	3.4	4.4	2.7	2.5
			1100 1199	38.0	(9.6)	69.9	493.2	54.3	6.8	3.2	2.9	4.5	2.4	2.5
			1000 1099	14.0	(3.6)	69.3	475.9	50.7	6.7	3.5	2.6	4.5	2.3	2.3
			900 999	11.0	(2.8)	69.2	436.5	47.5	6.1	3.3	2.7	4.4	2.2	2.4
			800 899	2.0	(0.5)	68.1	490.5	48.5	6.8	4.4	3.0	4.5	2.5	3.0
			700 799	5.0	(1.3)	69.8	465.6	47.8	5.5	1.9	2.0	4.4	2.0	2.6
			600 699	7.0	(1.8)	69.2	327.2	34.1	4.2	1.4	2.0	5.3	1.9	3.9
				394.0	(13.4)	71.0	500.2	59.7	7.1	2.9	4.0	4.1	3.2	2.5
			1600 1699	1.0	(5.0)	72.2	524.0	59.0	7.7	1.6	6.0	4.0	4.0	3.0
			1500 1599	3.0	(15.0)	71.2	449.8	55.0	7.4	3.0	5.3	3.7	3.7	3.0
			1400 1499	6.0	(30.0)	70.8	532.4	60.0	7.8	3.2	4.5	4.3	3.3	2.7
			1300 1399	1.0	(5.0)	71.4	479.5	56.0	7.2	2.3	5.0	4.0	3.0	2.0
			1200 1299	2.0	(10.0)	70.1	493.0	50.0	6.9	2.5	3.0	4.5	2.0	2.0
			1100 1199	3.0	(15.0)	72.3	510.7	62.3	7.3	1.9	3.3	5.0	2.0	2.7
			1000 1099	4.0	(20.0)	70.8	370.6	45.5	6.7	2.6	2.5	4.3	2.0	2.0
				20.0	(0.7)	71.1	477.4	55.5	7.3	2.7	4.0	4.3	2.8	2.5
			2000 2099	1.0	(0.3)	73.1	494.0	74.0	7.8	3.3	9.0	4.0	5.0	3.0
			1900 1999	8.0	(2.2)	73.0	517.8	71.5	7.6	2.5	9.1	3.3	4.9	2.6
			1800 1899	15.0	(4.1)	72.7	530.1	70.3	7.8	2.7	7.8	3.7	4.5	2.7
			1700 1799	21.0	(5.7)	72.5	525.0	67.5	8.1	2.7	7.0	3.6	4.3	2.6
			1600 1699	31.0	(8.4)	71.6	514.4	61.6	7.7	2.8	6.1	3.8	3.9	2.6
			1500 1599	35.0	(9.5)	71.7	520.7	61.4	7.9	2.7	5.7	3.7	3.9	2.7
			1400 1499	52.0	(14.1)	71.1	508.5	59.3	7.5	2.9	4.9	3.8	3.4	2.6
			1300 1399	74.0	(20.0)	70.7	503.4	56.1	7.4	2.9	4.4	4.0	3.2	2.6
			1200 1299	64.0	(17.3)	70.3	490.7	53.6	7.1	3.0	3.8	4.1	2.9	2.7
			1100 1199	49.0	(13.2)	69.9	480.4	50.9	6.9	3.0	3.2	4.1	2.5	2.7
			1000 1099	15.0	(4.1)	69.0	461.0	46.7	6.6	3.4	2.9	4.6	2.0	2.3
			900 999	3.0	(0.8)	68.2	529.0	45.7	6.3	3.0	2.7	4.3	2.3	2.7
			800 899	2.0	(0.5)	70.3	376.5	45.0	5.2	1.8	2.0	4.0	2.0	3.0
				370.0	(12.6)	70.9	501.8	57.5	7.4	2.9	4.8	4.0	3.3	2.6
			1900 1999	1.0	(2.4)	73.5	515.0	74.0	7.1	1.9	9.0	4.0	5.0	3.0
			1800 1899	1.0	(2.4)	73.7	526.0	73.0	8.5	2.5	8.0	3.0	5.0	3.0

					(%)		(kg)	(m2)	(m)	(m)				
			1700 1799	2.0	(4.8)	74.5	470.0	70.5	7.8	1.5	8.0	3.0	5.0	2.0
			1600 1699	5.0	(11.9)	71.9	499.8	63.8	7.6	2.9	6.0	3.6	4.0	2.6
			1500 1599	4.0	(9.5)	71.5	522.8	62.0	7.3	2.5	4.8	3.8	3.3	2.5
			1400 1499	1.0	(2.4)	71.0	606.0	64.0	8.4	3.0	5.0	3.0	3.0	2.0
			1300 1399	7.0	(16.7)	70.5	516.6	58.1	7.4	3.2	3.6	3.6	2.7	2.7
			1200 1299	13.0	(31.0)	70.1	483.3	54.2	7.1	3.3	3.7	3.8	2.8	2.6
			1100 1199	3.0	(7.1)	69.8	414.0	47.0	6.0	2.9	2.3	4.3	2.3	2.3
			1000 1099	2.0	(4.8)	69.0	547.5	60.0	7.3	4.8	3.0	4.5	2.5	3.0
			900 999	2.0	(4.8)	68.8	473.5	49.5	6.7	3.9	2.0	4.5	2.5	3.0
			800 899	1.0	(2.4)	68.9	315.0	29.0	3.5	0.7	2.0	4.0	2.0	2.0
				42.0	(1.4)	70.8	492.3	57.6	7.2	3.0	4.3	3.8	3.1	2.6
			1500 1599	2.0	(3.2)	70.0	469.3	51.5	7.8	3.8	4.5	4.5	3.5	2.0
			1400 1499	4.0	(6.5)	71.6	491.3	61.3	7.2	2.6	4.0	3.5	3.3	2.8
			1300 1399	8.0	(12.9)	70.2	474.3	52.0	6.6	2.7	3.4	4.0	3.0	2.6
			1200 1299	17.0	(27.4)	70.3	462.5	50.7	6.7	2.6	3.6	4.1	2.8	2.5
			1100 1199	18.0	(29.0)	69.9	449.8	47.6	6.9	2.8	2.7	4.3	2.2	2.6
			1000 1099	10.0	(16.1)	69.7	451.8	47.1	6.4	2.7	2.5	4.4	2.0	2.6
			800 899	2.0	(3.2)	69.1	313.0	29.5	4.0	1.0	2.0	4.5	2.0	2.0
			600 699	1.0	(1.6)	69.6	243.0	28.0	3.5	0.8	2.0	5.0	1.0	3.0
				62.0	(2.1)	70.1	452.3	49.0	6.6	2.7	3.1	4.2	2.5	2.5
			1600 1699	3.0	(18.8)	71.6	490.8	61.7	7.4	2.9	6.0	3.7	4.0	3.0
			1500 1599	2.0	(12.5)	69.8	518.8	52.0	6.8	2.6	4.0	3.5	3.0	3.0
			1400 1499	7.0	(43.8)	71.1	522.7	61.1	7.7	3.1	4.7	4.1	3.1	2.7
			1200 1299	3.0	(18.8)	70.2	531.9	59.0	7.9	3.8	2.7	4.3	2.3	3.3
			1100 1199	1.0	(6.3)	69.1	466.5	50.0	6.4	3.5	2.0	5.0	2.0	3.0
				16.0	(0.5)	70.7	514.4	59.0	7.5	3.2	4.3	4.1	3.1	2.9
			1400 1499	1.0	(20.0)	69.7	546.0	60.0	7.4	4.0	4.0	3.0	3.0	3.0
			1300 1399	2.0	(40.0)	70.2	541.7	54.0	7.3	2.6	3.0	4.5	2.0	3.0
			1200 1299	1.0	(20.0)	72.7	513.4	66.0	7.6	2.1	4.0	4.0	3.0	3.0
			1100 1199	1.0	(20.0)	72.4	531.4	67.0	8.1	2.7	3.0	5.0	2.0	3.0
				5.0	(0.2)	71.0	534.8	60.2	7.6	2.8	3.4	4.2	2.4	3.0
			1800 1899	1.0	(2.1)	73.5	395.0	61.0	7.9	2.4	5.0	4.0	4.0	3.0
			1700 1799	1.0	(2.1)	73.4	447.0	59.0	7.5	1.1	4.0	4.0	3.0	2.0
			1600 1699	8.0	(17.0)	71.0	440.1	52.8	6.7	2.4	3.8	4.3	2.9	2.5
			1500 1599	17.0	(36.2)	71.0	450.7	52.9	6.7	2.3	3.2	4.2	2.7	2.4
			1400 1499	16.0	(34.0)	70.3	453.4	50.2	6.7	2.7	3.0	4.5	2.3	2.6
			1300 1399	1.0	(2.1)	69.0	371.0	36.0	5.9	2.6	3.0	5.0	2.0	3.0
			1200 1299	1.0	(2.1)	68.7	491.5	47.0	6.4	3.3	2.0	4.0	2.0	3.0
			1100 1199	1.0	(2.1)	71.2	401.5	50.0	5.7	1.6	3.0	5.0	2.0	2.0
			1000 1099	1.0	(2.1)	69.7	481.0	53.0	7.7	4.2	3.0	6.0	2.0	2.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				47.0	(1.6)	70.7	447.3	51.7	6.7	2.5	3.3	4.4	2.6	2.5
			2000 2099	1.0	(2.7)	74.8	553.0	84.0	8.9	2.9	7.0	3.0	4.0	3.0
			1700 1799	14.0	(37.8)	70.5	530.0	62.3	7.3	3.5	5.1	4.0	3.8	2.9
			1600 1699	3.0	(8.1)	71.0	433.1	58.7	6.4	3.2	6.0	4.0	4.0	3.0
			1500 1599	2.0	(5.4)	68.4	537.7	52.5	7.7	4.6	5.5	4.0	4.0	3.0
			1400 1499	6.0	(16.2)	70.8	515.3	61.0	7.5	3.4	4.0	3.8	3.2	2.8
			1300 1399	6.0	(16.2)	70.6	483.9	55.2	7.7	3.3	3.7	4.0	3.0	3.0
			1200 1299	1.0	(2.7)	69.4	532.8	48.0	7.7	3.0	4.0	4.0	3.0	3.0
			1100 1199	1.0	(2.7)	68.5	515.2	52.0	7.7	4.8	3.0	5.0	2.0	3.0
			1000 1099	1.0	(2.7)	69.1	507.0	57.0	6.9	4.4	3.0	4.0	2.0	3.0
			600 699	1.0	(2.7)	68.8	440.0	46.0	6.0	3.4	3.0	4.0	2.0	5.0
			500 599	1.0	(2.7)	67.9	460.0	42.0	6.7	4.0	4.0	5.0	3.0	5.0
				37.0	(1.3)	70.4	508.0	58.9	7.3	3.5	4.6	4.0	3.4	3.1
			1100 1199	1.0	(0.0)	70.6	536.0	63.0	6.2	2.6	2.0	4.0	2.0	3.0
			1600 1699	8.0	(12.3)	71.6	507.3	63.8	7.6	3.1	6.6	3.5	4.3	2.8
			1500 1599	21.0	(32.3)	71.3	511.7	60.1	7.9	3.1	5.7	3.8	3.9	3.0
			1400 1499	13.0	(20.0)	70.5	498.9	56.6	7.4	3.2	4.2	4.1	3.1	2.9
			1300 1399	7.0	(10.8)	70.4	514.4	60.4	7.4	3.7	4.1	3.9	3.1	3.0
			1200 1299	8.0	(12.3)	70.4	449.3	52.8	7.0	3.1	3.5	4.3	2.5	2.9
			1100 1199	5.0	(7.7)	69.9	506.7	53.6	6.9	3.0	2.8	4.4	2.0	3.0
			1000 1099	1.0	(1.5)	69.1	412.4	46.0	6.2	3.6	2.0	4.0	2.0	3.0
			800 899	1.0	(1.5)	68.9	357.0	34.0	5.0	1.9	2.0	4.0	2.0	1.0
			600 699	1.0	(1.5)	68.6	285.3	26.0	4.1	1.5	2.0	5.0	2.0	3.0
				65.0	(2.2)	70.7	493.4	57.4	7.4	3.2	4.7	4.0	3.3	2.9
			2100 2199	1.0	(1.2)	73.6	500.8	70.0	8.4	2.5	7.0	3.0	4.0	3.0
			1900 1999	2.0	(2.4)	72.3	449.7	62.0	7.6	2.8	9.0	4.0	5.0	3.0
			1800 1899	3.0	(3.7)	70.4	480.9	59.0	7.0	3.7	6.7	3.3	4.0	3.0
			1700 1799	6.0	(7.3)	71.0	544.8	64.8	7.8	3.6	6.0	3.7	4.2	2.8
			1600 1699	8.0	(9.8)	71.7	495.1	63.0	7.9	3.3	4.8	3.9	3.8	2.9
			1500 1599	19.0	(23.2)	70.4	498.6	55.5	7.8	3.5	4.4	3.9	3.4	3.0
			1400 1499	17.0	(20.7)	70.6	486.7	55.6	7.2	3.0	3.8	4.1	2.9	2.9
			1300 1399	13.0	(15.9)	70.3	457.0	53.7	6.9	3.2	3.3	3.9	2.8	2.9
			1200 1299	10.0	(12.2)	69.4	485.1	50.8	7.1	3.6	2.8	4.3	2.5	2.9
			1100 1199	2.0	(2.4)	69.3	473.5	50.0	7.2	3.8	2.5	4.5	2.5	3.0
			1000 1099	1.0	(1.2)	69.4	476.2	55.0	7.2	4.4	2.0	5.0	2.0	3.0
				82.0	(2.8)	70.5	488.2	56.4	7.4	3.4	4.2	4.0	3.2	2.9
			900 999	1.0	(0.0)	69.1	435.0	41.0	5.0	1.7	2.0	5.0	2.0	2.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1600 1699	7.0	(70.0)	69.4	536.4	52.4	8.0	3.8	3.6	4.1	3.0	3.0
			1500 1599	2.0	(20.0)	71.4	436.0	50.0	7.7	2.4	5.0	4.0	4.0	3.0
			1300 1399	1.0	(10.0)	69.1	489.5	47.0	7.7	3.8	3.0	4.0	3.0	3.0
				10.0	(0.3)	69.8	511.6	51.4	7.9	3.5	3.8	4.1	3.2	3.0
			1200 1299	1.0	(50.0)	71.9	409.0	54.0	6.3	1.7	3.0	4.0	3.0	2.0
			1000 1099	1.0	(50.0)	67.8	449.8	43.0	5.6	3.6	2.0	5.0	2.0	3.0
				2.0	(0.1)	69.8	429.4	48.5	6.0	2.6	2.5	4.5	2.5	2.5
			1800 1899	1.0	(1.7)	71.7	490.0	62.0	8.5	3.6	7.0	4.0	4.0	2.0
			1700 1799	3.0	(5.1)	71.9	483.4	60.7	7.8	2.8	5.7	3.7	4.0	2.7
			1600 1699	4.0	(6.8)	72.1	510.7	66.5	7.4	2.7	5.3	3.8	3.8	2.5
			1500 1599	4.0	(6.8)	71.2	471.5	54.8	7.7	2.9	4.3	4.0	3.5	2.8
			1400 1499	8.0	(13.6)	71.5	467.7	57.3	7.1	2.4	3.6	4.1	3.1	3.0
			1300 1399	19.0	(32.2)	70.7	470.1	56.5	7.2	3.3	3.6	4.1	2.8	2.7
			1200 1299	8.0	(13.6)	69.0	464.5	48.3	6.9	3.8	3.4	4.4	2.4	3.0
			1100 1199	6.0	(10.2)	70.2	458.0	51.7	6.8	3.1	2.7	4.2	2.2	3.2
			1000 1099	6.0	(10.2)	69.3	410.4	41.7	6.4	2.8	2.0	4.3	2.0	2.7
				59.0	(2.0)	70.6	465.6	54.3	7.1	3.1	3.6	4.1	2.8	2.8
			1400 1499	4.0	(66.7)	71.4	381.8	54.0	6.2	2.6	3.3	4.0	3.0	3.0
			1300 1399	2.0	(33.3)	69.8	399.9	45.0	5.8	2.5	2.0	4.5	2.0	3.0
				6.0	(0.2)	70.8	387.8	51.0	6.1	2.6	2.8	4.2	2.7	3.0
			1800 1899	2.0	(50.0)	72.0	476.2	64.5	8.4	3.7	6.5	4.0	4.5	3.0
			1700 1799	1.0	(25.0)	73.2	522.2	80.0	7.4	3.3	6.0	4.0	4.0	3.0
			1500 1599	1.0	(25.0)	71.1	527.2	69.0	8.6	4.8	6.0	4.0	4.0	3.0
				4.0	(0.1)	72.1	500.4	69.5	8.2	3.9	6.3	4.0	4.3	3.0
			1600 1699	2.0	(33.3)	70.0	541.2	63.0	8.3	4.8	5.5	3.5	4.0	3.0
			1500 1599	1.0	(16.7)	73.5	514.4	77.0	7.6	2.7	4.0	3.0	4.0	3.0
			1300 1399	1.0	(16.7)	70.1	474.4	59.0	6.3	3.5	4.0	4.0	3.0	3.0
			1200 1299	2.0	(33.3)	69.2	525.8	54.5	8.1	4.5	3.5	4.0	3.0	3.0
				6.0	(0.2)	70.3	520.5	61.8	7.8	4.1	4.3	3.7	3.5	3.0
			1300 1399	1.0	(10.0)	69.6	504.4	64.0	7.1	5.0	3.0	5.0	3.0	3.0
			1200 1299	6.0	(60.0)	71.5	401.7	54.3	6.1	2.1	3.5	4.2	2.8	3.0
			1100 1199	2.0	(20.0)	69.5	447.0	44.5	7.3	3.3	3.5	4.0	2.5	3.0
			1000 1099	1.0	(10.0)	71.2	370.0	47.0	6.0	1.8	3.0	4.0	2.0	3.0
				10.0	(0.3)	70.9	417.9	52.6	6.5	2.6	3.4	4.2	2.7	3.0
			1800 1899	1.0	(1.1)	71.6	556.6	61.0	7.7	2.0	6.0	4.0	4.0	4.0
			1600 1699	2.0	(2.2)	72.0	539.5	63.5	8.6	2.8	4.5	4.0	3.5	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1500 1599	5.0	(5.6)	72.0	476.1	64.4	7.6	3.1	4.8	3.8	3.8	2.8
			1400 1499	16.0	(18.0)	71.3	496.2	59.9	7.6	3.0	4.6	4.0	3.3	2.9
			1300 1399	32.0	(36.0)	71.0	489.3	57.6	7.5	3.1	3.9	4.3	3.0	2.8
			1200 1299	18.0	(20.2)	70.3	502.8	56.8	7.4	3.4	3.2	4.3	2.4	2.9
			1100 1199	13.0	(14.6)	70.0	467.5	54.1	7.0	3.5	2.9	4.6	2.4	2.8
			1000 1099	2.0	(2.2)	71.3	464.9	51.5	7.7	2.3	2.5	5.0	2.0	3.5
				89.0	(3.0)	70.9	490.7	57.8	7.5	3.2	3.8	4.3	2.9	2.9
			1700 1799	1.0	(0.9)	70.5	561.4	68.0	7.0	3.7	9.0	3.0	5.0	3.0
			1600 1699	11.0	(9.8)	71.5	510.5	64.1	7.6	3.3	5.7	3.5	4.0	2.9
			1500 1599	9.0	(8.0)	70.5	485.4	61.3	7.4	4.0	5.4	3.8	4.0	3.0
			1400 1499	19.0	(17.0)	70.9	468.8	55.5	7.2	3.0	3.5	3.8	3.0	3.0
			1300 1399	48.0	(42.9)	70.3	472.6	52.1	7.2	3.0	3.3	3.8	3.0	2.9
			1200 1299	17.0	(15.2)	70.4	474.8	53.6	7.1	3.1	2.4	4.0	2.1	2.9
			1100 1199	7.0	(6.3)	70.2	467.3	51.0	6.9	2.9	2.3	3.7	2.0	3.0
				112.0	(3.8)	70.5	477.5	54.9	7.2	3.1	3.6	3.8	3.0	2.9
			1700 1799	1.0	(5.9)	71.5	506.4	60.0	6.9	2.2	5.0	4.0	4.0	3.0
			1600 1699	2.0	(11.8)	70.3	562.5	62.0	8.3	4.0	6.0	4.0	4.0	2.5
			1500 1599	2.0	(11.8)	71.5	405.3	55.5	6.2	2.4	3.5	4.5	2.5	2.5
			1400 1499	2.0	(11.8)	71.5	381.4	54.0	5.9	2.3	4.5	4.0	3.5	2.5
			1300 1399	5.0	(29.4)	70.3	457.7	50.6	6.9	2.8	3.0	3.8	2.6	3.0
			1200 1299	2.0	(11.8)	70.1	438.5	48.0	6.8	2.9	4.0	4.0	3.0	3.0
			1100 1199	2.0	(11.8)	68.5	392.4	41.5	5.3	3.2	3.0	4.5	2.5	2.5
			1000 1099	1.0	(5.9)	68.6	341.0	30.0	4.9	1.9	4.0	4.0	3.0	3.0
				17.0	(0.6)	70.3	440.9	50.9	6.5	2.8	3.9	4.1	3.0	2.8
			2200 2299	1.0	(1.9)	70.8	570.4	71.0	9.3	5.3	11.0	3.0	5.0	3.0
			1900 1999	1.0	(1.9)	69.9	625.2	68.0	8.0	4.2	6.0	3.0	5.0	3.0
			1800 1899	3.0	(5.7)	71.5	506.4	65.0	7.6	3.4	6.7	3.7	4.3	3.0
			1700 1799	4.0	(7.5)	71.2	503.8	61.0	7.3	3.0	6.3	4.0	4.0	2.5
			1600 1699	3.0	(5.7)	72.2	520.9	68.0	7.3	2.6	5.3	4.0	3.7	3.0
			1500 1599	7.0	(13.2)	70.8	500.4	58.0	7.7	3.3	5.3	3.4	3.9	3.0
			1400 1499	8.0	(15.1)	71.6	455.6	58.5	7.0	2.5	4.0	4.0	3.1	2.9
			1300 1399	13.0	(24.5)	69.7	521.7	57.3	7.4	3.9	3.8	3.8	3.2	3.0
			1200 1299	6.0	(11.3)	69.6	485.7	54.3	6.9	3.8	3.2	4.0	2.5	3.0
			1100 1199	3.0	(5.7)	69.1	443.2	46.3	5.7	2.7	2.7	4.3	2.0	3.0
			1000 1099	3.0	(5.7)	68.6	475.6	45.3	6.5	3.4	2.7	4.7	2.0	2.7
			900 999	1.0	(1.9)	68.6	411.0	33.0	5.4	1.7	2.0	4.0	2.0	2.0
				53.0	(1.8)	70.4	496.3	57.3	7.2	3.3	4.4	3.9	3.2	2.9
			1900 1999	1.0	(7.1)	71.2	552.6	65.0	7.6	3.1	7.0	4.0	4.0	3.0
			1700 1799	2.0	(14.3)	71.2	511.6	61.5	7.5	3.0	5.5	4.5	4.0	3.0
			1600 1699	2.0	(14.3)	70.3	501.6	56.5	7.5	3.4	6.0	3.5	4.0	3.0
			1500 1599	2.0	(14.3)	73.0	471.4	64.0	7.3	1.9	6.5	4.0	4.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1400 1499	4.0	(28.6)	70.1	517.7	57.8	7.3	3.5	3.8	4.0	3.0	2.5
			1300 1399	2.0	(14.3)	71.8	453.9	55.5	7.8	2.5	4.5	4.0	3.5	3.0
			1100 1199	1.0	(7.1)	68.0	501.9	43.0	7.1	3.8	3.0	4.0	2.0	2.0
				14.0	(0.5)	70.9	500.1	58.1	7.4	3.0	5.0	4.0	3.5	2.8
			1900 1999	1.0	(5.6)	70.1	531.0	53.0	7.4	2.7	7.0	3.0	4.0	3.0
			1800 1899	2.0	(11.1)	73.6	495.0	72.5	7.8	2.5	6.0	3.5	4.0	3.0
			1700 1799	6.0	(33.3)	71.2	503.2	61.3	7.6	3.2	5.7	3.5	3.8	2.8
			1600 1699	2.0	(11.1)	70.8	452.8	64.0	6.8	4.1	5.0	3.5	4.0	3.0
			1500 1599	2.0	(11.1)	69.5	542.9	58.0	7.5	4.0	4.0	3.0	3.5	3.0
			1300 1399	2.0	(11.1)	70.5	551.7	61.5	7.8	3.5	4.0	4.0	3.0	3.0
			1100 1199	3.0	(16.7)	67.8	485.5	45.3	6.7	4.3	3.7	4.3	2.7	3.0
				18.0	(0.6)	70.5	505.1	59.4	7.4	3.5	5.0	3.6	3.6	2.9
			1700 1799	15.0	(23.1)	70.3	492.7	52.8	7.2	2.9	3.9	4.2	3.0	2.9
			1600 1699	13.0	(20.0)	70.7	453.3	53.3	6.5	2.5	3.2	4.2	2.7	2.9
			1500 1599	4.0	(6.2)	70.8	411.9	49.3	6.1	2.1	4.0	4.0	3.3	3.0
			1400 1499	7.0	(10.8)	70.0	448.1	53.0	6.2	3.1	3.6	4.1	2.9	2.9
			1300 1399	12.0	(18.5)	70.7	443.7	52.8	6.3	2.5	3.5	4.1	2.9	2.8
			1200 1299	4.0	(6.2)	70.7	409.1	53.0	5.6	2.5	3.0	4.3	2.3	2.8
			1100 1199	7.0	(10.8)	69.7	400.3	43.7	5.9	2.5	2.4	4.1	2.1	2.9
			1000 1099	2.0	(3.1)	69.3	409.1	40.0	5.8	2.2	2.0	5.0	2.0	3.5
			900 999	1.0	(1.5)	68.9	238.1	30.0	2.6	1.3	2.0	5.0	2.0	3.0
				65.0	(2.2)	70.3	444.4	51.0	6.4	2.6	3.4	4.2	2.7	2.9
			1800 1899	1.0	(4.8)	73.2	533.2	78.0	8.4	3.8	9.0	3.0	5.0	3.0
			1700 1799	1.0	(4.8)	72.2	454.4	58.0	7.5	2.2	6.0	4.0	4.0	2.0
			1600 1699	2.0	(9.5)	70.5	449.4	55.5	6.3	3.0	6.0	4.0	4.5	3.0
			1500 1599	3.0	(14.3)	71.2	450.0	56.7	7.0	2.9	4.0	3.7	3.3	2.3
			1400 1499	2.0	(9.5)	69.6	475.7	50.5	7.2	3.5	5.0	4.0	3.5	3.0
			1300 1399	5.0	(23.8)	69.9	439.5	45.2	6.7	2.6	3.8	4.2	3.0	2.8
			1200 1299	2.0	(9.5)	69.2	487.4	50.0	6.7	3.4	2.5	4.0	2.0	3.0
			1100 1199	2.0	(9.5)	71.0	433.6	51.5	7.0	2.5	2.5	4.5	2.5	3.0
			1000 1099	3.0	(14.3)	69.8	463.4	47.0	7.2	3.1	2.0	4.7	2.0	3.0
				21.0	(0.7)	70.4	458.0	51.8	7.0	2.9	4.0	4.1	3.1	2.8
			1600 1699	1.0	(0.4)	72.5	486.6	60.0	8.0	2.1	4.0	4.0	4.0	2.0
			1500 1599	8.0	(3.4)	71.5	493.7	61.6	7.3	2.9	5.4	4.1	3.9	2.6
			1400 1499	17.0	(7.2)	71.4	476.6	58.6	7.4	2.9	4.2	4.1	3.2	2.9
			1300 1399	42.0	(17.7)	70.8	461.9	53.9	6.9	2.6	3.7	4.3	2.9	3.0
			1200 1299	54.0	(22.8)	70.4	473.1	53.4	7.0	3.0	3.3	4.3	2.5	2.9
			1100 1199	72.0	(30.4)	70.0	471.8	51.5	6.9	3.2	2.8	4.5	2.3	2.9

					(%)		(kg)	(m2)	(m)	(m)				
			1000 1099	40.0	(16.9)	69.2	459.1	46.6	6.7	3.3	2.4	4.7	2.1	2.9
			900 999	3.0	(1.3)	69.1	471.1	52.0	6.2	3.7	2.0	5.0	2.0	3.0
				237.0	(8.1)	70.2	469.3	52.4	7.0	3.0	3.2	4.4	2.5	2.9
			1600 1699	1.0	(14.3)	70.9	483.0	53.0	8.2	3.1	6.0	4.0	4.0	2.0
			1500 1599	1.0	(14.3)	72.9	485.4	65.0	6.8	1.5	4.0	3.0	3.0	3.0
			1300 1399	1.0	(14.3)	67.7	596.5	53.0	8.4	5.2	4.0	3.0	3.0	3.0
			1200 1299	1.0	(14.3)	71.0	674.8	79.0	8.1	4.0	4.0	4.0	3.0	3.0
			1000 1099	1.0	(14.3)	68.3	435.0	39.0	6.2	3.2	2.0	5.0	2.0	4.0
			900 999	1.0	(14.3)	69.8	404.0	44.0	5.8	2.3	2.0	5.0	2.0	4.0
			700 799	1.0	(14.3)	68.5	605.8	54.0	7.5	3.6	3.0	5.0	2.0	3.0
				7.0	(0.2)	69.9	526.4	55.3	7.3	3.3	3.6	4.1	2.7	3.1
			1700 1799	2.0	(2.6)	72.2	462.5	60.0	7.7	2.6	4.0	4.0	3.5	3.0
			1600 1699	2.0	(2.6)	71.6	449.1	56.0	7.2	2.5	3.5	4.5	3.0	3.0
			1500 1599	1.0	(1.3)	73.4	498.1	74.0	7.1	2.3	4.0	4.0	3.0	3.0
			1400 1499	10.0	(13.2)	71.3	492.3	58.5	7.8	3.0	3.9	4.1	3.1	3.0
			1300 1399	17.0	(22.4)	70.7	498.3	57.2	7.8	3.4	3.4	4.1	3.0	3.0
			1200 1299	12.0	(15.8)	70.9	474.0	55.8	7.6	3.2	2.9	4.1	2.2	3.0
			1100 1199	22.0	(28.9)	69.9	470.2	51.7	7.6	3.8	2.2	4.5	2.0	3.1
			1000 1099	3.0	(3.9)	68.5	502.2	50.0	6.8	4.0	2.0	4.7	2.0	3.0
			900 999	5.0	(6.6)	68.9	444.7	44.8	5.6	2.8	2.4	5.0	2.0	3.0
			700 799	2.0	(2.6)	69.5	441.1	49.5	5.3	2.5	2.0	4.5	2.0	5.0
				76.0	(2.6)	70.4	478.4	54.5	7.4	3.3	2.9	4.3	2.5	3.1
			1300 1399	1.0	(33.3)	69.2	475.2	51.0	7.0	3.9	4.0	4.0	3.0	3.0
			1200 1299	1.0	(33.3)	68.4	530.6	48.0	7.5	4.0	4.0	4.0	3.0	3.0
			800 899	1.0	(33.3)	69.0	507.4	50.0	6.1	2.8	2.0	6.0	2.0	3.0
				3.0	(0.1)	68.9	504.4	49.7	6.9	3.6	3.3	4.7	2.7	3.0
			2200 2299	1.0	(0.0)	70.8	570.4	71.0	9.3	5.3	11.0	3.0	5.0	3.0
			2100 2199	2.0	(0.1)	75.0	517.4	80.0	9.1	2.6	7.5	3.0	4.5	3.0
			2000 2099	2.0	(0.1)	74.0	523.5	79.0	8.3	3.1	8.0	3.5	4.5	3.0
			1900 1999	17.0	(0.6)	72.8	522.8	70.7	7.7	2.6	8.4	3.4	4.7	2.6
			1800 1899	44.0	(1.5)	72.7	521.0	70.2	7.9	2.8	7.3	3.7	4.5	2.8
			1700 1799	118.0	(4.0)	71.7	519.0	64.2	7.7	2.9	5.9	3.8	4.0	2.7
			1600 1699	191.0	(6.5)	71.4	500.9	61.2	7.5	2.9	5.4	3.8	3.8	2.7
			1500 1599	280.0	(9.6)	71.4	501.7	60.3	7.6	2.9	5.0	3.8	3.7	2.7
			1400 1499	405.0	(13.8)	71.1	495.7	58.8	7.4	2.9	4.3	3.9	3.3	2.7
			1300 1399	562.0	(19.2)	70.7	487.4	55.6	7.3	3.0	3.8	4.0	3.0	2.8
			1200 1299	539.0	(18.4)	70.4	482.9	54.6	7.1	3.1	3.5	4.2	2.7	2.7
			1100 1199	432.0	(14.7)	70.1	476.4	52.2	7.1	3.1	3.0	4.3	2.4	2.8
			1000 1099	234.0	(8.0)	69.6	471.3	49.4	6.8	3.2	2.7	4.5	2.2	2.7
			900 999	54.0	(1.8)	69.3	455.9	47.8	6.2	3.0	2.7	4.6	2.2	2.8

[illegible]

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2200 2299	1.0	(0.5)	72.0	626.0	75.0	8.3	3.3	9.0	4.0	5.0	3.0
			2100 2199	1.0	(0.5)	72.0	541.0	66.0	7.7	2.7	8.0	3.0	5.0	3.0
			2000 2099	1.0	(0.5)	70.2	603.0	60.0	7.9	3.0	6.0	3.0	4.0	3.0
			1900 1999	2.0	(1.1)	72.5	564.0	66.5	9.0	2.8	7.5	3.5	4.5	2.5
			1800 1899	4.0	(2.1)	72.1	555.8	65.3	7.8	2.2	6.5	4.0	4.3	2.5
			1700 1799	4.0	(2.1)	72.0	566.0	67.3	8.0	2.6	6.0	3.3	4.3	2.8
			1600 1699	6.0	(3.2)	71.1	580.4	63.5	8.5	3.3	5.7	3.5	3.8	2.3
			1500 1599	7.0	(3.7)	71.6	540.0	60.3	8.1	2.6	4.6	3.7	3.6	2.3
			1400 1499	30.0	(16.0)	70.9	549.0	59.4	7.9	2.9	4.2	3.6	3.2	2.5
			1300 1399	37.0	(19.8)	70.3	534.1	54.2	7.5	2.7	3.6	3.7	3.0	2.5
			1200 1299	39.0	(20.9)	69.6	534.6	51.1	7.4	2.9	3.1	3.9	2.6	2.5
			1100 1199	40.0	(21.4)	69.7	531.8	52.5	7.3	3.1	2.7	4.3	2.2	2.4
			1000 1099	15.0	(8.0)	69.1	518.0	46.1	7.0	2.7	2.5	4.1	2.1	2.5
				187.0	(7.7)	70.2	538.9	54.8	7.6	2.9	3.6	3.9	2.8	2.5
			1700 1799	1.0	(5.3)	72.7	556.0	66.0	9.3	2.8	6.0	3.0	4.0	3.0
			1600 1699	1.0	(5.3)	70.4	723.0	71.0	9.9	4.3	7.0	4.0	4.0	3.0
			1400 1499	6.0	(31.6)	70.2	524.8	54.8	7.7	3.2	4.5	4.0	3.5	2.5
			1300 1399	3.0	(15.8)	70.5	466.3	53.7	6.4	2.5	3.7	4.3	3.0	2.3
			1200 1299	2.0	(10.5)	71.7	537.5	59.0	8.1	2.3	3.5	4.0	2.5	2.0
			1100 1199	3.0	(15.8)	69.3	502.7	49.0	7.1	3.3	3.0	3.3	2.0	3.0
			1000 1099	2.0	(10.5)	69.8	466.0	48.0	6.9	2.9	2.0	4.0	2.0	3.0
			700 799	1.0	(5.3)	69.8	272.0	31.0	4.0	1.0	2.0	4.0	2.0	1.0
				19.0	(0.8)	70.3	506.0	53.6	7.4	2.9	3.8	3.9	2.9	2.5
			1600 1699	2.0	(9.5)	71.0	599.5	59.0	8.9	2.7	5.0	4.5	4.0	3.0
			1400 1499	3.0	(14.3)	71.2	502.0	58.0	7.3	2.6	5.0	4.0	3.3	2.3
			1300 1399	4.0	(19.0)	72.1	589.0	66.8	8.9	2.9	4.0	5.0	3.0	3.3
			1200 1299	4.0	(19.0)	70.4	569.5	57.8	7.7	2.7	4.0	4.5	3.3	2.3
			1100 1199	6.0	(28.6)	70.5	527.8	55.2	7.3	2.5	4.0	4.3	2.8	2.8
			1000 1099	2.0	(9.5)	69.9	568.5	53.5	6.6	1.9	2.5	4.0	2.0	2.5
				21.0	(0.9)	70.9	554.4	58.5	7.8	2.6	4.1	4.4	3.0	2.7
			1700 1799	3.0	(2.8)	72.2	578.1	67.7	8.3	2.5	8.0	3.3	4.7	3.0
			1600 1699	5.0	(4.7)	70.4	576.1	58.2	8.4	3.2	5.8	3.6	4.0	3.0
			1500 1599	15.0	(14.2)	71.4	589.3	59.7	8.9	2.5	5.5	3.5	4.0	2.9
			1400 1499	29.0	(27.4)	70.5	566.5	55.4	8.3	2.9	4.7	3.5	3.6	2.7
			1300 1399	23.0	(21.7)	70.2	559.4	54.0	8.3	3.1	4.0	3.7	3.2	2.7
			1200 1299	18.0	(17.0)	69.5	568.2	50.5	8.1	3.1	3.4	3.9	2.8	2.8
			1100 1199	13.0	(12.3)	69.8	558.1	55.7	7.5	3.2	3.1	4.4	2.2	2.7
				106.0	(4.4)	70.3	568.2	55.4	8.3	2.9	4.4	3.7	3.3	2.8
			1600 1699	2.0	(9.1)	72.2	571.5	68.0	8.0	2.4	6.5	3.0	4.0	2.5
			1400 1499	1.0	(4.5)	71.0	545.0	60.0	6.9	2.2	5.0	4.0	4.0	2.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1300 1399	4.0	(18.2)	71.5	615.8	67.8	8.5	2.9	4.8	4.3	3.8	2.5
			1200 1299	4.0	(18.2)	71.5	560.5	62.5	8.3	2.8	5.0	3.5	3.5	2.5
			1100 1199	5.0	(22.7)	70.4	504.6	50.6	6.9	2.1	2.8	4.0	2.0	2.4
			1000 1099	4.0	(18.2)	69.3	473.0	45.0	6.7	2.7	3.3	4.0	2.3	3.0
			900 999	2.0	(9.1)	70.0	426.5	45.0	5.3	1.4	3.0	4.0	2.0	2.5
				22.0	(0.9)	70.8	530.0	56.4	7.4	2.5	4.1	3.9	2.9	2.5
			1800 1899	3.0	(2.1)	71.8	545.0	67.3	7.4	2.8	7.0	3.0	4.7	2.7
			1700 1799	5.0	(3.5)	71.7	589.4	65.2	7.9	2.3	5.8	4.4	4.0	2.6
			1600 1699	9.0	(6.4)	71.3	565.1	59.9	8.3	2.6	6.1	3.7	4.1	2.7
			1500 1599	16.0	(11.3)	70.9	576.7	61.8	8.2	3.0	4.4	3.9	3.3	2.8
			1400 1499	27.0	(19.1)	70.3	549.2	55.7	7.7	2.9	4.0	4.0	3.0	2.7
			1300 1399	27.0	(19.1)	69.8	554.7	54.3	7.5	3.0	3.6	3.9	2.8	2.7
			1200 1299	20.0	(14.2)	69.1	532.8	50.8	7.2	3.3	3.1	4.1	2.7	2.5
			1100 1199	23.0	(16.3)	69.4	533.2	52.3	7.1	3.2	3.0	4.0	2.4	2.6
			1000 1099	6.0	(4.3)	69.2	605.4	56.2	7.8	3.5	2.8	4.2	2.2	2.5
			900 999	1.0	(0.7)	68.5	431.0	39.0	5.0	2.1	3.0	4.0	2.0	2.0
			800 899	2.0	(1.4)	69.0	341.0	31.0	4.7	1.3	2.0	4.5	2.0	4.0
			700 799	1.0	(0.7)	68.6	435.5	34.0	5.3	1.5	2.0	5.0	2.0	3.0
			600 699	1.0	(0.7)	70.1	296.5	33.0	4.0	0.6	3.0	3.0	2.0	3.0
				141.0	(5.8)	70.0	546.8	55.0	7.5	2.9	3.8	4.0	2.9	2.7
			2500	1.0	(0.2)	76.6	691.0	98.0	11.3	2.7	10.0	3.0	5.0	3.0
			2100 2199	1.0	(0.2)	73.8	676.0	87.0	8.5	2.4	8.0	4.0	5.0	3.0
			2000 2099	2.0	(0.4)	70.0	616.4	57.5	7.7	2.5	6.5	4.0	4.0	3.0
			1900 1999	2.0	(0.4)	70.6	603.1	66.5	7.3	3.0	8.5	3.5	5.0	2.5
			1800 1899	7.0	(1.5)	71.0	626.1	68.3	8.4	3.4	6.6	3.6	4.6	2.3
			1700 1799	24.0	(5.1)	71.5	615.1	66.8	8.4	2.7	6.0	3.8	4.0	2.7
			1600 1699	39.0	(8.3)	71.1	592.3	64.3	8.1	3.0	5.3	3.8	3.8	2.7
			1500 1599	61.0	(13.0)	70.6	604.4	61.9	8.0	2.8	4.6	4.0	3.5	2.6
			1400 1499	73.0	(15.5)	70.6	578.7	58.9	7.8	2.7	3.9	4.0	3.1	2.5
			1300 1399	99.0	(21.1)	70.1	577.8	56.2	7.8	2.8	3.5	4.2	2.8	2.6
			1200 1299	91.0	(19.4)	69.6	591.5	55.0	7.6	2.9	3.1	4.2	2.5	2.5
			1100 1199	52.0	(11.1)	69.4	571.0	53.8	7.3	3.0	3.0	4.5	2.2	2.6
			1000 1099	14.0	(3.0)	68.8	588.4	52.5	7.3	3.2	2.6	4.4	2.0	2.2
			900 999	2.0	(0.4)	67.8	391.0	32.5	4.9	2.5	2.5	5.5	2.0	2.0
			800 899	1.0	(0.2)	69.9	364.0	37.0	5.1	1.2	2.0	5.0	2.0	2.0
			700 799	1.0	(0.2)	68.8	322.0	29.0	3.7	0.9	2.0	5.0	2.0	2.0
				470.0	(19.3)	70.2	586.4	58.2	7.8	2.8	3.9	4.1	3.0	2.6
			1900 1999	1.0	(0.6)	72.4	519.0	63.0	7.6	2.0	7.0	2.0	5.0	2.0
			1800 1899	4.0	(2.3)	72.7	606.3	74.8	8.4	2.7	7.3	3.3	4.3	2.5
			1700 1799	10.0	(5.8)	71.8	551.1	63.4	7.8	2.4	6.2	3.7	4.2	2.2
			1600 1699	10.0	(5.8)	71.4	522.4	58.7	7.1	2.0	5.5	3.9	4.0	2.1

[illegible]

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1500 1599	3.0	(5.3)	70.3	524.3	54.3	7.1	2.7	5.3	3.3	4.0	2.7
			1400 1499	4.0	(7.0)	70.4	534.0	55.5	7.8	3.0	4.8	3.3	3.5	2.3
			1300 1399	6.0	(10.5)	69.8	552.2	50.5	7.5	2.5	3.5	3.8	3.0	2.3
			1200 1299	19.0	(33.3)	69.4	503.9	47.6	6.8	2.6	3.3	3.9	2.8	2.3
			1100 1199	13.0	(22.8)	69.7	516.9	49.8	7.0	2.6	2.5	4.2	2.2	2.3
			1000 1099	11.0	(19.3)	69.0	473.2	43.6	6.0	2.3	2.2	4.5	2.0	2.3
			900 999	1.0	(1.8)	70.4	359.0	46.0	4.4	1.6	2.0	4.0	2.0	3.0
				57.0	(2.3)	69.6	506.7	48.5	6.8	2.6	3.1	4.0	2.6	2.3
			1600 1699	5.0	(31.3)	70.9	518.6	54.6	7.5	2.2	5.6	3.0	3.8	2.6
			1500 1599	4.0	(25.0)	70.8	564.5	60.3	7.6	2.7	4.8	3.8	3.8	2.3
			1400 1499	1.0	(6.3)	69.1	565.0	50.0	7.5	3.0	4.0	3.0	3.0	2.0
			1300 1399	3.0	(18.8)	70.9	534.8	54.7	7.6	2.2	4.0	3.3	3.0	2.3
			1200 1299	1.0	(6.3)	69.9	442.0	39.0	6.7	1.6	3.0	4.0	2.0	2.0
			1100 1199	2.0	(12.5)	68.8	590.4	51.5	7.3	3.0	3.5	4.5	2.5	3.0
				16.0	(0.7)	70.5	540.2	54.4	7.5	2.5	4.6	3.5	3.3	2.4
			1100 1199	1.0	(50.0)	70.4	604.0	60.0	7.5	2.6	3.0	5.0	3.0	2.0
			900 999	1.0	(50.0)	68.0	575.0	52.0	7.6	4.5	3.0	5.0	2.0	2.0
				2.0	(0.1)	69.2	589.5	56.0	7.5	3.5	3.0	5.0	2.5	2.0
			1600 1699	10.0	(66.7)	69.3	534.5	55.0	7.0	3.6	4.0	4.0	3.2	2.9
			1400 1499	1.0	(6.7)	69.3	601.0	56.0	8.1	3.6	4.0	4.0	3.0	3.0
			1300 1399	3.0	(20.0)	69.7	495.0	50.7	7.2	3.1	3.3	3.7	3.0	3.0
			900 999	1.0	(6.7)	70.8	351.0	43.0	4.7	1.0	2.0	5.0	2.0	3.0
				15.0	(0.6)	69.5	518.8	53.4	7.0	3.3	3.7	4.0	3.1	2.9
			1200 1299	1.0	(33.3)	69.8	440.6	47.0	5.3	1.9	4.0	6.0	3.0	2.0
			1100 1199	1.0	(33.3)	68.4	510.0	45.0	6.3	2.9	3.0	4.0	2.0	2.0
			900 999	1.0	(33.3)	69.1	390.2	36.0	5.3	1.8	3.0	6.0	2.0	2.0
				3.0	(0.1)	69.1	446.9	42.7	5.6	2.2	3.3	5.3	2.3	2.0
			2000 2099	1.0	(0.8)	72.3	505.4	59.0	8.1	2.0	7.0	3.0	5.0	3.0
			1800 1899	1.0	(0.8)	71.9	539.0	58.0	8.4	2.1	8.0	4.0	5.0	3.0
			1700 1799	5.0	(3.8)	70.3	533.5	57.6	7.2	2.9	6.8	3.4	4.4	2.8
			1600 1699	4.0	(3.0)	70.8	563.9	58.8	7.8	2.6	5.5	4.0	4.0	2.8
			1500 1599	26.0	(19.7)	71.0	542.0	60.0	7.4	2.5	5.0	3.6	3.6	2.8
			1400 1499	36.0	(27.3)	70.5	542.2	57.1	7.4	2.8	4.2	3.7	3.3	2.8
			1300 1399	26.0	(19.7)	70.1	542.8	55.0	7.3	2.7	3.4	3.9	2.7	2.7
			1200 1299	23.0	(17.4)	69.5	502.8	49.4	6.8	2.8	3.1	4.0	2.7	2.9
			1100 1199	8.0	(6.1)	69.8	483.1	47.9	6.7	2.4	2.6	4.3	2.1	2.9
			900 999	1.0	(0.8)	69.3	357.1	34.0	4.4	1.0	2.0	4.0	2.0	3.0
			700 799	1.0	(0.8)	71.1	249.0	37.0	4.7	1.2	2.0	5.0	2.0	2.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				132.0	(5.4)	70.3	528.2	55.1	7.2	2.7	4.1	3.8	3.1	2.8
			2000 2099	2.0	(1.4)	70.7	548.2	58.5	8.1	3.1	7.5	3.5	5.0	3.0
			1900 1999	4.0	(2.9)	72.2	548.6	67.8	8.2	2.9	8.0	3.5	4.8	3.0
			1800 1899	5.0	(3.6)	70.6	563.2	60.0	8.2	3.2	6.0	3.2	4.2	3.0
			1700 1799	9.0	(6.4)	70.4	544.6	55.8	7.7	2.9	6.0	3.9	4.0	3.0
			1600 1699	11.0	(7.9)	70.5	530.2	55.6	7.5	2.7	5.4	3.7	4.0	2.9
			1500 1599	21.0	(15.0)	70.5	526.1	56.3	7.5	2.9	4.9	3.8	3.5	2.7
			1400 1499	45.0	(32.1)	70.2	522.8	53.8	7.3	2.8	3.9	3.8	3.2	2.8
			1300 1399	21.0	(15.0)	69.9	521.7	53.7	7.2	3.0	3.5	4.0	3.0	2.9
			1200 1299	15.0	(10.7)	70.6	505.1	54.0	6.8	2.3	2.9	4.1	2.3	2.7
			1100 1199	5.0	(3.6)	69.6	515.0	49.6	6.9	2.7	2.2	4.2	2.0	2.4
			800 899	1.0	(0.7)	69.7	285.6	29.0	4.4	0.8	2.0	4.0	2.0	4.0
			500 599	1.0	(0.7)	69.2	247.6	28.0	3.8	1.3	2.0	5.0	1.0	2.0
				140.0	(5.8)	70.3	521.8	54.6	7.3	2.8	4.3	3.9	3.3	2.8
			1600 1699	52.0	(89.7)	69.8	573.8	53.5	7.9	2.9	2.7	4.0	2.5	3.0
			1500 1599	1.0	(1.7)	69.0	568.0	48.0	7.8	3.0	2.0	4.0	2.0	3.0
			1300 1399	2.0	(3.4)	68.3	566.0	43.0	7.8	3.1	3.0	4.0	2.5	3.0
			1000 1099	2.0	(3.4)	68.4	425.8	37.5	6.0	2.8	2.0	4.5	2.0	2.5
			900 999	1.0	(1.7)	70.2	394.5	41.0	6.0	1.8	2.0	4.0	2.0	3.0
				58.0	(2.4)	69.7	565.2	52.3	7.8	2.9	2.7	4.1	2.5	3.0
			1200 1299	3.0	(33.3)	70.0	431.0	46.7	6.6	2.8	3.7	3.7	3.0	3.0
			1100 1199	2.0	(22.2)	70.0	427.3	46.0	6.5	2.6	3.0	4.0	3.0	3.0
			1000 1099	4.0	(44.4)	69.8	444.4	46.5	6.2	2.4	2.5	4.3	2.0	2.8
				9.0	(0.4)	69.9	436.2	46.4	6.4	2.6	3.0	4.0	2.6	2.9
			1300 1399	2.0	(28.6)	70.5	484.1	57.0	6.5	2.8	3.0	4.0	2.0	2.0
			1200 1299	2.0	(28.6)	69.5	550.0	55.5	7.8	3.8	3.0	4.0	2.0	2.5
			1100 1199	2.0	(28.6)	68.8	448.9	38.0	6.3	2.3	2.0	4.0	2.0	2.0
			1000 1099	1.0	(14.3)	68.4	490.0	45.0	6.8	3.5	3.0	5.0	2.0	3.0
				7.0	(0.3)	69.4	493.7	49.4	6.8	3.0	2.7	4.1	2.0	2.3
			1400 1499	2.0	(28.6)	70.7	452.6	53.5	6.3	2.5	3.0	4.0	3.0	3.0
			1300 1399	5.0	(71.4)	69.7	452.4	47.6	5.7	2.3	2.2	4.2	2.0	3.0
				7.0	(0.3)	70.0	452.5	49.3	5.9	2.3	2.4	4.1	2.3	3.0
			1600 1699	1.0	(50.0)	70.7	479.2	56.0	7.7	3.4	4.0	4.0	3.0	3.0
			1100 1199	1.0	(50.0)	70.7	392.2	47.0	5.7	1.8	3.0	4.0	2.0	3.0
				2.0	(0.1)	70.7	435.7	51.5	6.7	2.6	3.5	4.0	2.5	3.0
			1800 1899	2.0	(10.0)	70.2	542.9	56.5	8.1	3.5	6.0	3.5	4.0	3.0
			1700 1799	3.0	(15.0)	70.0	556.8	56.0	7.6	3.0	5.3	4.0	4.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1600 1699	1.0	(5.0)	69.5	580.0	57.0	8.0	3.7	5.0	4.0	4.0	3.0
			1500 1599	1.0	(5.0)	71.9	483.0	62.0	7.3	2.6	5.0	4.0	4.0	3.0
			1400 1499	5.0	(25.0)	69.6	537.0	54.0	7.3	3.2	4.6	4.0	3.4	2.8
			1300 1399	5.0	(25.0)	70.7	555.9	59.6	7.6	2.8	3.8	4.0	3.2	3.0
			1200 1299	3.0	(15.0)	70.8	500.7	56.0	7.2	2.6	3.3	4.0	3.0	3.3
				20.0	(0.8)	70.3	539.3	56.8	7.5	3.0	4.5	4.0	3.5	3.0
			1700 1799	2.0	(4.1)	71.2	609.5	65.0	7.6	2.3	6.0	3.5	4.0	2.5
			1600 1699	1.0	(2.0)	71.5	523.0	57.0	7.3	1.8	6.0	3.0	4.0	3.0
			1500 1599	11.0	(22.4)	71.3	545.9	61.4	7.8	2.6	4.5	3.5	3.5	2.6
			1400 1499	12.0	(24.5)	71.0	541.2	57.9	7.6	2.5	3.7	4.2	2.9	2.5
			1300 1399	10.0	(20.4)	70.1	557.2	56.5	7.3	2.7	3.7	4.3	3.1	2.7
			1200 1299	6.0	(12.2)	69.5	502.0	47.0	6.6	2.4	3.2	3.7	2.7	2.3
			1100 1199	5.0	(10.2)	69.5	473.0	49.6	6.1	2.8	2.6	4.2	2.4	2.6
			1000 1099	1.0	(2.0)	68.3	357.0	27.0	4.6	1.3	3.0	4.0	2.0	2.0
			900 999	1.0	(2.0)	71.0	439.2	49.0	6.2	1.5	2.0	6.0	2.0	2.0
				49.0	(2.0)	70.5	530.3	55.7	7.2	2.5	3.8	4.0	3.0	2.6
			1800 1899	1.0	(2.8)	73.0	515.8	66.0	8.6	2.4	6.0	4.0	4.0	3.0
			1600 1699	1.0	(2.8)	73.3	473.8	66.0	7.1	1.7	6.0	3.0	4.0	3.0
			1500 1599	3.0	(8.3)	71.7	531.8	63.3	7.6	2.5	4.7	3.3	3.7	3.0
			1400 1499	12.0	(33.3)	71.3	528.7	59.3	7.7	2.5	3.9	3.9	3.1	2.8
			1300 1399	5.0	(13.9)	70.3	507.6	52.8	7.1	2.6	3.6	4.0	3.0	2.6
			1200 1299	8.0	(22.2)	69.7	520.3	54.3	7.0	3.2	3.9	4.3	2.8	2.8
			1100 1199	6.0	(16.7)	69.9	549.1	55.2	7.5	3.0	2.8	4.5	2.3	2.8
				36.0	(1.5)	70.7	525.7	57.3	7.4	2.7	3.9	4.0	3.0	2.8
			1600 1699	7.0	(43.8)	71.2	508.1	59.3	6.9	2.4	5.6	3.4	4.0	2.9
			1500 1599	1.0	(6.3)	72.1	574.4	73.0	8.0	3.2	5.0	4.0	4.0	2.0
			1400 1499	1.0	(6.3)	72.4	449.8	61.0	7.1	2.2	4.0	3.0	3.0	3.0
			1300 1399	3.0	(18.8)	69.2	539.1	52.0	7.2	3.3	3.7	3.3	3.0	3.0
			1200 1299	3.0	(18.8)	71.0	451.5	52.7	7.0	2.5	2.7	3.7	2.7	3.0
			1100 1199	1.0	(6.3)	69.3	426.0	44.0	5.8	2.6	3.0	4.0	2.0	2.0
				16.0	(0.7)	70.8	498.7	56.7	7.0	2.6	4.4	3.5	3.4	2.8
			1600 1699	2.0	(33.3)	71.6	481.4	55.0	7.2	1.9	5.5	3.5	4.0	3.0
			1500 1599	1.0	(16.7)	70.4	455.4	49.0	6.9	2.4	2.0	3.0	2.0	3.0
			1400 1499	1.0	(16.7)	69.7	572.4	61.0	7.8	4.1	4.0	4.0	3.0	3.0
			1300 1399	2.0	(33.3)	69.6	503.8	48.5	6.5	2.4	3.5	4.0	3.0	2.5
				6.0	(0.2)	70.4	499.7	52.8	7.0	2.5	4.0	3.7	3.2	2.8
			1800 1899	2.0	(5.9)	72.3	544.7	69.5	7.3	2.4	7.0	3.5	4.0	3.0
			1700 1799	6.0	(17.6)	71.0	546.8	59.7	7.4	2.4	5.2	3.3	4.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1600 1699	3.0	(8.8)	70.8	559.9	63.7	7.6	3.2	5.7	3.3	4.0	3.0
			1500 1599	2.0	(5.9)	70.6	625.9	65.5	8.2	3.2	5.5	3.5	4.0	3.0
			1400 1499	7.0	(20.6)	71.0	541.9	60.9	7.8	2.9	4.1	4.0	3.6	3.0
			1300 1399	8.0	(23.5)	69.7	565.1	56.4	7.8	3.5	3.9	4.0	3.0	3.0
			1200 1299	3.0	(8.8)	69.3	439.9	43.7	6.6	2.9	3.7	4.0	3.0	3.0
			1100 1199	2.0	(5.9)	67.7	524.7	40.5	6.7	3.0	2.0	5.0	2.0	3.0
			1000 1099	1.0	(2.9)	70.8	395.4	50.0	6.3	2.6	2.0	4.0	2.0	3.0
				34.0	(1.4)	70.4	540.6	57.6	7.5	3.0	4.4	3.8	3.4	3.0
			1800 1899	1.0	(1.5)	71.5	580.3	63.0	9.1	3.1	6.0	4.0	4.0	2.0
			1700 1799	1.0	(1.5)	71.0	553.2	56.0	8.5	2.7	5.0	3.0	4.0	3.0
			1600 1699	3.0	(4.5)	71.0	580.1	58.3	8.5	2.7	4.3	4.0	3.7	2.7
			1500 1599	6.0	(9.1)	70.3	586.5	60.8	7.9	3.4	3.8	3.7	3.2	2.8
			1400 1499	9.0	(13.6)	70.6	539.7	59.0	7.6	3.1	3.9	3.7	3.1	2.6
			1300 1399	21.0	(31.8)	69.0	557.5	51.2	7.5	3.5	3.2	3.8	2.8	2.6
			1200 1299	15.0	(22.7)	69.8	526.5	51.1	7.3	2.8	2.9	3.7	2.3	2.4
			1100 1199	7.0	(10.6)	68.5	551.0	46.0	7.6	3.4	2.4	4.0	2.0	2.6
			1000 1099	3.0	(4.5)	69.1	552.3	48.0	7.8	3.1	2.0	3.7	2.0	3.0
				66.0	(2.7)	69.6	551.0	53.0	7.6	3.2	3.3	3.8	2.7	2.6
			1900 1999	1.0	(6.3)	70.8	622.2	61.0	8.1	2.3	6.0	3.0	4.0	2.0
			1800 1899	2.0	(12.5)	72.0	532.0	67.5	8.0	3.0	5.5	3.5	4.0	2.5
			1600 1699	2.0	(12.5)	69.5	660.6	62.5	8.2	3.6	6.5	4.0	4.0	3.0
			1400 1499	6.0	(37.5)	70.2	541.3	56.2	7.3	2.8	4.3	3.7	3.2	3.0
			1300 1399	2.0	(12.5)	69.8	502.6	52.0	7.2	3.1	4.0	3.0	3.5	3.0
			1200 1299	3.0	(18.8)	69.2	497.1	47.7	6.7	2.9	3.3	4.3	2.7	3.0
				16.0	(0.7)	70.2	547.0	56.6	7.4	2.9	4.6	3.7	3.4	2.9
			1800 1899	1.0	(1.6)	73.2	420.8	65.0	6.3	1.7	7.0	4.0	4.0	3.0
			1700 1799	4.0	(6.3)	70.2	480.1	51.0	6.6	2.5	4.3	4.0	3.5	3.0
			1600 1699	6.0	(9.5)	70.8	491.9	55.5	6.2	1.9	3.8	4.0	3.3	2.5
			1500 1599	15.0	(23.8)	70.9	520.3	58.6	6.8	2.4	3.9	4.0	3.1	2.9
			1400 1499	10.0	(15.9)	70.2	508.6	54.8	6.7	2.7	3.5	4.0	2.9	2.9
			1300 1399	9.0	(14.3)	70.9	484.9	57.0	6.4	2.2	3.3	4.4	2.7	3.0
			1200 1299	8.0	(12.7)	69.7	442.7	46.0	5.9	2.3	2.8	4.1	2.3	2.5
			1100 1199	8.0	(12.7)	69.8	463.3	47.1	6.1	2.3	2.5	4.3	2.0	2.4
			1000 1099	2.0	(3.2)	69.2	456.6	48.5	5.0	2.3	2.0	5.0	2.0	3.0
				63.0	(2.6)	70.4	487.4	53.7	6.4	2.3	3.4	4.1	2.8	2.8
			1500 1599	1.0	(0.0)	70.9	526.6	61.0	6.8	2.6	4.0	4.0	3.0	3.0
			1700 1799	4.0	(7.0)	72.2	568.9	67.3	8.1	2.5	6.0	4.0	4.0	3.0
			1600 1699	3.0	(5.3)	70.7	597.7	61.0	8.6	3.2	5.3	4.0	3.7	3.0

					(%)		(kg)	(m ²)	(m)	(m)				
			1500 1599	8.0	(14.0)	70.7	580.5	62.8	7.8	3.1	4.8	3.9	3.6	3.0
			1400 1499	6.0	(10.5)	70.1	563.5	60.5	7.4	3.4	4.3	3.7	3.5	3.0
			1300 1399	10.0	(17.5)	70.0	447.1	49.2	6.1	2.4	3.3	4.2	2.5	2.8
			1200 1299	10.0	(17.5)	69.5	507.6	49.3	6.7	2.7	3.4	4.3	2.5	2.9
			1100 1199	14.0	(24.6)	69.6	500.4	50.4	6.6	2.7	2.6	4.4	2.1	3.0
			900 999	1.0	(1.8)	70.2	321.8	41.0	3.9	1.2	2.0	5.0	2.0	3.0
			800 899	1.0	(1.8)	70.0	244.5	33.0	3.5	1.0	2.0	4.0	1.0	2.0
				57.0	(2.3)	70.1	512.5	54.1	6.9	2.7	3.7	4.1	2.8	2.9
			1800 1899	1.0	(1.4)	72.2	522.2	70.0	6.3	2.1	7.0	4.0	4.0	3.0
			1700 1799	6.0	(8.7)	70.7	556.4	60.0	7.6	2.9	6.2	3.7	4.2	2.8
			1600 1699	8.0	(11.6)	70.7	564.3	62.8	7.7	3.2	5.6	3.9	3.9	2.8
			1500 1599	11.0	(15.9)	70.1	544.3	58.7	7.5	3.4	4.2	3.8	3.4	2.8
			1400 1499	8.0	(11.6)	70.3	542.0	56.5	7.3	2.8	4.0	4.0	3.1	2.9
			1300 1399	13.0	(18.8)	69.8	578.1	57.5	7.7	3.3	3.8	4.2	3.0	3.0
			1200 1299	13.0	(18.8)	69.2	560.1	54.7	7.4	3.5	3.0	4.2	2.2	2.8
			1100 1199	7.0	(10.1)	68.7	568.3	53.0	7.4	3.8	3.0	4.4	2.1	2.9
			1000 1099	2.0	(2.9)	69.2	601.4	60.0	7.3	3.7	2.5	4.5	2.0	3.0
				69.0	(2.8)	69.9	560.5	57.7	7.5	3.3	4.1	4.0	3.0	2.9
			1600 1699	3.0	(6.0)	69.3	581.9	51.3	7.6	2.9	5.0	3.0	4.0	3.0
			1500 1599	6.0	(12.0)	70.0	553.6	53.0	7.5	2.6	4.0	4.2	3.0	3.0
			1400 1499	4.0	(8.0)	71.7	536.6	63.3	8.3	3.1	4.0	4.0	3.0	3.0
			1300 1399	14.0	(28.0)	69.6	541.5	51.1	7.6	3.0	3.0	4.1	2.6	3.0
			1200 1299	12.0	(24.0)	69.6	537.0	54.4	7.0	3.1	2.7	4.0	2.6	2.8
			1100 1199	8.0	(16.0)	69.4	530.2	53.0	7.4	3.5	2.3	4.3	2.0	3.0
			1000 1099	3.0	(6.0)	70.1	451.4	49.3	6.4	2.5	2.0	5.0	2.0	3.0
				50.0	(2.1)	69.8	536.7	53.3	7.4	3.0	3.1	4.1	2.6	3.0
			2500	1.0	(0.0)	76.6	691.0	98.0	11.3	2.7	10.0	3.0	5.0	3.0
			2200 2299	1.0	(0.0)	72.0	626.0	75.0	8.3	3.3	9.0	4.0	5.0	3.0
			2100 2199	2.0	(0.1)	72.9	608.5	76.5	8.1	2.5	8.0	3.5	5.0	3.0
			2000 2099	6.0	(0.2)	70.6	572.9	58.5	7.9	2.7	6.8	3.5	4.5	3.0
			1900 1999	15.0	(0.6)	72.0	577.5	68.2	8.1	2.7	8.0	3.4	4.8	2.6
			1800 1899	41.0	(1.7)	71.6	566.7	65.6	7.9	2.8	6.7	3.5	4.3	2.6
			1700 1799	105.0	(4.3)	71.2	574.9	62.7	7.9	2.7	6.0	3.7	4.1	2.7
			1600 1699	232.0	(9.6)	70.6	563.4	58.6	7.8	2.8	4.8	3.8	3.6	2.8
			1500 1599	292.0	(12.0)	70.9	566.9	60.5	7.7	2.7	4.8	3.8	3.6	2.7
			1400 1499	422.0	(17.4)	70.6	550.8	57.5	7.6	2.8	4.1	3.8	3.2	2.6
			1300 1399	459.0	(18.9)	70.1	549.5	55.2	7.5	2.8	3.6	4.0	2.9	2.6
			1200 1299	411.0	(16.9)	69.7	541.5	52.5	7.2	2.8	3.2	4.1	2.6	2.6
			1100 1199	304.0	(12.5)	69.6	537.9	52.5	7.1	2.9	2.9	4.3	2.2	2.6
			1000 1099	105.0	(4.3)	69.3	505.9	48.3	6.6	2.7	2.5	4.4	2.0	2.4

