

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1800 1899	1.0	(0.3)	71.6	491.0	67.0	7.4	3.6	7.0	3.0	4.0	2.0
			1600 1699	4.0	(1.0)	72.5	548.8	69.5	8.7	3.2	7.0	3.8	4.3	2.5
			1500 1599	3.0	(0.8)	72.0	519.0	65.0	8.0	2.9	6.0	3.3	4.0	2.7
			1400 1499	42.0	(11.0)	71.4	496.0	58.6	7.9	2.9	5.0	3.9	3.7	2.7
			1300 1399	51.0	(13.3)	70.9	514.3	57.6	7.7	3.0	4.5	4.1	3.3	2.8
			1200 1299	111.0	(29.0)	70.4	495.1	53.7	7.4	3.1	3.7	4.2	2.9	2.7
			1100 1199	108.0	(28.2)	70.0	483.0	50.8	7.2	3.1	3.2	4.5	2.4	2.7
			1000 1099	46.0	(12.0)	69.8	462.0	49.6	6.9	3.1	2.9	4.3	2.1	2.7
			900 999	5.0	(1.3)	69.8	467.6	48.4	7.2	3.1	2.4	4.8	2.0	3.0
			800 899	6.0	(1.6)	69.7	404.8	40.5	5.8	2.0	2.2	4.8	2.0	4.0
			600 699	3.0	(0.8)	69.8	433.0	44.7	5.5	1.8	2.3	6.0	1.7	5.3
			500 599	3.0	(0.8)	69.8	349.0	37.7	5.0	1.6	3.0	5.0	2.0	4.7
				383.0	(11.1)	70.4	487.7	53.2	7.4	3.0	3.7	4.3	2.8	2.8
			1800 1899	1.0	(3.1)	74.0	537.0	74.0	8.1	1.9	8.0	4.0	5.0	2.0
			1700 1799	2.0	(6.3)	71.7	585.5	73.0	8.7	4.0	7.0	3.5	4.0	3.0
			1600 1699	2.0	(6.3)	73.1	501.5	70.0	7.9	2.6	6.5	4.0	4.0	3.0
			1500 1599	2.0	(6.3)	70.8	480.0	60.0	7.3	3.6	5.0	3.5	3.5	2.5
			1400 1499	2.0	(6.3)	69.7	552.0	58.5	7.8	4.0	6.0	4.5	4.0	2.5
			1300 1399	8.0	(25.0)	71.1	507.6	59.9	7.7	3.2	4.1	4.3	3.1	2.5
			1200 1299	3.0	(9.4)	71.6	479.0	63.7	6.8	2.9	3.3	4.3	3.0	2.7
			1100 1199	4.0	(12.5)	70.0	463.5	49.3	7.4	3.2	3.3	4.0	2.5	2.8
			1000 1099	3.0	(9.4)	69.6	520.7	55.7	7.3	3.7	3.0	4.3	2.0	2.7
			900 999	1.0	(3.1)	72.1	414.0	57.0	6.0	1.6	4.0	5.0	2.0	3.0
			600 699	4.0	(12.5)	68.5	336.8	30.0	4.4	1.6	2.3	5.0	2.0	4.0
				32.0	(0.9)	70.7	482.8	56.5	7.2	3.0	4.2	4.3	3.0	2.8
			1800 1899	1.0	(2.7)	72.1	477.0	62.0	7.8	2.9	7.0	4.0	4.0	2.0
			1700 1799	2.0	(5.4)	72.6	499.0	65.0	7.8	2.4	7.5	4.5	4.0	2.0
			1600 1699	4.0	(10.8)	72.9	509.0	72.8	7.5	2.9	6.0	3.5	4.0	2.5
			1500 1599	5.0	(13.5)	72.1	478.8	61.6	7.2	2.3	6.4	4.2	4.0	2.6
			1400 1499	9.0	(24.3)	70.6	497.8	56.1	7.4	3.1	5.3	4.1	3.8	2.7
			1300 1399	2.0	(5.4)	71.5	488.5	60.5	7.4	2.9	5.5	5.0	4.0	2.0
			1200 1299	7.0	(18.9)	70.8	491.4	57.3	7.2	3.0	3.3	4.4	2.7	2.6
			1100 1199	4.0	(10.8)	69.6	498.8	48.0	7.7	3.3	3.0	4.3	2.3	2.3
			1000 1099	2.0	(5.4)	69.1	451.0	46.5	6.3	3.2	2.5	3.5	2.0	2.0
			700 799	1.0	(2.7)	69.9	377.0	47.0	5.4	2.8	3.0	5.0	2.0	4.0
				37.0	(1.1)	71.1	488.5	58.1	7.3	2.9	4.9	4.2	3.4	2.5
			1800 1899	1.0	(1.0)	71.4	461.6	59.0	7.5	3.1	8.0	4.0	4.0	3.0
			1700 1799	5.0	(4.8)	72.8	564.2	70.0	8.8	2.8	7.8	3.4	4.8	2.8
			1600 1699	4.0	(3.8)	71.3	532.0	62.5	8.4	3.6	6.0	4.0	4.0	2.8
			1500 1599	7.0	(6.7)	71.3	520.6	58.7	8.0	2.8	5.4	3.9	3.9	2.9
			1400 1499	13.0	(12.4)	70.1	538.6	54.9	8.3	3.6	4.3	3.8	3.2	2.8
			1300 1399	5.0	(4.8)	69.5	622.7	60.2	8.8	4.1	4.2	4.2	3.2	2.6

					(%)		(kg)	(m2)	(m)	(m)				
			1200 1299	15.0	(14.3)	69.9	535.8	55.0	7.9	3.6	3.9	4.0	2.9	2.9
			1100 1199	21.0	(20.0)	70.1	507.1	52.4	7.8	3.3	3.9	4.1	2.8	2.8
			1000 1099	11.0	(10.5)	69.2	503.6	49.5	7.4	3.5	3.5	4.5	2.5	2.6
			900 999	3.0	(2.9)	70.3	453.7	47.0	7.5	2.8	4.3	4.0	2.7	2.7
			800 899	3.0	(2.9)	68.5	574.3	46.0	8.7	3.9	3.3	4.3	2.3	2.7
			700 799	5.0	(4.8)	69.4	404.5	40.0	6.0	2.4	2.2	4.8	2.0	3.0
			600 699	5.0	(4.8)	68.6	396.9	31.8	6.4	2.4	2.0	4.4	2.0	3.0
			500 599	4.0	(3.8)	69.0	403.8	34.5	6.2	2.1	2.0	4.8	2.3	3.8
			499	3.0	(2.9)	69.4	262.8	26.7	4.6	1.4	2.7	5.7	1.7	7.0
				105.0	(3.0)	70.0	503.7	51.5	7.7	3.2	4.0	4.2	2.9	3.0
			700 799	1.0	(0.0)	70.9	385.0	46.0	5.8	1.6	3.0	5.0	2.0	4.0
			1400 1499	4.0	(44.4)	71.2	486.8	61.8	6.9	3.0	4.0	4.0	3.0	3.0
			1300 1399	2.0	(22.2)	69.0	434.5	51.0	6.0	4.0	5.0	3.5	3.5	3.0
			1100 1199	2.0	(22.2)	69.9	457.5	45.5	6.8	2.4	3.0	4.0	2.0	2.5
			800 899	1.0	(11.1)	71.1	582.5	57.0	8.2	2.1	2.0	3.0	2.0	3.0
				9.0	(0.3)	70.4	479.3	55.2	6.8	3.0	3.8	3.8	2.8	2.9
			1800 1899	1.0	(0.4)	72.1	521.0	68.0	8.4	3.5	10.0	3.0	5.0	3.0
			1600 1699	13.0	(4.7)	71.6	489.3	58.4	8.0	2.9	6.6	3.8	4.2	2.5
			1500 1599	8.0	(2.9)	71.6	522.5	65.9	8.1	3.5	6.0	3.8	4.1	2.8
			1400 1499	12.0	(4.3)	70.9	507.2	60.3	7.5	3.4	5.8	3.8	3.9	2.6
			1300 1399	31.0	(11.2)	71.2	486.2	58.8	7.4	3.0	5.4	4.0	3.8	2.6
			1200 1299	100.0	(36.2)	70.6	486.0	55.9	7.4	3.3	4.2	4.2	3.3	2.6
			1100 1199	50.0	(18.1)	70.0	475.3	52.2	7.2	3.4	3.6	4.4	2.8	2.5
			1000 1099	45.0	(16.3)	70.0	460.0	52.0	7.0	3.4	3.0	4.5	2.3	2.6
			900 999	7.0	(2.5)	70.1	349.4	42.1	5.4	2.2	3.0	4.1	2.1	2.6
			700 799	1.0	(0.4)	69.1	419.5	40.0	6.6	2.8	3.0	5.0	2.0	5.0
			600 699	3.0	(1.1)	67.9	410.5	35.3	5.1	2.5	2.3	5.0	2.0	4.0
			500 599	1.0	(0.4)	68.6	429.5	42.0	5.9	3.0	2.0	6.0	2.0	5.0
			499	4.0	(1.4)	69.4	304.1	35.5	3.8	1.4	2.0	5.0	1.5	4.5
				276.0	(8.0)	70.5	474.7	54.6	7.2	3.2	4.2	4.2	3.1	2.6
			2100 2199	1.0	(0.4)	75.2	595.0	89.0	9.2	2.8	7.0	4.0	5.0	3.0
			1900 1999	1.0	(0.4)	71.6	454.0	61.0	7.3	3.2	8.0	4.0	5.0	3.0
			1800 1899	3.0	(1.2)	72.5	488.3	64.3	7.6	2.4	6.3	3.7	4.3	2.3
			1700 1799	15.0	(6.2)	71.7	481.4	59.5	7.6	2.8	6.3	3.8	4.1	2.5
			1600 1699	17.0	(7.0)	71.8	493.3	60.8	7.7	2.7	6.0	3.9	4.0	2.6
			1500 1599	28.0	(11.6)	71.5	495.2	59.7	7.9	3.1	5.1	3.8	3.8	2.6
			1400 1499	34.0	(14.0)	70.8	492.7	55.4	7.5	2.9	4.4	4.1	3.3	2.6
			1300 1399	44.0	(18.2)	70.8	498.9	56.9	7.5	3.0	4.1	4.1	3.2	2.6
			1200 1299	65.0	(26.9)	70.3	476.8	52.5	7.0	2.9	3.7	4.2	2.8	2.6
			1100 1199	27.0	(11.2)	70.3	453.8	51.6	7.0	3.1	3.2	4.3	2.4	2.6

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1000 1099	4.0	(1.7)	70.0	416.5	50.3	6.3	3.2	2.5	4.3	2.0	2.3
			900 999	2.0	(0.8)	70.5	380.0	42.0	5.7	1.5	2.5	4.5	2.0	3.5
			500 599	1.0	(0.4)	70.5	415.0	50.0	5.2	1.9	2.0	5.0	2.0	4.0
				242.0	(7.0)	70.8	482.5	55.6	7.3	2.9	4.3	4.1	3.2	2.6
			1800 1899	1.0	(0.5)	72.0	574.0	70.0	8.6	3.3	6.0	3.0	4.0	3.0
			1700 1799	7.0	(3.8)	71.9	523.6	62.9	8.3	3.0	5.7	4.0	4.0	2.9
			1600 1699	9.0	(4.9)	71.6	500.4	59.4	7.8	2.8	5.8	4.0	4.0	2.8
			1500 1599	8.0	(4.3)	71.2	471.1	57.9	7.3	2.9	5.5	4.0	3.8	2.8
			1400 1499	39.0	(21.2)	70.7	478.6	54.7	7.3	2.9	4.1	4.1	3.1	2.9
			1300 1399	31.0	(16.8)	70.4	500.8	55.0	7.5	3.2	4.2	4.0	3.3	2.8
			1200 1299	44.0	(23.9)	70.0	490.5	53.4	7.1	3.3	3.6	4.1	2.8	2.8
			1100 1199	26.0	(14.1)	69.7	458.4	49.6	6.7	3.2	3.1	4.4	2.2	2.6
			1000 1099	10.0	(5.4)	68.9	438.7	45.9	6.4	3.6	3.1	4.2	2.1	2.6
			700 799	4.0	(2.2)	70.0	238.5	28.0	4.5	1.1	2.3	4.3	2.0	2.5
			600 699	3.0	(1.6)	68.8	316.0	29.3	4.8	1.9	2.3	4.3	2.0	4.0
			500 599	2.0	(1.1)	69.6	293.5	33.5	4.2	1.4	2.0	5.0	1.5	3.0
				184.0	(5.3)	70.3	473.2	52.8	7.1	3.0	3.9	4.1	2.9	2.8
			2100 2199	2.0	(0.4)	73.0	526.0	82.0	7.6	3.8	10.0	3.0	5.0	2.0
			2000 2099	4.0	(0.9)	74.3	507.3	77.0	8.1	2.3	9.3	3.5	5.0	2.3
			1900 1999	4.0	(0.9)	72.8	536.5	72.3	7.7	2.7	6.8	3.3	4.3	2.0
			1800 1899	17.0	(3.8)	72.2	502.4	64.8	7.5	2.6	6.5	3.6	4.4	2.4
			1700 1799	35.0	(7.8)	72.1	507.3	64.4	7.5	2.5	5.7	3.8	4.1	2.3
			1600 1699	35.0	(7.8)	72.0	522.7	64.4	7.7	2.6	5.1	4.0	3.7	2.3
			1500 1599	69.0	(15.3)	71.3	514.3	60.4	7.4	2.7	4.5	3.9	3.6	2.3
			1400 1499	108.0	(23.9)	70.8	502.8	57.8	7.3	2.9	3.9	4.1	3.2	2.3
			1300 1399	77.0	(17.1)	70.1	484.9	52.9	7.0	3.1	3.6	4.1	2.8	2.5
			1200 1299	40.0	(8.9)	70.3	487.7	54.6	7.0	3.0	3.2	4.4	2.5	2.5
			1100 1199	28.0	(6.2)	69.8	479.1	50.4	7.0	3.1	2.8	4.4	2.2	2.4
			1000 1099	23.0	(5.1)	69.5	486.3	50.4	6.7	3.1	2.7	4.5	2.2	2.4
			900 999	5.0	(1.1)	69.7	442.1	49.6	6.3	3.2	2.8	4.6	2.2	2.6
			700 799	4.0	(0.9)	69.4	431.8	47.0	5.5	2.6	2.0	5.3	2.0	2.8
				451.0	(13.0)	70.9	498.9	57.8	7.2	2.9	4.1	4.1	3.2	2.4
			1700 1799	1.0	(3.2)	72.6	485.0	62.0	8.2	2.5	7.0	4.0	4.0	3.0
			1600 1699	1.0	(3.2)	70.3	555.0	63.0	8.4	4.3	6.0	5.0	4.0	2.0
			1500 1599	3.0	(9.7)	70.3	535.0	55.0	7.8	3.1	4.7	4.0	3.0	2.3
			1400 1499	7.0	(22.6)	70.2	519.4	56.7	7.3	3.3	4.9	4.3	3.6	2.3
			1300 1399	7.0	(22.6)	70.6	484.6	53.7	6.8	2.5	4.4	4.4	3.0	2.4
			1200 1299	4.0	(12.9)	71.0	507.8	56.3	7.6	2.9	4.0	4.8	2.8	3.0
			1100 1199	4.0	(12.9)	70.9	437.1	53.5	6.6	2.7	2.5	5.0	2.0	2.3
			900 999	2.0	(6.5)	70.7	350.0	45.5	5.5	2.1	2.0	5.0	2.0	2.0
			700 799	1.0	(3.2)	69.7	275.5	31.0	4.2	1.1	2.0	4.0	2.0	2.0
			500 599	1.0	(3.2)	68.8	296.5	27.0	3.1	0.5	2.0	5.0	2.0	4.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				31.0	(0.9)	70.5	475.0	53.3	6.9	2.7	4.1	4.5	2.9	2.5
			1900 1999	5.0	(1.2)	73.9	518.4	75.0	8.2	2.3	9.6	3.8	5.0	2.6
			1800 1899	13.0	(3.0)	72.6	516.5	69.2	7.7	2.7	7.7	3.5	4.6	2.7
			1700 1799	29.0	(6.7)	72.0	516.0	64.5	7.7	2.7	6.8	3.4	4.2	2.7
			1600 1699	38.0	(8.8)	71.4	518.8	61.3	7.7	2.8	6.2	3.7	4.1	2.7
			1500 1599	47.0	(10.9)	71.7	511.9	62.1	7.6	2.6	5.5	3.9	4.0	2.7
			1400 1499	67.0	(15.5)	70.8	520.2	59.0	7.7	3.1	4.8	3.9	3.5	2.8
			1300 1399	67.0	(15.5)	70.7	506.3	56.8	7.5	3.0	4.4	4.0	3.3	2.8
			1200 1299	86.0	(20.0)	70.3	493.3	53.4	7.3	3.1	3.8	4.2	3.0	2.7
			1100 1199	49.0	(11.4)	70.0	472.8	50.7	7.0	3.0	3.3	4.1	2.5	2.7
			1000 1099	23.0	(5.3)	69.4	472.6	48.3	6.9	3.3	2.8	4.3	2.0	2.8
			900 999	3.0	(0.7)	68.8	476.7	47.0	6.6	3.4	4.7	3.7	3.0	2.7
			800 899	1.0	(0.2)	67.5	487.0	38.0	6.2	3.2	2.0	3.0	2.0	3.0
			700 799	3.0	(0.7)	69.5	436.7	44.3	5.5	2.0	2.0	4.3	2.0	2.7
				431.0	(12.4)	70.8	502.3	57.2	7.4	2.9	4.7	3.9	3.4	2.8
			2100 2199	1.0	(2.1)	74.5	545.0	89.0	7.6	3.0	9.0	3.0	5.0	2.0
			1700 1799	4.0	(8.5)	73.1	509.3	68.5	7.3	1.9	7.3	4.0	4.8	2.5
			1600 1699	5.0	(10.6)	72.3	541.0	69.6	7.7	2.8	6.6	3.2	4.4	2.4
			1500 1599	3.0	(6.4)	71.1	544.0	68.3	7.0	3.3	5.7	3.3	4.0	3.0
			1400 1499	3.0	(6.4)	71.5	522.7	60.3	7.9	2.8	5.0	4.3	4.0	2.0
			1300 1399	10.0	(21.3)	70.5	497.8	56.2	7.1	2.9	3.7	3.7	3.2	2.6
			1200 1299	8.0	(17.0)	70.3	493.1	55.5	7.2	3.1	3.8	4.1	2.9	2.5
			1100 1199	10.0	(21.3)	69.9	469.3	50.6	6.5	2.9	3.0	4.0	2.1	2.8
			1000 1099	3.0	(6.4)	68.6	446.0	46.3	5.6	3.3	2.0	4.3	2.0	2.7
				47.0	(1.4)	70.8	498.7	58.5	7.0	2.9	4.4	3.9	3.2	2.6
			1400 1499	2.0	(4.2)	70.8	473.5	54.5	7.2	2.9	4.0	3.5	3.0	2.5
			1300 1399	5.0	(10.4)	70.5	451.5	49.6	7.1	2.7	4.2	3.6	3.2	2.6
			1200 1299	15.0	(31.3)	70.2	455.5	50.3	6.5	2.6	3.3	4.2	2.7	2.5
			1100 1199	17.0	(35.4)	70.4	461.5	50.9	6.7	2.5	2.5	4.1	2.1	2.5
			1000 1099	8.0	(16.7)	69.2	487.1	49.4	6.8	3.4	2.6	4.0	2.3	2.8
			900 999	1.0	(2.1)	70.8	389.0	47.0	6.1	2.1	3.0	4.0	2.0	3.0
				48.0	(1.4)	70.2	461.8	50.4	6.7	2.7	3.0	4.0	2.5	2.5
			1500 1599	5.0	(17.9)	71.3	493.4	61.0	7.3	3.0	5.6	3.6	3.6	2.6
			1400 1499	3.0	(10.7)	70.4	531.0	60.0	7.7	3.7	5.7	4.0	4.0	2.3
			1300 1399	6.0	(21.4)	71.3	501.4	58.2	7.2	2.5	4.2	3.5	3.2	2.5
			1200 1299	6.0	(21.4)	69.8	530.7	55.7	7.8	3.7	3.5	4.3	2.5	3.0
			1100 1199	5.0	(17.9)	69.8	484.9	53.6	7.1	3.6	2.4	4.0	2.0	2.6
			1000 1099	3.0	(10.7)	68.6	525.2	50.0	7.1	3.9	2.7	4.3	2.0	2.7
				28.0	(0.8)	70.3	509.0	56.6	7.4	3.3	4.0	3.9	2.9	2.6

					(%)		(kg)	(m ²)	(m)	(m)				
			1900 1999	1.0	(0.0)	70.6	404.8	52.0	6.2	2.9	8.0	3.0	5.0	3.0
			1800 1899	1.0	(1.8)	73.3	476.0	68.0	6.6	1.6	6.0	3.0	4.0	2.0
			1700 1799	12.0	(21.4)	70.8	437.7	52.8	6.6	2.7	4.4	4.0	3.3	2.4
			1600 1699	20.0	(35.7)	70.7	454.7	50.5	6.7	2.3	3.4	4.5	2.8	2.5
			1500 1599	5.0	(8.9)	70.0	450.8	44.2	6.8	2.2	3.2	4.6	2.4	2.6
			1400 1499	10.0	(17.9)	69.8	458.6	49.8	6.5	3.0	3.1	4.4	2.4	2.1
			1300 1399	3.0	(5.4)	69.5	441.0	48.3	6.6	3.4	3.0	4.7	2.0	2.7
			1200 1299	3.0	(5.4)	69.8	405.3	45.0	5.6	2.4	3.0	4.7	2.0	2.3
			1100 1199	2.0	(3.6)	67.6	474.5	40.5	6.9	4.2	3.0	4.0	2.0	3.0
				56.0	(1.6)	70.3	449.1	49.8	6.6	2.6	3.5	4.4	2.7	2.4
			1900 1999	1.0	(2.9)	71.9	448.8	69.0	7.3	4.1	9.0	4.0	5.0	3.0
			1800 1899	2.0	(5.7)	73.0	543.6	72.5	7.5	2.3	6.5	3.5	4.0	3.0
			1700 1799	14.0	(40.0)	70.6	520.1	59.9	7.6	3.4	5.1	3.9	3.6	2.9
			1600 1699	3.0	(8.6)	71.0	453.1	58.3	6.9	3.3	5.7	4.0	4.0	3.0
			1500 1599	3.0	(8.6)	70.7	557.1	61.0	8.4	3.7	4.7	4.0	3.7	3.0
			1400 1499	4.0	(11.4)	70.2	481.6	56.5	7.5	3.9	4.0	3.8	3.0	3.0
			1300 1399	4.0	(11.4)	69.5	485.3	48.0	6.8	2.9	3.8	4.0	3.0	3.0
			1200 1299	2.0	(5.7)	71.5	428.5	55.0	7.0	2.6	2.0	5.0	2.0	3.0
			1100 1199	1.0	(2.9)	66.7	588.0	49.0	8.2	5.8	3.0	4.0	2.0	3.0
			1000 1099	1.0	(2.9)	70.6	300.0	42.0	5.7	2.5	4.0	4.0	3.0	2.0
				35.0	(1.0)	70.6	498.9	58.0	7.4	3.4	4.7	3.9	3.4	2.9
			1900 1999	1.0	(1.1)	71.9	494.7	58.0	8.3	2.6	10.0	3.0	5.0	2.0
			1800 1899	2.0	(2.2)	71.8	493.9	58.0	7.3	2.0	6.5	3.5	4.0	2.0
			1600 1699	11.0	(11.8)	72.0	500.6	63.7	7.7	2.7	5.8	3.7	4.1	2.6
			1500 1599	16.0	(17.2)	71.3	492.6	58.0	7.4	2.7	5.2	3.7	3.6	2.8
			1400 1499	19.0	(20.4)	70.8	481.5	54.6	7.1	2.7	4.1	3.8	3.2	2.5
			1300 1399	10.0	(10.8)	70.4	517.7	56.5	7.3	3.0	3.6	4.1	2.6	3.0
			1200 1299	9.0	(9.7)	70.3	521.8	55.7	7.6	3.2	3.2	4.0	2.4	3.0
			1100 1199	12.0	(12.9)	69.5	503.9	51.5	7.1	3.3	2.8	4.7	2.2	2.9
			1000 1099	7.0	(7.5)	70.2	479.4	51.6	7.5	3.2	3.0	4.0	2.4	2.9
			900 999	4.0	(4.3)	70.2	430.1	50.8	6.4	3.0	2.8	4.5	2.0	3.0
			800 899	2.0	(2.2)	69.3	382.6	43.0	5.5	2.8	2.5	4.0	2.0	2.5
				93.0	(2.7)	70.7	492.3	55.6	7.3	2.9	4.1	4.0	3.0	2.8
			2100 2199	1.0	(1.0)	72.2	403.4	59.0	7.1	2.8	7.0	4.0	4.0	3.0
			1900 1999	3.0	(2.9)	72.4	435.9	68.3	6.6	3.1	6.7	3.3	4.3	3.0
			1800 1899	7.0	(6.7)	71.0	538.7	62.1	8.5	3.8	6.1	3.9	4.1	2.7
			1700 1799	6.0	(5.7)	71.6	502.5	62.2	7.8	3.0	5.7	3.8	4.0	3.0
			1600 1699	7.0	(6.7)	71.1	479.7	62.4	7.0	3.4	4.9	3.9	3.4	3.0
			1500 1599	19.0	(18.1)	70.1	508.7	55.6	7.6	3.5	4.1	3.8	3.1	2.8
			1400 1499	21.0	(20.0)	70.6	477.7	53.9	7.2	2.9	3.7	3.9	2.9	2.8
			1300 1399	19.0	(18.1)	70.0	469.4	51.9	7.0	3.2	3.5	4.2	2.7	2.9

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1200 1299	17.0	(16.2)	70.1	462.7	51.6	6.8	3.1	2.9	4.2	2.2	2.9
			1100 1199	2.0	(1.9)	69.3	477.0	46.5	6.8	2.9	2.0	4.5	2.0	3.0
			1000 1099	2.0	(1.9)	69.2	414.4	41.5	6.3	2.9	2.5	4.0	2.5	2.5
			500 599	1.0	(1.0)	68.7	397.8	36.0	5.6	2.3	2.0	6.0	2.0	2.0
				105.0	(3.0)	70.4	481.1	55.0	7.2	3.2	4.0	4.0	3.0	2.9
			800 899	1.0	(0.0)	68.4	461.0	46.0	5.9	3.4	2.0	5.0	2.0	3.0
			1700 1799	2.0	(28.6)	71.8	568.3	62.5	8.6	2.5	5.5	4.0	3.5	3.0
			1600 1699	3.0	(42.9)	70.6	532.7	52.3	8.4	2.8	3.0	4.0	3.0	3.0
			1300 1399	1.0	(14.3)	72.8	491.5	67.0	7.4	2.2	3.0	4.0	3.0	3.0
			700 799	1.0	(14.3)	62.3	667.6	46.0	7.7	8.7	3.0	5.0	2.0	3.0
				7.0	(0.2)	70.1	556.2	56.4	8.2	3.5	3.7	4.1	3.0	3.0
			1100 1199	2.0	(66.7)	70.3	474.3	52.0	7.3	3.1	2.0	5.0	2.0	2.0
			1000 1099	1.0	(33.3)	68.7	488.0	45.0	7.2	3.6	2.0	5.0	2.0	2.0
				3.0	(0.1)	69.8	478.9	49.7	7.3	3.3	2.0	5.0	2.0	2.0
			1300 1399	1.0	(11.1)	72.2	403.0	56.0	6.1	1.7	4.0	4.0	3.0	3.0
			1200 1299	5.0	(55.6)	70.3	417.3	47.2	6.9	2.9	3.0	4.6	2.6	3.0
			1100 1199	2.0	(22.2)	69.8	382.7	43.5	6.0	2.6	2.5	4.5	2.5	2.5
			800 899	1.0	(11.1)	71.8	376.2	50.0	5.9	1.4	2.0	5.0	2.0	2.0
				9.0	(0.3)	70.6	403.5	47.7	6.5	2.5	2.9	4.6	2.6	2.8
			2000 2099	1.0	(1.6)	70.4	550.0	59.0	8.9	4.1	6.0	3.0	5.0	3.0
			1900 1999	1.0	(1.6)	73.4	448.0	63.0	7.8	2.0	8.0	4.0	5.0	2.0
			1700 1799	3.0	(4.8)	70.4	488.3	55.3	7.0	3.0	5.0	4.0	3.7	2.0
			1600 1699	11.0	(17.7)	71.4	481.8	57.2	7.7	2.8	5.1	3.6	3.7	2.7
			1500 1599	8.0	(12.9)	70.7	467.6	53.9	7.0	2.8	4.1	4.0	3.1	2.9
			1400 1499	8.0	(12.9)	70.3	449.5	50.1	7.1	3.0	3.5	4.4	2.9	2.8
			1300 1399	9.0	(14.5)	70.2	507.9	57.6	7.5	3.7	3.3	4.2	2.7	2.4
			1200 1299	13.0	(21.0)	70.2	468.4	53.4	7.1	3.3	2.9	4.2	2.1	2.9
			1100 1199	7.0	(11.3)	69.9	443.5	50.3	6.8	3.3	2.7	4.6	2.0	2.7
			1000 1099	1.0	(1.6)	64.4	538.0	43.0	6.8	7.0	3.0	5.0	2.0	2.0
				62.0	(1.8)	70.4	474.2	54.1	7.2	3.2	3.8	4.1	2.9	2.7
			1400 1499	2.0	(28.6)	72.4	481.9	65.5	7.2	2.5	3.5	4.0	3.0	3.0
			1300 1399	3.0	(42.9)	69.5	508.5	52.3	7.0	3.2	2.0	4.3	2.0	3.0
			1200 1299	1.0	(14.3)	70.0	396.2	50.0	5.7	3.0	3.0	4.0	3.0	3.0
			1100 1199	1.0	(14.3)	67.8	556.4	44.0	7.1	3.5	2.0	4.0	2.0	4.0
				7.0	(0.2)	70.2	491.7	54.6	6.9	3.0	2.6	4.1	2.4	3.1
			1800 1899	2.0	(33.3)	73.7	540.6	72.0	8.1	1.9	7.0	4.0	4.0	3.0
			1700 1799	1.0	(16.7)	70.5	483.6	60.0	7.2	3.8	6.0	3.0	4.0	3.0
			1500 1599	1.0	(16.7)	70.1	495.2	56.0	7.9	4.0	6.0	3.0	4.0	3.0
			1400 1499	1.0	(16.7)	73.2	529.6	79.0	8.2	3.6	3.0	4.0	3.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1100 1199	1.0	(16.7)	71.5	362.8	50.0	6.2	2.1	2.0	5.0	2.0	3.0
				6.0	(0.2)	72.1	492.1	64.8	7.6	2.9	5.2	3.8	3.5	3.0
			2100 2199	1.0	(11.1)	73.9	553.4	82.0	9.3	3.6	9.0	4.0	5.0	3.0
			2000 2099	1.0	(11.1)	72.9	533.4	75.0	8.3	3.4	9.0	3.0	5.0	3.0
			1600 1699	1.0	(11.1)	72.1	481.6	65.0	7.3	2.8	4.0	4.0	3.0	3.0
			1400 1499	1.0	(11.1)	69.8	561.0	68.0	8.1	5.3	4.0	4.0	3.0	3.0
			1300 1399	4.0	(44.4)	70.6	505.7	62.0	7.4	3.8	3.8	4.0	3.0	2.3
			1100 1199	1.0	(11.1)	67.3	570.8	57.0	7.1	5.6	2.0	5.0	2.0	3.0
				9.0	(0.3)	70.9	524.8	66.1	7.7	4.0	4.8	4.0	3.3	2.7
			1800 1899	1.0	(2.5)	73.4	504.4	64.0	9.2	2.3	9.0	5.0	5.0	3.0
			1700 1799	1.0	(2.5)	74.9	442.6	71.0	7.9	1.6	5.0	4.0	4.0	3.0
			1500 1599	2.0	(5.0)	69.8	505.0	53.5	7.0	3.2	5.5	4.5	4.0	2.5
			1400 1499	3.0	(7.5)	71.0	438.1	56.0	7.1	3.2	4.0	4.0	3.3	3.0
			1300 1399	11.0	(27.5)	70.4	443.8	53.2	7.1	3.5	3.8	4.3	3.1	3.0
			1200 1299	13.0	(32.5)	70.5	444.9	54.7	7.0	3.4	3.6	4.5	2.8	2.7
			1100 1199	6.0	(15.0)	69.6	435.1	47.5	6.8	3.4	3.0	4.0	2.2	2.8
			1000 1099	2.0	(5.0)	69.3	367.8	43.0	5.3	2.9	2.5	4.5	2.5	3.0
			700 799	1.0	(2.5)	68.0	367.4	24.0	5.2	1.5	3.0	6.0	2.0	6.0
				40.0	(1.2)	70.4	441.3	52.5	7.0	3.2	3.8	4.4	2.9	2.9
			1800 1899	1.0	(1.2)	74.5	487.0	71.0	8.1	1.5	9.0	4.0	5.0	4.0
			1600 1699	9.0	(10.5)	70.9	497.6	56.8	7.7	3.1	5.4	3.9	4.0	2.4
			1500 1599	22.0	(25.6)	70.9	492.9	57.0	7.4	3.0	4.7	4.0	3.4	2.5
			1400 1499	16.0	(18.6)	70.5	488.6	53.9	7.5	3.1	4.0	4.3	2.8	2.5
			1300 1399	18.0	(20.9)	70.7	479.5	55.1	7.2	2.9	4.1	4.3	3.2	2.7
			1200 1299	14.0	(16.3)	69.9	474.4	51.3	7.3	3.4	3.4	4.5	2.4	2.5
			1100 1199	5.0	(5.8)	69.5	472.9	49.0	6.9	3.2	3.0	4.2	2.2	2.4
			1000 1099	1.0	(1.2)	70.2	447.0	42.0	7.2	2.0	2.0	4.0	2.0	3.0
				86.0	(2.5)	70.6	485.0	54.6	7.4	3.1	4.2	4.2	3.1	2.6
			1700 1799	1.0	(0.9)	71.5	453.0	64.0	7.3	3.8	9.0	4.0	5.0	3.0
			1600 1699	14.0	(12.0)	71.1	520.8	60.5	7.6	3.0	5.6	3.6	4.0	3.0
			1500 1599	13.0	(11.1)	71.1	462.7	54.0	7.6	2.8	5.2	3.7	4.0	2.8
			1400 1499	21.0	(17.9)	70.6	491.3	54.0	7.3	2.8	3.7	3.8	3.0	3.0
			1300 1399	45.0	(38.5)	70.1	475.5	49.6	7.5	3.1	3.3	3.7	3.0	2.9
			1200 1299	13.0	(11.1)	70.0	477.3	52.2	7.2	3.3	2.5	3.8	2.1	2.9
			1100 1199	10.0	(8.5)	70.0	457.0	47.6	7.0	2.8	2.5	4.0	2.0	3.0
				117.0	(3.4)	70.4	480.8	52.4	7.4	3.0	3.8	3.7	3.1	2.9
			1300 1399	2.0	(50.0)	69.5	482.0	53.5	6.3	3.4	4.0	4.0	3.0	3.0
			1100 1199	2.0	(50.0)	70.2	480.0	52.5	6.5	2.6	2.5	4.0	2.0	3.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
				4.0	(0.1)	69.8	481.0	53.0	6.4	3.0	3.3	4.0	2.5	3.0
			1800 1899	2.0	(6.1)	72.2	494.1	69.0	7.7	3.4	6.5	3.5	4.0	3.0
			1700 1799	5.0	(15.2)	72.1	532.0	68.8	8.1	3.3	6.0	4.0	4.0	3.0
			1600 1699	1.0	(3.0)	70.5	531.4	63.0	6.4	3.0	5.0	4.0	4.0	3.0
			1500 1599	3.0	(9.1)	70.0	520.9	58.7	7.8	4.0	5.0	4.0	3.7	3.0
			1400 1499	2.0	(6.1)	71.0	483.7	57.0	6.8	2.5	3.5	4.0	3.0	3.0
			1300 1399	13.0	(39.4)	69.7	466.7	51.6	7.0	3.6	3.5	4.1	3.0	3.0
			1200 1299	5.0	(15.2)	69.5	472.7	52.0	7.1	3.8	3.2	4.2	2.6	2.8
			1100 1199	2.0	(6.1)	71.5	365.3	58.0	6.3	3.4	3.0	4.0	2.0	3.0
				33.0	(1.0)	70.4	480.9	57.0	7.2	3.5	4.2	4.0	3.2	3.0
			1700 1799	2.0	(8.7)	71.1	532.9	62.5	7.8	3.2	5.5	3.5	4.0	3.0
			1600 1699	6.0	(26.1)	71.5	493.4	62.3	8.1	3.5	6.5	3.3	4.3	3.0
			1500 1599	2.0	(8.7)	71.0	555.4	60.0	7.8	2.6	4.5	4.0	3.5	3.0
			1400 1499	5.0	(21.7)	70.2	507.6	58.2	7.0	3.4	4.0	4.0	3.2	3.0
			1300 1399	2.0	(8.7)	68.2	543.8	52.5	7.3	4.7	3.0	4.0	3.0	3.0
			1200 1299	2.0	(8.7)	69.7	521.4	58.0	7.6	4.2	3.0	4.0	2.0	3.0
			1000 1099	1.0	(4.3)	67.5	521.6	40.0	7.4	3.9	4.0	4.0	3.0	3.0
			900 999	1.0	(4.3)	68.7	422.9	44.0	5.8	3.3	3.0	4.0	2.0	3.0
			800 899	1.0	(4.3)	70.1	473.4	54.0	6.2	2.8	2.0	6.0	2.0	3.0
			500 599	1.0	(4.3)	69.3	209.5	24.0	3.1	0.7	2.0	4.0	1.0	3.0
				23.0	(0.7)	70.2	497.1	56.2	7.3	3.4	4.4	3.9	3.3	3.0
			1400 1499	6.0	(60.0)	70.6	529.1	59.0	7.1	2.9	4.0	3.8	3.2	3.0
			1300 1399	3.0	(30.0)	71.3	488.8	60.3	7.5	3.0	3.7	4.0	3.0	3.0
			1200 1299	1.0	(10.0)	70.9	488.0	59.0	7.6	3.4	3.0	4.0	2.0	3.0
				10.0	(0.3)	70.8	512.9	59.4	7.3	3.0	3.8	3.9	3.0	3.0
			2000 2099	1.0	(1.0)	70.9	535.1	69.0	7.4	4.0	8.0	4.0	5.0	3.0
			1900 1999	1.0	(1.0)	72.6	499.5	70.0	7.8	3.1	7.0	4.0	4.0	3.0
			1800 1899	2.0	(1.9)	71.9	557.9	69.5	8.5	3.6	4.5	4.0	3.5	3.0
			1700 1799	19.0	(18.3)	70.1	499.2	55.2	7.1	3.3	3.9	4.1	3.0	3.0
			1600 1699	7.0	(6.7)	70.3	465.2	50.6	6.6	2.5	4.0	4.3	3.0	3.0
			1500 1599	10.0	(9.6)	71.1	476.2	57.3	7.0	2.7	4.0	4.0	3.2	2.8
			1400 1499	10.0	(9.6)	70.6	479.9	56.1	7.0	3.0	3.6	4.1	2.9	2.9
			1300 1399	14.0	(13.5)	70.1	483.1	53.9	6.7	3.0	3.1	4.1	2.5	2.9
			1200 1299	18.0	(17.3)	69.4	460.6	49.9	6.5	3.4	2.6	4.1	2.2	2.9
			1100 1199	10.0	(9.6)	69.7	438.9	51.1	6.3	3.4	3.0	4.7	2.1	2.9
			1000 1099	8.0	(7.7)	69.3	437.1	47.3	6.1	3.1	2.4	4.5	2.0	2.8
			900 999	1.0	(1.0)	70.6	346.5	42.0	5.8	1.9	3.0	4.0	2.0	3.0
			800 899	2.0	(1.9)	69.7	405.9	43.0	6.0	2.4	2.5	5.5	2.0	3.5
			700 799	1.0	(1.0)	70.1	252.4	36.0	4.1	1.7	2.0	5.0	2.0	3.0
				104.0	(3.0)	70.1	469.3	53.1	6.7	3.1	3.4	4.2	2.6	2.9

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1700 1799	1.0	(5.3)	70.8	565.8	72.0	7.0	3.9	8.0	4.0	5.0	3.0
			1400 1499	2.0	(10.5)	72.0	414.6	60.0	6.0	2.2	4.5	4.5	3.0	2.5
			1300 1399	5.0	(26.3)	71.5	421.7	54.6	6.4	2.2	3.8	4.0	2.6	2.6
			1200 1299	3.0	(15.8)	69.9	455.2	48.7	7.2	3.3	3.0	4.0	2.3	3.0
			1100 1199	6.0	(31.6)	69.3	439.9	47.3	6.5	3.3	2.5	4.7	2.2	2.8
			1000 1099	2.0	(10.5)	69.0	418.3	40.0	6.5	3.0	3.0	4.0	2.0	2.5
				19.0	(0.5)	70.3	439.2	51.3	6.5	2.9	3.5	4.3	2.5	2.7
			1700 1799	4.0	(2.0)	71.9	522.3	61.5	9.2	3.4	6.8	4.0	4.3	3.0
			1600 1699	5.0	(2.5)	71.4	499.1	60.8	7.5	2.9	6.0	4.0	4.2	3.2
			1500 1599	5.0	(2.5)	71.1	512.9	60.8	7.1	2.7	5.2	4.0	3.6	3.0
			1400 1499	13.0	(6.4)	71.0	478.2	56.4	7.5	2.9	4.7	4.1	3.4	3.0
			1300 1399	44.0	(21.8)	70.5	469.8	54.8	7.1	3.1	3.9	4.2	3.0	3.0
			1200 1299	61.0	(30.2)	70.5	478.6	54.1	7.1	3.0	3.6	4.3	2.8	2.9
			1100 1199	52.0	(25.7)	69.8	474.9	51.6	7.0	3.3	2.9	4.3	2.3	2.9
			1000 1099	17.0	(8.4)	69.6	428.5	48.6	6.0	3.0	2.5	4.6	2.0	2.9
			900 999	1.0	(0.5)	69.1	440.6	44.0	6.0	2.8	3.0	5.0	3.0	2.0
				202.0	(5.8)	70.3	473.5	53.7	7.0	3.1	3.6	4.3	2.8	2.9
			2500	2.0	(20.0)	71.5	552.1	65.5	8.2	3.3	8.0	4.0	5.0	3.0
			2000 2099	3.0	(30.0)	70.4	551.9	61.7	8.2	4.0	6.0	3.3	4.0	3.0
			1400 1499	1.0	(10.0)	68.0	540.8	55.0	5.8	4.0	2.0	4.0	2.0	2.0
			1000 1099	1.0	(10.0)	69.3	445.7	39.0	6.4	2.0	3.0	4.0	3.0	3.0
			900 999	3.0	(30.0)	69.3	496.8	47.7	6.0	2.3	2.3	4.0	2.0	3.0
				10.0	(0.3)	70.0	523.7	55.3	7.1	3.1	4.6	3.8	3.3	2.9
			1800 1899	1.0	(0.9)	70.5	443.0	48.0	8.7	3.7	8.0	3.0	5.0	3.0
			1700 1799	4.0	(3.6)	72.0	481.1	63.8	7.7	3.1	6.0	3.8	4.0	3.0
			1600 1699	8.0	(7.3)	71.1	518.8	60.1	7.7	3.1	4.9	4.0	3.6	3.1
			1500 1599	8.0	(7.3)	70.5	492.9	54.8	7.7	3.3	4.4	4.0	3.4	3.1
			1400 1499	24.0	(21.8)	71.2	516.9	61.5	7.8	3.2	3.9	4.1	3.1	3.0
			1300 1399	17.0	(15.5)	69.9	516.3	57.6	7.8	4.2	3.2	4.1	2.9	3.1
			1200 1299	21.0	(19.1)	71.0	489.6	57.6	7.5	3.1	2.8	4.0	2.1	3.1
			1100 1199	14.0	(12.7)	70.3	497.7	55.2	7.4	3.4	2.1	4.4	2.0	3.0
			1000 1099	1.0	(0.9)	69.3	427.2	48.0	5.1	2.6	2.0	4.0	2.0	3.0
			800 899	2.0	(1.8)	68.5	377.7	36.5	5.0	2.5	2.0	5.0	2.0	3.0
			700 799	3.0	(2.7)	69.6	439.3	45.0	6.3	2.6	2.3	4.7	2.0	3.7
			500 599	7.0	(6.4)	70.2	481.7	56.4	7.5	3.9	4.1	4.4	3.1	3.1
				110.0	(3.2)	70.6	497.9	57.4	7.5	3.3	3.5	4.1	2.8	3.1
			1300 1399	1.0	(12.5)	71.0	597.5	69.0	7.5	3.3	6.0	5.0	4.0	3.0
			1100 1199	3.0	(37.5)	70.1	525.3	58.3	6.6	3.0	3.0	4.7	2.3	2.3
			1000 1099	4.0	(50.0)	69.0	540.0	51.8	6.7	3.2	3.0	5.0	2.3	2.8

[illegible]

							(kg)	(m2)	(m)	(m)				
					(%)									
			1700 1799	5.0	(2.2)	71.7	544.8	59.4	8.7	2.7	6.2	3.2	4.2	2.8
			1600 1699	7.0	(3.1)	71.9	546.1	65.9	8.1	2.9	5.7	3.6	4.0	2.9
			1500 1599	14.0	(6.2)	71.0	560.7	60.4	8.4	3.1	5.6	3.9	3.9	2.9
			1400 1499	32.0	(14.2)	70.4	553.3	56.7	7.7	2.8	4.4	3.8	3.4	2.6
			1300 1399	53.0	(23.5)	70.3	553.4	55.2	7.7	2.8	3.9	3.8	3.1	2.8
			1200 1299	64.0	(28.3)	69.9	522.0	51.6	7.3	2.8	3.4	4.1	2.8	2.6
			1100 1199	30.0	(13.3)	69.5	516.4	49.6	7.1	3.0	2.8	4.3	2.3	2.7
			1000 1099	17.0	(7.5)	68.8	510.4	46.8	6.9	3.2	2.6	4.6	2.1	2.6
			900 999	3.0	(1.3)	67.0	549.0	45.3	6.8	4.4	2.3	5.0	2.0	3.0
			800 899	1.0	(0.4)	70.0	277.0	34.0	4.2	1.2	2.0	3.0	2.0	2.0
				226.0	(8.3)	70.1	535.1	53.5	7.5	2.9	3.8	4.0	2.9	2.7
			1700 1799	2.0	(5.0)	72.5	501.5	63.0	7.5	2.1	5.0	3.5	4.0	3.0
			1600 1699	5.0	(12.5)	71.5	552.0	64.2	8.3	3.1	5.6	3.8	3.8	2.6
			1500 1599	7.0	(17.5)	71.5	526.3	59.6	7.6	2.3	5.4	3.9	4.0	3.0
			1400 1499	1.0	(2.5)	72.3	507.0	65.0	6.8	1.9	5.0	4.0	4.0	2.0
			1300 1399	12.0	(30.0)	71.0	481.2	54.6	7.0	2.3	3.6	4.2	2.9	2.8
			1200 1299	10.0	(25.0)	70.3	518.9	52.9	7.4	2.7	3.2	4.1	2.7	2.7
			1100 1199	3.0	(7.5)	69.6	484.0	45.7	7.0	2.6	3.0	4.3	2.3	2.3
				40.0	(1.5)	71.0	509.2	56.3	7.4	2.5	4.1	4.0	3.2	2.7
			1400 1499	1.0	(20.0)	69.3	613.0	55.0	8.5	3.6	7.0	4.0	4.0	3.0
			1300 1399	1.0	(20.0)	71.8	540.0	66.0	8.5	3.4	3.0	5.0	3.0	2.0
			1200 1299	1.0	(20.0)	70.5	594.0	57.0	7.9	2.4	4.0	4.0	3.0	3.0
			1100 1199	2.0	(40.0)	67.2	527.0	44.5	6.8	4.4	2.0	4.5	2.0	2.0
				5.0	(0.2)	69.2	560.2	53.4	7.7	3.6	3.6	4.4	2.8	2.4
			1700 1799	1.0	(1.3)	69.3	574.9	55.0	8.6	4.2	5.0	4.0	4.0	2.0
			1600 1699	5.0	(6.4)	71.7	572.8	62.4	8.9	2.9	6.4	3.8	4.0	2.2
			1500 1599	22.0	(28.2)	70.4	578.7	56.5	8.6	3.1	4.8	3.4	3.6	2.8
			1400 1499	18.0	(23.1)	69.6	584.9	51.6	8.5	3.2	4.6	3.5	3.6	2.6
			1300 1399	19.0	(24.4)	70.7	560.3	55.7	8.7	3.0	4.2	3.7	3.3	2.6
			1200 1299	5.0	(6.4)	69.6	564.5	50.6	8.4	3.3	3.6	4.0	2.8	2.2
			1100 1199	5.0	(6.4)	69.2	513.5	45.6	7.1	2.7	3.0	4.4	2.2	2.6
			1000 1099	3.0	(3.8)	69.2	508.5	46.0	7.0	2.8	2.7	4.0	2.0	2.7
				78.0	(2.9)	70.2	567.4	54.1	8.5	3.1	4.4	3.7	3.3	2.6
			1500 1599	3.0	(13.0)	72.3	527.0	66.3	7.9	2.7	5.7	3.7	4.0	2.3
			1400 1499	1.0	(4.3)	71.0	604.0	66.0	8.7	3.5	5.0	3.0	4.0	3.0
			1300 1399	2.0	(8.7)	69.4	521.5	51.0	7.3	3.3	4.5	4.0	3.5	3.0
			1200 1299	8.0	(34.8)	69.9	526.9	51.5	7.4	2.8	3.6	4.1	3.0	2.3
			1100 1199	2.0	(8.7)	69.5	569.0	52.5	7.6	3.0	3.0	4.5	2.5	2.0
			1000 1099	7.0	(30.4)	69.6	473.1	44.6	6.7	2.4	2.6	4.6	2.1	2.4
				23.0	(0.8)	70.1	517.1	52.0	7.3	2.8	3.7	4.2	2.9	2.4

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2000 2099	1.0	(0.5)	72.8	652.0	80.0	9.1	3.2	8.0	3.0	5.0	2.0
			1800 1899	2.0	(0.9)	71.5	550.5	56.5	7.8	1.6	7.5	3.0	4.5	2.5
			1700 1799	12.0	(5.7)	71.5	547.0	61.8	8.0	2.6	5.9	3.5	4.0	2.8
			1600 1699	10.0	(4.7)	71.0	507.4	54.7	7.7	2.6	5.3	3.7	3.9	2.7
			1500 1599	23.0	(10.9)	71.1	554.1	58.3	8.1	2.6	4.7	3.7	3.7	2.7
			1400 1499	48.0	(22.7)	70.4	548.1	55.7	7.8	2.9	3.9	3.8	3.2	2.7
			1300 1399	47.0	(22.3)	70.3	566.8	56.2	7.7	2.7	3.7	4.0	3.0	2.6
			1200 1299	37.0	(17.5)	69.8	538.1	53.4	7.2	2.8	2.9	4.1	2.4	2.6
			1100 1199	29.0	(13.7)	69.1	531.5	50.0	7.1	3.1	2.7	4.4	2.1	2.6
			1000 1099	1.0	(0.5)	68.8	407.0	37.0	5.1	1.9	2.0	5.0	2.0	2.0
			600 699	1.0	(0.5)	69.8	331.0	38.0	4.6	1.6	2.0	5.0	2.0	2.0
				211.0	(7.8)	70.3	545.7	55.2	7.6	2.8	3.8	4.0	3.0	2.6
			2100 2199	1.0	(0.2)	72.1	620.0	69.0	8.4	2.3	7.0	4.0	4.0	2.0
			2000 2099	1.0	(0.2)	72.6	642.0	80.0	8.5	3.2	8.0	4.0	5.0	3.0
			1900 1999	4.0	(0.8)	72.3	620.3	72.8	8.3	2.5	9.3	4.0	4.8	3.0
			1800 1899	10.0	(2.0)	71.6	630.5	67.2	8.7	2.7	6.6	3.4	4.4	2.5
			1700 1799	22.0	(4.4)	71.1	605.5	65.0	8.3	3.0	6.2	4.0	4.1	2.5
			1600 1699	56.0	(11.2)	71.2	597.2	64.0	8.2	2.8	5.6	3.7	3.9	2.6
			1500 1599	61.0	(12.2)	70.8	610.6	62.8	8.1	2.8	4.9	3.9	3.6	2.5
			1400 1499	88.0	(17.7)	70.4	586.0	58.4	8.0	2.8	4.0	4.0	3.2	2.5
			1300 1399	107.0	(21.5)	70.1	588.2	58.2	7.8	3.0	3.9	4.2	3.0	2.6
			1200 1299	87.0	(17.5)	69.6	580.4	54.2	7.6	3.0	3.4	4.2	2.6	2.5
			1100 1199	42.0	(8.4)	69.4	570.2	52.5	7.4	2.9	2.6	4.6	2.0	2.5
			1000 1099	12.0	(2.4)	68.5	567.8	51.8	7.1	3.6	3.1	4.4	2.2	2.6
			900 999	1.0	(0.2)	68.7	332.0	29.0	4.2	1.2	2.0	4.0	2.0	2.0
			700 799	4.0	(0.8)	69.8	255.5	29.5	4.2	1.1	2.0	4.0	2.0	2.0
			600 699	2.0	(0.4)	69.0	311.3	31.0	4.1	1.4	2.0	5.0	2.0	2.0
				498.0	(18.3)	70.3	585.9	58.4	7.8	2.9	4.2	4.1	3.1	2.5
			2000 2099	2.0	(0.9)	73.8	571.5	76.5	8.2	2.0	9.5	3.0	5.0	2.0
			1900 1999	2.0	(0.9)	71.3	632.5	66.0	8.5	2.8	6.0	3.5	5.0	2.0
			1800 1899	8.0	(3.6)	73.2	580.5	73.4	8.6	2.4	7.6	3.5	4.5	2.3
			1700 1799	11.0	(5.0)	71.0	569.6	58.3	8.4	2.7	5.8	3.5	4.2	2.3
			1600 1699	26.0	(11.7)	71.2	557.4	61.9	7.7	2.6	4.7	3.7	3.9	2.2
			1500 1599	44.0	(19.8)	70.8	549.5	58.6	7.7	2.7	4.4	3.9	3.6	2.2
			1400 1499	51.0	(23.0)	70.7	537.8	57.1	7.3	2.5	3.7	4.1	3.1	2.3
			1300 1399	35.0	(15.8)	70.1	531.2	54.1	7.2	2.7	3.8	4.2	3.0	2.3
			1200 1299	20.0	(9.0)	70.2	531.4	53.0	7.2	2.5	3.1	4.2	2.7	2.5
			1100 1199	11.0	(5.0)	70.0	510.5	53.0	6.6	2.5	2.5	4.6	2.1	2.3
			1000 1099	9.0	(4.1)	68.9	511.9	48.6	6.4	2.9	2.6	4.6	2.1	2.7
			900 999	1.0	(0.5)	68.9	394.0	33.0	5.7	1.7	2.0	5.0	2.0	2.0
			700 799	1.0	(0.5)	71.6	352.5	53.0	4.6	1.4	2.0	5.0	2.0	3.0
			500 599	1.0	(0.5)	67.6	322.0	22.0	3.7	1.2	3.0	5.0	2.0	2.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
				222.0	(8.2)	70.7	540.2	57.2	7.4	2.6	4.1	4.0	3.3	2.3
			2100 2199	2.0	(4.9)	72.1	552.3	65.0	8.6	2.9	9.5	3.0	5.0	3.0
			1900 1999	2.0	(4.9)	72.4	605.0	70.0	9.4	3.0	7.5	3.5	4.5	3.0
			1800 1899	1.0	(2.4)	70.7	591.5	63.0	8.3	3.3	8.0	4.0	5.0	3.0
			1600 1699	2.0	(4.9)	69.5	542.5	56.5	7.5	3.8	8.5	4.0	5.0	3.0
			1500 1599	4.0	(9.8)	70.7	571.1	65.8	7.6	3.6	5.5	3.8	3.8	3.0
			1400 1499	8.0	(19.5)	70.6	545.3	58.3	7.9	3.2	4.5	4.5	3.4	2.6
			1300 1399	11.0	(26.8)	70.1	533.6	54.4	7.6	3.1	3.8	4.7	2.7	2.6
			1200 1299	6.0	(14.6)	69.6	465.0	49.0	6.6	3.0	3.0	4.7	2.3	2.3
			1100 1199	4.0	(9.8)	69.2	370.3	38.5	5.8	2.7	2.0	4.8	2.0	2.0
			1000 1099	1.0	(2.4)	70.4	329.5	43.0	5.1	2.0	2.0	4.0	2.0	2.0
				41.0	(1.5)	70.3	514.8	55.2	7.4	3.1	4.6	4.4	3.2	2.6
			2000 2099	1.0	(0.3)	72.0	645.0	70.0	9.0	2.6	7.0	4.0	4.0	3.0
			1900 1999	1.0	(0.3)	72.5	537.0	63.0	7.7	1.6	5.0	4.0	4.0	2.0
			1800 1899	10.0	(3.4)	70.8	599.4	61.3	8.1	2.7	6.2	3.9	3.9	2.7
			1700 1799	13.0	(4.4)	71.3	595.2	64.0	8.1	2.6	6.7	3.8	4.4	2.8
			1600 1699	25.0	(8.5)	70.8	591.4	61.7	8.1	2.8	6.0	3.9	4.0	2.6
			1500 1599	55.0	(18.7)	70.5	576.5	59.1	7.8	2.8	5.3	3.9	3.7	2.7
			1400 1499	46.0	(15.6)	70.3	561.5	56.0	7.6	2.7	4.4	4.1	3.3	2.8
			1300 1399	58.0	(19.7)	70.2	560.9	56.6	7.4	2.8	4.1	4.2	3.1	2.7
			1200 1299	42.0	(14.3)	69.6	562.5	53.7	7.5	3.0	3.4	4.2	2.7	2.8
			1100 1199	32.0	(10.9)	69.4	537.0	51.1	6.9	2.7	3.0	4.3	2.3	2.8
			1000 1099	11.0	(3.7)	69.8	503.9	50.3	6.8	2.6	2.8	4.2	2.0	2.6
				294.0	(10.8)	70.2	565.0	56.7	7.6	2.8	4.5	4.1	3.2	2.7
			1700 1799	1.0	(11.1)	71.0	567.0	59.0	8.2	2.8	7.0	5.0	4.0	2.0
			1600 1699	1.0	(11.1)	73.1	693.0	85.0	8.5	2.6	7.0	4.0	4.0	3.0
			1400 1499	1.0	(11.1)	72.3	483.0	63.0	7.3	2.4	5.0	5.0	3.0	3.0
			1200 1299	1.0	(11.1)	68.7	597.0	55.0	8.5	4.5	4.0	4.0	3.0	3.0
			1100 1199	2.0	(22.2)	70.8	438.0	48.5	6.3	1.6	3.0	4.0	2.0	2.0
			1000 1099	1.0	(11.1)	68.8	302.0	28.0	4.5	1.5	2.0	6.0	2.0	2.0
			900 999	2.0	(22.2)	69.1	436.0	41.0	5.3	1.9	2.0	5.5	2.0	2.0
				9.0	(0.3)	70.4	487.8	52.1	6.7	2.3	3.9	4.8	2.7	2.3
			1400 1499	3.0	(5.4)	70.2	542.3	52.3	7.1	2.2	3.7	3.7	3.0	2.0
			1300 1399	13.0	(23.2)	70.0	506.5	49.9	6.9	2.4	3.8	4.2	3.1	2.4
			1200 1299	15.0	(26.8)	70.0	503.1	50.3	6.8	2.4	3.2	4.2	2.6	2.6
			1100 1199	21.0	(37.5)	69.4	497.8	46.6	6.4	2.3	2.8	4.3	2.2	2.5
			1000 1099	1.0	(1.8)	70.2	516.0	57.0	6.6	2.8	2.0	5.0	2.0	2.0
			900 999	1.0	(1.8)	70.3	374.0	42.0	4.9	1.2	2.0	4.0	2.0	2.0
			800 899	2.0	(3.6)	69.7	285.5	31.5	3.9	0.9	2.0	4.5	1.5	2.5

					(%)		(kg)	(m2)	(m)	(m)				
				56.0	(2.1)	69.8	494.2	48.2	6.6	2.3	3.1	4.3	2.5	2.4
			1700 1799	1.0	(4.5)	70.5	497.5	52.0	7.6	2.8	8.0	4.0	5.0	2.0
			1600 1699	1.0	(4.5)	71.2	500.0	62.0	7.1	3.0	7.0	3.0	4.0	2.0
			1500 1599	3.0	(13.6)	70.9	500.8	58.3	7.5	3.2	5.3	3.3	4.0	2.0
			1400 1499	4.0	(18.2)	70.0	564.3	56.8	7.4	2.9	6.0	3.3	4.3	2.3
			1300 1399	4.0	(18.2)	70.2	536.3	55.8	7.0	2.7	4.3	3.5	3.0	2.5
			1200 1299	4.0	(18.2)	69.2	532.1	52.8	7.4	3.6	3.8	3.8	2.8	2.3
			1100 1199	3.0	(13.6)	69.4	477.5	46.7	6.2	2.4	2.7	4.3	2.0	2.0
			1000 1099	2.0	(9.1)	68.0	603.3	46.0	7.5	3.0	2.5	3.5	2.0	2.5
				22.0	(0.8)	69.8	530.4	53.7	7.2	3.0	4.5	3.6	3.2	2.2
			1500 1599	1.0	(0.0)	71.8	458.6	54.0	7.2	1.8	5.0	4.0	3.0	2.0
			1600 1699	1.0	(50.0)	69.6	485.0	40.0	6.5	1.5	2.0	5.0	2.0	2.0
			1300 1399	1.0	(50.0)	71.0	572.0	55.0	7.5	1.6	3.0	4.0	3.0	2.0
				2.0	(0.1)	70.3	528.5	47.5	7.0	1.6	2.5	4.5	2.5	2.0
			1700 1799	13.0	(50.0)	69.3	556.8	52.4	7.4	3.2	4.0	4.0	3.3	3.0
			1600 1699	1.0	(3.8)	70.3	486.0	49.0	7.2	2.4	5.0	3.0	4.0	3.0
			1400 1499	2.0	(7.7)	70.0	597.9	64.5	8.2	4.1	4.0	4.0	3.0	3.0
			1300 1399	4.0	(15.4)	70.0	517.5	54.3	7.3	3.0	3.5	4.0	3.0	2.8
			1200 1299	1.0	(3.8)	70.8	532.0	57.0	6.5	1.9	2.0	5.0	2.0	3.0
			1100 1199	2.0	(7.7)	67.9	470.0	42.0	5.8	3.3	2.0	3.0	2.0	2.5
			1000 1099	1.0	(3.8)	70.0	319.0	41.0	4.3	1.7	2.0	4.0	2.0	3.0
			900 999	1.0	(3.8)	71.3	346.0	47.0	5.3	1.5	2.0	4.0	2.0	3.0
			800 899	1.0	(3.8)	70.3	300.5	39.0	4.3	1.4	2.0	4.0	2.0	3.0
				26.0	(1.0)	69.6	516.4	51.7	7.0	3.0	3.5	3.9	3.0	2.9
			1300 1399	1.0	(0.0)	71.2	470.4	57.0	6.7	2.4	2.0	5.0	2.0	2.0
			1800 1899	2.0	(1.5)	73.8	641.5	83.0	9.6	2.9	8.0	3.0	5.0	2.5
			1700 1799	3.0	(2.2)	73.2	544.4	70.0	8.2	2.2	7.0	3.7	4.0	2.3
			1600 1699	14.0	(10.2)	71.5	530.5	61.9	7.4	2.4	6.4	3.3	4.1	2.7
			1500 1599	22.0	(16.1)	71.3	534.4	59.7	7.4	2.3	4.5	3.6	3.2	2.9
			1400 1499	26.0	(19.0)	70.4	537.7	54.9	7.4	2.6	3.8	3.6	3.1	2.5
			1300 1399	38.0	(27.7)	70.0	545.4	54.3	7.5	2.8	3.5	3.9	2.9	2.6
			1200 1299	12.0	(8.8)	69.9	530.7	54.6	7.0	2.9	2.8	3.9	2.3	2.7
			1100 1199	12.0	(8.8)	69.7	536.4	51.9	7.3	2.9	2.7	4.2	2.3	2.8
			1000 1099	1.0	(0.7)	71.2	479.6	56.0	6.1	1.7	3.0	5.0	2.0	3.0
			900 999	5.0	(3.6)	69.6	463.9	43.6	6.1	1.9	2.4	4.2	2.0	2.4
			800 899	2.0	(1.5)	69.2	310.1	31.5	4.5	1.5	2.5	4.0	2.0	2.5
				137.0	(5.0)	70.5	533.1	55.9	7.3	2.6	4.0	3.8	3.0	2.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2000 2099	2.0	(1.2)	71.2	493.1	56.5	7.5	2.5	7.5	3.5	4.5	3.0
			1900 1999	2.0	(1.2)	71.1	585.0	65.5	8.8	3.6	6.5	3.0	4.5	2.5
			1800 1899	7.0	(4.3)	71.5	559.5	63.0	8.2	2.8	6.4	3.7	4.3	3.0
			1700 1799	13.0	(8.0)	71.3	540.6	63.0	8.0	3.1	6.2	3.8	4.1	2.9
			1600 1699	17.0	(10.5)	71.3	533.1	61.0	7.8	2.8	5.6	3.9	3.9	2.9
			1500 1599	27.0	(16.7)	70.6	533.7	58.1	7.3	2.7	4.5	3.7	3.4	2.9
			1400 1499	30.0	(18.5)	69.9	539.1	54.0	7.3	2.9	4.1	3.7	3.2	2.8
			1300 1399	32.0	(19.8)	70.2	512.1	53.8	7.1	2.8	3.5	3.9	2.7	2.8
			1200 1299	19.0	(11.7)	69.7	507.8	52.8	7.0	3.1	2.9	4.2	2.5	2.9
			1100 1199	9.0	(5.6)	68.7	478.8	45.7	6.3	3.0	3.1	3.9	2.2	2.9
			1000 1099	2.0	(1.2)	70.8	406.9	43.0	6.6	1.6	3.5	4.5	2.5	2.5
			900 999	1.0	(0.6)	69.9	434.0	47.0	5.7	2.1	2.0	5.0	2.0	2.0
			800 899	1.0	(0.6)	69.7	334.8	32.0	5.4	1.4	2.0	4.0	2.0	2.0
				162.0	(6.0)	70.4	522.7	55.7	7.3	2.9	4.3	3.9	3.2	2.9
			1700 1799	4.0	(5.7)	71.3	561.9	56.8	8.4	2.3	5.0	4.0	3.8	3.0
			1600 1699	56.0	(80.0)	69.5	565.3	52.4	7.9	3.2	2.6	4.1	2.5	2.9
			1500 1599	2.0	(2.9)	69.3	526.0	49.5	7.3	3.1	3.0	4.0	2.5	3.0
			1400 1499	2.0	(2.9)	70.3	565.4	57.0	7.6	2.8	3.5	4.5	2.5	2.0
			1300 1399	4.0	(5.7)	69.6	552.3	53.8	6.8	2.6	3.5	4.3	3.0	2.5
			1200 1299	1.0	(1.4)	70.1	628.3	57.0	8.7	3.0	3.0	4.0	2.0	3.0
			1100 1199	1.0	(1.4)	71.0	506.0	54.0	7.3	2.1	2.0	4.0	2.0	3.0
				70.0	(2.6)	69.7	563.3	52.9	7.9	3.1	2.9	4.1	2.6	2.9
			1100 1199	1.0	(0.0)	69.2	465.9	45.0	6.1	2.5	2.0	5.0	2.0	2.0
			1200 1299	5.0	(55.6)	70.4	484.1	54.8	6.7	2.8	3.4	3.6	2.6	3.0
			1100 1199	4.0	(44.4)	69.3	451.1	45.3	6.3	2.8	2.3	4.3	2.0	2.8
				9.0	(0.3)	69.9	469.4	50.6	6.5	2.8	2.9	3.9	2.3	2.9
			1600 1699	1.0	(33.3)	70.4	484.6	52.0	7.1	2.6	5.0	4.0	4.0	3.0
			1400 1499	1.0	(33.3)	70.9	507.0	52.0	7.8	2.3	4.0	5.0	3.0	3.0
			1100 1199	1.0	(33.3)	68.6	476.0	38.0	6.3	2.2	3.0	5.0	2.0	2.0
				3.0	(0.1)	70.0	489.2	47.3	7.1	2.4	4.0	4.7	3.0	2.7
			1400 1499	1.0	(20.0)	69.1	450.0	48.0	6.1	3.2	3.0	4.0	3.0	3.0
			1300 1399	4.0	(80.0)	69.4	489.7	46.0	6.6	2.5	2.0	4.0	2.0	2.8
				5.0	(0.2)	69.3	481.8	46.4	6.5	2.6	2.2	4.0	2.2	2.8
			1800 1899	1.0	(5.6)	71.7	593.6	65.0	8.3	2.5	7.0	3.0	4.0	3.0
			1700 1799	5.0	(27.8)	71.2	524.5	62.0	7.4	2.9	5.6	3.6	3.8	3.0
			1600 1699	2.0	(11.1)	70.5	615.7	68.0	8.2	3.9	5.5	3.5	4.0	3.0
			1500 1599	4.0	(22.2)	69.6	572.4	55.0	7.9	3.3	5.0	3.8	3.5	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1400 1499	2.0	(11.1)	70.8	532.0	61.5	7.4	3.1	4.5	3.5	3.5	3.0
			1300 1399	4.0	(22.2)	70.3	534.3	59.3	7.5	3.5	3.3	3.8	2.8	2.8
				18.0	(0.7)	70.5	552.1	60.6	7.7	3.2	4.9	3.6	3.5	2.9
			1700 1799	1.0	(1.5)	72.5	549.4	61.0	9.2	2.2	6.0	4.0	4.0	3.0
			1600 1699	8.0	(12.1)	71.7	583.5	65.3	8.1	2.6	6.3	3.9	4.0	2.9
			1500 1599	15.0	(22.7)	70.8	544.0	57.8	7.7	2.6	4.4	4.0	3.4	2.7
			1400 1499	9.0	(13.6)	70.3	534.7	55.2	7.3	2.7	4.0	3.9	3.2	2.7
			1300 1399	12.0	(18.2)	70.2	511.3	50.9	7.4	2.6	3.8	3.8	2.9	2.8
			1200 1299	6.0	(9.1)	69.7	529.8	54.0	7.3	3.3	2.8	4.5	2.5	2.7
			1100 1199	12.0	(18.2)	69.5	526.5	50.5	6.8	2.6	2.5	4.4	2.1	2.4
			1000 1099	3.0	(4.5)	70.5	446.1	48.0	5.9	1.6	2.0	5.0	2.0	3.3
				66.0	(2.4)	70.4	532.7	55.0	7.4	2.6	3.9	4.1	3.0	2.7
			1700 1799	3.0	(11.5)	72.0	523.7	59.7	8.0	2.1	5.0	4.0	3.7	3.3
			1600 1699	1.0	(3.8)	70.2	513.0	51.0	8.4	3.3	5.0	4.0	4.0	3.0
			1500 1599	5.0	(19.2)	70.4	549.5	57.8	7.8	3.1	3.8	3.8	3.2	2.6
			1400 1499	3.0	(11.5)	70.9	568.0	61.3	8.3	3.1	4.0	4.0	3.0	3.0
			1300 1399	4.0	(15.4)	70.3	547.8	57.3	7.5	3.0	4.0	4.0	3.0	2.5
			1200 1299	4.0	(15.4)	69.7	541.6	53.0	7.2	3.0	3.3	3.8	2.8	3.0
			1100 1199	5.0	(19.2)	69.9	507.7	50.8	7.7	3.2	2.8	4.4	2.2	2.6
			1000 1099	1.0	(3.8)	69.4	478.0	41.0	6.7	2.0	2.0	4.0	2.0	3.0
				26.0	(1.0)	70.4	535.0	55.3	7.7	2.9	3.7	4.0	2.9	2.8
			1600 1699	4.0	(19.0)	71.5	526.9	58.3	7.6	2.1	5.3	3.3	4.0	3.0
			1500 1599	5.0	(23.8)	70.7	512.3	53.8	8.1	2.9	5.2	3.4	4.0	2.8
			1400 1499	4.0	(19.0)	71.5	556.0	64.3	7.7	2.7	3.3	3.5	3.0	3.0
			1300 1399	5.0	(23.8)	70.2	499.5	51.8	7.0	2.6	3.6	3.4	3.0	2.6
			1200 1299	3.0	(14.3)	70.0	490.1	45.3	6.9	2.0	2.3	3.7	2.0	2.7
				21.0	(0.8)	70.8	517.2	55.0	7.5	2.5	4.0	3.4	3.3	2.8
			1500 1599	2.0	(33.3)	70.1	391.5	46.0	4.7	1.6	3.5	3.5	2.5	3.5
			1300 1399	1.0	(16.7)	68.9	600.8	52.0	8.7	3.9	4.0	4.0	3.0	2.0
			1000 1099	3.0	(50.0)	69.6	453.6	44.3	5.5	1.7	2.3	5.0	2.0	4.0
				6.0	(0.2)	69.6	457.4	46.2	5.8	2.0	3.0	4.3	2.3	3.5
			1600 1699	6.0	(9.7)	70.8	512.0	57.0	7.5	2.9	4.7	3.5	3.5	3.0
			1500 1599	5.0	(8.1)	70.3	538.1	56.4	7.6	3.0	5.0	4.0	3.8	2.8
			1400 1499	9.0	(14.5)	70.5	561.2	59.6	7.4	2.8	4.4	4.0	3.2	3.0
			1300 1399	20.0	(32.3)	69.5	533.9	53.6	7.1	3.1	3.7	4.3	3.0	2.8
			1200 1299	18.0	(29.0)	69.3	478.6	45.8	6.4	2.6	3.1	4.4	2.3	2.9
			1100 1199	4.0	(6.5)	70.2	456.9	47.5	6.0	1.7	2.5	4.5	2.3	3.0
				62.0	(2.3)	69.8	515.1	52.4	6.9	2.8	3.7	4.2	2.9	2.9

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1700 1799	4.0	(8.5)	71.3	537.9	61.3	7.7	2.7	5.3	3.8	3.8	2.5
			1600 1699	4.0	(8.5)	70.4	598.3	62.3	7.7	3.0	5.3	4.0	4.0	2.8
			1500 1599	3.0	(6.4)	70.6	539.5	58.0	7.7	3.1	4.7	3.7	3.3	2.7
			1400 1499	20.0	(42.6)	70.5	526.8	57.0	7.4	2.9	3.7	4.1	2.8	2.7
			1300 1399	9.0	(19.1)	70.3	529.7	54.6	7.4	2.7	3.4	3.9	2.9	2.2
			1200 1299	5.0	(10.6)	69.6	556.9	55.6	7.4	3.3	3.0	4.0	2.0	2.2
			1100 1199	2.0	(4.3)	68.3	509.6	45.5	7.2	3.9	2.5	4.0	2.0	3.0
				47.0	(1.7)	70.4	537.6	56.8	7.4	2.9	3.9	4.0	2.9	2.6
			1900 1999	1.0	(3.6)	71.8	544.2	64.0	8.1	2.7	9.0	4.0	5.0	3.0
			1800 1899	3.0	(10.7)	70.3	543.9	58.0	7.1	2.8	6.7	4.0	4.3	3.0
			1700 1799	2.0	(7.1)	71.0	523.1	61.0	7.7	3.2	5.5	3.0	3.5	3.0
			1600 1699	5.0	(17.9)	71.3	555.6	64.6	7.2	2.5	5.2	3.8	4.0	3.0
			1500 1599	2.0	(7.1)	69.8	553.5	56.0	8.3	3.8	4.5	4.0	3.5	3.0
			1400 1499	6.0	(21.4)	70.9	506.1	56.2	7.0	2.3	3.8	3.8	2.8	2.7
			1300 1399	4.0	(14.3)	70.7	476.9	58.0	6.8	3.1	3.5	4.0	3.0	2.8
			1200 1299	4.0	(14.3)	69.8	546.3	56.5	7.0	3.0	3.3	4.3	2.8	2.8
			1100 1199	1.0	(3.6)	69.1	455.2	42.0	6.5	2.6	3.0	5.0	2.0	3.0
				28.0	(1.0)	70.6	524.7	58.3	7.2	2.8	4.6	3.9	3.4	2.9
			2000 2099	3.0	(3.9)	73.0	539.4	66.7	8.0	1.9	8.0	3.0	4.7	2.3
			1800 1899	3.0	(3.9)	71.1	598.3	68.0	7.4	2.9	7.3	3.7	4.7	3.0
			1700 1799	6.0	(7.8)	70.9	503.4	60.3	6.5	2.6	5.3	4.0	3.8	3.0
			1600 1699	8.0	(10.4)	70.3	494.9	50.5	7.0	2.3	4.0	4.3	2.9	2.9
			1500 1599	14.0	(18.2)	71.3	507.4	60.4	6.5	2.2	4.3	4.1	3.2	2.6
			1400 1499	16.0	(20.8)	70.5	508.8	56.0	6.9	2.7	3.8	4.1	3.0	2.7
			1300 1399	6.0	(7.8)	69.7	506.4	51.3	6.2	2.4	3.0	4.0	2.7	2.7
			1200 1299	8.0	(10.4)	69.9	501.5	52.6	6.9	2.9	2.9	4.3	2.5	2.8
			1100 1199	9.0	(11.7)	69.7	457.2	48.6	5.7	2.3	2.8	4.3	2.2	2.8
			1000 1099	2.0	(2.6)	70.3	477.7	51.0	6.8	2.5	2.5	5.0	2.0	3.0
			900 999	2.0	(2.6)	67.5	434.4	36.5	4.7	2.5	2.0	5.0	2.0	3.0
				77.0	(2.8)	70.5	501.7	55.2	6.6	2.5	4.0	4.1	3.0	2.8
			1700 1799	6.0	(10.3)	71.3	579.2	64.5	8.0	2.9	6.5	3.8	4.3	3.0
			1600 1699	3.0	(5.2)	70.4	547.0	56.7	7.8	3.0	5.3	4.0	4.0	3.0
			1500 1599	3.0	(5.2)	71.3	541.7	62.7	7.8	2.9	4.3	4.0	3.3	3.0
			1400 1499	7.0	(12.1)	70.1	561.2	57.7	7.5	3.0	4.0	4.3	3.0	3.0
			1300 1399	8.0	(13.8)	70.3	505.1	54.9	6.7	2.7	3.9	4.1	3.0	2.8
			1200 1299	18.0	(31.0)	69.8	506.1	52.4	6.6	2.8	3.2	4.4	2.3	2.8
			1100 1199	10.0	(17.2)	69.5	473.3	47.4	6.1	2.5	2.6	4.7	2.0	2.5
			1000 1099	3.0	(5.2)	70.4	486.9	55.7	6.1	2.5	2.3	4.7	2.0	3.0
				58.0	(2.1)	70.1	517.5	54.7	6.9	2.7	3.8	4.3	2.8	2.8

					(%)		(kg)	(cm2)	(cm)	(cm)				
			2500	2 0	(1.8)	71.9	563.6	61.5	8.6	2.4	8.0	4.0	5.0	2.5
			2000 2099	2 0	(1.8)	71.5	535.5	58.5	8.1	2.4	5.5	3.5	4.0	2.5
			1800 1899	7.0	(6.4)	71.7	589.7	71.7	7.8	3.1	6.1	3.9	4.3	3.0
			1700 1799	9.0	(8.3)	71.0	556.0	60.8	7.7	2.7	5.3	3.6	3.6	2.8
			1600 1699	18.0	(16.5)	70.8	581.7	65.1	7.6	3.0	4.4	3.8	3.6	2.9
			1500 1599	11.0	(10.1)	70.5	573.5	62.1	7.6	3.1	4.3	4.0	3.3	3.0
			1400 1499	23.0	(21.1)	70.4	561.7	60.0	7.5	3.1	3.7	3.9	3.2	2.9
			1300 1399	13.0	(11.9)	69.8	577.1	58.5	7.5	3.3	3.4	4.2	2.8	3.0
			1200 1299	7.0	(6.4)	69.1	548.4	50.1	7.6	3.3	2.9	4.3	2.1	3.0
			1100 1199	9.0	(8.3)	69.0	603.3	59.2	7.2	3.7	2.8	4.2	2.1	3.1
			1000 1099	8.0	(7.3)	69.2	548.1	54.0	6.8	3.1	2.4	4.6	2.0	3.0
				109.0	(4.0)	70.3	570.5	60.5	7.5	3.1	4.0	4.0	3.1	2.9
			2000 2099	1.0	(1.6)	72.3	608.7	62.0	9.7	2.1	9.0	4.0	5.0	3.0
			1700 1799	2.0	(3.2)	73.9	539.1	76.0	8.0	2.1	7.0	4.0	4.0	2.5
			1600 1699	6.0	(9.7)	71.5	510.1	60.3	7.2	2.4	6.2	4.0	4.0	2.3
			1500 1599	5.0	(8.1)	70.8	526.2	55.0	7.4	2.2	4.8	4.4	3.4	2.6
			1400 1499	13.0	(21.0)	70.3	547.9	55.8	7.5	2.8	3.7	4.0	3.0	2.8
			1300 1399	6.0	(9.7)	70.1	506.3	51.0	7.6	2.9	3.3	3.8	3.0	2.8
			1200 1299	11.0	(17.7)	70.1	524.9	54.1	7.1	2.7	2.6	4.2	2.0	3.0
			1100 1199	11.0	(17.7)	69.3	530.9	51.4	7.1	3.2	2.2	4.3	2.1	3.0
			1000 1099	1.0	(1.6)	68.9	469.0	54.0	5.9	4.0	2.0	4.0	2.0	3.0
			500 599	6.0	(9.7)	70.1	482.5	52.0	6.4	2.6	3.3	4.3	2.8	3.0
				62.0	(2.3)	70.3	524.5	55.0	7.3	2.8	3.7	4.1	2.8	2.8
			2500	2 0	(0.1)	71.9	563.6	61.5	8.6	2.4	8.0	4.0	5.0	2.5
			2100 2199	3.0	(0.1)	72.1	574.8	66.3	8.5	2.7	8.7	3.3	4.7	2.7
			2000 2099	13.0	(0.5)	72.4	566.6	67.3	8.3	2.3	7.8	3.4	4.6	2.5
			1900 1999	12.0	(0.4)	71.9	600.6	68.4	8.5	2.8	7.6	3.7	4.7	2.7
			1800 1899	54.0	(2.0)	71.7	592.3	66.7	8.2	2.7	6.8	3.6	4.3	2.7
			1700 1799	139.0	(5.1)	71.1	560.6	61.4	8.0	2.8	5.8	3.8	4.0	2.8
			1600 1699	293.0	(10.8)	70.8	563.2	60.0	7.9	2.8	4.9	3.8	3.6	2.7
			1500 1599	362.0	(13.3)	70.8	560.3	59.3	7.8	2.8	4.8	3.8	3.6	2.7
			1400 1499	476.0	(17.5)	70.4	554.2	56.8	7.6	2.8	4.0	3.9	3.2	2.6
			1300 1399	538.0	(19.8)	70.2	549.4	55.4	7.5	2.8	3.8	4.1	3.0	2.6
			1200 1299	422.0	(15.5)	69.8	537.2	52.7	7.3	2.9	3.2	4.2	2.6	2.6
			1100 1199	279.0	(10.2)	69.4	520.9	49.9	6.9	2.8	2.7	4.4	2.1	2.6
			1000 1099	90.0	(3.3)	69.3	503.3	48.6	6.6	2.8	2.6	4.5	2.1	2.7
			900 999	17.0	(0.6)	68.9	446.3	41.6	5.7	2.3	2.2	4.6	2.0	2.5
			800 899	7.0	(0.3)	69.7	300.5	33.0	4.4	1.3	2.1	4.0	1.9	2.4
			700 799	5.0	(0.2)	70.2	274.9	34.2	4.3	1.2	2.0	4.2	2.0	2.2
			600 699	3.0	(0.1)	69.3	317.8	33.3	4.3	1.5	2.0	5.0	2.0	2.0
			500 599	7.0	(0.3)	69.7	459.6	47.7	6.0	2.4	3.3	4.4	2.7	2.9
				2722.0	(100.0)	70.3	546.3	55.9	7.5	2.8	4.0	4.0	3.1	2.7

[illegible]