

					(%)		(kg)	(m2)	(m)	(m)				
			900 999	3.0	(10.7)	69.8	417.7	43.0	5.7	1.9	2.3	4.3	2.3	3.3
			700 799	2.0	(7.1)	69.5	472.0	45.0	5.7	1.7	2.0	5.0	2.0	4.0
			600 699	5.0	(17.9)	69.3	419.6	40.2	4.5	1.2	2.0	5.6	2.0	3.8
			500 599	18.0	(64.3)	69.3	326.0	33.7	3.8	0.9	1.7	5.6	1.3	5.1
				28.0	(3.3)	69.4	363.0	36.7	4.2	1.1	1.9	5.4	1.6	4.6
			900 999	2.0	(66.7)	70.5	426.0	45.5	6.7	2.3	2.0	4.0	2.0	2.5
			800 899	1.0	(33.3)	70.6	416.0	51.0	5.2	1.9	2.0	4.0	2.0	2.0
				3.0	(0.4)	70.5	422.7	47.3	6.2	2.1	2.0	4.0	2.0	2.3
			700 799	1.0	(2.0)	69.9	370.0	38.0	4.8	1.1	2.0	4.0	2.0	2.0
			600 699	6.0	(12.2)	67.8	397.8	31.2	4.3	1.6	2.0	5.8	1.7	4.7
			500 599	38.0	(77.6)	68.6	356.2	33.4	3.8	1.3	2.0	5.2	1.7	4.3
			499	4.0	(8.2)	69.6	337.0	35.0	3.9	0.8	2.3	5.3	1.3	4.8
				49.0	(5.8)	68.6	360.0	33.4	3.9	1.3	2.0	5.3	1.6	4.4
			900 999	2.0	(2.3)	67.7	429.3	33.5	6.0	2.9	2.0	4.0	2.0	3.0
			800 899	2.0	(2.3)	69.2	415.3	39.5	6.3	2.6	2.0	4.5	2.0	2.5
			700 799	4.0	(4.6)	68.6	322.6	25.5	4.2	0.9	1.8	5.3	1.8	3.0
			600 699	18.0	(20.7)	68.7	396.3	34.7	4.7	1.5	2.0	4.9	1.9	3.2
			500 599	46.0	(52.9)	68.6	347.0	29.0	4.2	1.2	1.9	5.1	1.7	3.7
			499	15.0	(17.2)	68.8	315.8	27.0	4.0	0.9	1.7	5.4	1.3	4.7
				87.0	(10.2)	68.6	354.1	30.0	4.4	1.3	1.9	5.1	1.7	3.7
			600 699	5.0	(71.4)	67.6	423.3	32.0	4.9	2.1	2.0	4.4	2.0	2.6
			500 599	2.0	(28.6)	68.7	331.5	27.5	3.9	0.8	1.5	5.5	1.5	3.5
				7.0	(0.8)	67.9	397.1	30.7	4.6	1.7	1.9	4.7	1.9	2.9
			600 699	4.0	(66.7)	68.2	443.3	34.0	5.3	1.8	2.3	4.5	2.0	3.5
			500 599	2.0	(33.3)	68.5	388.5	33.0	4.1	1.2	2.0	4.5	1.0	5.5
				6.0	(0.7)	68.3	425.0	33.7	4.9	1.6	2.2	4.5	1.7	4.2
			700 799	1.0	(4.2)	71.1	420.0	50.0	5.7	1.5	2.0	5.0	2.0	2.0
			600 699	3.0	(12.5)	68.6	395.2	37.0	4.3	1.7	2.3	5.3	2.0	5.3
			500 599	15.0	(62.5)	68.7	367.0	33.5	4.3	1.4	2.0	5.6	1.8	4.5
			499	5.0	(20.8)	68.6	339.4	30.2	3.8	1.2	1.8	6.0	1.8	4.2
				24.0	(2.8)	68.8	367.0	33.9	4.3	1.4	2.0	5.6	1.8	4.5
			800 899	1.0	(0.9)	69.7	336.0	38.0	4.3	1.4	2.0	5.0	2.0	5.0
			700 799	3.0	(2.8)	69.3	409.8	38.3	4.8	1.3	2.0	5.0	2.0	3.3
			600 699	33.0	(30.8)	68.9	403.9	38.2	4.4	1.5	2.0	5.5	1.9	4.0
			500 599	55.0	(51.4)	69.0	359.3	34.3	3.9	1.1	1.8	5.8	1.5	4.5
			499	15.0	(14.0)	68.6	350.9	28.9	4.0	0.9	1.9	5.3	1.6	4.6
				107.0	(12.6)	68.9	373.1	34.9	4.1	1.2	1.9	5.6	1.7	4.4

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
			900 999	1.0	(0.6)	69.1	480.0	49.0	6.2	3.1	2.0	5.0	2.0	2.0
			800 899	6.0	(3.3)	69.9	522.3	50.7	7.0	2.5	2.0	5.0	2.0	2.5
			700 799	9.0	(5.0)	68.5	474.7	40.1	5.2	1.8	2.2	5.2	2.0	3.3
			600 699	56.0	(30.9)	68.7	401.3	37.0	4.4	1.5	2.1	5.4	1.9	4.0
			500 599	103.0	(56.9)	68.8	361.7	33.4	4.0	1.2	1.9	5.7	1.6	4.6
			499	6.0	(3.3)	67.3	469.0	31.0	5.1	1.8	2.0	5.5	1.8	5.0
				181.0	(21.2)	68.7	389.1	35.4	4.3	1.4	2.0	5.5	1.7	4.3
			800 899	1.0	(3.0)	67.4	469.0	37.0	6.0	3.2	2.0	6.0	2.0	4.0
			700 799	2.0	(6.1)	68.2	429.0	35.5	5.0	1.9	2.0	5.0	2.0	3.0
			600 699	11.0	(33.3)	69.1	392.0	38.8	4.5	1.5	2.0	5.9	2.0	4.8
			500 599	14.0	(42.4)	68.8	316.7	29.3	3.8	1.0	1.9	6.0	1.8	5.4
			499	5.0	(15.2)	68.6	255.6	23.6	3.4	1.0	2.0	5.8	1.6	5.2
				33.0	(3.9)	68.8	344.0	32.2	4.1	1.3	2.0	5.9	1.8	5.0
			800 899	1.0	(3.6)	69.0	366.5	40.0	4.2	2.0	2.0	5.0	2.0	4.0
			700 799	1.0	(3.6)	68.9	319.5	33.0	4.1	1.6	2.0	5.0	2.0	2.0
			600 699	8.0	(28.6)	69.3	401.1	41.5	4.5	1.7	1.9	5.8	1.9	4.3
			500 599	14.0	(50.0)	68.8	344.9	34.3	4.0	1.5	2.0	5.9	1.9	4.4
			499	4.0	(14.3)	68.5	277.3	25.0	3.1	0.7	2.0	5.8	1.5	4.8
				28.0	(3.3)	68.9	351.1	35.2	4.0	1.4	2.0	5.8	1.9	4.3
			800 899	1.0	(1.6)	70.6	346.0	37.0	5.4	1.0	2.0	4.0	2.0	3.0
			700 799	6.0	(9.7)	68.3	427.0	36.0	4.9	1.9	2.2	4.5	2.0	3.2
			600 699	17.0	(27.4)	68.4	394.1	35.3	4.3	1.7	1.9	5.0	1.9	3.4
			500 599	36.0	(58.1)	68.9	330.0	31.6	3.5	0.9	1.8	5.4	1.4	4.2
			499	2.0	(3.2)	68.1	304.5	26.0	3.0	0.9	2.0	6.0	1.0	3.0
				62.0	(7.3)	68.7	356.4	32.9	3.9	1.2	1.9	5.2	1.6	3.8
			600 699	4.0	(50.0)	68.7	404.1	36.3	4.9	1.8	2.3	5.3	2.0	4.3
			500 599	4.0	(50.0)	69.2	399.3	39.5	4.5	1.4	2.3	6.0	1.8	5.0
				8.0	(0.9)	68.9	401.7	37.9	4.7	1.6	2.3	5.6	1.9	4.6
			600 699	4.0	(28.6)	67.1	424.5	31.0	4.3	2.0	2.3	5.5	2.0	2.5
			500 599	10.0	(71.4)	68.2	334.4	29.3	3.3	1.1	2.0	5.3	1.4	3.9
				14.0	(1.6)	67.9	360.1	29.8	3.6	1.4	2.1	5.4	1.6	3.5
			600 699	4.0	(57.1)	69.0	418.4	40.0	5.2	2.0	2.0	5.8	2.0	5.0
			500 599	2.0	(28.6)	69.2	399.3	38.0	5.1	1.7	1.5	5.5	1.5	5.0
	</													

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			700 799	1.0	(33.3)	67.7	486.0	39.0	5.0	2.1	2.0	6.0	2.0	4.0
			600 699	1.0	(33.3)	68.9	348.0	35.0	3.7	1.2	2.0	6.0	2.0	4.0
			500 599	1.0	(33.3)	68.6	410.0	36.0	4.0	1.1	2.0	6.0	2.0	4.0
				3.0	(0.4)	68.4	414.7	36.7	4.2	1.5	2.0	6.0	2.0	4.0
			700 799	1.0	(4.2)	71.2	452.0	57.0	5.8	2.0	2.0	5.0	2.0	3.0
			600 699	5.0	(20.8)	67.8	396.0	32.8	4.2	1.8	2.0	5.2	2.0	3.6
			500 599	18.0	(75.0)	68.8	338.9	31.6	3.7	1.1	1.7	5.2	1.3	4.0
				24.0	(2.8)	68.7	355.5	32.9	3.9	1.3	1.8	5.2	1.5	3.9
			700 799	3.0	(9.1)	67.6	467.3	37.7	5.1	2.6	2.0	5.0	2.0	2.7
			600 699	9.0	(27.3)	68.6	403.3	37.4	4.3	1.6	2.1	5.7	2.0	3.1
			500 599	19.0	(57.6)	68.6	348.4	33.0	3.6	1.2	2.0	5.6	1.4	4.2
			499	2.0	(6.1)	69.0	204.5	25.0	2.7	0.9	2.0	5.5	1.0	3.5
				33.0	(3.9)	68.6	365.5	34.2	3.9	1.4	2.0	5.5	1.6	3.7
			800 899	25.0	(75.8)	69.4	438.0	46.4	5.9	2.7	2.0	4.3	2.0	3.0
			700 799	1.0	(3.0)	70.5	393.6	48.0	5.0	1.7	1.0	5.0	1.0	4.0
			600 699	3.0	(9.1)	70.0	420.4	46.3	5.3	1.9	1.3	5.0	1.3	4.0
			500 599	4.0	(12.1)	70.5	358.8	42.8	4.8	1.3	1.0	5.5	1.0	4.0
				33.0	(3.9)	69.6	425.5	46.0	5.7	2.4	1.8	4.5	1.8	3.3
			600 699	5.0	(50.0)	67.8	366.3	26.4	3.5	0.9	2.0	6.0	1.6	4.8
			500 599	5.0	(50.0)	68.6	326.2	29.8	3.6	1.1	2.0	6.0	2.0	4.6
				10.0	(1.2)	68.2	346.3	28.1	3.5	1.0	2.0	6.0	1.8	4.7
			1000 1099	7.0	(21.2)	68.4	437.1	41.1	5.9	3.1	2.1	3.7	2.0	2.9
			900 999	5.0	(15.2)	67.8	491.1	37.0	6.3	2.7	2.0	4.6	2.0	2.8
			700 799	18.0	(54.5)	67.9	456.0	35.3	4.9	1.7	2.1	5.2	2.0	3.8
			600 699	2.0	(6.1)	68.7	410.4	37.5	5.0	1.9	2.0	4.5	2.0	3.5
			500 599	1.0	(3.0)	68.0	307.0	26.0	2.9	0.8	2.0	5.0	1.0	2.0
				33.0	(3.9)	68.1	450.0	36.6	5.3	2.1	2.1	4.8	2.0	3.4
			1000 1099	15.0	(60.0)	67.9	450.0	39.5	6.0	3.3	2.3	4.3	2.0	2.4
			900 999	6.0	(24.0)	67.6	431.3	38.3	5.6	3.5	2.0	4.2	2.0	2.5
			600 699	1.0	(4.0)	69.6	437.6	45.0	4.0	1.0	2.0	6.0	1.0	3.0
			500 599	3.0	(12.0)	69.1	408.7	41.7	3.7	1.2	1.7	6.0	1.3	4.0
				25.0	(2.9)	68.0	440.1	39.7	5.6	3.0	2.2	4.5	1.9	2.6
			700 799	2.0	(0.2)	69.4	440.4	41.5	5.3	1.6	2.0	5.0	2.0	3.0
			700 799	1.0	(0.1)	69.7	321.2	37.0	3.2	0.7	2.0	6.0	1.0	6.0

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
			800 899	1.0	(7. 7)	69. 9	407. 4	45. 0	4. 1	1. 1	2. 0	5. 0	2. 0	3. 0
			700 799	3. 0	(23. 1)	67. 8	434. 8	38. 0	3. 8	1. 9	1. 7	5. 3	1. 7	3. 3
			600 699	6. 0	(46. 2)	69. 0	390. 1	38. 7	4. 0	1. 3	1. 8	5. 8	1. 3	4. 2
			499	3. 0	(23. 1)	68. 7	386. 1	38. 7	3. 7	1. 5	1. 3	6. 3	1. 3	4. 3
				13. 0	(1. 5)	68. 7	400. 8	39. 0	3. 9	1. 4	1. 7	5. 8	1. 5	3. 9
			800 899	1.0	(33. 3)	68. 9	373. 7	41. 0	3. 9	2. 0	2. 0	5. 0	2. 0	3. 0
			700 799	1.0	(33. 3)	69. 0	519. 3	45. 0	5. 5	1. 5	2. 0	6. 0	2. 0	2. 0
			600 699	1.0	(33. 3)	69. 8	484. 7	54. 0	4. 5	1. 7	2. 0	6. 0	2. 0	3. 0
				3. 0	(0. 4)	69. 2	459. 2	46. 7	4. 6	1. 7	2. 0	5. 7	2. 0	2. 7
			1400 1499	1.0	(7. 7)	68. 4	509. 2	41. 0	6. 1	2. 2	3. 0	4. 0	2. 0	3. 0
			1100 1199	4.0	(30. 8)	68. 3	483. 1	40. 3	5. 7	2. 3	2. 3	5. 5	2. 0	3. 8
			1000 1099	6.0	(46. 2)	69. 6	409. 0	42. 0	4. 3	1. 2	1. 5	6. 2	1. 3	3. 3
			900 999	1.0	(7. 7)	71. 2	368. 1	49. 0	4. 0	0. 8	1. 0	6. 0	1. 0	3. 0
			800 899	1.0	(7. 7)	68. 4	451. 1	36. 0	5. 0	1. 5	2. 0	6. 0	1. 0	3. 0
				13. 0	(1. 5)	69. 1	439. 6	41. 5	4. 9	1. 6	1. 8	5. 8	1. 5	3. 4
			800 899	1.0	(20. 0)	68. 9	455. 9	38. 0	5. 0	1. 2	2. 0	5. 0	2. 0	3. 0
			700 799	2.0	(40. 0)	68. 3	306. 9	32. 0	3. 6	2. 0	2. 0	5. 5	2. 0	3. 0
			600 699	2.0	(40. 0)	68. 5	362. 6	34. 5	3. 1	1. 0	2. 0	5. 5	2. 0	5. 5
				5. 0	(0. 6)	68. 5	359. 0	34. 2	3. 7	1. 5	2. 0	5. 4	2. 0	4. 0
			700 799	1.0	(10. 0)	70. 1	341. 5	43. 0	3. 9	1. 2	1. 0	6. 0	1. 0	3. 0
			500 599	8.0	(80. 0)	68. 0	548. 0	45. 8	5. 5	2. 4	2. 3	6. 0	2. 0	4. 0
			499	1.0	(10. 0)	70. 9	528. 7	55. 0	6. 5	1. 5	3. 0	6. 0	2. 0	3. 0
				10. 0	(1. 2)	68. 5	525. 5	46. 4	5. 4	2. 2	2. 2	6. 0	1. 9	3. 8
			1400 1499	1.0	(0. 1)	68. 4	509. 2	41. 0	6. 1	2. 2	3. 0	4. 0	2. 0	3. 0
			1100 1199	4.0	(0. 5)	68. 3	483. 1	40. 3	5. 7	2. 3	2. 3	5. 5	2. 0	3. 8
			1000 1099	28.0	(3. 3)	68. 4	438. 0	40. 4	5. 6	2. 8	2. 1	4. 5	1. 9	2. 7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1000 1099	7.0	(29.2)	68.8	458.4	39.7	6.1	2.3	2.3	4.3	2.1	2.3
			900 999	17.0	(70.8)	68.8	451.8	39.5	6.1	2.4	2.1	4.7	2.0	2.5
				24.0	(9.3)	68.8	453.7	39.5	6.1	2.4	2.1	4.6	2.0	2.4
			800 899	1.0	(0.4)	69.0	486.0	45.0	6.0	2.4	3.0	5.0	2.0	4.0
			1000 1099	1.0	(50.0)	68.7	353.0	31.0	5.8	2.4	2.0	4.0	3.0	3.0
			800 899	1.0	(50.0)	69.4	453.5	44.0	5.7	2.0	2.0	4.0	2.0	2.0
				2.0	(0.8)	69.0	403.3	37.5	5.8	2.2	2.0	4.0	2.5	2.5
			500 599	1.0	(0.4)	69.4	208.0	26.0	3.3	1.0	2.0	4.0	1.0	3.0
			1000 1099	10.0	(47.6)	68.1	423.8	38.5	4.6	2.3	2.1	4.5	2.0	3.0
			900 999	10.0	(47.6)	67.9	424.1	36.8	4.8	2.4	2.1	4.4	2.0	2.6
			800 899	1.0	(4.8)	68.7	432.0	34.0	4.8	1.0	2.0	4.0	2.0	2.0
				21.0	(8.1)	68.1	424.3	37.5	4.7	2.2	2.1	4.4	2.0	2.8
			900 999	12.0	(85.7)	69.2	464.9	46.8	6.3	2.9	2.1	4.8	2.0	2.4
			800 899	2.0	(14.3)	69.4	374.8	38.0	5.1	1.9	2.0	5.0	2.0	2.0
				14.0	(5.4)	69.2	452.0	45.5	6.1	2.8	2.1	4.8	2.0	2.4
			900 999	1.0	(50.0)	67.3	375.0	23.0	4.2	1.4	2.0	4.0	2.0	2.0
			600 699	1.0	(50.0)	68.5	196.0	18.0	2.2	0.2	1.0	5.0	1.0	2.0
				2.0	(0.8)	67.9	285.5	20.5	3.2	0.8	1.5	4.5	1.5	2.0
			900 999	1.0	(33.3)	69.1	454.0	47.0	5.4	2.6	2.0	5.0	2.0	4.0
			800 899	2.0	(66.7)	69.8	380.3	40.5	5.3	1.8	2.5	5.0	2.0	4.0
				3.0	(1.2)	69.6	404.8	42.7	5.3	2.0	2.3	5.0	2.0	4.0
			900 999	3.0	(75.0)	69.3	483.7	46.7	5.4	1.9	2.0	4.3	2.0	2.3
			600 699	1.0	(25.0)	68.6	235.0	25.0	3.1	1.3	2.0	5.0	1.0	4.0
				4.0	(1.6)	69.2	421.5	41.3	4.8	1.7	2.0	4.5	1.8	2.8
			900 999	1.0	(0.4)	68.9	499.0	46.0	5.0	1.7	2.0	6.0	2.0	2.0
			900 999	26.0	(83.9)	68.5	473.8	40.0	5.4	2.0	2.0	4.4	2.0	2.2
			800 899	5.0	(16.1)	68.7	454.2	41.4	4.9	1.9	2.0	4.8	2.0	2.0
				31.0	(12.0)	68.5	470.7	40.2	5.3	1.9	2.0	4.5	2.0	2.2
			600 699	1.0	(50.0)	68.9	304.0	32.0	3.6	1.3	1.0	5.0	1.0	3.0
			499	1.0	(50.0)	68.8	364.0	31.0	4.1	0.8	2.0	5.0	2.0	2.0
				2.0	(0.8)	68.8	334.0	31.5	3.9	1.1	1.5	5.0	1.5	2.5
			1000 1099	14.0	(82.4)	68.0	481.7	40.0	5.8	2.6	2.1	5.1	2.0	3.0
			900 999	2.0	(11.8)	68.4	476.7	39.0	6.0	2.3	2.0	5.0	2.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			600 699	1.0	(5.9)	70.2	266.0	34.0	4.2	1.2	2.0	5.0	2.0	4.0
				17.0	(6.6)	68.2	468.4	39.5	5.7	2.5	2.1	5.1	2.0	3.1
			900 999	2.0	(22.2)	69.8	394.5	38.5	5.1	1.1	2.0	4.0	2.0	2.0
			800 899	4.0	(44.4)	69.5	349.0	36.3	4.2	1.1	2.0	5.0	1.5	2.3
			700 799	3.0	(33.3)	69.6	361.3	36.3	4.5	1.1	2.0	4.7	2.0	2.0
				9.0	(3.5)	69.6	363.2	36.8	4.5	1.1	2.0	4.7	1.8	2.1
			1000 1099	3.0	(60.0)	70.0	453.3	46.3	5.7	1.7	2.0	5.0	2.0	2.3
			900 999	1.0	(20.0)	70.2	417.0	46.0	5.4	1.7	2.0	6.0	2.0	3.0
			800 899	1.0	(20.0)	70.5	428.0	46.0	6.3	1.8	2.0	5.0	2.0	3.0
				5.0	(1.9)	70.1	441.0	46.2	5.7	1.7	2.0	5.2	2.0	2.6
			900 999	1.0	(2.9)	68.7	525.0	44.0	5.9	1.9	3.0	4.0	3.0	3.0
			800 899	34.0	(97.1)	68.9	484.2	46.6	6.2	2.8	2.0	4.1	2.0	2.9
				35.0	(13.6)	68.9	485.3	46.5	6.2	2.8	2.0	4.1	2.0	2.9
			1000 1099	2.0	(66.7)	68.7	446.9	42.5	5.9	2.8	3.5	4.0	3.0	2.5
			900 999	1.0	(33.3)	67.3	505.2	37.0	6.4	3.2	2.0	4.0	2.0	3.0
				3.0	(1.2)	68.2	466.3	40.7	6.1	2.9	3.0	4.0	2.7	2.7
			1000 1099	29.0	(56.9)	68.2	455.3	39.1	5.7	2.6	2.1	4.0	2.0	2.5
			900 999	22.0	(43.1)	68.5	472.5	40.8	6.0	2.6	2.1	4.0	2.0	2.6
				51.0	(19.8)	68.3	462.7	39.8	5.9	2.6	2.1	4.0	2.0	2.5
			1000 1099	10.0	(47.6)	68.5	445.5	38.7	5.5	2.2	2.2	4.1	2.1	2.5
			900 999	11.0	(52.4)	67.7	453.1	39.0	5.5	3.0	2.2	4.2	2.1	2.5
				21.0	(8.1)	68.1	449.5	38.9	5.5	2.7	2.2	4.1	2.1	2.5
			900 999	2.0	(0.8)	68.6	425.2	38.5	4.8	1.9	2.0	4.5	2.0	3.0
			500 599	1.0	(0.4)	69.0	255.3	28.0	2.5	0.5	2.0	5.0	1.0	3.0
			2000 2099	1.0	(16.7)	67.5	545.7	47.0	5.9	3.5	3.0	3.0	2.0	3.0
			1700 1799	1.0	(16.7)	68.2	497.6	45.0	6.3	3.4	2.0	4.0	2.0	3.0
			1500 1599	1.0	(16.7)	69.7	454.0	47.0	5.0	1.6	2.0	4.0	2.0	3.0
			1200 1299	1.0	(16.7)	70.9	502.0	58.0	6.2	2.1	2.0	4.0	2.0	2.0
			1100 1199	2.0	(33.3)	69.2	437.6	42.5	5.1	1.9	2.0	4.0	2.0	2.5
				6.0	(2.3)	69.1	479.1	47.0	5.6	2.4	2.2	3.8	2.0	2.7
			600 699	1.0	(0.4)	68.9	398.5	37.0	3.9	1.1	2.0	6.0	2.0	4.0

[illegible]

[illegible]