

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1200 1299	1.0	( 50.0)	72.7	465.0	64.0	7.3	4.5	3.0	4.0	2.0	3.0
			900 999	1.0	( 50.0)	71.9	454.0	44.0	6.6	2.2	2.0	6.0	2.0	2.0
				2.0	( 4.0)	72.3	459.5	54.0	7.0	3.4	2.5	5.0	2.0	2.5
			1200 1299	1.0	( 33.3)	73.5	440.0	54.0	7.2	2.5	3.0	5.0	2.0	3.0
			900 999	2.0	( 66.7)	71.0	310.0	35.0	4.7	2.4	2.0	4.5	2.0	4.0
				3.0	( 6.0)	71.9	353.3	41.3	5.5	2.4	2.3	4.7	2.0	3.7
			1700 1799	2.0	( 5.3)	74.6	385.0	61.0	7.5	3.3	4.0	3.5	3.5	2.5
			1600 1699	6.0	( 15.8)	72.5	459.0	52.2	7.5	3.4	2.2	4.8	2.2	4.3
			1500 1599	2.0	( 5.3)	71.5	423.0	47.5	7.3	4.2	3.0	4.0	2.5	3.0
			1400 1499	2.0	( 5.3)	72.8	383.5	54.0	6.5	3.6	3.0	4.0	3.0	2.0
			1300 1399	2.0	( 5.3)	74.0	380.0	57.0	6.7	2.9	4.0	3.0	3.5	2.0
			1200 1299	4.0	( 10.5)	73.9	369.3	55.5	6.5	2.8	3.0	4.0	2.8	2.3
			1100 1199	1.0	( 2.6)	71.8	480.0	53.0	6.9	3.5	3.0	5.0	2.0	3.0
			1000 1099	3.0	( 7.9)	71.9	407.3	50.0	6.7	3.8	2.0	4.7	2.0	3.3
			900 999	1.0	( 2.6)	69.5	408.0	32.0	5.7	3.1	3.0	5.0	2.0	5.0
			800 899	1.0	( 2.6)	73.2	295.0	39.0	4.0	0.3	1.0	7.0	1.0	7.0
			700 799	4.0	( 10.5)	70.2	419.0	39.0	5.5	3.0	2.0	5.3	1.5	5.5
			600 699	5.0	( 13.2)	71.0	346.6	34.8	4.9	2.1	1.8	6.2	1.6	6.8
			500 599	5.0	( 13.2)	71.0	359.8	34.8	4.8	1.8	1.6	6.0	1.4	7.0
				38.0	( 76.0)	72.0	394.4	46.1	6.2	2.9	2.4	4.9	2.1	4.5
			499	1.0	( 2.0)	70.1	400.5	28.0	5.5	1.8	2.0	5.0	2.0	6.0
			1000 1099	1.0	( 2.0)	70.7	475.2	47.0	6.2	3.4	3.0	6.0	2.0	4.0
			800 899	1.0	( 2.0)	70.5	493.0	43.0	6.4	2.9	2.0	4.0	2.0	2.0
			2000 2099	1.0	( 50.0)	69.5	536.0	66.0	7.7	7.7	4.0	4.0	3.0	3.0
			1800 1899	1.0	( 50.0)	68.8	552.6	53.0	8.2	6.8	3.0	4.0	2.0	3.0
				2.0	( 4.0)	69.2	544.3	59.5	8.0	7.3	3.5	4.0	2.5	3.0
			1900 1999	1.0	( 50.0)	76.3	513.8	77.0	7.9	2.2	7.0	5.0	4.0	3.0
			1000 1099	1.0	( 50.0)	73.2	503.2	63.0	7.6	3.5	2.0	6.0	2.0	4.0
				2.0	( 4.0)	74.8	508.5	70.0	7.8	2.9	4.5	5.5	3.0	3.5
			2000 2099	1.0	( 2.0)	69.5	536.0	66.0	7.7	7.7	4.0	4.0	3.0	3.0
			1900 1999	1.0	( 2.0)	76.3	513.8	77.0	7.9	2.2	7.0	5.0	4.0	3.0
			1800 1899	1.0	( 2.0)	68.8	552.6	53.0	8.2	6.8	3.0	4.0	2.0	3.0
			1700 1799	2.0	( 4.0)	74.6	385.0	61.0	7.5	3.3	4.0	3.5	3.5	2.5
			1600 1699	6.0	( 12.0)	72.5	459.0	52.2	7.5	3.4	2.2	4.8	2.2	4.3
			1500 1599	2.0	( 4.0)	71.5	423.0	47.5	7.3	4.2	3.0	4.0	2.5	3.0
			1400 1499	2.0	( 4.0)	72.8	383.5	54.0	6.5	3.6	3.0	4.0	3.0	2.0
			1300 1399	2.0	( 4.0)	74.0	380.0	57.0	6.7	2.9	4.0	3.0	3.5	2.0

[illegible]

[illegible]

[illegible]