

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1200 1299	2.0	(40.0)	72.5	472.5	53.0	6.8	2.6	5.0	4.5	3.0	3.0
			900 999	1.0	(20.0)	72.5	488.0	56.0	7.4	3.3	3.0	4.0	2.0	2.0
			800 899	2.0	(40.0)	71.7	423.5	42.5	6.3	2.3	3.0	5.0	2.0	5.0
				5.0	(1.7)	72.2	456.0	49.4	6.7	2.6	3.8	4.6	2.4	3.6
			2100 2199	1.0	(1.8)	72.7	568.0	59.0	8.7	3.5	5.0	5.0	3.0	3.0
			1800 1899	5.0	(9.1)	74.2	551.0	70.6	8.4	3.5	6.4	4.2	4.0	2.8
			1700 1799	7.0	(12.7)	73.3	511.3	61.6	8.2	3.5	4.9	4.4	3.6	3.1
			1600 1699	12.0	(21.8)	72.9	522.2	61.5	8.4	4.0	4.5	4.1	3.2	3.2
			1500 1599	11.0	(20.0)	72.6	509.3	58.5	8.2	3.9	5.0	4.5	3.1	3.1
			1400 1499	9.0	(16.4)	72.1	508.1	57.3	8.0	4.2	3.8	4.2	2.7	3.0
			1300 1399	4.0	(7.3)	72.9	542.5	61.8	8.4	3.8	3.3	4.5	2.3	2.8
			1200 1299	4.0	(7.3)	71.3	558.5	59.3	7.9	4.5	3.5	4.3	2.8	3.0
			1100 1199	2.0	(3.6)	71.1	448.5	46.0	7.3	4.0	3.0	4.5	2.0	3.0
				55.0	(18.5)	72.7	520.8	60.3	8.2	3.9	4.5	4.3	3.1	3.0
			1800 1899	1.0	(2.7)	74.2	513.0	65.0	7.9	2.8	7.0	5.0	4.0	2.0
			1600 1699	7.0	(18.9)	72.5	516.4	59.9	8.1	4.1	4.6	4.0	3.4	3.0
			1500 1599	8.0	(21.6)	72.3	518.1	59.8	7.8	4.0	5.0	4.3	3.4	3.0
			1400 1499	6.0	(16.2)	72.2	506.7	56.3	8.2	4.2	3.8	4.5	2.7	3.0
			1300 1399	4.0	(10.8)	73.0	533.0	55.5	8.7	3.1	4.3	4.3	3.0	2.8
			1200 1299	4.0	(10.8)	71.5	536.3	58.0	8.1	4.5	3.8	4.5	2.5	3.0
			1100 1199	1.0	(2.7)	71.8	547.0	64.0	7.8	4.9	3.0	5.0	2.0	3.0
			1000 1099	1.0	(2.7)	73.3	464.0	47.0	7.8	1.8	3.0	5.0	2.0	6.0
			900 999	1.0	(2.7)	72.6	502.0	55.0	7.8	3.1	2.0	5.0	2.0	3.0
			800 899	1.0	(2.7)	69.2	342.0	25.0	5.3	3.0	3.0	5.0	2.0	3.0
			700 799	1.0	(2.7)	70.7	343.5	36.0	6.0	3.5	2.0	5.0	2.0	5.0
			600 699	1.0	(2.7)	69.6	425.5	35.0	6.2	3.6	2.0	4.0	2.0	7.0
			500 599	1.0	(2.7)	74.0	462.5	56.0	8.0	2.4	2.0	4.0	2.0	3.0
				37.0	(12.4)	72.2	504.8	56.0	7.9	3.8	4.1	4.4	2.9	3.2
			800 899	1.0	(0.3)	69.7	414.0	31.0	5.6	2.5	2.0	5.0	2.0	7.0
			1400 1499	2.0	(0.7)	74.3	420.0	59.5	7.0	2.5	3.0	4.5	2.5	3.0
			1800 1899	1.0	(50.0)	72.3	544.8	60.0	8.3	4.0	6.0	4.0	4.0	3.0
			1700 1799	1.0	(50.0)	74.4	405.8	56.0	6.7	1.9	2.0	5.0	2.0	3.0
				2.0	(0.7)	73.3	475.3	58.0	7.5	3.0	4.0	4.5	3.0	3.0
			1100 1199	6.0	(2.0)	73.2	347.3	46.2	5.4	1.7	2.0	4.3	2.0	4.7
			1500 1599	1.0	(0.3)	72.3	449.0	57.0	8.2	4.7	3.0	5.0	2.0	3.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1000 1099	1.0	(0.3)	73.5	248.8	44.0	4.7	1.8	2.0	4.0	2.0	3.0
			499	4.0	(1.3)	74.1	392.3	57.0	6.9	2.6	3.5	4.0	2.8	3.3
			2500	13.0	(9.7)	74.6	440.3	54.3	8.3	2.1	5.6	4.5	3.8	3.2
			2400 2499	8.0	(6.0)	74.4	441.1	53.6	8.3	2.2	4.8	4.5	3.3	3.3
			2300 2399	6.0	(4.5)	74.3	441.8	55.5	8.0	2.3	5.0	4.3	3.5	3.2
			2200 2299	15.0	(11.2)	74.5	417.4	53.3	8.2	2.3	4.0	4.4	2.9	3.1
			2100 2199	17.0	(12.7)	74.1	424.1	52.1	7.8	2.2	4.2	4.6	3.2	3.2
			2000 2099	19.0	(14.2)	73.5	432.6	50.6	7.8	2.5	3.3	4.8	2.5	3.1
			1900 1999	14.0	(10.4)	73.4	417.8	50.3	7.3	2.5	3.1	4.5	2.4	3.1
			1800 1899	18.0	(13.4)	73.8	399.7	50.6	7.0	2.1	3.1	4.7	2.3	3.2
			1700 1799	10.0	(7.5)	73.1	406.3	46.7	7.0	2.2	2.4	4.9	2.0	3.1
			1600 1699	1.0	(0.7)	71.7	412.0	43.0	7.5	3.5	3.0	5.0	2.0	3.0
			1500 1599	1.0	(0.7)	74.6	386.5	57.0	5.7	1.3	2.0	5.0	2.0	4.0
			1400 1499	2.0	(1.5)	72.5	421.0	52.5	6.0	2.9	2.0	6.0	2.0	4.0
			1200 1299	2.0	(1.5)	73.8	334.3	46.0	5.1	0.8	2.0	5.5	2.0	3.5
			1000 1099	2.0	(1.5)	74.1	333.8	50.0	5.2	1.2	1.5	6.0	1.5	4.0
			900 999	1.0	(0.7)	73.0	318.8	47.0	5.3	2.3	2.0	5.0	2.0	3.0
			800 899	1.0	(0.7)	72.9	362.5	44.0	5.8	1.8	2.0	5.0	2.0	3.0
			700 799	2.0	(1.5)	73.2	306.5	39.0	5.2	1.1	2.0	5.0	1.0	3.5
			600 699	2.0	(1.5)	73.7	329.8	45.0	6.0	1.6	1.5	5.5	1.0	4.0
				134.0	(45.0)	73.9	415.2	51.1	7.5	2.2	3.6	4.7	2.7	3.2
			1800 1899	1.0	(20.0)	71.6	499.5	52.0	7.9	4.0	3.0	5.0	2.0	3.0
			1300 1399	1.0	(20.0)	73.7	522.7	67.0	7.2	2.9	3.0	4.0	2.0	3.0
			1200 1299	1.0	(20.0)	73.1	528.2	64.0	7.0	3.0	2.0	5.0	2.0	3.0
			900 999	1.0	(20.0)	71.2	407.4	42.0	5.7	2.6	2.0	5.0	2.0	3.0
			800 899	1.0	(20.0)	70.4	363.8	41.0	3.8	2.6	2.0	5.0	2.0	3.0
				5.0	(1.7)	72.0	464.3	53.2	6.3	3.0	2.4	4.8	2.0	3.0
			1000 1099	1.0	(33.3)	72.5	317.3	40.0	4.2	1.1	2.0	6.0	2.0	3.0
			900 999	2.0	(66.7)	72.5	298.5	39.0	4.0	1.1	2.0	5.0	2.0	4.5
				3.0	(1.0)	72.5	304.8	39.3	4.0	1.1	2.0	5.3	2.0	4.0
			2500	2.0	(28.6)	74.5	456.4	65.0	7.8	3.2	4.0	3.0	3.0	3.0
			2400 2499	3.0	(42.9)	73.1	501.8	54.7	8.1	2.9	3.0	3.7	2.3	2.7
			2300 2399	1.0	(14.3)	74.0	416.6	53.0	7.1	2.0	5.0	3.0	3.0	2.0
			2200 2299	1.0	(14.3)	73.1	458.4	59.0	7.0	3.2	3.0	5.0	2.0	3.0
				7.0	(2.3)	73.6	470.5	58.0	7.7	2.9	3.6	3.6	2.6	2.7
			500 599	35.0	(11.7)	72.1	405.1	45.3	6.1	2.4	2.7	4.9	2.2	4.0
			2500	15.0	(5.0)	74.6	442.4	55.7	8.3	2.2	5.4	4.3	3.7	3.2
			2400 2499	11.0	(3.7)	74.0	457.7	53.9	8.2	2.4	4.3	4.3	3.0	3.1

[illegible]

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1400 1499	1.0	(0.3)	73.7	562.0	73.0	7.3	3.3	3.0	3.0	3.0	3.0
			1800 1899	2.0	(5.6)	74.2	514.5	60.5	7.8	2.0	3.5	4.5	3.0	2.5
			1700 1799	7.0	(19.4)	73.9	560.4	66.3	8.8	3.2	5.9	4.0	4.0	3.1
			1600 1699	7.0	(19.4)	73.9	553.6	64.0	8.7	3.1	4.9	3.9	3.3	2.9
			1500 1599	3.0	(8.3)	73.7	555.3	65.0	8.2	3.0	3.7	4.0	3.0	3.0
			1400 1499	9.0	(25.0)	71.8	558.4	57.1	8.4	4.1	3.6	4.0	2.9	2.9
			1300 1399	5.0	(13.9)	72.2	526.8	52.8	8.0	3.1	3.8	4.6	2.8	2.6
			1200 1299	3.0	(8.3)	70.2	547.7	51.0	7.9	4.7	3.7	4.3	2.7	3.0
				36.0	(10.9)	72.8	549.9	60.0	8.4	3.4	4.3	4.1	3.2	2.9
			1700 1799	3.0	(14.3)	73.3	572.0	68.3	8.4	3.9	6.7	4.3	4.3	3.0
			1600 1699	5.0	(23.8)	74.8	596.4	73.4	8.3	2.5	5.2	4.2	3.6	3.0
			1500 1599	4.0	(19.0)	73.7	538.0	62.3	7.9	2.6	4.0	4.0	3.3	2.3
			1400 1499	3.0	(14.3)	70.7	565.3	54.3	8.0	4.5	3.3	4.7	2.3	3.0
			1300 1399	1.0	(4.8)	72.4	548.0	55.0	7.4	2.5	4.0	5.0	2.0	3.0
			1200 1299	1.0	(4.8)	74.2	573.0	70.0	8.2	2.9	4.0	5.0	3.0	3.0
			1100 1199	4.0	(19.0)	72.8	610.0	62.3	8.3	2.9	2.8	4.5	2.0	3.0
				21.0	(6.4)	73.2	576.5	64.7	8.1	3.1	4.3	4.4	3.0	2.9
			2000 2099	1.0	(0.3)	75.2	482.0	64.0	8.7	2.6	5.0	4.0	4.0	2.0
			499	1.0	(0.3)	75.7	435.6	67.0	6.6	1.6	3.0	4.0	3.0	2.0
			2500	50.0	(19.8)	74.8	518.3	60.2	8.9	2.1	6.0	3.9	4.0	2.9
			2400 2499	25.0	(9.9)	75.1	501.4	61.2	8.4	1.8	6.4	4.0	4.2	3.0
			2300 2399	22.0	(8.7)	74.5	498.0	56.5	8.8	2.1	4.6	4.1	3.3	3.0
			2200 2299	33.0	(13.1)	74.2	472.8	53.5	8.2	1.9	4.3	4.1	3.2	3.0
			2100 2199	30.0	(11.9)	74.1	493.4	55.2	8.3	2.0	3.9	4.3	3.1	3.0
			2000 2099	28.0	(11.1)	74.1	455.2	52.6	7.7	1.8	3.3	4.3	2.7	3.1
			1900 1999	25.0	(9.9)	74.2	459.7	52.4	7.8	1.7	3.2	4.4	2.5	3.2
			1800 1899	22.0	(8.7)	73.1	469.3	50.6	7.5	2.2	2.8	4.5	2.3	3.1
			1700 1799	9.0	(3.6)	73.1	446.9	47.6	7.2	1.9	2.3	4.8	2.0	3.1
			1600 1699	6.0	(2.4)	72.9	372.8	42.5	6.2	1.7	2.3	4.3	2.2	3.2
			1100 1199	2.0	(0.8)	73.5	341.5	43.5	4.9	0.6	2.0	5.5	1.0	4.0
				252.0	(76.6)	74.2	481.4	55.0	8.2	1.9	4.3	4.2	3.2	3.0
			2500	12.0	(70.6)	74.3	536.8	66.3	8.0	2.7	8.3	3.3	4.6	2.4
			2400 2499	4.0	(23.5)	74.5	503.4	68.0	8.1	3.2	6.0	2.5	3.8	2.8
			2300 2399	1.0	(5.9)	74.0	530.6	62.0	8.1	2.6	4.0	3.0	3.0	3.0
				17.0	(5.2)	74.3	528.6	66.5	8.0	2.8	7.5	3.1	4.3	2.5

[illegible]