

					(%)		(kg)	(m <sup>2</sup> )	(m)	(m)				
			2000 2099	1.0	( 0.1)	74.8	538.4	83.0	7.6	1.8	9.0	4.0	5.0	3.0
			1800 1899	1.0	( 0.1)	74.3	513.0	84.0	8.0	3.1	8.0	4.0	5.0	3.0
			1700 1799	7.0	( 0.9)	73.8	544.8	76.7	8.4	2.6	6.7	3.7	4.3	2.6
			1600 1699	9.0	( 1.2)	71.6	510.0	63.9	7.8	3.2	6.6	4.0	4.2	2.8
			1500 1599	22.0	( 2.8)	71.6	534.9	63.5	8.1	3.0	5.4	4.0	3.8	2.9
			1400 1499	121.0	( 15.7)	71.1	513.6	59.5	7.9	3.1	4.7	4.0	3.4	2.9
			1300 1399	154.0	( 19.9)	70.6	506.4	57.0	7.7	3.3	3.9	4.2	3.0	2.9
			1200 1299	184.0	( 23.8)	70.4	501.8	54.6	7.6	3.1	3.4	4.3	2.7	2.9
			1100 1199	151.0	( 19.6)	69.7	501.6	52.5	7.4	3.5	3.0	4.3	2.3	2.9
			1000 1099	58.0	( 7.5)	69.6	481.0	49.2	7.2	3.2	2.7	4.5	2.1	2.9
			900 999	22.0	( 2.8)	68.9	465.3	44.3	6.2	2.9	2.7	4.9	2.0	3.2
			800 899	13.0	( 1.7)	70.1	417.4	44.2	6.2	2.2	2.5	4.5	2.2	3.8
			700 799	10.0	( 1.3)	69.0	435.1	44.0	5.8	2.8	2.6	4.4	2.2	3.5
			600 699	13.0	( 1.7)	69.1	370.5	37.3	4.7	1.7	2.2	5.1	1.8	4.2
			500 599	6.0	( 0.8)	69.5	397.7	38.5	6.0	2.1	3.2	5.0	2.3	6.0
				772.0	( 9.4)	70.4	498.1	54.6	7.5	3.2	3.7	4.3	2.8	3.0
			1800 1899	2.0	( 1.3)	72.1	459.5	61.0	7.1	2.5	8.5	3.5	5.0	3.0
			1700 1799	4.0	( 2.6)	71.1	538.8	57.8	8.8	3.2	7.3	3.8	4.5	2.8
			1600 1699	3.0	( 1.9)	72.1	501.0	67.7	7.4	3.1	7.7	3.7	4.3	2.7
			1500 1599	9.0	( 5.8)	71.1	478.9	57.6	7.2	2.9	5.9	3.7	3.9	3.0
			1400 1499	34.0	( 21.9)	71.3	492.7	59.1	7.6	2.9	3.9	4.0	3.0	2.6
			1300 1399	34.0	( 21.9)	71.1	468.9	56.0	7.3	2.9	3.2	4.3	2.4	2.6
			1200 1299	24.0	( 15.5)	70.9	487.8	56.8	7.3	2.9	3.2	4.4	2.5	2.6
			1100 1199	21.0	( 13.5)	70.5	459.2	52.0	7.0	3.0	2.7	4.4	2.1	2.7
			1000 1099	7.0	( 4.5)	69.8	457.6	51.3	6.4	3.1	2.4	4.6	2.1	2.6
			900 999	3.0	( 1.9)	68.6	395.0	38.3	5.1	2.5	3.7	4.3	2.7	3.3
			800 899	1.0	( 0.6)	71.0	324.0	42.0	4.8	1.1	3.0	5.0	2.0	4.0
			700 799	4.0	( 2.6)	69.3	328.3	35.3	4.4	1.7	2.8	4.3	2.0	3.8
			600 699	3.0	( 1.9)	69.3	349.3	38.0	4.7	2.0	3.3	4.0	2.3	3.3
			500 599	4.0	( 2.6)	69.8	327.5	39.5	4.2	1.6	2.3	4.3	2.0	4.0
			499	2.0	( 1.3)	69.3	218.5	30.0	3.1	1.5	3.0	4.0	1.5	3.0
				155.0	( 1.9)	70.8	462.9	54.4	7.0	2.8	3.6	4.2	2.7	2.7
			1900 1999	1.0	( 1.4)	75.4	493.0	90.0	7.6	2.9	10.0	3.0	5.0	2.0
			1700 1799	5.0	( 6.8)	73.3	484.2	70.0	7.9	2.6	6.6	3.6	4.2	2.4
			1600 1699	6.0	( 8.1)	72.0	500.2	65.0	7.7	3.0	6.2	3.7	4.2	2.7
			1500 1599	5.0	( 6.8)	71.2	507.8	62.2	7.7	3.5	6.0	3.6	3.8	2.8
			1400 1499	18.0	( 24.3)	70.9	509.7	58.3	7.5	3.0	4.7	4.2	3.4	2.8
			1300 1399	17.0	( 23.0)	71.3	496.4	57.6	7.7	2.7	4.0	3.9	3.1	2.7
			1200 1299	11.0	( 14.9)	70.5	497.3	55.5	7.2	3.0	3.5	3.7	2.7	2.6
			1100 1199	8.0	( 10.8)	70.1	453.5	50.4	7.1	3.2	3.1	4.4	2.5	2.6
			1000 1099	2.0	( 2.7)	70.4	454.5	55.0	6.5	3.1	2.5	4.5	2.0	2.5
			500 599	1.0	( 1.4)	68.4	264.0	32.0	3.5	2.4	2.0	5.0	2.0	4.0

					(%)		(kg)	(m2)	(m)	(m)				
				74.0	( 0.9)	71.1	491.1	58.5	7.4	3.0	4.5	4.0	3.2	2.7
			1900 1999	1.0	( 0.3)	74.7	591.4	87.0	9.0	2.9	9.0	4.0	5.0	3.0
			1800 1899	1.0	( 0.3)	72.7	586.0	71.0	8.9	2.8	8.0	4.0	5.0	3.0
			1700 1799	4.0	( 1.2)	72.5	563.0	71.8	8.4	3.0	8.3	4.3	4.5	2.5
			1600 1699	5.0	( 1.5)	71.7	564.9	68.8	8.4	3.5	6.8	4.0	4.0	2.8
			1500 1599	33.0	( 10.2)	70.9	557.3	60.5	8.5	3.4	5.8	3.8	4.0	2.8
			1400 1499	50.0	( 15.4)	70.7	538.4	57.5	8.3	3.3	4.9	3.9	3.6	2.8
			1300 1399	71.0	( 21.9)	70.3	539.1	55.7	8.0	3.3	4.2	4.0	3.2	2.8
			1200 1299	63.0	( 19.4)	69.6	525.1	52.9	7.7	3.5	4.0	3.9	3.0	2.8
			1100 1199	59.0	( 18.2)	69.2	525.7	49.8	7.8	3.6	3.2	4.2	2.4	2.7
			1000 1099	22.0	( 6.8)	69.4	497.6	48.7	7.6	3.5	3.0	4.0	2.5	2.8
			900 999	4.0	( 1.2)	71.0	424.6	48.5	7.0	2.3	3.0	4.3	2.0	3.3
			700 799	1.0	( 0.3)	68.5	327.0	29.0	4.9	2.0	2.0	5.0	2.0	3.0
			600 699	1.0	( 0.3)	68.1	402.0	30.0	5.0	1.6	3.0	5.0	2.0	3.0
			500 599	3.0	( 0.9)	69.2	358.0	35.7	5.5	2.2	2.3	4.7	2.0	5.7
			499	6.0	( 1.9)	69.8	304.6	32.7	4.8	1.3	2.0	5.0	1.8	5.5
				324.0	( 3.9)	70.1	525.3	54.0	7.9	3.3	4.2	4.0	3.1	2.9
			1700 1799	1.0	( 10.0)	70.5	553.0	69.0	8.2	4.9	8.0	5.0	5.0	3.0
			1500 1599	1.0	( 10.0)	69.7	537.0	52.0	7.4	2.9	5.0	4.0	4.0	3.0
			1400 1499	2.0	( 20.0)	71.7	455.5	55.5	7.2	2.1	4.5	4.0	3.0	3.0
			1100 1199	2.0	( 20.0)	71.2	410.5	54.5	5.4	1.9	2.5	4.0	2.0	3.0
			800 899	3.0	( 30.0)	69.2	487.3	43.7	6.7	2.4	3.0	5.0	2.0	3.0
			600 699	1.0	( 10.0)	67.9	370.0	34.0	4.5	2.4	4.0	4.0	3.0	4.0
				10.0	( 0.1)	70.1	465.4	50.6	6.5	2.5	4.0	4.4	2.8	3.1
			1900 1999	1.0	( 0.2)	73.3	591.0	79.0	9.0	3.3	8.0	3.0	5.0	2.0
			1800 1899	3.0	( 0.7)	73.6	550.0	78.3	8.0	2.7	8.3	4.0	5.0	3.0
			1700 1799	9.0	( 2.0)	73.0	482.6	67.4	7.8	2.5	8.0	3.6	4.7	2.8
			1600 1699	16.0	( 3.5)	72.1	500.6	65.2	7.9	3.1	6.6	3.8	4.2	2.7
			1500 1599	24.0	( 5.2)	71.9	513.0	63.9	8.0	3.0	6.8	3.6	4.3	2.8
			1400 1499	33.0	( 7.2)	71.7	493.0	62.4	7.7	3.1	5.9	3.9	3.9	2.9
			1300 1399	110.0	( 23.9)	70.9	493.9	58.2	7.6	3.2	4.9	4.0	3.5	2.7
			1200 1299	113.0	( 24.5)	70.6	493.5	56.2	7.6	3.3	4.1	4.1	3.2	2.9
			1100 1199	98.0	( 21.3)	70.3	491.5	54.8	7.4	3.4	3.5	4.3	2.8	2.8
			1000 1099	46.0	( 10.0)	69.8	468.0	51.1	6.9	3.3	3.0	4.2	2.4	2.8
			900 999	5.0	( 1.1)	69.9	407.0	47.4	6.0	2.8	3.0	4.4	2.2	3.0
			800 899	1.0	( 0.2)	71.2	356.0	41.0	6.6	1.7	3.0	4.0	2.0	2.0
			700 799	1.0	( 0.2)	67.4	419.0	29.0	6.7	3.2	2.0	6.0	2.0	4.0
			600 699	1.0	( 0.2)	68.3	316.0	28.0	4.2	1.8	2.0	4.0	2.0	4.0
				461.0	( 5.6)	70.8	490.4	57.2	7.5	3.2	4.5	4.1	3.3	2.8
			1900 1999	3.0	( 0.4)	72.4	524.7	66.3	8.6	3.1	7.3	3.7	4.7	2.7
			1800 1899	9.0	( 1.3)	73.6	513.6	72.2	8.4	2.5	8.4	3.9	5.0	2.6

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1700 1799	37.0	( 5.5)	72.5	493.8	65.9	7.8	2.8	7.0	3.8	4.4	2.7
			1600 1699	43.0	( 6.4)	71.6	495.3	61.9	7.6	3.0	6.4	3.7	4.2	2.8
			1500 1599	70.0	( 10.4)	71.6	494.6	60.5	7.7	2.9	5.8	3.7	4.0	2.8
			1400 1499	166.0	( 24.6)	71.1	486.4	56.9	7.5	2.9	4.6	3.9	3.5	2.6
			1300 1399	150.0	( 22.3)	70.6	479.9	54.5	7.3	3.1	4.2	4.0	3.2	2.7
			1200 1299	111.0	( 16.5)	70.3	478.9	52.9	7.2	3.1	3.5	4.2	2.6	2.7
			1100 1199	53.0	( 7.9)	69.8	473.9	50.3	7.1	3.3	3.1	4.1	2.5	2.8
			1000 1099	22.0	( 3.3)	69.3	480.8	47.4	7.2	3.4	2.7	4.2	2.1	2.7
			900 999	3.0	( 0.4)	70.3	410.7	50.3	6.3	3.0	2.7	4.0	2.0	2.3
			600 699	5.0	( 0.7)	69.1	346.8	35.0	4.7	1.8	2.8	5.2	2.2	4.2
			500 599	1.0	( 0.1)	69.4	335.0	38.0	5.0	2.3	3.0	5.0	2.0	5.0
			499	1.0	( 0.1)	68.3	365.5	28.0	4.9	1.5	2.0	6.0	2.0	5.0
				674.0	( 8.2)	70.9	483.1	56.1	7.4	3.0	4.5	4.0	3.3	2.7
			2000 2099	1.0	( 0.2)	72.4	616.0	78.0	8.5	3.3	9.0	4.0	5.0	3.0
			1800 1899	3.0	( 0.6)	72.7	519.3	65.3	8.3	2.4	8.0	3.7	4.7	2.7
			1700 1799	15.0	( 2.8)	71.5	516.8	62.6	7.9	3.2	6.9	3.9	4.3	2.7
			1600 1699	26.0	( 4.9)	71.6	517.7	62.0	7.9	3.0	6.3	4.0	4.2	2.9
			1500 1599	34.0	( 6.4)	71.2	506.1	59.2	7.7	2.9	5.7	3.8	3.9	2.9
			1400 1499	103.0	( 19.4)	70.9	494.3	56.6	7.7	3.0	4.4	4.1	3.3	2.8
			1300 1399	121.0	( 22.7)	70.3	499.1	55.3	7.5	3.3	4.0	4.1	3.1	2.8
			1200 1299	114.0	( 21.4)	69.9	496.1	52.7	7.3	3.3	3.5	4.1	2.7	2.7
			1100 1199	83.0	( 15.6)	69.5	492.8	51.2	7.1	3.5	3.1	4.0	2.4	2.7
			1000 1099	28.0	( 5.3)	68.7	483.8	46.6	6.9	3.7	2.9	4.3	2.3	2.6
			900 999	1.0	( 0.2)	70.3	407.0	53.0	6.0	3.2	2.0	4.0	2.0	3.0
			700 799	3.0	( 0.6)	70.0	271.0	35.0	3.8	1.1	1.7	5.3	2.0	3.0
				532.0	( 6.5)	70.3	496.5	54.7	7.4	3.2	4.1	4.1	3.0	2.7
			2100 2199	2.0	( 0.2)	73.5	571.0	72.0	8.3	1.8	8.5	3.5	5.0	2.5
			2000 2099	1.0	( 0.1)	75.8	507.0	97.0	7.2	3.0	9.0	3.0	5.0	2.0
			1900 1999	10.0	( 1.0)	73.9	504.3	73.5	8.0	2.2	8.5	3.6	4.8	2.6
			1800 1899	27.0	( 2.7)	72.9	510.1	68.6	7.5	2.2	7.1	3.6	4.5	2.5
			1700 1799	67.0	( 6.6)	72.2	519.8	66.3	7.7	2.7	6.8	3.7	4.5	2.4
			1600 1699	124.0	( 12.2)	71.9	504.9	63.1	7.6	2.7	5.8	3.8	4.1	2.6
			1500 1599	261.0	( 25.7)	71.4	500.1	60.1	7.5	2.8	4.7	4.0	3.6	2.6
			1400 1499	254.0	( 25.0)	70.9	493.8	57.5	7.3	3.0	4.1	4.1	3.3	2.7
			1300 1399	87.0	( 8.6)	70.3	489.1	54.3	7.1	3.1	3.8	4.3	3.0	2.7
			1200 1299	72.0	( 7.1)	70.5	467.0	53.5	7.0	3.0	3.5	4.3	2.8	2.7
			1100 1199	52.0	( 5.1)	70.0	480.6	52.6	7.0	3.1	3.1	4.4	2.5	2.5
			1000 1099	27.0	( 2.7)	70.2	461.0	51.4	6.6	2.8	2.8	4.8	2.3	2.8
			900 999	11.0	( 1.1)	70.1	416.4	46.5	5.9	2.2	2.7	4.5	2.2	3.0
			800 899	10.0	( 1.0)	70.3	377.0	44.5	5.0	1.6	2.4	4.9	2.0	2.8
			700 799	6.0	( 0.6)	70.1	413.2	45.2	5.3	1.7	2.2	5.5	2.0	2.8
			600 699	1.0	( 0.1)	69.4	286.0	31.0	3.4	0.8	2.0	5.0	2.0	5.0
			499	2.0	( 0.2)	69.7	302.5	32.0	4.8	1.5	2.5	4.5	2.0	4.5

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
				1014.0	( 12.3)	71.2	492.3	58.6	7.3	2.8	4.6	4.1	3.4	2.6
			1700 1799	2.0	( 3.6)	73.0	557.0	78.0	8.1	3.4	8.0	4.0	5.0	3.0
			1600 1699	1.0	( 1.8)	71.6	498.0	56.0	8.4	2.8	8.0	4.0	4.0	3.0
			1500 1599	10.0	( 17.9)	71.1	537.8	61.7	7.8	3.1	5.6	4.0	3.8	2.4
			1400 1499	6.0	( 10.7)	71.2	447.3	53.5	7.5	2.9	3.8	4.2	3.0	2.0
			1300 1399	16.0	( 28.6)	70.8	472.0	54.1	7.4	3.0	3.4	4.4	2.4	2.2
			1200 1299	10.0	( 17.9)	70.6	439.6	51.2	6.8	2.7	2.5	4.6	2.1	2.0
			1100 1199	6.0	( 10.7)	69.7	437.5	51.7	6.4	3.6	2.5	4.7	2.0	2.0
			1000 1099	1.0	( 1.8)	69.7	536.5	60.0	7.5	4.2	3.0	5.0	2.0	3.0
			900 999	1.0	( 1.8)	71.1	311.5	42.0	5.3	1.5	3.0	5.0	2.0	2.0
			800 899	2.0	( 3.6)	70.1	453.5	52.5	6.9	3.4	4.5	4.5	3.0	5.0
			600 699	1.0	( 1.8)	68.7	284.5	27.0	3.7	1.2	2.0	5.0	2.0	6.0
				56.0	( 0.7)	70.7	469.4	54.9	7.2	3.0	3.8	4.4	2.8	2.4
			2300 2399	1.0	( 0.1)	72.7	507.0	65.0	7.5	2.0	10.0	3.0	5.0	2.0
			2100 2199	1.0	( 0.1)	74.8	551.0	83.0	9.0	2.8	10.0	4.0	5.0	3.0
			2000 2099	3.0	( 0.3)	72.3	500.3	65.7	7.3	2.6	9.0	4.0	5.0	2.3
			1900 1999	13.0	( 1.2)	73.6	542.2	75.4	8.1	2.5	10.0	3.5	4.9	2.8
			1800 1899	33.0	( 3.1)	73.1	524.5	70.3	8.0	2.5	8.4	3.5	4.8	2.6
			1700 1799	84.0	( 7.9)	72.2	531.9	66.6	7.9	2.8	7.5	3.5	4.5	2.7
			1600 1699	87.0	( 8.2)	71.7	524.0	63.5	7.9	3.0	6.6	3.7	4.2	2.7
			1500 1599	124.0	( 11.6)	71.2	528.8	61.0	7.8	3.0	5.8	3.6	3.9	2.7
			1400 1499	248.0	( 23.2)	71.0	509.2	58.5	7.6	3.0	4.8	3.9	3.4	2.7
			1300 1399	199.0	( 18.7)	70.5	496.0	54.7	7.4	3.1	4.1	4.1	3.1	2.7
			1200 1299	151.0	( 14.2)	70.2	494.5	53.8	7.3	3.2	3.6	4.1	2.7	2.7
			1100 1199	72.0	( 6.7)	69.4	475.3	47.8	7.1	3.4	3.3	3.9	2.5	2.7
			1000 1099	36.0	( 3.4)	69.5	439.5	45.4	6.4	2.8	2.9	4.1	2.4	2.9
			900 999	2.0	( 0.2)	70.2	408.0	46.5	6.0	2.4	2.5	4.5	2.0	3.5
			800 899	6.0	( 0.6)	69.4	435.3	40.3	6.0	2.0	2.7	3.8	2.3	2.5
			700 799	5.0	( 0.5)	70.2	356.2	42.2	5.1	1.8	2.0	4.4	1.6	2.6
			600 699	1.0	( 0.1)	69.0	379.0	39.0	5.3	2.4	2.0	4.0	2.0	2.0
			500 599	1.0	( 0.1)	69.4	212.0	25.0	3.6	1.1	2.0	5.0	2.0	4.0
				1067.0	( 13.0)	70.9	504.5	57.7	7.5	3.0	5.0	3.9	3.4	2.7
			900 999	1.0	( 0.0)	69.5	516.5	43.0	9.7	3.8	3.0	4.0	2.0	3.0
			2000 2099	1.0	( 0.7)	73.2	570.0	72.0	8.7	2.4	11.0	3.0	5.0	3.0
			1800 1899	8.0	( 5.7)	72.4	512.5	67.4	7.9	2.9	7.9	3.6	4.9	2.8
			1700 1799	6.0	( 4.3)	71.7	553.3	65.5	8.1	2.9	6.7	3.8	4.3	2.7
			1600 1699	15.0	( 10.7)	71.3	512.7	62.8	7.4	3.0	6.1	3.5	4.1	2.5
			1500 1599	16.0	( 11.4)	71.6	507.3	64.8	7.3	3.1	5.5	3.7	3.8	2.8
			1400 1499	25.0	( 17.9)	71.3	503.3	59.6	7.5	2.8	4.4	3.6	3.4	2.7
			1300 1399	23.0	( 16.4)	70.6	495.9	55.9	7.3	3.1	3.7	4.0	3.1	2.8
			1200 1299	30.0	( 21.4)	69.0	520.3	51.3	7.3	3.8	3.3	3.9	2.6	2.7

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1100 1199	14.0	( 10.0)	69.2	545.9	54.4	7.3	3.7	3.3	4.1	2.5	2.7
			1000 1099	2.0	( 1.4)	67.0	483.0	40.5	6.0	4.0	2.5	4.5	2.0	2.5
				140.0	( 1.7)	70.5	514.3	58.1	7.4	3.2	4.6	3.8	3.3	2.7
			1400 1499	3.0	( 18.8)	70.4	533.3	56.7	7.5	3.0	3.3	4.0	3.0	2.3
			1300 1399	4.0	( 25.0)	70.4	492.0	54.8	7.9	3.5	4.5	4.3	3.3	2.0
			1200 1299	5.0	( 31.3)	70.5	483.2	51.4	7.4	2.7	2.2	4.4	2.0	2.2
			1100 1199	1.0	( 6.3)	68.5	465.0	46.0	7.3	4.4	3.0	5.0	2.0	2.0
			800 899	2.0	( 12.5)	68.0	284.5	29.5	4.0	2.6	2.0	5.5	2.0	2.0
			499	1.0	( 6.3)	70.2	224.0	31.0	2.7	0.2	1.0	6.0	1.0	3.0
				16.0	( 0.2)	70.0	452.6	48.9	6.8	2.9	2.9	4.6	2.4	2.2
			1700 1799	1.0	( 2.2)	72.7	497.5	59.0	7.9	1.6	6.0	3.0	4.0	3.0
			1600 1699	3.0	( 6.7)	71.5	485.7	58.3	7.7	2.8	5.7	3.0	4.0	3.0
			1500 1599	2.0	( 4.4)	72.8	546.5	66.0	8.7	2.4	6.0	3.5	3.5	2.5
			1400 1499	5.0	( 11.1)	70.8	530.2	58.6	8.3	3.4	5.4	4.0	3.6	3.0
			1300 1399	11.0	( 24.4)	71.0	505.3	57.3	7.5	2.8	5.0	3.8	3.4	2.8
			1200 1299	16.0	( 35.6)	71.4	505.0	58.7	7.9	2.9	4.1	3.9	2.9	2.8
			1100 1199	5.0	( 11.1)	69.0	546.2	53.0	7.4	3.8	3.4	4.0	2.8	2.6
			1000 1099	1.0	( 2.2)	70.2	498.5	50.0	7.3	2.5	2.0	4.0	2.0	3.0
			900 999	1.0	( 2.2)	68.7	549.4	49.0	8.7	4.4	3.0	3.0	2.0	3.0
				45.0	( 0.5)	71.0	513.7	57.6	7.8	3.0	4.6	3.8	3.2	2.8
			1800 1899	1.0	( 7.1)	75.3	600.2	94.0	8.8	2.9	8.0	4.0	5.0	3.0
			1700 1799	1.0	( 7.1)	73.1	515.2	74.0	8.3	3.3	5.0	3.0	4.0	2.0
			1600 1699	1.0	( 7.1)	70.2	590.4	58.0	8.6	3.4	5.0	4.0	4.0	3.0
			1500 1599	1.0	( 7.1)	71.3	490.8	59.0	8.0	3.2	4.0	4.0	3.0	3.0
			1400 1499	4.0	( 28.6)	69.3	542.7	54.8	7.6	3.9	4.0	4.0	3.3	2.8
			1300 1399	2.0	( 14.3)	70.5	525.7	56.0	8.0	3.1	3.5	4.5	2.5	3.0
			1100 1199	3.0	( 21.4)	70.1	520.1	56.3	6.8	2.8	3.3	4.3	2.3	2.3
			1000 1099	1.0	( 7.1)	68.3	548.6	51.0	7.3	4.1	3.0	5.0	2.0	2.0
				14.0	( 0.2)	70.5	537.7	59.7	7.7	3.4	4.1	4.1	3.1	2.6
			1700 1799	2.0	( 1.6)	72.8	491.8	63.5	7.8	2.1	6.5	3.5	4.5	2.5
			1600 1699	5.0	( 4.1)	71.4	491.4	56.6	8.1	2.9	5.8	3.8	3.8	2.6
			1500 1599	18.0	( 14.8)	70.9	463.2	53.4	7.3	2.8	4.0	4.0	3.1	2.6
			1400 1499	32.0	( 26.2)	71.3	466.2	55.3	7.0	2.4	3.7	4.1	2.9	2.5
			1300 1399	35.0	( 28.7)	70.7	466.5	52.1	7.2	2.7	3.2	4.2	2.6	2.6
			1200 1299	18.0	( 14.8)	70.2	472.5	50.2	6.7	2.6	3.1	4.6	2.3	2.5
			1100 1199	7.0	( 5.7)	69.7	456.4	45.1	6.5	2.4	2.7	4.9	2.3	2.7
			1000 1099	5.0	( 4.1)	70.6	454.8	55.0	6.7	3.0	2.8	4.8	2.0	2.6
				122.0	( 1.5)	70.8	467.2	53.0	7.1	2.6	3.5	4.2	2.7	2.6
			1800 1899	1.0	( 2.6)	71.7	540.0	68.0	8.5	3.7	8.0	3.0	5.0	3.0
			1700 1799	13.0	( 34.2)	70.2	502.9	56.3	7.6	3.7	5.4	4.0	3.7	3.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1600 1699	1.0	( 2.6)	73.5	413.0	65.0	6.6	1.7	7.0	4.0	4.0	3.0
			1500 1599	3.0	( 7.9)	71.3	508.7	59.3	8.2	3.2	4.7	3.7	3.7	3.0
			1400 1499	2.0	( 5.3)	71.4	404.5	50.5	6.3	1.9	5.0	4.0	3.5	2.5
			1300 1399	1.0	( 2.6)	72.1	388.0	53.0	6.4	1.8	4.0	4.0	3.0	3.0
			1200 1299	5.0	( 13.2)	70.5	401.0	47.2	6.0	2.3	3.0	4.4	2.8	2.6
			1100 1199	7.0	( 18.4)	70.8	400.5	46.7	6.5	2.2	2.3	4.1	2.0	2.4
			1000 1099	2.0	( 5.3)	70.3	353.3	41.5	6.3	2.4	2.5	4.5	2.5	2.5
			900 999	2.0	( 5.3)	70.0	399.0	44.0	4.8	1.5	2.0	4.5	2.0	3.5
			800 899	1.0	( 2.6)	66.3	341.5	32.0	4.5	4.4	2.0	5.0	2.0	6.0
				38.0	( 0.5)	70.6	443.9	51.7	6.8	2.8	4.1	4.1	3.1	2.9
			1800 1899	1.0	( 33.3)	73.4	479.6	75.0	7.0	2.6	9.0	4.0	5.0	3.0
			1400 1499	1.0	( 33.3)	70.6	507.4	65.0	6.5	3.5	6.0	5.0	4.0	2.0
			900 999	1.0	( 33.3)	70.7	418.2	54.0	6.0	2.7	4.0	5.0	2.0	2.0
				3.0	( 0.0)	71.6	468.4	64.7	6.5	2.9	6.3	4.7	3.7	2.3
			1700 1799	6.0	( 2.1)	72.3	532.0	70.3	8.2	3.3	6.2	3.8	4.2	2.7
			1600 1699	26.0	( 9.2)	72.8	533.5	69.4	8.0	2.5	6.8	3.8	4.3	2.7
			1500 1599	67.0	( 23.8)	71.4	515.8	61.1	7.7	2.8	5.2	3.8	3.7	2.8
			1400 1499	60.0	( 21.3)	70.9	534.6	61.1	7.9	3.3	4.8	3.9	3.4	2.9
			1300 1399	49.0	( 17.4)	70.7	514.1	56.2	7.6	2.9	4.1	3.9	3.0	2.8
			1200 1299	44.0	( 15.6)	70.5	491.0	53.2	7.4	2.9	3.7	4.0	2.8	2.8
			1100 1199	14.0	( 5.0)	70.2	491.9	53.1	7.5	3.2	3.4	4.4	2.4	2.9
			1000 1099	15.0	( 5.3)	69.5	467.4	48.1	7.3	3.5	2.9	4.2	2.3	2.7
			900 999	1.0	( 0.4)	68.8	546.9	55.0	7.7	4.5	3.0	5.0	2.0	3.0
				282.0	( 3.4)	71.0	514.0	58.9	7.7	3.0	4.7	3.9	3.3	2.8
			1900 1999	1.0	( 0.4)	73.4	484.6	73.0	7.6	2.8	9.0	4.0	5.0	3.0
			1800 1899	3.0	( 1.3)	72.3	491.3	64.7	8.1	3.1	6.3	3.7	4.3	2.7
			1700 1799	9.0	( 3.8)	71.6	469.1	58.9	7.6	2.9	6.1	3.8	4.2	2.8
			1600 1699	26.0	( 10.9)	71.2	497.7	60.2	7.8	3.2	5.9	3.7	4.0	2.9
			1500 1599	40.0	( 16.7)	70.8	488.9	56.7	7.6	3.3	5.3	3.9	3.7	2.8
			1400 1499	54.0	( 22.6)	70.4	501.6	56.2	7.7	3.4	4.5	4.1	3.4	2.8
			1300 1399	44.0	( 18.4)	70.1	474.6	53.0	7.3	3.5	4.0	4.2	3.0	2.8
			1200 1299	34.0	( 14.2)	69.8	480.1	51.2	7.5	3.5	3.5	4.4	2.6	2.9
			1100 1199	19.0	( 7.9)	69.7	485.7	51.6	7.5	3.7	3.1	4.3	2.4	2.7
			1000 1099	8.0	( 3.3)	69.0	474.9	46.4	7.2	3.5	3.3	4.1	2.4	2.9
			900 999	1.0	( 0.4)	68.7	415.8	36.0	7.0	3.1	3.0	5.0	2.0	2.0
				239.0	( 2.9)	70.4	487.1	54.9	7.6	3.4	4.5	4.1	3.2	2.8
			1500 1599	1.0	( 8.3)	69.9	569.2	60.0	8.6	4.3	4.0	4.0	3.0	3.0
			1400 1499	2.0	( 16.7)	70.6	551.1	59.5	7.3	2.7	5.5	4.0	3.5	2.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1300 1399	4.0	( 33.3)	70.1	500.8	52.3	7.3	3.0	3.3	4.3	3.0	3.0
			1200 1299	2.0	( 16.7)	68.0	460.0	40.0	6.5	3.5	3.0	3.5	3.0	2.5
			1100 1199	3.0	( 25.0)	70.5	437.7	50.7	6.7	2.7	3.0	4.3	2.0	2.7
				12.0	( 0.1)	69.9	492.3	51.7	7.1	3.1	3.6	4.1	2.8	2.7
			1700 1799	3.0	( 9.4)	72.1	567.8	62.3	10.0	3.2	4.0	4.0	3.0	3.0
			1600 1699	21.0	( 65.6)	69.6	507.7	49.4	7.8	3.3	3.2	4.2	2.8	3.0
			1400 1499	1.0	( 3.1)	70.1	490.5	56.0	5.4	2.3	4.0	4.0	3.0	3.0
			1300 1399	3.0	( 9.4)	69.8	488.3	45.7	8.1	3.1	3.0	4.3	2.7	3.0
			1200 1299	1.0	( 3.1)	70.2	466.0	56.0	6.5	3.2	2.0	5.0	2.0	3.0
			700 799	3.0	( 9.4)	70.1	399.5	48.3	5.7	2.7	2.0	4.0	2.0	2.7
				32.0	( 0.4)	70.0	499.5	50.6	7.7	3.2	3.1	4.2	2.7	3.0
			1700 1799	1.0	( 33.3)	71.1	578.8	71.0	8.9	4.6	7.0	4.0	4.0	3.0
			1300 1399	2.0	( 66.7)	70.3	390.9	42.5	5.8	1.8	2.0	4.5	2.0	2.0
				3.0	( 0.0)	70.6	453.6	52.0	6.9	2.7	3.7	4.3	2.7	2.3
			1500 1599	1.0	( 3.3)	70.7	459.8	58.0	6.8	3.3	6.0	4.0	4.0	3.0
			1400 1499	4.0	( 13.3)	70.6	444.7	54.8	6.9	3.2	4.5	4.0	3.3	3.0
			1300 1399	6.0	( 20.0)	72.3	439.3	59.3	7.5	2.5	4.3	4.2	3.3	3.0
			1200 1299	7.0	( 23.3)	70.3	437.5	50.0	6.5	2.6	3.3	4.0	2.4	3.0
			1100 1199	4.0	( 13.3)	70.8	426.1	51.5	6.8	2.7	3.3	4.8	2.5	2.5
			1000 1099	4.0	( 13.3)	71.4	423.8	52.0	7.1	2.4	2.8	4.5	2.5	2.5
			700 799	1.0	( 3.3)	67.3	451.2	36.0	5.5	3.1	2.0	6.0	2.0	3.0
			500 599	1.0	( 3.3)	71.8	349.4	51.0	5.8	1.8	2.0	6.0	2.0	4.0
			499	2.0	( 6.7)	69.2	411.4	38.5	5.8	2.1	2.0	6.0	2.0	3.5
				30.0	( 0.4)	70.8	432.0	52.0	6.8	2.6	3.5	4.5	2.7	2.9
			1900 1999	1.0	( 0.6)	72.9	411.0	55.0	8.3	2.2	8.0	4.0	5.0	3.0
			1700 1799	7.0	( 3.9)	72.8	527.9	69.1	8.4	2.9	6.3	3.9	4.1	2.4
			1600 1699	21.0	( 11.6)	71.6	505.8	65.6	7.9	3.6	5.3	3.5	3.8	2.7
			1500 1599	17.0	( 9.4)	71.1	499.7	60.6	7.7	3.3	5.2	3.9	3.6	2.8
			1400 1499	25.0	( 13.8)	70.9	500.3	58.4	7.7	3.3	4.2	4.0	3.3	2.7
			1300 1399	32.0	( 17.7)	70.4	499.3	57.2	7.5	3.6	3.8	4.0	2.8	2.8
			1200 1299	32.0	( 17.7)	69.8	502.9	54.6	7.7	3.9	3.7	4.1	2.9	2.8
			1100 1199	30.0	( 16.6)	69.6	491.1	52.6	7.4	3.7	2.9	4.2	2.2	2.7
			1000 1099	11.0	( 6.1)	68.7	454.6	44.0	6.5	3.4	2.5	4.1	2.0	2.8
			900 999	4.0	( 2.2)	69.7	382.5	41.8	5.8	2.5	2.5	5.0	1.8	2.5
			600 699	1.0	( 0.6)	70.1	255.6	34.0	3.5	0.9	2.0	5.0	1.0	2.0
				181.0	( 2.2)	70.4	493.5	56.6	7.5	3.5	4.0	4.0	3.0	2.7
			1500 1599	2.0	( 10.0)	71.7	426.6	56.0	8.0	3.2	5.5	3.5	4.0	3.0
			1400 1499	9.0	( 45.0)	70.6	454.7	52.0	7.0	2.8	3.2	4.0	3.0	2.9

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1300 1399	5.0	( 25.0)	70.2	458.4	49.6	6.6	2.6	2.0	4.2	2.0	3.0
			1200 1299	2.0	( 10.0)	70.5	476.7	50.5	7.0	2.4	3.0	4.0	3.0	3.0
			1100 1199	1.0	( 5.0)	70.4	495.6	59.0	6.3	2.9	2.0	5.0	2.0	3.0
			1000 1099	1.0	( 5.0)	69.8	401.6	50.0	5.6	3.0	4.0	4.0	3.0	4.0
				20.0	( 0.2)	70.5	454.4	51.9	6.9	2.8	3.1	4.0	2.8	3.0
			1900 1999	1.0	( 7.1)	73.2	600.0	87.0	8.6	4.1	8.0	4.0	5.0	3.0
			1800 1899	1.0	( 7.1)	68.9	500.6	54.0	6.6	4.1	7.0	3.0	4.0	3.0
			1700 1799	2.0	( 14.3)	71.8	505.8	63.5	7.3	2.6	5.5	4.0	4.0	2.5
			1600 1699	1.0	( 7.1)	71.3	510.6	64.0	7.5	3.3	6.0	4.0	4.0	3.0
			1500 1599	2.0	( 14.3)	70.2	489.4	62.0	7.7	4.8	5.5	4.0	3.5	3.0
			1400 1499	3.0	( 21.4)	70.1	512.1	56.7	7.5	3.5	3.3	4.0	3.0	3.0
			1300 1399	2.0	( 14.3)	69.9	489.3	56.5	6.6	3.4	4.5	4.0	3.0	3.0
			1200 1299	1.0	( 7.1)	70.0	478.8	48.0	7.6	2.9	3.0	4.0	2.0	3.0
			1100 1199	1.0	( 7.1)	70.0	472.8	47.0	6.8	2.3	2.0	4.0	2.0	3.0
				14.0	( 0.2)	70.5	504.9	59.6	7.3	3.5	4.8	3.9	3.4	2.9
			1800 1899	1.0	( 5.9)	72.7	532.6	67.0	8.9	2.8	8.0	4.0	5.0	3.0
			1600 1699	3.0	( 17.6)	71.9	508.3	65.3	7.6	2.9	6.0	4.0	4.0	2.3
			1500 1599	3.0	( 17.6)	71.9	507.7	62.0	7.7	2.6	5.3	3.7	4.0	2.7
			1400 1499	4.0	( 23.5)	71.1	515.6	59.0	7.8	3.0	4.8	4.0	3.8	2.8
			1300 1399	2.0	( 11.8)	71.5	482.5	58.5	7.7	2.8	4.0	4.0	3.0	2.5
			1200 1299	2.0	( 11.8)	68.5	473.5	53.0	7.2	5.1	4.0	4.0	3.0	3.0
			1100 1199	2.0	( 11.8)	68.5	505.6	51.0	7.0	4.2	3.5	4.0	2.5	2.5
				17.0	( 0.2)	70.9	503.9	59.4	7.6	3.3	4.9	3.9	3.6	2.6
			1700 1799	1.0	( 1.2)	71.8	548.0	61.0	9.4	3.1	7.0	4.0	4.0	3.0
			1600 1699	1.0	( 1.2)	71.1	527.0	54.0	8.0	2.3	6.0	3.0	4.0	3.0
			1500 1599	3.0	( 3.7)	71.3	479.3	61.7	8.0	3.8	5.7	3.7	4.0	3.0
			1400 1499	13.0	( 15.9)	71.0	458.5	55.3	7.1	2.8	4.7	3.8	3.4	3.0
			1300 1399	20.0	( 24.4)	70.4	457.9	51.4	7.5	3.2	4.3	4.0	3.2	2.9
			1200 1299	20.0	( 24.4)	69.7	432.4	48.0	7.0	3.5	3.6	4.2	2.9	2.9
			1100 1199	20.0	( 24.4)	69.6	447.2	46.8	6.9	3.2	3.2	4.2	2.4	2.9
			1000 1099	4.0	( 4.9)	69.9	454.8	50.8	6.7	3.1	2.5	4.8	2.3	3.0
				82.0	( 1.0)	70.2	451.7	50.6	7.2	3.2	3.9	4.0	3.0	2.9
			1800 1899	1.0	( 0.4)	72.6	576.1	73.0	7.9	2.5	8.0	4.0	5.0	3.0
			1700 1799	5.0	( 2.0)	71.6	522.0	64.2	7.9	3.1	6.2	3.8	4.0	2.6
			1600 1699	8.0	( 3.2)	72.3	527.2	64.5	8.2	2.5	5.9	3.6	4.1	2.6
			1500 1599	19.0	( 7.5)	71.5	507.5	61.7	7.7	2.9	5.5	4.2	3.7	2.7
			1400 1499	55.0	( 21.8)	70.9	495.6	56.9	7.6	3.1	4.4	4.1	3.3	2.7
			1300 1399	80.0	( 31.7)	70.4	485.5	53.7	7.5	3.2	3.9	4.2	2.9	2.6
			1200 1299	47.0	( 18.7)	70.2	487.5	53.5	7.4	3.3	3.3	4.4	2.5	2.6
			1100 1199	21.0	( 8.3)	69.8	475.2	50.2	7.0	3.2	2.9	4.4	2.2	2.7



					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1000 1099	14.0	( 5.6)	69.8	438.4	46.6	6.8	2.9	2.9	4.6	2.1	2.7
			700 799	2.0	( 0.8)	69.3	375.8	39.0	5.0	1.9	2.0	6.0	1.5	3.0
				252.0	( 3.1)	70.5	487.8	54.8	7.4	3.1	4.0	4.3	2.9	2.7
			1700 1799	4.0	( 1.4)	72.3	466.1	66.3	7.1	2.8	7.0	3.5	4.5	2.8
			1600 1699	29.0	( 9.8)	71.0	498.6	58.4	7.7	3.2	5.6	3.7	4.0	2.7
			1500 1599	39.0	( 13.2)	71.0	496.1	58.9	7.9	3.4	5.2	3.7	3.9	2.8
			1400 1499	95.0	( 32.2)	70.3	488.2	53.5	7.5	3.2	3.5	3.8	3.0	2.8
			1300 1399	75.0	( 25.4)	70.2	480.7	53.1	7.5	3.4	3.4	3.7	3.0	2.8
			1200 1299	33.0	( 11.2)	70.2	474.6	53.5	7.2	3.3	2.7	3.8	2.3	2.7
			1100 1199	17.0	( 5.8)	69.7	480.5	52.8	7.5	3.9	2.4	4.1	2.0	3.0
			1000 1099	2.0	( 0.7)	68.5	416.4	40.0	6.8	3.8	2.0	3.5	2.0	3.0
			800 899	1.0	( 0.3)	71.0	338.8	44.0	5.3	1.5	2.0	5.0	2.0	2.0
				295.0	( 3.6)	70.4	485.1	54.6	7.5	3.3	3.8	3.8	3.1	2.8
			1700 1799	1.0	( 1.8)	70.5	551.0	60.0	8.2	3.6	7.0	3.0	5.0	3.0
			1600 1699	1.0	( 1.8)	70.1	543.0	54.0	8.7	3.6	4.0	3.0	3.0	3.0
			1500 1599	11.0	( 19.6)	70.8	463.8	54.5	6.8	2.6	4.6	4.1	3.1	2.8
			1400 1499	15.0	( 26.8)	70.8	493.2	57.9	7.2	3.0	4.2	4.1	3.3	2.9
			1300 1399	11.0	( 19.6)	70.9	521.3	62.4	7.6	3.4	4.1	4.2	3.3	2.9
			1200 1299	10.0	( 17.9)	70.9	457.0	52.6	6.8	2.4	4.0	4.2	2.7	2.7
			1100 1199	4.0	( 7.1)	70.2	488.3	59.0	7.0	3.8	3.0	4.3	2.3	2.3
			1000 1099	3.0	( 5.4)	70.0	400.1	45.7	6.2	2.7	2.7	4.3	2.0	2.7
				56.0	( 0.7)	70.7	483.0	56.6	7.1	3.0	4.1	4.1	3.0	2.8
			2000 2099	1.0	( 0.9)	74.9	580.2	90.0	9.3	3.4	9.0	4.0	5.0	3.0
			1900 1999	1.0	( 0.9)	72.7	361.6	57.0	6.2	1.9	9.0	4.0	5.0	2.0
			1800 1899	6.0	( 5.5)	71.3	527.0	64.0	7.8	3.3	6.2	3.5	4.2	3.0
			1700 1799	6.0	( 5.5)	72.0	532.5	65.2	7.6	2.5	6.0	4.0	4.0	2.7
			1600 1699	12.0	( 10.9)	71.6	524.3	65.8	7.8	3.2	5.8	3.8	3.9	2.7
			1500 1599	10.0	( 9.1)	71.6	484.4	61.2	7.7	3.1	5.1	4.3	3.8	2.8
			1400 1499	11.0	( 10.0)	70.7	491.8	58.8	7.4	3.4	4.7	3.9	3.5	2.8
			1300 1399	13.0	( 11.8)	70.1	494.9	53.2	7.5	3.3	3.8	3.8	3.1	2.7
			1200 1299	21.0	( 19.1)	70.3	493.8	54.3	7.2	3.1	3.5	4.2	2.7	2.9
			1100 1199	18.0	( 16.4)	70.4	432.4	49.5	6.8	2.8	3.1	4.3	2.4	2.8
			1000 1099	9.0	( 8.2)	69.5	456.0	44.8	6.7	2.7	2.7	4.6	2.0	2.7
			900 999	2.0	( 1.8)	70.2	440.1	51.0	6.0	2.5	2.0	4.5	2.0	3.0
				110.0	( 1.3)	70.7	485.6	56.4	7.3	3.1	4.3	4.1	3.1	2.8
			1800 1899	1.0	( 2.7)	71.2	508.2	61.0	7.8	3.3	6.0	4.0	4.0	3.0
			1700 1799	1.0	( 2.7)	70.9	518.2	59.0	8.4	3.7	6.0	4.0	4.0	3.0
			1600 1699	3.0	( 8.1)	71.9	569.3	69.7	8.0	3.1	6.0	3.3	4.3	3.0
			1500 1599	1.0	( 2.7)	71.0	627.5	70.0	9.2	4.2	5.0	4.0	3.0	3.0
			1400 1499	5.0	( 13.5)	70.3	518.1	58.4	7.7	3.7	5.6	3.4	4.0	2.8
			1300 1399	12.0	( 32.4)	70.7	499.4	59.2	7.6	3.6	4.8	3.8	3.5	2.7

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1200 1299	9.0	( 24.3)	70.3	477.5	53.1	7.1	3.1	3.7	3.9	2.9	2.9
			1100 1199	3.0	( 8.1)	68.6	518.8	48.7	7.2	3.9	3.3	3.7	2.3	3.0
			1000 1099	2.0	( 5.4)	68.2	493.8	42.0	8.0	4.2	2.0	4.0	2.0	3.0
				37.0	( 0.5)	70.4	507.7	57.0	7.6	3.5	4.5	3.7	3.3	2.8
			1900 1999	2.0	( 3.6)	73.1	502.2	71.5	8.0	2.9	8.0	3.5	5.0	3.0
			1800 1899	3.0	( 5.5)	72.8	481.6	67.3	8.0	2.9	6.3	3.7	4.0	3.0
			1700 1799	8.0	( 14.5)	72.1	483.7	60.8	8.0	2.7	6.0	3.8	4.0	3.0
			1600 1699	3.0	( 5.5)	71.1	463.9	59.3	7.9	3.8	5.7	4.0	3.7	3.0
			1500 1599	9.0	( 16.4)	71.7	447.8	59.4	7.4	3.0	5.2	3.7	3.6	2.9
			1400 1499	10.0	( 18.2)	71.2	489.6	60.1	7.3	3.0	4.8	3.7	3.3	2.9
			1300 1399	9.0	( 16.4)	71.1	494.3	57.8	7.5	2.9	3.7	3.9	3.0	3.0
			1200 1299	7.0	( 12.7)	69.3	524.8	53.6	7.5	3.9	3.6	3.6	2.9	2.9
			1100 1199	4.0	( 7.3)	69.2	500.8	48.3	7.5	3.5	3.5	4.0	2.8	3.0
				55.0	( 0.7)	71.1	486.6	58.8	7.6	3.1	4.9	3.7	3.4	2.9
			1900 1999	1.0	( 0.5)	72.6	520.3	75.0	7.5	3.4	8.0	4.0	5.0	2.0
			1800 1899	1.0	( 0.5)	74.5	498.0	85.0	7.2	2.7	10.0	4.0	5.0	3.0
			1700 1799	59.0	( 28.4)	69.9	503.1	54.1	7.1	3.3	3.9	4.3	2.9	3.0
			1600 1699	16.0	( 7.7)	70.8	504.6	61.4	7.2	3.3	4.3	4.3	3.1	2.9
			1500 1599	12.0	( 5.8)	71.9	441.1	60.3	6.5	2.4	5.0	4.1	3.7	2.9
			1400 1499	32.0	( 15.4)	70.4	475.3	54.7	7.0	3.1	3.7	4.1	2.9	2.8
			1300 1399	36.0	( 17.3)	70.5	453.5	54.0	6.6	2.9	3.7	4.2	2.8	2.7
			1200 1299	33.0	( 15.9)	69.9	445.4	50.5	6.2	2.9	3.3	4.4	2.5	2.6
			1100 1199	10.0	( 4.8)	69.3	434.4	47.2	5.9	2.9	2.8	4.4	2.1	2.8
			1000 1099	6.0	( 2.9)	68.7	430.5	44.0	5.3	2.8	2.8	4.7	2.0	2.8
			700 799	2.0	( 1.0)	67.9	491.1	48.0	4.8	3.1	2.0	5.5	2.0	4.5
				208.0	( 2.5)	70.2	472.2	54.1	6.7	3.0	3.8	4.3	2.8	2.8
			1800 1899	1.0	( 2.0)	72.1	447.4	67.0	6.5	3.0	6.0	2.0	4.0	3.0
			1700 1799	2.0	( 4.0)	72.8	471.1	67.5	7.3	2.6	6.0	3.5	4.0	2.0
			1600 1699	2.0	( 4.0)	72.0	452.4	64.0	7.0	3.0	6.0	3.5	4.5	3.0
			1500 1599	2.0	( 4.0)	71.3	458.6	57.5	7.8	3.4	4.0	4.0	3.5	2.5
			1400 1499	5.0	( 10.0)	70.9	457.0	57.0	7.0	3.2	4.0	4.0	3.0	2.2
			1300 1399	12.0	( 24.0)	70.3	465.7	52.8	7.0	3.1	3.5	4.0	2.9	2.8
			1200 1299	13.0	( 26.0)	70.4	443.3	50.1	6.7	2.6	3.0	4.2	2.3	2.8
			1100 1199	9.0	( 18.0)	69.3	441.3	45.8	6.1	2.8	2.8	4.7	2.0	2.4
			1000 1099	1.0	( 2.0)	71.2	404.5	54.0	6.2	2.5	2.0	5.0	2.0	2.0
			900 999	3.0	( 6.0)	67.3	411.4	36.7	5.6	3.8	2.3	5.0	2.0	3.0
				50.0	( 0.6)	70.3	449.2	51.8	6.7	2.9	3.5	4.2	2.7	2.6
			1700 1799	2.0	( 0.5)	72.8	492.8	66.5	7.5	2.4	7.0	4.0	4.5	2.5
			1600 1699	10.0	( 2.3)	72.4	516.9	68.5	7.7	2.9	6.3	4.0	4.2	2.9

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1500 1599	10.0	( 2.3)	71.5	512.8	64.2	7.6	3.1	5.4	3.9	3.9	2.8
			1400 1499	30.0	( 6.9)	71.3	496.4	61.0	7.3	3.0	4.8	4.0	3.5	3.0
			1300 1399	85.0	( 19.7)	70.5	484.2	55.1	7.2	3.1	3.8	4.3	2.9	3.0
			1200 1299	152.0	( 35.2)	69.8	472.0	51.0	7.0	3.3	3.4	4.5	2.6	2.9
			1100 1199	108.0	( 25.0)	69.6	467.8	49.1	7.0	3.3	3.0	4.6	2.2	2.9
			1000 1099	27.0	( 6.3)	69.2	468.4	49.6	6.7	3.6	2.6	5.0	2.0	2.9
			900 999	7.0	( 1.6)	68.2	508.8	48.0	7.0	4.1	2.7	4.9	2.0	3.0
			600 699	1.0	( 0.2)	69.8	490.7	50.0	6.4	2.3	4.0	5.0	2.0	3.0
				432.0	( 5.3)	70.0	477.5	52.7	7.1	3.2	3.6	4.5	2.6	2.9
			1800 1899	1.0	( 11.1)	72.7	520.2	72.0	8.7	3.7	9.0	4.0	5.0	3.0
			1700 1799	1.0	( 11.1)	72.5	512.1	67.0	8.3	3.1	7.0	4.0	4.0	2.0
			1300 1399	2.0	( 22.2)	69.3	521.7	53.5	6.5	3.1	4.0	4.0	3.0	2.5
			1200 1299	1.0	( 11.1)	70.0	596.4	68.0	9.2	5.4	4.0	4.0	3.0	3.0
			1100 1199	1.0	( 11.1)	70.9	501.5	62.0	7.3	3.5	2.0	5.0	2.0	3.0
			700 799	2.0	( 22.2)	69.3	350.9	39.5	4.9	2.3	2.0	4.5	2.0	3.0
			500 599	1.0	( 11.1)	69.7	525.2	56.0	6.2	2.8	3.0	6.0	2.0	7.0
				9.0	( 0.1)	70.4	489.0	56.8	6.9	3.3	4.1	4.4	2.9	3.2
			900 999	1.0	( 50.0)	69.6	436.1	46.0	5.0	1.8	3.0	4.0	2.0	3.0
			600 699	1.0	( 50.0)	68.5	371.2	37.0	4.4	2.2	2.0	5.0	2.0	4.0
				2.0	( 0.0)	69.0	403.6	41.5	4.7	2.0	2.5	4.5	2.0	3.5
			1700 1799	2.0	( 0.7)	73.8	516.8	79.0	8.2	3.1	7.5	4.0	4.5	2.5
			1600 1699	7.0	( 2.6)	70.8	504.7	59.1	7.9	3.7	5.7	4.0	4.0	2.7
			1500 1599	14.0	( 5.1)	71.4	524.3	62.1	8.3	3.4	4.8	3.9	3.6	2.9
			1400 1499	73.0	( 26.8)	70.8	504.3	58.2	7.9	3.4	3.9	4.1	3.1	3.1
			1300 1399	63.0	( 23.2)	70.6	499.4	56.6	7.9	3.5	3.3	4.0	2.8	3.0
			1200 1299	58.0	( 21.3)	70.1	492.8	53.3	7.7	3.6	2.7	4.2	2.3	3.1
			1100 1199	22.0	( 8.1)	69.5	478.2	52.1	7.5	4.1	2.4	4.3	2.1	3.2
			1000 1099	6.0	( 2.2)	69.2	482.8	49.0	6.6	3.3	2.7	4.5	2.0	3.5
			900 999	5.0	( 1.8)	68.7	495.8	48.0	5.7	2.7	2.2	5.0	2.0	3.2
			800 899	7.0	( 2.6)	69.0	440.4	46.0	5.1	2.4	2.0	5.3	2.0	3.9
			700 799	3.0	( 1.1)	67.5	390.5	31.3	4.0	1.9	2.0	5.0	2.0	3.0
			500 599	11.0	( 4.0)	69.8	432.8	46.3	6.5	2.7	3.2	4.7	2.5	3.5
			499	1.0	( 0.4)	69.2	362.3	34.0	5.0	1.5	2.0	6.0	2.0	4.0
				272.0	( 3.3)	70.4	492.8	55.1	7.6	3.4	3.3	4.2	2.7	3.1
			1200 1299	3.0	( 37.5)	69.8	494.6	50.7	6.8	2.7	3.0	4.0	2.0	2.7
			1100 1199	1.0	( 12.5)	68.3	571.7	52.0	8.1	4.5	5.0	5.0	3.0	3.0
			1000 1099	1.0	( 12.5)	70.8	421.0	56.0	5.7	2.6	3.0	4.0	2.0	3.0
			900 999	1.0	( 12.5)	68.1	419.0	38.0	5.5	2.9	2.0	5.0	2.0	4.0
			800 899	1.0	( 12.5)	67.1	666.3	64.0	6.4	5.0	2.0	5.0	2.0	3.0
			600 699	1.0	( 12.5)	69.3	416.3	49.0	5.0	2.8	2.0	6.0	2.0	7.0

[illegible]

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1700 1799	11.0	( 2.2)	71.6	547.5	63.2	8.4	3.1	6.3	3.7	4.0	2.7
			1600 1699	12.0	( 2.4)	71.2	573.0	63.0	8.0	2.8	5.7	3.5	3.9	2.8
			1500 1599	39.0	( 7.8)	70.6	543.1	57.8	7.8	3.0	5.3	3.7	3.8	2.7
			1400 1499	106.0	( 21.2)	70.7	536.1	57.3	7.7	2.9	4.2	3.9	3.3	2.7
			1300 1399	143.0	( 28.5)	70.2	547.0	56.0	7.5	3.0	3.7	4.0	2.9	2.6
			1200 1299	112.0	( 22.4)	69.7	537.0	52.9	7.4	3.0	3.2	4.2	2.5	2.7
			1100 1199	65.0	( 13.0)	69.1	533.7	50.0	7.2	3.2	2.9	4.1	2.2	2.6
			1000 1099	9.0	( 1.8)	68.2	530.8	46.4	6.9	3.5	2.4	4.3	2.0	3.0
			900 999	3.0	( 0.6)	69.0	391.7	39.3	5.8	2.7	3.0	5.0	2.0	2.7
			600 699	1.0	( 0.2)	70.0	278.0	28.0	4.2	0.3	2.0	5.0	1.0	2.0
				501.0	( 7.8)	70.1	539.3	54.9	7.5	3.0	3.8	4.0	2.9	2.7
			1800 1899	2.0	( 1.6)	71.3	569.0	64.5	8.4	3.3	7.0	3.5	4.5	3.0
			1700 1799	2.0	( 1.6)	70.5	563.0	58.0	8.0	2.9	6.5	3.5	4.0	2.5
			1600 1699	7.0	( 5.6)	71.2	546.4	58.3	8.4	2.9	6.7	3.4	4.1	2.9
			1500 1599	12.0	( 9.5)	71.6	521.5	62.4	7.8	2.8	5.3	4.0	3.8	2.8
			1400 1499	42.0	( 33.3)	71.3	519.9	59.0	7.6	2.6	4.0	4.0	3.1	2.8
			1300 1399	36.0	( 28.6)	70.6	511.6	55.3	7.3	2.7	3.8	4.1	3.0	2.6
			1200 1299	11.0	( 8.7)	70.2	502.7	51.8	6.9	2.4	3.5	3.9	2.7	2.5
			1100 1199	12.0	( 9.5)	69.7	475.4	47.8	6.5	2.5	3.0	4.2	2.2	2.8
			1000 1099	2.0	( 1.6)	70.0	538.0	57.5	7.0	3.0	2.5	4.5	2.5	2.5
				126.0	( 2.0)	70.8	515.2	56.6	7.4	2.7	4.1	4.0	3.1	2.7
			1900 1999	1.0	( 0.9)	72.1	562.0	65.0	7.9	2.2	7.0	4.0	4.0	3.0
			1800 1899	1.0	( 0.9)	70.3	593.0	56.0	8.2	2.6	7.0	3.0	4.0	2.0
			1700 1799	6.0	( 5.7)	72.0	600.0	69.8	8.8	3.1	7.2	3.7	4.5	2.7
			1600 1699	5.0	( 4.7)	71.9	613.6	71.4	8.5	3.1	7.0	3.6	4.2	2.6
			1500 1599	5.0	( 4.7)	70.8	612.8	67.2	8.1	3.4	6.0	4.0	4.0	2.6
			1400 1499	18.0	( 17.0)	70.8	576.5	60.5	8.2	3.0	4.7	4.0	3.3	2.7
			1300 1399	19.0	( 17.9)	69.9	596.8	58.3	8.3	3.6	4.6	4.2	3.3	2.5
			1200 1299	30.0	( 28.3)	69.6	580.3	54.2	8.2	3.4	3.6	4.2	3.0	2.9
			1100 1199	17.0	( 16.0)	69.2	575.8	51.9	8.0	3.3	3.3	4.4	2.5	2.8
			1000 1099	3.0	( 2.8)	67.5	578.3	44.3	8.1	4.2	4.0	4.7	2.7	2.7
			900 999	1.0	( 0.9)	68.6	374.0	37.0	4.7	2.3	2.0	5.0	2.0	2.0
				106.0	( 1.7)	70.1	584.0	57.6	8.2	3.3	4.5	4.1	3.2	2.7
			1800 1899	2.0	( 0.7)	71.4	573.5	64.5	8.8	3.4	9.5	4.0	5.0	3.0
			1700 1799	3.0	( 1.1)	72.2	598.3	62.3	9.5	2.4	7.7	3.7	4.3	2.7
			1600 1699	5.0	( 1.9)	71.8	580.9	61.6	9.0	2.6	6.2	3.8	4.2	3.0
			1500 1599	32.0	( 12.0)	70.6	588.9	58.7	8.5	3.1	5.4	3.5	3.8	2.8
			1400 1499	74.0	( 27.7)	70.6	571.3	56.5	8.5	3.0	4.7	3.6	3.4	2.7
			1300 1399	59.0	( 22.1)	69.9	575.5	54.4	8.3	3.2	4.3	3.8	3.2	2.8
			1200 1299	48.0	( 18.0)	69.7	560.0	51.9	8.1	3.1	3.7	3.9	2.9	2.8
			1100 1199	27.0	( 10.1)	69.3	553.2	50.1	7.9	3.2	3.2	3.8	2.4	2.8

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1000 1099	13.0	( 4.9)	69.2	530.8	49.0	7.4	3.1	2.8	4.0	2.2	2.5
			900 999	1.0	( 0.4)	69.9	429.5	42.0	5.4	1.3	2.0	5.0	2.0	3.0
			800 899	1.0	( 0.4)	70.6	297.0	35.0	5.5	1.4	2.0	5.0	2.0	2.0
			700 799	2.0	( 0.7)	69.7	276.5	29.5	4.3	1.0	2.0	5.0	1.5	3.5
				267.0	( 4.2)	70.1	565.2	54.3	8.2	3.1	4.3	3.8	3.2	2.8
			1700 1799	3.0	( 3.4)	72.5	568.7	69.3	8.0	2.4	7.7	3.7	4.7	2.3
			1500 1599	3.0	( 3.4)	71.3	574.0	60.3	8.5	2.6	6.0	4.0	4.3	2.7
			1400 1499	1.0	( 1.1)	71.2	557.0	66.0	7.8	3.4	6.0	4.0	4.0	3.0
			1300 1399	15.0	( 16.9)	70.3	555.0	55.8	7.6	2.7	4.1	4.0	3.1	2.8
			1200 1299	21.0	( 23.6)	69.9	535.1	53.4	7.4	3.0	4.0	4.0	3.1	2.8
			1100 1199	25.0	( 28.1)	69.8	508.7	51.5	7.0	2.8	2.9	4.0	2.4	2.8
			1000 1099	14.0	( 15.7)	69.8	502.7	49.6	7.2	2.9	3.4	4.1	2.7	2.6
			900 999	5.0	( 5.6)	70.1	478.4	50.0	6.7	2.5	2.6	4.2	2.0	2.8
			800 899	2.0	( 2.2)	69.3	388.0	42.0	4.7	1.9	2.0	4.5	2.0	2.5
				89.0	( 1.4)	70.1	522.1	53.1	7.2	2.8	3.7	4.0	2.9	2.7
			1900 1999	1.0	( 0.2)	73.7	532.0	72.0	7.4	1.5	8.0	3.0	4.0	3.0
			1800 1899	3.0	( 0.7)	72.4	593.3	73.0	8.2	2.8	7.0	4.0	4.3	3.0
			1700 1799	13.0	( 3.1)	71.0	560.5	58.5	8.0	2.5	6.7	3.5	4.2	2.5
			1600 1699	23.0	( 5.5)	71.2	578.8	62.1	8.2	2.9	6.1	3.6	4.0	2.6
			1500 1599	44.0	( 10.5)	70.7	572.3	58.9	8.0	2.8	5.3	3.7	3.8	2.6
			1400 1499	116.0	( 27.8)	70.2	542.2	54.4	7.5	2.7	4.2	3.9	3.3	2.8
			1300 1399	97.0	( 23.2)	69.9	544.7	53.3	7.5	2.8	3.6	4.0	2.9	2.7
			1200 1299	64.0	( 15.3)	69.7	539.7	52.1	7.3	2.9	3.2	4.2	2.5	2.7
			1100 1199	32.0	( 7.7)	69.3	503.7	48.4	6.6	2.8	2.9	4.1	2.2	2.8
			1000 1099	18.0	( 4.3)	68.9	523.3	46.0	7.0	2.9	2.8	4.1	2.2	2.7
			900 999	3.0	( 0.7)	68.8	450.8	40.3	6.0	2.5	2.7	3.3	2.0	2.7
			800 899	3.0	( 0.7)	69.0	425.2	35.7	6.6	2.3	2.3	4.3	2.0	3.0
			499	1.0	( 0.2)	71.0	552.0	56.0	7.7	2.1	2.0	4.0	2.0	3.0
				418.0	( 6.5)	70.1	543.2	53.9	7.5	2.8	4.1	3.9	3.0	2.7
			1900 1999	3.0	( 0.2)	71.9	638.3	73.7	8.8	3.2	7.7	3.7	4.7	2.7
			1800 1899	15.0	( 1.2)	71.7	597.2	65.9	8.1	2.4	7.2	3.7	4.5	2.5
			1700 1799	46.0	( 3.7)	71.8	600.5	67.6	8.2	2.7	6.2	3.8	4.2	2.5
			1600 1699	113.0	( 9.0)	71.5	599.9	65.5	8.2	2.7	5.6	3.9	3.9	2.7
			1500 1599	176.0	( 14.0)	71.1	595.0	62.7	8.0	2.7	5.0	4.0	3.6	2.7
			1400 1499	307.0	( 24.5)	70.4	584.9	59.1	7.8	2.8	4.2	4.1	3.2	2.7
			1300 1399	242.0	( 19.3)	70.1	575.7	57.6	7.6	2.9	3.7	4.2	2.9	2.6
			1200 1299	220.0	( 17.5)	69.8	570.4	55.1	7.5	2.9	3.2	4.3	2.5	2.7
			1100 1199	92.0	( 7.3)	69.2	576.2	53.7	7.3	3.1	3.0	4.4	2.3	2.6
			1000 1099	35.0	( 2.8)	69.0	542.0	51.5	6.8	3.1	2.7	4.4	2.1	2.5
			900 999	4.0	( 0.3)	70.2	487.0	49.3	6.0	1.6	2.8	5.0	2.0	2.8
			800 899	1.0	( 0.1)	68.8	437.0	40.0	4.6	1.6	2.0	5.0	2.0	3.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
			600 699	1.0	( 0.1)	71.2	298.0	39.0	4.2	0.3	2.0	4.0	2.0	5.0
				1255.0	( 19.6)	70.4	581.7	58.9	7.8	2.8	4.1	4.1	3.1	2.7
			2000 2099	1.0	( 0.3)	70.7	617.0	61.0	7.8	2.3	6.0	4.0	5.0	2.0
			1900 1999	2.0	( 0.6)	72.0	603.0	68.5	8.3	2.6	9.0	3.0	5.0	2.0
			1800 1899	7.0	( 2.0)	72.9	578.7	69.1	8.5	2.1	8.6	3.3	5.0	2.3
			1700 1799	22.0	( 6.2)	71.5	561.0	62.6	7.6	2.2	6.4	3.7	4.4	2.5
			1600 1699	44.0	( 12.5)	71.0	555.1	60.0	7.7	2.6	5.8	3.7	4.0	2.4
			1500 1599	88.0	( 24.9)	70.7	548.1	58.4	7.4	2.6	4.5	4.0	3.5	2.4
			1400 1499	71.0	( 20.1)	70.5	536.2	56.5	7.1	2.5	3.8	4.2	3.2	2.5
			1300 1399	46.0	( 13.0)	70.6	530.6	56.1	7.1	2.4	3.5	4.2	2.8	2.5
			1200 1299	33.0	( 9.3)	70.5	530.7	56.5	7.1	2.7	3.2	4.3	2.7	2.5
			1100 1199	24.0	( 6.8)	70.3	539.7	54.9	7.1	2.5	3.0	4.4	2.3	2.3
			1000 1099	10.0	( 2.8)	69.7	516.8	52.4	6.5	2.6	2.3	4.7	2.1	2.5
			800 899	2.0	( 0.6)	71.3	315.5	42.5	5.0	1.1	2.0	5.0	2.0	3.0
			700 799	1.0	( 0.3)	68.9	364.0	37.0	4.6	1.9	2.0	4.0	2.0	5.0
			500 599	1.0	( 0.3)	68.4	332.0	33.0	3.6	1.7	1.0	5.0	2.0	2.0
			499	1.0	( 0.3)	70.0	279.0	36.0	3.4	0.9	1.0	5.0	1.0	5.0
				353.0	( 5.5)	70.7	539.9	57.6	7.2	2.5	4.3	4.1	3.3	2.5
			1600 1699	3.0	( 4.7)	71.6	596.8	66.0	9.2	3.4	6.7	3.7	4.0	2.3
			1500 1599	4.0	( 6.3)	70.4	542.5	57.0	8.6	3.7	6.0	3.5	4.0	2.3
			1400 1499	10.0	( 15.6)	70.4	560.0	57.8	7.8	3.0	4.3	4.3	3.0	2.2
			1300 1399	10.0	( 15.6)	70.1	547.7	56.0	7.4	3.0	3.6	4.4	2.5	2.0
			1200 1299	6.0	( 9.4)	70.7	435.7	50.0	6.7	2.5	2.7	4.5	2.3	2.2
			1100 1199	15.0	( 23.4)	70.0	448.4	48.8	6.8	2.9	2.6	4.5	2.1	2.2
			1000 1099	14.0	( 21.9)	70.2	387.6	46.7	5.8	2.5	2.3	4.4	2.0	2.0
			900 999	1.0	( 1.6)	67.0	601.0	68.0	6.0	6.4	3.0	4.0	2.0	3.0
			800 899	1.0	( 1.6)	70.9	320.0	44.0	4.7	1.5	2.0	5.0	2.0	2.0
				64.0	( 1.0)	70.3	480.1	52.5	7.0	2.9	3.4	4.3	2.5	2.1
			2000 2099	1.0	( 0.1)	73.0	595.0	82.0	7.4	2.8	10.0	4.0	5.0	3.0
			1900 1999	8.0	( 0.9)	73.3	648.3	80.6	9.2	2.9	8.5	3.1	4.6	2.9
			1800 1899	20.0	( 2.3)	72.4	589.4	69.4	8.3	2.4	7.7	3.5	4.5	2.8
			1700 1799	54.0	( 6.3)	71.5	586.9	65.5	8.1	2.8	7.1	3.8	4.2	2.7
			1600 1699	69.0	( 8.1)	71.3	577.8	62.1	8.1	2.6	6.0	3.7	4.1	2.7
			1500 1599	149.0	( 17.4)	70.9	566.2	60.4	7.8	2.7	5.3	3.9	3.7	2.7
			1400 1499	200.0	( 23.4)	70.5	556.2	57.0	7.6	2.7	4.4	4.0	3.3	2.7
			1300 1399	198.0	( 23.1)	70.3	547.1	56.3	7.3	2.7	3.9	4.1	2.9	2.7
			1200 1299	94.0	( 11.0)	70.0	537.0	53.9	7.1	2.7	3.4	4.1	2.5	2.6
			1100 1199	45.0	( 5.3)	69.7	544.2	53.5	7.3	3.0	3.0	4.0	2.3	2.4
			1000 1099	15.0	( 1.8)	68.8	501.9	45.6	6.7	2.9	2.9	3.7	2.2	2.4
			900 999	2.0	( 0.2)	69.3	305.0	31.0	4.2	1.1	2.5	4.0	2.0	2.0

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			700 799	1.0	( 0.1)	68.7	191.0	25.0	2.4	1.3	2.0	5.0	1.0	2.0
				856.0	( 13.4)	70.6	556.5	58.1	7.6	2.7	4.6	4.0	3.3	2.6
			1800 1899	1.0	( 1.7)	69.7	508.0	50.0	8.2	3.6	7.0	4.0	5.0	3.0
			1700 1799	4.0	( 6.9)	72.4	559.8	66.8	8.6	2.6	7.0	3.3	4.5	2.5
			1600 1699	2.0	( 3.4)	70.7	558.5	57.5	8.3	3.1	5.5	3.5	4.0	3.0
			1500 1599	4.0	( 6.9)	70.6	544.5	59.8	7.8	3.3	4.5	4.3	3.3	2.8
			1400 1499	8.0	( 13.8)	70.2	575.0	55.9	7.6	2.5	4.8	3.6	3.4	2.6
			1300 1399	15.0	( 25.9)	70.3	575.0	57.9	7.6	2.7	3.9	3.9	3.0	2.5
			1200 1299	4.0	( 6.9)	69.9	561.0	55.0	7.6	3.0	3.3	4.0	3.0	2.5
			1100 1199	14.0	( 24.1)	69.2	524.8	48.8	6.7	2.8	3.1	4.0	2.5	2.2
			1000 1099	1.0	( 1.7)	71.3	461.0	53.0	6.6	1.8	3.0	4.0	2.0	2.0
			900 999	1.0	( 1.7)	69.9	322.0	37.0	4.0	1.0	2.0	5.0	2.0	2.0
			800 899	3.0	( 5.2)	69.0	294.7	29.7	3.7	1.1	1.7	4.7	1.7	2.0
			700 799	1.0	( 1.7)	68.4	273.0	20.0	3.8	0.8	2.0	5.0	1.0	2.0
				58.0	( 0.9)	70.1	531.0	53.3	7.1	2.6	3.9	3.9	3.0	2.4
			1500 1599	2.0	( 5.1)	69.8	527.5	51.0	7.8	3.0	5.0	3.5	4.0	2.0
			1400 1499	16.0	( 41.0)	70.0	537.1	53.3	7.0	2.5	3.7	4.0	3.1	2.4
			1300 1399	6.0	( 15.4)	70.6	548.8	55.8	7.3	2.3	3.3	3.7	2.7	2.3
			1200 1299	11.0	( 28.2)	69.6	526.5	51.4	6.6	2.5	3.0	4.5	2.3	2.4
			1100 1199	3.0	( 7.7)	68.6	511.3	47.0	6.9	3.4	3.0	4.3	2.7	2.7
			1000 1099	1.0	( 2.6)	68.4	521.0	42.0	7.0	2.9	3.0	5.0	2.0	3.0
				39.0	( 0.6)	69.8	533.0	52.2	7.0	2.6	3.4	4.1	2.8	2.4
			1600 1699	1.0	( 2.0)	71.3	533.5	58.0	7.9	2.4	4.0	4.0	4.0	3.0
			1500 1599	4.0	( 7.8)	71.6	549.8	63.5	8.3	3.0	7.5	3.5	4.5	2.5
			1400 1499	10.0	( 19.6)	71.3	555.5	59.5	7.7	2.3	5.7	3.8	3.7	2.7
			1300 1399	11.0	( 21.6)	70.6	579.8	60.0	8.4	3.2	4.8	3.8	3.4	2.7
			1200 1299	15.0	( 29.4)	70.9	549.8	59.7	7.6	2.7	3.9	3.9	2.8	2.6
			1100 1199	9.0	( 17.6)	70.1	575.8	56.6	8.2	3.3	3.7	4.0	2.8	2.7
			1000 1099	1.0	( 2.0)	70.7	651.5	69.0	8.3	3.4	3.0	4.0	2.0	3.0
				51.0	( 0.8)	70.8	563.6	59.6	8.0	2.9	4.7	3.9	3.2	2.7
			1600 1699	1.0	( 50.0)	72.3	566.1	66.0	8.0	2.0	7.0	4.0	4.0	2.0
			1300 1399	1.0	( 50.0)	68.1	500.7	39.0	6.9	3.0	3.0	4.0	3.0	3.0
				2.0	( 0.0)	70.2	533.4	52.5	7.5	2.5	5.0	4.0	3.5	2.5
			1400 1499	1.0	( 20.0)	71.1	492.0	55.0	7.0	2.1	3.0	4.0	3.0	2.0
			1300 1399	3.0	( 60.0)	71.0	608.5	62.3	8.3	2.7	4.0	4.0	3.0	2.0
			1200 1299	1.0	( 20.0)	69.2	631.5	48.0	8.6	2.5	4.0	4.0	3.0	2.0
				5.0	( 0.1)	70.6	589.8	58.0	8.1	2.6	3.8	4.0	3.0	2.0



					(%)		(kg)	(cm2)	(cm)	(cm)				
			1700 1799	39.0	( 69.6)	70.4	548.3	58.0	7.4	2.9	4.5	3.8	3.4	2.9
			1600 1699	1.0	( 1.8)	69.3	503.0	51.0	6.2	2.8	3.0	3.0	3.0	3.0
			1400 1499	2.0	( 3.6)	71.3	418.5	52.5	6.5	2.1	4.0	4.0	3.0	3.0
			1300 1399	3.0	( 5.4)	71.0	448.7	52.3	6.5	2.2	4.7	4.3	3.3	2.7
			1200 1299	3.0	( 5.4)	69.7	505.3	52.3	7.0	3.2	2.3	4.0	2.0	3.0
			1100 1199	3.0	( 5.4)	70.1	350.7	41.0	5.5	2.0	2.0	4.3	2.0	3.0
			1000 1099	4.0	( 7.1)	69.4	397.3	40.3	5.8	2.3	2.3	4.3	2.0	2.3
			900 999	1.0	( 1.8)	69.8	322.0	35.0	4.7	1.4	2.0	4.0	2.0	3.0
				56.0	( 0.9)	70.3	509.8	54.5	7.0	2.7	4.0	3.9	3.1	2.9
			1000 1099	1.0	( 25.0)	69.4	497.0	46.0	6.8	2.5	4.0	5.0	3.0	2.0
			900 999	3.0	( 75.0)	69.9	412.7	41.3	5.6	1.5	3.3	5.3	2.0	2.0
				4.0	( 0.1)	69.8	433.8	42.5	5.9	1.8	3.5	5.3	2.3	2.0
			1900 1999	1.0	( 0.4)	72.2	528.4	60.0	8.7	2.4	8.0	4.0	5.0	3.0
			1800 1899	2.0	( 0.8)	71.7	551.8	66.0	8.3	3.2	7.5	3.5	4.5	3.0
			1700 1799	5.0	( 2.0)	72.2	540.0	66.8	7.7	2.4	7.0	3.8	4.2	2.8
			1600 1699	19.0	( 7.4)	71.0	552.3	61.2	7.8	2.8	6.5	3.3	4.2	2.5
			1500 1599	47.0	( 18.4)	70.9	541.7	58.0	7.5	2.5	5.0	3.6	3.7	2.4
			1400 1499	49.0	( 19.1)	70.8	532.8	55.8	7.6	2.5	4.5	3.6	3.4	2.7
			1300 1399	52.0	( 20.3)	70.7	546.5	57.5	7.6	2.7	3.9	3.8	3.0	2.8
			1200 1299	55.0	( 21.5)	70.2	512.5	52.5	7.1	2.6	3.3	3.9	2.6	2.7
			1100 1199	14.0	( 5.5)	69.1	539.7	51.2	7.1	3.2	3.0	4.1	2.2	2.8
			1000 1099	10.0	( 3.9)	69.8	481.0	49.6	6.7	2.7	2.5	4.8	2.1	2.5
			900 999	2.0	( 0.8)	67.5	584.0	46.5	7.8	4.2	2.5	4.0	2.0	3.0
				256.0	( 4.0)	70.5	533.3	56.0	7.4	2.6	4.3	3.8	3.1	2.7
			2000 2099	1.0	( 0.3)	72.5	615.6	72.0	8.0	2.2	7.0	3.0	5.0	3.0
			1900 1999	3.0	( 0.8)	71.5	537.1	60.3	8.5	2.9	7.7	3.7	4.7	3.0
			1800 1899	2.0	( 0.6)	70.5	546.6	58.0	8.0	3.2	7.0	4.0	4.5	3.0
			1700 1799	28.0	( 7.8)	71.3	545.2	62.6	8.1	3.1	6.3	3.9	4.1	2.9
			1600 1699	34.0	( 9.4)	71.2	537.8	60.2	7.9	2.8	5.9	3.8	4.1	2.8
			1500 1599	60.0	( 16.7)	70.3	548.3	56.6	7.8	3.1	5.3	3.6	3.8	2.8
			1400 1499	71.0	( 19.7)	70.1	545.4	55.9	7.6	3.1	4.7	3.9	3.5	2.9
			1300 1399	87.0	( 24.2)	69.8	525.2	52.5	7.3	3.0	4.0	4.0	3.0	2.8
			1200 1299	45.0	( 12.5)	69.7	529.5	52.9	7.2	3.0	3.5	4.1	2.6	2.7
			1100 1199	21.0	( 5.8)	69.3	527.5	50.7	7.0	3.0	2.9	4.4	2.2	3.0
			1000 1099	8.0	( 2.2)	68.6	485.4	43.1	6.3	2.7	2.6	4.5	2.1	2.8
				360.0	( 5.6)	70.1	536.0	55.3	7.5	3.0	4.6	3.9	3.4	2.8
			1000 1099	1.0	( 0.0)	67.4	564.0	40.0	6.5	2.7	2.0	4.0	2.0	2.0
			1700 1799	4.0	( 2.7)	69.7	593.0	55.3	8.6	3.5	5.3	4.0	4.0	3.0
			1600 1699	125.0	( 85.6)	69.9	559.2	52.6	8.1	3.0	2.9	4.0	2.6	3.0

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
			1500 1599	9.0	( 6.2)	69.2	564.6	50.1	8.5	3.6	2.4	4.7	2.4	3.0
			1400 1499	2.0	( 1.4)	69.8	542.5	47.5	8.2	2.8	2.5	4.0	2.5	3.0
			1300 1399	1.0	( 0.7)	69.5	526.5	47.0	7.0	2.3	2.0	4.0	2.0	3.0
			1200 1299	3.0	( 2.1)	68.9	554.2	51.0	7.5	3.5	2.7	4.3	2.3	3.0
			1100 1199	1.0	( 0.7)	69.7	526.5	52.0	7.8	3.3	2.0	4.0	2.0	3.0
			1000 1099	1.0	( 0.7)	67.7	559.0	44.0	8.1	4.1	2.0	4.0	2.0	3.0
				146.0	( 2.3)	69.8	559.7	52.3	8.1	3.1	2.9	4.1	2.6	3.0
			1400 1499	1.0	( 50.0)	72.3	548.2	68.0	7.7	2.4	3.0	4.0	2.0	3.0
			1300 1399	1.0	( 50.0)	69.3	492.2	44.0	5.9	1.8	3.0	5.0	2.0	2.0
				2.0	( 0.0)	70.8	520.2	56.0	6.8	2.1	3.0	4.5	2.0	2.5
			1400 1499	3.0	( 27.3)	70.7	509.7	55.3	7.1	2.5	4.3	4.0	3.3	2.3
			1200 1299	4.0	( 36.4)	70.2	449.5	49.5	7.1	3.0	2.8	4.0	2.5	2.8
			1100 1199	3.0	( 27.3)	70.0	475.6	49.3	7.0	2.8	3.0	4.0	2.7	2.3
			1000 1099	1.0	( 9.1)	70.0	456.6	52.0	6.7	3.2	3.0	4.0	2.0	3.0
				11.0	( 0.2)	70.2	473.7	51.3	7.0	2.8	3.3	4.0	2.7	2.5
			1600 1699	2.0	( 10.5)	70.7	650.1	68.0	8.0	3.1	6.0	3.0	4.0	3.0
			1500 1599	3.0	( 15.8)	71.0	522.5	55.0	7.9	2.5	5.3	3.7	4.0	2.3
			1400 1499	3.0	( 15.8)	69.8	538.0	51.3	7.5	2.8	3.0	4.0	2.7	3.0
			1300 1399	2.0	( 10.5)	69.5	472.9	45.5	7.0	2.8	4.0	4.0	2.5	3.0
			1200 1299	6.0	( 31.6)	69.4	519.0	50.2	6.8	2.8	3.5	3.7	2.7	2.5
			1100 1199	1.0	( 5.3)	69.8	421.0	42.0	6.6	2.4	2.0	4.0	2.0	2.0
			1000 1099	2.0	( 10.5)	70.5	476.2	50.5	7.0	2.4	2.5	4.0	2.0	2.5
				19.0	( 0.3)	70.0	521.8	52.1	7.3	2.7	3.8	3.7	2.9	2.6
			1400 1499	2.0	( 66.7)	70.8	463.1	52.5	6.6	2.1	3.5	4.0	3.0	3.0
			1200 1299	1.0	( 33.3)	70.4	469.2	57.0	7.1	3.6	4.0	4.0	3.0	3.0
				3.0	( 0.0)	70.7	465.1	54.0	6.8	2.6	3.7	4.0	3.0	3.0
			1900 1999	1.0	( 1.8)	73.0	537.2	69.0	8.3	2.4	6.0	3.0	4.0	3.0
			1800 1899	2.0	( 3.5)	70.6	547.4	60.5	7.7	3.1	7.0	4.0	4.5	2.5
			1700 1799	8.0	( 14.0)	71.3	562.7	64.1	7.8	2.9	6.9	3.5	4.5	2.9
			1600 1699	4.0	( 7.0)	70.7	528.4	54.5	8.2	2.9	5.8	3.5	4.0	2.8
			1500 1599	10.0	( 17.5)	70.7	566.8	61.1	7.6	2.9	5.3	3.8	3.8	2.9
			1400 1499	8.0	( 14.0)	70.4	512.0	54.6	7.4	2.9	4.8	3.6	3.3	3.0
			1300 1399	13.0	( 22.8)	69.6	507.3	52.0	7.0	3.1	3.8	4.2	3.2	2.8
			1200 1299	3.0	( 5.3)	70.0	555.3	59.0	7.3	3.2	3.3	4.0	3.0	2.7
			1100 1199	5.0	( 8.8)	69.4	476.8	49.6	6.6	3.1	3.2	4.8	2.4	2.4
			1000 1099	2.0	( 3.5)	69.0	514.6	49.0	6.8	3.0	3.0	4.5	2.0	2.0
			900 999	1.0	( 1.8)	65.2	625.2	49.0	6.8	5.8	3.0	3.0	2.0	3.0
				57.0	( 0.9)	70.2	531.8	56.4	7.4	3.0	4.8	3.9	3.5	2.8

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1700 1799	6.0	( 4.0)	72.2	568.7	68.7	8.1	2.6	6.3	4.0	4.0	2.8
			1600 1699	12.0	( 8.1)	71.3	556.9	61.8	7.9	2.6	5.4	3.8	3.8	3.0
			1500 1599	20.0	( 13.4)	71.2	557.6	59.9	7.9	2.5	4.5	4.0	3.4	2.9
			1400 1499	34.0	( 22.8)	70.3	537.5	54.6	7.5	2.7	4.2	4.0	3.2	2.7
			1300 1399	31.0	( 20.8)	70.1	532.5	54.3	7.4	2.9	4.0	3.9	3.2	2.7
			1200 1299	25.0	( 16.8)	69.5	514.6	51.1	7.1	3.1	3.2	4.2	2.4	2.4
			1100 1199	16.0	( 10.7)	69.4	488.8	47.8	6.6	2.8	2.8	4.1	2.3	2.7
			1000 1099	5.0	( 3.4)	69.2	411.0	43.8	5.7	2.7	3.0	4.6	2.0	2.6
				149.0	( 2.3)	70.3	528.7	54.7	7.4	2.8	4.0	4.0	3.0	2.7
			1900 1999	1.0	( 1.2)	72.2	526.6	64.0	7.3	2.0	7.0	2.0	4.0	3.0
			1600 1699	4.0	( 4.8)	70.6	527.0	56.3	7.9	3.1	5.8	3.8	4.0	2.8
			1500 1599	5.0	( 6.0)	71.0	502.6	56.4	7.3	2.5	4.8	3.8	3.8	3.0
			1400 1499	14.0	( 16.7)	70.8	514.3	56.0	7.6	2.7	4.7	3.9	3.3	2.7
			1300 1399	26.0	( 31.0)	70.5	517.3	56.4	7.4	2.9	4.0	4.1	2.9	2.8
			1200 1299	20.0	( 23.8)	70.5	510.8	53.0	7.4	2.5	3.2	4.3	2.5	3.0
			1100 1199	6.0	( 7.1)	70.4	494.9	49.8	7.2	2.2	3.0	4.5	2.3	2.8
			1000 1099	8.0	( 9.5)	69.8	482.6	45.3	6.7	2.2	2.1	4.4	2.0	2.6
				84.0	( 1.3)	70.5	510.0	54.1	7.4	2.6	3.8	4.1	2.9	2.8
			1700 1799	3.0	( 6.7)	71.2	474.5	55.7	6.7	2.1	5.0	3.7	4.0	2.7
			1600 1699	5.0	( 11.1)	71.4	501.6	59.2	7.6	2.7	5.4	3.8	4.0	2.8
			1500 1599	9.0	( 20.0)	71.0	515.1	58.6	7.8	3.0	5.2	3.7	3.9	3.0
			1400 1499	11.0	( 24.4)	71.4	507.4	59.5	7.3	2.5	4.7	3.6	3.5	2.8
			1300 1399	11.0	( 24.4)	70.4	504.3	55.5	7.4	3.1	3.5	3.6	3.0	2.7
			1200 1299	3.0	( 6.7)	70.7	470.9	56.7	7.6	3.6	3.3	4.0	2.7	3.0
			1100 1199	3.0	( 6.7)	70.3	425.1	47.7	5.9	2.1	3.0	4.3	2.3	2.0
				45.0	( 0.7)	70.9	497.4	57.0	7.3	2.8	4.4	3.7	3.4	2.8
			1500 1599	1.0	( 25.0)	70.5	525.7	59.0	6.2	2.3	7.0	4.0	5.0	3.0
			1300 1399	2.0	( 50.0)	70.0	518.0	54.5	6.6	2.6	3.5	3.0	2.5	2.5
			1100 1199	1.0	( 25.0)	70.7	416.3	48.0	5.5	1.5	3.0	4.0	2.0	3.0
				4.0	( 0.1)	70.3	494.5	54.0	6.2	2.3	4.3	3.5	3.0	2.8
			2000 2099	1.0	( 0.8)	72.7	603.2	73.0	9.2	3.0	8.0	3.0	5.0	3.0
			1800 1899	2.0	( 1.5)	72.4	548.6	71.0	8.8	3.6	8.0	3.5	4.5	3.0
			1700 1799	7.0	( 5.4)	72.4	560.4	67.9	7.9	2.3	6.4	4.0	4.0	2.9
			1600 1699	6.0	( 4.6)	71.6	553.5	62.3	7.8	2.4	5.7	3.5	4.0	2.7
			1500 1599	9.0	( 6.9)	70.7	528.5	54.7	7.3	2.3	4.6	4.0	3.3	2.6
			1400 1499	28.0	( 21.5)	70.3	544.8	57.3	7.6	3.1	4.8	3.9	3.6	2.8
			1300 1399	33.0	( 25.4)	69.8	538.8	54.8	7.2	2.9	3.8	4.2	3.0	2.6
			1200 1299	21.0	( 16.2)	69.7	519.4	52.3	6.8	2.7	3.3	4.3	2.6	2.7
			1100 1199	14.0	( 10.8)	69.9	482.9	49.1	6.7	2.6	2.7	4.2	2.1	2.9
			1000 1099	7.0	( 5.4)	70.0	429.0	46.3	5.8	2.1	2.7	4.6	2.0	3.0

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			900 999	2.0	( 1.5)	70.5	398.1	47.0	6.0	2.3	2.0	4.5	2.0	3.0
				130.0	( 2.0)	70.3	524.6	55.2	7.2	2.7	4.1	4.1	3.1	2.7
			1900 1999	1.0	( 0.9)	72.2	555.4	75.0	7.5	3.3	7.0	3.0	5.0	3.0
			1800 1899	1.0	( 0.9)	72.4	528.0	61.0	8.6	2.2	6.0	3.0	4.0	3.0
			1600 1699	6.0	( 5.2)	71.3	588.7	63.2	8.5	2.9	5.5	3.3	3.8	2.7
			1500 1599	7.0	( 6.1)	70.7	574.2	59.9	7.7	2.7	5.1	3.3	3.7	2.7
			1400 1499	18.0	( 15.7)	70.3	568.4	58.4	7.9	3.1	4.3	3.9	3.3	2.8
			1300 1399	21.0	( 18.3)	69.7	548.6	54.8	7.4	3.2	3.7	3.6	3.0	2.7
			1200 1299	36.0	( 31.3)	69.1	560.4	51.4	7.6	3.4	3.4	3.9	2.6	2.8
			1100 1199	20.0	( 17.4)	69.7	531.6	54.8	7.2	3.2	2.6	3.9	2.1	2.7
			1000 1099	4.0	( 3.5)	68.5	518.0	47.8	6.6	3.4	2.3	5.0	2.0	2.8
			900 999	1.0	( 0.9)	68.2	508.9	42.0	6.2	2.7	2.0	4.0	2.0	2.0
				115.0	( 1.8)	69.7	554.5	54.9	7.6	3.2	3.7	3.8	2.8	2.7
			1900 1999	3.0	( 3.9)	71.8	509.0	62.0	8.3	3.0	7.3	3.0	4.7	3.0
			1800 1899	3.0	( 3.9)	72.9	554.3	71.3	8.2	2.5	7.7	4.0	4.7	2.7
			1700 1799	7.0	( 9.1)	72.5	526.7	65.1	8.1	2.4	6.0	3.4	4.1	2.9
			1600 1699	9.0	( 11.7)	71.3	526.8	60.2	7.8	2.8	5.1	3.7	3.8	2.8
			1500 1599	7.0	( 9.1)	70.3	552.9	61.4	7.3	3.4	5.0	3.7	3.6	2.9
			1400 1499	16.0	( 20.8)	70.2	533.8	57.4	7.4	3.2	4.3	3.8	3.4	2.8
			1300 1399	15.0	( 19.5)	70.6	478.5	53.5	7.2	2.7	4.4	3.8	3.2	2.7
			1200 1299	10.0	( 13.0)	69.5	543.4	54.6	7.5	3.5	3.0	3.9	2.6	2.5
			1100 1199	3.0	( 3.9)	69.4	552.8	54.3	7.0	3.1	2.3	4.3	2.0	2.7
			1000 1099	2.0	( 2.6)	70.3	337.0	38.5	5.0	1.3	2.5	4.5	2.0	2.5
			900 999	2.0	( 2.6)	69.3	405.5	40.0	5.4	1.9	3.0	5.0	2.5	2.5
				77.0	( 1.2)	70.7	516.7	57.3	7.4	2.9	4.6	3.8	3.4	2.7
			1900 1999	1.0	( 0.8)	73.2	618.8	81.0	7.5	2.1	10.0	4.0	5.0	3.0
			1700 1799	9.0	( 6.9)	70.4	542.0	58.0	7.3	2.8	5.2	4.2	3.8	2.6
			1600 1699	8.0	( 6.1)	72.2	547.3	66.3	7.4	2.0	6.1	3.8	4.3	2.6
			1500 1599	21.0	( 16.0)	71.0	505.3	58.5	6.7	2.4	5.0	3.9	3.8	2.4
			1400 1499	25.0	( 19.1)	70.8	493.4	54.9	6.5	2.1	4.0	4.0	3.0	2.5
			1300 1399	37.0	( 28.2)	70.7	494.7	56.7	6.5	2.4	3.5	4.1	2.7	2.6
			1200 1299	15.0	( 11.5)	69.7	479.5	50.5	6.1	2.6	3.0	4.5	2.3	2.8
			1100 1199	6.0	( 4.6)	69.6	451.6	46.5	5.7	2.2	2.3	4.8	2.0	2.7
			1000 1099	7.0	( 5.3)	69.3	428.1	42.7	5.2	1.9	2.4	5.1	2.0	2.7
			900 999	2.0	( 1.5)	69.5	336.6	36.5	3.8	0.9	3.0	4.5	2.5	3.0
				131.0	( 2.0)	70.6	493.9	55.3	6.5	2.3	4.0	4.2	3.0	2.6
			1700 1799	2.0	( 28.6)	71.7	473.9	62.0	6.8	2.6	7.5	4.0	4.5	2.5
			1600 1699	1.0	( 14.3)	70.2	461.9	49.0	6.6	2.4	6.0	4.0	4.0	2.0
			1500 1599	1.0	( 14.3)	70.5	433.1	48.0	5.5	1.6	5.0	4.0	4.0	3.0
			1300 1399	1.0	( 14.3)	71.2	473.2	56.0	6.8	2.2	5.0	4.0	3.0	2.0

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1200 1299	1.0	( 14.3)	70.2	510.3	54.0	7.1	2.8	3.0	4.0	2.0	3.0
			1100 1199	1.0	( 14.3)	70.6	422.8	56.0	5.8	2.9	3.0	5.0	2.0	3.0
				7.0	( 0.1)	70.9	464.2	55.3	6.5	2.5	5.3	4.1	3.4	2.6
			1800 1899	1.0	( 0.7)	70.7	616.3	71.0	8.4	4.2	9.0	4.0	5.0	3.0
			1700 1799	6.0	( 4.4)	71.6	595.1	64.2	8.6	2.7	6.7	4.0	4.3	3.0
			1600 1699	6.0	( 4.4)	71.4	590.9	63.8	8.6	2.9	7.2	3.8	4.5	2.7
			1500 1599	14.0	( 10.2)	70.5	566.3	58.5	8.0	3.0	4.6	4.1	3.4	3.0
			1400 1499	18.0	( 13.1)	70.3	566.0	56.8	7.8	2.8	4.3	4.0	3.2	2.9
			1300 1399	24.0	( 17.5)	70.0	531.5	52.3	7.4	2.8	4.2	4.2	3.1	2.8
			1200 1299	44.0	( 32.1)	69.7	517.7	51.5	7.0	2.9	3.4	4.3	2.7	2.8
			1100 1199	20.0	( 14.6)	69.1	521.6	49.3	6.9	3.1	2.9	4.5	2.2	2.7
			1000 1099	3.0	( 2.2)	70.0	484.3	54.7	6.3	2.8	2.3	4.7	2.0	3.0
			800 899	1.0	( 0.7)	70.4	340.9	44.0	3.7	1.0	2.0	4.0	2.0	2.0
				137.0	( 2.1)	70.0	537.3	54.0	7.4	2.9	4.0	4.2	3.0	2.8
			1900 1999	2.0	( 0.7)	73.0	562.4	77.5	8.1	3.0	8.0	3.5	5.0	3.0
			1800 1899	4.0	( 1.4)	72.0	587.3	66.8	8.4	2.5	6.8	3.8	4.3	2.8
			1700 1799	15.0	( 5.1)	71.6	604.6	69.4	8.3	3.1	6.6	3.9	4.3	2.7
			1600 1699	14.0	( 4.8)	71.0	591.6	67.1	7.9	3.3	6.3	3.8	4.2	2.8
			1500 1599	39.0	( 13.4)	70.9	583.5	63.0	8.1	3.1	4.8	3.8	3.7	2.7
			1400 1499	67.0	( 22.9)	70.3	586.5	61.9	7.7	3.2	4.4	4.0	3.4	2.8
			1300 1399	62.0	( 21.2)	70.1	571.9	60.0	7.5	3.2	3.6	4.1	2.8	2.7
			1200 1299	56.0	( 19.2)	69.4	580.3	56.7	7.5	3.4	3.3	4.3	2.6	2.8
			1100 1199	23.0	( 7.9)	69.8	583.5	59.3	7.5	3.3	2.8	4.3	2.2	2.8
			1000 1099	10.0	( 3.4)	69.3	563.9	55.4	6.9	3.2	2.2	4.6	2.1	2.8
				292.0	( 4.6)	70.2	581.8	61.0	7.7	3.2	4.2	4.1	3.1	2.8
			1700 1799	1.0	( 0.8)	72.1	513.8	72.0	6.3	2.7	10.0	4.0	5.0	2.0
			1600 1699	5.0	( 3.8)	69.9	597.9	57.2	7.9	3.0	5.4	3.8	3.8	2.8
			1500 1599	14.0	( 10.8)	71.2	541.4	61.0	7.6	2.7	4.4	3.9	3.4	2.9
			1400 1499	36.0	( 27.7)	70.2	551.5	56.8	7.8	3.1	4.1	3.8	3.2	2.9
			1300 1399	29.0	( 22.3)	70.0	524.8	54.2	7.2	3.0	3.3	4.0	2.8	3.0
			1200 1299	25.0	( 19.2)	69.6	517.7	51.8	7.2	3.1	2.8	4.1	2.4	3.0
			1100 1199	14.0	( 10.8)	68.8	542.9	51.4	7.4	3.8	2.2	4.1	2.0	3.0
			1000 1099	2.0	( 1.5)	68.8	572.5	51.0	7.6	3.5	2.5	4.5	2.0	3.0
			500 599	4.0	( 3.1)	70.7	484.1	50.3	6.8	1.9	2.5	4.5	2.5	3.0
				130.0	( 2.0)	70.0	536.8	55.0	7.4	3.1	3.5	4.0	2.8	2.9
			1200 1299	1.0	( 50.0)	71.1	583.1	69.0	7.4	3.2	3.0	4.0	3.0	3.0
			1000 1099	1.0	( 50.0)	69.3	565.3	54.0	6.2	2.4	2.0	5.0	2.0	2.0
				2.0	( 0.0)	70.2	574.2	61.5	6.8	2.8	2.5	4.5	2.5	2.5
			2000 2099	4.0	( 0.1)	72.2	607.7	72.0	8.1	2.6	7.8	3.5	5.0	2.8
			1900 1999	28.0	( 0.4)	72.5	586.8	71.8	8.5	2.8	8.0	3.3	4.6	2.9

[illegible]