

					(%)		(kg)	(m2)	(m)	(m)				
			1800 1899	1.0	( 0.4)	74.3	513.0	84.0	8.0	3.1	8.0	4.0	5.0	3.0
			1700 1799	2.0	( 0.8)	72.7	545.5	68.0	8.9	3.0	7.0	3.5	4.5	2.5
			1600 1699	2.0	( 0.8)	71.4	477.3	63.0	7.7	3.8	6.0	4.0	4.0	3.0
			1500 1599	9.0	( 3.6)	71.5	519.3	61.6	8.0	3.0	5.1	4.0	3.7	2.9
			1400 1499	22.0	( 8.7)	71.0	505.0	58.4	8.0	3.3	4.4	3.8	3.4	2.9
			1300 1399	41.0	( 16.2)	71.0	499.6	58.5	7.5	3.1	4.1	4.2	3.1	2.8
			1200 1299	63.0	( 24.9)	70.6	487.4	54.2	7.4	3.0	3.6	4.3	2.8	2.9
			1100 1199	53.0	( 20.9)	70.1	495.2	52.6	7.4	3.2	3.2	4.1	2.4	2.8
			1000 1099	31.0	( 12.3)	69.5	481.9	48.4	7.2	3.3	2.8	4.5	2.2	2.8
			900 999	9.0	( 3.6)	69.4	471.7	47.6	6.6	3.0	3.0	4.7	2.1	2.9
			800 899	5.0	( 2.0)	69.5	427.8	43.2	6.5	2.8	2.6	4.8	2.2	3.4
			700 799	4.0	( 1.6)	69.0	448.5	44.8	6.3	3.1	3.0	4.5	2.3	4.0
			600 699	7.0	( 2.8)	68.5	435.7	40.7	5.0	2.2	2.3	4.9	2.0	4.4
			500 599	4.0	( 1.6)	69.7	375.0	39.3	5.5	1.9	3.5	5.0	2.3	6.8
				253.0	( 9.9)	70.3	487.9	53.6	7.3	3.1	3.6	4.2	2.7	3.0
			1700 1799	3.0	( 5.3)	71.4	527.3	59.0	8.6	3.1	8.0	3.7	4.7	3.0
			1600 1699	1.0	( 1.8)	70.7	487.0	60.0	7.6	3.8	8.0	4.0	5.0	3.0
			1500 1599	4.0	( 7.0)	70.0	478.5	55.8	7.2	3.8	6.3	3.8	4.0	3.0
			1400 1499	7.0	( 12.3)	71.3	502.0	58.9	8.0	3.1	4.3	4.1	3.1	2.9
			1300 1399	9.0	( 15.8)	71.1	489.1	55.9	7.7	2.8	3.1	4.3	2.4	2.6
			1200 1299	10.0	( 17.5)	70.8	491.6	55.5	7.5	2.9	3.1	4.3	2.5	2.5
			1100 1199	7.0	( 12.3)	70.9	464.4	55.1	7.1	2.8	2.6	4.3	2.3	2.6
			1000 1099	4.0	( 7.0)	69.6	445.0	49.0	6.5	3.3	2.0	4.3	2.0	2.3
			900 999	1.0	( 1.8)	66.5	522.0	42.0	6.3	4.4	6.0	4.0	4.0	3.0
			700 799	2.0	( 3.5)	70.5	320.5	42.0	4.6	1.6	3.0	4.5	2.0	3.5
			600 699	3.0	( 5.3)	69.3	349.3	38.0	4.7	2.0	3.3	4.0	2.3	3.3
			500 599	4.0	( 7.0)	69.8	327.5	39.5	4.2	1.6	2.3	4.3	2.0	4.0
			499	2.0	( 3.5)	69.3	218.5	30.0	3.1	1.5	3.0	4.0	1.5	3.0
				57.0	( 2.2)	70.5	452.7	52.1	6.9	2.8	3.7	4.2	2.7	2.8
			1900 1999	1.0	( 3.4)	75.4	493.0	90.0	7.6	2.9	10.0	3.0	5.0	2.0
			1700 1799	4.0	( 13.8)	73.5	481.5	71.3	7.7	2.5	6.5	3.5	4.0	2.3
			1600 1699	2.0	( 6.9)	73.0	470.0	64.5	7.3	2.0	6.0	3.5	4.0	2.0
			1500 1599	2.0	( 6.9)	70.8	512.0	58.0	8.2	3.5	5.0	4.0	3.5	2.5
			1400 1499	3.0	( 10.3)	71.0	487.7	59.0	7.0	3.0	4.7	4.3	3.7	2.3
			1300 1399	8.0	( 27.6)	71.0	506.5	55.1	7.8	2.7	3.6	3.9	2.8	2.8
			1200 1299	2.0	( 6.9)	70.0	513.0	57.0	7.1	3.4	4.0	2.5	2.5	3.0
			1100 1199	5.0	( 17.2)	70.5	452.0	50.6	7.2	2.9	3.0	4.2	2.4	2.6
			1000 1099	2.0	( 6.9)	70.4	454.5	55.0	6.5	3.1	2.5	4.5	2.0	2.5
				29.0	( 1.1)	71.4	486.0	59.1	7.4	2.8	4.4	3.8	3.1	2.5
			1600 1699	3.0	( 3.8)	72.6	582.1	74.7	8.3	3.0	6.7	4.0	4.0	3.0
			1500 1599	7.0	( 8.8)	71.0	531.0	56.0	8.5	3.0	5.6	3.9	3.9	2.9

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1400 1499	17.0	( 21.3)	70.8	536.0	58.4	8.1	3.2	4.9	3.9	3.6	2.7
			1300 1399	14.0	( 17.5)	69.7	552.9	54.2	8.0	3.5	4.2	4.1	3.1	2.9
			1200 1299	11.0	( 13.8)	69.5	507.2	50.5	7.8	3.7	3.6	4.3	2.9	2.8
			1100 1199	19.0	( 23.8)	69.3	532.6	52.3	7.7	3.6	3.5	4.3	2.6	2.7
			1000 1099	4.0	( 5.0)	69.9	444.5	50.0	6.8	3.3	2.8	3.8	2.8	3.0
			900 999	3.0	( 3.8)	71.2	372.8	45.7	6.7	2.2	3.0	4.0	2.0	3.3
			700 799	1.0	( 1.3)	68.5	327.0	29.0	4.9	2.0	2.0	5.0	2.0	3.0
			499	1.0	( 1.3)	69.9	335.0	38.0	5.3	2.0	1.0	5.0	2.0	4.0
				80.0	( 3.1)	70.1	519.7	54.0	7.8	3.3	4.1	4.1	3.1	2.9
			1500 1599	1.0	( 16.7)	69.7	537.0	52.0	7.4	2.9	5.0	4.0	4.0	3.0
			1400 1499	2.0	( 33.3)	71.7	455.5	55.5	7.2	2.1	4.5	4.0	3.0	3.0
			1100 1199	2.0	( 33.3)	71.2	410.5	54.5	5.4	1.9	2.5	4.0	2.0	3.0
			800 899	1.0	( 16.7)	68.8	569.5	51.0	7.6	3.4	2.0	5.0	2.0	3.0
				6.0	( 0.2)	70.7	473.1	53.8	6.7	2.4	3.5	4.2	2.7	3.0
			1900 1999	1.0	( 0.7)	73.3	591.0	79.0	9.0	3.3	8.0	3.0	5.0	2.0
			1800 1899	1.0	( 0.7)	74.7	549.0	80.0	9.2	2.6	7.0	4.0	5.0	3.0
			1700 1799	2.0	( 1.5)	73.8	479.0	76.0	8.1	3.0	8.5	3.5	5.0	3.0
			1600 1699	3.0	( 2.2)	73.1	541.0	75.7	7.8	2.9	6.0	4.0	4.3	2.3
			1500 1599	7.0	( 5.1)	71.9	499.4	61.1	8.3	3.0	7.9	3.6	4.9	2.7
			1400 1499	9.0	( 6.6)	71.8	489.4	63.2	7.6	3.1	6.4	3.9	4.2	3.0
			1300 1399	28.0	( 20.6)	71.0	484.9	57.8	7.6	3.2	5.0	3.8	3.6	2.7
			1200 1299	29.0	( 21.3)	70.7	489.6	57.0	7.5	3.3	3.9	4.1	3.1	2.8
			1100 1199	37.0	( 27.2)	70.5	485.4	55.7	7.3	3.3	3.7	4.3	3.0	2.8
			1000 1099	15.0	( 11.0)	70.1	472.5	52.7	7.0	3.1	3.0	4.0	2.4	2.8
			900 999	3.0	( 2.2)	71.5	336.7	45.3	5.5	1.4	3.0	4.0	2.0	3.0
			800 899	1.0	( 0.7)	71.2	356.0	41.0	6.6	1.7	3.0	4.0	2.0	2.0
				136.0	( 5.3)	70.9	483.9	57.6	7.4	3.2	4.5	4.0	3.3	2.8
			1800 1899	2.0	( 1.1)	73.4	513.0	68.5	8.8	2.6	8.5	4.5	5.0	2.5
			1700 1799	6.0	( 3.2)	72.2	500.7	65.2	7.7	2.9	7.0	4.0	4.5	2.5
			1600 1699	10.0	( 5.3)	71.9	474.2	61.8	7.5	2.9	6.3	3.7	4.4	2.7
			1500 1599	18.0	( 9.6)	71.7	483.3	60.4	7.5	2.7	5.6	3.6	3.8	2.6
			1400 1499	45.0	( 23.9)	71.2	483.3	57.8	7.4	2.9	4.7	3.9	3.5	2.5
			1300 1399	43.0	( 22.9)	70.8	486.3	56.3	7.4	3.0	4.3	4.0	3.3	2.7
			1200 1299	34.0	( 18.1)	70.2	479.2	54.1	6.9	3.2	3.6	4.3	2.7	2.6
			1100 1199	19.0	( 10.1)	69.9	472.2	51.5	6.9	3.2	3.0	4.0	2.4	2.8
			1000 1099	10.0	( 5.3)	69.4	465.7	46.6	6.8	3.0	2.7	4.2	2.2	2.6
			900 999	1.0	( 0.5)	68.9	519.0	59.0	6.9	4.8	3.0	5.0	2.0	2.0
				188.0	( 7.3)	70.8	481.8	56.4	7.3	3.0	4.4	4.0	3.2	2.6
			1700 1799	4.0	( 2.3)	71.9	500.0	65.5	7.2	2.9	7.0	4.0	4.3	2.8
			1600 1699	10.0	( 5.7)	71.4	521.9	63.6	8.0	3.4	6.7	3.9	4.2	2.8
			1500 1599	11.0	( 6.3)	70.9	514.6	56.7	7.8	2.9	5.8	3.8	3.9	2.9
			1400 1499	30.0	( 17.1)	70.7	497.5	54.8	7.5	2.9	4.7	4.1	3.4	2.7

							(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
					(%)									
			1300 1399	32.0	( 18.3)	70.0	509.3	54.6	7.6	3.5	4.2	4.2	3.2	2.9
			1200 1299	34.0	( 19.4)	69.8	486.3	51.7	7.2	3.3	3.5	3.9	2.6	2.7
			1100 1199	34.0	( 19.4)	69.4	485.8	49.6	7.2	3.5	2.9	3.9	2.4	2.7
			1000 1099	17.0	( 9.7)	68.8	473.7	46.2	7.0	3.7	2.9	4.4	2.2	2.8
			900 999	1.0	( 0.6)	70.3	407.0	53.0	6.0	3.2	2.0	4.0	2.0	3.0
			700 799	2.0	( 1.1)	70.0	288.0	35.5	4.0	1.2	1.5	5.5	2.0	3.0
				175.0	( 6.8)	70.0	492.5	53.0	7.3	3.3	4.0	4.1	3.0	2.8
			1900 1999	5.0	( 1.8)	73.7	502.0	72.2	7.9	2.3	8.6	3.4	4.6	2.8
			1800 1899	5.0	( 1.8)	72.5	512.6	70.0	7.4	2.7	7.0	3.6	4.4	2.8
			1700 1799	10.0	( 3.6)	72.8	510.3	69.1	7.4	2.3	6.2	3.5	4.4	2.2
			1600 1699	37.0	( 13.4)	71.9	507.8	64.0	7.6	2.8	6.1	3.6	4.2	2.5
			1500 1599	64.0	( 23.1)	71.6	497.7	61.3	7.3	2.7	4.5	4.1	3.5	2.5
			1400 1499	43.0	( 15.5)	71.0	487.9	58.0	7.2	3.0	4.3	4.1	3.5	2.7
			1300 1399	28.0	( 10.1)	71.0	473.1	55.4	7.1	2.6	4.0	4.2	3.1	2.7
			1200 1299	33.0	( 11.9)	70.5	475.0	54.7	6.9	3.0	3.6	4.2	2.8	2.8
			1100 1199	29.0	( 10.5)	70.0	491.3	53.9	7.1	3.3	3.1	4.3	2.7	2.4
			1000 1099	8.0	( 2.9)	70.0	443.2	49.4	6.2	2.6	3.0	4.5	2.4	2.6
			900 999	6.0	( 2.2)	70.9	392.7	47.7	5.6	1.7	3.0	4.7	2.3	3.0
			800 899	6.0	( 2.2)	70.4	357.3	43.0	5.0	1.6	2.5	4.7	2.0	2.8
			700 799	3.0	( 1.1)	69.6	410.0	43.7	5.3	2.0	2.0	5.0	2.0	2.3
				277.0	( 10.8)	71.2	484.6	58.4	7.1	2.8	4.4	4.1	3.3	2.6
			1500 1599	1.0	( 10.0)	69.7	571.5	49.0	8.6	2.9	5.0	4.0	4.0	2.0
			1300 1399	3.0	( 30.0)	70.6	525.2	56.0	7.4	2.8	3.7	4.3	2.7	2.0
			1200 1299	2.0	( 20.0)	70.7	496.3	54.5	7.1	2.5	3.0	5.0	2.0	2.0
			1100 1199	1.0	( 10.0)	69.0	530.5	55.0	7.3	4.3	3.0	4.0	2.0	2.0
			800 899	2.0	( 20.0)	70.1	453.5	52.5	6.9	3.4	4.5	4.5	3.0	5.0
			600 699	1.0	( 10.0)	68.7	284.5	27.0	3.7	1.2	2.0	5.0	2.0	6.0
				10.0	( 0.4)	70.1	486.1	51.3	7.0	2.9	3.6	4.5	2.6	3.0
			1900 1999	4.0	( 1.1)	72.6	549.8	70.8	8.1	2.8	9.3	3.8	5.0	3.0
			1800 1899	13.0	( 3.5)	73.3	539.9	72.3	8.2	2.4	9.0	3.2	5.0	2.8
			1700 1799	27.0	( 7.2)	72.3	536.7	68.7	7.9	2.8	7.8	3.3	4.6	2.7
			1600 1699	27.0	( 7.2)	71.6	522.6	63.1	7.9	3.0	7.0	3.6	4.4	2.7
			1500 1599	46.0	( 12.3)	71.1	534.5	61.5	7.9	3.2	5.7	3.4	3.9	2.8
			1400 1499	79.0	( 21.1)	71.0	514.0	58.7	7.7	3.0	4.9	3.8	3.4	2.8
			1300 1399	69.0	( 18.4)	70.5	506.2	55.5	7.6	3.1	4.2	3.9	3.2	2.8
			1200 1299	52.0	( 13.9)	70.1	488.4	52.9	7.2	3.2	3.4	4.1	2.6	2.8
			1100 1199	28.0	( 7.5)	69.5	490.3	50.3	7.4	3.6	3.5	3.6	2.6	2.9
			1000 1099	18.0	( 4.8)	69.7	439.3	47.4	6.5	3.0	3.0	4.1	2.5	2.7
			900 999	2.0	( 0.5)	70.2	408.0	46.5	6.0	2.4	2.5	4.5	2.0	3.5
			800 899	6.0	( 1.6)	69.4	435.3	40.3	6.0	2.0	2.7	3.8	2.3	2.5
			700 799	3.0	( 0.8)	70.5	418.0	48.7	6.1	2.3	2.0	4.0	2.0	2.0
			600 699	1.0	( 0.3)	69.0	379.0	39.0	5.3	2.4	2.0	4.0	2.0	2.0

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
				375.0	( 14.6)	70.8	506.8	57.6	7.5	3.0	4.9	3.7	3.4	2.8
			900 999	1.0	( 0.0)	69.5	516.5	43.0	9.7	3.8	3.0	4.0	2.0	3.0
			1800 1899	3.0	( 8.6)	72.5	536.7	70.0	7.9	2.9	8.3	4.0	5.0	3.0
			1600 1699	5.0	( 14.3)	71.7	513.0	64.0	7.5	2.9	6.2	3.6	4.2	2.6
			1500 1599	2.0	( 5.7)	72.3	507.0	69.5	7.3	3.0	5.0	3.5	4.0	3.0
			1400 1499	4.0	( 11.4)	71.1	534.5	59.5	8.1	3.1	3.5	3.3	3.0	3.0
			1300 1399	6.0	( 17.1)	70.1	524.8	55.3	7.8	3.4	4.3	4.2	3.7	2.8
			1200 1299	12.0	( 34.3)	68.8	539.0	52.4	7.5	4.0	3.0	3.7	2.3	2.8
			1100 1199	2.0	( 5.7)	68.8	480.0	49.5	6.0	3.3	3.5	4.0	2.5	3.0
			1000 1099	1.0	( 2.9)	66.9	380.0	27.0	4.6	2.5	2.0	5.0	2.0	2.0
				35.0	( 1.4)	70.2	522.4	57.0	7.4	3.4	4.3	3.8	3.2	2.8
			1400 1499	2.0	( 18.2)	69.5	530.0	54.0	7.5	3.7	4.5	4.0	3.5	3.0
			1300 1399	1.0	( 9.1)	70.1	486.0	56.0	6.8	3.5	5.0	3.0	4.0	3.0
			1200 1299	5.0	( 45.5)	71.6	518.7	61.6	8.3	3.2	4.0	4.0	3.0	2.8
			1100 1199	3.0	( 27.3)	69.0	540.2	52.0	7.5	3.8	3.7	4.0	3.0	2.7
				11.0	( 0.4)	70.4	523.6	57.1	7.8	3.5	4.1	3.9	3.2	2.8
			1600 1699	1.0	( 2.2)	71.0	527.0	62.0	9.0	4.3	7.0	4.0	4.0	2.0
			1500 1599	3.0	( 6.5)	70.7	478.2	54.7	7.2	2.9	3.7	4.0	3.0	2.3
			1400 1499	14.0	( 30.4)	71.3	481.3	56.0	7.0	2.3	3.6	4.1	2.8	2.4
			1300 1399	10.0	( 21.7)	71.5	497.9	58.2	7.5	2.5	3.4	4.1	2.8	2.4
			1200 1299	12.0	( 26.1)	70.3	481.5	51.6	6.8	2.6	3.1	4.5	2.3	2.3
			1100 1199	4.0	( 8.7)	69.4	478.8	45.0	6.6	2.4	3.0	4.8	2.5	2.8
			1000 1099	2.0	( 4.3)	71.3	463.0	59.0	7.1	3.0	3.0	4.5	2.0	2.5
				46.0	( 1.8)	70.9	484.7	54.5	7.1	2.6	3.4	4.3	2.6	2.4
			1800 1899	1.0	( 14.3)	71.7	540.0	68.0	8.5	3.7	8.0	3.0	5.0	3.0
			1500 1599	1.0	( 14.3)	71.1	426.0	50.0	6.2	1.8	5.0	4.0	4.0	3.0
			1200 1299	1.0	( 14.3)	70.2	378.0	43.0	5.5	1.9	3.0	5.0	3.0	3.0
			1100 1199	2.0	( 28.6)	70.7	368.5	43.0	6.5	2.3	2.0	4.0	2.0	3.0
			1000 1099	1.0	( 14.3)	70.9	344.5	44.0	6.3	2.2	2.0	5.0	2.0	2.0
			800 899	1.0	( 14.3)	66.3	341.5	32.0	4.5	4.4	2.0	5.0	2.0	6.0
				7.0	( 0.3)	70.2	395.3	46.1	6.3	2.7	3.4	4.3	2.9	3.3
			900 999	1.0	( 0.0)	70.7	418.2	54.0	6.0	2.7	4.0	5.0	2.0	2.0
			1700 1799	5.0	( 5.3)	72.5	526.7	72.0	7.9	3.2	6.2	3.8	4.2	2.6
			1600 1699	3.0	( 3.2)	73.2	548.6	70.7	8.5	2.4	7.0	3.7	4.0	3.0
			1500 1599	24.0	( 25.3)	71.7	510.7	62.0	7.7	2.8	5.6	3.8	3.8	2.8
			1400 1499	17.0	( 17.9)	71.1	519.0	60.8	7.7	3.1	5.0	3.9	3.5	2.8
			1300 1399	21.0	( 22.1)	70.3	504.9	54.2	7.3	2.9	3.9	4.0	3.0	2.8
			1200 1299	17.0	( 17.9)	70.8	513.6	56.6	7.9	3.0	4.1	4.0	2.9	2.9

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
			1100 1199	3.0	( 3.2)	71.4	520.9	58.3	7.3	2.1	3.0	4.3	2.3	3.0
			1000 1099	5.0	( 5.3)	69.7	437.3	49.8	6.8	3.5	2.8	4.0	2.4	2.6
				95.0	( 3.7)	71.1	509.9	59.1	7.6	2.9	4.7	3.9	3.3	2.8
			1800 1899	3.0	( 4.2)	72.3	491.3	64.7	8.1	3.1	6.3	3.7	4.3	2.7
			1700 1799	3.0	( 4.2)	70.7	456.1	55.0	7.4	3.3	6.7	3.7	4.0	3.0
			1600 1699	9.0	( 12.5)	71.1	501.2	59.9	7.8	3.3	5.1	3.8	3.7	3.0
			1500 1599	18.0	( 25.0)	70.9	482.3	57.1	7.5	3.2	5.3	3.8	3.6	2.7
			1400 1499	17.0	( 23.6)	70.1	503.8	54.4	7.7	3.5	4.3	4.1	3.5	2.8
			1300 1399	14.0	( 19.4)	69.7	469.8	52.2	7.2	3.8	4.0	4.2	3.1	2.8
			1200 1299	4.0	( 5.6)	70.6	447.3	53.3	6.8	2.9	2.8	4.3	2.0	2.8
			1100 1199	3.0	( 4.2)	69.5	520.5	53.3	7.1	3.4	2.3	4.3	2.0	2.3
			1000 1099	1.0	( 1.4)	68.9	398.6	37.0	6.4	2.9	2.0	5.0	2.0	3.0
				72.0	( 2.8)	70.5	485.1	55.4	7.5	3.4	4.6	4.0	3.3	2.8
			1300 1399	4.0	( 66.7)	70.1	500.8	52.3	7.3	3.0	3.3	4.3	3.0	3.0
			1200 1299	2.0	( 33.3)	68.0	460.0	40.0	6.5	3.5	3.0	3.5	3.0	2.5
				6.0	( 0.2)	69.4	487.2	48.2	7.0	3.1	3.2	4.0	3.0	2.8
			1700 1799	1.0	( 7.7)	71.3	582.5	60.0	10.0	3.7	4.0	4.0	3.0	3.0
			1600 1699	10.0	( 76.9)	69.8	496.8	49.2	7.6	3.2	3.2	4.0	2.9	3.0
			1400 1499	1.0	( 7.7)	70.1	490.5	56.0	5.4	2.3	4.0	4.0	3.0	3.0
			1300 1399	1.0	( 7.7)	70.0	476.5	44.0	8.1	2.8	2.0	4.0	2.0	3.0
				13.0	( 0.5)	69.9	501.3	50.2	7.7	3.1	3.2	4.0	2.8	3.0
			1400 1499	3.0	( 23.1)	70.2	465.1	53.7	7.0	3.3	4.7	4.0	3.3	3.0
			1300 1399	3.0	( 23.1)	72.8	425.6	61.7	7.3	2.3	4.3	4.0	3.3	3.0
			1200 1299	4.0	( 30.8)	70.5	421.0	50.3	6.3	2.5	3.3	4.3	2.3	3.0
			1100 1199	1.0	( 7.7)	71.0	379.4	53.0	5.6	2.4	3.0	5.0	2.0	2.0
			1000 1099	1.0	( 7.7)	70.8	375.2	49.0	5.5	2.1	2.0	5.0	2.0	2.0
			700 799	1.0	( 7.7)	67.3	451.2	36.0	5.5	3.1	2.0	6.0	2.0	3.0
				13.0	( 0.5)	70.8	427.8	52.7	6.5	2.6	3.6	4.4	2.7	2.8
			1700 1799	1.0	( 1.9)	71.9	506.0	60.0	7.8	2.4	6.0	3.0	4.0	2.0
			1600 1699	6.0	( 11.1)	71.5	501.2	67.0	7.8	3.9	6.3	3.5	4.2	2.7
			1500 1599	4.0	( 7.4)	70.4	519.8	60.0	7.5	3.6	5.3	3.8	4.0	3.0
			1400 1499	9.0	( 16.7)	70.7	525.4	61.9	7.6	3.6	4.4	4.0	3.2	2.8
			1300 1399	17.0	( 31.5)	70.5	500.3	58.5	7.4	3.6	3.7	4.1	2.8	2.8
			1200 1299	6.0	( 11.1)	70.0	503.1	56.7	7.5	3.8	4.2	4.3	3.2	2.7
			1100 1199	9.0	( 16.7)	69.2	488.3	50.7	7.2	3.8	2.6	4.6	2.1	2.7
			1000 1099	1.0	( 1.9)	69.8	447.5	49.0	7.0	3.4	2.0	4.0	2.0	3.0
			600 699	1.0	( 1.9)	70.1	255.6	34.0	3.5	0.9	2.0	5.0	1.0	2.0
				54.0	( 2.1)	70.4	498.9	58.0	7.4	3.6	4.1	4.1	3.0	2.7

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1400 1499	6.0	( 75.0)	70.8	419.7	50.8	6.7	2.6	3.2	4.0	3.0	2.8
			1300 1399	2.0	( 25.0)	70.4	429.7	48.5	6.2	2.3	2.0	4.5	2.0	3.0
				8.0	( 0.3)	70.7	422.2	50.3	6.5	2.5	2.9	4.1	2.8	2.9
			1800 1899	1.0	( 25.0)	68.9	500.6	54.0	6.6	4.1	7.0	3.0	4.0	3.0
			1700 1799	1.0	( 25.0)	72.7	477.0	69.0	7.6	3.1	6.0	4.0	4.0	3.0
			1500 1599	1.0	( 25.0)	70.0	463.0	54.0	7.0	3.6	5.0	4.0	3.0	3.0
			1400 1499	1.0	( 25.0)	69.7	486.6	56.0	6.6	3.6	4.0	4.0	4.0	3.0
				4.0	( 0.2)	70.3	481.8	58.3	7.0	3.6	5.5	3.8	3.8	3.0
			1800 1899	1.0	( 20.0)	72.7	532.6	67.0	8.9	2.8	8.0	4.0	5.0	3.0
			1400 1499	1.0	( 20.0)	71.7	496.6	57.0	8.8	3.0	5.0	4.0	4.0	3.0
			1300 1399	1.0	( 20.0)	70.9	508.4	59.0	7.4	2.9	4.0	4.0	3.0	2.0
			1200 1299	2.0	( 40.0)	68.5	473.5	53.0	7.2	5.1	4.0	4.0	3.0	3.0
				5.0	( 0.2)	70.5	496.9	57.8	7.9	3.8	5.0	4.0	3.6	2.8
			1500 1599	2.0	( 5.6)	70.3	491.3	54.5	8.2	3.9	5.5	3.5	4.0	3.0
			1400 1499	5.0	( 13.9)	70.6	448.9	51.2	7.1	2.8	4.2	3.8	3.4	3.0
			1300 1399	5.0	( 13.9)	70.7	495.5	55.8	8.2	3.6	4.4	3.8	3.2	2.8
			1200 1299	10.0	( 27.8)	69.2	437.8	46.5	7.1	3.9	3.7	4.4	2.8	2.8
			1100 1199	12.0	( 33.3)	69.3	451.8	46.3	7.0	3.5	3.2	4.2	2.5	2.8
			1000 1099	2.0	( 5.6)	69.8	427.0	49.0	6.5	3.1	2.5	5.0	2.5	3.0
				36.0	( 1.4)	69.7	454.4	49.0	7.2	3.5	3.7	4.1	2.9	2.9
			1700 1799	4.0	( 5.3)	72.0	524.5	67.0	7.9	3.0	6.5	4.0	4.0	2.5
			1600 1699	4.0	( 5.3)	71.7	533.1	63.0	8.3	3.1	5.8	3.5	4.0	2.5
			1500 1599	4.0	( 5.3)	71.5	480.1	62.0	7.1	3.0	5.8	4.0	3.8	2.8
			1400 1499	22.0	( 29.3)	70.8	494.0	55.3	7.8	3.0	4.3	4.3	3.3	2.8
			1300 1399	24.0	( 32.0)	70.3	492.8	53.4	7.6	3.2	3.9	4.1	3.0	2.7
			1200 1299	10.0	( 13.3)	69.9	490.0	52.6	7.0	3.1	3.2	4.5	2.5	2.4
			1100 1199	6.0	( 8.0)	69.7	462.6	49.8	6.9	3.3	2.8	4.3	2.3	2.5
			1000 1099	1.0	( 1.3)	68.9	338.6	37.0	5.7	3.1	3.0	4.0	2.0	2.0
				75.0	( 2.9)	70.6	491.5	55.0	7.5	3.1	4.1	4.2	3.1	2.6
			1700 1799	2.0	( 1.9)	71.2	439.4	60.0	7.0	3.5	6.5	3.5	4.5	3.0
			1600 1699	13.0	( 12.3)	70.9	499.5	59.0	7.3	3.0	5.5	3.5	4.0	2.7
			1500 1599	12.0	( 11.3)	70.6	513.4	57.4	8.3	3.7	5.2	3.6	4.0	3.0
			1400 1499	55.0	( 51.9)	70.1	491.0	53.0	7.4	3.4	3.4	3.8	3.0	2.8
			1300 1399	9.0	( 8.5)	70.0	464.0	50.1	7.3	3.3	3.1	3.7	2.9	3.0
			1200 1299	12.0	( 11.3)	69.7	481.2	53.0	7.0	3.6	2.5	3.9	2.0	2.9
			1100 1199	2.0	( 1.9)	69.2	511.1	55.0	7.3	4.3	2.0	4.0	2.0	3.0
			800 899	1.0	( 0.9)	71.0	338.8	44.0	5.3	1.5	2.0	5.0	2.0	2.0
				106.0	( 4.1)	70.2	489.2	54.1	7.4	3.4	3.8	3.7	3.1	2.8
			1500 1599	2.0	( 16.7)	71.3	498.0	66.0	8.0	4.2	7.0	3.5	4.0	2.5
			1400 1499	2.0	( 16.7)	72.0	520.5	63.0	8.0	2.7	5.0	5.0	4.0	3.0

					(%)		(kg)	(m2)	(m)	(m)				
			1300 1399	4.0	( 33.3)	70.3	498.0	57.3	6.8	3.1	3.8	4.3	3.0	2.8
			1200 1299	1.0	( 8.3)	71.9	489.5	61.0	7.4	2.4	3.0	4.0	2.0	3.0
			1100 1199	2.0	( 16.7)	68.9	450.5	52.0	6.7	4.5	3.0	4.5	2.0	2.0
			1000 1099	1.0	( 8.3)	70.9	397.0	48.0	6.3	2.2	3.0	4.0	2.0	3.0
				12.0	( 0.5)	70.7	484.7	58.3	7.2	3.3	4.3	4.3	3.0	2.7
			1900 1999	1.0	( 2.4)	72.7	361.6	57.0	6.2	1.9	9.0	4.0	5.0	2.0
			1800 1899	2.0	( 4.9)	71.0	535.8	64.0	8.0	3.6	6.0	3.5	4.0	3.0
			1700 1799	2.0	( 4.9)	72.2	556.5	70.0	7.6	2.6	6.5	4.0	4.0	2.0
			1600 1699	8.0	( 19.5)	71.8	498.3	64.8	7.7	3.3	5.8	3.6	3.9	2.8
			1500 1599	3.0	( 7.3)	71.5	482.8	65.7	7.4	3.6	4.7	4.0	3.7	3.0
			1400 1499	3.0	( 7.3)	70.1	501.3	61.0	7.2	4.1	4.0	4.0	3.3	3.0
			1300 1399	8.0	( 19.5)	69.7	500.8	51.6	7.6	3.6	4.0	3.9	3.1	2.6
			1200 1299	6.0	( 14.6)	69.6	507.2	53.5	7.0	3.4	3.3	4.2	2.8	2.8
			1100 1199	6.0	( 14.6)	70.3	392.0	47.5	6.3	2.8	3.2	4.3	2.5	2.7
			1000 1099	1.0	( 2.4)	66.8	464.4	38.0	6.8	4.7	3.0	5.0	2.0	3.0
			900 999	1.0	( 2.4)	70.7	428.4	50.0	5.8	1.8	2.0	5.0	2.0	3.0
				41.0	( 1.6)	70.5	482.4	56.8	7.2	3.3	4.4	4.0	3.3	2.7
			1600 1699	1.0	( 8.3)	72.7	579.4	78.0	8.8	3.9	5.0	4.0	4.0	3.0
			1500 1599	1.0	( 8.3)	71.0	627.5	70.0	9.2	4.2	5.0	4.0	3.0	3.0
			1400 1499	1.0	( 8.3)	68.9	504.4	56.0	7.3	4.8	4.0	4.0	3.0	3.0
			1300 1399	5.0	( 41.7)	70.3	506.9	57.8	7.4	3.6	5.2	4.0	3.6	2.4
			1200 1299	3.0	( 25.0)	68.8	503.1	48.7	7.3	3.8	3.0	4.3	2.7	3.0
			1000 1099	1.0	( 8.3)	67.7	482.6	44.0	7.3	4.7	2.0	5.0	2.0	3.0
				12.0	( 0.5)	69.8	519.8	56.9	7.6	3.9	4.3	4.2	3.2	2.8
			1800 1899	1.0	( 6.3)	73.5	463.0	68.0	7.7	2.3	7.0	4.0	4.0	3.0
			1700 1799	3.0	( 18.8)	72.4	488.7	62.7	8.1	2.6	6.0	4.0	4.0	3.0
			1600 1699	1.0	( 6.3)	71.9	459.8	59.0	8.5	3.4	5.0	4.0	3.0	3.0
			1500 1599	5.0	( 31.3)	71.0	438.8	56.8	7.2	3.4	5.2	3.8	3.4	2.8
			1400 1499	2.0	( 12.5)	69.5	518.6	53.0	7.8	3.8	4.5	4.0	3.0	3.0
			1300 1399	2.0	( 12.5)	71.9	463.9	60.0	7.0	2.4	3.0	4.0	3.0	3.0
			1200 1299	2.0	( 12.5)	69.0	511.5	55.0	7.6	4.7	3.5	3.5	3.0	3.0
				16.0	( 0.6)	71.2	473.2	58.4	7.6	3.3	4.9	3.9	3.4	2.9
			1700 1799	16.0	( 26.7)	70.2	486.4	53.5	7.1	3.1	3.9	4.1	3.0	3.0
			1600 1699	7.0	( 11.7)	70.7	497.6	60.3	7.1	3.4	3.7	4.3	2.7	3.0
			1500 1599	5.0	( 8.3)	72.4	428.2	62.6	6.3	2.2	5.4	4.0	3.8	3.0
			1400 1499	6.0	( 10.0)	70.1	466.5	54.5	6.8	3.4	4.2	4.2	3.0	2.8
			1300 1399	11.0	( 18.3)	70.7	432.3	54.1	6.4	2.8	4.2	4.0	3.2	2.6
			1200 1299	11.0	( 18.3)	70.1	447.3	53.5	6.6	3.3	3.3	4.5	2.4	2.8
			1100 1199	1.0	( 1.7)	68.9	486.6	53.0	6.5	4.0	3.0	4.0	2.0	3.0
			1000 1099	3.0	( 5.0)	68.7	424.5	44.7	5.7	3.4	3.0	4.7	2.0	3.0

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
				60.0	( 2.3)	70.4	460.7	54.8	6.7	3.1	3.9	4.2	2.9	2.9
			1600 1699	1.0	( 7.7)	71.4	457.4	64.0	6.5	3.3	7.0	3.0	5.0	3.0
			1500 1599	1.0	( 7.7)	70.7	436.6	52.0	7.3	3.1	4.0	4.0	3.0	3.0
			1400 1499	3.0	( 23.1)	71.6	466.6	63.3	7.1	3.3	4.3	4.0	3.0	2.3
			1300 1399	3.0	( 23.1)	70.5	475.2	53.7	7.3	3.0	3.7	3.3	3.0	3.0
			1200 1299	4.0	( 30.8)	70.9	447.5	50.5	7.1	2.4	3.3	4.3	2.3	3.0
			1100 1199	1.0	( 7.7)	68.6	466.3	47.0	6.0	3.4	3.0	5.0	2.0	3.0
				13.0	( 0.5)	70.8	459.7	55.1	7.0	2.9	3.9	3.9	2.8	2.8
			1700 1799	2.0	( 1.5)	72.8	492.8	66.5	7.5	2.4	7.0	4.0	4.5	2.5
			1600 1699	2.0	( 1.5)	74.2	586.6	85.0	8.6	2.9	7.0	4.0	4.5	3.0
			1500 1599	3.0	( 2.3)	71.8	482.0	61.7	7.3	2.7	5.0	3.7	3.7	2.7
			1400 1499	4.0	( 3.0)	71.9	509.1	63.0	8.1	3.0	4.8	4.0	3.8	3.0
			1300 1399	18.0	( 13.6)	70.2	472.1	54.0	7.3	3.5	3.9	4.3	3.1	2.9
			1200 1299	54.0	( 40.9)	69.7	465.9	49.7	7.1	3.3	3.3	4.5	2.5	2.9
			1100 1199	38.0	( 28.8)	69.5	458.8	48.0	6.9	3.3	2.9	4.5	2.2	3.0
			1000 1099	11.0	( 8.3)	69.3	466.0	48.9	6.9	3.5	2.5	4.9	2.0	2.9
				132.0	( 5.1)	69.9	468.6	51.2	7.1	3.3	3.4	4.5	2.6	2.9
			1800 1899	1.0	( 20.0)	72.7	520.2	72.0	8.7	3.7	9.0	4.0	5.0	3.0
			1700 1799	1.0	( 20.0)	72.5	512.1	67.0	8.3	3.1	7.0	4.0	4.0	2.0
			1300 1399	2.0	( 40.0)	69.3	521.7	53.5	6.5	3.1	4.0	4.0	3.0	2.5
			1100 1199	1.0	( 20.0)	70.9	501.5	62.0	7.3	3.5	2.0	5.0	2.0	3.0
				5.0	( 0.2)	71.0	515.4	61.6	7.5	3.3	5.2	4.2	3.4	2.6
			900 999	1.0	( 0.0)	69.6	436.1	46.0	5.0	1.8	3.0	4.0	2.0	3.0
			1700 1799	1.0	( 1.0)	72.3	512.7	73.0	8.2	4.0	7.0	4.0	4.0	3.0
			1600 1699	3.0	( 3.0)	70.6	497.5	56.7	7.7	3.4	5.7	3.7	4.0	3.0
			1500 1599	6.0	( 6.0)	70.9	515.0	59.7	8.2	3.6	4.3	3.8	3.3	3.0
			1400 1499	32.0	( 32.0)	70.8	496.9	56.9	8.0	3.4	3.8	4.0	3.0	3.1
			1300 1399	18.0	( 18.0)	71.2	487.5	57.6	7.5	2.9	3.2	4.1	2.8	3.0
			1200 1299	19.0	( 19.0)	70.1	487.2	54.4	7.4	3.5	2.6	4.3	2.2	3.2
			1100 1199	4.0	( 4.0)	70.1	468.7	55.3	6.9	3.5	2.0	4.8	2.0	3.3
			1000 1099	2.0	( 2.0)	68.1	474.9	39.5	5.7	2.5	2.5	5.0	2.0	3.0
			900 999	1.0	( 1.0)	68.6	528.2	54.0	5.8	3.3	3.0	5.0	2.0	3.0
			800 899	5.0	( 5.0)	69.0	466.7	47.8	5.4	2.6	2.0	5.0	2.0	3.6
			700 799	2.0	( 2.0)	67.2	372.9	31.5	3.5	2.2	2.0	5.0	2.0	3.0
			500 599	7.0	( 7.0)	69.9	453.0	47.9	6.7	2.9	3.4	4.7	2.6	3.4
				100.0	( 3.9)	70.4	486.3	54.8	7.4	3.2	3.3	4.2	2.7	3.1
			800 899	1.0	( 0.0)	67.1	666.3	64.0	6.4	5.0	2.0	5.0	2.0	3.0
			1900 1999	12.0	( 0.5)	73.3	512.9	72.5	7.9	2.6	8.9	3.5	4.8	2.7
			1800 1899	35.0	( 1.4)	72.8	525.2	70.1	8.1	2.8	8.0	3.6	4.7	2.9





					(%)		(kg)	(m <sup>2</sup> )	(m)	(m)				
			1700 1799	3.0	( 1.8)	71.4	562.7	64.7	8.2	3.2	6.7	3.7	4.3	3.0
			1600 1699	4.0	( 2.4)	71.8	579.0	65.3	8.3	2.6	5.3	3.5	4.0	2.5
			1500 1599	15.0	( 9.0)	70.6	546.8	57.3	7.9	3.0	5.0	3.7	3.7	2.7
			1400 1499	31.0	( 18.6)	70.5	538.8	56.5	7.6	2.8	4.5	3.8	3.4	2.6
			1300 1399	45.0	( 26.9)	70.4	555.7	58.2	7.6	2.9	3.8	4.0	2.9	2.5
			1200 1299	36.0	( 21.6)	69.7	546.1	53.9	7.3	3.0	3.6	4.0	2.8	2.6
			1100 1199	29.0	( 17.4)	69.0	558.6	51.9	7.6	3.6	2.8	4.2	2.2	2.6
			1000 1099	2.0	( 1.2)	68.3	473.5	41.5	5.8	2.9	2.0	4.0	2.0	3.0
			900 999	2.0	( 1.2)	69.2	424.5	42.5	6.4	3.0	3.0	5.0	2.0	3.0
				167.0	( 7.7)	70.1	548.3	55.7	7.6	3.0	3.9	4.0	2.9	2.6
			1700 1799	1.0	( 3.6)	69.6	593.0	56.0	7.5	2.9	7.0	4.0	4.0	2.0
			1500 1599	3.0	( 10.7)	72.5	544.7	69.7	8.5	3.0	5.3	4.3	3.7	3.0
			1400 1499	5.0	( 17.9)	70.3	523.0	55.0	7.5	3.0	3.2	3.8	2.8	3.0
			1300 1399	9.0	( 32.1)	71.1	525.6	59.3	7.4	2.6	3.8	4.0	3.0	2.4
			1200 1299	1.0	( 3.6)	71.2	470.0	57.0	6.2	2.1	4.0	4.0	3.0	3.0
			1100 1199	7.0	( 25.0)	69.8	468.7	47.0	6.3	2.2	3.0	4.0	2.1	2.7
			1000 1099	2.0	( 7.1)	70.0	538.0	57.5	7.0	3.0	2.5	4.5	2.5	2.5
				28.0	( 1.3)	70.7	514.3	56.3	7.2	2.6	3.7	4.0	2.8	2.7
			1700 1799	3.0	( 7.1)	72.2	598.7	71.7	8.3	2.9	7.7	3.3	4.7	2.7
			1600 1699	3.0	( 7.1)	72.1	609.7	72.3	8.4	2.9	6.7	3.3	4.3	2.3
			1500 1599	3.0	( 7.1)	70.9	612.7	70.3	8.0	3.7	6.3	4.0	4.0	2.3
			1400 1499	7.0	( 16.7)	70.9	595.6	62.7	8.6	3.2	5.0	4.0	3.6	2.7
			1300 1399	5.0	( 11.9)	69.9	633.4	59.8	8.9	3.6	4.6	4.2	3.2	2.4
			1200 1299	14.0	( 33.3)	70.2	584.7	56.4	8.4	3.1	3.7	4.1	3.1	2.9
			1100 1199	6.0	( 14.3)	69.3	597.3	52.8	8.6	3.6	3.5	4.0	2.7	2.7
			1000 1099	1.0	( 2.4)	66.3	619.0	43.0	7.7	4.5	4.0	4.0	3.0	3.0
				42.0	( 1.9)	70.4	599.7	60.2	8.5	3.3	4.7	4.0	3.4	2.7
			1700 1799	1.0	( 1.5)	71.6	576.0	61.0	8.7	2.5	10.0	3.0	5.0	3.0
			1500 1599	6.0	( 9.1)	71.2	591.3	60.7	9.0	3.0	6.2	3.2	4.2	2.5
			1400 1499	25.0	( 37.9)	70.5	570.0	55.7	8.5	2.9	4.8	3.4	3.5	2.7
			1300 1399	13.0	( 19.7)	69.4	576.8	51.8	8.1	3.2	4.4	3.8	3.1	2.6
			1200 1299	15.0	( 22.7)	69.6	542.3	49.3	8.0	3.1	3.7	3.9	2.8	2.7
			1100 1199	4.0	( 6.1)	70.1	589.1	57.5	7.8	2.9	2.8	4.3	2.0	2.8
			1000 1099	2.0	( 3.0)	68.1	537.8	46.0	7.8	4.1	3.5	4.0	2.5	2.5
				66.0	( 3.1)	70.1	567.3	53.8	8.3	3.0	4.5	3.6	3.2	2.7
			1700 1799	1.0	( 4.0)	72.9	526.0	66.0	7.8	1.9	9.0	3.0	5.0	2.0
			1400 1499	1.0	( 4.0)	71.2	557.0	66.0	7.8	3.4	6.0	4.0	4.0	3.0
			1300 1399	7.0	( 28.0)	70.4	519.7	54.0	7.3	2.7	3.9	3.9	3.1	2.7
			1200 1299	5.0	( 20.0)	68.9	499.6	48.0	7.1	3.5	3.4	4.0	2.8	2.8

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1100 1199	6.0	( 24.0)	69.9	482.7	50.3	6.9	2.9	2.5	4.0	2.0	2.8
			1000 1099	4.0	( 16.0)	69.1	481.3	47.0	6.8	3.2	2.8	4.0	2.3	2.3
			900 999	1.0	( 4.0)	70.6	421.0	44.0	6.7	1.9	3.0	4.0	2.0	3.0
				25.0	( 1.2)	69.9	498.4	51.4	7.1	2.9	3.5	3.9	2.7	2.7
			1800 1899	1.0	( 0.9)	71.2	654.0	73.0	8.4	3.4	6.0	4.0	4.0	3.0
			1700 1799	3.0	( 2.6)	70.7	577.7	56.7	7.8	2.3	8.0	3.3	4.7	2.3
			1600 1699	1.0	( 0.9)	70.4	526.0	50.0	8.4	2.8	6.0	4.0	4.0	3.0
			1500 1599	12.0	( 10.3)	70.7	581.3	61.2	8.0	3.0	5.5	3.8	3.8	2.5
			1400 1499	30.0	( 25.6)	69.9	540.2	54.5	7.3	2.9	4.3	3.9	3.3	2.8
			1300 1399	26.0	( 22.2)	69.9	528.1	51.3	7.2	2.6	3.7	4.0	2.9	2.8
			1200 1299	24.0	( 20.5)	69.5	548.3	52.3	7.4	3.0	3.3	4.2	2.5	2.8
			1100 1199	12.0	( 10.3)	68.8	519.8	47.5	6.4	2.8	3.0	4.2	2.2	2.8
			1000 1099	7.0	( 6.0)	68.2	588.8	47.1	7.7	3.5	3.0	4.1	2.0	2.9
			800 899	1.0	( 0.9)	70.1	443.0	44.0	6.8	2.3	2.0	4.0	2.0	3.0
				117.0	( 5.4)	69.7	545.2	52.9	7.3	2.9	4.0	4.0	2.9	2.8
			1900 1999	1.0	( 0.2)	74.2	682.0	86.0	9.7	2.6	10.0	4.0	5.0	3.0
			1800 1899	4.0	( 0.9)	71.3	647.5	67.3	8.4	2.6	7.5	3.8	4.8	2.5
			1700 1799	8.0	( 1.9)	71.8	602.9	66.9	8.6	2.8	6.6	3.6	4.5	2.6
			1600 1699	39.0	( 9.0)	71.3	599.6	64.9	8.2	2.8	5.8	3.8	4.0	2.7
			1500 1599	51.0	( 11.8)	71.0	586.0	62.5	8.0	2.8	4.9	4.1	3.6	2.7
			1400 1499	96.0	( 22.2)	70.3	589.9	58.9	7.8	2.9	4.3	4.1	3.2	2.7
			1300 1399	102.0	( 23.6)	70.1	585.7	58.8	7.6	3.0	3.8	4.2	2.9	2.5
			1200 1299	86.0	( 19.9)	69.6	576.1	54.8	7.6	3.0	3.4	4.2	2.6	2.7
			1100 1199	29.0	( 6.7)	69.1	580.3	53.4	7.4	3.2	3.0	4.3	2.3	2.7
			1000 1099	14.0	( 3.2)	69.1	570.6	54.1	7.2	3.4	2.7	4.4	2.1	2.6
			800 899	1.0	( 0.2)	68.8	437.0	40.0	4.6	1.6	2.0	5.0	2.0	3.0
			600 699	1.0	( 0.2)	71.2	298.0	39.0	4.2	0.3	2.0	4.0	2.0	5.0
				432.0	( 20.0)	70.2	585.3	58.7	7.8	2.9	4.2	4.1	3.1	2.7
			1900 1999	2.0	( 1.3)	72.0	603.0	68.5	8.3	2.6	9.0	3.0	5.0	2.0
			1800 1899	4.0	( 2.7)	73.0	550.5	67.0	8.4	1.9	8.3	3.3	5.0	2.3
			1700 1799	8.0	( 5.4)	71.7	557.5	64.5	7.6	2.4	6.9	3.5	4.5	2.6
			1600 1699	19.0	( 12.8)	71.1	559.1	61.4	7.8	2.8	6.2	3.7	4.0	2.5
			1500 1599	37.0	( 24.8)	70.4	549.1	58.4	7.4	2.9	4.7	4.0	3.6	2.3
			1400 1499	24.0	( 16.1)	70.6	539.2	58.1	7.2	2.7	3.8	4.1	3.2	2.4
			1300 1399	17.0	( 11.4)	71.2	530.4	60.4	7.2	2.4	4.1	4.1	3.2	2.5
			1200 1299	19.0	( 12.8)	70.4	530.4	56.7	7.1	2.7	3.4	4.3	2.9	2.5
			1100 1199	13.0	( 8.7)	70.2	531.4	53.9	7.0	2.4	3.2	4.5	2.4	2.5
			1000 1099	5.0	( 3.4)	70.0	496.8	49.0	6.3	1.9	2.6	4.6	2.2	2.8
			800 899	1.0	( 0.7)	71.3	306.0	43.0	5.4	1.5	2.0	5.0	2.0	2.0
				149.0	( 6.9)	70.8	540.5	58.6	7.3	2.6	4.6	4.0	3.4	2.4

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1600 1699	2.0	( 6.1)	71.3	590.3	65.0	8.9	3.5	5.5	4.0	3.5	2.0
			1500 1599	2.0	( 6.1)	69.5	552.5	51.5	9.2	4.3	5.5	3.5	4.0	2.0
			1400 1499	4.0	( 12.1)	69.7	543.6	55.5	7.7	3.6	4.5	4.3	3.3	2.0
			1300 1399	6.0	( 18.2)	70.3	523.5	55.0	7.0	2.6	3.7	4.2	2.7	2.0
			1200 1299	5.0	( 15.2)	70.8	418.9	49.2	6.3	2.2	2.2	4.6	2.0	2.0
			1100 1199	8.0	( 24.2)	69.5	442.1	48.0	6.6	3.3	2.8	4.6	2.3	2.0
			1000 1099	5.0	( 15.2)	70.0	395.1	47.6	5.6	2.6	2.4	4.0	2.0	2.0
			800 899	1.0	( 3.0)	70.9	320.0	44.0	4.7	1.5	2.0	5.0	2.0	2.0
				33.0	( 1.5)	70.1	470.5	51.4	6.8	3.0	3.3	4.3	2.5	2.0
			1900 1999	2.0	( 0.8)	73.5	691.0	83.0	10.2	3.1	9.5	3.0	5.0	3.0
			1800 1899	4.0	( 1.5)	71.5	611.5	66.5	8.6	2.9	8.3	3.8	4.8	2.8
			1700 1799	12.0	( 4.5)	71.7	585.9	65.1	8.2	2.5	7.3	3.8	4.2	2.8
			1600 1699	18.0	( 6.8)	70.8	573.8	60.3	8.2	3.0	6.4	3.6	4.2	2.8
			1500 1599	61.0	( 22.9)	70.9	563.3	60.2	7.8	2.8	5.5	3.8	3.7	2.7
			1400 1499	48.0	( 18.0)	70.5	546.5	56.6	7.5	2.8	4.7	3.8	3.5	2.8
			1300 1399	63.0	( 23.7)	70.3	549.3	56.2	7.4	2.7	4.0	4.1	3.0	2.8
			1200 1299	39.0	( 14.7)	70.0	544.9	54.3	7.3	2.7	3.6	4.0	2.7	2.6
			1100 1199	11.0	( 4.1)	70.0	552.5	54.3	7.5	2.9	2.9	4.1	2.5	2.8
			1000 1099	8.0	( 3.0)	69.3	497.5	46.6	6.8	2.8	2.9	4.0	2.1	2.5
				266.0	( 12.3)	70.5	555.2	57.6	7.6	2.8	4.7	3.9	3.3	2.7
			1400 1499	3.0	( 37.5)	69.5	591.3	53.7	7.6	2.8	4.7	3.7	3.3	3.0
			1300 1399	3.0	( 37.5)	70.1	577.0	55.7	7.5	2.5	3.0	3.7	2.7	2.7
			1200 1299	1.0	( 12.5)	68.6	618.0	54.0	8.9	4.5	3.0	4.0	3.0	2.0
			700 799	1.0	( 12.5)	68.4	273.0	20.0	3.8	0.8	2.0	5.0	1.0	2.0
				8.0	( 0.4)	69.5	549.5	50.3	7.2	2.7	3.5	3.9	2.8	2.6
			1400 1499	8.0	( 33.3)	70.4	534.0	53.4	7.2	2.3	3.6	4.0	3.1	2.1
			1300 1399	4.0	( 16.7)	70.3	541.8	53.5	7.7	2.6	3.5	3.3	3.0	2.5
			1200 1299	8.0	( 33.3)	69.4	526.3	51.1	6.6	2.6	3.1	4.5	2.4	2.3
			1100 1199	3.0	( 12.5)	68.6	511.3	47.0	6.9	3.4	3.0	4.3	2.7	2.7
			1000 1099	1.0	( 4.2)	68.4	521.0	42.0	7.0	2.9	3.0	5.0	2.0	3.0
				24.0	( 1.1)	69.8	529.3	51.4	7.0	2.6	3.3	4.1	2.8	2.3
			1500 1599	2.0	( 9.1)	72.3	517.8	64.5	7.9	2.5	8.0	3.5	4.5	2.5
			1400 1499	6.0	( 27.3)	71.4	552.1	58.5	7.8	2.1	6.2	3.5	4.0	2.7
			1300 1399	2.0	( 9.1)	70.5	608.6	60.0	9.1	3.4	6.0	4.0	4.0	3.0
			1200 1299	6.0	( 27.3)	71.3	556.8	61.0	8.0	2.7	3.8	3.7	3.0	2.5
			1100 1199	5.0	( 22.7)	70.3	545.8	57.4	7.9	3.3	4.2	4.0	3.0	2.6
			1000 1099	1.0	( 4.5)	70.7	651.5	69.0	8.3	3.4	3.0	4.0	2.0	3.0
				22.0	( 1.0)	71.1	558.5	60.1	8.0	2.7	5.1	3.7	3.5	2.6
			1300 1399	2.0	( 0.1)	70.4	599.0	57.5	8.6	3.0	4.0	4.0	3.0	2.0

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1700 1799	15.0	( 68.2)	70.1	556.3	57.5	7.7	3.2	4.2	3.7	3.4	3.0
			1400 1499	2.0	( 9.1)	71.3	418.5	52.5	6.5	2.1	4.0	4.0	3.0	3.0
			1300 1399	2.0	( 9.1)	71.2	465.5	52.5	6.7	1.9	5.0	4.0	3.5	2.5
			1200 1299	1.0	( 4.5)	69.6	454.0	46.0	6.6	2.8	2.0	4.0	2.0	3.0
			1100 1199	1.0	( 4.5)	70.1	399.0	44.0	6.0	2.2	2.0	5.0	2.0	3.0
			1000 1099	1.0	( 4.5)	69.8	364.5	38.0	5.3	1.7	2.0	4.0	2.0	2.0
				22.0	( 1.0)	70.3	515.0	54.5	7.3	2.9	4.0	3.9	3.2	2.9
			900 999	2.0	( 0.1)	69.9	409.7	41.0	5.5	1.4	3.5	5.0	2.0	2.0
			1900 1999	1.0	( 0.9)	72.2	528.4	60.0	8.7	2.4	8.0	4.0	5.0	3.0
			1700 1799	4.0	( 3.7)	71.7	534.8	65.0	7.3	2.6	6.3	3.8	4.0	2.8
			1600 1699	9.0	( 8.3)	71.2	554.6	62.1	7.5	2.6	6.8	3.3	4.2	2.3
			1500 1599	16.0	( 14.8)	70.7	559.8	57.9	7.7	2.6	5.4	3.4	3.8	2.6
			1400 1499	22.0	( 20.4)	70.7	539.6	55.3	7.8	2.6	4.7	3.6	3.5	2.6
			1300 1399	24.0	( 22.2)	70.1	551.2	54.3	7.8	3.0	3.8	4.0	3.0	2.9
			1200 1299	23.0	( 21.3)	70.3	513.2	53.4	7.4	2.8	3.2	4.1	2.6	2.9
			1100 1199	7.0	( 6.5)	68.8	519.1	48.7	7.2	3.6	3.0	4.3	2.4	3.0
			1000 1099	2.0	( 1.9)	71.2	479.8	52.0	6.7	1.5	2.0	5.0	2.0	3.0
				108.0	( 5.0)	70.4	538.1	55.5	7.6	2.8	4.4	3.8	3.2	2.8
			1700 1799	15.0	( 10.4)	71.3	552.7	63.9	8.2	3.2	6.2	3.9	4.1	2.9
			1600 1699	17.0	( 11.8)	71.4	534.8	61.1	8.0	2.8	5.6	3.8	4.0	2.8
			1500 1599	24.0	( 16.7)	70.4	539.8	57.6	7.6	3.0	5.4	3.7	3.8	2.8
			1400 1499	34.0	( 23.6)	70.0	540.3	56.0	7.6	3.3	4.8	3.8	3.6	2.9
			1300 1399	28.0	( 19.4)	69.6	536.6	53.1	7.4	3.2	3.5	4.0	2.8	2.8
			1200 1299	18.0	( 12.5)	70.0	521.9	53.7	7.0	2.8	3.4	4.2	2.6	2.7
			1100 1199	7.0	( 4.9)	68.9	524.3	48.0	7.1	3.2	2.4	4.6	2.0	2.9
			1000 1099	1.0	( 0.7)	70.4	491.0	52.0	6.4	2.1	2.0	5.0	2.0	3.0
				144.0	( 6.7)	70.2	536.7	56.4	7.6	3.1	4.6	3.9	3.3	2.8
			1700 1799	3.0	( 5.8)	70.0	582.0	54.0	8.5	3.1	5.0	4.0	4.0	3.0
			1600 1699	45.0	( 86.5)	70.0	559.3	54.4	8.0	3.0	2.7	4.0	2.5	3.0
			1500 1599	1.0	( 1.9)	70.0	523.0	48.0	8.2	2.9	2.0	5.0	2.0	3.0
			1300 1399	1.0	( 1.9)	69.5	526.5	47.0	7.0	2.3	2.0	4.0	2.0	3.0
			1200 1299	1.0	( 1.9)	69.7	511.5	52.0	7.4	3.2	2.0	4.0	2.0	3.0
			1100 1199	1.0	( 1.9)	69.7	526.5	52.0	7.8	3.3	2.0	4.0	2.0	3.0
				52.0	( 2.4)	70.0	557.7	54.0	8.0	3.0	2.8	4.1	2.5	3.0
			1400 1499	2.0	( 40.0)	70.5	501.7	54.5	7.3	2.9	4.5	4.0	3.5	2.5
			1200 1299	2.0	( 40.0)	70.5	430.4	51.0	6.8	2.9	2.5	4.0	2.0	2.5
			1100 1199	1.0	( 20.0)	68.4	490.6	49.0	6.2	3.7	2.0	4.0	2.0	2.0
				5.0	( 0.2)	70.1	471.0	52.0	6.9	3.0	3.2	4.0	2.6	2.4

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1500 1599	2.0	( 25.0)	69.8	534.8	52.0	7.3	2.9	5.0	4.0	4.0	2.0
			1400 1499	3.0	( 37.5)	69.8	538.0	51.3	7.5	2.8	3.0	4.0	2.7	3.0
			1300 1399	1.0	( 12.5)	68.9	476.0	38.0	6.8	2.2	3.0	4.0	2.0	3.0
			1200 1299	2.0	( 25.0)	68.9	593.6	52.5	7.5	3.1	4.0	4.0	3.0	2.5
				8.0	( 0.4)	69.5	543.4	50.1	7.4	2.8	3.8	4.0	3.0	2.6
			1400 1499	1.0	( 0.0)	71.4	433.8	57.0	6.0	2.2	3.0	4.0	3.0	3.0
			1900 1999	1.0	( 5.3)	73.0	537.2	69.0	8.3	2.4	6.0	3.0	4.0	3.0
			1800 1899	1.0	( 5.3)	71.6	507.0	65.0	7.1	2.8	6.0	4.0	4.0	2.0
			1700 1799	1.0	( 5.3)	70.8	519.2	55.0	8.4	3.1	6.0	4.0	4.0	2.0
			1500 1599	6.0	( 31.6)	70.2	570.8	58.2	7.8	3.0	5.0	3.8	3.7	2.8
			1400 1499	3.0	( 15.8)	69.7	491.7	53.3	7.0	3.4	4.3	4.0	3.0	3.0
			1300 1399	5.0	( 26.3)	70.3	531.5	57.6	7.4	3.1	3.8	4.2	3.2	2.8
			1200 1299	1.0	( 5.3)	70.5	582.8	67.0	7.2	3.5	4.0	4.0	3.0	2.0
			1100 1199	1.0	( 5.3)	69.2	362.8	31.0	5.4	1.3	2.0	5.0	2.0	2.0
				19.0	( 0.9)	70.4	529.8	57.1	7.4	3.0	4.5	4.0	3.4	2.7
			1700 1799	2.0	( 3.7)	74.2	564.5	82.0	8.6	2.7	7.0	4.0	4.0	2.5
			1600 1699	3.0	( 5.6)	71.1	562.7	63.7	7.8	2.9	5.7	3.7	4.0	3.0
			1500 1599	3.0	( 5.6)	70.5	588.0	60.3	8.4	3.3	4.7	4.0	3.7	3.0
			1400 1499	7.0	( 13.0)	70.9	573.9	59.3	7.9	2.5	4.9	4.3	3.4	2.6
			1300 1399	14.0	( 25.9)	69.9	524.5	52.1	7.4	2.8	4.1	4.0	3.2	2.6
			1200 1299	16.0	( 29.6)	69.5	505.3	51.3	7.0	3.2	3.3	4.1	2.4	2.4
			1100 1199	7.0	( 13.0)	69.3	471.2	46.3	6.6	2.9	3.1	4.1	2.6	2.6
			1000 1099	2.0	( 3.7)	68.8	405.6	44.5	5.5	3.3	3.5	4.5	2.0	3.0
				54.0	( 2.5)	70.0	521.0	54.0	7.3	3.0	4.0	4.1	3.0	2.6
			1600 1699	2.0	( 7.4)	70.3	513.3	55.0	8.0	3.5	5.5	3.5	4.0	3.0
			1500 1599	1.0	( 3.7)	71.0	434.4	45.0	8.3	2.5	5.0	3.0	4.0	3.0
			1400 1499	7.0	( 25.9)	70.8	503.0	54.7	7.7	2.8	4.0	3.9	3.0	2.9
			1300 1399	10.0	( 37.0)	70.7	517.3	57.6	7.5	3.0	4.0	3.9	2.9	2.9
			1200 1299	6.0	( 22.2)	70.2	502.8	50.0	7.4	2.5	3.2	4.7	2.5	2.8
			1000 1099	1.0	( 3.7)	68.6	545.0	49.0	8.4	4.4	2.0	3.0	2.0	3.0
				27.0	( 1.2)	70.5	508.0	54.2	7.6	2.9	3.9	4.0	2.9	2.9
			1600 1699	5.0	( 45.5)	71.4	501.6	59.2	7.6	2.7	5.4	3.8	4.0	2.8
			1400 1499	5.0	( 45.5)	71.6	521.5	64.2	7.2	2.6	4.0	3.8	3.2	3.0
			1300 1399	1.0	( 9.1)	70.6	532.6	62.0	7.5	3.5	4.0	3.0	3.0	3.0
				11.0	( 0.5)	71.4	513.5	61.7	7.4	2.8	4.6	3.7	3.5	2.9
			1300 1399	1.0	( 0.0)	69.4	531.6	51.0	6.5	2.6	4.0	4.0	3.0	3.0
			1800 1899	2.0	( 4.8)	72.4	548.6	71.0	8.8	3.6	8.0	3.5	4.5	3.0
			1700 1799	1.0	( 2.4)	71.6	510.6	59.0	6.3	1.4	7.0	4.0	4.0	3.0

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1600 1699	2.0	( 4.8)	72.1	563.3	64.0	8.0	2.1	5.5	3.5	4.0	2.5
			1500 1599	6.0	( 14.3)	70.5	547.6	54.7	7.6	2.4	4.7	4.0	3.3	2.7
			1400 1499	9.0	( 21.4)	70.9	565.0	63.7	7.6	3.0	4.7	3.9	3.6	2.8
			1300 1399	12.0	( 28.6)	70.0	525.6	52.7	7.2	2.6	3.5	4.2	2.8	2.5
			1200 1299	5.0	( 11.9)	69.9	511.0	52.8	6.4	2.4	2.8	4.8	2.4	2.6
			1100 1199	3.0	( 7.1)	70.7	410.7	46.0	6.3	1.9	2.7	4.7	2.0	3.0
			1000 1099	1.0	( 2.4)	70.9	413.6	45.0	6.3	1.5	2.0	5.0	2.0	3.0
			900 999	1.0	( 2.4)	70.5	374.2	47.0	5.7	2.3	2.0	4.0	2.0	3.0
				42.0	( 1.9)	70.6	523.5	56.1	7.2	2.6	4.1	4.1	3.1	2.7
			1600 1699	3.0	( 8.8)	71.3	565.7	62.3	8.4	2.9	5.3	3.7	3.7	2.3
			1500 1599	1.0	( 2.9)	71.8	497.6	63.0	6.3	2.0	5.0	4.0	3.0	2.0
			1400 1499	8.0	( 23.5)	70.1	560.5	56.9	7.6	3.0	3.9	4.0	3.0	2.9
			1300 1399	8.0	( 23.5)	69.3	542.9	49.0	7.4	2.9	3.4	3.6	2.9	2.6
			1200 1299	5.0	( 14.7)	68.4	547.6	49.6	7.3	3.8	3.2	4.2	2.4	2.6
			1100 1199	5.0	( 14.7)	70.5	507.3	56.4	7.1	2.8	2.6	4.2	2.0	2.4
			1000 1099	3.0	( 8.8)	68.6	515.4	49.0	6.6	3.5	2.3	5.0	2.0	3.0
			900 999	1.0	( 2.9)	68.2	508.9	42.0	6.2	2.7	2.0	4.0	2.0	2.0
				34.0	( 1.6)	69.7	539.7	53.4	7.3	3.1	3.4	4.0	2.7	2.6
			1800 1899	1.0	( 5.0)	71.4	534.4	60.0	8.3	3.0	8.0	4.0	5.0	2.0
			1700 1799	3.0	( 15.0)	72.5	507.1	64.3	8.1	2.6	5.3	3.3	4.0	2.7
			1600 1699	4.0	( 20.0)	70.7	500.4	53.5	7.5	2.6	4.8	3.8	3.8	2.8
			1400 1499	1.0	( 5.0)	71.4	505.6	60.0	8.7	3.6	4.0	4.0	3.0	3.0
			1300 1399	5.0	( 25.0)	70.9	453.0	51.6	7.0	2.4	4.0	4.2	3.2	2.4
			1200 1299	4.0	( 20.0)	69.3	491.1	49.8	7.2	3.6	2.5	3.8	2.3	2.5
			1100 1199	1.0	( 5.0)	72.1	567.4	71.0	7.3	2.5	3.0	5.0	2.0	2.0
			1000 1099	1.0	( 5.0)	70.6	351.6	39.0	5.4	1.2	3.0	5.0	2.0	2.0
				20.0	( 0.9)	70.9	485.6	54.7	7.4	2.7	4.2	4.0	3.2	2.5
			1700 1799	3.0	( 6.7)	70.9	592.2	67.0	7.9	3.4	5.3	4.3	4.0	3.0
			1600 1699	2.0	( 4.4)	73.3	596.2	73.0	8.8	2.3	7.0	4.0	4.5	2.5
			1500 1599	8.0	( 17.8)	71.7	509.8	60.8	7.0	2.1	5.1	3.9	3.9	2.6
			1400 1499	12.0	( 26.7)	70.9	505.0	55.5	6.8	2.1	4.0	4.2	3.2	2.7
			1300 1399	12.0	( 26.7)	70.9	472.1	54.8	6.4	2.3	3.3	4.2	2.8	2.6
			1200 1299	5.0	( 11.1)	69.6	474.1	50.0	6.0	2.6	2.6	4.6	2.2	2.8
			1100 1199	3.0	( 6.7)	69.9	407.6	44.3	5.4	1.9	2.3	4.7	2.0	2.7
				45.0	( 2.1)	70.9	497.0	56.4	6.7	2.3	4.0	4.2	3.1	2.7
			1600 1699	1.0	( 0.0)	70.2	461.9	49.0	6.6	2.4	6.0	4.0	4.0	2.0
			1700 1799	3.0	( 6.8)	72.6	592.9	66.7	8.7	2.1	6.7	4.0	4.3	3.0
			1600 1699	2.0	( 4.5)	72.8	593.3	65.0	9.2	1.9	6.0	4.0	4.0	3.0
			1500 1599	7.0	( 15.9)	70.6	572.4	60.0	8.0	3.1	4.9	4.0	3.4	2.9
			1400 1499	4.0	( 9.1)	70.0	559.8	56.0	7.5	3.0	4.5	3.8	3.5	3.0

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
			1300 1399	7.0	( 15.9)	69.8	533.9	54.4	7.5	3.3	4.0	4.3	2.9	3.0
			1200 1299	15.0	( 34.1)	69.6	500.6	49.9	7.1	3.0	3.2	4.3	2.6	2.9
			1100 1199	5.0	( 11.4)	68.1	522.2	44.2	7.1	3.6	3.0	4.6	2.2	3.0
			1000 1099	1.0	( 2.3)	70.9	530.6	59.0	6.4	2.0	3.0	4.0	2.0	3.0
				44.0	( 2.0)	70.0	536.3	54.2	7.5	3.0	4.0	4.2	3.0	3.0
			1700 1799	3.0	( 3.4)	71.8	570.2	68.3	8.2	3.0	6.3	4.0	4.3	3.0
			1600 1699	1.0	( 1.1)	71.9	684.1	82.0	8.7	3.8	8.0	4.0	5.0	3.0
			1500 1599	7.0	( 8.0)	70.9	524.9	59.1	7.6	3.0	4.0	3.9	3.4	2.7
			1400 1499	24.0	( 27.3)	70.2	576.7	61.1	7.7	3.3	4.3	4.0	3.3	2.9
			1300 1399	22.0	( 25.0)	70.1	553.5	60.3	7.2	3.3	3.8	4.1	3.0	2.8
			1200 1299	24.0	( 27.3)	69.5	559.1	56.1	7.2	3.3	3.2	4.5	2.4	2.8
			1100 1199	5.0	( 5.7)	70.1	515.0	51.6	7.2	2.6	2.2	4.6	2.0	2.6
			1000 1099	2.0	( 2.3)	71.2	541.0	64.5	6.5	2.5	2.0	4.5	2.0	3.0
				88.0	( 4.1)	70.1	558.7	59.4	7.4	3.2	3.8	4.2	2.9	2.8
			1600 1699	3.0	( 5.8)	70.0	600.9	55.7	7.9	2.6	5.3	3.7	3.7	2.7
			1500 1599	10.0	( 19.2)	70.5	553.4	58.7	7.7	2.9	4.3	3.8	3.2	2.8
			1400 1499	13.0	( 25.0)	69.2	564.6	52.3	7.6	3.3	3.7	3.8	3.1	2.9
			1300 1399	10.0	( 19.2)	68.7	533.7	49.4	7.1	3.6	3.1	4.0	2.6	3.0
			1200 1299	10.0	( 19.2)	69.3	536.9	52.3	7.0	3.1	2.5	4.0	2.2	3.0
			1100 1199	4.0	( 7.7)	67.6	535.5	48.3	6.7	4.3	2.3	4.3	2.0	3.0
			500 599	2.0	( 3.8)	71.0	562.4	59.0	7.2	2.0	2.5	5.0	2.5	3.0
				52.0	( 2.4)	69.4	550.9	53.1	7.3	3.2	3.4	4.0	2.8	2.9
			1200 1299	1.0	( 0.0)	71.1	583.1	69.0	7.4	3.2	3.0	4.0	3.0	3.0
			1900 1999	7.0	( 0.3)	72.9	619.4	74.0	9.1	2.7	8.7	3.3	4.9	2.7
			1800 1899	17.0	( 0.8)	71.9	590.0	67.2	8.4	2.7	7.8	3.6	4.7	2.5
			1700 1799	93.0	( 4.3)	71.4	566.6	63.6	8.1	2.8	6.3	3.7	4.1	2.8
			1600 1699	185.0	( 8.6)	70.9	566.5	60.5	8.0	2.9	5.2	3.8	3.7	2.7
			1500 1599	284.0	( 13.1)	70.8	560.2	59.7	7.8	2.9	5.1	3.9	3.7	2.6
			1400 1499	445.0	( 20.6)	70.4	555.4	57.2	7.7	2.9	4.4	3.9	3.3	2.7
			1300 1399	467.0	( 21.6)	70.2	550.0	56.0	7.5	2.9	3.8	4.0	2.9	2.7
			1200 1299	398.0	( 18.4)	69.8	541.8	53.6	7.3	3.0	3.3	4.2	2.6	2.7
			1100 1199	184.0	( 8.5)	69.4	529.5	51.0	7.1	3.1	2.9	4.3	2.3	2.7
			1000 1099	67.0	( 3.1)	69.3	514.3	49.6	6.8	3.0	2.7	4.3	2.1	2.7
			900 999	7.0	( 0.3)	69.6	424.6	42.9	6.1	2.3	2.9	4.6	2.0	2.6
			800 899	4.0	( 0.2)	70.3	376.5	42.8	5.4	1.7	2.0	4.8	2.0	2.5
			700 799	1.0	( 0.0)	68.4	273.0	20.0	3.8	0.8	2.0	5.0	1.0	2.0
			600 699	1.0	( 0.0)	71.2	298.0	39.0	4.2	0.3	2.0	4.0	2.0	5.0
			500 599	2.0	( 0.1)	71.0	562.4	59.0	7.2	2.0	2.5	5.0	2.5	3.0
				2162.0	(100.0)	70.3	549.8	56.4	7.5	2.9	4.2	4.0	3.1	2.7