

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1100 1199	3.0	(16.7)	72.8	504.6	54.3	8.0	3.0	3.0	4.0	2.0	3.0
			1000 1099	2.0	(11.1)	72.8	385.0	44.5	6.5	2.0	2.0	5.5	2.0	4.0
			800 899	11.0	(61.1)	71.6	407.2	43.6	6.2	2.8	2.1	4.9	2.0	4.1
			700 799	1.0	(5.6)	71.9	405.0	48.0	5.7	2.8	2.0	5.0	2.0	4.0
			600 699	1.0	(5.6)	71.6	414.0	43.0	6.9	3.1	2.0	5.0	2.0	4.0
				18.0	(36.0)	72.0	421.2	45.7	6.5	2.7	2.2	4.8	2.0	3.9
			1600 1699	1.0	(20.0)	73.1	450.0	54.0	8.5	3.8	4.0	4.0	3.0	3.0
			1200 1299	2.0	(40.0)	72.7	418.0	48.0	7.1	2.7	2.0	4.0	2.0	2.5
			1000 1099	1.0	(20.0)	73.0	421.0	53.0	7.3	3.2	3.0	4.0	2.0	3.0
			900 999	1.0	(20.0)	70.7	401.0	37.0	6.2	2.9	2.0	6.0	2.0	2.0
				5.0	(10.0)	72.4	421.6	48.0	7.2	3.1	2.6	4.4	2.2	2.6
			1600 1699	6.0	(27.3)	71.9	465.8	47.3	7.2	3.0	2.0	5.2	2.0	4.5
			1500 1599	1.0	(4.5)	75.1	365.0	63.0	6.5	2.5	3.0	4.0	3.0	2.0
			1400 1499	1.0	(4.5)	70.5	564.0	46.0	7.8	3.5	2.0	5.0	2.0	4.0
			1100 1199	1.0	(4.5)	73.7	332.0	53.0	5.9	2.6	3.0	4.0	2.0	3.0
			800 899	3.0	(13.6)	72.2	332.0	43.3	4.7	2.1	2.0	4.3	1.7	5.0
			700 799	4.0	(18.2)	71.7	354.8	43.0	5.2	2.5	2.0	4.5	2.0	4.8
			600 699	3.0	(13.6)	71.9	338.7	36.3	5.0	1.5	2.0	5.7	1.7	6.0
			500 599	3.0	(13.6)	71.0	371.7	37.3	5.6	2.7	2.0	6.0	1.3	6.7
				22.0	(44.0)	71.9	391.0	44.0	5.9	2.5	2.1	5.0	1.9	4.9
			1500 1599	1.0	(50.0)	72.2	463.0	49.0	7.3	3.0	2.0	4.0	2.0	3.0
			800 899	1.0	(50.0)	72.1	336.5	36.0	5.2	1.4	1.0	6.0	2.0	6.0
				2.0	(4.0)	72.2	399.8	42.5	6.3	2.2	1.5	5.0	2.0	4.5
			1100 1199	1.0	(2.0)	71.5	426.0	52.0	6.7	4.3	3.0	4.0	2.0	4.0
			1400 1499	1.0	(2.0)	69.9	455.0	45.0	6.9	4.8	2.0	4.0	2.0	3.0
			1900 1999	1.0	(2.0)	70.9	520.1	54.0	7.7	4.5	5.0	5.0	3.0	3.0
			1900 1999	1.0	(2.0)	70.9	520.1	54.0	7.7	4.5	5.0	5.0	3.0	3.0
			1600 1699	7.0	(14.0)	72.1	463.6	48.3	7.4	3.1	2.3	5.0	2.1	4.3
			1500 1599	2.0	(4.0)	73.7	414.0	56.0	6.9	2.8	2.5	4.0	2.5	2.5
			1400 1499	2.0	(4.0)	70.2	509.5	45.5	7.3	4.2	2.0	4.5	2.0	3.5
			1200 1299	2.0	(4.0)	72.7	418.0	48.0	7.1	2.7	2.0	4.0	2.0	2.5
			1100 1199	5.0	(10.0)	72.7	454.4	53.6	7.3	3.2	3.0	4.0	2.0	3.2
			1000 1099	3.0	(6.0)	72.9	397.0	47.3	6.7	2.4	2.3	5.0	2.0	3.7
			900 999	1.0	(2.0)	70.7	401.0	37.0	6.2	2.9	2.0	6.0	2.0	2.0
			800 899	15.0	(30.0)	71.8	387.4	43.1	5.8	2.5	2.0	4.9	1.9	4.4
			700 799	5.0	(10.0)	71.7	364.8	44.0	5.3	2.6	2.0	4.6	2.0	4.6
			600 699	4.0	(8.0)	71.8	357.5	38.0	5.5	1.9	2.0	5.5	1.8	5.5
			500 599	3.0	(6.0)	71.0	371.7	37.3	5.6	2.7	2.0	6.0	1.3	6.7

[illegible]

[illegible]

