

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1800 1899	1.0	(3.8)	71.8	439.8	52.0	8.7	2.9	7.0	3.0	4.0	3.0
			1700 1799	1.0	(3.8)	72.2	553.0	69.0	9.2	3.7	5.0	5.0	3.0	3.0
			1500 1599	3.0	(11.5)	72.6	491.0	68.0	8.2	3.2	3.7	4.0	3.3	3.3
			1400 1499	3.0	(11.5)	71.1	413.2	50.3	8.4	3.6	4.7	4.3	3.3	3.0
			1300 1399	4.0	(15.4)	70.2	461.3	50.5	7.7	3.4	4.3	4.0	3.0	3.3
			1200 1299	7.0	(26.9)	71.0	440.5	52.0	7.5	2.9	3.6	4.4	2.7	3.0
			1100 1199	1.0	(3.8)	70.6	548.0	54.0	9.5	3.6	4.0	4.0	3.0	3.0
			1000 1099	2.0	(7.7)	68.4	408.7	39.5	5.5	2.9	3.0	4.5	2.5	3.5
			900 999	1.0	(3.8)	69.1	343.3	37.0	5.1	2.4	2.0	5.0	2.0	3.0
			700 799	1.0	(3.8)	70.6	317.0	40.0	4.7	1.3	2.0	4.0	2.0	3.0
			600 699	2.0	(7.7)	69.4	466.5	45.0	6.0	2.3	1.0	7.0	1.0	7.0
				26.0	(26.3)	70.7	445.9	51.6	7.4	3.0	3.7	4.5	2.8	3.4
			1300 1399	1.0	(1.0)	71.5	487.0	57.0	7.4	2.4	3.0	5.0	2.0	3.0
			600 699	1.0	(1.0)	67.2	376.0	36.0	4.6	3.6	2.0	4.0	2.0	5.0
			1300 1399	1.0	(1.0)	71.3	514.0	59.0	9.7	4.3	5.0	4.0	4.0	2.0
			1900 1999	1.0	(1.0)	72.7	445.0	71.0	7.3	3.6	9.0	3.0	5.0	3.0
			1900 1999	2.0	(40.0)	73.0	391.0	57.5	7.1	1.9	5.5	4.5	4.0	3.0
			1300 1399	1.0	(20.0)	72.3	380.5	50.0	7.3	1.8	4.0	4.0	3.0	3.0
			1100 1199	2.0	(40.0)	69.8	394.5	46.5	6.3	3.3	2.0	4.5	2.0	3.0
				5.0	(5.1)	71.6	390.3	51.6	6.8	2.4	3.8	4.4	3.0	3.0
			1200 1299	1.0	(25.0)	69.1	558.6	57.0	7.9	4.4	4.0	4.0	3.0	2.0
			1000 1099	1.0	(25.0)	72.1	518.0	79.0	7.8	4.7	4.0	5.0	2.0	2.0
			500 599	1.0	(25.0)	71.8	251.0	43.0	3.9	0.7	2.0	7.0	1.0	5.0
			499	1.0	(25.0)	69.8	266.0	34.0	3.7	1.3	2.0	7.0	1.0	6.0
				4.0	(4.0)	70.7	398.4	53.3	5.8	2.8	3.0	5.8	1.8	3.8
			900 999	1.0	(1.0)	71.8	380.0	58.0	5.8	2.5	2.0	4.0	2.0	2.0
			1200 1299	1.0	(1.0)	70.1	346.0	46.0	5.3	2.8	5.0	4.0	3.0	4.0
			1700 1799	2.0	(40.0)	72.5	450.0	62.0	7.3	2.4	7.0	4.0	4.5	2.5
			1600 1699	1.0	(20.0)	72.7	514.0	71.0	7.4	2.6	7.0	3.0	4.0	2.0
			1400 1499	1.0	(20.0)	71.8	311.0	45.0	5.9	1.6	5.0	4.0	4.0	3.0
			1100 1199	1.0	(20.0)	69.4	405.0	53.0	5.5	3.8	3.0	4.0	2.0	2.0
				5.0	(5.1)	71.8	426.0	58.6	6.7	2.5	5.8	3.8	3.8	2.4
			700 799	1.0	(1.0)	69.7	245.0	31.0	4.1	1.6	2.0	5.0	2.0	3.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1100 1199	1.0	(1.0)	71.3	427.2	56.0	6.7	2.7	3.0	5.0	2.0	3.0
			1500 1599	1.0	(1.0)	71.2	377.4	51.0	6.0	2.3	5.0	4.0	4.0	3.0
			1300 1399	1.0	(25.0)	74.1	490.4	68.0	8.3	1.7	5.0	4.0	4.0	3.0
			1200 1299	2.0	(50.0)	73.0	435.3	65.5	7.2	2.5	6.5	4.0	4.0	3.0
			1100 1199	1.0	(25.0)	73.2	386.2	58.0	7.2	1.9	3.0	4.0	3.0	3.0
				4.0	(4.0)	73.3	436.8	64.3	7.5	2.2	5.3	4.0	3.8	3.0
			1400 1499	1.0	(1.0)	72.4	517.2	67.0	7.1	2.2	5.0	5.0	3.0	3.0
			1500 1599	1.0	(33.3)	73.9	482.6	71.0	8.6	2.6	6.0	3.0	4.0	3.0
			1300 1399	1.0	(33.3)	71.5	413.4	56.0	6.1	2.2	5.0	4.0	3.0	3.0
			1000 1099	1.0	(33.3)	70.8	451.2	48.0	7.2	2.2	3.0	5.0	2.0	2.0
				3.0	(3.0)	72.1	449.1	58.3	7.3	2.3	4.7	4.0	3.0	2.7
			1600 1699	1.0	(50.0)	71.7	380.7	53.0	5.7	1.8	7.0	4.0	4.0	3.0
			900 999	1.0	(50.0)	71.3	419.3	59.0	5.6	2.5	3.0	4.0	2.0	3.0
				2.0	(2.0)	71.5	400.0	56.0	5.7	2.1	5.0	4.0	3.0	3.0
			1400 1499	1.0	(8.3)	71.2	418.8	50.0	7.9	3.1	4.0	4.0	3.0	3.0
			1300 1399	2.0	(16.7)	72.0	407.8	47.5	7.7	1.6	5.5	4.0	3.5	2.5
			1200 1299	3.0	(25.0)	72.2	391.8	55.3	6.9	2.3	4.3	4.3	3.0	3.0
			1000 1099	3.0	(25.0)	69.7	450.3	49.3	7.5	3.9	3.0	4.3	2.3	3.0
			900 999	2.0	(16.7)	70.8	406.4	49.5	7.0	2.7	3.5	4.0	3.0	3.0
			800 899	1.0	(8.3)	70.9	344.1	45.0	6.0	2.2	2.0	5.0	2.0	3.0
				12.0	(12.1)	71.1	409.8	50.3	7.2	2.7	3.8	4.3	2.8	2.9
			1500 1599	1.0	(4.0)	72.3	441.7	62.0	7.0	2.5	6.0	4.0	4.0	3.0
			1400 1499	2.0	(8.0)	72.0	396.5	55.0	7.1	2.6	3.5	4.5	3.0	3.0
			1300 1399	15.0	(60.0)	71.2	493.2	58.0	8.1	3.3	3.0	4.1	2.7	3.1
			1200 1299	5.0	(20.0)	70.6	455.0	51.8	7.9	3.4	2.0	4.4	2.0	3.2
			700 799	2.0	(8.0)	69.5	368.5	41.5	5.2	2.4	2.5	4.5	2.0	3.5
				25.0	(25.3)	71.0	465.8	55.4	7.7	3.1	2.9	4.2	2.6	3.1
			600 699	2.0	(66.7)	68.4	389.0	34.5	5.5	2.5	2.0	5.0	2.0	4.5
			500 599	1.0	(33.3)	70.4	408.0	45.0	5.5	1.5	1.0	6.0	1.0	4.0
				3.0	(3.0)	69.1	395.3	38.0	5.5	2.2	1.7	5.3	1.7	4.3
			1900 1999	3.0	(3.0)	72.9	409.0	62.0	7.2	2.5	6.7	4.0	4.3	3.0
			1800 1899	1.0	(1.0)	71.8	439.8	52.0	8.7	2.9	7.0	3.0	4.0	3.0
			1700 1799	3.0	(3.0)	72.4	484.3	64.3	8.0	2.8	6.3	4.3	4.0	2.7
			1600 1699	2.0	(2.0)	72.2	447.4	62.0	6.5	2.2	7.0	3.5	4.0	2.5

[illegible]

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1700 1799	3.0	(8.3)	72.4	487.0	59.3	7.8	2.1	7.7	3.3	4.7	2.7
			1600 1699	3.0	(8.3)	72.0	514.3	57.0	8.6	2.4	5.7	3.7	4.0	2.3
			1500 1599	2.0	(5.6)	72.8	498.3	61.5	8.3	2.1	5.0	4.0	3.5	3.0
			1400 1499	4.0	(11.1)	71.8	457.7	59.3	7.0	2.5	5.5	3.3	3.8	2.5
			1300 1399	3.0	(8.3)	70.5	468.3	51.7	7.4	3.0	5.0	4.0	3.3	2.7
			1200 1299	7.0	(19.4)	70.9	455.8	52.9	7.4	2.8	3.9	4.1	2.7	2.6
			1100 1199	10.0	(27.8)	70.8	472.6	51.9	7.4	2.6	3.4	3.9	2.5	2.7
			1000 1099	3.0	(8.3)	70.1	462.0	50.7	7.5	3.5	2.7	4.3	2.0	2.7
			800 899	1.0	(2.8)	69.7	371.0	41.0	5.9	2.6	3.0	4.0	2.0	3.0
				36.0	(0.5)	71.1	469.7	54.1	7.5	2.7	4.4	3.9	3.1	2.6
			1500 1599	1.0	(33.3)	70.3	456.0	52.0	7.3	3.3	4.0	5.0	3.0	3.0
			1400 1499	1.0	(33.3)	73.2	558.0	75.0	9.3	3.5	3.0	5.0	2.0	3.0
			1200 1299	1.0	(33.3)	70.7	548.0	59.0	8.4	3.5	3.0	5.0	2.0	3.0
				3.0	(0.0)	71.4	520.7	62.0	8.3	3.4	3.3	5.0	2.3	3.0
			1500 1599	1.0	(50.0)	72.0	491.0	63.0	7.9	2.9	6.0	4.0	4.0	3.0
			1200 1299	1.0	(50.0)	71.8	433.0	56.0	7.0	2.3	4.0	7.0	2.0	3.0
				2.0	(0.0)	71.9	462.0	59.5	7.5	2.6	5.0	5.5	3.0	3.0
			1500 1599	1.0	(50.0)	69.8	591.0	55.0	7.6	2.7	8.0	3.0	5.0	3.0
			1100 1199	1.0	(50.0)	70.6	536.0	60.0	7.8	3.4	4.0	4.0	3.0	3.0
				2.0	(0.0)	70.2	563.5	57.5	7.7	3.0	6.0	3.5	4.0	3.0
			1800 1899	1.0	(20.0)	72.2	560.0	58.0	9.6	2.3	6.0	4.0	4.0	3.0
			1600 1699	1.0	(20.0)	70.3	559.0	55.0	8.4	3.2	5.0	4.0	4.0	3.0
			1300 1399	1.0	(20.0)	72.2	467.0	60.0	8.6	3.2	8.0	4.0	4.0	3.0
			1200 1299	1.0	(20.0)	69.8	527.0	55.0	8.5	4.3	3.0	4.0	3.0	2.0
			1100 1199	1.0	(20.0)	72.1	425.0	55.0	8.1	2.8	4.0	4.0	3.0	3.0
				5.0	(0.1)	71.3	507.6	56.6	8.6	3.2	5.2	4.0	3.6	2.8
			1900 1999	1.0	(16.7)	74.7	494.0	79.0	8.0	2.3	10.0	3.0	5.0	2.0
			1500 1599	2.0	(33.3)	72.0	482.5	57.5	8.4	2.7	4.0	4.0	3.0	3.0
			1200 1299	1.0	(16.7)	69.4	440.0	47.0	7.1	3.6	3.0	5.0	2.0	3.0
			1100 1199	1.0	(16.7)	70.1	520.5	49.0	7.0	2.0	3.0	5.0	3.0	3.0
			1000 1099	1.0	(16.7)	69.0	568.0	58.0	7.0	3.8	2.0	4.0	2.0	3.0
				6.0	(0.1)	71.2	497.9	58.0	7.7	2.9	4.3	4.2	3.0	2.8
			1700 1799	1.0	(20.0)	72.7	545.0	63.0	8.2	1.7	6.0	3.0	4.0	3.0
			1300 1399	1.0	(20.0)	72.3	645.0	74.0	9.0	3.1	5.0	4.0	3.0	3.0
			1200 1299	1.0	(20.0)	67.6	490.0	46.0	5.8	3.8	5.0	5.0	3.0	2.0
			1100 1199	2.0	(40.0)	71.8	539.1	65.0	7.0	2.2	3.5	4.5	3.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				5.0	(0.1)	71.2	551.6	62.6	7.4	2.6	4.6	4.2	3.2	2.8
			1700 1799	1.0	(50.0)	70.8	601.0	58.0	9.7	3.4	7.0	4.0	4.0	2.0
			1300 1399	1.0	(50.0)	74.3	440.0	70.0	6.7	1.2	7.0	3.0	5.0	2.0
				2.0	(0.0)	72.5	520.5	64.0	8.2	2.3	7.0	3.5	4.5	2.0
			1900 1999	1.0	(20.0)	71.9	553.0	58.0	9.9	3.0	8.0	3.0	5.0	3.0
			1700 1799	1.0	(20.0)	71.8	493.0	61.0	7.4	2.5	8.0	4.0	5.0	2.0
			1600 1699	2.0	(40.0)	72.5	518.0	67.0	7.4	2.2	7.0	4.0	4.0	2.5
			1300 1399	1.0	(20.0)	71.3	482.0	51.0	7.2	1.6	5.0	4.0	3.0	3.0
				5.0	(0.1)	72.0	512.8	60.8	7.9	2.3	7.0	3.8	4.2	2.6
			1000 1099	1.0	(0.0)	72.0	446.4	56.0	6.8	1.7	2.0	5.0	2.0	2.0
			1800 1899	1.0	(0.1)	72.7	551.6	64.0	9.5	2.7	8.0	4.0	5.0	2.0
			1500 1599	69.0	(4.0)	72.4	516.1	62.1	8.6	2.5	5.6	4.1	4.0	2.9
			1400 1499	227.0	(13.2)	71.8	510.9	58.8	8.3	2.6	4.2	4.1	3.1	2.9
			1300 1399	502.0	(29.2)	71.1	513.1	56.1	8.1	2.8	3.3	4.2	2.6	2.9
			1200 1299	778.0	(45.2)	70.6	507.9	53.8	7.9	3.0	2.6	4.4	2.0	2.9
			1100 1199	140.0	(8.1)	69.6	499.4	49.8	7.7	3.5	2.6	4.6	2.0	2.8
			1000 1099	1.0	(0.1)	69.1	442.8	40.0	6.8	2.7	2.0	5.0	2.0	2.0
			600 699	1.0	(0.1)	70.2	378.8	44.0	5.5	2.0	2.0	6.0	1.0	4.0
			500 599	1.0	(0.1)	70.8	309.2	43.0	5.7	2.3	2.0	6.0	1.0	2.0
				1720.0	(24.2)	70.9	509.2	55.1	8.0	2.9	3.1	4.3	2.4	2.9
			1800 1899	1.0	(2.4)	73.1	493.2	72.0	7.6	2.8	8.0	4.0	5.0	3.0
			1700 1799	2.0	(4.9)	72.8	461.6	63.0	7.7	2.4	6.5	3.5	4.5	2.5
			1600 1699	8.0	(19.5)	71.5	485.1	59.8	7.6	2.9	5.8	3.8	4.0	2.9
			1500 1599	11.0	(26.8)	71.3	464.7	56.6	7.2	2.7	5.9	3.9	4.1	3.0
			1400 1499	15.0	(36.6)	70.8	482.0	55.5	7.3	2.9	3.2	4.0	2.9	3.0
			1300 1399	3.0	(7.3)	70.1	544.5	59.0	7.8	3.7	2.0	4.7	2.0	3.0
			800 899	1.0	(2.4)	71.9	316.6	48.0	6.0	2.0	2.0	4.0	2.0	4.0
				41.0	(0.6)	71.2	477.8	57.5	7.4	2.9	4.6	4.0	3.5	3.0
			1100 1199	1.0	(50.0)	71.6	429.6	58.0	6.0	2.2	3.0	3.0	3.0	3.0
			1000 1099	1.0	(50.0)	70.8	450.8	53.0	6.0	2.0	3.0	4.0	2.0	3.0
				2.0	(0.0)	71.2	440.2	55.5	6.0	2.1	3.0	3.5	2.5	3.0
			1500 1599	62.0	(10.1)	71.8	543.1	62.6	8.4	2.8	6.1	4.0	4.2	3.0
			1400 1499	173.0	(28.3)	71.4	528.2	58.7	8.3	2.8	4.4	4.0	3.2	2.9
			1300 1399	200.0	(32.7)	71.1	519.0	56.4	8.2	2.8	3.5	4.1	2.8	2.9
			1200 1299	137.0	(22.4)	70.4	512.2	53.0	7.9	3.0	2.8	4.3	2.1	2.9
			1100 1199	39.0	(6.4)	69.7	519.7	50.4	8.1	3.5	2.6	4.4	2.0	2.8

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				611.0	(8.6)	71.0	522.6	56.5	8.2	2.9	3.8	4.1	2.8	2.9
			1500 1599	1.0	(0.0)	71.3	496.4	54.0	6.9	1.6	4.0	4.0	3.0	2.0
			1500 1599	1.0	(1.0)	68.8	478.2	45.0	6.8	3.3	6.0	4.0	4.0	3.0
			1400 1499	20.0	(19.0)	71.5	574.0	65.2	8.7	3.3	4.3	4.0	3.1	3.0
			1300 1399	31.0	(29.5)	70.3	555.7	59.0	8.1	3.6	3.1	4.4	2.3	3.0
			1200 1299	26.0	(24.8)	70.2	593.9	62.0	8.5	3.9	2.8	4.5	2.1	3.0
			1100 1199	22.0	(21.0)	69.4	604.0	59.3	8.0	3.9	2.6	4.8	2.0	3.1
			1000 1099	5.0	(4.8)	68.3	564.1	49.6	7.4	3.8	2.8	4.6	2.2	3.0
				105.0	(1.5)	70.2	578.4	60.4	8.2	3.7	3.2	4.4	2.4	3.0
			1400 1499	3.0	(50.0)	71.1	460.0	51.7	8.0	2.8	3.7	4.3	3.0	3.0
			1300 1399	2.0	(33.3)	70.8	420.8	50.5	6.8	2.7	3.0	4.0	2.0	2.5
			1200 1299	1.0	(16.7)	70.2	403.3	44.0	6.7	2.6	3.0	5.0	2.0	2.0
				6.0	(0.1)	70.8	437.5	50.0	7.3	2.7	3.3	4.3	2.5	2.7
			1500 1599	30.0	(6.3)	71.2	530.2	57.6	8.2	2.8	4.0	4.2	3.1	3.1
			1400 1499	46.0	(9.6)	71.0	512.0	56.6	7.8	2.8	3.9	4.0	3.0	3.1
			1300 1399	146.0	(30.5)	70.6	511.0	54.9	7.8	3.1	3.3	4.2	2.6	3.0
			1200 1299	175.0	(36.6)	70.1	504.6	51.7	7.7	3.1	2.7	4.4	2.1	3.1
			1100 1199	75.0	(15.7)	69.0	516.5	48.2	7.4	3.5	2.4	4.5	2.0	3.1
			1000 1099	6.0	(1.3)	68.9	495.1	45.0	7.1	3.2	2.0	5.0	2.0	3.0
				478.0	(6.7)	70.2	510.6	52.9	7.7	3.1	3.0	4.3	2.4	3.1
			1600 1699	3.0	(0.1)	73.1	596.8	75.0	9.4	3.2	7.0	4.0	4.3	3.0
			1500 1599	200.0	(4.9)	71.5	569.4	61.9	8.8	3.0	6.1	3.9	4.3	3.0
			1400 1499	595.0	(14.6)	70.9	559.2	59.2	8.5	3.1	4.4	4.0	3.1	3.1
			1300 1399	1493.0	(36.7)	70.3	558.1	55.9	8.4	3.3	3.4	4.1	2.8	3.1
			1200 1299	1396.0	(34.3)	69.7	549.2	53.4	8.1	3.5	2.7	4.3	2.1	3.1
			1100 1199	373.0	(9.2)	68.8	547.1	50.2	7.9	3.9	2.7	4.5	2.0	3.1
			1000 1099	7.0	(0.2)	67.5	572.3	45.6	8.0	4.4	2.0	4.9	2.0	3.0
			700 799	2.0	(0.0)	70.0	253.1	30.5	3.7	0.7	1.0	5.5	2.0	4.0
			500 599	1.0	(0.0)	71.9	403.1	53.0	5.6	1.2	3.0	4.0	3.0	3.0
				4070.0	(57.3)	70.1	554.6	55.3	8.3	3.4	3.4	4.2	2.6	3.1
			1200 1299	1.0	(0.0)	70.6	565.0	56.0	7.1	2.0	4.0	5.0	3.0	3.0
			1900 1999	2.0	(0.0)	73.3	523.5	68.5	8.9	2.6	9.0	3.0	5.0	2.5
			1800 1899	3.0	(0.0)	72.7	534.9	64.7	8.9	2.6	7.3	4.0	4.7	2.7
			1700 1799	8.0	(0.1)	72.2	502.9	60.8	8.0	2.3	7.1	3.5	4.5	2.5
			1600 1699	17.0	(0.2)	71.9	518.1	62.5	8.1	2.8	6.1	3.8	4.1	2.8
			1500 1599	381.0	(5.4)	71.7	547.7	61.4	8.6	2.9	5.8	3.9	4.1	3.0
			1400 1499	1084.0	(15.3)	71.2	540.7	59.0	8.3	2.9	4.3	4.0	3.1	3.0

