

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			700 799	2.0	( 9.1)	68.8	445.5	42.5	4.8	2.0	2.0	4.5	2.0	3.0
			600 699	4.0	( 18.2)	69.4	394.0	36.0	5.2	1.3	2.0	5.0	2.0	3.5
			500 599	13.0	( 59.1)	68.9	333.9	30.8	4.0	1.1	1.8	5.4	1.5	4.2
			499	3.0	( 13.6)	69.1	293.0	31.7	3.5	1.2	1.7	6.0	1.0	3.3
				22.0	( 2.8)	69.0	349.4	32.9	4.3	1.2	1.9	5.3	1.5	3.8
			600 699	2.0	( 8.0)	68.7	409.5	39.0	4.3	1.6	2.5	4.5	2.0	3.5
			500 599	23.0	( 92.0)	69.0	364.3	36.4	4.1	1.4	2.0	5.3	1.7	4.7
				25.0	( 3.2)	69.0	367.9	36.6	4.1	1.4	2.0	5.2	1.8	4.6
			900 999	2.0	( 1.8)	69.4	403.5	37.5	5.8	1.9	2.0	4.0	2.0	3.0
			800 899	4.0	( 3.7)	69.5	441.1	44.8	5.7	2.1	2.5	4.0	2.3	2.8
			700 799	1.0	( 0.9)	68.8	314.5	31.0	5.4	2.5	2.0	5.0	2.0	2.0
			600 699	24.0	( 22.0)	68.4	427.0	35.5	5.3	2.0	2.2	4.8	2.1	3.2
			500 599	55.0	( 50.5)	68.5	359.5	29.5	4.5	1.3	1.9	4.8	1.8	3.6
			499	23.0	( 21.1)	68.8	319.8	27.7	4.1	1.1	1.6	5.1	1.4	4.0
				109.0	( 13.7)	68.6	369.4	31.2	4.7	1.5	1.9	4.8	1.8	3.6
			600 699	4.0	( 57.1)	67.6	412.8	27.8	5.0	1.7	2.0	4.5	2.0	3.0
			500 599	3.0	( 42.9)	68.2	339.5	28.7	3.9	1.3	2.0	5.3	2.0	3.3
				7.0	( 0.9)	67.9	381.4	28.1	4.6	1.5	2.0	4.9	2.0	3.1
			700 799	1.0	( 3.7)	69.0	482.0	46.0	5.5	2.2	3.0	5.0	2.0	7.0
			600 699	7.0	( 25.9)	68.8	407.3	37.1	4.9	1.7	2.3	5.9	2.0	5.1
			500 599	11.0	( 40.7)	69.1	372.7	35.0	4.2	1.1	2.1	5.7	1.9	4.6
			499	8.0	( 29.6)	68.6	333.4	29.5	3.6	0.9	2.0	5.6	1.6	5.0
				27.0	( 3.4)	68.9	374.1	34.3	4.3	1.2	2.1	5.7	1.9	5.0
			700 799	2.0	( 1.8)	68.5	441.8	39.0	4.2	1.3	2.0	5.5	2.0	4.0
			600 699	23.0	( 20.9)	69.1	384.6	37.7	4.4	1.4	2.0	5.3	2.0	4.0
			500 599	61.0	( 55.5)	69.0	371.6	33.9	4.2	1.1	1.9	5.7	1.7	4.5
			499	24.0	( 21.8)	69.2	333.9	31.3	3.9	0.8	1.7	5.8	1.5	4.5
				110.0	( 13.9)	69.1	367.3	34.2	4.2	1.1	1.9	5.6	1.7	4.4
			900 999	1.0	( 0.7)	69.1	456.0	47.0	6.0	3.0	3.0	5.0	2.0	3.0
			800 899	1.0	( 0.7)	69.0	485.0	46.0	5.9	2.5	3.0	5.0	2.0	3.0
			700 799	4.0	( 2.6)	68.5	457.5	40.5	4.9	1.9	2.3	4.3	2.0	3.5
			600 699	37.0	( 24.3)	68.9	421.0	38.8	4.8	1.6	2.0	5.0	2.0	4.2
			500 599	86.0	( 56.6)	68.9	367.7	34.9	4.1	1.2	1.9	5.5	1.7	4.7
			499	23.0	( 15.1)	69.0	320.1	29.1	3.8	0.8	1.9	6.0	1.6	5.6
				152.0	( 19.2)	68.9	377.2	35.3	4.2	1.3	1.9	5.4	1.8	4.6
			700 799	2.0	( 4.3)	68.4	453.3	41.0	5.0	2.2	2.0	5.5	2.0	4.0
			600 699	9.0	( 19.6)	68.5	388.9	33.9	4.5	1.6	2.0	5.8	2.0	5.0
			500 599	27.0	( 58.7)	68.7	347.1	31.0	3.8	1.0	1.9	5.9	1.7	4.8
			499	8.0	( 17.4)	68.8	305.0	27.9	3.5	0.8	1.6	6.3	1.3	5.0

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
				46.0	( 5.8)	68.6	352.6	31.5	3.9	1.1	1.8	5.9	1.7	4.8
			700 799	3.0	( 12.5)	69.3	446.5	43.0	5.3	1.9	2.3	5.0	2.0	5.7
			600 699	4.0	( 16.7)	68.9	398.1	38.8	4.3	1.5	2.0	5.5	2.0	5.0
			500 599	14.0	( 58.3)	68.8	350.5	33.3	3.8	1.2	2.0	5.9	1.9	5.0
			499	3.0	( 12.5)	68.3	394.0	31.7	4.3	1.2	2.3	5.3	1.7	5.3
				24.0	( 3.0)	68.8	375.9	35.2	4.2	1.3	2.1	5.7	1.9	5.1
			900 999	1.0	( 1.1)	69.8	391.0	42.0	4.6	1.4	2.0	4.0	2.0	4.0
			700 799	9.0	( 10.2)	69.4	433.4	42.9	4.7	1.4	2.0	4.6	2.0	3.0
			600 699	24.0	( 27.3)	68.8	408.3	37.9	4.4	1.5	2.2	4.7	1.8	3.5
			500 599	49.0	( 55.7)	69.0	348.5	34.1	3.8	1.0	2.0	5.4	1.4	4.1
			499	5.0	( 5.7)	69.8	291.2	33.4	3.5	0.7	1.8	6.2	1.2	4.2
				88.0	( 11.1)	69.0	370.7	36.1	4.0	1.2	2.0	5.2	1.6	3.8
			700 799	1.0	( 20.0)	68.3	464.0	38.0	5.8	2.3	3.0	5.0	2.0	3.0
			600 699	1.0	( 20.0)	68.4	335.5	29.0	3.6	1.0	2.0	6.0	2.0	4.0
			500 599	2.0	( 40.0)	69.3	346.8	38.5	3.9	1.4	1.5	6.0	1.5	4.0
			499	1.0	( 20.0)	68.6	297.5	25.0	3.1	0.4	2.0	6.0	2.0	5.0
				5.0	( 0.6)	68.8	358.1	33.8	4.0	1.3	2.0	5.8	1.8	4.0
			700 799	1.0	( 10.0)	68.6	490.0	45.0	4.9	1.9	2.0	4.0	2.0	2.0
			600 699	1.0	( 10.0)	68.8	378.0	32.0	4.8	1.4	2.0	4.0	2.0	3.0
			500 599	7.0	( 70.0)	69.2	340.6	36.1	3.5	1.0	1.9	5.1	1.6	3.9
			499	1.0	( 10.0)	68.9	299.0	28.0	3.6	0.9	2.0	7.0	1.0	3.0
				10.0	( 1.3)	69.1	355.1	35.8	3.8	1.1	1.9	5.1	1.6	3.5
			700 799	2.0	( 28.6)	69.9	368.5	40.0	5.5	1.9	2.0	5.0	2.0	2.0
			600 699	1.0	( 14.3)	68.4	346.5	31.0	3.9	1.4	2.0	6.0	2.0	6.0
			500 599	4.0	( 57.1)	68.6	328.3	30.5	4.1	1.5	2.0	5.8	1.8	4.8
				7.0	( 0.9)	68.9	342.4	33.3	4.5	1.6	2.0	5.6	1.9	4.1
			600 699	1.0	( 20.0)	68.2	413.0	30.0	4.5	1.1	2.0	6.0	2.0	4.0
			499	4.0	( 80.0)	68.8	463.0	40.3	4.5	1.1	1.8	6.0	1.8	5.0
				5.0	( 0.6)	68.7	453.0	38.2	4.5	1.1	1.8	6.0	1.8	4.8
			600 699	5.0	( 27.8)	68.7	399.6	36.4	4.7	1.7	2.2	4.6	2.0	3.8
			500 599	11.0	( 61.1)	68.9	349.0	34.7	3.9	1.4	2.0	4.8	1.6	4.2
			499	2.0	( 11.1)	69.8	320.5	33.0	4.1	0.7	2.0	4.0	1.0	4.5
				18.0	( 2.3)	68.9	359.9	35.0	4.1	1.4	2.1	4.7	1.7	4.1
			900 999	1.0	( 4.8)	70.1	357.0	41.0	4.8	1.5	2.0	5.0	2.0	3.0
			800 899	2.0	( 9.5)	69.4	379.0	42.0	4.5	1.9	2.0	5.0	2.0	2.0

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			700 799	1.0	( 4.8)	67.5	423.0	34.0	4.4	2.1	2.0	4.0	2.0	4.0
			600 699	6.0	( 28.6)	68.4	418.7	37.0	4.5	1.7	2.0	5.2	2.0	4.8
			500 599	8.0	( 38.1)	68.7	391.8	36.4	4.0	1.3	2.0	5.3	1.5	4.3
			499	3.0	( 14.3)	69.4	366.8	38.7	4.3	1.4	2.0	6.3	1.3	4.3
				21.0	( 2.6)	68.8	394.5	37.5	4.3	1.5	2.0	5.3	1.7	4.1
			600 699	1.0	( 0.1)	70.5	482.0	54.0	5.7	1.8	2.0	6.0	1.0	2.0
			600 699	1.0	( 33.3)	67.1	421.6	33.0	4.7	2.7	2.0	6.0	2.0	4.0
			500 599	1.0	( 33.3)	69.9	395.4	37.0	5.1	0.8	2.0	6.0	1.0	4.0
			499	1.0	( 33.3)	67.8	338.0	27.0	2.6	0.6	2.0	6.0	1.0	4.0
				3.0	( 0.4)	68.3	385.0	32.3	4.1	1.4	2.0	6.0	1.3	4.0
			800 899	4.0	( 18.2)	69.8	373.6	42.8	5.5	2.3	2.0	4.3	2.0	2.8
			600 699	2.0	( 9.1)	69.8	497.3	52.0	6.3	2.5	1.5	5.0	1.5	3.5
			500 599	9.0	( 40.9)	70.6	414.6	49.7	5.2	1.7	1.0	5.2	1.0	3.3
			499	7.0	( 31.8)	68.9	395.5	35.9	4.7	1.4	1.0	5.0	1.0	3.9
				22.0	( 2.8)	69.9	408.6	44.2	5.2	1.8	1.2	5.0	1.2	3.4
			500 599	6.0	( 0.8)	68.4	385.8	31.2	4.3	1.2	2.0	6.0	2.0	5.0
			1100 1199	2.0	( 8.3)	69.0	421.1	40.0	5.5	2.3	2.0	4.0	2.0	2.5
			1000 1099	8.0	( 33.3)	69.4	395.3	40.6	5.7	2.3	2.1	3.9	2.0	2.3
			900 999	1.0	( 4.2)	69.2	286.0	31.0	3.8	1.3	2.0	5.0	2.0	3.0
			700 799	6.0	( 25.0)	69.0	446.3	42.8	4.8	1.6	2.0	5.3	2.0	4.2
			600 699	5.0	( 20.8)	68.8	384.5	34.2	4.6	1.4	2.0	5.2	1.8	3.6
			500 599	1.0	( 4.2)	70.0	338.0	38.0	4.1	0.9	2.0	5.0	1.0	4.0
			499	1.0	( 4.2)	70.4	231.8	33.0	3.7	0.9	2.0	5.0	1.0	2.0
				24.0	( 3.0)	69.2	394.2	39.0	5.0	1.8	2.0	4.7	1.9	3.1
			1100 1199	7.0	( 36.8)	68.1	419.4	39.0	6.0	3.4	2.3	4.1	2.0	2.7
			1000 1099	8.0	( 42.1)	68.4	405.6	38.3	5.3	2.6	2.3	4.1	2.1	2.5
			600 699	1.0	( 5.3)	68.2	416.8	38.0	3.9	1.6	2.0	5.0	2.0	3.0
			500 599	3.0	( 15.8)	68.7	360.9	32.7	3.3	0.7	1.0	6.0	1.0	4.3
				19.0	( 2.4)	68.3	404.2	37.6	5.2	2.5	2.1	4.5	1.9	2.9
			700 799	1.0	( 0.1)	70.9	449.2	55.0	5.3	1.7	3.0	6.0	2.0	3.0
			700 799	3.0	( 16.7)	68.8	427.9	42.3	3.9	1.5	2.0	5.7	2.0	3.0
			600 699	8.0	( 44.4)	68.3	405.7	35.9	4.0	1.5	1.8	5.6	1.8	3.4
			500 599	7.0	( 38.9)	68.6	361.3	33.6	3.2	0.9	1.3	6.1	1.0	4.7
				18.0	( 2.3)	68.5	392.1	36.1	3.7	1.3	1.6	5.8	1.5	3.8

[illegible]

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			900 999	27.0	( 96.4)	68.5	433.3	38.7	5.7	2.5	2.1	4.4	2.1	2.9
			700 799	1.0	( 3.6)	68.9	332.0	29.0	4.8	1.4	2.0	4.0	2.0	2.0
				28.0	( 21.5)	68.5	429.7	38.4	5.6	2.5	2.1	4.4	2.1	2.8
			499	1.0	( 0.8)	69.1	188.0	21.0	3.3	0.9	2.0	4.0	2.0	4.0
			900 999	1.0	( 50.0)	68.9	399.0	31.0	5.6	1.4	2.0	6.0	2.0	2.0
			499	1.0	( 50.0)	69.5	144.5	20.0	3.1	0.8	1.0	6.0	1.0	5.0
				2.0	( 1.5)	69.2	271.8	25.5	4.3	1.1	1.5	6.0	1.5	3.5
			600 699	1.0	( 50.0)	69.0	336.0	34.0	4.4	1.6	2.0	6.0	1.0	5.0
			500 599	1.0	( 50.0)	69.1	281.0	30.0	3.9	1.4	2.0	4.0	2.0	3.0
				2.0	( 1.5)	69.0	308.5	32.0	4.2	1.5	2.0	5.0	1.5	4.0
			800 899	1.0	( 33.3)	69.0	377.5	34.0	4.7	1.2	2.0	5.0	2.0	2.0
			700 799	1.0	( 33.3)	69.9	347.0	34.0	5.7	1.5	2.0	5.0	2.0	4.0
			500 599	1.0	( 33.3)	70.6	465.5	50.0	5.1	1.0	2.0	6.0	2.0	4.0
				3.0	( 2.3)	69.8	396.7	39.3	5.2	1.2	2.0	5.3	2.0	3.3
			900 999	1.0	( 50.0)	69.0	454.0	45.0	5.3	2.3	2.0	4.0	2.0	2.0
			800 899	1.0	( 50.0)	69.9	421.0	40.0	4.9	0.7	2.0	5.0	2.0	4.0
				2.0	( 1.5)	69.5	437.5	42.5	5.1	1.5	2.0	4.5	2.0	3.0
			900 999	25.0	( 86.2)	68.0	477.6	40.5	5.2	2.4	2.1	4.8	2.0	2.5
			800 899	4.0	( 13.8)	68.5	380.0	33.5	4.4	1.6	2.0	5.0	2.0	2.3
				29.0	( 22.3)	68.1	464.2	39.5	5.1	2.3	2.1	4.8	2.0	2.4
			1000 1099	5.0	( 3.8)	67.8	498.9	41.4	5.5	2.6	2.0	4.8	2.0	3.0
			900 999	2.0	( 40.0)	68.7	436.0	37.0	5.1	1.6	2.5	4.5	2.0	2.5
			800 899	1.0	( 20.0)	69.4	374.0	41.0	4.2	1.5	2.0	6.0	2.0	2.0
			600 699	2.0	( 40.0)	69.3	280.5	33.0	3.9	1.6	2.0	5.0	2.0	2.5
				5.0	( 3.8)	69.1	361.4	36.2	4.4	1.5	2.2	5.0	2.0	2.4
			600 699	1.0	( 0.8)	68.9	275.6	26.0	3.6	0.9	2.0	5.0	1.0	2.0
			600 699	1.0	( 0.8)	69.5	368.0	37.0	4.8	1.4	2.0	5.0	2.0	2.0
			800 899	9.0	( 6.9)	67.7	469.8	38.4	6.0	3.1	2.0	4.1	2.0	2.6
			1000 1099	1.0	( 0.8)	69.8	510.2	57.0	6.2	3.0	3.0	4.0	3.0	3.0
			1100 1199	2.0	( 66.7)	68.7	466.1	44.0	6.7	3.3	3.0	4.5	2.5	2.5
			1000 1099	1.0	( 33.3)	66.6	399.0	28.0	5.4	3.3	2.0	5.0	2.0	3.0

[illegible]