

|  |  |  |           |      | (%)     |      | (kg)  | (cm <sup>2</sup> ) | (cm) | (cm) |     |     |     |     |
|--|--|--|-----------|------|---------|------|-------|--------------------|------|------|-----|-----|-----|-----|
|  |  |  | 1600 1699 | 1.0  | ( 4.5)  | 74.9 | 567.0 | 73.0               | 9.1  | 3.3  | 5.0 | 3.0 | 4.0 | 2.0 |
|  |  |  | 1400 1499 | 2.0  | ( 9.1)  | 73.0 | 481.5 | 58.5               | 8.1  | 3.7  | 4.0 | 4.0 | 2.5 | 3.0 |
|  |  |  | 1300 1399 | 5.0  | ( 22.7) | 71.9 | 491.8 | 54.6               | 7.9  | 4.3  | 2.8 | 4.0 | 2.2 | 3.0 |
|  |  |  | 1200 1299 | 3.0  | ( 13.6) | 70.9 | 501.7 | 55.7               | 7.4  | 4.9  | 3.3 | 4.3 | 2.3 | 3.0 |
|  |  |  | 1100 1199 | 6.0  | ( 27.3) | 71.9 | 463.6 | 49.8               | 7.3  | 3.4  | 2.7 | 4.0 | 2.2 | 3.0 |
|  |  |  | 1000 1099 | 1.0  | ( 4.5)  | 72.5 | 363.0 | 41.0               | 5.4  | 1.5  | 2.0 | 5.0 | 2.0 | 4.0 |
|  |  |  | 800 899   | 1.0  | ( 4.5)  | 72.5 | 433.0 | 42.0               | 7.1  | 1.9  | 4.0 | 5.0 | 2.0 | 4.0 |
|  |  |  | 700 799   | 2.0  | ( 9.1)  | 73.6 | 478.0 | 55.5               | 7.3  | 2.1  | 2.0 | 4.5 | 2.0 | 3.5 |
|  |  |  | 600 699   | 1.0  | ( 4.5)  | 71.7 | 347.0 | 40.0               | 5.0  | 2.1  | 2.0 | 5.0 | 2.0 | 2.0 |
|  |  |  |           | 22.0 | ( 34.4) | 72.2 | 471.6 | 52.9               | 7.4  | 3.5  | 3.0 | 4.2 | 2.3 | 3.0 |
|  |  |  | 1600 1699 | 2.0  | ( 28.6) | 73.2 | 469.5 | 56.0               | 8.3  | 3.5  | 3.5 | 4.5 | 2.5 | 3.0 |
|  |  |  | 1500 1599 | 1.0  | ( 14.3) | 71.4 | 458.0 | 50.0               | 7.2  | 3.9  | 4.0 | 5.0 | 3.0 | 3.0 |
|  |  |  | 1200 1299 | 2.0  | ( 28.6) | 72.6 | 468.5 | 57.0               | 7.3  | 3.6  | 3.0 | 4.5 | 2.0 | 3.0 |
|  |  |  | 1100 1199 | 1.0  | ( 14.3) | 72.9 | 470.0 | 56.0               | 7.7  | 3.4  | 3.0 | 4.0 | 2.0 | 3.0 |
|  |  |  | 1000 1099 | 1.0  | ( 14.3) | 73.0 | 421.0 | 53.0               | 7.3  | 3.2  | 3.0 | 4.0 | 2.0 | 3.0 |
|  |  |  |           | 7.0  | ( 10.9) | 72.7 | 460.7 | 55.0               | 7.6  | 3.5  | 3.3 | 4.4 | 2.3 | 3.0 |
|  |  |  | 1700 1799 | 3.0  | ( 12.0) | 74.7 | 398.7 | 60.7               | 7.9  | 3.2  | 4.3 | 3.7 | 3.3 | 2.7 |
|  |  |  | 1600 1699 | 2.0  | ( 8.0)  | 74.4 | 397.5 | 58.0               | 7.2  | 2.6  | 3.5 | 3.5 | 3.0 | 2.5 |
|  |  |  | 1500 1599 | 3.0  | ( 12.0) | 74.4 | 377.7 | 56.7               | 7.0  | 2.6  | 3.7 | 3.7 | 3.0 | 2.3 |
|  |  |  | 1400 1499 | 3.0  | ( 12.0) | 73.7 | 379.0 | 56.3               | 6.8  | 3.2  | 3.0 | 3.7 | 3.0 | 2.0 |
|  |  |  | 1300 1399 | 4.0  | ( 16.0) | 73.8 | 377.5 | 55.3               | 6.7  | 2.8  | 3.5 | 3.3 | 3.3 | 2.3 |
|  |  |  | 1200 1299 | 5.0  | ( 20.0) | 73.9 | 367.6 | 55.4               | 6.5  | 2.7  | 2.8 | 4.2 | 2.6 | 2.2 |
|  |  |  | 1100 1199 | 2.0  | ( 8.0)  | 73.5 | 362.5 | 51.5               | 6.3  | 2.5  | 3.0 | 3.5 | 2.0 | 2.5 |
|  |  |  | 1000 1099 | 1.0  | ( 4.0)  | 74.0 | 362.0 | 55.0               | 6.6  | 2.7  | 3.0 | 3.0 | 2.0 | 2.0 |
|  |  |  | 800 899   | 1.0  | ( 4.0)  | 70.6 | 327.0 | 37.0               | 4.3  | 2.7  | 2.0 | 6.0 | 1.0 | 7.0 |
|  |  |  | 700 799   | 1.0  | ( 4.0)  | 70.7 | 339.0 | 31.0               | 4.5  | 1.6  | 2.0 | 5.0 | 1.0 | 5.0 |
|  |  |  |           | 25.0 | ( 39.1) | 73.8 | 374.5 | 54.4               | 6.7  | 2.8  | 3.2 | 3.8 | 2.7 | 2.6 |
|  |  |  | 1200 1299 | 1.0  | ( 1.6)  | 73.4 | 459.0 | 64.0               | 7.9  | 4.3  | 3.0 | 4.0 | 2.0 | 2.0 |
|  |  |  | 1300 1399 | 1.0  | ( 1.6)  | 73.7 | 425.0 | 56.0               | 7.9  | 3.3  | 4.0 | 4.0 | 3.0 | 2.0 |
|  |  |  | 2000 2099 | 1.0  | ( 50.0) | 69.5 | 536.0 | 66.0               | 7.7  | 7.7  | 4.0 | 4.0 | 3.0 | 3.0 |
|  |  |  | 1800 1899 | 1.0  | ( 50.0) | 68.8 | 552.6 | 53.0               | 8.2  | 6.8  | 3.0 | 4.0 | 2.0 | 3.0 |
|  |  |  |           | 2.0  | ( 3.1)  | 69.2 | 544.3 | 59.5               | 8.0  | 7.3  | 3.5 | 4.0 | 2.5 | 3.0 |
|  |  |  | 1600 1699 | 1.0  | ( 16.7) | 73.1 | 453.4 | 52.0               | 8.4  | 3.4  | 4.0 | 4.0 | 3.0 | 4.0 |
|  |  |  | 1500 1599 | 2.0  | ( 33.3) | 71.4 | 462.6 | 49.5               | 8.2  | 4.7  | 3.0 | 4.0 | 2.0 | 2.5 |
|  |  |  | 1400 1499 | 2.0  | ( 33.3) | 72.7 | 498.5 | 63.0               | 7.8  | 4.4  | 2.5 | 3.5 | 2.5 | 3.0 |
|  |  |  | 1000 1099 | 1.0  | ( 16.7) | 71.9 | 328.3 | 38.0               | 5.8  | 2.5  | 2.0 | 5.0 | 2.0 | 3.0 |
|  |  |  |           | 6.0  | ( 9.4)  | 72.2 | 450.7 | 52.5               | 7.7  | 4.0  | 2.8 | 4.0 | 2.3 | 3.0 |

[illegible]

