

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1500 1599	1.0	(3.7)	71.8	483.0	71.0	7.2	3.9	5.0	5.0	4.0	4.0
			1300 1399	2.0	(7.4)	70.8	478.0	58.0	7.0	3.2	4.5	4.0	3.0	3.0
			1200 1299	2.0	(7.4)	71.3	417.0	58.5	6.6	3.1	4.5	4.0	3.0	2.5
			1100 1199	2.0	(7.4)	71.0	486.5	50.5	8.2	2.5	3.0	4.5	2.5	2.5
			1000 1099	1.0	(3.7)	72.5	433.0	61.0	6.4	1.8	3.0	4.0	3.0	2.0
			900 999	2.0	(7.4)	71.3	353.5	45.5	6.3	1.9	4.0	4.5	2.5	3.0
			800 899	4.0	(14.8)	70.0	459.0	44.8	6.8	2.1	3.3	5.0	2.0	3.0
			700 799	5.0	(18.5)	70.6	406.2	48.0	6.2	2.3	2.8	5.2	2.0	3.6
			600 699	5.0	(18.5)	69.9	337.8	39.6	5.1	2.0	2.2	5.2	2.0	3.8
			500 599	2.0	(7.4)	69.7	280.0	38.0	3.5	1.7	2.0	5.0	1.5	3.0
			499	1.0	(3.7)	67.3	352.0	25.0	4.8	2.3	2.0	5.0	2.0	5.0
				27.0	(25.0)	70.5	402.0	47.2	6.1	2.3	3.1	4.8	2.3	3.3
			1100 1199	1.0	(33.3)	70.6	514.0	56.0	7.0	2.6	3.0	5.0	2.0	2.0
			900 999	1.0	(33.3)	69.5	529.0	49.0	6.8	2.4	3.0	5.0	2.0	2.0
			700 799	1.0	(33.3)	68.7	331.0	35.0	5.3	2.9	2.0	4.0	2.0	2.0
				3.0	(2.8)	69.6	458.0	46.7	6.4	2.6	2.7	4.7	2.0	2.0
			600 699	1.0	(50.0)	69.6	251.0	34.0	4.3	2.1	2.0	5.0	2.0	4.0
			500 599	1.0	(50.0)	70.3	397.0	43.0	7.5	3.0	3.0	5.0	2.0	6.0
				2.0	(1.9)	70.0	324.0	38.5	5.9	2.5	2.5	5.0	2.0	5.0
			900 999	1.0	(50.0)	71.9	266.5	41.0	5.2	1.0	6.0	3.0	4.0	3.0
			700 799	1.0	(50.0)	71.1	290.5	41.0	5.3	1.7	2.0	4.0	2.0	3.0
				2.0	(1.9)	71.5	278.5	41.0	5.3	1.4	4.0	3.5	3.0	3.0
			1300 1399	1.0	(0.9)	72.5	450.0	62.0	7.1	2.2	7.0	3.0	4.0	3.0
			1300 1399	1.0	(16.7)	71.9	349.0	57.0	5.8	2.6	3.0	4.0	3.0	2.0
			1100 1199	2.0	(33.3)	71.3	437.0	52.0	7.1	2.3	4.0	4.0	2.5	2.5
			1000 1099	1.0	(16.7)	73.0	498.0	63.0	7.8	1.7	3.0	5.0	2.0	3.0
			700 799	2.0	(33.3)	71.2	285.5	40.0	4.8	1.2	2.0	5.0	2.0	2.5
				6.0	(5.6)	71.7	382.0	50.7	6.2	1.9	3.0	4.5	2.3	2.5
			1800 1899	1.0	(25.0)	72.2	476.0	61.0	8.3	3.0	8.0	3.0	5.0	3.0
			1300 1399	1.0	(25.0)	70.8	516.0	57.0	6.8	2.4	7.0	3.0	5.0	3.0
			1000 1099	1.0	(25.0)	70.7	369.0	39.0	6.6	1.7	3.0	4.0	3.0	2.0
			499	1.0	(25.0)	71.6	229.0	39.0	3.4	0.3	2.0	4.0	1.0	4.0
				4.0	(3.7)	71.3	397.5	49.0	6.3	1.9	5.0	3.5	3.5	3.0
			1700 1799	3.0	(33.3)	72.9	501.7	67.3	8.4	2.8	7.3	4.0	4.3	2.3
			1600 1699	1.0	(11.1)	73.4	529.0	69.0	8.4	2.2	6.0	2.0	4.0	3.0
			1500 1599	2.0	(22.2)	71.0	517.0	57.0	8.0	2.9	5.0	4.0	3.5	2.5
			1400 1499	1.0	(11.1)	72.6	473.0	68.0	7.8	3.2	5.0	5.0	3.0	2.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1100 1199	1.0	(11.1)	67.7	576.0	48.0	9.6	5.7	5.0	4.0	3.0	2.0
			500 599	1.0	(11.1)	69.8	373.0	45.0	5.2	2.4	4.0	5.0	3.0	5.0
				9.0	(8.3)	71.6	498.9	60.7	8.0	3.1	5.8	4.0	3.7	2.7
			1800 1899	1.0	(0.9)	76.1	592.0	92.0	9.5	2.4	9.0	4.0	5.0	3.0
			600 699	1.0	(0.9)	68.7	316.0	31.0	4.6	2.0	1.0	5.0	1.0	4.0
			700 799	1.0	(0.9)	68.3	316.5	24.0	4.7	1.5	2.0	5.0	1.0	4.0
			499	1.0	(0.9)	68.4	291.2	32.0	3.4	1.9	2.0	5.0	1.0	5.0
			1700 1799	1.0	(50.0)	69.2	421.2	55.0	7.3	5.5	5.0	3.0	4.0	3.0
			1400 1499	1.0	(50.0)	71.3	344.2	46.0	6.5	2.3	4.0	4.0	3.0	2.0
				2.0	(1.9)	70.3	382.7	50.5	6.9	3.9	4.5	3.5	3.5	2.5
			1800 1899	1.0	(0.9)	75.1	424.0	79.0	6.9	2.0	12.0	4.0	5.0	3.0
			1700 1799	1.0	(33.3)	72.5	482.2	68.0	7.4	3.0	5.0	5.0	4.0	3.0
			1000 1099	1.0	(33.3)	69.6	505.9	53.0	6.8	3.2	4.0	5.0	3.0	3.0
			700 799	1.0	(33.3)	70.2	305.0	39.0	4.5	1.6	2.0	5.0	2.0	5.0
				3.0	(2.8)	70.8	431.0	53.3	6.2	2.6	3.7	5.0	3.0	3.7
			1600 1699	1.0	(2.4)	72.1	518.7	62.0	8.1	2.4	5.0	4.0	4.0	4.0
			1500 1599	3.0	(7.1)	71.2	488.5	60.0	7.8	3.3	7.0	3.7	4.3	3.0
			1400 1499	2.0	(4.8)	70.5	473.7	59.0	7.5	4.0	5.0	4.5	3.5	3.0
			1300 1399	5.0	(11.9)	71.1	451.2	54.2	7.6	3.1	4.8	3.8	3.4	3.2
			1200 1299	6.0	(14.3)	70.4	440.6	50.7	7.3	3.2	4.3	3.8	3.2	3.0
			1100 1199	9.0	(21.4)	71.0	435.8	53.7	7.4	3.1	3.4	4.1	2.4	3.1
			1000 1099	6.0	(14.3)	71.2	435.4	54.8	6.8	2.7	3.2	4.8	2.2	3.5
			900 999	3.0	(7.1)	71.3	406.4	52.3	6.8	2.6	3.7	4.7	2.3	3.3
			800 899	6.0	(14.3)	70.5	420.2	51.0	7.0	3.2	2.3	4.2	2.0	3.2
			600 699	1.0	(2.4)	67.7	367.8	33.0	4.6	2.7	2.0	6.0	2.0	5.0
				42.0	(38.9)	70.9	439.9	53.4	7.2	3.1	3.9	4.2	2.8	3.2
			1300 1399	1.0	(0.9)	72.9	457.9	63.0	6.5	1.5	8.0	4.0	5.0	2.0
			500 599	1.0	(0.9)	69.5	278.0	37.0	5.2	3.0	2.0	5.0	2.0	3.0
			1800 1899	3.0	(2.8)	74.5	497.3	77.3	8.2	2.5	9.7	3.7	5.0	3.0
			1700 1799	5.0	(4.6)	72.1	481.7	65.0	8.0	3.4	6.4	4.0	4.2	2.6
			1600 1699	2.0	(1.9)	72.8	523.9	65.5	8.3	2.3	5.5	3.0	4.0	3.5
			1500 1599	6.0	(5.6)	71.2	497.1	60.8	7.7	3.3	6.0	4.0	4.0	3.0
			1400 1499	4.0	(3.7)	71.2	441.1	58.0	7.3	3.4	4.8	4.5	3.3	2.5
			1300 1399	11.0	(10.2)	71.4	453.2	56.9	7.1	2.8	5.3	3.7	3.6	2.9

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1700 1799	1.0	(4.8)	71.4	470.0	57.0	7.8	3.1	7.0	2.0	4.0	3.0
			1600 1699	2.0	(9.5)	74.2	481.5	66.0	8.3	1.5	4.5	2.5	3.0	3.0
			1500 1599	3.0	(14.3)	71.5	533.5	58.3	8.3	2.6	6.0	4.3	3.7	2.7
			1400 1499	6.0	(28.6)	71.1	498.7	55.0	8.1	2.8	4.3	4.0	3.2	2.8
			1300 1399	1.0	(4.8)	72.3	435.0	55.0	7.4	1.9	3.0	4.0	2.0	3.0
			1200 1299	3.0	(14.3)	71.2	509.7	56.3	6.9	1.9	3.0	4.3	2.3	2.3
			1100 1199	1.0	(4.8)	71.3	453.0	62.0	6.8	3.3	4.0	4.0	3.0	3.0
			1000 1099	3.0	(14.3)	70.7	501.0	54.3	7.5	2.8	4.3	4.7	2.7	3.0
			800 899	1.0	(4.8)	71.3	462.0	52.0	6.2	1.3	3.0	4.0	2.0	2.0
				21.0	(0.3)	71.5	495.6	56.9	7.7	2.4	4.4	4.0	3.0	2.8
			1700 1799	1.0	(0.0)	74.6	502.0	79.0	8.1	2.4	6.0	5.0	4.0	3.0
			800 899	1.0	(0.0)	70.1	368.5	38.0	6.3	2.0	3.0	5.0	3.0	3.0
			1500 1599	1.0	(0.0)	75.0	606.0	84.0	8.6	1.6	10.0	3.0	5.0	3.0
			1700 1799	1.0	(25.0)	71.2	491.5	57.0	7.8	2.9	8.0	3.0	5.0	3.0
			1400 1499	1.0	(25.0)	72.1	405.5	59.0	7.6	3.3	7.0	3.0	5.0	3.0
			1300 1399	2.0	(50.0)	70.4	557.0	60.5	7.5	3.1	5.5	5.0	3.5	2.0
				4.0	(0.1)	71.0	502.8	59.3	7.6	3.1	6.5	4.0	4.3	2.5
			1800 1899	1.0	(9.1)	74.7	480.0	66.0	9.7	1.8	7.0	4.0	4.0	2.0
			1500 1599	3.0	(27.3)	71.9	509.7	58.0	7.7	2.0	4.3	4.0	3.3	2.0
			1400 1499	1.0	(9.1)	72.2	512.0	65.0	7.7	2.6	4.0	4.0	3.0	2.0
			1300 1399	2.0	(18.2)	70.5	431.0	47.5	6.4	2.1	4.0	4.0	3.0	2.5
			1200 1299	1.0	(9.1)	71.8	596.0	67.0	8.2	2.5	4.0	4.0	3.0	3.0
			1100 1199	3.0	(27.3)	70.1	422.3	40.7	6.4	1.7	2.3	4.3	2.0	2.0
				11.0	(0.2)	71.4	476.9	53.5	7.3	2.0	3.9	4.1	2.9	2.2
			1300 1399	1.0	(50.0)	71.3	514.4	59.0	8.6	3.3	4.0	4.0	3.0	3.0
			1100 1199	1.0	(50.0)	69.6	619.0	61.0	8.4	3.9	3.0	4.0	2.0	3.0
				2.0	(0.0)	70.5	566.7	60.0	8.5	3.6	3.5	4.0	2.5	3.0
			1600 1699	1.0	(33.3)	70.6	555.0	63.0	8.4	4.1	5.0	4.0	4.0	3.0
			1000 1099	2.0	(66.7)	71.3	544.0	61.5	7.8	2.8	5.5	4.0	3.5	3.0
				3.0	(0.0)	71.0	547.7	62.0	8.0	3.2	5.3	4.0	3.7	3.0
			1000 1099	1.0	(20.0)	73.4	401.0	66.0	5.4	1.3	4.0	5.0	3.0	2.0
			800 899	3.0	(60.0)	70.6	399.7	49.0	5.7	2.1	2.3	5.0	2.0	2.0
			700 799	1.0	(20.0)	71.6	363.0	50.0	4.8	1.1	3.0	5.0	2.0	2.0
				5.0	(0.1)	71.4	392.6	52.6	5.4	1.7	2.8	5.0	2.2	2.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1900 1999	1.0	(6.7)	76.3	539.0	91.0	8.6	2.1	8.0	4.0	5.0	3.0
			1800 1899	3.0	(20.0)	71.6	551.7	67.0	7.5	2.9	9.0	3.7	5.0	3.0
			1700 1799	3.0	(20.0)	72.4	577.0	69.0	8.7	2.8	6.0	4.0	4.0	2.3
			1600 1699	1.0	(6.7)	69.4	579.0	58.0	8.6	4.4	6.0	4.0	4.0	2.0
			1500 1599	1.0	(6.7)	71.4	570.0	65.0	8.3	3.1	3.0	3.0	3.0	2.0
			1400 1499	3.0	(20.0)	71.9	512.7	62.0	7.8	2.7	4.7	3.7	3.7	2.3
			1300 1399	2.0	(13.3)	71.0	581.5	54.5	9.3	2.6	3.5	4.0	3.0	3.0
			1000 1099	1.0	(6.7)	71.3	440.0	54.0	6.9	2.5	3.0	5.0	3.0	2.0
				15.0	(0.2)	71.9	547.7	64.7	8.2	2.8	5.7	3.9	3.9	2.5
			1300 1399	1.0	(0.0)	70.8	517.0	55.0	7.2	2.3	4.0	4.0	3.0	3.0
			1500 1599	1.0	(50.0)	71.7	432.5	60.0	6.3	2.5	7.0	3.0	4.0	2.0
			1000 1099	1.0	(50.0)	68.0	384.0	37.0	6.0	3.7	3.0	4.0	3.0	2.0
				2.0	(0.0)	69.8	408.3	48.5	6.2	3.1	5.0	3.5	3.5	2.0
			1700 1799	6.0	(0.4)	72.5	517.1	62.2	8.8	2.6	7.2	4.0	4.3	2.8
			1600 1699	56.0	(3.4)	73.0	529.2	65.9	8.8	2.4	6.7	3.9	4.4	2.8
			1500 1599	216.0	(13.2)	72.0	521.4	60.9	8.5	2.8	4.5	4.1	3.4	2.9
			1400 1499	548.0	(33.4)	71.4	517.2	57.6	8.3	2.8	3.6	4.1	2.9	2.8
			1300 1399	680.0	(41.4)	70.9	513.2	55.6	8.1	3.0	3.0	4.4	2.1	2.8
			1200 1299	126.0	(7.7)	70.1	511.2	53.3	7.8	3.4	2.6	4.5	2.0	2.7
			1100 1199	4.0	(0.2)	68.4	541.4	50.3	7.7	4.3	2.5	4.5	2.3	2.5
			1000 1099	1.0	(0.1)	70.7	329.2	44.0	5.9	2.5	3.0	4.0	2.0	3.0
			900 999	2.0	(0.1)	71.3	383.8	46.0	7.1	2.1	2.5	4.5	2.0	3.0
			700 799	1.0	(0.1)	72.5	402.0	55.0	6.9	1.8	2.0	4.0	2.0	3.0
			499	1.0	(0.1)	70.1	193.0	26.0	3.7	0.8	1.0	7.0	1.0	4.0
				1641.0	(24.5)	71.2	515.5	57.1	8.2	2.9	3.5	4.3	2.6	2.8
			1800 1899	1.0	(4.8)	72.4	566.8	67.0	8.4	2.4	9.0	4.0	5.0	3.0
			1600 1699	3.0	(14.3)	72.8	570.6	72.0	8.1	2.4	7.7	4.0	4.7	3.0
			1500 1599	4.0	(19.0)	70.8	574.5	61.8	7.9	3.0	4.8	4.0	3.8	3.0
			1400 1499	7.0	(33.3)	69.4	595.9	56.7	8.1	3.6	3.6	4.0	3.0	3.0
			1300 1399	1.0	(4.8)	67.2	583.0	54.0	7.5	5.5	2.0	4.0	2.0	3.0
			1200 1299	2.0	(9.5)	70.0	540.0	51.5	7.5	2.5	3.5	4.0	3.0	3.0
			1100 1199	2.0	(9.5)	68.2	570.0	47.0	8.3	4.1	2.0	4.0	2.0	3.0
			1000 1099	1.0	(4.8)	71.3	552.2	54.0	8.8	2.2	3.0	5.0	2.0	3.0
				21.0	(0.3)	70.2	576.3	58.7	8.0	3.2	4.4	4.0	3.3	3.0
			1700 1799	2.0	(0.3)	72.3	554.0	63.5	8.7	2.5	6.0	3.5	4.0	2.0
			1600 1699	12.0	(1.9)	72.6	542.8	66.4	8.7	2.7	6.1	3.9	4.4	3.0
			1500 1599	59.0	(9.5)	71.6	514.5	57.2	8.5	2.8	4.7	4.0	3.4	2.8
			1400 1499	245.0	(39.3)	70.9	507.7	54.3	8.3	3.0	3.8	4.1	2.9	2.8
			1300 1399	210.0	(33.7)	70.3	502.3	50.8	8.1	3.1	3.1	4.4	2.2	2.8
			1200 1299	89.0	(14.3)	69.2	504.8	46.8	7.9	3.5	2.6	4.5	2.0	2.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1100 1199	6.0	(1.0)	68.2	512.9	44.3	7.5	3.9	2.3	4.7	2.0	2.7
			700 799	1.0	(0.2)	69.5	575.1	54.0	7.0	2.6	2.0	6.0	2.0	3.0
				624.0	(9.3)	70.5	507.1	52.5	8.2	3.1	3.5	4.2	2.6	2.8
			1800 1899	1.0	(25.0)	72.6	429.8	58.0	7.1	1.8	8.0	4.0	5.0	3.0
			1500 1599	1.0	(25.0)	73.3	489.2	64.0	7.7	1.6	5.0	4.0	4.0	3.0
			1200 1299	2.0	(50.0)	71.3	462.7	54.0	7.0	2.2	5.0	4.0	3.5	2.5
				4.0	(0.1)	72.2	461.1	57.5	7.2	1.9	5.8	4.0	4.0	2.8
			1800 1899	1.0	(1.2)	72.1	520.8	63.0	9.6	3.7	7.0	4.0	5.0	3.0
			1400 1499	2.0	(2.3)	72.5	555.9	66.5	8.7	2.6	6.5	4.0	4.0	3.0
			1300 1399	13.0	(15.1)	70.1	580.6	59.4	8.2	3.5	3.7	4.2	3.1	3.0
			1200 1299	44.0	(51.2)	70.5	568.1	58.5	8.4	3.4	2.7	4.7	2.0	3.0
			1100 1199	26.0	(30.2)	68.9	587.5	54.7	8.3	4.2	2.9	4.6	2.1	3.0
				86.0	(1.3)	70.0	575.0	57.8	8.4	3.6	3.0	4.6	2.3	3.0
			1700 1799	1.0	(4.8)	75.0	476.7	72.0	8.4	1.5	10.0	4.0	5.0	2.0
			1400 1499	2.0	(9.5)	69.9	545.5	57.5	7.6	3.5	5.0	4.0	3.0	2.5
			1300 1399	6.0	(28.6)	70.9	478.7	54.2	7.8	3.0	4.3	4.0	3.3	3.0
			1200 1299	2.0	(9.5)	69.2	497.1	47.0	7.2	3.3	4.0	4.0	3.0	3.0
			1100 1199	4.0	(19.0)	70.7	442.9	49.5	6.5	2.2	3.5	5.0	2.5	2.8
			1000 1099	3.0	(14.3)	70.8	473.0	56.3	6.6	2.6	3.0	4.3	2.0	3.3
			900 999	3.0	(14.3)	70.4	536.7	56.7	7.6	3.0	3.0	3.7	2.3	3.0
				21.0	(0.3)	70.7	487.4	54.4	7.3	2.8	4.1	4.2	2.9	2.9
			1500 1599	4.0	(1.5)	71.3	503.2	58.0	8.3	3.0	4.8	4.3	3.5	3.0
			1400 1499	46.0	(16.7)	70.6	497.6	51.9	7.9	2.8	3.5	4.1	2.8	2.9
			1300 1399	130.0	(47.3)	70.1	493.6	49.8	7.8	3.1	3.0	4.5	2.1	2.9
			1200 1299	88.0	(32.0)	69.2	487.2	45.2	7.4	3.2	2.5	4.8	2.0	2.9
			1100 1199	7.0	(2.5)	68.2	507.7	44.1	7.5	4.0	2.1	4.7	2.0	3.0
				275.0	(4.1)	69.9	492.7	48.7	7.7	3.1	2.9	4.5	2.2	2.9
			2000 2099	2.0	(0.1)	73.0	603.2	70.5	9.5	2.6	7.0	4.0	4.0	3.0
			1900 1999	24.0	(0.6)	70.7	622.8	63.3	8.8	3.4	6.0	4.0	3.9	3.0
			1800 1899	146.0	(3.7)	70.2	594.0	58.2	8.8	3.6	4.1	4.2	3.0	3.0
			1700 1799	217.0	(5.5)	69.5	591.6	55.2	8.7	3.9	3.4	4.2	2.6	2.9
			1600 1699	239.0	(6.1)	70.2	588.1	59.0	8.7	3.7	4.6	4.3	3.2	3.0
			1500 1599	474.0	(12.0)	70.5	585.0	58.5	8.9	3.5	4.4	4.2	3.2	3.0
			1400 1499	1220.0	(30.9)	70.2	569.4	56.2	8.6	3.4	3.7	4.2	2.8	2.9
			1300 1399	1141.0	(28.9)	69.6	560.8	52.9	8.4	3.6	3.1	4.3	2.3	2.9
			1200 1299	464.0	(11.8)	69.2	551.7	50.8	8.1	3.6	2.8	4.5	2.0	2.9
			1100 1199	15.0	(0.4)	68.1	548.5	45.9	7.8	4.0	2.2	4.7	2.0	3.0

[illegible]

[illegible]