

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1400 1499	1.0	(5.6)	74.0	452.6	57.0	7.4	2.3	3.0	4.0	3.0	2.0
			1300 1399	1.0	(5.6)	71.3	472.0	45.0	7.9	3.7	3.0	4.0	3.0	3.0
			1100 1199	1.0	(5.6)	72.7	544.0	61.0	8.2	3.7	2.0	5.0	2.0	3.0
			1000 1099	5.0	(27.8)	70.9	502.6	49.2	7.2	3.8	2.6	4.2	2.0	3.0
			900 999	1.0	(5.6)	71.4	585.9	49.0	8.5	3.2	2.0	5.0	2.0	5.0
			700 799	2.0	(11.1)	71.2	435.5	41.5	6.2	2.5	2.0	5.0	2.0	3.0
			600 699	7.0	(38.9)	72.4	428.1	44.7	6.4	1.9	2.4	5.3	2.0	4.0
				18.0	(40.0)	71.9	468.6	47.4	7.0	2.8	2.4	4.8	2.1	3.4
			1300 1399	1.0	(50.0)	72.3	452.0	54.0	7.7	4.1	3.0	5.0	2.0	2.0
			1100 1199	1.0	(50.0)	71.4	421.0	44.0	6.7	3.2	3.0	5.0	2.0	3.0
				2.0	(4.4)	71.8	436.5	49.0	7.2	3.6	3.0	5.0	2.0	2.5
			1700 1799	1.0	(8.3)	71.6	509.0	56.0	8.3	4.7	5.0	5.0	3.0	3.0
			1400 1499	4.0	(33.3)	74.9	378.8	58.8	6.8	2.1	4.0	3.8	3.0	2.5
			1300 1399	1.0	(8.3)	74.1	346.0	52.0	5.7	1.8	4.0	4.0	3.0	2.0
			1200 1299	2.0	(16.7)	75.0	381.0	58.0	7.0	2.0	3.5	4.0	3.0	2.0
			1100 1199	1.0	(8.3)	72.6	424.0	52.0	6.8	3.2	2.0	5.0	2.0	3.0
			800 899	2.0	(16.7)	74.0	330.0	50.5	6.2	2.3	2.5	4.5	2.0	2.5
			700 799	1.0	(8.3)	71.2	317.0	32.0	4.3	1.4	1.0	6.0	1.0	5.0
				12.0	(26.7)	73.9	377.8	53.7	6.5	2.3	3.3	4.3	2.6	2.7
			1300 1399	1.0	(2.2)	70.7	508.0	56.0	7.8	5.4	4.0	5.0	3.0	2.0
			1300 1399	1.0	(9.1)	72.6	537.4	58.0	8.5	3.6	5.0	4.0	3.0	2.0
			1200 1299	4.0	(36.4)	71.7	449.8	51.0	7.3	4.0	3.8	4.3	2.5	2.8
			1100 1199	3.0	(27.3)	72.9	460.0	58.3	7.6	3.8	3.0	4.7	2.0	2.7
			1000 1099	2.0	(18.2)	72.2	513.4	55.0	7.7	3.5	3.0	4.5	2.0	3.5
			800 899	1.0	(9.1)	70.6	453.9	49.0	6.6	4.3	3.0	5.0	2.0	5.0
				11.0	(24.4)	72.1	472.5	54.2	7.5	3.8	3.5	4.5	2.3	3.0
			1000 1099	1.0	(2.2)	72.7	400.5	51.0	6.3	2.8	3.0	4.0	2.0	3.0
			1700 1799	1.0	(2.2)	71.6	509.0	56.0	8.3	4.7	5.0	5.0	3.0	3.0
			1400 1499	5.0	(11.1)	74.7	393.5	58.4	6.9	2.2	3.8	3.8	3.0	2.4
			1300 1399	5.0	(11.1)	72.2	463.1	53.0	7.5	3.7	3.8	4.4	2.8	2.2
			1200 1299	6.0	(13.3)	72.8	426.9	53.3	7.2	3.3	3.7	4.2	2.7	2.5
			1100 1199	6.0	(13.3)	72.6	461.5	55.3	7.4	3.6	2.7	4.8	2.0	2.8
			1000 1099	8.0	(17.8)	71.5	492.5	50.9	7.2	3.6	2.8	4.3	2.0	3.1
			900 999	1.0	(2.2)	71.4	585.9	49.0	8.5	3.2	2.0	5.0	2.0	5.0
			800 899	3.0	(6.7)	72.9	371.3	50.0	6.3	2.9	2.7	4.7	2.0	3.3
			700 799	3.0	(6.7)	71.2	396.0	38.3	5.6	2.2	1.7	5.3	1.7	3.7
			600 699	7.0	(15.6)	72.4	428.1	44.7	6.4	1.9	2.4	5.3	2.0	4.0

[illegible]

					(%)		(kg)	(m2)	(m)	(m)				
			1400 1499	1.0	(14.3)	73.6	472.2	59.0	8.4	3.4	3.0	4.0	2.0	3.0
			1300 1399	1.0	(14.3)	72.2	472.8	46.0	7.9	2.8	3.0	5.0	2.0	3.0
			1200 1299	2.0	(28.6)	72.3	483.9	52.5	7.5	3.3	3.0	4.0	2.5	2.5
			1100 1199	1.0	(14.3)	69.7	511.0	33.0	8.9	4.0	3.0	4.0	2.0	3.0
			1000 1099	2.0	(28.6)	72.2	485.0	51.0	7.5	3.1	3.0	3.5	2.0	2.0
				7.0	(15.6)	72.0	484.8	49.3	7.9	3.3	3.0	4.0	2.1	2.6
			1300 1399	2.0	(50.0)	75.6	529.0	66.0	8.8	1.8	3.5	4.0	2.5	2.5
			1100 1199	1.0	(25.0)	73.7	493.0	60.0	8.2	3.1	2.0	4.0	2.0	2.0
			1000 1099	1.0	(25.0)	71.7	455.0	54.0	7.7	4.7	2.0	4.0	2.0	2.0
				4.0	(8.9)	74.2	501.5	61.5	8.3	2.9	2.8	4.0	2.3	2.3
			1700 1799	1.0	(5.6)	73.8	445.0	60.0	7.7	3.3	5.0	4.0	4.0	3.0
			1600 1699	1.0	(5.6)	73.4	436.0	51.0	7.5	2.4	4.0	3.0	3.0	2.0
			1500 1599	2.0	(11.1)	75.0	450.0	61.0	8.3	2.4	4.0	4.0	3.0	2.0
			1400 1499	1.0	(5.6)	76.9	409.0	70.0	7.9	2.0	4.0	4.0	3.0	2.0
			1300 1399	9.0	(50.0)	74.9	431.8	60.0	7.2	1.9	3.2	3.8	2.7	2.2
			1200 1299	1.0	(5.6)	74.7	425.0	57.0	7.8	2.2	3.0	3.0	3.0	2.0
			900 999	2.0	(11.1)	73.3	429.0	56.5	7.1	3.2	3.0	4.5	2.0	2.0
			800 899	1.0	(5.6)	73.6	378.0	46.0	6.3	1.4	3.0	3.0	2.0	2.0
				18.0	(40.0)	74.6	429.8	58.8	7.3	2.2	3.4	3.8	2.7	2.2
			1200 1299	1.0	(50.0)	73.2	422.0	54.0	6.3	2.4	2.0	4.0	2.0	2.0
			1100 1199	1.0	(50.0)	71.3	539.0	48.0	7.7	3.1	3.0	2.0	2.0	3.0
				2.0	(4.4)	72.3	480.5	51.0	7.0	2.8	2.5	3.0	2.0	2.5
			1400 1499	3.0	(21.4)	73.4	520.1	57.7	8.4	2.9	3.7	4.0	2.7	3.0
			1300 1399	4.0	(28.6)	72.5	533.0	53.3	8.4	3.2	4.3	3.8	3.0	3.0
			1200 1299	3.0	(21.4)	72.5	537.1	59.3	7.8	3.5	3.3	4.3	2.3	3.3
			1100 1199	1.0	(7.1)	71.4	444.4	44.0	6.7	2.9	3.0	5.0	2.0	3.0
			1000 1099	3.0	(21.4)	71.1	533.5	50.3	8.4	4.2	3.0	5.0	2.0	3.3
				14.0	(31.1)	72.3	524.9	54.2	8.2	3.4	3.6	4.3	2.5	3.1
			1700 1799	1.0	(2.2)	73.8	445.0	60.0	7.7	3.3	5.0	4.0	4.0	3.0
			1600 1699	1.0	(2.2)	73.4	436.0	51.0	7.5	2.4	4.0	3.0	3.0	2.0
			1500 1599	2.0	(4.4)	75.0	450.0	61.0	8.3	2.4	4.0	4.0	3.0	2.0
			1400 1499	5.0	(11.1)	74.1	488.3	60.4	8.3	2.8	3.6	4.0	2.6	2.8
			1300 1399	16.0	(35.6)	74.2	471.8	58.2	7.7	2.3	3.5	3.9	2.7	2.5
			1200 1299	7.0	(15.6)	72.8	489.5	56.3	7.5	3.1	3.0	4.0	2.4	2.7
			1100 1199	4.0	(8.9)	71.5	496.9	46.3	7.9	3.3	2.8	3.8	2.0	2.8
			1000 1099	6.0	(13.3)	71.6	504.2	51.2	8.0	3.9	2.8	4.3	2.0	2.7
			900 999	2.0	(4.4)	73.3	429.0	56.5	7.1	3.2	3.0	4.5	2.0	2.0
			800 899	1.0	(2.2)	73.6	378.0	46.0	6.3	1.4	3.0	3.0	2.0	2.0

[illegible]