

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1200 1299	1.0	(11. 1)	72.3	376.0	69.0	6.4	4.0	6.0	4.0	4.0	2.0
			800 899	3.0	(33. 3)	70.0	460.3	44.7	6.6	2.0	3.3	5.0	2.0	3.0
			700 799	1.0	(11. 1)	69.2	466.0	43.0	6.8	2.7	2.0	5.0	2.0	4.0
			600 699	2.0	(22. 2)	69.9	352.0	39.5	5.2	1.8	2.0	5.5	2.0	4.0
			500 599	1.0	(11. 1)	69.6	276.0	39.0	3.8	2.2	2.0	5.0	2.0	3.0
			499	1.0	(11. 1)	67.3	352.0	25.0	4.8	2.3	2.0	5.0	2.0	5.0
				9.0	(33. 3)	69.8	395.0	43.2	5.8	2.3	2.9	5.0	2.2	3.4
			900 999	1.0	(50. 0)	69.5	529.0	49.0	6.8	2.4	3.0	5.0	2.0	2.0
			700 799	1.0	(50. 0)	68.7	331.0	35.0	5.3	2.9	2.0	4.0	2.0	2.0
				2.0	(7. 4)	69.1	430.0	42.0	6.0	2.6	2.5	4.5	2.0	2.0
			1300 1399	1.0	(3. 7)	72.5	450.0	62.0	7.1	2.2	7.0	3.0	4.0	3.0
			1100 1199	1.0	(25. 0)	72.2	507.0	62.0	7.3	1.9	5.0	4.0	3.0	3.0
			1000 1099	1.0	(25. 0)	73.0	498.0	63.0	7.8	1.7	3.0	5.0	2.0	3.0
			700 799	2.0	(50. 0)	71.2	285.5	40.0	4.8	1.2	2.0	5.0	2.0	2.5
				4.0	(14. 8)	71.9	394.0	51.3	6.2	1.5	3.0	4.8	2.3	2.8
			1300 1399	1.0	(3. 7)	70.8	516.0	57.0	6.8	2.4	7.0	3.0	5.0	3.0
			1800 1899	1.0	(3. 7)	75.1	424.0	79.0	6.9	2.0	12.0	4.0	5.0	3.0
			1300 1399	2.0	(25. 0)	70.3	430.6	56.5	6.9	4.0	5.0	3.5	3.5	3.0
			1200 1299	2.0	(25. 0)	71.7	460.1	60.5	7.2	2.9	5.5	4.5	3.5	3.0
			1100 1199	1.0	(12. 5)	71.7	439.0	50.0	8.0	2.2	5.0	4.0	3.0	3.0
			900 999	1.0	(12. 5)	73.5	416.3	71.0	7.4	3.1	6.0	5.0	3.0	4.0
			800 899	2.0	(25. 0)	70.8	448.9	55.0	7.9	3.9	3.0	4.5	2.0	3.0
				8.0	(29. 6)	71.3	441.8	58.1	7.4	3.3	4.8	4.3	3.0	3.1
			1300 1399	1.0	(3. 7)	72.9	457.9	63.0	6.5	1.5	8.0	4.0	5.0	2.0
			1800 1899	1.0	(3. 7)	75.1	424.0	79.0	6.9	2.0	12.0	4.0	5.0	3.0
			1300 1399	5.0	(18. 5)	71.4	457.0	59.0	6.8	2.8	6.4	3.4	4.2	2.8
			1200 1299	3.0	(11. 1)	71.9	432.1	63.3	6.9	3.2	5.7	4.3	3.7	2.7
			1100 1199	2.0	(7. 4)	72.0	473.0	56.0	7.7	2.0	5.0	4.0	3.0	3.0
			1000 1099	1.0	(3. 7)	73.0	498.0	63.0	7.8	1.7	3.0	5.0	2.0	3.0
			900 999	2.0	(7. 4)	71.5	472.6	60.0	7.1	2.8	4.5	5.0	2.5	3.0
			800 899	5.0	(18. 5)	70.3	455.8	48.8	7.1	2.7	3.2	4.8	2.0	3.0
			700 799	4.0	(14. 8)	70.0	342.0	39.5	5.4	2.0	2.0	4.8	2.0	2.8
			600 699	2.0	(7. 4)	69.9	352.0	39.5	5.2	1.8	2.0	5.5	2.0	4.0
			500 599	1.0	(3. 7)	69.6	276.0	39.0	3.8	2.2	2.0	5.0	2.0	3.0
			499	1.0	(3. 7)	67.3	352.0	25.0	4.8	2.3	2.0	5.0	2.0	5.0

[illegible]

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1500 1599	1.0	(11. 1)	69.8	568.0	63.0	7.6	4.1	7.0	4.0	4.0	3.0
			1400 1499	3.0	(33. 3)	71.1	488.3	55.7	8.0	2.9	5.0	4.0	3.3	3.0
			1200 1299	1.0	(11. 1)	72.3	577.0	69.0	7.6	2.2	4.0	4.0	3.0	2.0
			1100 1199	1.0	(11. 1)	71.3	453.0	62.0	6.8	3.3	4.0	4.0	3.0	3.0
			1000 1099	2.0	(22. 2)	71.7	495.0	58.0	7.9	2.5	4.5	4.0	3.0	2.5
			800 899	1.0	(11. 1)	71.3	462.0	52.0	6.2	1.3	3.0	4.0	2.0	2.0
				9.0	(0. 6)	71.3	501.7	58.8	7.5	2.8	4.7	4.0	3.1	2.7
			1400 1499	1.0	(0. 1)	72.1	405.5	59.0	7.6	3.3	7.0	3.0	5.0	3.0
			1200 1299	1.0	(0. 1)	71.8	596.0	67.0	8.2	2.5	4.0	4.0	3.0	3.0
			1100 1199	1.0	(0. 1)	69.6	619.0	61.0	8.4	3.9	3.0	4.0	2.0	3.0
			1400 1499	1.0	(0. 1)	72.0	541.0	69.0	8.0	3.3	5.0	4.0	4.0	3.0
			1300 1399	1.0	(0. 1)	70.8	517.0	55.0	7.2	2.3	4.0	4.0	3.0	3.0
			1000 1099	1.0	(0. 1)	68.0	384.0	37.0	6.0	3.7	3.0	4.0	3.0	2.0
			1700 1799	6.0	(1. 8)	72.5	517.1	62.2	8.8	2.6	7.2	4.0	4.3	2.8
			1600 1699	15.0	(4. 4)	72.6	542.1	63.2	9.0	2.5	6.8	3.9	4.3	2.5
			1500 1599	72.0	(21. 3)	71.8	522.1	59.8	8.6	2.9	4.2	4.1	3.2	2.9
			1400 1499	114.0	(33. 7)	71.0	521.7	55.9	8.4	3.1	3.4	4.1	2.9	2.8
			1300 1399	129.0	(38. 2)	70.8	505.3	53.5	8.2	3.0	2.9	4.4	2.0	2.8
			1200 1299	2.0	(0. 6)	68.8	417.5	44.5	6.5	3.8	2.0	5.0	2.0	2.5
				338.0	(22. 1)	71.2	515.8	56.2	8.4	3.0	3.6	4.2	2.7	2.8
			1700 1799	2.0	(1. 4)	72.3	554.0	63.5	8.7	2.5	6.0	3.5	4.0	2.0
			1500 1599	21.0	(14. 6)	71.0	506.4	53.7	8.4	2.9	4.4	4.1	3.1	2.6
			1400 1499	59.0	(41. 0)	70.5	501.8	51.5	8.3	3.2	3.5	4.1	2.8	2.7
			1300 1399	46.0	(31. 9)	70.0	494.6	48.7	7.9	3.2	2.9	4.5	2.1	2.6
			1200 1299	16.0	(11. 1)	68.3	516.5	43.1	8.0	4.0	2.8	4.4	2.0	2.8
				144.0	(9. 4)	70.2	502.5	50.1	8.1	3.2	3.4	4.3	2.5	2.7
			1200 1299	1.0	(0. 1)	71.3	438.8	49.0	7.2	2.0	5.0	4.0	4.0	2.0
			1400 1499	1.0	(4. 0)	73.6	498.0	72.0	7.8	2.3	7.0	4.0	4.0	3.0
			1300 1399	1.0	(4. 0)	69.5	636.0	66.0	8.4	4.5	4.0	5.0	3.0	3.0
			1200 1299	19.0	(76. 0)	70.7	567.2	60.7	8.5	3.5	2.4	4.5	2.1	2.9
			1100 1199	4.0	(16. 0)	68.1	557.2	49.0	8.3	4.7	2.5	4.8	2.0	3.0
				25.0	(1. 6)	70.4	565.6	59.5	8.5	3.7	2.7	4.6	2.2	3.0
			1300 1399	1.0	(20. 0)	70.2	526.7	59.0	8.4	4.3	4.0	4.0	3.0	3.0
			1000 1099	1.0	(20. 0)	71.8	499.0	60.0	7.4	2.2	3.0	4.0	2.0	3.0

