

							(kg)	(m ²)	(m)	(m)				
			1700 1799	2.0	(0.8)	71.3	556.0	68.5	8.4	4.1	7.0	4.0	4.5	3.0
			1600 1699	6.0	(2.5)	72.5	541.7	70.5	7.7	2.7	6.5	4.0	4.2	2.2
			1500 1599	13.0	(5.5)	71.7	528.3	63.6	7.9	2.9	5.2	4.1	3.8	2.5
			1400 1499	24.0	(10.1)	71.1	524.8	58.5	8.0	3.0	5.2	4.1	3.8	2.6
			1300 1399	52.0	(21.8)	70.4	534.3	56.8	7.9	3.2	4.0	4.3	3.0	2.8
			1200 1299	59.0	(24.8)	70.1	525.3	53.9	7.6	3.1	3.4	4.2	2.6	2.7
			1100 1199	38.0	(16.0)	69.9	519.7	52.9	7.6	3.2	2.9	4.5	2.2	2.5
			1000 1099	26.0	(10.9)	69.2	494.3	47.2	7.1	3.2	2.8	4.5	2.2	2.6
			900 999	9.0	(3.8)	70.3	423.6	47.9	6.2	2.4	3.2	4.9	2.3	2.7
			800 899	2.0	(0.8)	69.3	337.0	37.0	4.5	1.9	2.0	4.5	2.0	2.5
			700 799	2.0	(0.8)	68.4	436.5	35.0	6.3	2.5	3.0	5.5	2.0	5.0
			600 699	3.0	(1.3)	68.7	431.7	40.7	5.3	2.3	2.7	5.0	2.3	4.3
			500 599	2.0	(0.8)	68.8	426.0	38.5	5.4	2.0	2.0	5.0	2.0	4.0
				238.0	(7.9)	70.3	515.6	54.4	7.5	3.1	3.7	4.3	2.8	2.7
			1900 1999	1.0	(1.1)	73.5	519.0	74.0	8.1	2.6	8.0	3.0	5.0	3.0
			1600 1699	2.0	(2.2)	73.0	495.5	68.5	8.0	2.5	7.5	4.0	4.5	3.0
			1500 1599	5.0	(5.4)	72.1	503.6	64.4	7.9	2.9	5.4	3.6	4.0	2.6
			1400 1499	14.0	(15.2)	71.3	488.9	60.0	7.5	3.1	4.8	3.8	3.4	2.5
			1300 1399	23.0	(25.0)	71.0	513.3	58.3	7.6	2.9	3.9	4.1	3.0	2.7
			1200 1299	18.0	(19.6)	70.3	496.8	54.3	7.3	3.1	3.2	4.1	2.2	2.3
			1100 1199	9.0	(9.8)	68.9	486.2	48.2	7.2	3.9	2.9	3.9	2.1	2.7
			1000 1099	1.0	(1.1)	69.8	418.0	53.0	5.2	3.0	5.0	4.0	3.0	3.0
			900 999	1.0	(1.1)	70.1	437.0	50.0	5.6	2.3	3.0	5.0	2.0	3.0
			800 899	1.0	(1.1)	67.7	458.0	38.0	5.1	2.5	2.0	5.0	2.0	3.0
			700 799	9.0	(9.8)	69.5	336.1	36.8	4.5	1.7	2.9	5.0	2.1	3.7
			600 699	7.0	(7.6)	68.9	313.4	34.6	3.5	1.5	2.1	5.0	2.0	4.3
			500 599	1.0	(1.1)	67.7	285.0	25.0	2.9	1.4	1.0	6.0	1.0	5.0
				92.0	(3.0)	70.5	465.4	52.9	6.8	2.8	3.7	4.2	2.7	2.8
			1500 1599	1.0	(2.7)	72.9	526.0	69.0	7.8	2.2	6.0	3.0	4.0	2.0
			1400 1499	5.0	(13.5)	72.5	500.4	64.6	7.8	2.4	6.2	3.4	4.0	2.6
			1300 1399	12.0	(32.4)	71.1	535.7	62.0	7.6	3.0	4.8	3.8	3.6	2.3
			1200 1299	13.0	(35.1)	71.4	503.3	59.0	7.6	2.8	3.5	3.9	2.5	2.4
			1100 1199	2.0	(5.4)	68.9	404.0	41.5	5.8	3.0	3.5	4.0	2.5	2.5
			1000 1099	2.0	(5.4)	71.3	334.5	48.5	5.6	2.2	3.0	4.5	2.0	2.5
			700 799	1.0	(2.7)	70.5	344.0	46.0	4.7	1.8	3.0	5.0	2.0	5.0
			499	1.0	(2.7)	68.3	255.0	25.0	3.2	1.4	1.0	6.0	1.0	7.0
				37.0	(1.2)	71.2	488.5	58.2	7.2	2.7	4.3	3.9	3.0	2.6
			1700 1799	2.0	(1.8)	72.5	529.4	69.5	8.1	2.9	9.5	3.5	5.0	3.0
			1600 1699	1.0	(0.9)	69.9	555.3	59.0	9.0	4.6	7.0	4.0	4.0	2.0
			1400 1499	13.0	(11.8)	70.5	591.6	61.6	8.8	3.7	5.5	4.1	3.8	2.8
			1300 1399	19.0	(17.3)	69.9	567.5	56.8	8.4	3.7	4.3	3.8	3.3	2.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1200 1299	16.0	(14.5)	69.9	571.0	56.2	8.5	3.8	4.2	3.9	3.1	2.7
			1100 1199	23.0	(20.9)	69.8	536.2	54.5	7.8	3.5	4.0	4.0	2.9	2.8
			1000 1099	30.0	(27.3)	69.5	518.5	50.6	7.4	3.2	3.1	4.3	2.4	2.6
			900 999	2.0	(1.8)	68.2	582.3	49.0	8.4	4.3	3.0	4.0	2.5	2.5
			800 899	2.0	(1.8)	69.5	462.8	48.0	6.4	2.9	2.5	4.0	2.0	2.5
			700 799	1.0	(0.9)	68.1	402.5	35.0	5.8	3.0	4.0	4.0	3.0	3.0
			600 699	1.0	(0.9)	66.6	594.0	39.0	7.2	3.6	2.0	4.0	2.0	3.0
				110.0	(3.6)	69.8	547.3	54.7	8.0	3.5	4.1	4.0	3.0	2.7
			1300 1399	1.0	(50.0)	69.7	583.0	58.0	7.2	3.0	5.0	5.0	4.0	2.0
			900 999	1.0	(50.0)	70.3	464.0	52.0	6.0	2.3	2.0	6.0	2.0	3.0
				2.0	(0.1)	70.0	523.5	55.0	6.6	2.6	3.5	5.5	3.0	2.5
			1200 1299	2.0	(50.0)	70.0	469.4	53.0	7.0	3.4	2.5	4.0	2.5	2.0
			1100 1199	1.0	(25.0)	69.2	446.0	52.0	5.5	3.4	4.0	4.0	4.0	3.0
			1000 1099	1.0	(25.0)	69.4	411.4	43.0	6.1	2.7	3.0	4.0	2.0	2.0
				4.0	(0.1)	69.7	449.1	50.3	6.4	3.2	3.0	4.0	2.8	2.3
			1600 1699	5.0	(2.7)	72.4	463.4	64.0	7.2	2.6	8.6	4.0	5.0	2.8
			1500 1599	11.0	(5.9)	72.3	499.4	66.5	8.0	3.0	6.7	3.9	4.2	2.2
			1400 1499	24.0	(12.8)	72.0	520.1	65.8	7.9	3.1	6.4	4.0	4.1	2.4
			1300 1399	31.0	(16.6)	71.2	501.7	59.2	7.7	3.1	5.1	4.1	3.7	2.4
			1200 1299	47.0	(25.1)	70.7	517.2	57.6	7.9	3.3	4.1	4.3	3.0	2.4
			1100 1199	40.0	(21.4)	70.0	479.7	50.3	7.4	3.2	3.2	4.2	2.4	2.4
			1000 1099	20.0	(10.7)	70.0	490.1	52.7	7.2	3.3	2.9	4.5	2.1	2.4
			900 999	2.0	(1.1)	69.8	424.0	47.5	6.2	2.9	2.5	5.0	2.0	2.5
			800 899	2.0	(1.1)	71.1	325.5	47.0	4.7	1.6	2.0	4.5	2.0	2.0
			700 799	1.0	(0.5)	70.7	304.0	42.0	4.7	1.6	1.0	6.0	1.0	2.0
			600 699	1.0	(0.5)	67.9	351.0	25.0	4.6	1.5	2.0	6.0	2.0	4.0
			500 599	3.0	(1.6)	69.7	278.5	31.7	4.4	1.4	2.0	5.3	2.0	4.3
				187.0	(6.2)	70.8	492.7	56.6	7.5	3.1	4.4	4.2	3.1	2.4
			1800 1899	2.0	(0.7)	72.8	505.5	70.5	7.8	3.0	9.0	4.0	5.0	2.5
			1700 1799	6.0	(2.1)	73.0	491.5	66.5	7.4	2.0	7.3	4.0	4.3	2.5
			1600 1699	20.0	(7.1)	71.8	504.7	61.4	7.7	2.6	6.0	4.0	4.0	2.5
			1500 1599	40.0	(14.2)	71.3	501.3	59.7	7.7	2.9	5.6	4.0	3.8	2.6
			1400 1499	53.0	(18.8)	71.2	503.7	57.4	7.7	2.8	4.5	4.0	3.4	2.7
			1300 1399	72.0	(25.5)	70.7	496.8	55.3	7.6	3.1	4.1	4.0	3.1	2.7
			1200 1299	57.0	(20.2)	70.5	487.9	54.4	7.2	2.9	3.4	4.2	2.5	2.5
			1100 1199	24.0	(8.5)	70.1	464.5	49.0	6.8	2.7	3.0	4.2	2.1	2.5
			1000 1099	5.0	(1.8)	69.5	489.1	50.4	7.1	3.4	2.2	4.0	2.0	2.4
			900 999	2.0	(0.7)	69.7	433.0	47.5	6.0	2.8	2.0	5.0	2.0	2.0
			600 699	1.0	(0.4)	68.9	300.0	32.0	3.8	1.5	2.0	5.0	2.0	2.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				282.0	(9.3)	70.9	493.4	56.2	7.5	2.9	4.3	4.1	3.1	2.6
			1800 1899	2.0	(1.3)	74.2	454.5	68.0	8.7	2.3	7.5	4.0	4.5	2.5
			1700 1799	4.0	(2.7)	73.5	491.3	71.3	7.6	2.3	8.0	4.0	4.5	2.8
			1600 1699	6.0	(4.0)	72.3	463.8	61.5	7.4	2.4	6.0	4.0	3.8	2.7
			1500 1599	15.0	(10.1)	71.6	464.0	55.9	7.6	2.6	5.1	4.0	3.5	2.8
			1400 1499	21.0	(14.1)	71.4	513.5	60.6	7.8	2.8	4.8	4.1	3.4	2.4
			1300 1399	35.0	(23.5)	70.9	504.9	56.6	7.8	2.9	3.9	4.0	3.0	2.6
			1200 1299	31.0	(20.8)	70.6	516.5	55.0	7.7	2.9	3.5	4.3	2.6	2.4
			1100 1199	22.0	(14.8)	69.4	483.0	48.5	7.3	3.5	3.2	4.4	2.4	2.5
			1000 1099	6.0	(4.0)	67.8	515.3	48.5	7.7	5.1	3.0	4.3	2.2	2.3
			900 999	1.0	(0.7)	70.4	488.0	53.0	7.1	2.8	2.0	5.0	2.0	2.0
			800 899	2.0	(1.3)	69.8	378.0	40.0	6.2	2.4	3.0	5.0	2.5	2.0
			600 699	2.0	(1.3)	69.7	279.5	31.0	4.7	1.4	2.0	5.5	2.0	3.0
			499	2.0	(1.3)	69.8	153.3	18.5	3.3	0.3	2.0	5.5	1.0	4.0
				149.0	(4.9)	70.8	489.3	54.9	7.5	2.9	4.1	4.2	2.9	2.5
			2300 2399	2.0	(0.6)	77.0	539.5	88.5	8.8	1.2	9.0	3.5	5.0	3.0
			2200 2299	2.0	(0.6)	74.1	544.0	73.0	8.3	1.7	7.5	3.0	4.5	2.5
			2100 2199	1.0	(0.3)	71.1	495.0	62.0	7.8	3.8	8.0	3.0	5.0	3.0
			2000 2099	1.0	(0.3)	71.6	491.0	67.0	6.5	3.0	8.0	3.0	5.0	3.0
			1900 1999	3.0	(0.9)	73.9	536.0	77.3	8.1	2.5	8.3	3.3	5.0	3.0
			1800 1899	8.0	(2.4)	73.1	527.8	73.4	7.9	2.8	8.0	3.4	4.9	2.6
			1700 1799	13.0	(3.9)	72.6	518.6	69.5	7.5	2.7	6.5	3.6	4.5	2.8
			1600 1699	24.0	(7.1)	72.4	546.5	69.0	7.7	2.6	6.2	3.8	4.2	2.6
			1500 1599	57.0	(16.9)	71.6	521.6	63.8	7.3	2.8	5.6	3.8	4.0	2.7
			1400 1499	120.0	(35.6)	71.3	514.8	60.0	7.5	2.8	4.3	4.1	3.5	2.8
			1300 1399	59.0	(17.5)	70.2	500.3	54.3	7.0	3.0	3.6	4.3	2.9	2.8
			1200 1299	27.0	(8.0)	70.5	487.5	53.0	7.2	2.8	2.9	4.6	2.3	2.8
			1100 1199	11.0	(3.3)	69.5	444.5	47.2	6.3	3.0	2.5	4.5	2.2	2.6
			1000 1099	1.0	(0.3)	69.3	364.5	34.0	5.8	2.0	2.0	5.0	2.0	3.0
			900 999	1.0	(0.3)	69.0	349.5	38.0	5.3	2.7	2.0	5.0	2.0	2.0
			600 699	2.0	(0.6)	69.7	273.0	33.5	4.2	1.6	2.0	5.5	2.0	3.0
			500 599	3.0	(0.9)	69.8	276.3	30.3	3.5	0.5	1.0	6.3	1.0	4.3
			499	2.0	(0.6)	70.3	256.0	27.5	4.3	0.5	2.0	6.0	2.0	5.0
				337.0	(11.1)	71.2	506.0	59.7	7.3	2.7	4.6	4.1	3.5	2.8
			1700 1799	2.0	(5.1)	71.8	482.0	64.5	7.3	3.0	9.0	4.0	5.0	2.5
			1500 1599	3.0	(7.7)	69.8	529.3	57.0	7.2	3.5	6.3	4.0	3.7	2.7
			1400 1499	6.0	(15.4)	70.7	525.0	58.8	7.5	3.1	5.0	4.0	3.3	2.3
			1300 1399	5.0	(12.8)	69.9	536.2	53.6	7.8	3.3	4.0	4.4	3.2	2.8
			1200 1299	5.0	(12.8)	71.8	543.0	70.2	7.6	3.3	3.6	3.8	2.4	2.6
			1100 1199	6.0	(15.4)	69.8	490.6	49.0	7.4	3.0	2.7	4.8	2.2	2.2
			1000 1099	2.0	(5.1)	69.3	414.0	36.5	7.5	2.9	2.5	5.0	2.0	2.5
			900 999	3.0	(7.7)	69.9	312.3	35.3	6.2	2.5	2.0	5.0	2.0	2.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			700 799	5.0	(12.8)	69.8	319.4	34.6	5.5	1.9	2.0	4.6	2.0	2.0
			600 699	2.0	(5.1)	70.9	298.5	41.0	5.3	1.7	2.0	4.0	2.0	2.0
				39.0	(1.3)	70.4	461.6	51.3	7.0	2.9	3.7	4.4	2.7	2.4
			1900 1999	1.0	(0.2)	72.8	535.0	71.0	7.9	2.6	8.0	3.0	5.0	2.0
			1800 1899	2.0	(0.4)	74.4	540.0	81.5	7.3	1.9	11.0	4.0	5.0	2.5
			1700 1799	18.0	(3.8)	73.2	539.6	72.5	8.2	2.6	8.0	3.7	4.7	2.4
			1600 1699	33.0	(6.9)	72.4	529.9	67.4	7.7	2.5	6.8	3.8	4.3	2.3
			1500 1599	32.0	(6.7)	72.0	535.9	65.2	8.0	2.7	6.3	3.8	4.0	2.4
			1400 1499	88.0	(18.3)	71.5	526.1	61.6	7.8	2.8	5.3	4.0	3.6	2.4
			1300 1399	97.0	(20.2)	71.1	523.6	60.2	7.6	2.9	4.5	4.1	3.1	2.4
			1200 1299	106.0	(22.1)	70.5	512.8	56.4	7.4	3.1	3.9	4.2	2.8	2.4
			1100 1199	72.0	(15.0)	70.1	487.7	53.2	7.0	3.1	3.1	4.3	2.3	2.3
			1000 1099	21.0	(4.4)	69.3	465.0	48.9	6.6	3.3	2.9	4.5	2.2	2.2
			900 999	4.0	(0.8)	69.4	378.0	41.0	5.3	2.4	2.3	5.0	2.0	2.0
			800 899	6.0	(1.3)	69.7	368.2	41.3	5.3	2.3	2.2	4.8	1.8	2.7
				480.0	(15.8)	71.0	512.5	59.1	7.5	2.9	4.6	4.1	3.1	2.4
			1900 1999	1.0	(2.8)	74.2	552.0	87.0	8.6	3.7	9.0	4.0	5.0	3.0
			1800 1899	1.0	(2.8)	74.9	530.0	70.0	9.3	1.3	8.0	3.0	5.0	3.0
			1700 1799	2.0	(5.6)	72.8	612.0	73.5	8.5	2.4	9.0	3.5	5.0	3.0
			1600 1699	3.0	(8.3)	72.1	567.7	67.3	7.7	2.3	6.3	3.7	4.3	3.0
			1500 1599	5.0	(13.9)	70.8	503.0	57.4	7.7	3.2	5.6	3.8	4.0	2.8
			1400 1499	6.0	(16.7)	71.8	515.5	61.5	7.6	2.4	4.7	4.2	3.2	2.7
			1300 1399	6.0	(16.7)	70.7	540.5	57.8	7.9	3.0	4.0	3.8	3.2	2.8
			1200 1299	5.0	(13.9)	70.0	498.4	51.4	7.4	3.1	3.8	4.0	2.8	2.8
			1100 1199	7.0	(19.4)	69.7	497.6	51.7	7.3	3.3	3.3	4.3	2.4	2.9
				36.0	(1.2)	71.1	523.2	59.1	7.7	2.9	4.9	3.9	3.4	2.8
			1600 1699	2.0	(20.0)	71.0	503.0	63.5	7.2	3.5	7.5	4.0	4.5	2.0
			1500 1599	1.0	(10.0)	69.0	551.0	56.0	7.4	4.1	7.0	5.0	4.0	3.0
			1300 1399	1.0	(10.0)	71.5	415.0	59.0	6.3	2.8	5.0	4.0	3.0	2.0
			1200 1299	2.0	(20.0)	72.0	386.5	52.0	7.1	2.4	3.0	4.5	2.0	2.0
			1100 1199	2.0	(20.0)	70.8	450.3	52.5	7.5	3.0	3.0	4.5	2.0	2.0
			1000 1099	1.0	(10.0)	71.0	388.0	48.0	6.2	2.1	2.0	5.0	2.0	2.0
			700 799	1.0	(10.0)	70.2	397.0	44.0	5.2	1.5	3.0	5.0	2.0	4.0
				10.0	(0.3)	70.9	443.1	54.3	6.8	2.8	4.4	4.5	2.8	2.3
			1600 1699	2.0	(6.9)	72.4	526.8	65.0	9.2	3.3	8.5	3.5	4.5	2.0
			1500 1599	3.0	(10.3)	71.9	480.2	61.7	7.6	2.9	8.3	3.7	4.7	2.7
			1400 1499	5.0	(17.2)	71.7	523.6	62.4	8.4	3.2	5.4	3.6	3.8	2.8
			1300 1399	13.0	(44.8)	71.7	505.8	63.2	7.4	2.8	4.7	3.9	3.3	2.8
			1200 1299	6.0	(20.7)	69.1	587.4	56.8	8.3	4.3	3.8	4.0	2.7	2.8

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				29.0	(1.0)	71.2	524.6	61.7	7.9	3.2	5.3	3.8	3.5	2.8
			1800 1899	1.0	(2.2)	71.5	487.0	62.0	7.4	3.0	8.0	3.0	5.0	2.0
			1700 1799	6.0	(13.3)	72.3	490.2	60.3	8.3	2.6	4.7	3.8	3.3	2.7
			1600 1699	12.0	(26.7)	70.8	478.3	52.4	7.4	2.5	3.4	4.1	3.0	2.6
			1500 1599	12.0	(26.7)	70.3	445.1	49.3	6.9	2.8	2.8	4.4	2.3	2.8
			1400 1499	12.0	(26.7)	70.7	489.0	53.8	7.2	2.7	3.1	4.5	2.3	2.6
			1300 1399	1.0	(2.2)	69.4	460.0	49.0	7.5	4.0	3.0	5.0	2.0	3.0
			1200 1299	1.0	(2.2)	71.9	567.5	67.0	8.5	3.1	3.0	5.0	2.0	3.0
				45.0	(1.5)	70.8	475.7	53.5	7.3	2.7	3.4	4.3	2.7	2.6
			1800 1899	1.0	(4.8)	71.8	538.0	66.0	8.7	3.5	8.0	4.0	5.0	3.0
			1600 1699	4.0	(19.0)	71.5	510.1	62.3	7.8	3.1	6.5	4.0	4.3	2.5
			1500 1599	5.0	(23.8)	70.9	492.8	56.8	7.5	2.9	6.0	3.8	4.0	3.0
			1400 1499	5.0	(23.8)	70.5	498.1	58.0	7.6	3.6	5.4	4.0	3.8	3.0
			1300 1399	2.0	(9.5)	69.8	528.0	50.0	8.1	3.2	4.5	4.0	3.5	3.0
			1200 1299	1.0	(4.8)	70.4	457.2	48.0	6.9	2.3	3.0	5.0	2.0	3.0
			1100 1199	1.0	(4.8)	68.9	510.0	44.0	7.5	3.1	2.0	4.0	2.0	3.0
			1000 1099	1.0	(4.8)	70.9	273.0	39.0	5.2	1.8	2.0	5.0	2.0	3.0
			800 899	1.0	(4.8)	71.4	321.0	46.0	5.7	1.9	3.0	4.0	2.0	2.0
				21.0	(0.7)	70.8	483.3	55.5	7.5	3.1	5.2	4.0	3.6	2.9
			1700 1799	2.0	(2.2)	73.2	559.4	65.0	8.5	1.6	7.5	4.0	4.5	2.0
			1600 1699	2.0	(2.2)	74.0	556.0	77.0	7.7	1.7	9.5	3.0	5.0	2.0
			1500 1599	16.0	(17.2)	72.2	533.0	64.8	8.0	2.6	6.1	3.6	4.1	2.8
			1400 1499	32.0	(34.4)	71.1	548.9	61.3	7.9	2.9	4.9	3.7	3.5	2.8
			1300 1399	19.0	(20.4)	70.6	534.2	56.3	7.8	2.9	3.8	4.1	2.7	2.8
			1200 1299	15.0	(16.1)	70.4	528.1	55.9	7.6	3.0	3.1	4.4	2.3	2.9
			1100 1199	2.0	(2.2)	68.1	566.9	51.0	8.1	4.7	3.5	3.5	3.0	3.0
			1000 1099	3.0	(3.2)	69.7	367.5	42.0	5.3	2.3	2.3	4.0	2.0	2.3
			900 999	1.0	(1.1)	70.8	325.0	43.0	4.2	1.0	2.0	4.0	2.0	3.0
			800 899	1.0	(1.1)	69.7	313.0	37.0	5.2	2.3	2.0	5.0	2.0	3.0
				93.0	(3.1)	71.0	529.8	59.1	7.7	2.8	4.6	3.9	3.2	2.8
			1900 1999	1.0	(1.3)	73.5	514.8	69.0	8.4	2.3	8.0	4.0	5.0	3.0
			1800 1899	1.0	(1.3)	72.1	442.2	63.0	6.2	2.3	7.0	4.0	4.0	3.0
			1700 1799	6.0	(7.9)	72.3	492.4	63.2	7.9	2.6	7.2	3.5	4.5	2.8
			1600 1699	4.0	(5.3)	71.6	505.6	58.3	7.5	2.2	5.8	3.8	3.8	2.8
			1500 1599	12.0	(15.8)	70.8	499.6	58.1	7.5	3.2	5.7	3.9	4.0	2.8
			1400 1499	11.0	(14.5)	70.6	525.7	61.9	8.0	4.0	5.0	3.8	3.6	2.8
			1300 1399	22.0	(28.9)	69.7	500.1	52.0	7.4	3.5	3.8	4.2	3.0	2.9
			1200 1299	16.0	(21.1)	69.9	476.8	50.2	6.9	2.9	3.4	4.4	2.5	2.8
			1100 1199	3.0	(3.9)	68.0	459.3	43.3	6.1	3.6	3.0	4.3	2.3	3.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
				76.0	(2.5)	70.4	496.3	55.3	7.4	3.2	4.6	4.1	3.3	2.8
			1500 1599	1.0	(20.0)	69.8	465.7	51.0	7.4	3.7	5.0	4.0	4.0	3.0
			1400 1499	1.0	(20.0)	69.2	571.7	45.0	8.5	2.9	5.0	4.0	3.0	3.0
			1300 1399	1.0	(20.0)	69.7	545.1	51.0	8.6	3.6	4.0	4.0	3.0	3.0
			1200 1299	1.0	(20.0)	69.3	570.0	57.0	7.5	3.8	3.0	3.0	3.0	2.0
			499	1.0	(20.0)	68.9	368.6	31.0	5.7	1.8	2.0	6.0	1.0	7.0
				5.0	(0.2)	69.4	504.2	47.0	7.5	3.2	3.8	4.2	2.8	3.6
			1700 1799	2.0	(25.0)	71.5	531.5	60.0	8.3	2.8	6.0	4.0	4.0	2.0
			1600 1699	2.0	(25.0)	70.8	524.8	58.5	7.5	3.0	2.0	4.5	2.0	3.0
			1500 1599	1.0	(12.5)	70.0	525.0	55.0	8.2	3.8	2.0	5.0	2.0	3.0
			1400 1499	1.0	(12.5)	70.3	409.5	42.0	7.7	2.8	3.0	4.0	3.0	3.0
			1300 1399	1.0	(12.5)	68.8	442.0	39.0	6.8	2.9	2.0	4.0	2.0	3.0
			1200 1299	1.0	(12.5)	71.2	473.5	56.0	6.6	2.2	3.0	3.0	2.0	2.0
				8.0	(0.3)	70.6	495.3	53.6	7.6	2.9	3.3	4.1	2.6	2.6
			1300 1399	1.0	(20.0)	71.5	468.4	58.0	7.7	2.9	4.0	3.0	3.0	3.0
			1100 1199	4.0	(80.0)	70.1	401.1	44.8	6.4	2.6	3.3	4.3	2.3	2.8
				5.0	(0.2)	70.4	414.6	47.4	6.6	2.7	3.4	4.0	2.4	2.8
			1600 1699	11.0	(19.3)	70.5	542.2	60.3	7.9	3.6	5.3	4.0	3.5	2.6
			1500 1599	7.0	(12.3)	71.1	487.8	58.9	8.1	3.5	5.7	3.9	4.0	2.6
			1400 1499	13.0	(22.8)	70.2	471.9	52.9	7.2	3.2	4.2	3.8	3.2	2.7
			1300 1399	10.0	(17.5)	69.8	468.2	50.6	7.1	3.4	3.7	3.9	2.9	2.7
			1200 1299	11.0	(19.3)	69.0	458.4	44.8	7.0	3.4	2.8	4.2	2.5	2.5
			1100 1199	2.0	(3.5)	69.9	418.1	42.5	6.8	2.5	2.0	5.0	2.0	3.0
			1000 1099	1.0	(1.8)	69.5	319.4	35.0	4.0	1.2	3.0	4.0	2.0	2.0
			800 899	1.0	(1.8)	68.6	324.0	28.0	4.3	1.3	3.0	4.0	2.0	2.0
			600 699	1.0	(1.8)	69.3	307.6	30.0	3.3	0.3	2.0	6.0	1.0	2.0
				57.0	(1.9)	70.0	474.1	51.6	7.2	3.3	4.1	4.0	3.0	2.6
			1200 1299	1.0	(25.0)	72.0	390.6	57.0	6.5	2.5	4.0	4.0	3.0	3.0
			1100 1199	2.0	(50.0)	70.7	417.7	48.5	6.8	2.5	2.0	4.0	2.0	2.0
			500 599	1.0	(25.0)	70.6	226.8	34.0	3.8	1.0	1.0	5.0	1.0	4.0
				4.0	(0.1)	71.0	363.2	47.0	6.0	2.1	2.3	4.3	2.0	2.8
			1200 1299	3.0	(75.0)	70.3	410.9	45.3	6.2	2.2	3.7	4.0	3.0	3.0
			1100 1199	1.0	(25.0)	71.9	415.8	63.0	6.5	3.1	3.0	4.0	3.0	3.0
				4.0	(0.1)	70.7	412.1	49.8	6.3	2.4	3.5	4.0	3.0	3.0
			1600 1699	1.0	(14.3)	72.5	512.6	64.0	8.2	2.5	5.0	4.0	4.0	2.0
			1500 1599	1.0	(14.3)	69.7	408.6	45.0	6.2	2.8	4.0	3.0	4.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1400 1499	1.0	(14.3)	68.4	467.8	48.0	7.1	4.5	5.0	4.0	4.0	3.0
			1300 1399	2.0	(28.6)	69.8	474.1	48.5	7.1	3.0	4.0	4.5	3.0	2.5
			1200 1299	1.0	(14.3)	70.5	436.6	43.0	6.9	1.8	3.0	4.0	3.0	2.0
			1100 1199	1.0	(14.3)	71.6	390.8	50.0	6.9	2.1	3.0	5.0	2.0	2.0
				7.0	(0.2)	70.3	452.1	49.6	7.1	2.8	4.0	4.1	3.3	2.4
			1700 1799	1.0	(3.4)	73.2	536.0	73.0	8.1	2.6	8.0	4.0	5.0	2.0
			1600 1699	1.0	(3.4)	72.3	555.0	68.0	7.3	2.1	7.0	4.0	4.0	3.0
			1500 1599	5.0	(17.2)	72.2	513.6	65.4	7.8	2.8	6.2	4.0	4.0	2.6
			1400 1499	6.0	(20.7)	71.7	547.0	64.2	8.0	2.8	5.5	4.2	3.8	2.5
			1300 1399	7.0	(24.1)	71.4	530.0	62.3	7.7	2.8	4.0	4.1	3.0	2.9
			1200 1299	4.0	(13.8)	70.4	510.5	54.0	7.1	2.6	3.0	3.8	2.3	2.3
			1100 1199	5.0	(17.2)	70.5	393.0	47.0	6.1	2.3	3.2	4.2	2.4	2.8
				29.0	(1.0)	71.4	505.4	60.0	7.4	2.7	4.7	4.1	3.2	2.6
			1700 1799	1.0	(1.2)	75.0	564.6	83.0	8.8	2.1	9.0	4.0	5.0	3.0
			1600 1699	1.0	(1.2)	70.1	489.4	43.0	8.1	2.4	7.0	4.0	4.0	2.0
			1500 1599	8.0	(9.8)	71.3	500.8	60.0	7.8	3.1	6.0	4.0	4.1	2.8
			1400 1499	16.0	(19.5)	69.9	507.3	54.7	7.2	3.3	4.6	4.0	3.4	2.7
			1300 1399	23.0	(28.0)	70.3	507.4	56.2	7.6	3.4	4.3	4.2	3.2	2.6
			1200 1299	26.0	(31.7)	70.0	474.9	50.3	7.1	3.1	3.4	4.3	2.7	2.5
			1100 1199	4.0	(4.9)	69.1	486.4	47.3	7.4	3.5	3.3	4.5	2.5	3.0
			1000 1099	2.0	(2.4)	69.6	480.0	47.0	7.8	3.5	3.0	4.0	2.0	2.5
			800 899	1.0	(1.2)	71.5	540.3	64.0	7.5	2.7	3.0	5.0	2.0	3.0
				82.0	(2.7)	70.2	495.6	54.0	7.4	3.2	4.2	4.2	3.1	2.6
			1700 1799	1.0	(0.9)	70.5	590.6	61.0	8.8	3.8	9.0	4.0	5.0	3.0
			1600 1699	13.0	(11.5)	71.5	522.5	65.1	7.9	3.4	6.2	4.1	4.2	2.6
			1500 1599	22.0	(19.5)	71.8	510.0	64.9	7.7	3.0	6.0	4.0	4.1	2.8
			1400 1499	14.0	(12.4)	71.3	508.6	60.3	7.8	3.2	4.3	3.9	3.4	2.6
			1300 1399	35.0	(31.0)	70.8	506.0	59.3	7.6	3.5	3.6	3.9	3.1	2.8
			1200 1299	21.0	(18.6)	70.6	486.5	57.1	7.3	3.3	3.1	4.0	2.5	2.6
			1100 1199	6.0	(5.3)	70.0	498.8	54.0	7.6	3.6	2.8	4.0	2.0	2.8
			1000 1099	1.0	(0.9)	71.0	458.0	64.0	7.4	4.3	3.0	2.0	2.0	3.0
				113.0	(3.7)	71.0	505.3	60.5	7.6	3.3	4.4	3.9	3.3	2.7
			2000 2099	1.0	(8.3)	73.4	561.0	78.0	9.2	3.7	11.0	4.0	5.0	3.0
			1900 1999	1.0	(8.3)	74.2	476.0	78.0	7.5	2.7	9.0	4.0	5.0	3.0
			1800 1899	1.0	(8.3)	73.1	508.0	66.0	7.6	1.7	8.0	4.0	5.0	3.0
			1600 1699	3.0	(25.0)	70.9	442.9	52.0	6.9	2.5	4.3	4.3	2.7	4.0
			1500 1599	1.0	(8.3)	72.1	419.3	58.0	6.4	2.0	6.0	4.0	4.0	3.0
			1400 1499	2.0	(16.7)	70.7	514.1	56.5	8.4	3.6	5.0	4.0	3.5	2.5
			1200 1299	1.0	(8.3)	69.3	553.0	57.0	7.8	4.1	4.0	4.0	3.0	2.0
			1100 1199	1.0	(8.3)	69.3	505.3	50.0	7.7	3.7	3.0	5.0	2.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1000 1099	1.0	(8.3)	70.7	437.9	48.0	7.8	2.9	2.0	5.0	2.0	3.0
				12.0	(0.4)	71.3	484.8	58.7	7.6	3.0	5.5	4.3	3.4	3.1
			1900 1999	1.0	(2.1)	71.4	564.8	62.0	7.4	2.1	8.0	4.0	5.0	3.0
			1700 1799	2.0	(4.3)	71.3	535.5	58.0	8.0	2.4	7.5	3.5	4.0	2.5
			1600 1699	4.0	(8.5)	72.0	497.4	63.3	7.7	2.7	6.5	4.0	4.0	2.8
			1500 1599	7.0	(14.9)	71.4	517.2	63.1	7.3	2.9	5.3	3.7	3.9	2.9
			1400 1499	9.0	(19.1)	71.3	517.2	62.4	7.5	3.0	5.0	3.9	3.7	2.8
			1300 1399	9.0	(19.1)	70.0	463.8	50.9	6.8	3.0	4.0	4.0	3.1	2.8
			1200 1299	9.0	(19.1)	69.1	436.8	44.0	6.2	2.9	3.4	4.2	2.6	2.9
			1100 1199	6.0	(12.8)	69.4	416.9	43.0	5.9	2.5	2.8	4.3	2.0	3.0
				47.0	(1.6)	70.5	478.9	54.2	6.9	2.8	4.6	4.0	3.2	2.8
			1700 1799	1.0	(7.7)	74.1	609.8	80.0	9.0	2.4	7.0	4.0	4.0	3.0
			1400 1499	3.0	(23.1)	73.1	558.3	72.3	8.5	2.7	5.7	3.3	4.0	3.0
			1300 1399	5.0	(38.5)	70.5	514.0	60.8	7.3	3.6	4.0	3.8	3.0	2.8
			1200 1299	3.0	(23.1)	68.9	519.3	50.7	7.3	3.8	3.7	3.7	2.7	2.3
			1100 1199	1.0	(7.7)	71.5	527.1	63.0	7.1	2.4	3.0	4.0	3.0	3.0
				13.0	(0.4)	71.1	533.8	62.8	7.7	3.2	4.5	3.7	3.2	2.8
			1900 1999	2.0	(13.3)	71.8	551.4	67.5	8.0	3.0	7.5	3.5	4.5	3.0
			1800 1899	1.0	(6.7)	72.1	504.6	68.0	8.2	3.5	7.0	4.0	4.0	3.0
			1700 1799	2.0	(13.3)	71.2	505.5	63.5	8.0	3.8	7.0	3.5	4.5	3.0
			1600 1699	4.0	(26.7)	71.2	481.6	56.8	7.9	3.1	6.0	3.8	4.3	2.8
			1500 1599	3.0	(20.0)	72.2	503.3	62.7	7.3	2.1	4.3	3.3	3.3	2.7
			1400 1499	1.0	(6.7)	67.6	567.2	50.0	6.9	4.2	5.0	4.0	4.0	3.0
			1200 1299	2.0	(13.3)	68.5	496.8	51.0	6.7	4.1	3.5	4.0	2.5	3.0
				15.0	(0.5)	70.9	507.7	59.8	7.6	3.2	5.7	3.7	3.9	2.9
			1300 1399	1.0	(0.0)	70.2	466.0	51.0	5.5	1.9	6.0	5.0	4.0	2.0
			1500 1599	4.0	(7.0)	71.6	548.9	65.5	7.6	2.8	5.0	4.3	3.8	2.8
			1400 1499	2.0	(3.5)	71.3	461.1	52.0	6.8	1.8	4.5	4.0	3.5	3.0
			1300 1399	16.0	(28.1)	71.6	459.1	57.3	7.0	2.4	4.4	3.9	3.4	2.9
			1200 1299	18.0	(31.6)	70.4	452.7	50.1	6.8	2.6	3.6	4.1	2.8	2.9
			1100 1199	15.0	(26.3)	70.5	419.5	50.3	6.3	2.5	2.9	4.3	2.2	2.9
			1000 1099	1.0	(1.8)	71.1	353.9	44.0	5.6	1.4	3.0	5.0	2.0	3.0
			600 699	1.0	(1.8)	69.7	342.1	37.0	4.6	1.4	2.0	6.0	2.0	5.0
				57.0	(1.9)	70.9	449.2	53.0	6.7	2.5	3.8	4.2	2.9	2.9
			1500 1599	1.0	(5.9)	72.1	531.1	68.0	7.7	2.9	6.0	4.0	4.0	3.0
			1400 1499	1.0	(5.9)	72.1	452.4	63.0	7.6	3.2	6.0	3.0	4.0	2.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1300 1399	2.0	(11.8)	71.6	494.1	63.0	6.8	2.5	4.0	4.0	3.5	2.5
			1200 1299	9.0	(52.9)	70.5	486.4	54.8	7.2	3.0	3.8	3.9	3.2	2.9
			1100 1199	4.0	(23.5)	70.1	502.3	52.5	7.4	3.0	3.3	4.0	2.3	3.0
				17.0	(0.6)	70.7	491.7	56.5	7.2	2.9	3.9	3.9	3.1	2.8
			1600 1699	6.0	(3.1)	73.0	478.7	68.7	7.4	2.5	6.8	3.8	4.2	3.0
			1500 1599	8.0	(4.1)	72.1	501.5	66.8	7.6	3.1	6.6	3.9	4.3	3.0
			1400 1499	15.0	(7.8)	71.6	509.4	63.7	7.9	3.2	5.5	4.1	3.7	2.8
			1300 1399	30.0	(15.5)	70.6	496.3	56.4	7.5	3.2	4.2	4.0	3.2	2.8
			1200 1299	60.0	(31.1)	70.5	484.1	55.1	7.3	3.1	3.9	4.3	2.9	2.9
			1100 1199	50.0	(25.9)	70.0	473.4	51.8	7.0	3.2	3.1	4.5	2.3	3.0
			1000 1099	20.0	(10.4)	69.2	471.4	47.6	6.9	3.4	2.8	4.6	2.0	3.1
			900 999	2.0	(1.0)	70.2	444.1	46.5	6.4	2.1	3.0	4.5	2.0	3.0
			800 899	1.0	(0.5)	71.8	481.6	57.0	7.2	1.9	3.0	5.0	2.0	3.0
			600 699	1.0	(0.5)	69.9	228.8	30.0	4.0	1.3	2.0	4.0	2.0	2.0
				193.0	(6.4)	70.5	482.7	55.1	7.2	3.2	3.9	4.3	2.8	2.9
			1600 1699	7.0	(7.7)	72.1	530.7	67.4	8.2	3.3	6.0	4.0	4.1	2.9
			1500 1599	7.0	(7.7)	71.3	491.6	61.0	7.8	3.4	4.7	3.7	3.7	3.1
			1400 1499	31.0	(34.1)	70.5	505.5	56.9	7.8	3.5	3.5	4.0	3.1	3.0
			1300 1399	30.0	(33.0)	70.4	497.9	55.2	7.9	3.6	2.9	4.0	2.4	2.9
			1200 1299	7.0	(7.7)	69.4	487.1	49.9	7.2	3.5	3.0	4.0	2.6	2.9
			1100 1199	1.0	(1.1)	69.3	478.6	46.0	6.5	2.8	3.0	4.0	2.0	3.0
			1000 1099	2.0	(2.2)	69.1	378.1	37.5	6.7	3.1	3.0	5.0	2.5	3.0
			800 899	1.0	(1.1)	69.7	408.9	43.0	5.3	1.8	2.0	5.0	2.0	2.0
			700 799	2.0	(2.2)	68.5	385.1	37.5	5.0	2.4	2.0	5.0	2.0	2.5
			500 599	1.0	(1.1)	69.8	323.8	40.0	4.7	2.0	3.0	4.0	2.0	4.0
			499	2.0	(2.2)	69.2	491.9	46.5	7.6	3.5	3.5	4.5	2.5	3.0
				91.0	(3.0)	70.4	493.3	55.4	7.7	3.4	3.5	4.1	2.8	2.9
			1300 1399	1.0	(50.0)	69.1	437.0	44.0	6.6	3.3	4.0	5.0	3.0	3.0
			1200 1299	1.0	(50.0)	73.1	478.7	66.0	7.8	2.3	4.0	4.0	3.0	3.0
				2.0	(0.1)	71.1	457.9	55.0	7.2	2.8	4.0	4.5	3.0	3.0
			2300 2399	2.0	(0.1)	77.0	539.5	88.5	8.8	1.2	9.0	3.5	5.0	3.0
			2200 2299	2.0	(0.1)	74.1	544.0	73.0	8.3	1.7	7.5	3.0	4.5	2.5
			2100 2199	1.0	(0.0)	71.1	495.0	62.0	7.8	3.8	8.0	3.0	5.0	3.0
			2000 2099	2.0	(0.1)	72.5	526.0	72.5	7.8	3.4	9.5	3.5	5.0	3.0
			1900 1999	11.0	(0.4)	73.2	533.9	73.5	8.0	2.7	8.2	3.5	4.9	2.9
			1800 1899	20.0	(0.7)	73.2	511.6	71.1	7.9	2.6	8.3	3.6	4.8	2.6
			1700 1799	73.0	(2.4)	72.7	523.1	68.2	8.0	2.6	7.3	3.7	4.5	2.6
			1600 1699	179.0	(5.9)	71.9	516.6	64.0	7.7	2.7	6.2	3.9	4.0	2.6
			1500 1599	307.0	(10.1)	71.5	508.3	61.8	7.6	2.9	5.6	3.9	3.9	2.7
			1400 1499	555.0	(18.3)	71.2	517.0	59.9	7.7	3.0	4.8	4.0	3.5	2.7

[illegible]

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1600 1699	13.0	(5.1)	71.1	578.9	64.3	8.3	3.2	5.9	3.9	4.1	2.5
			1500 1599	15.0	(5.9)	71.3	553.3	61.0	8.2	2.8	5.7	3.8	4.0	2.5
			1400 1499	30.0	(11.8)	70.6	577.7	59.1	8.1	3.0	4.6	3.7	3.5	2.7
			1300 1399	65.0	(25.5)	70.2	563.3	55.3	8.1	3.0	4.0	3.8	3.1	2.6
			1200 1299	82.0	(32.2)	70.0	545.3	52.0	7.7	2.8	3.3	4.1	2.5	2.6
			1100 1199	35.0	(13.7)	69.3	539.0	49.7	7.4	3.1	2.7	4.3	2.1	2.3
			1000 1099	13.0	(5.1)	68.1	568.5	49.6	7.4	4.0	2.8	4.2	2.2	2.6
			900 999	1.0	(0.4)	68.1	494.0	40.0	5.7	2.3	4.0	5.0	2.0	2.0
			800 899	1.0	(0.4)	67.1	351.0	35.0	6.2	5.0	4.0	5.0	2.0	2.0
				255.0	(9.5)	70.0	555.2	54.3	7.8	3.0	3.8	4.0	2.8	2.6
			1600 1699	1.0	(2.1)	73.5	487.0	66.0	8.0	1.9	7.0	3.0	4.0	3.0
			1500 1599	1.0	(2.1)	73.2	512.0	66.0	8.7	2.4	5.0	4.0	3.0	3.0
			1400 1499	4.0	(8.5)	72.2	510.5	57.3	8.3	1.9	4.3	4.0	3.0	2.3
			1300 1399	17.0	(36.2)	70.7	497.2	53.4	7.5	2.7	3.8	4.1	2.8	2.7
			1200 1299	19.0	(40.4)	70.7	469.0	51.2	7.1	2.5	3.1	4.1	2.3	2.3
			1100 1199	4.0	(8.5)	70.2	493.0	49.3	7.5	2.6	2.8	4.0	2.0	2.3
			1000 1099	1.0	(2.1)	70.3	371.0	42.0	5.1	1.4	2.0	4.0	2.0	2.0
				47.0	(1.8)	70.9	484.0	52.8	7.4	2.5	3.5	4.0	2.6	2.4
			1500 1599	1.0	(1.7)	70.5	546.0	47.0	9.2	2.6	5.0	4.0	4.0	3.0
			1400 1499	4.0	(6.9)	71.4	588.3	67.3	8.3	3.2	6.3	4.0	3.8	2.8
			1300 1399	13.0	(22.4)	70.9	607.7	60.6	8.6	2.9	4.9	4.2	3.2	2.5
			1200 1299	14.0	(24.1)	70.0	594.8	56.8	8.2	3.1	3.8	4.4	2.9	2.6
			1100 1199	21.0	(36.2)	69.4	604.7	55.0	8.1	3.3	3.4	4.5	2.5	2.5
			1000 1099	4.0	(6.9)	68.2	621.3	50.0	8.2	3.7	3.0	5.0	2.0	3.0
			900 999	1.0	(1.7)	69.4	309.0	32.0	4.4	1.3	2.0	4.0	2.0	3.0
				58.0	(2.2)	70.0	596.9	56.7	8.2	3.1	4.0	4.4	2.8	2.6
			1600 1699	2.0	(1.7)	71.3	618.8	63.0	9.3	3.0	8.5	3.5	4.5	2.0
			1500 1599	4.0	(3.4)	69.4	592.3	53.5	8.1	3.2	5.5	3.3	4.0	2.8
			1400 1499	17.0	(14.4)	70.1	563.5	52.6	8.1	2.8	5.2	3.5	3.8	2.4
			1300 1399	22.0	(18.6)	70.0	585.9	54.8	8.4	3.1	4.4	3.9	3.4	2.5
			1200 1299	16.0	(13.6)	69.4	597.3	52.6	8.6	3.4	4.6	3.7	3.4	2.5
			1100 1199	32.0	(27.1)	69.2	598.6	52.2	8.2	3.3	3.8	3.8	2.8	2.7
			1000 1099	22.0	(18.6)	68.4	581.7	47.9	7.8	3.5	3.4	4.3	2.5	2.6
			900 999	1.0	(0.8)	67.6	679.0	49.0	8.9	4.0	3.0	4.0	2.0	3.0
			800 899	1.0	(0.8)	69.4	343.5	29.0	5.4	1.2	2.0	4.0	2.0	3.0
			600 699	1.0	(0.8)	71.2	306.0	36.0	5.3	0.7	1.0	5.0	1.0	2.0
				118.0	(4.4)	69.4	584.0	51.9	8.2	3.2	4.2	3.8	3.1	2.6
			1500 1599	1.0	(20.0)	70.4	632.0	61.0	8.2	2.8	6.0	5.0	4.0	3.0
			1400 1499	2.0	(40.0)	71.8	612.0	70.0	7.6	2.4	6.5	3.0	4.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1300 1399	1.0	(20.0)	72.6	586.0	68.0	8.0	1.9	4.0	4.0	3.0	3.0
			1200 1299	1.0	(20.0)	67.7	566.0	52.0	6.3	3.9	3.0	4.0	3.0	3.0
				5.0	(0.2)	70.8	601.6	64.2	7.5	2.7	5.2	3.8	3.6	3.0
			1500 1599	1.0	(2.4)	72.9	596.0	75.0	9.3	3.3	7.0	5.0	4.0	3.0
			1400 1499	1.0	(2.4)	71.0	528.0	56.0	8.8	3.2	5.0	4.0	4.0	2.0
			1300 1399	5.0	(11.9)	70.7	536.0	55.4	7.7	2.6	4.4	4.0	3.4	2.0
			1200 1299	8.0	(19.0)	70.7	565.0	57.8	8.4	3.1	3.6	4.3	3.0	2.6
			1100 1199	15.0	(35.7)	70.5	469.2	50.3	7.0	2.5	3.0	4.1	2.4	2.5
			1000 1099	12.0	(28.6)	69.8	526.8	52.8	7.4	3.1	2.8	4.8	2.1	2.3
				42.0	(1.6)	70.4	516.3	53.8	7.6	2.8	3.4	4.3	2.6	2.4
			1800 1899	1.0	(0.6)	72.2	585.0	64.0	8.1	1.8	6.0	4.0	4.0	2.0
			1700 1799	1.0	(0.6)	71.1	635.0	60.0	8.9	2.4	9.0	4.0	5.0	3.0
			1600 1699	11.0	(6.9)	71.7	553.7	65.1	8.2	2.9	6.5	3.7	4.3	2.7
			1500 1599	19.0	(11.9)	71.0	561.1	59.5	7.8	2.5	5.2	3.9	3.6	2.5
			1400 1499	32.0	(20.0)	70.9	560.5	58.3	7.6	2.4	4.2	3.8	3.3	2.5
			1300 1399	25.0	(15.6)	70.4	547.0	55.2	7.6	2.6	3.6	4.0	2.8	2.5
			1200 1299	45.0	(28.1)	69.9	524.2	51.5	7.1	2.6	3.3	4.2	2.5	2.4
			1100 1199	19.0	(11.9)	69.3	531.0	48.4	7.2	2.8	2.8	4.1	2.2	2.4
			1000 1099	3.0	(1.9)	68.6	479.0	44.3	6.4	3.1	2.0	4.0	2.0	2.3
			900 999	3.0	(1.9)	68.6	393.8	38.0	5.0	2.3	2.3	4.3	2.0	3.0
			700 799	1.0	(0.6)	70.9	326.0	43.0	5.0	1.5	2.0	4.0	2.0	2.0
				160.0	(6.0)	70.3	538.8	54.6	7.4	2.6	3.9	4.0	2.9	2.5
			1800 1899	3.0	(0.6)	73.2	633.7	75.0	9.1	2.3	8.0	4.0	4.7	2.0
			1700 1799	12.0	(2.5)	72.1	603.1	66.7	8.7	2.4	6.8	3.8	4.4	2.5
			1600 1699	27.0	(5.7)	71.9	610.9	68.1	8.3	2.4	6.2	4.0	4.1	2.4
			1500 1599	56.0	(11.8)	70.8	591.2	61.1	7.9	2.7	4.8	3.9	3.6	2.6
			1400 1499	96.0	(20.3)	70.7	583.8	59.9	8.0	2.8	4.2	3.9	3.3	2.6
			1300 1399	103.0	(21.7)	70.4	592.2	58.7	7.8	2.7	3.9	4.1	3.0	2.5
			1200 1299	110.0	(23.2)	69.9	589.4	56.4	7.8	2.9	3.2	4.3	2.3	2.6
			1100 1199	46.0	(9.7)	69.4	565.3	52.2	7.4	3.0	2.9	4.5	2.1	2.6
			1000 1099	16.0	(3.4)	68.2	565.2	49.5	7.2	3.7	2.9	4.4	2.1	2.3
			600 699	1.0	(0.2)	68.3	304.0	25.0	4.3	1.5	2.0	4.0	2.0	2.0
			500 599	3.0	(0.6)	69.5	280.0	29.3	3.4	0.5	3.0	5.0	2.0	2.0
			499	1.0	(0.2)	69.2	217.5	23.0	2.7	0.2	2.0	6.0	1.0	4.0
				474.0	(17.7)	70.3	584.4	58.2	7.8	2.8	4.0	4.1	2.9	2.5
			1900 1999	2.0	(0.9)	73.2	584.5	70.0	8.1	1.6	7.5	3.5	5.0	2.5
			1800 1899	5.0	(2.1)	72.4	567.8	65.0	8.0	1.9	8.2	3.4	5.0	2.6
			1700 1799	11.0	(4.7)	72.5	585.7	68.8	8.4	2.3	6.7	3.6	4.3	2.9
			1600 1699	19.0	(8.2)	71.9	562.9	65.8	7.8	2.5	6.2	3.6	4.2	2.6
			1500 1599	40.0	(17.2)	71.5	556.6	62.5	7.6	2.3	5.2	3.9	3.9	2.6
			1400 1499	80.0	(34.3)	70.7	554.5	59.0	7.5	2.7	4.3	4.0	3.4	2.6

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1300 1399	44.0	(18.9)	70.3	544.6	54.0	7.5	2.5	3.4	4.3	2.6	2.5
			1200 1299	20.0	(8.6)	70.0	550.8	54.7	7.1	2.6	2.9	4.2	2.2	2.5
			1100 1199	10.0	(4.3)	69.8	501.1	50.6	6.4	2.4	2.9	4.4	2.2	2.5
			1000 1099	1.0	(0.4)	69.1	415.5	39.0	5.9	2.3	2.0	5.0	2.0	2.0
			700 799	1.0	(0.4)	70.0	239.0	31.0	3.6	0.9	2.0	4.0	2.0	3.0
				233.0	(8.7)	70.9	551.1	59.0	7.5	2.5	4.5	4.0	3.3	2.6
			1600 1699	1.0	(4.2)	70.0	563.5	62.0	7.8	4.0	9.0	4.0	5.0	2.0
			1500 1599	1.0	(4.2)	70.8	629.5	57.0	9.3	2.6	7.0	4.0	4.0	3.0
			1400 1499	7.0	(29.2)	70.4	579.3	56.0	8.1	2.6	5.3	4.0	3.9	2.1
			1300 1399	3.0	(12.5)	70.4	559.7	57.3	8.4	3.4	4.7	4.3	3.3	2.3
			1200 1299	5.0	(20.8)	69.1	585.2	51.4	8.0	3.3	4.2	4.6	3.0	2.2
			1100 1199	1.0	(4.2)	69.3	604.0	52.0	7.4	2.5	2.0	4.0	2.0	2.0
			1000 1099	1.0	(4.2)	70.8	361.0	45.0	5.4	1.7	2.0	4.0	2.0	2.0
			900 999	1.0	(4.2)	70.5	332.5	39.0	5.6	1.7	2.0	5.0	2.0	2.0
			800 899	3.0	(12.5)	69.6	328.3	36.3	5.1	2.0	2.0	4.7	2.0	2.0
			700 799	1.0	(4.2)	70.8	295.5	41.0	4.6	1.4	2.0	5.0	2.0	2.0
				24.0	(0.9)	70.0	518.0	51.1	7.4	2.7	4.3	4.3	3.1	2.2
			1900 1999	1.0	(0.2)	72.2	661.0	75.0	8.0	2.3	9.0	4.0	5.0	2.0
			1800 1899	3.0	(0.7)	72.9	637.7	73.3	8.7	2.1	9.7	3.7	5.0	2.7
			1700 1799	11.0	(2.7)	71.9	616.6	69.2	8.1	2.4	7.0	4.0	4.3	2.5
			1600 1699	36.0	(8.8)	71.5	599.8	65.0	8.1	2.5	6.7	3.9	4.2	2.3
			1500 1599	48.0	(11.8)	71.2	581.0	62.7	8.0	2.6	5.5	3.8	3.7	2.2
			1400 1499	61.0	(15.0)	70.7	570.9	59.4	7.8	2.7	5.0	3.9	3.4	2.3
			1300 1399	81.0	(19.9)	70.2	571.4	56.6	7.6	2.8	4.1	4.0	3.0	2.3
			1200 1299	107.0	(26.3)	70.3	557.2	56.4	7.3	2.6	3.4	4.3	2.4	2.3
			1100 1199	37.0	(9.1)	69.6	530.9	51.0	7.1	2.8	3.0	4.2	2.2	2.3
			1000 1099	15.0	(3.7)	68.6	532.9	48.6	6.9	3.4	2.9	4.3	2.1	2.3
			900 999	3.0	(0.7)	69.1	400.0	42.3	5.0	2.3	2.3	4.0	2.3	2.3
			800 899	2.0	(0.5)	68.1	495.5	42.0	6.3	3.1	2.5	4.5	2.0	2.5
			700 799	2.0	(0.5)	68.8	295.5	31.0	3.0	0.9	2.0	5.0	1.5	3.5
				407.0	(15.2)	70.5	565.1	57.8	7.5	2.7	4.4	4.1	3.0	2.3
			1700 1799	2.0	(6.5)	73.3	569.0	73.5	8.2	2.1	8.0	4.0	4.5	2.5
			1500 1599	5.0	(16.1)	71.4	595.0	65.4	8.2	2.8	5.6	4.0	4.0	2.6
			1400 1499	5.0	(16.1)	70.2	602.6	60.0	8.3	3.3	5.8	3.8	3.8	2.6
			1300 1399	10.0	(32.3)	69.9	585.4	56.4	7.8	3.0	4.2	3.9	3.1	2.9
			1200 1299	5.0	(16.1)	71.1	570.2	57.2	7.9	2.1	3.0	4.6	2.2	2.8
			1100 1199	2.0	(6.5)	67.2	571.0	49.5	8.0	5.3	3.0	5.0	2.0	3.0
			800 899	1.0	(3.2)	69.2	249.0	26.0	4.3	1.4	3.0	4.0	2.0	1.0
			600 699	1.0	(3.2)	68.5	232.0	17.0	3.9	0.9	2.0	4.0	2.0	2.0
				31.0	(1.2)	70.4	563.0	57.0	7.8	2.8	4.5	4.1	3.2	2.7

							(kg)	(cm ²)	(cm)	(cm)				
					(%)									
			1500 1599	2.0	(22.2)	71.2	528.0	59.0	7.6	2.6	7.5	3.5	4.0	2.5
			1400 1499	1.0	(11.1)	73.0	522.5	65.0	8.9	2.5	3.0	3.0	3.0	2.0
			1300 1399	2.0	(22.2)	69.7	549.8	52.5	6.9	2.4	4.0	3.5	3.0	3.0
			1200 1299	3.0	(33.3)	69.7	567.8	55.3	7.6	3.1	5.3	3.7	3.7	2.0
			1000 1099	1.0	(11.1)	68.5	510.5	41.0	6.6	2.6	3.0	4.0	2.0	2.0
				9.0	(0.3)	70.2	543.6	55.0	7.5	2.7	5.0	3.6	3.3	2.3
			1000 1099	1.0	(0.0)	65.5	611.6	39.0	7.0	4.3	3.0	3.0	2.0	2.0
			1500 1599	2.0	(0.1)	70.5	559.3	55.0	7.5	2.3	3.0	3.5	2.5	2.0
			1600 1699	18.0	(90.0)	69.4	557.2	54.6	7.4	3.4	4.2	3.9	3.3	2.8
			1100 1199	1.0	(5.0)	67.8	531.0	51.0	6.4	4.3	2.0	4.0	2.0	2.0
			700 799	1.0	(5.0)	69.4	332.0	34.0	4.7	1.5	2.0	5.0	2.0	2.0
				20.0	(0.7)	69.3	544.6	53.4	7.2	3.3	4.0	4.0	3.2	2.7
			1700 1799	2.0	(1.6)	72.3	547.6	68.0	7.5	2.4	8.5	3.5	5.0	2.0
			1600 1699	13.0	(10.6)	72.0	553.2	63.7	7.7	2.1	7.0	3.2	4.4	2.5
			1500 1599	20.0	(16.3)	71.0	540.1	57.5	7.7	2.6	5.5	3.5	4.0	2.6
			1400 1499	37.0	(30.1)	70.8	536.4	57.1	7.1	2.2	4.4	3.7	3.3	2.5
			1300 1399	28.0	(22.8)	70.3	549.1	56.3	7.4	2.7	4.0	4.0	3.1	2.8
			1200 1299	11.0	(8.9)	69.1	575.3	51.5	7.3	3.0	3.5	4.0	2.6	2.7
			1100 1199	5.0	(4.1)	69.8	501.9	47.8	6.9	2.3	3.0	4.0	2.2	2.6
			1000 1099	4.0	(3.3)	69.0	415.8	41.3	6.0	2.8	2.8	3.8	2.3	2.0
			900 999	1.0	(0.8)	72.0	384.0	49.0	6.2	1.2	3.0	5.0	2.0	3.0
			700 799	2.0	(1.6)	70.8	355.0	38.5	6.0	1.3	2.0	5.0	2.0	3.0
				123.0	(4.6)	70.6	535.8	56.1	7.3	2.5	4.6	3.8	3.3	2.6
			1900 1999	1.0	(0.9)	72.9	639.4	78.0	8.1	2.2	10.0	3.0	5.0	3.0
			1800 1899	2.0	(1.9)	73.3	551.9	68.0	8.7	2.0	7.5	3.5	5.0	3.0
			1700 1799	2.0	(1.9)	71.6	603.3	68.0	8.0	2.6	6.5	4.0	4.5	2.5
			1600 1699	10.0	(9.3)	71.9	551.9	64.4	7.7	2.3	6.3	3.4	4.1	2.7
			1500 1599	25.0	(23.4)	70.9	543.8	58.3	7.6	2.6	5.8	3.8	3.9	2.7
			1400 1499	33.0	(30.8)	70.3	540.8	55.4	7.2	2.6	4.7	3.8	3.6	2.7
			1300 1399	22.0	(20.6)	69.6	551.8	54.7	7.0	2.9	4.0	3.9	3.1	2.7
			1200 1299	11.0	(10.3)	69.1	527.2	49.0	7.5	3.3	3.0	4.2	2.4	2.7
			1100 1199	1.0	(0.9)	70.8	457.2	49.0	6.9	2.0	3.0	4.0	2.0	3.0
				107.0	(4.0)	70.4	544.9	56.7	7.4	2.7	4.9	3.8	3.5	2.7
			1700 1799	3.0	(5.1)	72.0	590.8	65.7	8.8	2.7	5.7	4.0	4.0	3.0
			1600 1699	52.0	(88.1)	70.2	580.7	57.5	8.1	3.0	3.1	4.1	2.8	2.9
			1500 1599	1.0	(1.7)	72.1	598.5	68.0	7.5	1.8	4.0	4.0	3.0	3.0
			1300 1399	1.0	(1.7)	69.9	513.0	48.0	7.3	2.3	4.0	4.0	3.0	2.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1200 1299	2.0	(3.4)	70.1	504.3	53.5	6.5	2.5	2.5	4.5	2.5	2.5
				59.0	(2.2)	70.3	577.8	57.8	8.1	3.0	3.3	4.1	2.9	2.8
			1500 1599	1.0	(50.0)	71.1	565.2	56.0	8.1	2.1	4.0	3.0	3.0	2.0
			600 699	1.0	(50.0)	69.8	362.8	33.0	4.3	0.2	2.0	6.0	1.0	2.0
				2.0	(0.1)	70.5	464.0	44.5	6.2	1.1	3.0	4.5	2.0	2.0
			1200 1299	1.0	(0.0)	71.0	431.4	50.0	6.5	1.9	3.0	4.0	3.0	2.0
			1600 1699	1.0	(20.0)	72.3	454.0	53.0	7.5	1.5	8.0	4.0	4.0	3.0
			1200 1299	1.0	(20.0)	69.7	509.2	49.0	7.9	3.3	3.0	4.0	2.0	2.0
			1100 1199	1.0	(20.0)	66.5	524.0	33.0	7.1	3.7	4.0	4.0	3.0	2.0
			1000 1099	1.0	(20.0)	68.8	368.0	34.0	4.7	1.7	2.0	4.0	2.0	2.0
			900 999	1.0	(20.0)	67.3	583.9	51.0	7.1	4.6	2.0	5.0	2.0	3.0
				5.0	(0.2)	68.9	487.8	44.0	6.9	3.0	3.8	4.2	2.6	2.4
			1700 1799	1.0	(4.3)	71.7	528.4	63.0	7.5	2.5	6.0	4.0	4.0	2.0
			1600 1699	4.0	(17.4)	70.3	566.2	61.3	7.5	3.4	6.5	4.0	4.0	2.8
			1400 1499	7.0	(30.4)	70.1	536.0	56.0	7.3	3.1	5.3	3.7	3.7	2.9
			1300 1399	7.0	(30.4)	69.7	494.6	50.1	6.4	2.5	4.1	4.0	3.1	2.4
			1200 1299	4.0	(17.4)	68.8	480.3	44.3	6.3	2.7	3.0	4.3	2.5	2.3
				23.0	(0.9)	69.9	518.6	53.4	6.9	2.9	4.8	4.0	3.4	2.6
			1700 1799	1.0	(3.4)	72.5	684.0	79.0	9.0	2.9	7.0	4.0	4.0	3.0
			1500 1599	4.0	(13.8)	71.8	582.3	63.8	8.4	2.4	4.5	3.5	3.3	2.5
			1400 1499	5.0	(17.2)	70.5	545.2	56.0	7.8	2.8	4.2	3.4	3.2	2.6
			1300 1399	7.0	(24.1)	70.6	513.9	53.7	7.4	2.5	3.9	3.9	2.9	2.7
			1200 1299	9.0	(31.0)	70.1	530.8	53.8	7.3	2.8	3.3	4.1	2.4	2.6
			1100 1199	3.0	(10.3)	69.4	432.2	40.3	5.5	1.7	3.0	4.3	2.0	2.0
				29.0	(1.1)	70.5	531.4	55.0	7.4	2.6	3.9	3.9	2.8	2.6
			1500 1599	2.0	(5.7)	71.3	470.1	52.5	7.3	2.1	5.5	4.0	4.0	2.5
			1400 1499	9.0	(25.7)	70.0	506.7	53.2	7.1	2.9	4.9	3.7	3.9	2.6
			1300 1399	11.0	(31.4)	70.8	523.1	54.6	7.5	2.4	4.3	3.9	3.2	2.5
			1200 1299	9.0	(25.7)	69.5	472.4	47.4	6.2	2.5	3.6	4.0	2.7	2.8
			1100 1199	2.0	(5.7)	69.3	494.8	45.0	6.6	2.3	3.0	5.0	2.0	3.0
			1000 1099	2.0	(5.7)	70.4	610.5	59.0	8.0	2.6	3.0	4.0	2.0	2.0
				35.0	(1.3)	70.2	506.2	52.0	7.0	2.6	4.2	3.9	3.1	2.6
			1600 1699	1.0	(7.7)	72.8	477.2	63.0	6.8	1.5	6.0	4.0	4.0	3.0
			1500 1599	2.0	(15.4)	70.5	545.8	61.5	7.3	3.4	7.5	4.0	4.5	3.0
			1400 1499	4.0	(30.8)	70.5	428.7	49.3	6.2	2.3	3.8	4.0	3.0	3.0
			1300 1399	5.0	(38.5)	69.2	522.6	45.4	7.2	2.5	3.4	4.0	2.8	2.2

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1200 1299	1.0	(7.7)	73.1	452.4	70.0	6.7	2.4	3.0	3.0	2.0	2.0
				13.0	(0.5)	70.4	488.4	52.3	6.8	2.5	4.3	3.9	3.2	2.6
			1500 1599	1.0	(0.0)	69.7	509.8	47.0	7.0	2.3	4.0	4.0	3.0	3.0
			1700 1799	2.0	(4.3)	69.8	587.5	58.5	8.0	3.4	7.5	3.5	4.5	3.0
			1500 1599	3.0	(6.4)	71.2	574.6	63.7	7.8	2.7	5.7	4.0	4.0	2.7
			1400 1499	10.0	(21.3)	70.1	556.0	54.8	7.4	2.6	5.0	3.8	3.7	2.6
			1300 1399	16.0	(34.0)	69.6	575.4	55.2	7.4	2.9	3.8	3.9	3.2	2.7
			1200 1299	11.0	(23.4)	69.0	526.3	49.1	6.7	2.9	3.5	3.9	2.6	2.8
			1100 1199	5.0	(10.6)	68.1	482.4	39.8	5.8	2.5	3.0	4.0	2.0	2.4
				47.0	(1.8)	69.5	550.4	52.7	7.1	2.8	4.2	3.9	3.1	2.7
			1700 1799	2.0	(4.0)	71.0	577.0	63.5	7.7	2.8	6.5	3.5	4.0	2.5
			1600 1699	2.0	(4.0)	71.2	587.3	63.0	8.3	2.9	5.0	3.5	4.0	3.0
			1500 1599	7.0	(14.0)	70.5	605.7	62.9	8.2	3.3	6.0	3.7	4.1	2.7
			1400 1499	9.0	(18.0)	70.4	553.9	57.4	7.8	2.9	5.0	3.7	3.9	2.6
			1300 1399	17.0	(34.0)	69.6	571.7	54.4	7.6	3.1	3.6	3.8	3.1	2.4
			1200 1299	8.0	(16.0)	69.4	572.4	53.5	7.7	3.3	3.3	3.8	2.5	2.3
			1100 1199	5.0	(10.0)	68.7	564.4	50.0	7.1	3.1	2.8	4.0	2.0	2.2
				50.0	(1.9)	69.9	573.5	56.3	7.7	3.1	4.2	3.8	3.2	2.5
			1700 1799	4.0	(19.0)	71.0	552.3	61.0	7.8	2.8	7.0	3.5	4.3	3.0
			1600 1699	2.0	(9.5)	70.4	528.9	60.0	7.3	3.4	6.5	3.0	4.0	3.0
			1500 1599	5.0	(23.8)	69.8	561.7	57.0	7.2	3.0	4.6	3.6	3.6	2.8
			1400 1499	5.0	(23.8)	69.6	556.1	52.8	7.1	2.6	4.0	3.8	3.2	2.8
			1300 1399	4.0	(19.0)	69.0	488.9	46.5	6.7	3.0	3.5	4.0	2.8	2.8
			1100 1199	1.0	(4.8)	70.3	560.0	64.0	6.5	3.0	2.0	4.0	2.0	3.0
				21.0	(0.8)	69.9	541.5	55.4	7.2	2.9	4.8	3.7	3.4	2.9
			1800 1899	1.0	(2.3)	70.8	665.8	69.0	7.9	2.7	7.0	4.0	4.0	3.0
			1600 1699	4.0	(9.1)	70.5	540.4	58.8	7.3	3.0	4.5	3.8	3.3	3.0
			1500 1599	2.0	(4.5)	71.3	502.1	57.5	7.0	2.1	5.0	4.0	4.0	2.5
			1400 1499	2.0	(4.5)	71.7	503.9	61.0	6.5	1.8	4.5	3.5	3.0	3.0
			1300 1399	16.0	(36.4)	70.7	525.2	57.6	7.2	2.6	4.2	3.9	3.3	3.1
			1200 1299	7.0	(15.9)	70.9	506.3	53.9	7.1	2.1	3.3	4.0	2.3	2.3
			1100 1199	10.0	(22.7)	70.1	422.1	44.8	5.7	1.8	3.0	4.3	2.1	2.9
			1000 1099	2.0	(4.5)	69.5	469.5	44.5	6.0	2.0	2.5	4.5	2.0	3.0
				44.0	(1.6)	70.6	498.8	54.0	6.8	2.3	3.8	4.0	2.8	2.9
			1300 1399	1.0	(25.0)	71.1	412.8	48.0	6.3	1.7	4.0	4.0	3.0	3.0
			1200 1299	2.0	(50.0)	71.3	482.4	62.0	6.5	2.6	3.5	4.0	2.5	3.0
			1000 1099	1.0	(25.0)	71.1	538.1	62.0	7.0	2.5	2.0	5.0	2.0	4.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
				4.0	(0.1)	71.2	478.9	58.5	6.5	2.4	3.3	4.3	2.5	3.3
			1700 1799	1.0	(1.8)	72.1	571.7	67.0	7.9	2.3	7.0	4.0	4.0	3.0
			1600 1699	1.0	(1.8)	73.0	530.1	64.0	8.1	1.6	6.0	4.0	4.0	3.0
			1500 1599	2.0	(3.6)	71.5	546.0	56.5	8.1	1.9	6.0	4.0	4.5	3.0
			1400 1499	6.0	(10.9)	71.7	576.9	66.5	8.3	2.9	5.5	3.8	4.0	2.8
			1300 1399	12.0	(21.8)	70.9	547.5	58.9	7.7	2.7	4.3	3.9	3.5	3.1
			1200 1299	16.0	(29.1)	70.4	522.6	55.9	7.0	2.6	3.8	4.1	2.8	3.0
			1100 1199	10.0	(18.2)	69.4	518.1	52.9	6.8	3.2	3.0	4.6	2.2	3.0
			1000 1099	6.0	(10.9)	69.0	477.4	48.2	6.1	3.0	2.8	4.8	2.2	3.2
			900 999	1.0	(1.8)	67.6	409.9	32.0	4.7	2.1	3.0	5.0	2.0	3.0
				55.0	(2.1)	70.4	528.0	56.3	7.2	2.8	4.0	4.2	3.0	3.0
			1700 1799	5.0	(4.8)	72.2	575.4	66.2	8.4	2.4	6.6	3.8	4.2	2.8
			1600 1699	3.0	(2.9)	72.3	608.4	74.0	8.2	2.8	7.7	3.3	4.7	2.7
			1500 1599	8.0	(7.7)	70.7	563.7	61.4	7.7	3.0	6.4	3.8	4.3	2.8
			1400 1499	15.0	(14.4)	71.0	605.7	65.3	7.9	2.8	5.1	3.7	3.7	2.7
			1300 1399	26.0	(25.0)	70.1	589.5	60.0	7.6	3.0	4.2	3.9	3.2	2.8
			1200 1299	27.0	(26.0)	70.4	559.7	58.6	7.4	2.8	3.4	4.0	2.5	2.9
			1100 1199	19.0	(18.3)	69.8	545.5	53.4	6.9	2.6	3.1	4.4	2.4	2.8
			1000 1099	1.0	(1.0)	69.6	514.3	46.0	7.2	2.3	2.0	4.0	2.0	3.0
				104.0	(3.9)	70.5	573.2	59.9	7.5	2.8	4.3	4.0	3.1	2.8
			1600 1699	3.0	(5.2)	71.0	546.2	59.0	7.6	2.6	5.3	3.7	4.0	3.0
			1500 1599	8.0	(13.8)	70.5	557.8	58.3	7.8	2.9	5.3	3.8	3.8	2.9
			1400 1499	14.0	(24.1)	70.4	542.7	55.1	7.7	2.8	4.1	4.0	3.1	2.6
			1300 1399	25.0	(43.1)	69.8	523.2	51.8	7.5	3.1	3.2	4.1	2.5	2.9
			1200 1299	3.0	(5.2)	68.1	502.7	43.3	6.3	3.2	2.7	4.0	2.0	3.0
			499	5.0	(8.6)	70.1	469.0	49.8	6.4	2.4	3.2	4.2	2.6	2.6
				58.0	(2.2)	70.0	528.1	53.3	7.4	2.9	3.8	4.0	2.9	2.8
			1500 1599	1.0	(14.3)	71.5	571.2	65.0	8.6	3.2	6.0	4.0	4.0	3.0
			1200 1299	3.0	(42.9)	70.7	475.6	52.7	6.6	2.2	3.7	4.0	2.7	3.3
			1100 1199	2.0	(28.6)	70.2	512.0	57.5	6.8	3.1	3.0	5.0	2.0	2.0
			1000 1099	1.0	(14.3)	68.6	463.8	45.0	6.4	3.4	3.0	5.0	2.0	3.0
				7.0	(0.3)	70.4	498.0	54.7	6.9	2.8	3.7	4.4	2.6	2.9
			1900 1999	4.0	(0.1)	72.9	617.4	73.3	8.1	1.9	8.5	3.5	5.0	2.5
			1800 1899	15.0	(0.6)	72.7	600.5	69.3	8.4	2.1	8.1	3.7	4.8	2.5
			1700 1799	60.0	(2.2)	72.0	591.8	67.0	8.3	2.5	6.9	3.8	4.3	2.7
			1600 1699	224.0	(8.4)	71.1	576.8	62.4	8.0	2.8	5.5	3.8	3.8	2.6
			1500 1599	288.0	(10.8)	71.0	567.7	60.7	7.8	2.6	5.3	3.8	3.8	2.6
			1400 1499	496.0	(18.5)	70.7	562.0	58.4	7.7	2.7	4.6	3.8	3.4	2.6
			1300 1399	589.0	(22.0)	70.2	561.6	56.0	7.6	2.8	3.9	4.0	3.0	2.6
			1200 1299	561.0	(21.0)	70.0	552.4	54.3	7.5	2.8	3.4	4.2	2.5	2.5

