

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1500 1599	1.0	(0.5)	71.9	492.0	56.0	7.8	4.4	5.0	4.0	4.0	3.0
			1400 1499	3.0	(1.4)	73.9	499.3	62.3	7.9	3.0	6.0	4.0	4.0	2.7
			1300 1399	4.0	(1.9)	73.3	473.3	54.8	8.1	3.0	4.5	4.5	3.0	3.0
			1200 1299	2.0	(1.0)	73.2	494.0	56.5	8.4	3.5	4.0	4.5	3.0	3.0
			1100 1199	3.0	(1.4)	72.4	520.0	56.0	7.9	3.4	3.0	4.3	2.3	2.3
			1000 1099	5.0	(2.4)	72.3	488.2	52.2	7.2	2.9	2.4	3.6	2.0	2.8
			900 999	6.0	(2.9)	72.0	493.9	52.2	7.2	3.1	2.3	4.8	2.0	3.0
			800 899	12.0	(5.7)	71.6	474.1	46.2	6.6	2.5	2.5	4.9	2.0	3.3
			700 799	40.0	(19.0)	71.4	441.9	43.3	6.1	2.5	2.0	5.4	2.0	4.0
			600 699	86.0	(41.0)	71.6	468.8	46.5	6.6	2.6	2.0	5.4	2.0	3.7
			500 599	33.0	(15.7)	71.2	451.4	44.3	6.2	2.7	1.9	5.3	1.9	3.8
			499	15.0	(7.1)	71.3	433.1	43.8	5.8	2.6	1.9	5.5	1.9	3.7
				210.0	(63.3)	71.6	461.5	46.3	6.5	2.7	2.2	5.2	2.0	3.7
			900 999	1.0	(12.5)	73.2	354.0	51.0	5.8	2.5	2.0	5.0	2.0	3.0
			600 699	1.0	(12.5)	71.9	306.0	37.0	4.2	1.5	2.0	5.0	2.0	4.0
			500 599	4.0	(50.0)	71.9	259.5	33.5	4.2	1.6	1.3	5.8	1.3	4.5
			499	2.0	(25.0)	70.4	271.5	26.5	3.3	1.3	1.0	6.5	1.0	6.5
				8.0	(2.4)	71.7	280.1	34.4	4.2	1.6	1.4	5.8	1.4	4.8
			1800 1899	2.0	(3.3)	71.3	455.0	44.5	7.5	3.5	2.0	5.0	2.0	5.0
			1700 1799	1.0	(1.7)	72.3	394.0	47.0	6.2	2.7	2.0	5.0	2.0	5.0
			1600 1699	18.0	(30.0)	71.2	452.4	46.1	6.9	3.4	2.2	4.6	2.1	4.4
			1500 1599	1.0	(1.7)	74.0	396.0	58.0	6.6	2.7	5.0	3.0	4.0	3.0
			1400 1499	1.0	(1.7)	69.0	535.0	42.0	8.4	5.3	2.0	5.0	2.0	5.0
			1300 1399	4.0	(6.7)	73.9	406.8	54.5	6.8	2.3	4.0	4.3	3.3	2.3
			1200 1299	1.0	(1.7)	73.0	361.0	48.0	5.9	2.3	4.0	4.0	3.0	3.0
			1100 1199	1.0	(1.7)	73.3	382.0	56.0	6.4	3.2	4.0	5.0	3.0	3.0
			1000 1099	3.0	(5.0)	72.1	424.3	47.0	6.4	2.6	3.0	4.0	2.0	2.3
			800 899	1.0	(1.7)	72.5	299.0	43.0	3.9	1.5	2.0	5.0	2.0	3.0
			700 799	3.0	(5.0)	71.6	259.0	34.0	3.6	1.5	1.0	6.7	1.0	5.3
			600 699	2.0	(3.3)	71.0	276.5	27.0	4.5	1.6	1.5	5.0	1.5	7.0
			500 599	14.0	(23.3)	70.8	383.4	38.2	5.0	2.4	1.6	6.0	1.6	5.8
			499	8.0	(13.3)	70.5	281.6	28.1	3.6	1.5	1.3	6.5	1.3	6.6
				60.0	(18.1)	71.4	387.9	41.5	5.7	2.6	2.1	5.2	1.9	4.9
			500 599	3.0	(75.0)	71.2	351.0	32.0	5.6	1.9	2.0	5.7	1.7	5.7
			499	1.0	(25.0)	70.5	456.5	38.0	7.3	3.2	3.0	5.0	2.0	3.0
				4.0	(1.2)	71.0	377.4	33.5	6.0	2.2	2.3	5.5	1.8	5.0
			800 899	1.0	(0.3)	68.9	413.0	38.0	5.3	4.2	2.0	5.0	2.0	4.0
			1300 1399	1.0	(9.1)	72.1	608.4	70.0	8.1	4.8	5.0	5.0	3.0	3.0
			1200 1299	1.0	(9.1)	70.8	556.4	56.0	8.7	5.3	4.0	6.0	3.0	3.0
			1100 1199	1.0	(9.1)	75.0	562.4	72.0	8.3	2.6	3.0	6.0	2.0	3.0
			800 899	1.0	(9.1)	70.1	463.0	35.0	8.0	3.6	3.0	4.0	2.0	6.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			700 799	4.0	(36.4)	71.8	393.9	38.5	6.3	2.1	1.8	5.3	1.8	4.0
			500 599	3.0	(27.3)	71.2	300.3	27.3	4.6	1.3	1.7	4.7	2.0	5.3
				11.0	(3.3)	71.7	424.2	42.6	6.6	2.6	2.5	5.1	2.1	4.3
			1500 1599	2.0	(28.6)	72.2	439.5	52.5	7.0	3.6	3.5	4.5	2.5	3.5
			1300 1399	2.0	(28.6)	73.0	469.5	54.0	7.4	2.9	6.0	4.0	4.0	3.0
			1100 1199	3.0	(42.9)	72.8	496.0	57.7	8.1	3.8	2.7	4.0	2.0	2.7
				7.0	(2.1)	72.7	472.3	55.1	7.6	3.5	3.9	4.1	2.7	3.0
			600 699	1.0	(0.3)	72.2	272.0	43.0	3.2	1.7	2.0	6.0	2.0	6.0
			1000 1099	1.0	(0.3)	73.0	399.0	50.0	7.1	3.0	3.0	4.0	2.0	3.0
			2000 2099	1.0	(0.3)	71.2	582.3	58.0	9.1	5.1	6.0	4.0	4.0	3.0
			1900 1999	1.0	(0.3)	75.5	537.6	71.0	9.7	3.2	9.0	5.0	5.0	3.0
			2000 2099	1.0	(33.3)	75.5	485.0	64.0	8.9	2.3	8.0	4.0	5.0	3.0
			1100 1199	2.0	(66.7)	68.2	513.1	40.5	7.8	5.8	2.0	4.5	2.0	3.0
				3.0	(0.9)	70.6	503.7	48.3	8.2	4.7	4.0	4.3	3.0	3.0
			1200 1299	1.0	(4.2)	72.2	478.0	47.0	7.0	2.3	2.0	5.0	2.0	3.0
			1000 1099	5.0	(20.8)	72.1	495.5	50.0	8.0	3.4	2.8	4.4	2.2	3.2
			900 999	4.0	(16.7)	72.2	557.7	54.3	9.2	3.8	2.8	4.5	2.3	3.3
			800 899	4.0	(16.7)	70.5	560.4	51.5	8.7	4.8	2.8	5.3	2.0	3.5
			700 799	4.0	(16.7)	70.8	511.1	50.0	7.7	4.3	2.3	4.5	2.0	3.0
			600 699	6.0	(25.0)	70.2	537.7	46.2	8.1	4.3	3.0	4.7	2.0	3.3
				24.0	(7.2)	71.1	529.1	49.9	8.2	4.0	2.7	4.7	2.1	3.3
			2000 2099	2.0	(0.6)	73.3	533.6	61.0	9.0	3.7	7.0	4.0	4.5	3.0
			1900 1999	1.0	(0.3)	75.5	537.6	71.0	9.7	3.2	9.0	5.0	5.0	3.0
			1800 1899	2.0	(0.6)	71.3	455.0	44.5	7.5	3.5	2.0	5.0	2.0	5.0
			1700 1799	1.0	(0.3)	72.3	394.0	47.0	6.2	2.7	2.0	5.0	2.0	5.0
			1600 1699	18.0	(5.4)	71.2	452.4	46.1	6.9	3.4	2.2	4.6	2.1	4.4
			1500 1599	4.0	(1.2)	72.5	441.8	54.8	7.1	3.6	4.3	4.0	3.3	3.3
			1400 1499	4.0	(1.2)	72.7	508.3	57.3	8.0	3.6	5.0	4.3	3.5	3.3
			1300 1399	11.0	(3.3)	73.4	460.7	55.9	7.5	2.9	4.6	4.4	3.3	2.7
			1200 1299	5.0	(1.5)	72.5	476.7	52.8	7.7	3.4	3.6	4.8	2.8	3.0
			1100 1199	10.0	(3.0)	72.0	501.9	55.0	7.8	3.9	2.8	4.5	2.2	2.7
			1000 1099	14.0	(4.2)	72.2	470.8	50.1	7.3	3.0	2.7	4.0	2.1	2.9
			900 999	11.0	(3.3)	72.2	504.4	52.8	7.8	3.3	2.5	4.7	2.1	3.1
			800 899	19.0	(5.7)	71.2	479.3	46.1	6.9	3.1	2.5	4.9	2.0	3.5
			700 799	51.0	(15.4)	71.4	432.8	42.9	6.1	2.5	2.0	5.4	1.9	4.0
			600 699	96.0	(28.9)	71.5	465.4	46.0	6.6	2.7	2.1	5.3	2.0	3.8
			500 599	57.0	(17.2)	71.2	408.0	40.5	5.7	2.4	1.8	5.5	1.8	4.5

[illegible]

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
			1300 1399	4.0	(18.2)	72.6	564.1	56.3	9.0	3.5	3.8	4.0	3.0	3.0
			1200 1299	4.0	(18.2)	70.8	524.0	51.0	7.8	4.3	3.5	4.0	3.0	2.5
			1100 1199	4.0	(18.2)	71.7	549.8	53.0	7.9	3.4	3.5	4.8	2.5	2.8
			1000 1099	3.0	(13.6)	73.5	521.8	54.7	8.1	2.2	3.0	4.3	2.3	2.7
			900 999	4.0	(18.2)	70.9	527.5	52.3	7.7	4.3	3.3	4.0	2.3	2.5
			800 899	3.0	(13.6)	70.1	585.3	50.3	8.8	5.0	2.0	5.0	2.0	2.7
				22.0	(13.6)	71.6	544.7	53.0	8.2	3.8	3.2	4.3	2.5	2.7
			1300 1399	1.0	(25.0)	72.5	460.0	56.0	6.5	3.1	3.0	4.0	2.0	3.0
			1100 1199	1.0	(25.0)	72.2	503.0	57.0	7.6	3.8	2.0	5.0	2.0	2.0
			1000 1099	1.0	(25.0)	73.0	502.0	52.0	6.6	1.4	3.0	5.0	2.0	3.0
			900 999	1.0	(25.0)	72.9	381.0	44.0	6.4	1.9	2.0	5.0	2.0	3.0
				4.0	(2.5)	72.7	461.5	52.3	6.8	2.5	2.5	4.8	2.0	2.8
			1900 1999	1.0	(1.9)	72.1	453.0	48.0	7.0	2.8	2.0	4.0	2.0	4.0
			1800 1899	3.0	(5.6)	72.8	474.7	50.0	6.7	1.8	2.0	4.7	2.0	4.0
			1700 1799	4.0	(7.4)	73.2	500.3	56.0	8.0	2.9	2.8	5.0	2.5	4.3
			1600 1699	26.0	(48.1)	71.6	508.5	50.2	7.2	3.1	2.1	4.9	2.0	4.7
			1500 1599	3.0	(5.6)	70.5	560.7	54.0	7.8	4.6	2.3	5.3	2.0	5.0
			1400 1499	1.0	(1.9)	69.9	650.0	59.0	9.3	5.9	2.0	6.0	2.0	5.0
			1300 1399	4.0	(7.4)	75.0	419.8	59.3	7.1	1.8	3.5	3.8	3.0	2.3
			1200 1299	3.0	(5.6)	74.0	410.3	52.3	6.7	1.8	3.7	4.0	3.0	2.0
			1100 1199	2.0	(3.7)	73.0	391.5	42.5	6.3	1.4	2.0	2.0	2.0	2.0
			1000 1099	6.0	(11.1)	71.7	500.2	53.7	7.4	3.8	2.3	4.2	2.0	2.3
			900 999	1.0	(1.9)	73.9	415.0	51.0	6.8	1.6	2.0	4.0	2.0	2.0
				54.0	(33.3)	72.2	491.5	51.9	7.3	2.9	2.4	4.6	2.2	3.9
			1100 1199	1.0	(0.6)	75.3	431.5	64.0	7.2	2.1	4.0	4.0	3.0	3.0
			900 999	1.0	(0.6)	72.3	350.0	41.0	5.2	1.7	2.0	5.0	2.0	3.0
			1300 1399	1.0	(0.6)	73.9	477.9	56.0	7.0	1.6	3.0	3.0	2.0	3.0
			1800 1899	1.0	(50.0)	74.3	434.5	63.0	7.5	3.2	7.0	4.0	4.0	3.0
			1100 1199	1.0	(50.0)	73.2	519.0	54.0	7.3	1.8	4.0	5.0	3.0	2.0
				2.0	(1.2)	73.8	476.8	58.5	7.4	2.5	5.5	4.5	3.5	2.5
			1400 1499	2.0	(22.2)	74.1	502.3	58.0	8.9	2.9	5.5	3.5	3.5	2.5
			1300 1399	1.0	(11.1)	71.8	524.0	46.0	7.4	2.2	3.0	4.0	2.0	3.0
			1200 1299	3.0	(33.3)	72.0	505.0	50.0	7.4	2.8	2.7	4.3	2.0	2.7
			1100 1199	1.0	(11.1)	71.3	539.0	48.0	7.7	3.1	3.0	2.0	2.0	3.0
			1000 1099	2.0	(22.2)	72.8	482.3	57.5	7.2	3.2	2.0	4.5	2.0	3.0
				9.0	(5.6)	72.5	505.2	52.8	7.7	2.9	3.2	3.9	2.3	2.8

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1100 1199	1.0	(33.3)	72.1	510.0	49.0	7.1	2.3	3.0	4.0	2.0	4.0
			900 999	1.0	(33.3)	72.7	523.0	54.0	7.0	2.1	2.0	5.0	2.0	4.0
			800 899	1.0	(33.3)	71.1	484.0	40.0	6.9	2.3	2.0	5.0	2.0	4.0
				3.0	(1.9)	72.0	505.7	47.7	7.0	2.2	2.3	4.7	2.0	4.0
			900 999	1.0	(0.6)	71.2	468.5	50.0	6.8	3.8	2.0	5.0	2.0	3.0
			800 899	1.0	(0.6)	73.0	507.0	54.0	7.8	2.6	2.0	5.0	2.0	3.0
			900 999	1.0	(0.6)	72.6	433.0	47.0	6.2	1.9	2.0	3.0	2.0	2.0
			1900 1999	1.0	(0.6)	76.1	464.0	77.0	7.8	3.0	9.0	4.0	5.0	3.0
			1700 1799	1.0	(50.0)	74.4	564.4	69.0	8.1	2.6	7.0	3.0	5.0	3.0
			1600 1699	1.0	(50.0)	73.2	452.4	54.0	7.3	2.7	4.0	4.0	3.0	3.0
				2.0	(1.2)	73.8	508.4	61.5	7.7	2.6	5.5	3.5	4.0	3.0
			1400 1499	1.0	(1.7)	71.6	725.0	69.0	9.6	4.5	4.0	4.0	3.0	3.0
			1300 1399	1.0	(1.7)	72.0	626.2	63.0	9.1	4.2	4.0	5.0	3.0	3.0
			1200 1299	5.0	(8.6)	72.9	504.1	56.0	7.8	3.1	3.0	4.4	2.0	3.2
			1100 1199	4.0	(6.9)	71.0	516.1	48.0	7.3	3.4	3.0	4.5	2.3	3.0
			1000 1099	11.0	(19.0)	70.7	518.5	49.9	7.6	4.2	2.8	4.2	2.2	3.0
			900 999	5.0	(8.6)	70.0	528.8	47.8	8.1	4.9	2.6	4.4	2.0	3.0
			800 899	13.0	(22.4)	70.9	517.3	48.2	8.1	4.2	2.3	4.5	2.1	3.0
			700 799	15.0	(25.9)	71.1	531.2	49.3	8.0	3.9	2.5	4.6	2.0	3.1
			600 699	2.0	(3.4)	69.6	515.0	40.5	7.3	4.0	2.0	4.5	2.0	3.0
			500 599	1.0	(1.7)	66.0	607.0	39.0	8.2	7.0	3.0	5.0	2.0	3.0
				58.0	(35.8)	70.9	527.8	49.6	7.9	4.1	2.6	4.5	2.1	3.0
			499	1.0	(0.6)	71.3	534.5	50.0	8.4	3.9	2.0	5.0	2.0	3.0
			1900 1999	2.0	(1.2)	74.1	458.5	62.5	7.4	2.9	5.5	4.0	3.5	3.5
			1800 1899	4.0	(2.5)	73.2	464.6	53.3	6.9	2.2	3.3	4.5	2.5	3.8
			1700 1799	5.0	(3.1)	73.4	513.1	58.6	8.0	2.8	3.6	4.6	3.0	4.0
			1600 1699	27.0	(16.7)	71.7	506.4	50.3	7.2	3.1	2.1	4.9	2.0	4.6
			1500 1599	3.0	(1.9)	70.5	560.7	54.0	7.8	4.6	2.3	5.3	2.0	5.0
			1400 1499	4.0	(2.5)	72.4	594.9	61.0	9.2	4.0	4.3	4.3	3.0	3.3
			1300 1399	12.0	(7.4)	73.4	502.0	56.9	7.9	2.7	3.5	3.9	2.8	2.8
			1200 1299	15.0	(9.3)	72.4	490.8	52.7	7.5	3.1	3.2	4.2	2.5	2.7
			1100 1199	15.0	(9.3)	72.1	503.3	50.7	7.4	2.9	3.1	4.1	2.3	2.7
			1000 1099	23.0	(14.2)	71.6	510.3	52.3	7.5	3.6	2.7	4.3	2.1	2.8
			900 999	15.0	(9.3)	71.3	488.3	49.0	7.3	3.6	2.5	4.3	2.1	2.8
			800 899	18.0	(11.1)	70.9	526.2	48.4	8.1	4.1	2.2	4.7	2.1	3.0
			700 799	15.0	(9.3)	71.1	531.2	49.3	8.0	3.9	2.5	4.6	2.0	3.1
			600 699	2.0	(1.2)	69.6	515.0	40.5	7.3	4.0	2.0	4.5	2.0	3.0

[illegible]

