

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1500 1599	1.0	( 0.9)	71.9	492.0	56.0	7.8	4.4	5.0	4.0	4.0	3.0
			1300 1399	1.0	( 0.9)	71.0	460.0	47.0	7.6	4.2	4.0	5.0	3.0	3.0
			900 999	3.0	( 2.7)	72.3	439.7	47.0	6.6	2.4	2.0	5.3	2.0	3.0
			800 899	8.0	( 7.1)	71.5	483.0	46.6	6.4	2.5	2.4	4.9	2.0	3.1
			700 799	30.0	( 26.5)	71.4	433.0	42.5	5.9	2.3	2.0	5.5	2.0	4.1
			600 699	39.0	( 34.5)	71.5	453.5	45.3	6.2	2.5	2.1	5.3	2.0	3.7
			500 599	21.0	( 18.6)	71.2	429.9	43.3	5.8	2.6	1.9	5.3	1.8	3.9
			499	10.0	( 8.8)	71.3	396.7	42.2	5.2	2.3	1.9	5.4	1.9	3.6
				113.0	( 79.0)	71.4	440.8	44.1	6.0	2.5	2.1	5.3	2.0	3.7
			500 599	1.0	( 33.3)	71.9	198.0	27.0	3.4	0.9	1.0	5.0	1.0	4.0
			499	2.0	( 66.7)	70.4	271.5	26.5	3.3	1.3	1.0	6.5	1.0	6.5
				3.0	( 2.1)	70.9	247.0	26.7	3.3	1.2	1.0	6.0	1.0	5.7
			1700 1799	1.0	( 4.5)	72.3	394.0	47.0	6.2	2.7	2.0	5.0	2.0	5.0
			1600 1699	6.0	( 27.3)	71.2	417.3	41.3	6.4	3.0	2.2	4.7	2.0	4.7
			1300 1399	3.0	( 13.6)	73.8	402.3	54.0	7.0	2.5	4.0	4.3	3.3	2.3
			1200 1299	1.0	( 4.5)	73.0	361.0	48.0	5.9	2.3	4.0	4.0	3.0	3.0
			1100 1199	1.0	( 4.5)	73.3	382.0	56.0	6.4	3.2	4.0	5.0	3.0	3.0
			1000 1099	2.0	( 9.1)	71.5	412.0	43.5	5.9	2.6	3.0	4.0	2.0	2.5
			500 599	4.0	( 18.2)	70.6	393.0	37.0	4.9	2.2	1.8	6.3	1.8	5.8
			499	4.0	( 18.2)	70.6	274.8	28.0	3.2	1.3	1.3	7.0	1.3	7.0
				22.0	( 15.4)	71.6	379.2	41.3	5.5	2.4	2.4	5.3	2.1	4.6
			500 599	1.0	( 50.0)	71.5	292.5	32.0	4.7	1.8	2.0	6.0	2.0	3.0
			499	1.0	( 50.0)	70.5	456.5	38.0	7.3	3.2	3.0	5.0	2.0	3.0
				2.0	( 1.4)	71.0	374.5	35.0	6.0	2.5	2.5	5.5	2.0	3.0
			2000 2099	1.0	( 0.7)	71.2	582.3	58.0	9.1	5.1	6.0	4.0	4.0	3.0
			1000 1099	1.0	( 50.0)	70.9	529.0	46.0	9.0	4.3	3.0	5.0	2.0	3.0
			900 999	1.0	( 50.0)	74.3	495.8	65.0	7.0	2.2	3.0	4.0	3.0	3.0
				2.0	( 1.4)	72.6	512.4	55.5	8.0	3.3	3.0	4.5	2.5	3.0
			2000 2099	1.0	( 0.7)	71.2	582.3	58.0	9.1	5.1	6.0	4.0	4.0	3.0
			1700 1799	1.0	( 0.7)	72.3	394.0	47.0	6.2	2.7	2.0	5.0	2.0	5.0
			1600 1699	6.0	( 4.2)	71.2	417.3	41.3	6.4	3.0	2.2	4.7	2.0	4.7
			1500 1599	1.0	( 0.7)	71.9	492.0	56.0	7.8	4.4	5.0	4.0	4.0	3.0
			1300 1399	4.0	( 2.8)	73.1	416.8	52.3	7.1	3.0	4.0	4.5	3.3	2.5
			1200 1299	1.0	( 0.7)	73.0	361.0	48.0	5.9	2.3	4.0	4.0	3.0	3.0
			1100 1199	1.0	( 0.7)	73.3	382.0	56.0	6.4	3.2	4.0	5.0	3.0	3.0
			1000 1099	3.0	( 2.1)	71.3	451.0	44.3	6.9	3.2	3.0	4.3	2.0	2.7
			900 999	4.0	( 2.8)	72.8	453.7	51.5	6.7	2.3	2.3	5.0	2.3	3.0
			800 899	8.0	( 5.6)	71.5	483.0	46.6	6.4	2.5	2.4	4.9	2.0	3.1
			700 799	30.0	( 21.0)	71.4	433.0	42.5	5.9	2.3	2.0	5.5	2.0	4.1
			600 699	39.0	( 27.3)	71.5	453.5	45.3	6.2	2.5	2.1	5.3	2.0	3.7



					(%)		(kg)	(cm2)	(cm)	(cm)				
			1300 1399	1.0	( 50.0)	73.8	570.6	63.0	9.2	3.1	4.0	4.0	3.0	3.0
			1200 1299	1.0	( 50.0)	69.1	559.0	48.0	7.6	5.2	4.0	4.0	3.0	3.0
				2.0	( 5.3)	71.5	564.8	55.5	8.4	4.2	4.0	4.0	3.0	3.0
			1300 1399	1.0	( 50.0)	72.5	460.0	56.0	6.5	3.1	3.0	4.0	2.0	3.0
			1000 1099	1.0	( 50.0)	73.0	502.0	52.0	6.6	1.4	3.0	5.0	2.0	3.0
				2.0	( 5.3)	72.8	481.0	54.0	6.5	2.3	3.0	4.5	2.0	3.0
			1800 1899	1.0	( 5.9)	72.7	505.0	49.0	7.3	1.8	2.0	5.0	2.0	4.0
			1700 1799	3.0	( 17.6)	73.0	478.3	55.3	8.0	3.2	3.0	4.7	2.7	4.0
			1600 1699	8.0	( 47.1)	71.6	484.1	49.4	6.8	3.0	2.3	5.1	2.0	4.5
			1200 1299	1.0	( 5.9)	73.8	367.0	52.0	5.4	1.5	5.0	5.0	3.0	2.0
			1100 1199	1.0	( 5.9)	72.8	398.0	43.0	6.2	1.5	2.0	2.0	2.0	2.0
			1000 1099	2.0	( 11.8)	73.9	403.5	53.0	6.0	1.5	2.5	3.0	2.0	2.0
			900 999	1.0	( 5.9)	73.9	415.0	51.0	6.8	1.6	2.0	4.0	2.0	2.0
				17.0	( 44.7)	72.5	458.8	50.7	6.8	2.5	2.5	4.5	2.2	3.6
			1100 1199	1.0	( 2.6)	75.3	431.5	64.0	7.2	2.1	4.0	4.0	3.0	3.0
			900 999	1.0	( 2.6)	72.3	350.0	41.0	5.2	1.7	2.0	5.0	2.0	3.0
			1100 1199	1.0	( 2.6)	72.1	510.0	49.0	7.1	2.3	3.0	4.0	2.0	4.0
			900 999	1.0	( 2.6)	71.2	468.5	50.0	6.8	3.8	2.0	5.0	2.0	3.0
			800 899	1.0	( 2.6)	73.0	507.0	54.0	7.8	2.6	2.0	5.0	2.0	3.0
			900 999	1.0	( 2.6)	72.6	433.0	47.0	6.2	1.9	2.0	3.0	2.0	2.0
			1700 1799	1.0	( 2.6)	74.4	564.4	69.0	8.1	2.6	7.0	3.0	5.0	3.0
			1400 1499	1.0	( 11.1)	71.6	725.0	69.0	9.6	4.5	4.0	4.0	3.0	3.0
			1300 1399	1.0	( 11.1)	72.0	626.2	63.0	9.1	4.2	4.0	5.0	3.0	3.0
			1200 1299	1.0	( 11.1)	69.7	502.2	43.0	7.2	4.3	3.0	5.0	2.0	3.0
			1100 1199	1.0	( 11.1)	69.8	546.0	42.0	7.1	3.2	4.0	5.0	3.0	3.0
			1000 1099	3.0	( 33.3)	69.8	535.5	49.0	7.9	5.0	3.0	4.7	2.3	3.0
			800 899	1.0	( 11.1)	70.6	535.6	51.0	9.0	5.2	3.0	5.0	3.0	3.0
			700 799	1.0	( 11.1)	70.6	555.0	50.0	8.6	4.5	2.0	5.0	2.0	3.0
				9.0	( 23.7)	70.4	566.3	51.7	8.3	4.6	3.2	4.8	2.6	3.0
			499	1.0	( 2.6)	71.3	534.5	50.0	8.4	3.9	2.0	5.0	2.0	3.0
			1800 1899	1.0	( 2.6)	72.7	505.0	49.0	7.3	1.8	2.0	5.0	2.0	4.0
			1700 1799	4.0	( 10.5)	73.4	499.9	58.8	8.0	3.1	4.0	4.3	3.3	3.8

[illegible]