

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			900 999	11.0	(8.2)	68.4	459.7	40.5	5.1	2.0	1.8	4.7	1.8	4.1
			800 899	1.0	(0.7)	69.4	425.0	44.0	5.2	2.0	2.0	5.0	2.0	5.0
			700 799	8.0	(6.0)	69.0	429.3	39.6	5.2	1.7	2.1	5.4	2.0	3.8
			600 699	30.0	(22.4)	69.1	395.9	39.4	4.4	1.5	1.9	5.6	1.8	3.8
			500 599	61.0	(45.5)	68.8	345.2	34.1	3.5	1.2	1.5	5.6	1.4	4.2
			499	23.0	(17.2)	68.9	275.1	28.5	3.0	0.8	1.3	6.2	1.1	4.9
				134.0	(5.5)	68.9	359.5	35.3	3.9	1.3	1.6	5.6	1.5	4.2
			800 899	1.0	(50.0)	69.3	432.0	46.0	5.3	2.5	3.0	5.0	2.0	3.0
			600 699	1.0	(50.0)	67.2	335.0	25.0	4.3	2.3	3.0	5.0	2.0	3.0
				2.0	(0.1)	68.3	383.5	35.5	4.8	2.4	3.0	5.0	2.0	3.0
			700 799	5.0	(5.2)	68.1	433.4	38.2	4.2	1.8	2.0	5.6	1.8	3.0
			600 699	20.0	(20.6)	68.3	400.6	34.9	4.4	1.6	1.9	5.4	1.8	3.9
			500 599	64.0	(66.0)	68.3	330.9	29.9	3.4	1.2	1.5	5.7	1.3	4.2
			499	8.0	(8.2)	68.6	301.0	31.3	3.1	1.3	1.5	5.9	1.4	5.5
				97.0	(4.0)	68.3	348.1	31.5	3.6	1.3	1.6	5.6	1.4	4.2
			700 799	19.0	(7.9)	68.7	434.4	36.9	5.3	1.8	2.0	5.2	2.0	3.1
			600 699	76.0	(31.5)	68.6	389.0	33.6	4.6	1.5	1.9	5.5	1.9	3.4
			500 599	110.0	(45.6)	68.8	334.5	29.3	4.1	1.0	1.8	5.7	1.6	3.9
			499	36.0	(14.9)	69.4	314.0	29.3	4.2	0.8	1.7	6.1	1.4	4.2
				241.0	(9.9)	68.8	356.5	31.3	4.4	1.2	1.9	5.7	1.7	3.7
			600 699	14.0	(73.7)	68.2	397.1	32.6	4.7	1.7	2.2	5.4	1.9	3.3
			500 599	5.0	(26.3)	68.5	295.9	27.8	3.2	1.0	2.0	6.2	1.2	3.2
				19.0	(0.8)	68.3	370.4	31.4	4.3	1.5	2.2	5.6	1.7	3.3
			700 799	4.0	(17.4)	68.9	384.8	36.0	4.7	1.6	2.3	5.3	2.0	4.5
			600 699	10.0	(43.5)	69.0	379.5	33.9	4.6	1.3	1.9	5.8	1.9	3.6
			500 599	9.0	(39.1)	69.3	319.6	34.1	3.7	1.1	1.8	5.7	1.8	4.1
				23.0	(0.9)	69.1	357.0	34.3	4.3	1.3	1.9	5.7	1.9	4.0
			800 899	1.0	(1.1)	70.1	507.0	50.0	6.3	1.9	2.0	4.0	2.0	3.0
			700 799	3.0	(3.2)	68.7	382.5	34.0	4.7	1.6	2.0	5.0	2.0	3.7
			600 699	15.0	(16.0)	69.3	397.3	37.5	5.0	1.5	2.0	5.5	2.0	3.9
			500 599	52.0	(55.3)	69.2	355.5	34.8	4.3	1.2	1.9	5.6	1.8	3.7
			499	23.0	(24.5)	68.7	313.5	29.5	3.4	0.9	1.6	5.9	1.5	4.3
				94.0	(3.9)	69.1	354.4	34.1	4.2	1.2	1.8	5.6	1.8	3.9
			700 799	27.0	(7.8)	68.2	426.6	38.9	4.4	2.0	2.1	5.1	2.0	3.6
			600 699	138.0	(40.0)	68.7	385.1	35.9	3.9	1.3	1.9	5.3	1.8	3.9
			500 599	160.0	(46.4)	68.8	353.3	32.4	3.7	1.0	1.7	5.6	1.6	4.2
			499	20.0	(5.8)	68.6	361.0	33.2	3.5	1.0	1.6	5.8	1.6	4.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				345.0	(14.2)	68.7	372.2	34.4	3.8	1.2	1.8	5.4	1.7	4.1
			900 999	5.0	(0.8)	68.6	464.2	39.4	4.7	1.3	2.2	4.6	2.0	3.8
			800 899	7.0	(1.2)	69.0	467.4	43.1	6.2	2.5	2.4	4.9	2.0	2.3
			700 799	39.0	(6.6)	68.8	423.9	39.6	4.9	1.8	2.1	5.1	2.0	4.0
			600 699	237.0	(40.2)	69.0	392.4	37.4	4.4	1.4	1.9	5.6	1.9	4.0
			500 599	273.0	(46.3)	68.9	339.1	32.8	3.7	1.0	1.8	5.7	1.7	4.3
			499	29.0	(4.9)	69.1	308.8	30.4	3.6	0.8	1.8	5.8	1.8	4.7
				590.0	(24.2)	68.9	367.2	35.2	4.1	1.3	1.9	5.6	1.8	4.1
			800 899	1.0	(0.8)	69.0	596.5	47.0	7.7	2.3	2.0	4.0	2.0	3.0
			700 799	15.0	(12.0)	69.1	423.2	40.7	4.9	1.7	2.1	5.5	2.0	3.9
			600 699	42.0	(33.6)	69.0	356.0	34.1	4.2	1.2	2.0	5.6	1.9	4.1
			500 599	65.0	(52.0)	69.2	287.3	28.4	3.3	0.5	1.6	6.2	1.4	4.3
			499	2.0	(1.6)	69.5	204.5	23.0	3.3	0.6	1.5	6.5	1.5	5.5
				125.0	(5.1)	69.2	327.8	31.8	3.8	0.9	1.8	5.9	1.7	4.2
			800 899	1.0	(1.6)	70.3	391.0	42.0	6.3	2.1	2.0	5.0	2.0	3.0
			700 799	5.0	(7.8)	69.9	380.1	40.8	5.3	1.7	2.0	5.2	2.0	3.6
			600 699	22.0	(34.4)	69.5	369.7	39.0	4.6	1.5	2.0	5.4	2.0	4.0
			500 599	30.0	(46.9)	69.4	326.1	33.4	3.8	0.9	1.8	5.7	1.7	4.3
			499	6.0	(9.4)	69.5	302.6	31.0	3.6	0.6	2.0	5.8	1.7	4.2
				64.0	(2.6)	69.5	344.1	35.8	4.2	1.1	1.9	5.6	1.8	4.1
			800 899	1.0	(0.3)	69.4	412.0	41.0	5.5	2.0	2.0	5.0	2.0	3.0
			700 799	24.0	(8.4)	68.7	427.3	40.8	4.6	1.8	2.1	5.2	1.9	3.4
			600 699	97.0	(33.9)	68.1	406.2	36.2	4.0	1.7	1.9	5.4	1.8	3.4
			500 599	152.0	(53.1)	68.5	344.5	33.7	3.3	1.3	1.4	5.7	1.4	3.8
			499	12.0	(4.2)	68.6	293.8	30.7	3.0	1.2	1.2	5.8	1.2	4.0
				286.0	(11.7)	68.4	370.5	35.0	3.6	1.5	1.6	5.6	1.5	3.7
			700 799	8.0	(36.4)	69.2	413.9	39.9	5.1	1.7	2.1	5.3	2.0	3.9
			600 699	5.0	(22.7)	68.7	408.0	38.2	4.9	2.0	2.4	5.2	2.0	3.8
			500 599	7.0	(31.8)	69.3	305.6	32.0	3.7	1.0	2.0	5.4	2.0	3.9
			499	2.0	(9.1)	68.8	199.8	20.5	2.4	0.3	2.0	6.0	1.0	6.5
				22.0	(0.9)	69.1	358.6	35.2	4.4	1.4	2.1	5.4	1.9	4.1
			700 799	1.0	(4.2)	68.4	415.0	36.0	5.3	2.1	3.0	5.0	2.0	4.0
			600 699	7.0	(29.2)	67.8	388.8	31.4	4.1	1.7	2.0	5.3	2.0	3.4
			500 599	15.0	(62.5)	68.1	339.3	31.3	3.1	1.3	1.8	5.5	1.7	3.6
			499	1.0	(4.2)	68.2	233.0	23.0	3.4	1.6	2.0	6.0	2.0	6.0
				24.0	(1.0)	68.0	352.5	31.2	3.5	1.4	1.9	5.5	1.8	3.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			700 799	3.0	(16.7)	69.1	389.8	38.3	4.6	1.6	2.0	5.0	2.0	4.0
			600 699	9.0	(50.0)	69.3	352.9	37.3	4.4	1.6	2.0	5.7	2.0	4.1
			500 599	6.0	(33.3)	69.0	302.4	30.3	3.9	1.3	2.0	5.3	2.0	3.8
				18.0	(0.7)	69.2	342.3	35.2	4.3	1.5	2.0	5.4	2.0	4.0
			700 799	2.0	(25.0)	68.7	406.8	37.5	3.7	1.1	2.0	6.0	2.0	5.0
			600 699	3.0	(37.5)	69.1	419.3	39.7	4.2	1.2	2.0	5.3	2.0	5.3
			500 599	2.0	(25.0)	68.3	429.5	33.5	4.3	1.1	2.0	5.5	2.0	5.0
			499	1.0	(12.5)	68.4	321.0	30.0	3.5	1.4	1.0	7.0	1.0	4.0
				8.0	(0.3)	68.7	406.4	36.4	4.0	1.2	1.9	5.8	1.9	5.0
			700 799	2.0	(3.6)	68.8	449.0	43.0	4.5	1.7	2.5	6.0	2.0	3.5
			600 699	28.0	(50.9)	68.3	379.1	34.9	4.0	1.7	1.8	5.4	1.7	3.5
			500 599	20.0	(36.4)	68.3	335.1	30.1	3.4	1.1	1.4	5.4	1.3	4.2
			499	5.0	(9.1)	68.9	275.4	31.6	2.8	1.1	1.4	5.8	1.2	4.0
				55.0	(2.3)	68.4	356.2	33.2	3.7	1.4	1.7	5.5	1.5	3.8
			700 799	3.0	(6.8)	68.7	456.0	40.7	4.2	1.2	2.0	6.0	1.7	4.3
			600 699	12.0	(27.3)	68.3	403.3	36.5	4.1	1.7	2.0	5.5	1.9	3.5
			500 599	24.0	(54.5)	68.2	357.2	33.2	3.3	1.3	1.4	6.1	1.4	4.1
			499	5.0	(11.4)	68.9	341.0	35.6	3.2	1.0	1.4	6.2	1.2	4.4
				44.0	(1.8)	68.4	374.7	34.9	3.6	1.4	1.6	5.9	1.5	4.0
			600 699	1.0	(0.0)	71.4	328.0	39.0	4.7	0.1	2.0	5.0	1.0	5.0
			700 799	3.0	(42.9)	67.4	511.2	36.0	5.3	1.9	2.3	5.3	2.0	4.0
			600 699	1.0	(14.3)	70.0	324.5	39.0	3.8	1.0	2.0	7.0	1.0	2.0
			500 599	1.0	(14.3)	70.0	442.8	54.0	5.2	2.6	2.0	6.0	1.0	4.0
			499	2.0	(28.6)	67.7	361.4	26.5	3.4	0.9	2.0	6.5	1.0	5.0
				7.0	(0.3)	68.2	432.0	36.3	4.5	1.6	2.1	6.0	1.4	4.0
			600 699	2.0	(0.1)	68.7	374.0	34.5	4.3	1.4	2.0	5.5	2.0	3.0
			700 799	5.0	(19.2)	69.9	377.1	44.8	5.0	2.1	2.0	4.8	2.0	3.2
			600 699	7.0	(26.9)	70.7	401.3	48.6	5.3	1.6	1.3	5.1	1.3	3.3
			500 599	12.0	(46.2)	70.3	395.5	44.8	4.9	1.4	1.0	5.1	1.0	3.6
			499	2.0	(7.7)	70.7	369.6	46.5	4.7	1.4	1.0	5.0	1.0	3.0
				26.0	(1.1)	70.3	391.5	45.9	5.0	1.6	1.3	5.0	1.3	3.4
			900 999	1.0	(5.3)	68.5	435.6	36.0	4.9	1.5	2.0	5.0	2.0	3.0
			800 899	1.0	(5.3)	68.5	389.0	34.0	4.6	1.7	2.0	5.0	2.0	3.0
			700 799	4.0	(21.1)	68.6	433.8	41.8	4.3	1.9	2.3	6.0	2.0	3.5
			600 699	8.0	(42.1)	68.3	395.1	35.9	3.9	1.6	2.1	5.9	1.9	4.3
			500 599	4.0	(21.1)	69.5	334.9	32.0	3.8	0.5	1.8	6.0	1.8	4.5
			499	1.0	(5.3)	67.9	348.5	28.0	3.8	1.4	2.0	5.0	2.0	4.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
				19.0	(0.8)	68.6	389.9	35.8	4.1	1.4	2.1	5.8	1.9	4.0
			1100 1199	3.0	(6.3)	69.7	449.1	46.7	6.6	2.7	2.3	4.7	2.0	2.7
			1000 1099	2.0	(4.2)	67.3	347.9	27.5	5.3	3.1	3.0	6.0	2.0	7.0
			800 899	1.0	(2.1)	68.8	411.2	37.0	5.0	1.8	2.0	6.0	2.0	3.0
			700 799	10.0	(20.8)	68.8	449.1	44.8	4.2	1.7	2.1	5.4	2.0	3.5
			600 699	15.0	(31.3)	68.5	391.8	37.7	3.7	1.4	1.9	5.8	1.5	4.1
			500 599	11.0	(22.9)	68.3	329.7	28.7	3.6	1.2	1.8	5.5	1.5	3.9
			499	6.0	(12.5)	68.6	289.7	30.0	2.7	0.9	1.2	5.8	1.0	3.2
				48.0	(2.0)	68.6	378.9	36.3	3.9	1.5	1.9	5.6	1.6	3.8
			700 799	1.0	(9.1)	68.5	342.9	30.0	3.7	1.1	2.0	4.0	2.0	4.0
			600 699	3.0	(27.3)	68.3	451.2	40.3	4.5	1.9	2.0	6.0	2.0	5.3
			500 599	7.0	(63.6)	69.7	341.7	37.1	3.8	0.9	1.9	5.1	1.9	4.1
				11.0	(0.5)	69.2	371.7	37.4	4.0	1.2	1.9	5.3	1.9	4.5
			700 799	1.0	(20.0)	69.6	468.8	50.0	5.5	2.2	3.0	4.0	2.0	3.0
			600 699	2.0	(40.0)	69.0	472.6	45.0	5.4	2.0	2.0	5.0	2.0	4.0
			499	2.0	(40.0)	69.5	328.0	33.0	4.0	0.8	2.0	6.5	1.0	3.5
				5.0	(0.2)	69.3	414.0	41.2	4.9	1.6	2.2	5.4	1.6	3.6
			600 699	1.0	(0.0)	68.9	379.2	35.0	4.5	1.4	2.0	5.0	2.0	5.0
			499	2.0	(0.1)	68.9	258.1	26.0	3.0	0.7	1.0	5.5	1.0	3.0
			600 699	2.0	(50.0)	68.3	388.0	36.0	4.1	1.8	2.0	5.5	2.0	4.5
			499	2.0	(50.0)	68.3	307.2	30.0	2.4	0.8	2.0	5.5	1.0	3.0
				4.0	(0.2)	68.3	347.6	33.0	3.2	1.3	2.0	5.5	1.5	3.8
			700 799	9.0	(14.1)	68.0	397.7	34.7	3.9	1.7	2.0	5.7	1.8	3.9
			600 699	24.0	(37.5)	68.9	403.1	38.9	4.2	1.5	1.8	5.6	1.8	4.2
			500 599	30.0	(46.9)	68.8	346.4	33.1	3.7	1.1	1.6	5.6	1.5	4.2
			499	1.0	(1.6)	69.3	284.0	33.0	4.0	1.7	3.0	6.0	2.0	6.0
				64.0	(2.6)	68.7	373.9	35.5	3.9	1.3	1.8	5.6	1.6	4.2
			700 799	1.0	(4.2)	67.3	506.6	41.0	4.4	2.3	2.0	5.0	2.0	4.0
			600 699	11.0	(45.8)	69.1	402.5	38.5	4.4	1.4	2.1	5.1	2.0	3.6
			500 599	11.0	(45.8)	69.4	407.4	42.1	3.9	1.1	2.0	5.7	1.8	4.2
			499	1.0	(4.2)	69.0	381.7	38.0	4.1	1.4	2.0	6.0	1.0	4.0
				24.0	(1.0)	69.1	408.2	40.2	4.2	1.3	2.0	5.4	1.9	3.9
			700 799	2.0	(10.0)	68.2	442.6	35.0	4.5	1.4	2.0	6.0	2.0	4.0
			600 699	8.0	(40.0)	68.7	401.7	36.5	4.2	1.4	1.8	5.5	1.6	4.4

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			600 699	2.0	(0.7)	68.5	295.0	27.5	3.7	1.4	1.5	4.5	1.5	3.0
			900 999	1.0	(33.3)	69.2	420.0	40.0	6.4	2.6	5.0	4.0	4.0	2.0
			700 799	1.0	(33.3)	67.5	346.0	35.0	3.6	2.8	2.0	5.0	2.0	2.0
			600 699	1.0	(33.3)	68.9	376.0	34.0	4.7	1.5	3.0	5.0	2.0	3.0
				3.0	(1.0)	68.5	380.7	36.3	4.9	2.3	3.3	4.7	2.7	2.3
			800 899	1.0	(14.3)	69.4	426.0	43.0	4.6	1.5	2.0	5.0	2.0	3.0
			700 799	4.0	(57.1)	68.3	432.5	38.0	4.8	1.9	2.0	4.5	2.0	2.8
			600 699	1.0	(14.3)	68.5	324.0	32.0	3.8	1.7	1.0	5.0	1.0	4.0
			500 599	1.0	(14.3)	68.9	299.0	36.0	3.1	1.6	1.0	5.0	1.0	4.0
				7.0	(2.3)	68.6	397.0	37.6	4.4	1.8	1.7	4.7	1.7	3.1
			800 899	2.0	(66.7)	67.7	531.5	40.5	5.8	2.4	2.0	5.0	2.0	2.0
			700 799	1.0	(33.3)	69.7	468.5	49.0	6.4	2.8	2.0	4.0	2.0	3.0
				3.0	(1.0)	68.4	510.5	43.3	6.0	2.5	2.0	4.7	2.0	2.3
			800 899	2.0	(50.0)	68.8	502.5	46.0	6.0	2.5	2.0	4.5	2.0	3.0
			700 799	1.0	(25.0)	65.8	530.0	39.0	5.8	4.3	2.0	4.0	2.0	3.0
			600 699	1.0	(25.0)	67.7	490.0	45.0	5.3	3.1	2.0	5.0	2.0	4.0
				4.0	(1.3)	67.8	506.3	44.0	5.8	3.1	2.0	4.5	2.0	3.3
			700 799	1.0	(33.3)	69.6	446.0	48.0	5.3	2.1	3.0	5.0	2.0	3.0
			600 699	2.0	(66.7)	69.2	491.5	43.0	6.5	2.3	2.5	4.5	2.0	3.5
				3.0	(1.0)	69.3	476.3	44.7	6.1	2.2	2.7	4.7	2.0	3.3
			700 799	2.0	(0.7)	69.3	399.0	38.0	5.8	2.0	2.0	4.0	2.0	2.0
			900 999	1.0	(6.3)	68.4	422.0	40.0	4.5	2.2	2.0	4.0	2.0	3.0
			800 899	1.0	(6.3)	69.0	449.5	41.0	5.8	2.2	2.0	5.0	2.0	2.0
			700 799	1.0	(6.3)	68.9	392.0	43.0	3.2	1.4	2.0	5.0	2.0	3.0
			600 699	5.0	(31.3)	68.7	316.4	30.4	3.9	1.4	2.0	5.0	2.0	3.2
			500 599	8.0	(50.0)	68.7	303.5	31.8	3.4	1.4	2.0	5.0	2.0	3.4
				16.0	(5.3)	68.7	329.6	33.1	3.8	1.5	2.0	4.9	2.0	3.2
			600 699	2.0	(0.7)	70.5	302.8	38.0	3.6	0.5	1.5	6.0	1.5	4.0
			800 899	1.0	(6.7)	70.7	522.0	62.0	5.5	2.1	2.0	5.0	2.0	3.0
			700 799	7.0	(46.7)	68.9	462.0	44.1	4.9	1.9	2.1	4.7	2.0	2.9
			600 699	7.0	(46.7)	68.0	506.6	42.1	5.4	2.4	2.4	4.4	2.0	3.0
				15.0	(5.0)	68.6	486.8	44.4	5.2	2.1	2.3	4.6	2.0	2.9

					(%)		(kg)	(cm2)	(cm)	(cm)				
			700 799	2.0	(66.7)	69.3	429.5	42.0	5.5	2.1	2.0	5.0	2.0	2.5
			500 599	1.0	(33.3)	68.3	356.0	30.0	5.3	2.3	2.0	5.0	2.0	3.0
				3.0	(1.0)	69.0	405.0	38.0	5.4	2.2	2.0	5.0	2.0	2.7
			800 899	11.0	(15.7)	67.3	469.4	37.5	5.1	2.7	2.1	4.1	2.0	2.1
			700 799	50.0	(71.4)	68.4	467.4	41.7	5.3	2.3	2.1	4.3	2.0	2.3
			600 699	8.0	(11.4)	68.5	409.9	34.9	4.9	1.7	2.0	4.6	2.0	2.1
			499	1.0	(1.4)	69.8	232.5	27.0	3.6	0.6	2.0	6.0	1.0	2.0
				70.0	(23.3)	68.3	457.8	40.0	5.2	2.2	2.1	4.3	2.0	2.2
			500 599	1.0	(0.3)	68.9	301.0	33.0	3.6	1.5	2.0	5.0	2.0	3.0
			1000 1099	14.0	(41.2)	68.6	455.6	42.4	5.4	2.4	2.1	4.9	2.0	3.0
			800 899	3.0	(8.8)	67.9	469.5	38.3	5.0	2.1	2.3	5.7	2.0	3.0
			700 799	1.0	(2.9)	70.3	305.0	41.0	4.8	2.0	2.0	4.0	2.0	3.0
			600 699	7.0	(20.6)	69.8	265.4	31.1	4.5	1.4	2.0	4.3	2.0	2.3
			500 599	9.0	(26.5)	69.4	252.3	28.1	4.1	1.3	2.0	4.1	2.0	2.3
				34.0	(11.3)	69.1	359.4	35.9	4.8	1.9	2.1	4.6	2.0	2.7
			700 799	2.0	(25.0)	68.8	389.5	37.5	4.2	1.4	2.0	4.0	2.0	2.5
			600 699	5.0	(62.5)	68.7	318.2	31.4	3.6	1.3	2.2	4.4	2.0	3.0
			500 599	1.0	(12.5)	68.6	304.0	27.0	3.8	1.1	1.0	5.0	1.0	3.0
				8.0	(2.7)	68.7	334.3	32.4	3.8	1.3	2.0	4.4	1.9	2.9
			1000 1099	1.0	(14.3)	70.2	486.6	52.0	5.7	1.7	4.0	4.0	3.0	3.0
			900 999	1.0	(14.3)	67.8	401.6	30.0	4.8	1.8	2.0	4.0	2.0	3.0
			800 899	1.0	(14.3)	68.4	394.2	34.0	5.2	2.1	2.0	5.0	2.0	3.0
			700 799	2.0	(28.6)	68.7	363.0	35.0	4.5	1.9	2.0	5.0	2.0	3.0
			600 699	1.0	(14.3)	68.3	361.0	30.0	4.6	1.6	2.0	6.0	2.0	3.0
			500 599	1.0	(14.3)	68.2	393.6	31.0	4.3	1.2	2.0	6.0	2.0	3.0
				7.0	(2.3)	68.6	394.7	35.3	4.8	1.7	2.3	5.0	2.1	3.0
			900 999	1.0	(0.3)	70.9	508.8	56.0	6.2	1.7	3.0	5.0	2.0	3.0
			700 799	3.0	(1.0)	69.7	408.1	43.7	5.4	2.0	2.0	5.0	2.0	3.3
			700 799	1.0	(0.3)	70.4	533.8	60.0	5.3	1.8	2.0	6.0	2.0	2.0
			1000 1099	4.0	(80.0)	68.0	432.6	38.5	4.9	2.5	3.3	4.5	2.5	2.3
			700 799	1.0	(20.0)	70.9	462.6	50.0	6.2	1.5	3.0	5.0	2.0	3.0
				5.0	(1.7)	68.6	438.6	40.8	5.2	2.3	3.2	4.6	2.4	2.4
			1100 1199	1.0	(33.3)	68.8	345.2	38.0	4.4	2.4	2.0	6.0	2.0	3.0
			900 999	1.0	(33.3)	69.7	340.6	42.0	5.1	2.5	2.0	5.0	2.0	3.0

[illegible]