

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1900 1999	1.0	(0.3)	70.7	536.2	64.0	7.3	3.4	8.0	4.0	5.0	3.0
			1800 1899	4.0	(1.1)	72.1	532.9	70.0	7.8	3.2	7.8	3.8	4.5	3.0
			1700 1799	9.0	(2.4)	72.0	550.6	66.4	8.1	2.8	5.4	4.3	4.0	3.0
			1600 1699	28.0	(7.5)	71.1	521.3	58.2	7.8	2.8	4.4	4.3	3.4	2.9
			1500 1599	73.0	(19.6)	70.8	513.3	56.9	7.6	2.9	4.1	4.3	3.1	2.8
			1400 1499	97.0	(26.0)	70.2	497.2	52.7	7.3	2.9	3.6	4.2	2.7	2.8
			1300 1399	80.0	(21.4)	69.9	495.0	50.4	7.2	2.9	3.1	4.4	2.5	2.9
			1200 1299	51.0	(13.7)	69.8	487.7	50.5	7.0	3.0	2.7	4.2	2.1	2.7
			1100 1199	15.0	(4.0)	69.5	485.7	48.5	6.9	2.9	2.7	4.4	2.0	2.8
			1000 1099	4.0	(1.1)	68.3	462.0	42.0	5.7	2.8	2.5	4.3	2.0	2.5
			900 999	3.0	(0.8)	69.5	409.7	40.0	6.2	2.3	2.7	4.7	2.0	3.7
			800 899	5.0	(1.3)	69.5	390.6	42.8	4.9	2.0	3.0	4.8	2.0	4.0
			700 799	1.0	(0.3)	70.4	453.0	46.0	6.2	1.5	2.0	5.0	2.0	3.0
			600 699	2.0	(0.5)	69.6	515.0	47.5	6.8	2.1	2.0	5.0	2.0	3.0
				373.0	(10.5)	70.3	499.2	53.1	7.3	2.9	3.5	4.3	2.7	2.9
			1800 1899	1.0	(2.3)	72.7	487.0	65.0	7.4	2.1	9.0	4.0	5.0	3.0
			1700 1799	3.0	(6.8)	70.5	523.7	54.3	7.7	2.9	6.0	4.0	4.0	3.0
			1600 1699	3.0	(6.8)	70.2	479.3	51.0	7.2	2.9	6.0	4.3	4.0	2.7
			1500 1599	16.0	(36.4)	70.4	491.1	54.1	7.4	3.2	4.0	4.4	3.1	2.9
			1400 1499	9.0	(20.5)	69.8	472.0	48.0	7.3	3.0	3.3	4.6	2.6	3.1
			1300 1399	5.0	(11.4)	69.9	449.8	48.8	7.0	3.2	2.8	4.0	2.2	3.0
			1100 1199	1.0	(2.3)	68.8	459.0	48.0	5.7	3.1	3.0	5.0	2.0	3.0
			1000 1099	1.0	(2.3)	69.1	464.0	45.0	5.0	1.8	3.0	5.0	2.0	3.0
			900 999	3.0	(6.8)	68.9	436.7	43.0	5.6	2.6	3.0	5.3	2.0	4.3
			800 899	1.0	(2.3)	68.1	327.0	33.0	3.6	2.0	3.0	6.0	2.0	4.0
			700 799	1.0	(2.3)	67.4	416.0	32.0	4.3	2.0	2.0	6.0	2.0	4.0
				44.0	(1.2)	70.0	473.3	50.2	7.0	3.0	3.9	4.5	2.9	3.1
			1900 1999	1.0	(2.9)	73.2	458.0	61.0	7.8	1.7	5.0	3.0	4.0	3.0
			1700 1799	4.0	(11.4)	73.2	505.0	64.8	8.0	1.9	5.8	3.0	4.0	2.8
			1600 1699	1.0	(2.9)	71.6	470.0	58.0	6.8	2.3	5.0	4.0	3.0	3.0
			1500 1599	11.0	(31.4)	70.8	495.5	55.5	7.6	2.9	4.5	4.2	3.5	2.8
			1400 1499	8.0	(22.9)	70.4	475.5	56.1	7.1	3.3	4.0	3.8	3.1	2.8
			1300 1399	5.0	(14.3)	70.0	484.0	50.6	7.1	2.8	3.6	3.8	2.8	2.2
			1200 1299	5.0	(14.3)	69.8	447.6	48.4	6.1	2.6	2.8	4.8	2.0	2.8
				35.0	(1.0)	70.8	481.7	55.2	7.2	2.8	4.2	3.9	3.1	2.7
			1900 1999	3.0	(2.7)	73.3	548.5	76.0	8.5	3.0	8.3	3.3	5.0	2.7
			1700 1799	5.0	(4.5)	70.9	574.2	61.2	8.4	3.2	6.6	3.6	4.4	2.8
			1600 1699	18.0	(16.2)	71.2	543.8	63.6	8.1	3.4	6.1	3.8	4.2	2.6
			1500 1599	24.0	(21.6)	70.2	531.9	56.8	8.1	3.7	5.0	4.1	3.5	2.6
			1400 1499	29.0	(26.1)	70.3	547.7	59.3	7.8	3.5	4.6	4.0	3.4	2.8
			1300 1399	17.0	(15.3)	70.3	528.3	55.5	8.0	3.3	3.7	4.4	2.8	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1200 1299	9.0	(8.1)	69.3	526.7	50.1	7.5	3.3	3.0	4.6	2.2	3.0
			1100 1199	2.0	(1.8)	69.7	494.3	51.0	7.5	3.5	2.5	5.0	2.0	3.0
			1000 1099	2.0	(1.8)	67.1	648.5	55.5	9.1	6.0	3.0	4.5	2.5	3.0
			900 999	1.0	(0.9)	70.3	545.1	54.0	8.1	3.0	3.0	5.0	2.0	4.0
			499	1.0	(0.9)	69.2	288.5	26.0	4.8	1.3	2.0	6.0	2.0	6.0
				111.0	(3.1)	70.4	538.7	58.1	8.0	3.5	4.7	4.1	3.4	2.8
			500 599	1.0	(0.0)	69.8	296.0	32.0	5.6	1.9	2.0	5.0	2.0	4.0
			1700 1799	1.0	(14.3)	71.0	595.0	70.0	8.5	4.1	6.0	4.0	4.0	3.0
			1100 1199	4.0	(57.1)	69.9	345.1	38.3	5.8	2.1	4.3	3.0	3.0	2.3
			1000 1099	1.0	(14.3)	69.5	334.5	34.0	5.7	2.1	4.0	4.0	3.0	2.0
			900 999	1.0	(14.3)	69.2	308.9	29.0	5.1	1.6	3.0	4.0	2.0	2.0
				7.0	(0.2)	69.9	374.1	40.9	6.1	2.3	4.3	3.4	3.0	2.3
			1900 1999	2.0	(1.0)	74.1	577.0	85.5	8.2	2.9	8.5	4.0	5.0	2.0
			1800 1899	1.0	(0.5)	70.5	571.0	75.0	6.9	4.5	7.0	5.0	4.0	3.0
			1700 1799	8.0	(4.0)	71.3	551.6	66.8	7.8	3.4	6.0	4.4	4.1	2.9
			1600 1699	16.0	(8.0)	71.9	523.8	63.6	7.9	2.8	5.6	4.2	4.0	2.7
			1500 1599	21.0	(10.4)	70.6	536.0	58.4	8.0	3.3	5.0	4.2	3.6	2.6
			1400 1499	64.0	(31.8)	70.4	497.3	55.7	7.3	3.1	4.1	4.3	3.1	2.7
			1300 1399	35.0	(17.4)	69.6	497.8	51.5	7.3	3.4	3.7	4.4	2.9	2.8
			1200 1299	30.0	(14.9)	70.0	496.2	52.2	7.2	3.0	2.7	4.3	2.0	2.8
			1100 1199	19.0	(9.5)	69.7	481.5	50.2	7.1	3.3	2.8	4.6	2.1	2.4
			1000 1099	4.0	(2.0)	69.0	461.5	43.8	6.8	3.2	2.8	4.5	2.0	2.5
			500 599	1.0	(0.5)	67.2	320.0	27.0	3.9	2.5	3.0	5.0	2.0	4.0
				201.0	(5.7)	70.3	503.6	55.3	7.4	3.2	4.0	4.3	3.0	2.7
			1800 1899	4.0	(1.6)	72.4	514.3	64.0	7.9	2.4	6.5	3.8	4.3	2.8
			1700 1799	15.0	(6.1)	72.0	502.5	63.7	7.8	2.8	6.5	3.9	4.3	2.8
			1600 1699	43.0	(17.6)	71.0	498.2	56.7	7.4	2.7	5.4	3.9	3.9	2.8
			1500 1599	61.0	(25.0)	70.7	479.9	53.7	7.2	2.7	4.1	4.1	3.1	2.9
			1400 1499	43.0	(17.6)	70.1	483.2	50.4	7.1	2.8	3.6	4.0	2.8	2.7
			1300 1399	47.0	(19.3)	69.7	473.7	50.5	6.8	3.2	3.2	4.1	2.4	2.7
			1200 1299	26.0	(10.7)	70.0	452.0	49.2	6.5	2.7	2.6	4.2	2.0	2.7
			1100 1199	4.0	(1.6)	70.4	467.3	53.3	6.8	2.8	3.0	4.3	2.0	3.0
			900 999	1.0	(0.4)	68.8	297.0	29.0	4.5	1.8	2.0	4.0	2.0	2.0
				244.0	(6.9)	70.5	480.5	53.2	7.1	2.8	4.1	4.0	3.0	2.8
			1900 1999	1.0	(0.6)	70.3	586.0	59.0	8.3	3.3	9.0	3.0	5.0	3.0
			1800 1899	2.0	(1.1)	72.8	530.0	68.0	7.8	2.1	5.5	3.5	4.0	2.5
			1700 1799	9.0	(5.0)	71.7	520.1	60.1	8.0	2.6	6.6	3.9	4.3	2.8
			1600 1699	18.0	(10.1)	71.4	488.8	57.8	7.8	2.8	5.4	3.9	3.8	2.9

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1500 1599	35.0	(19.6)	70.2	505.6	54.3	7.5	3.2	3.9	4.1	3.0	2.8
			1400 1499	45.0	(25.1)	70.0	517.3	52.8	7.5	3.1	3.5	4.3	2.8	2.8
			1300 1399	31.0	(17.3)	69.4	498.2	49.7	7.1	3.3	3.4	4.2	2.5	2.6
			1200 1299	23.0	(12.8)	69.1	506.6	48.5	7.2	3.4	2.6	4.4	2.1	2.7
			1100 1199	10.0	(5.6)	68.7	486.6	45.9	6.9	3.6	2.7	4.6	2.0	2.9
			1000 1099	1.0	(0.6)	70.0	316.0	36.0	5.1	1.7	2.0	4.0	2.0	2.0
			900 999	2.0	(1.1)	68.4	497.5	46.0	6.0	3.0	3.0	5.0	2.0	2.5
			800 899	1.0	(0.6)	67.6	409.0	33.0	5.1	2.6	2.0	5.0	2.0	4.0
			500 599	1.0	(0.6)	70.4	218.0	34.0	3.3	0.9	2.0	4.0	2.0	2.0
				179.0	(5.0)	70.0	502.8	52.3	7.3	3.1	3.8	4.2	2.8	2.8
			2500	1.0	(0.2)	75.1	596.0	87.0	8.6	2.2	10.0	3.0	5.0	3.0
			2300 2399	2.0	(0.4)	77.0	535.5	101.5	7.8	2.3	10.5	3.0	5.0	3.0
			2200 2299	2.0	(0.4)	76.8	641.5	107.5	8.7	2.7	10.5	3.0	5.0	3.0
			2100 2199	6.0	(1.2)	75.1	560.8	86.5	8.5	2.5	9.3	3.3	5.0	2.8
			2000 2099	5.0	(1.0)	74.6	603.2	90.0	8.2	2.7	8.6	3.4	5.0	2.8
			1900 1999	16.0	(3.3)	73.6	559.4	78.8	8.1	2.8	8.3	3.6	4.9	3.0
			1800 1899	26.0	(5.3)	72.9	535.2	73.6	7.9	2.9	6.9	3.6	4.7	2.8
			1700 1799	31.0	(6.3)	72.9	518.5	70.7	7.6	2.5	6.3	3.7	4.3	2.9
			1600 1699	114.0	(23.2)	72.1	513.7	66.2	7.6	2.8	5.2	3.9	3.8	2.9
			1500 1599	160.0	(32.5)	71.4	509.0	62.6	7.5	3.0	4.3	4.1	3.3	2.9
			1400 1499	64.0	(13.0)	70.7	502.1	58.1	7.4	3.3	3.3	4.3	2.4	2.8
			1300 1399	43.0	(8.7)	70.1	487.0	54.2	7.0	3.2	2.8	4.6	2.1	2.9
			1200 1299	11.0	(2.2)	69.3	481.2	52.7	6.9	4.0	2.7	4.3	2.2	2.9
			1100 1199	3.0	(0.6)	68.7	492.7	53.3	7.5	4.9	3.0	4.0	2.0	3.0
			1000 1099	3.0	(0.6)	69.2	402.7	41.7	4.7	1.9	2.7	5.0	2.0	3.3
			800 899	3.0	(0.6)	70.1	303.0	38.0	4.1	1.3	2.0	4.0	2.0	3.0
			600 699	1.0	(0.2)	69.1	312.0	35.0	3.7	1.5	2.0	4.0	2.0	3.0
			499	1.0	(0.2)	69.1	228.0	28.0	3.3	1.4	3.0	4.0	2.0	3.0
				492.0	(13.8)	71.6	509.7	64.0	7.5	3.0	4.7	4.0	3.4	2.9
			1700 1799	1.0	(12.5)	74.4	487.5	76.0	7.8	2.1	7.0	4.0	4.0	3.0
			1600 1699	2.0	(25.0)	72.5	464.0	65.0	7.5	2.9	6.5	3.5	4.0	3.0
			1500 1599	2.0	(25.0)	73.0	538.3	69.0	7.5	1.9	4.0	4.0	3.0	2.5
			1400 1499	2.0	(25.0)	70.5	476.3	52.5	6.8	2.5	3.5	4.0	2.5	2.0
			1300 1399	1.0	(12.5)	70.6	431.0	48.0	6.7	2.3	4.0	4.0	3.0	3.0
				8.0	(0.2)	72.1	484.4	62.1	7.2	2.4	4.9	3.9	3.3	2.6
			2100 2199	6.0	(1.0)	74.2	573.0	81.7	8.4	2.5	10.7	3.5	5.0	2.3
			2000 2099	9.0	(1.4)	73.3	539.6	73.0	8.0	2.4	9.6	4.0	5.0	2.6
			1900 1999	7.0	(1.1)	73.3	548.1	76.1	7.9	2.7	8.9	3.9	4.7	2.6
			1800 1899	26.0	(4.2)	71.8	537.3	64.7	7.9	2.8	6.9	4.0	4.3	2.5
			1700 1799	63.0	(10.1)	71.8	515.8	62.7	7.7	2.6	6.1	3.9	4.0	2.5
			1600 1699	111.0	(17.8)	71.1	516.9	59.3	7.5	2.8	5.0	3.7	3.6	2.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1500 1599	154.0	(24.8)	70.6	506.5	56.3	7.3	2.9	4.0	4.0	3.0	2.6
			1400 1499	131.0	(21.1)	70.2	492.0	52.7	7.0	2.8	3.5	4.3	2.6	2.7
			1300 1399	57.0	(9.2)	69.8	494.4	50.4	6.9	2.8	3.1	4.1	2.3	2.7
			1200 1299	37.0	(5.9)	69.6	461.1	47.9	6.5	2.9	2.8	4.0	2.1	2.5
			1100 1199	7.0	(1.1)	68.8	463.6	46.1	6.2	3.3	2.7	4.1	2.0	2.6
			1000 1099	6.0	(1.0)	69.2	419.0	41.3	5.7	2.4	3.0	3.8	2.2	2.7
			900 999	4.0	(0.6)	68.8	358.0	38.0	4.2	2.0	3.0	4.5	2.3	3.0
			800 899	3.0	(0.5)	68.6	292.0	32.3	3.9	2.1	2.0	4.3	2.0	2.7
			700 799	1.0	(0.2)	69.0	457.0	43.0	6.0	2.5	2.0	5.0	2.0	3.0
				622.0	(17.5)	70.7	501.9	56.2	7.2	2.8	4.4	4.0	3.1	2.6
			1600 1699	3.0	(13.0)	71.3	490.3	56.7	7.9	2.9	5.3	4.0	4.0	3.0
			1500 1599	9.0	(39.1)	70.3	535.0	57.6	7.8	3.5	4.2	4.7	3.1	3.0
			1400 1499	6.0	(26.1)	69.5	546.3	52.2	8.1	3.7	3.3	4.2	2.7	3.0
			1300 1399	4.0	(17.4)	69.3	574.8	57.0	8.4	4.4	3.3	4.5	2.3	3.0
			1200 1299	1.0	(4.3)	68.5	526.0	51.0	6.7	3.8	3.0	5.0	2.0	3.0
				23.0	(0.6)	69.9	538.7	55.7	7.9	3.6	3.9	4.4	2.9	3.0
			2000 2099	1.0	(1.6)	75.5	527.0	77.0	9.1	1.6	11.0	3.0	5.0	3.0
			1900 1999	3.0	(4.8)	74.0	518.7	73.0	8.3	2.2	8.3	3.7	4.7	2.7
			1800 1899	3.0	(4.8)	71.5	498.3	64.7	7.1	3.0	6.7	4.0	4.3	3.0
			1700 1799	8.0	(12.9)	71.8	527.1	63.6	7.8	2.8	6.3	3.9	4.0	2.8
			1600 1699	12.0	(19.4)	71.5	510.0	60.3	7.7	2.9	4.8	3.8	3.8	2.7
			1500 1599	13.0	(21.0)	70.7	521.8	58.0	7.9	3.4	4.3	4.1	3.3	3.0
			1400 1499	7.0	(11.3)	69.8	501.0	52.6	7.2	3.3	3.7	4.0	2.9	2.9
			1300 1399	8.0	(12.9)	69.8	495.1	51.1	7.6	3.5	3.3	4.4	2.5	2.9
			1200 1299	5.0	(8.1)	68.7	487.2	47.0	6.9	3.7	3.0	4.8	2.0	3.0
			1100 1199	1.0	(1.6)	66.0	499.0	44.0	6.4	5.7	2.0	5.0	2.0	3.0
			500 599	1.0	(1.6)	70.2	291.0	35.0	4.7	1.4	2.0	6.0	2.0	3.0
				62.0	(1.7)	70.8	506.3	57.5	7.6	3.1	4.7	4.1	3.3	2.9
			1700 1799	3.0	(14.3)	72.2	557.5	71.3	7.7	2.9	8.7	3.3	4.7	3.0
			1600 1699	5.0	(23.8)	71.5	503.9	65.6	7.4	3.3	5.6	3.4	3.8	3.0
			1500 1599	5.0	(23.8)	70.6	501.1	54.4	7.3	2.7	4.6	3.8	3.0	3.0
			1400 1499	3.0	(14.3)	71.1	496.9	59.0	7.5	3.0	3.7	4.3	2.7	3.0
			1300 1399	4.0	(19.0)	69.4	504.6	52.5	7.4	3.8	3.8	4.3	2.8	3.0
			1100 1199	1.0	(4.8)	71.3	463.5	51.0	7.9	2.5	2.0	5.0	2.0	3.0
				21.0	(0.6)	70.9	508.1	59.6	7.4	3.1	5.0	3.9	3.3	3.0
			1700 1799	7.0	(15.6)	70.7	473.1	51.0	7.0	2.3	3.4	3.9	2.9	2.1
			1600 1699	11.0	(24.4)	70.5	486.9	51.0	7.2	2.6	3.4	4.5	2.5	2.6
			1500 1599	9.0	(20.0)	70.7	458.1	49.7	6.8	2.2	3.0	4.0	2.4	2.3
			1400 1499	10.0	(22.2)	69.8	473.0	47.3	6.8	2.7	2.7	4.3	2.2	2.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1300 1399	3.0	(6.7)	70.6	476.5	48.3	6.8	1.9	2.3	5.0	2.0	2.3
			1200 1299	4.0	(8.9)	70.6	466.9	50.0	6.8	2.2	2.3	4.5	2.0	2.3
			1100 1199	1.0	(2.2)	68.8	506.5	49.0	6.2	3.1	2.0	5.0	2.0	3.0
				45.0	(1.3)	70.4	473.8	49.6	6.9	2.4	3.0	4.3	2.4	2.5
			1700 1799	1.0	(5.9)	71.1	511.4	62.0	6.7	2.7	7.0	4.0	4.0	3.0
			1600 1699	3.0	(17.6)	71.7	472.7	58.0	7.6	2.6	5.3	3.7	4.0	3.0
			1500 1599	6.0	(35.3)	70.8	457.0	53.2	7.2	2.8	3.8	4.0	3.2	2.7
			1400 1499	5.0	(29.4)	70.6	478.7	54.2	7.2	2.9	3.0	4.0	2.8	3.0
			1300 1399	2.0	(11.8)	70.5	417.9	44.0	7.5	2.6	2.5	5.0	2.0	2.5
				17.0	(0.5)	70.9	464.8	53.8	7.3	2.8	3.9	4.1	3.1	2.8
			2000 2099	1.0	(1.1)	73.6	557.8	76.0	9.4	3.2	9.0	4.0	5.0	2.0
			1900 1999	1.0	(1.1)	73.5	592.7	83.0	8.5	3.2	9.0	4.0	5.0	3.0
			1800 1899	4.0	(4.4)	72.5	521.4	67.0	7.5	2.3	7.8	3.3	4.8	2.8
			1700 1799	15.0	(16.7)	72.4	527.9	67.0	7.7	2.4	6.7	3.9	4.2	2.9
			1600 1699	20.0	(22.2)	72.0	520.2	63.1	8.0	2.7	5.8	4.0	4.0	2.9
			1500 1599	23.0	(25.6)	70.6	518.2	57.6	7.3	2.9	4.0	4.2	3.1	3.0
			1400 1499	11.0	(12.2)	70.3	526.8	53.5	7.6	2.8	3.4	4.0	2.5	2.9
			1300 1399	10.0	(11.1)	70.0	486.8	50.8	7.2	2.9	3.0	4.4	2.0	3.0
			1200 1299	4.0	(4.4)	70.3	445.4	48.0	6.5	2.3	2.3	4.5	2.0	3.0
			1000 1099	1.0	(1.1)	68.4	359.0	36.0	5.6	3.2	2.0	4.0	2.0	2.0
				90.0	(2.5)	71.2	514.2	59.4	7.5	2.7	4.9	4.1	3.3	2.9
			2300 2399	1.0	(0.8)	73.3	447.6	68.0	7.0	2.2	5.0	4.0	4.0	3.0
			2100 2199	1.0	(0.8)	70.3	450.6	53.0	6.8	3.1	7.0	4.0	5.0	3.0
			2000 2099	4.0	(3.1)	72.5	480.6	67.5	7.2	2.7	8.5	3.5	4.8	3.0
			1900 1999	6.0	(4.7)	72.7	485.5	68.8	7.5	2.8	9.2	3.7	5.0	3.0
			1800 1899	16.0	(12.6)	72.3	456.9	64.0	7.2	2.7	7.3	3.8	4.4	3.0
			1700 1799	16.0	(12.6)	71.2	498.3	62.2	7.6	3.4	5.9	3.7	3.9	3.0
			1600 1699	39.0	(30.7)	70.7	498.4	59.0	7.2	3.2	4.7	4.0	3.5	2.9
			1500 1599	20.0	(15.7)	69.8	503.7	55.0	7.4	3.7	4.0	4.3	3.0	3.0
			1400 1499	12.0	(9.4)	69.5	491.2	53.9	6.8	3.6	3.8	4.3	2.8	3.0
			1300 1399	7.0	(5.5)	69.8	469.5	50.7	6.5	2.9	2.6	4.3	2.1	3.0
			1200 1299	4.0	(3.1)	69.8	476.2	54.0	6.7	3.4	2.8	4.5	2.0	3.0
			1100 1199	1.0	(0.8)	68.4	508.4	48.0	7.5	4.2	3.0	4.0	3.0	3.0
				127.0	(3.6)	70.8	489.1	59.0	7.2	3.2	5.2	4.0	3.5	3.0
			1600 1699	1.0	(50.0)	69.4	571.4	67.0	7.6	5.0	6.0	4.0	4.0	3.0
			1400 1499	1.0	(50.0)	69.3	583.9	62.0	8.4	4.9	3.0	5.0	2.0	2.0
				2.0	(0.1)	69.3	577.6	64.5	8.0	5.0	4.5	4.5	3.0	2.5
			1600 1699	9.0	(64.3)	70.5	526.6	55.6	7.4	2.7	3.6	4.0	3.0	3.0
			1400 1499	2.0	(14.3)	69.3	515.8	51.0	7.3	3.5	2.0	4.5	2.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1300 1399	1.0	(7.1)	70.9	482.5	54.0	6.8	2.3	2.0	5.0	2.0	3.0
			1200 1299	1.0	(7.1)	67.3	484.0	42.0	5.4	3.4	2.0	5.0	2.0	3.0
			1000 1099	1.0	(7.1)	70.1	369.0	39.0	5.2	1.3	2.0	5.0	1.0	3.0
				14.0	(0.4)	70.1	507.6	52.6	7.1	2.7	3.0	4.3	2.6	3.0
			1800 1899	1.0	(12.5)	71.2	425.2	57.0	6.5	2.9	5.0	4.0	4.0	3.0
			1600 1699	1.0	(12.5)	71.2	420.6	60.0	6.7	3.5	6.0	4.0	4.0	3.0
			1500 1599	2.0	(25.0)	70.8	413.5	56.5	6.0	3.0	5.0	4.0	3.5	3.0
			1400 1499	3.0	(37.5)	70.2	400.6	48.7	6.2	2.9	3.7	4.7	2.7	3.0
			1300 1399	1.0	(12.5)	70.0	411.8	47.0	5.9	2.5	3.0	4.0	3.0	3.0
				8.0	(0.2)	70.6	410.8	52.9	6.2	2.9	4.4	4.3	3.3	3.0
			1700 1799	7.0	(15.2)	70.5	502.4	59.3	7.5	3.7	6.7	4.0	4.3	2.9
			1600 1699	11.0	(23.9)	70.7	529.5	60.7	7.8	3.5	4.6	3.9	3.5	2.7
			1500 1599	12.0	(26.1)	69.9	488.3	51.9	7.4	3.4	3.9	3.9	2.9	2.5
			1400 1499	11.0	(23.9)	69.3	458.0	48.4	6.7	3.5	3.4	4.5	2.5	2.8
			1300 1399	3.0	(6.5)	69.6	479.8	50.7	6.8	3.2	2.3	4.0	2.0	2.3
			1200 1299	2.0	(4.3)	69.8	400.8	38.0	6.0	1.8	3.0	4.5	2.0	2.0
				46.0	(1.3)	70.0	488.7	53.6	7.3	3.4	4.2	4.1	3.1	2.7
			1900 1999	1.0	(14.3)	73.1	434.4	64.0	6.6	1.7	8.0	4.0	5.0	3.0
			1400 1499	2.0	(28.6)	70.1	413.4	51.5	6.2	3.2	3.0	4.5	3.0	3.0
			1300 1399	3.0	(42.9)	70.3	427.3	47.0	6.6	2.5	3.0	5.0	2.0	2.7
			1100 1199	1.0	(14.3)	70.1	654.6	70.0	8.0	3.8	2.0	5.0	2.0	3.0
				7.0	(0.2)	70.6	456.8	54.0	6.7	2.8	3.6	4.7	2.7	2.9
			1700 1799	2.0	(25.0)	73.3	461.2	69.5	7.0	2.2	7.0	4.0	4.5	3.0
			1600 1699	1.0	(12.5)	72.2	423.6	56.0	6.6	1.6	5.0	4.0	4.0	3.0
			1300 1399	4.0	(50.0)	70.0	428.3	49.3	5.9	2.6	3.0	4.0	2.3	3.0
			1200 1299	1.0	(12.5)	70.6	506.6	54.0	7.4	2.6	5.0	4.0	4.0	3.0
				8.0	(0.2)	71.2	445.7	55.8	6.5	2.4	4.5	4.0	3.3	3.0
			2000 2099	1.0	(4.5)	72.5	582.6	80.0	7.7	3.4	10.0	4.0	5.0	3.0
			1700 1799	4.0	(18.2)	72.1	491.9	61.3	7.6	2.4	6.5	4.0	4.3	2.8
			1600 1699	6.0	(27.3)	71.3	443.7	57.2	7.0	2.9	5.0	4.0	3.8	3.0
			1500 1599	7.0	(31.8)	70.0	481.6	57.7	7.0	3.8	4.3	4.0	3.4	3.0
			1300 1399	2.0	(9.1)	67.7	505.0	52.0	6.6	5.0	3.5	4.5	2.5	3.0
			1100 1199	1.0	(4.5)	69.4	493.0	58.0	7.5	4.8	3.0	5.0	2.0	3.0
			900 999	1.0	(4.5)	68.7	352.2	43.0	4.7	3.3	3.0	5.0	2.0	3.0
				22.0	(0.6)	70.6	474.5	58.0	7.0	3.4	5.0	4.1	3.5	3.0
			2200 2299	1.0	(4.5)	75.1	510.0	78.0	7.9	1.5	10.0	4.0	5.0	3.0
			2000 2099	1.0	(4.5)	72.2	452.0	58.0	7.7	2.5	6.0	4.0	4.0	3.0

					(%)		(kg)	(m2)	(m)	(m)				
			1900 1999	1.0	(4.5)	72.6	444.0	62.0	7.3	2.4	6.0	4.0	4.0	3.0
			1800 1899	2.0	(9.1)	72.7	413.5	59.0	6.8	1.9	6.5	3.0	4.0	3.0
			1700 1799	4.0	(18.2)	71.8	434.3	53.8	7.2	2.1	5.0	4.0	3.8	3.0
			1600 1699	3.0	(13.6)	71.7	433.3	58.3	6.3	2.3	5.7	3.3	4.0	3.0
			1500 1599	4.0	(18.2)	71.5	416.9	55.8	6.3	2.4	4.0	3.8	3.3	3.3
			1400 1499	4.0	(18.2)	69.3	420.8	47.8	6.3	3.5	3.3	4.3	2.5	3.0
			1300 1399	1.0	(4.5)	69.8	454.0	58.0	7.0	4.6	3.0	4.0	2.0	2.0
			700 799	1.0	(4.5)	68.1	418.0	34.0	6.4	3.1	2.0	5.0	2.0	4.0
				22.0	(0.6)	71.3	431.5	55.1	6.7	2.6	4.8	3.9	3.4	3.0
			2000 2099	1.0	(1.0)	72.0	544.6	72.0	9.3	4.5	8.0	4.0	5.0	3.0
			1800 1899	4.0	(4.0)	70.7	531.9	65.3	7.9	4.2	7.3	4.0	4.3	2.8
			1700 1799	4.0	(4.0)	71.2	479.9	59.5	7.1	2.9	5.5	4.0	3.8	3.0
			1600 1699	15.0	(15.0)	71.3	517.2	61.5	7.4	2.8	5.5	4.1	3.9	2.8
			1500 1599	25.0	(25.0)	70.4	516.9	57.2	7.5	3.3	4.2	4.0	3.2	2.8
			1400 1499	29.0	(29.0)	70.0	524.3	58.1	7.4	3.6	3.9	4.3	3.0	2.8
			1300 1399	15.0	(15.0)	69.9	506.4	54.0	7.7	3.6	3.5	4.2	2.7	2.9
			1200 1299	5.0	(5.0)	69.2	494.1	51.4	7.1	3.8	3.0	4.8	2.4	3.0
			1000 1099	2.0	(2.0)	67.8	525.2	45.5	7.2	4.0	3.0	4.5	2.5	3.0
				100.0	(2.8)	70.3	515.9	57.7	7.5	3.4	4.3	4.2	3.2	2.9
			1800 1899	7.0	(3.8)	72.7	501.8	72.4	7.4	3.1	7.9	3.7	4.6	2.7
			1700 1799	32.0	(17.2)	71.8	491.8	64.4	7.4	3.1	5.7	4.0	4.1	2.8
			1600 1699	38.0	(20.4)	71.1	481.0	59.1	7.2	3.0	5.2	4.2	3.7	2.8
			1500 1599	36.0	(19.4)	70.2	514.5	56.8	7.5	3.5	3.8	4.2	3.1	2.8
			1400 1499	38.0	(20.4)	70.3	476.7	55.1	7.1	3.4	3.4	4.2	2.9	2.7
			1300 1399	28.0	(15.1)	70.1	477.9	55.8	6.7	3.4	2.8	4.2	2.1	2.7
			1200 1299	6.0	(3.2)	70.1	486.2	56.7	6.7	3.3	2.7	4.5	2.0	2.8
			500 599	1.0	(0.5)	69.2	197.4	26.0	3.2	1.3	3.0	4.0	2.0	2.0
				186.0	(5.2)	70.7	487.4	58.5	7.2	3.2	4.3	4.2	3.2	2.7
			2000 2099	1.0	(6.3)	74.2	455.9	74.0	6.7	1.7	8.0	4.0	5.0	3.0
			1900 1999	2.0	(12.5)	72.6	503.0	69.0	7.4	2.7	6.0	4.0	4.0	3.0
			1800 1899	3.0	(18.8)	71.0	512.1	63.3	6.5	2.8	3.3	4.3	2.7	3.0
			1700 1799	1.0	(6.3)	72.2	394.0	56.0	6.4	2.0	9.0	4.0	5.0	2.0
			1600 1699	4.0	(25.0)	71.4	479.1	63.0	6.7	2.9	6.0	3.5	4.0	2.8
			1500 1599	3.0	(18.8)	69.4	439.7	50.3	5.9	3.3	4.0	4.0	3.0	2.7
			1400 1499	2.0	(12.5)	69.8	457.4	50.0	6.4	2.9	3.0	4.0	2.0	2.5
				16.0	(0.4)	71.1	471.4	60.1	6.5	2.8	5.1	3.9	3.4	2.8
			2100 2199	1.0	(1.8)	73.5	510.8	77.0	7.5	2.7	9.0	3.0	5.0	3.0
			1800 1899	4.0	(7.0)	72.1	552.2	73.3	7.4	3.1	7.5	4.0	4.5	3.0
			1700 1799	11.0	(19.3)	71.3	530.9	67.0	7.5	3.5	6.1	3.9	4.1	3.0
			1600 1699	20.0	(35.1)	70.5	535.0	62.1	7.4	3.5	5.3	3.9	3.8	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1500 1599	9.0	(15.8)	69.9	518.3	55.9	7.4	3.5	4.4	3.9	3.4	3.0
			1400 1499	9.0	(15.8)	70.2	493.6	55.3	7.0	3.1	3.2	4.1	3.1	3.0
			1300 1399	2.0	(3.5)	69.2	463.1	45.0	7.0	3.2	3.5	4.0	2.5	2.5
			1100 1199	1.0	(1.8)	70.5	402.8	45.0	5.5	1.5	3.0	5.0	2.0	3.0
				57.0	(1.6)	70.6	521.0	61.1	7.3	3.3	5.1	3.9	3.7	3.0
			2500	1.0	(12.5)	70.8	626.6	74.0	7.2	3.6	8.0	3.0	5.0	3.0
			1800 1899	1.0	(12.5)	71.4	512.1	68.0	7.1	3.5	5.0	3.0	4.0	3.0
			1700 1799	2.0	(25.0)	72.7	532.0	79.5	7.6	3.8	6.0	3.5	4.0	3.5
			1500 1599	3.0	(37.5)	69.6	509.8	60.0	6.8	4.2	3.7	3.7	3.0	3.0
			1400 1499	1.0	(12.5)	70.1	448.1	62.0	6.5	4.6	3.0	5.0	3.0	3.0
				8.0	(0.2)	70.8	522.5	67.9	7.1	4.0	4.9	3.6	3.6	3.1
			1900 1999	1.0	(4.0)	71.7	551.2	72.0	8.1	3.8	8.0	4.0	5.0	3.0
			1800 1899	2.0	(8.0)	72.2	472.3	62.0	7.3	2.5	6.5	3.5	4.0	3.0
			1700 1799	7.0	(28.0)	71.1	499.5	61.3	7.4	3.2	6.4	3.9	4.0	3.0
			1600 1699	3.0	(12.0)	70.2	507.1	58.7	7.3	3.6	5.7	4.0	3.7	3.0
			1500 1599	5.0	(20.0)	69.8	512.9	53.6	7.6	3.4	3.8	4.2	3.0	3.0
			1400 1499	2.0	(8.0)	68.5	458.2	49.5	6.8	4.7	4.0	4.0	3.0	3.0
			1300 1399	3.0	(12.0)	69.9	450.6	50.7	6.3	2.9	3.0	4.0	3.0	3.0
			1200 1299	2.0	(8.0)	70.3	458.7	49.5	6.6	2.5	3.5	5.0	2.5	2.5
				25.0	(0.7)	70.4	490.6	56.8	7.2	3.3	5.0	4.0	3.5	3.0
			1800 1899	1.0	(2.0)	69.7	497.5	60.0	6.8	4.2	7.0	4.0	4.0	3.0
			1700 1799	16.0	(32.0)	70.8	448.5	54.7	6.7	2.8	4.3	4.0	3.2	3.0
			1600 1699	13.0	(26.0)	70.4	448.4	53.4	6.7	3.0	4.7	4.1	3.5	2.8
			1500 1599	9.0	(18.0)	70.6	429.1	50.1	6.3	2.4	3.1	4.2	2.4	2.8
			1400 1499	7.0	(14.0)	70.4	462.3	53.0	6.4	2.6	3.6	3.9	2.9	3.0
			1300 1399	2.0	(4.0)	67.7	364.6	36.5	5.1	3.6	3.0	4.0	2.5	3.0
			1200 1299	2.0	(4.0)	69.0	391.1	39.0	5.7	2.5	2.5	4.5	1.5	3.0
				50.0	(1.4)	70.4	442.2	52.0	6.5	2.8	4.0	4.1	3.0	2.9
			1800 1899	1.0	(8.3)	70.9	461.8	56.0	6.8	2.7	4.0	4.0	3.0	2.0
			1700 1799	6.0	(50.0)	71.0	477.8	55.7	7.4	2.8	5.3	4.0	3.7	2.5
			1600 1699	4.0	(33.3)	71.1	484.9	55.8	7.5	2.8	4.0	3.8	3.0	3.0
			1500 1599	1.0	(8.3)	69.2	494.5	44.0	7.4	2.9	3.0	4.0	2.0	3.0
				12.0	(0.3)	70.9	480.2	54.8	7.4	2.8	4.6	3.9	3.3	2.7
			1900 1999	5.0	(3.6)	73.1	529.2	74.2	7.8	2.7	9.0	4.0	5.0	3.0
			1800 1899	5.0	(3.6)	71.3	579.1	70.8	8.3	3.9	6.4	4.0	4.2	3.0
			1700 1799	9.0	(6.5)	71.5	570.3	65.7	8.6	3.4	4.8	3.9	3.6	3.0
			1600 1699	13.0	(9.4)	71.1	517.3	59.5	8.0	3.1	4.7	4.2	3.4	3.1
			1500 1599	33.0	(23.7)	70.5	506.3	54.3	7.9	3.2	4.0	4.5	3.0	3.0
			1400 1499	21.0	(15.1)	70.1	499.7	53.9	7.6	3.4	3.9	4.4	3.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1300 1399	35.0	(25.2)	69.4	496.1	49.4	7.5	3.5	3.5	4.3	2.6	3.0
			1200 1299	15.0	(10.8)	68.7	502.9	47.9	7.2	3.8	2.9	4.7	2.1	3.0
			1100 1199	2.0	(1.4)	69.2	424.7	41.5	6.7	3.0	3.0	5.0	2.0	3.0
			900 999	1.0	(0.7)	70.5	363.4	43.0	5.4	1.7	4.0	5.0	3.0	4.0
				139.0	(3.9)	70.2	508.8	54.6	7.7	3.4	4.1	4.4	3.0	3.0
			1500 1599	1.0	(0.0)	71.0	527.0	58.0	7.2	2.3	3.0	4.0	3.0	3.0
			2000 2099	1.0	(0.9)	71.6	527.7	67.0	7.8	3.4	5.0	4.0	4.0	3.0
			1900 1999	2.0	(1.8)	73.0	564.1	78.5	7.3	2.8	6.0	4.0	4.0	3.0
			1800 1899	8.0	(7.3)	72.0	549.3	70.4	8.2	3.4	5.1	3.8	3.9	2.9
			1700 1799	1.0	(0.9)	70.0	524.0	54.0	8.4	3.8	4.0	4.0	3.0	3.0
			1600 1699	16.0	(14.7)	71.3	491.7	59.4	7.7	3.1	3.6	4.1	3.1	2.8
			1500 1599	25.0	(22.9)	70.7	502.0	59.2	7.4	3.4	3.3	4.1	2.7	2.9
			1400 1499	25.0	(22.9)	70.3	499.1	56.1	7.3	3.4	2.6	4.3	2.4	2.9
			1300 1399	21.0	(19.3)	70.2	476.7	53.0	7.1	3.1	2.8	4.4	2.3	2.9
			1200 1299	3.0	(2.8)	67.7	516.4	45.3	7.6	4.7	2.7	4.3	2.0	3.0
			1100 1199	3.0	(2.8)	68.3	496.8	49.0	6.7	4.0	2.3	4.3	2.0	2.7
			900 999	1.0	(0.9)	69.1	476.7	49.0	6.2	3.1	2.0	6.0	2.0	4.0
			800 899	1.0	(0.9)	67.9	346.0	32.0	4.0	2.1	2.0	5.0	2.0	4.0
			499	2.0	(1.8)	70.3	467.6	52.5	6.0	2.3	2.5	5.5	2.0	3.0
				109.0	(3.1)	70.5	498.0	57.4	7.4	3.3	3.2	4.2	2.7	2.9
			1800 1899	3.0	(13.6)	73.4	507.0	73.7	7.4	2.3	8.7	4.0	4.7	2.7
			1600 1699	9.0	(40.9)	70.9	524.4	62.4	7.0	3.0	4.6	3.8	3.4	2.9
			1500 1599	2.0	(9.1)	70.3	562.9	66.5	7.8	4.3	5.0	5.0	3.0	3.0
			1400 1499	4.0	(18.2)	71.1	486.9	59.5	7.0	2.9	4.8	4.0	3.5	3.0
			1300 1399	1.0	(4.5)	71.1	401.0	50.0	7.0	2.7	3.0	4.0	3.0	3.0
			1000 1099	3.0	(13.6)	65.9	580.3	40.0	6.4	4.0	2.0	4.7	2.0	4.7
				22.0	(0.6)	70.5	520.7	60.2	7.1	3.1	4.8	4.1	3.4	3.1
			2500	2.0	(0.1)	73.0	611.3	80.5	7.9	2.9	9.0	3.0	5.0	3.0
			2300 2399	3.0	(0.1)	75.8	506.2	90.3	7.5	2.3	8.7	3.3	4.7	3.0
			2200 2299	3.0	(0.1)	76.2	597.7	97.7	8.4	2.3	10.3	3.3	5.0	3.0
			2100 2199	14.0	(0.4)	74.3	554.6	81.4	8.3	2.5	9.7	3.4	5.0	2.6
			2000 2099	25.0	(0.7)	73.4	537.7	75.2	8.0	2.6	8.8	3.8	4.9	2.8
			1900 1999	53.0	(1.5)	73.2	536.6	74.6	7.9	2.7	8.3	3.7	4.8	2.9
			1800 1899	129.0	(3.6)	72.2	519.0	67.9	7.6	2.9	6.8	3.8	4.3	2.8
			1700 1799	305.0	(8.6)	71.8	510.2	63.4	7.6	2.8	5.9	3.9	4.0	2.8
			1600 1699	614.0	(17.3)	71.3	507.6	60.5	7.5	2.9	5.0	3.9	3.7	2.8
			1500 1599	819.0	(23.0)	70.7	505.2	57.2	7.4	3.1	4.1	4.1	3.1	2.8
			1400 1499	707.0	(19.9)	70.2	496.8	54.0	7.2	3.1	3.6	4.2	2.8	2.8
			1300 1399	481.0	(13.5)	69.8	489.0	51.4	7.1	3.2	3.2	4.3	2.4	2.8
			1200 1299	247.0	(6.9)	69.6	481.7	49.7	6.9	3.1	2.7	4.3	2.1	2.7
			1100 1199	77.0	(2.2)	69.3	475.2	48.5	6.8	3.3	2.8	4.4	2.1	2.7

[illegible]

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1800 1899	1.0	(0.3)	72.9	568.0	75.0	9.3	3.7	6.0	4.0	4.0	3.0
			1700 1799	8.0	(2.4)	71.2	570.5	60.9	8.8	3.1	5.9	4.1	3.9	3.0
			1600 1699	35.0	(10.3)	70.8	552.7	57.6	8.0	2.8	4.6	4.0	3.5	2.8
			1500 1599	81.0	(23.9)	70.3	544.9	56.0	7.6	2.9	3.9	4.0	3.0	2.8
			1400 1499	97.0	(28.6)	69.7	539.7	52.5	7.5	3.0	3.4	4.1	2.7	2.9
			1300 1399	71.0	(20.9)	69.5	535.1	50.4	7.4	3.0	3.1	4.1	2.4	2.8
			1200 1299	38.0	(11.2)	69.1	531.6	48.9	7.2	3.0	2.9	4.2	2.1	2.6
			1100 1199	6.0	(1.8)	68.3	564.8	46.3	6.9	2.9	2.7	3.8	2.0	2.2
			1000 1099	2.0	(0.6)	66.2	561.5	39.5	7.8	5.0	2.5	4.0	2.0	2.5
				339.0	(10.3)	69.9	541.8	53.1	7.6	3.0	3.6	4.0	2.8	2.8
			1700 1799	1.0	(4.5)	73.8	528.0	76.0	7.2	1.8	9.0	4.0	5.0	3.0
			1600 1699	8.0	(36.4)	70.6	544.5	56.6	7.6	2.6	4.6	4.3	3.5	2.5
			1500 1599	7.0	(31.8)	70.5	569.1	58.1	7.4	2.6	3.9	4.1	3.1	2.4
			1400 1499	3.0	(13.6)	71.2	498.3	53.0	6.7	1.5	3.7	4.3	3.0	2.0
			1300 1399	3.0	(13.6)	68.9	576.3	52.0	6.8	2.9	3.3	4.0	2.3	3.0
				22.0	(0.7)	70.6	549.6	56.9	7.3	2.4	4.3	4.2	3.2	2.5
			1900 1999	1.0	(1.5)	71.0	608.0	65.0	8.2	2.9	5.0	3.0	4.0	3.0
			1700 1799	8.0	(12.3)	71.6	561.4	65.3	7.9	2.8	6.0	3.8	4.0	2.9
			1600 1699	10.0	(15.4)	70.6	556.3	58.0	7.8	2.8	4.8	4.1	3.6	2.5
			1500 1599	25.0	(38.5)	70.3	562.4	56.9	7.8	3.0	4.7	4.4	3.4	2.7
			1400 1499	15.0	(23.1)	69.4	565.9	53.0	7.8	3.3	4.0	4.1	3.1	2.9
			1300 1399	4.0	(6.2)	69.2	528.5	48.5	6.5	2.5	3.5	4.5	2.8	3.0
			1200 1299	2.0	(3.1)	68.3	549.0	51.0	7.2	4.1	3.0	5.0	2.0	2.5
				65.0	(2.0)	70.2	560.4	56.6	7.7	3.0	4.6	4.2	3.3	2.8
			1800 1899	1.0	(1.3)	72.4	598.0	62.0	9.0	1.8	7.0	4.0	5.0	3.0
			1600 1699	14.0	(18.7)	70.5	563.0	57.6	8.1	3.1	6.1	3.6	4.1	2.6
			1500 1599	22.0	(29.3)	69.9	544.9	50.9	8.0	2.9	4.8	4.0	3.6	2.7
			1400 1499	21.0	(28.0)	69.7	554.8	51.3	8.0	3.0	4.0	3.9	3.2	2.7
			1300 1399	11.0	(14.7)	69.3	528.5	48.5	7.7	3.2	3.0	4.3	2.5	2.5
			1200 1299	4.0	(5.3)	69.0	557.5	47.8	7.2	2.7	3.8	3.8	3.0	3.0
			1100 1199	1.0	(1.3)	68.9	497.0	47.0	6.0	2.7	2.0	4.0	3.0	2.0
			1000 1099	1.0	(1.3)	70.1	445.5	44.0	6.4	2.0	2.0	5.0	2.0	3.0
				75.0	(2.3)	69.8	548.0	51.8	7.9	3.0	4.5	4.0	3.4	2.7
			1500 1599	1.0	(12.5)	71.4	560.0	67.0	6.3	2.1	3.0	4.0	3.0	2.0
			1300 1399	1.0	(12.5)	66.0	610.0	45.0	7.2	4.9	4.0	4.0	3.0	2.0
			1200 1299	3.0	(37.5)	69.1	512.3	48.7	5.9	2.3	3.0	4.7	2.0	2.7
			1000 1099	2.0	(25.0)	69.8	402.8	42.0	5.8	2.1	3.0	3.5	2.5	2.0
			900 999	1.0	(12.5)	68.9	368.5	33.0	5.7	2.1	3.0	5.0	2.0	2.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				8.0	(0.2)	69.2	485.1	46.9	6.1	2.5	3.1	4.3	2.4	2.3
			1400 1499	4.0	(30.8)	71.3	569.3	60.8	8.4	2.8	5.3	3.5	3.8	2.8
			1300 1399	5.0	(38.5)	70.9	601.4	63.6	8.1	3.0	5.0	3.8	3.8	2.8
			1200 1299	1.0	(7.7)	71.6	520.0	58.0	8.5	2.7	3.0	4.0	2.0	2.0
			1100 1199	2.0	(15.4)	69.3	485.5	48.0	7.0	3.3	3.0	4.5	2.0	2.0
			1000 1099	1.0	(7.7)	68.4	539.0	51.0	6.7	3.7	2.0	4.0	2.0	2.0
				13.0	(0.4)	70.6	562.6	58.9	7.9	3.0	4.4	3.8	3.2	2.5
			2000 2099	1.0	(0.4)	72.7	670.0	74.0	9.3	2.5	9.0	4.0	5.0	2.0
			1900 1999	2.0	(0.9)	72.9	590.0	68.5	8.4	1.8	7.0	4.0	4.5	2.0
			1800 1899	5.0	(2.2)	72.2	600.8	68.6	8.7	2.7	6.8	3.6	4.2	2.4
			1700 1799	18.0	(7.9)	71.7	571.1	64.1	8.2	2.6	6.2	3.9	4.0	2.3
			1600 1699	39.0	(17.0)	70.4	550.6	56.1	7.6	2.7	4.9	4.0	3.6	2.7
			1500 1599	63.0	(27.5)	70.4	549.0	55.0	7.5	2.5	3.8	4.0	3.0	2.7
			1400 1499	39.0	(17.0)	69.6	549.7	52.7	7.3	2.8	3.6	4.1	2.9	2.6
			1300 1399	41.0	(17.9)	69.7	535.6	52.0	7.1	2.8	3.0	4.1	2.4	2.6
			1200 1299	20.0	(8.7)	68.8	497.1	44.5	6.6	2.8	2.7	4.1	2.0	2.5
			500 599	1.0	(0.4)	69.7	198.0	28.0	3.1	1.0	1.0	6.0	1.0	4.0
				229.0	(7.0)	70.2	544.7	54.4	7.4	2.7	4.0	4.0	3.0	2.6
			2000 2099	2.0	(0.3)	72.7	634.5	79.5	8.6	3.1	8.0	3.5	5.0	3.0
			1900 1999	7.0	(1.1)	72.1	617.1	69.7	8.6	2.5	7.4	3.7	4.4	2.9
			1800 1899	16.0	(2.6)	71.2	597.9	64.3	8.0	2.7	6.1	3.6	4.1	2.8
			1700 1799	58.0	(9.5)	71.0	611.3	64.2	8.1	2.8	5.8	3.9	4.0	2.8
			1600 1699	96.0	(15.7)	70.7	603.5	62.5	8.0	2.9	4.7	4.0	3.5	2.8
			1500 1599	154.0	(25.2)	70.3	583.6	58.1	7.7	2.8	3.9	4.1	3.0	2.7
			1400 1499	124.0	(20.3)	69.7	577.0	55.0	7.7	3.1	3.7	4.2	2.9	2.7
			1300 1399	93.0	(15.2)	69.5	575.8	54.0	7.5	3.1	3.2	4.3	2.4	2.6
			1200 1299	43.0	(7.0)	69.2	546.2	51.0	7.2	3.0	3.0	4.6	2.3	2.5
			1100 1199	13.0	(2.1)	68.7	540.7	49.1	7.3	3.5	2.7	4.7	2.1	2.2
			1000 1099	2.0	(0.3)	69.0	519.0	48.0	7.7	3.7	2.5	4.5	2.0	2.0
			800 899	2.0	(0.3)	68.3	292.0	25.0	4.0	1.5	2.0	5.0	2.0	3.0
			499	1.0	(0.2)	70.0	306.0	34.0	5.1	1.5	2.0	5.0	2.0	3.0
				611.0	(18.6)	70.1	582.6	57.6	7.7	2.9	4.0	4.2	3.0	2.7
			1900 1999	1.0	(0.5)	74.2	609.0	83.0	8.2	2.0	8.0	3.0	5.0	3.0
			1800 1899	11.0	(5.9)	72.5	594.0	69.3	8.8	2.6	7.5	3.5	4.5	2.8
			1700 1799	14.0	(7.5)	72.1	608.2	68.8	8.5	2.5	6.8	3.6	4.4	2.9
			1600 1699	40.0	(21.5)	71.3	565.2	62.5	7.9	2.6	5.3	3.8	3.9	2.9
			1500 1599	65.0	(34.9)	70.9	545.8	59.9	7.6	2.7	4.1	3.9	3.2	2.7
			1400 1499	26.0	(14.0)	70.4	520.9	54.5	7.0	2.4	3.3	4.2	2.6	2.9
			1300 1399	18.0	(9.7)	70.4	511.1	54.1	6.9	2.4	2.8	4.6	2.1	2.8
			1200 1299	7.0	(3.8)	70.3	503.1	52.9	6.7	2.3	2.6	4.6	2.0	2.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1100 1199	1.0	(0.5)	72.5	477.5	58.0	7.4	1.5	2.0	5.0	2.0	3.0
			1000 1099	2.0	(1.1)	69.0	344.0	34.0	4.3	1.5	2.0	4.0	2.0	2.0
			900 999	1.0	(0.5)	70.1	315.0	38.0	4.2	1.2	2.0	5.0	2.0	3.0
				186.0	(5.7)	71.0	545.6	59.8	7.5	2.6	4.4	4.0	3.3	2.8
			1700 1799	1.0	(9.1)	71.6	567.5	68.0	8.3	3.4	8.0	3.0	5.0	2.0
			1600 1699	1.0	(9.1)	70.6	668.5	67.0	9.9	4.2	8.0	4.0	5.0	2.0
			1500 1599	2.0	(18.2)	71.3	560.3	63.5	8.3	3.1	4.5	4.0	3.0	2.5
			1400 1499	4.0	(36.4)	70.7	556.5	63.8	7.8	3.6	4.0	4.5	2.8	2.0
			1300 1399	3.0	(27.3)	69.7	581.7	58.7	7.7	3.5	2.3	4.3	2.0	2.0
				11.0	(0.3)	70.6	575.2	63.0	8.1	3.5	4.4	4.2	3.0	2.1
			2300 2399	1.0	(0.2)	72.4	651.0	74.0	8.8	2.6	10.0	4.0	5.0	3.0
			2000 2099	1.0	(0.2)	70.0	770.0	69.0	9.7	3.5	8.0	4.0	5.0	3.0
			1900 1999	7.0	(1.2)	71.8	604.4	68.3	8.1	2.6	7.6	4.0	4.7	2.4
			1800 1899	21.0	(3.7)	71.5	578.9	64.2	8.0	2.6	6.9	3.6	4.4	2.4
			1700 1799	61.0	(10.8)	70.9	579.0	60.4	7.9	2.6	5.8	4.1	4.0	2.5
			1600 1699	113.0	(20.0)	70.7	572.1	59.3	7.7	2.7	4.9	4.1	3.5	2.5
			1500 1599	138.0	(24.4)	70.3	561.3	56.5	7.4	2.6	4.0	4.2	3.0	2.4
			1400 1499	97.0	(17.2)	70.1	549.9	54.5	7.3	2.7	3.6	4.1	2.8	2.4
			1300 1399	89.0	(15.8)	69.7	552.0	53.3	7.3	2.9	3.3	4.3	2.6	2.4
			1200 1299	30.0	(5.3)	68.9	519.7	47.1	6.6	2.8	2.8	4.2	2.1	2.4
			1100 1199	4.0	(0.7)	68.8	489.3	44.3	6.1	2.5	2.5	4.3	2.0	2.3
			1000 1099	1.0	(0.2)	67.9	335.0	26.0	4.1	1.6	3.0	5.0	2.0	3.0
			900 999	2.0	(0.4)	69.5	277.5	32.0	4.0	1.3	2.0	4.5	2.0	3.0
				565.0	(17.2)	70.3	559.5	56.4	7.5	2.7	4.3	4.2	3.1	2.4
			1700 1799	2.0	(14.3)	72.5	544.0	68.0	7.3	2.0	6.0	4.0	4.0	3.0
			1500 1599	4.0	(28.6)	68.7	518.0	43.3	6.9	2.7	3.8	4.3	2.8	2.8
			1400 1499	2.0	(14.3)	70.5	497.0	52.0	7.0	2.4	3.0	4.0	2.0	3.0
			1300 1399	5.0	(35.7)	68.3	538.8	44.0	7.0	3.1	2.8	4.2	2.8	2.6
			1200 1299	1.0	(7.1)	68.0	406.0	35.0	6.2	3.3	3.0	4.0	2.0	3.0
				14.0	(0.4)	69.3	518.1	47.7	7.0	2.7	3.6	4.1	2.8	2.8
			1700 1799	1.0	(2.2)	72.7	510.0	67.0	7.9	2.5	4.0	5.0	3.0	3.0
			1600 1699	3.0	(6.7)	71.1	554.7	59.3	8.2	2.8	4.3	3.3	3.3	2.7
			1500 1599	14.0	(31.1)	70.1	565.9	55.1	7.7	2.8	3.8	4.3	3.0	2.4
			1400 1499	11.0	(24.4)	69.3	536.0	50.4	7.3	3.1	3.1	4.7	2.5	2.7
			1300 1399	7.0	(15.6)	69.3	560.3	51.0	7.1	2.7	2.9	4.6	2.1	2.6
			1200 1299	6.0	(13.3)	70.1	532.9	53.8	7.4	2.9	2.3	4.8	2.0	2.8
			1100 1199	3.0	(6.7)	69.1	421.5	42.0	5.4	2.3	2.3	4.7	2.0	2.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				45.0	(1.4)	69.8	541.7	52.8	7.3	2.8	3.2	4.5	2.6	2.6
			1800 1899	1.0	(5.0)	73.1	508.5	68.0	7.5	1.9	6.0	4.0	4.0	3.0
			1600 1699	4.0	(20.0)	70.3	565.6	59.5	7.8	3.3	6.3	3.8	4.0	3.0
			1500 1599	6.0	(30.0)	70.6	520.7	55.0	7.6	2.8	5.3	3.7	3.5	2.8
			1400 1499	2.0	(10.0)	71.6	506.0	59.0	7.2	2.1	3.0	4.0	2.0	3.0
			1300 1399	4.0	(20.0)	70.3	535.9	54.8	7.1	2.5	4.0	3.5	3.0	3.0
			1100 1199	3.0	(15.0)	71.2	503.2	55.7	7.3	2.3	2.7	4.0	2.0	3.0
				20.0	(0.6)	70.8	528.0	57.0	7.5	2.6	4.7	3.8	3.1	3.0
			1200 1299	1.0	(0.0)	70.4	407.0	45.0	4.7	1.0	2.0	6.0	2.0	2.0
			1700 1799	4.0	(13.8)	70.5	503.2	56.0	6.9	2.8	6.0	3.3	4.3	3.0
			1600 1699	4.0	(13.8)	70.1	507.7	51.0	6.7	2.3	5.3	3.5	4.0	2.8
			1500 1599	13.0	(44.8)	70.8	494.9	55.3	7.1	2.6	3.5	3.6	3.0	3.0
			1400 1499	4.0	(13.8)	68.4	500.2	45.3	6.9	3.5	3.5	4.3	2.8	2.8
			1300 1399	2.0	(6.9)	68.6	505.4	45.5	7.0	3.4	2.5	4.0	2.0	2.5
			1200 1299	2.0	(6.9)	68.6	438.5	38.5	5.7	2.4	2.0	4.5	2.0	3.0
				29.0	(0.9)	70.0	495.4	51.6	6.9	2.7	3.9	3.7	3.1	2.9
			2000 2099	1.0	(0.7)	73.2	579.9	77.0	7.9	2.4	10.0	3.0	5.0	3.0
			1900 1999	3.0	(2.0)	73.2	566.4	74.3	8.3	2.5	8.0	3.7	4.7	3.0
			1800 1899	6.0	(4.1)	72.3	558.2	65.2	8.6	2.5	6.7	3.8	4.2	3.0
			1700 1799	22.0	(14.9)	71.7	555.7	62.2	7.7	2.2	6.3	3.5	4.2	2.8
			1600 1699	49.0	(33.1)	70.8	551.0	59.4	7.5	2.7	5.2	3.8	3.7	3.0
			1500 1599	39.0	(26.4)	70.7	555.5	57.0	7.7	2.5	4.3	4.1	3.3	2.8
			1400 1499	18.0	(12.2)	70.2	528.8	51.5	7.6	2.5	3.6	4.2	2.7	2.8
			1300 1399	8.0	(5.4)	70.6	521.5	56.0	7.1	2.5	3.8	4.4	2.8	2.9
			1100 1199	2.0	(1.4)	70.5	503.5	51.0	6.5	1.8	2.0	4.5	2.0	3.0
				148.0	(4.5)	70.9	548.7	58.6	7.6	2.5	5.0	3.9	3.5	2.9
			2300 2399	1.0	(0.6)	74.5	568.6	81.0	8.0	1.8	12.0	3.0	5.0	3.0
			2100 2199	1.0	(0.6)	69.7	671.0	75.0	8.0	4.8	10.0	3.0	5.0	3.0
			2000 2099	1.0	(0.6)	73.3	620.2	83.0	7.7	2.5	9.0	4.0	5.0	3.0
			1900 1999	5.0	(2.9)	71.7	589.1	63.2	8.4	2.4	7.6	3.8	4.4	3.0
			1800 1899	15.0	(8.6)	70.8	559.4	63.1	7.4	3.0	6.5	3.7	4.3	3.0
			1700 1799	23.0	(13.1)	70.6	558.5	59.7	7.5	2.8	5.8	3.6	4.0	2.9
			1600 1699	53.0	(30.3)	70.5	544.5	59.1	7.5	3.0	4.9	3.7	3.6	3.0
			1500 1599	30.0	(17.1)	70.0	533.5	53.8	7.3	2.9	4.2	4.1	3.2	2.9
			1400 1499	33.0	(18.9)	69.8	528.2	54.1	7.0	2.9	3.8	4.1	3.0	2.8
			1300 1399	10.0	(5.7)	69.2	510.6	49.6	7.0	3.2	3.0	4.4	2.1	3.0
			1200 1299	2.0	(1.1)	68.8	529.3	46.5	7.8	3.5	3.0	4.0	2.5	3.0
			499	1.0	(0.6)	69.2	281.0	29.0	4.4	1.5	2.0	5.0	2.0	3.0
				175.0	(5.3)	70.3	541.6	57.3	7.3	2.9	4.9	3.9	3.5	2.9

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1700 1799	2.0	(2.6)	70.2	604.8	58.0	7.8	2.6	5.0	4.0	4.0	3.0
			1600 1699	71.0	(91.0)	69.8	564.1	54.1	7.8	3.1	2.8	4.3	2.5	2.9
			1500 1599	3.0	(3.8)	70.3	629.7	63.7	8.4	3.5	3.3	4.3	2.7	3.0
			1400 1499	1.0	(1.3)	70.0	462.0	43.0	6.3	1.5	2.0	5.0	2.0	3.0
			1100 1199	1.0	(1.3)	68.2	581.5	58.0	6.8	4.4	2.0	4.0	2.0	3.0
				78.0	(2.4)	69.8	566.5	54.4	7.8	3.1	2.8	4.3	2.5	2.9
			1400 1499	1.0	(0.0)	71.0	523.0	57.0	7.1	2.2	3.0	3.0	3.0	2.0
			1500 1599	1.0	(25.0)	71.0	457.2	47.0	7.1	1.6	5.0	4.0	3.0	3.0
			1400 1499	1.0	(25.0)	70.9	461.0	53.0	5.9	1.6	3.0	4.0	3.0	3.0
			1200 1299	2.0	(50.0)	69.8	460.7	46.5	6.2	2.1	2.5	4.5	2.0	3.0
				4.0	(0.1)	70.4	459.9	48.3	6.3	1.9	3.3	4.3	2.5	3.0
			1600 1699	3.0	(37.5)	70.9	580.7	67.0	7.1	3.0	5.0	4.0	3.7	3.0
			1500 1599	1.0	(12.5)	70.6	531.1	58.0	7.6	3.0	5.0	5.0	3.0	2.0
			1300 1399	2.0	(25.0)	68.6	509.1	48.5	6.6	3.4	3.0	4.0	2.5	2.5
			1200 1299	2.0	(25.0)	69.8	525.1	56.0	6.8	3.1	3.5	3.5	3.0	2.5
				8.0	(0.2)	70.0	542.7	58.5	7.0	3.1	4.1	4.0	3.1	2.6
			1300 1399	1.0	(0.0)	70.7	349.6	47.0	5.3	2.1	2.0	4.0	2.0	2.0
			1900 1999	2.0	(3.8)	70.6	559.2	60.5	7.3	2.8	8.5	3.5	5.0	3.0
			1800 1899	3.0	(5.7)	72.2	495.9	65.3	7.5	2.7	6.7	3.7	4.3	3.0
			1700 1799	7.0	(13.2)	70.3	518.7	54.9	7.1	2.7	6.1	3.9	4.1	2.7
			1600 1699	12.0	(22.6)	70.0	550.0	57.9	7.1	3.0	5.0	3.8	3.8	2.8
			1500 1599	17.0	(32.1)	69.8	511.6	53.1	6.9	3.0	3.9	4.1	3.1	2.9
			1400 1499	7.0	(13.2)	69.8	509.7	52.1	6.6	2.6	3.4	4.1	2.9	2.9
			1300 1399	3.0	(5.7)	68.5	527.5	47.0	6.8	3.1	2.7	4.3	2.0	2.7
			1200 1299	2.0	(3.8)	70.5	367.4	43.0	5.3	1.4	2.5	4.0	2.5	3.0
				53.0	(1.6)	70.0	517.4	54.5	6.9	2.8	4.6	4.0	3.4	2.8
			1700 1799	15.0	(36.6)	71.3	507.3	56.8	7.4	2.3	4.1	4.2	3.2	2.9
			1600 1699	7.0	(17.1)	69.5	520.1	52.6	7.1	3.3	4.9	4.0	3.4	2.9
			1500 1599	5.0	(12.2)	71.8	511.1	63.0	8.0	3.0	4.2	4.4	3.2	2.8
			1400 1499	7.0	(17.1)	71.2	506.5	55.9	7.5	2.4	3.4	3.9	2.7	2.7
			1300 1399	6.0	(14.6)	70.9	502.9	55.7	7.0	2.4	2.7	4.2	2.0	2.8
			1200 1299	1.0	(2.4)	68.5	482.0	46.0	7.4	4.1	3.0	4.0	2.0	3.0
				41.0	(1.2)	70.9	508.6	56.2	7.4	2.6	3.9	4.1	3.0	2.8
			1800 1899	2.0	(3.9)	70.5	574.9	57.5	8.0	2.9	5.5	4.0	4.0	2.5
			1700 1799	2.0	(3.9)	71.8	507.3	59.0	6.8	1.6	5.5	4.5	4.0	3.0
			1600 1699	11.0	(21.6)	70.4	518.6	55.5	7.0	2.6	4.6	4.0	3.5	2.9
			1500 1599	17.0	(33.3)	69.6	506.0	50.2	7.1	2.9	4.0	3.9	3.1	2.9

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1400 1499	11.0	(21.6)	70.1	528.5	55.1	6.9	2.7	4.2	4.4	3.2	2.9
			1300 1399	2.0	(3.9)	70.3	632.0	55.0	8.8	2.4	3.0	3.5	3.0	3.0
			1200 1299	4.0	(7.8)	69.4	462.5	45.3	6.2	2.4	3.0	4.5	2.0	2.8
			1000 1099	2.0	(3.9)	68.3	504.9	42.0	6.7	3.0	2.0	4.0	2.0	2.0
				51.0	(1.6)	70.0	517.8	52.5	7.0	2.7	4.1	4.1	3.2	2.8
			1600 1699	7.0	(15.9)	71.7	514.9	61.7	7.5	2.6	4.9	4.0	3.7	2.7
			1500 1599	13.0	(29.5)	70.0	502.8	50.0	7.0	2.6	3.6	4.1	3.1	2.8
			1400 1499	15.0	(34.1)	70.2	508.3	53.9	7.1	2.9	3.6	3.8	3.1	2.7
			1300 1399	5.0	(11.4)	69.4	465.0	46.0	6.8	2.9	2.6	3.6	2.6	3.0
			1200 1299	4.0	(9.1)	69.9	397.6	44.5	5.8	2.4	2.8	4.3	2.0	3.0
				44.0	(1.3)	70.2	492.7	52.2	7.0	2.7	3.6	3.9	3.0	2.8
			1600 1699	1.0	(50.0)	71.0	493.0	56.0	6.4	2.0	4.0	4.0	3.0	3.0
			1400 1499	1.0	(50.0)	69.0	429.7	38.0	6.0	2.1	2.0	4.0	2.0	3.0
				2.0	(0.1)	70.0	461.4	47.0	6.2	2.0	3.0	4.0	2.5	3.0
			1900 1999	1.0	(1.4)	73.7	546.2	86.0	7.6	3.4	8.0	4.0	5.0	3.0
			1700 1799	10.0	(13.7)	70.6	563.8	61.8	7.3	2.9	6.5	3.8	4.2	2.9
			1600 1699	18.0	(24.7)	70.4	559.4	62.1	7.3	3.3	5.2	3.8	3.8	3.0
			1500 1599	27.0	(37.0)	69.8	526.1	54.2	6.7	2.7	4.1	4.1	3.1	3.0
			1400 1499	11.0	(15.1)	69.6	482.3	48.4	6.4	2.5	3.5	4.1	2.7	2.9
			1300 1399	4.0	(5.5)	69.8	488.2	48.8	6.7	2.5	2.8	4.8	2.0	3.0
			1200 1299	2.0	(2.7)	69.8	529.1	54.5	6.7	2.9	2.5	5.0	2.0	3.0
				73.0	(2.2)	70.1	531.2	56.4	6.9	2.9	4.5	4.0	3.3	3.0
			1800 1899	1.0	(3.3)	70.2	497.6	61.0	6.1	3.3	7.0	4.0	4.0	3.0
			1700 1799	1.0	(3.3)	67.1	509.2	47.0	6.6	5.0	6.0	4.0	4.0	3.0
			1600 1699	4.0	(13.3)	69.0	571.0	56.3	7.4	3.9	4.3	4.3	3.3	2.8
			1500 1599	9.0	(30.0)	69.8	542.6	58.3	7.2	3.6	3.9	3.8	3.0	2.8
			1400 1499	6.0	(20.0)	67.9	533.4	45.0	6.7	3.5	3.0	4.3	2.5	2.7
			1300 1399	8.0	(26.7)	69.1	529.9	49.3	7.1	3.2	2.8	4.1	2.0	2.3
			1200 1299	1.0	(3.3)	70.1	527.9	52.0	6.8	2.2	3.0	4.0	2.0	3.0
				30.0	(0.9)	69.0	538.1	52.5	7.0	3.5	3.6	4.1	2.7	2.6
			1800 1899	4.0	(10.5)	71.7	578.2	67.0	7.6	2.5	6.8	3.8	4.5	3.0
			1700 1799	14.0	(36.8)	70.9	577.3	63.0	7.5	2.6	5.7	3.9	4.1	3.0
			1600 1699	11.0	(28.9)	70.5	523.2	57.7	7.3	3.0	5.1	3.5	3.7	3.0
			1500 1599	3.0	(7.9)	70.3	499.1	53.7	6.7	2.5	4.0	4.3	3.3	2.7
			1300 1399	5.0	(13.2)	70.1	484.3	50.0	6.6	2.4	3.4	4.6	2.6	3.0
			1200 1299	1.0	(2.6)	68.4	502.6	39.0	6.0	2.0	2.0	5.0	2.0	2.0
				38.0	(1.2)	70.7	541.3	58.8	7.2	2.7	5.1	3.9	3.7	2.9

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2000 2099	1.0	(2.1)	74.6	549.0	82.0	7.8	1.9	8.0	4.0	5.0	3.0
			1900 1999	1.0	(2.1)	72.3	567.2	63.0	8.5	2.0	7.0	4.0	5.0	3.0
			1800 1899	10.0	(20.8)	71.5	556.8	63.5	7.5	2.4	5.3	4.0	3.7	3.0
			1700 1799	11.0	(22.9)	71.2	493.3	56.8	6.5	1.9	4.6	4.1	3.4	2.7
			1600 1699	10.0	(20.8)	70.4	489.0	52.9	6.2	2.1	3.8	4.3	2.8	2.7
			1500 1599	4.0	(8.3)	70.3	461.6	50.3	6.1	2.0	3.0	4.3	2.3	2.5
			1400 1499	6.0	(12.5)	70.4	439.7	49.2	6.0	2.0	3.0	3.7	2.5	2.7
			1300 1399	2.0	(4.2)	70.5	501.7	51.5	7.2	2.2	3.5	4.0	3.0	3.0
			1200 1299	2.0	(4.2)	69.2	455.6	47.5	5.6	2.7	3.0	4.5	2.0	3.0
			1100 1199	1.0	(2.1)	68.2	463.8	46.0	6.5	4.1	2.0	5.0	2.0	2.0
				48.0	(1.5)	70.8	497.2	55.7	6.6	2.2	4.2	4.1	3.1	2.8
			1800 1899	1.0	(0.0)	71.1	552.9	67.0	7.7	3.6	5.0	4.0	4.0	2.0
			2000 2099	1.0	(1.8)	72.0	683.1	69.0	9.4	2.4	10.0	4.0	5.0	3.0
			1900 1999	2.0	(3.6)	70.5	628.7	65.0	7.8	3.0	8.0	4.0	5.0	3.0
			1800 1899	10.0	(17.9)	71.0	577.5	62.9	7.7	2.7	6.0	4.0	4.1	3.0
			1700 1799	10.0	(17.9)	69.6	588.6	56.3	8.0	3.4	4.7	4.0	3.7	2.9
			1600 1699	11.0	(19.6)	70.2	586.9	60.4	7.5	3.0	4.2	4.4	3.3	3.0
			1500 1599	3.0	(5.4)	69.4	629.1	58.7	7.7	3.2	3.7	4.0	2.7	3.0
			1400 1499	7.0	(12.5)	70.1	579.9	59.6	8.0	3.4	3.9	4.0	3.0	3.0
			1300 1399	8.0	(14.3)	70.0	528.1	48.8	7.8	2.6	2.8	4.4	2.4	3.0
			1200 1299	2.0	(3.6)	69.7	461.4	47.0	6.5	2.6	3.0	4.5	2.5	3.0
			1100 1199	2.0	(3.6)	69.7	534.0	53.5	6.9	2.9	3.0	5.0	2.0	3.0
				56.0	(1.7)	70.2	575.4	57.8	7.7	3.0	4.5	4.2	3.3	3.0
			2200 2299	1.0	(0.7)	71.8	606.6	67.0	7.7	2.0	8.0	4.0	5.0	3.0
			1900 1999	4.0	(2.8)	71.9	650.5	76.3	8.3	3.0	7.8	4.0	5.0	3.0
			1800 1899	8.0	(5.6)	72.0	586.7	69.1	7.9	2.5	6.3	3.9	4.1	2.9
			1700 1799	23.0	(16.2)	71.6	574.8	65.3	7.8	2.5	5.3	3.9	3.7	2.9
			1600 1699	53.0	(37.3)	70.4	585.6	60.8	7.6	2.9	4.3	4.1	3.3	2.9
			1500 1599	29.0	(20.4)	69.7	565.9	55.6	7.3	3.0	3.6	4.0	2.9	2.9
			1400 1499	20.0	(14.1)	71.0	573.4	61.5	7.8	2.6	4.2	4.2	3.4	2.9
			1300 1399	4.0	(2.8)	70.7	574.4	57.5	7.4	2.1	4.0	4.3	3.0	3.0
				142.0	(4.3)	70.7	579.9	61.4	7.6	2.8	4.5	4.0	3.4	2.9
			1900 1999	1.0	(2.2)	70.8	556.8	56.0	7.8	2.3	9.0	3.0	5.0	3.0
			1700 1799	5.0	(10.9)	72.0	548.3	68.0	7.5	2.7	5.4	4.0	3.6	2.8
			1600 1699	3.0	(6.5)	70.8	519.3	56.3	7.3	2.5	4.7	4.0	3.3	2.3
			1500 1599	12.0	(26.1)	71.0	544.2	60.3	7.9	3.0	3.8	3.9	3.0	2.8
			1400 1499	8.0	(17.4)	70.1	508.1	53.3	7.1	2.9	2.8	4.0	2.5	2.6
			1300 1399	16.0	(34.8)	70.1	550.6	56.1	7.5	3.0	2.8	4.1	2.4	2.8
			1100 1199	1.0	(2.2)	70.7	398.7	45.0	5.0	1.0	3.0	5.0	2.0	2.0
				46.0	(1.4)	70.6	536.1	57.8	7.5	2.8	3.6	4.0	2.8	2.7

5 1 2