

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			900 999	22.0	(4.9)	69.1	427.5	42.0	5.0	1.8	1.9	4.9	1.9	3.7
			800 899	18.0	(4.0)	68.8	434.5	39.8	4.8	1.7	1.9	5.2	1.9	3.9
			700 799	78.0	(17.5)	69.0	407.2	38.9	4.6	1.6	1.9	5.6	1.8	4.0
			600 699	131.0	(29.4)	69.0	353.0	35.7	4.0	1.3	1.7	5.7	1.6	3.9
			500 599	160.0	(36.0)	68.8	334.9	34.0	3.5	1.2	1.5	5.8	1.4	4.3
			499	36.0	(8.1)	69.0	283.9	29.9	3.1	0.9	1.3	6.2	1.1	4.9
				445.0	(4.6)	69.0	357.4	35.7	3.9	1.3	1.7	5.7	1.5	4.1
			900 999	1.0	(5.6)	69.3	410.0	40.0	5.0	1.6	3.0	4.0	2.0	3.0
			800 899	4.0	(22.2)	69.8	404.0	42.8	5.7	2.2	2.5	4.8	2.0	2.3
			700 799	7.0	(38.9)	69.0	442.1	46.3	5.1	2.5	2.1	5.1	2.0	3.6
			600 699	3.0	(16.7)	68.6	300.7	31.3	4.0	1.9	2.3	5.3	1.7	3.3
			500 599	3.0	(16.7)	68.4	298.0	29.7	2.9	1.2	1.7	5.7	1.0	3.7
				18.0	(0.2)	69.0	384.3	39.9	4.7	2.1	2.2	5.1	1.8	3.2
			800 899	4.0	(0.9)	69.6	398.0	40.0	4.8	1.3	1.8	5.3	1.8	3.8
			700 799	53.0	(12.1)	68.4	398.6	37.4	3.9	1.6	2.0	5.5	1.8	3.9
			600 699	142.0	(32.5)	68.6	353.9	34.1	3.7	1.4	1.8	5.6	1.6	4.1
			500 599	211.0	(48.3)	68.4	329.8	31.3	3.3	1.2	1.5	5.7	1.3	4.3
			499	27.0	(6.2)	68.7	292.0	30.1	3.2	1.2	1.6	5.8	1.3	5.3
				437.0	(4.5)	68.5	344.3	32.9	3.5	1.3	1.7	5.6	1.5	4.2
			1000 1099	1.0	(0.1)	68.9	503.5	43.0	5.8	1.8	2.0	4.0	2.0	3.0
			900 999	8.0	(0.8)	69.6	422.5	42.1	5.8	2.0	2.3	4.5	2.1	3.0
			800 899	21.0	(2.0)	68.6	415.7	36.1	5.2	1.9	2.4	4.2	2.1	2.8
			700 799	162.0	(15.6)	68.8	396.3	34.2	4.8	1.4	2.0	4.9	1.9	3.1
			600 699	363.0	(34.9)	68.7	377.9	32.5	4.6	1.4	2.0	5.2	1.8	3.4
			500 599	381.0	(36.7)	68.9	342.1	30.1	4.2	1.1	1.8	5.4	1.6	3.7
			499	103.0	(9.9)	69.2	312.1	29.0	4.1	0.8	1.6	5.7	1.4	4.1
				1039.0	(10.7)	68.8	362.4	31.7	4.5	1.2	1.9	5.2	1.7	3.5
			800 899	2.0	(3.0)	68.1	407.5	35.0	4.3	1.9	2.0	5.0	2.0	3.5
			700 799	12.0	(18.2)	68.5	419.6	35.0	5.0	1.6	2.1	4.8	2.0	3.0
			600 699	39.0	(59.1)	68.7	377.8	33.1	4.6	1.5	2.0	5.1	1.8	3.2
			500 599	12.0	(18.2)	68.7	309.9	28.4	3.6	1.0	1.9	5.7	1.5	3.8
			499	1.0	(1.5)	70.4	317.5	38.0	4.0	0.7	2.0	5.0	1.0	4.0
				66.0	(0.7)	68.7	373.0	32.7	4.5	1.4	2.0	5.2	1.8	3.3
			800 899	9.0	(6.2)	69.5	402.3	40.6	4.8	1.5	2.0	5.3	2.0	3.7
			700 799	33.0	(22.6)	68.8	370.7	33.7	4.4	1.3	2.0	5.4	1.9	4.0
			600 699	51.0	(34.9)	68.7	379.8	34.6	4.4	1.4	2.0	5.4	1.9	4.0
			500 599	48.0	(32.9)	68.9	319.3	30.3	3.7	1.0	1.9	5.6	1.7	4.1

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			499	5.0	(3.4)	68.7	319.7	29.0	3.7	1.0	1.8	6.2	1.6	4.6
				146.0	(1.5)	68.8	357.2	33.2	4.2	1.3	1.9	5.5	1.8	4.0
			800 899	4.0	(1.1)	69.5	436.9	40.0	5.2	1.1	2.3	5.0	2.0	4.3
			700 799	51.0	(14.2)	68.8	417.2	38.8	4.7	1.6	2.2	5.4	2.0	4.0
			600 699	102.0	(28.5)	69.0	387.7	36.0	4.5	1.3	2.0	5.6	1.9	4.1
			500 599	145.0	(40.5)	69.0	336.2	31.5	3.9	1.0	1.9	5.6	1.7	3.9
			499	56.0	(15.6)	68.8	297.0	28.8	3.2	0.8	1.6	5.9	1.4	4.5
				358.0	(3.7)	68.9	357.4	33.5	4.1	1.2	1.9	5.6	1.8	4.1
			900 999	3.0	(0.2)	69.0	427.8	38.7	5.2	1.6	2.0	4.7	2.0	3.7
			800 899	13.0	(1.0)	68.4	413.5	35.3	4.3	1.4	2.1	4.9	2.0	3.7
			700 799	246.0	(18.1)	68.5	402.4	35.6	4.2	1.4	2.0	5.3	1.9	3.8
			600 699	567.0	(41.6)	68.7	379.5	34.5	4.0	1.2	1.9	5.3	1.8	3.9
			500 599	462.0	(33.9)	68.8	349.0	32.2	3.7	0.9	1.8	5.5	1.5	4.3
			499	71.0	(5.2)	68.5	355.8	31.0	3.7	1.0	1.7	5.4	1.7	4.4
				1362.0	(14.0)	68.7	372.5	33.7	3.9	1.2	1.9	5.4	1.7	4.1
			900 999	39.0	(1.8)	68.7	451.3	38.8	5.0	1.6	2.0	5.2	2.0	3.7
			800 899	74.0	(3.4)	69.0	421.2	39.4	4.9	1.7	2.1	5.1	2.0	3.6
			700 799	433.0	(20.0)	68.9	397.3	36.7	4.5	1.4	2.0	5.4	2.0	3.9
			600 699	794.0	(36.7)	68.9	372.6	34.8	4.1	1.3	1.9	5.6	1.9	4.1
			500 599	741.0	(34.3)	68.9	333.7	31.8	3.7	1.0	1.7	5.7	1.6	4.3
			499	81.0	(3.7)	69.0	311.7	29.9	3.6	0.9	1.8	5.8	1.6	4.8
				2162.0	(22.2)	68.9	365.0	34.2	4.1	1.2	1.9	5.6	1.8	4.1
			900 999	6.0	(1.3)	68.9	403.4	38.5	5.3	2.1	2.0	5.3	2.0	3.2
			800 899	8.0	(1.7)	69.1	420.6	39.1	5.3	1.8	1.9	5.3	1.9	4.0
			700 799	92.0	(19.3)	69.0	383.5	36.1	4.4	1.4	2.0	5.5	1.9	4.0
			600 699	164.0	(34.5)	69.0	327.1	30.5	3.7	0.8	1.8	5.8	1.7	4.3
			500 599	192.0	(40.3)	69.0	303.8	28.9	3.5	0.6	1.7	6.1	1.5	4.4
			499	14.0	(2.9)	69.0	292.0	28.1	3.6	0.9	1.7	5.9	1.5	4.6
				476.0	(4.9)	69.0	330.1	31.1	3.8	0.9	1.8	5.8	1.7	4.3
			900 999	3.0	(1.1)	68.7	431.5	43.3	5.5	2.9	2.7	4.7	2.0	2.7
			800 899	13.0	(4.7)	69.2	416.7	41.5	5.1	1.9	2.2	5.1	2.0	3.8
			700 799	50.0	(18.1)	69.2	388.7	38.3	4.7	1.5	2.0	5.2	2.0	3.9
			600 699	106.0	(38.4)	69.2	359.3	34.9	4.3	1.2	2.0	5.4	1.9	4.1
			500 599	91.0	(33.0)	69.3	315.7	31.7	3.6	0.8	1.9	5.8	1.8	4.3
			499	13.0	(4.7)	69.3	291.8	29.2	3.5	0.6	1.9	5.8	1.6	4.3
				276.0	(2.8)	69.2	350.5	34.6	4.2	1.2	2.0	5.5	1.9	4.1
			900 999	1.0	(0.1)	69.2	407.0	43.0	5.0	2.2	2.0	5.0	2.0	3.0
			800 899	12.0	(1.0)	69.3	406.6	42.5	4.5	1.7	2.1	5.1	2.0	3.3

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			700 799	252.0	(21.9)	68.7	398.1	38.7	4.1	1.6	2.0	5.3	1.8	3.5
			600 699	426.0	(37.1)	68.5	373.4	35.7	3.8	1.5	1.8	5.5	1.6	3.6
			500 599	411.0	(35.8)	68.6	334.8	33.2	3.3	1.2	1.5	5.6	1.3	3.9
			499	47.0	(4.1)	68.6	284.8	29.4	3.0	1.1	1.3	5.8	1.1	4.6
				1149.0	(11.8)	68.6	361.8	35.3	3.6	1.4	1.7	5.5	1.5	3.7
			800 899	3.0	(4.9)	69.3	386.5	37.7	4.7	1.4	2.0	5.3	2.0	3.3
			700 799	17.0	(27.9)	68.9	401.6	37.1	4.9	1.7	2.1	5.2	1.9	3.9
			600 699	21.0	(34.4)	68.7	381.8	34.5	4.4	1.4	2.1	5.2	2.0	4.0
			500 599	16.0	(26.2)	69.4	303.2	33.0	3.7	1.0	1.9	5.4	1.8	3.9
			499	4.0	(6.6)	68.9	204.0	20.5	2.7	0.4	2.0	6.0	1.0	6.0
				61.0	(0.6)	69.0	355.3	34.0	4.3	1.3	2.0	5.3	1.9	4.0
			800 899	2.0	(1.6)	68.9	488.5	44.0	5.2	1.7	2.5	5.0	2.0	2.5
			700 799	19.0	(15.4)	68.0	372.5	33.2	3.6	1.5	1.8	5.7	1.6	3.6
			600 699	33.0	(26.8)	68.5	349.4	33.1	3.5	1.3	1.8	5.5	1.6	3.8
			500 599	62.0	(50.4)	68.3	326.8	31.1	3.1	1.2	1.7	5.6	1.5	3.7
			499	7.0	(5.7)	68.7	259.7	28.4	3.0	1.2	1.6	5.6	1.3	4.7
				123.0	(1.3)	68.4	338.7	32.0	3.3	1.3	1.7	5.6	1.5	3.8
			900 999	3.0	(4.8)	69.9	320.5	37.0	5.3	2.0	2.0	4.7	2.0	2.0
			800 899	7.0	(11.3)	69.8	414.9	44.6	5.4	1.9	2.3	4.9	2.1	3.3
			700 799	10.0	(16.1)	69.7	347.3	36.5	4.5	1.2	2.0	5.0	2.0	3.4
			600 699	26.0	(41.9)	69.3	342.2	34.7	4.3	1.3	2.0	5.6	2.0	4.2
			500 599	14.0	(22.6)	69.0	297.1	29.0	3.9	1.2	2.0	5.5	1.9	4.1
			499	2.0	(3.2)	69.6	301.5	29.5	3.7	0.3	2.0	6.0	1.5	5.5
				62.0	(0.6)	69.4	338.7	34.7	4.4	1.4	2.0	5.4	2.0	3.9
			700 799	11.0	(25.6)	68.3	405.4	34.8	3.9	1.2	1.8	5.4	1.9	4.9
			600 699	15.0	(34.9)	69.1	427.6	42.2	4.4	1.5	1.9	5.6	1.9	4.6
			500 599	13.0	(30.2)	68.8	438.2	39.6	4.4	1.3	1.8	6.0	1.6	5.0
			499	4.0	(9.3)	68.8	403.6	36.3	4.0	1.1	1.8	6.5	1.5	5.3
				43.0	(0.4)	68.8	422.9	39.0	4.2	1.3	1.8	5.7	1.8	4.9
			1000 1099	1.0	(0.3)	67.6	469.0	41.0	6.0	3.6	2.0	5.0	2.0	3.0
			800 899	1.0	(0.3)	68.9	297.0	36.0	2.9	1.5	2.0	5.0	1.0	3.0
			700 799	67.0	(21.7)	68.6	391.1	36.5	4.1	1.5	1.9	5.4	1.8	3.4
			600 699	121.0	(39.2)	68.5	356.2	33.2	3.7	1.4	1.7	5.4	1.6	3.8
			500 599	100.0	(32.4)	68.6	323.3	31.4	3.4	1.2	1.4	5.4	1.3	4.1
			499	19.0	(6.1)	68.7	248.8	26.7	2.9	1.0	1.4	5.5	1.2	4.1
				309.0	(3.2)	68.6	346.7	33.0	3.7	1.3	1.6	5.4	1.5	3.8
			500 599	1.0	(0.0)	68.7	393.0	36.0	4.0	1.2	1.0	6.0	1.0	5.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			900 999	1.0	(0.4)	70.6	337.0	42.0	5.7	2.0	2.0	5.0	2.0	2.0
			800 899	4.0	(1.6)	69.3	397.8	43.3	5.0	2.3	2.3	4.5	2.0	2.3
			700 799	56.0	(23.0)	68.8	404.9	39.5	4.2	1.6	2.0	5.3	1.9	3.5
			600 699	88.0	(36.1)	68.5	370.5	35.4	3.7	1.5	1.8	5.4	1.7	3.7
			500 599	84.0	(34.4)	68.4	345.7	32.9	3.3	1.3	1.5	5.8	1.4	4.0
			499	11.0	(4.5)	68.7	311.8	32.1	3.1	1.1	1.5	6.0	1.3	4.5
				244.0	(2.5)	68.6	367.5	35.5	3.7	1.5	1.7	5.5	1.6	3.8
			700 799	1.0	(25.0)	69.8	443.0	51.0	4.0	1.5	2.0	6.0	2.0	3.0
			600 699	2.0	(50.0)	68.3	425.5	41.5	3.8	1.9	2.0	6.0	2.0	3.5
			500 599	1.0	(25.0)	68.4	385.0	34.0	3.5	1.0	2.0	5.0	2.0	3.0
				4.0	(0.0)	68.7	419.8	42.0	3.8	1.6	2.0	5.8	2.0	3.3
			700 799	1.0	(50.0)	68.4	369.0	37.0	2.7	1.1	1.0	6.0	1.0	4.0
			500 599	1.0	(50.0)	68.4	400.0	29.0	4.6	0.9	2.0	5.0	2.0	5.0
				2.0	(0.0)	68.4	384.5	33.0	3.6	1.0	1.5	5.5	1.5	4.5
			700 799	1.0	(20.0)	69.1	512.0	43.0	5.8	1.4	2.0	5.0	2.0	4.0
			600 699	3.0	(60.0)	71.4	333.5	42.7	4.6	0.4	2.0	5.3	1.0	4.3
			500 599	1.0	(20.0)	69.4	406.0	40.0	4.1	1.0	1.0	6.0	1.0	3.0
				5.0	(0.1)	70.5	383.7	42.2	4.7	0.7	1.8	5.4	1.2	4.0
			700 799	5.0	(45.5)	68.2	478.9	38.2	5.1	1.7	2.4	5.6	2.0	3.6
			600 699	2.0	(18.2)	69.3	327.4	33.5	3.9	1.0	2.0	7.0	1.0	2.5
			500 599	2.0	(18.2)	69.2	410.9	47.0	4.1	2.1	2.0	6.0	1.5	4.5
			499	2.0	(18.2)	67.7	361.4	26.5	3.4	0.9	2.0	6.5	1.0	5.0
				11.0	(0.1)	68.5	417.6	36.8	4.4	1.5	2.2	6.1	1.5	3.8
			600 699	1.0	(50.0)	69.7	351.0	40.0	5.4	2.3	2.0	5.0	2.0	2.0
			500 599	1.0	(50.0)	68.3	303.6	27.0	4.5	2.0	2.0	5.0	2.0	2.0
				2.0	(0.0)	69.0	327.3	33.5	5.0	2.1	2.0	5.0	2.0	2.0
			600 699	3.0	(0.0)	68.4	404.2	35.7	4.3	1.6	2.3	5.7	2.0	3.0
			800 899	6.0	(4.7)	71.0	397.0	53.5	5.2	2.0	2.0	5.0	2.0	3.2
			700 799	24.0	(18.8)	69.7	434.9	47.4	5.7	2.4	2.0	4.5	2.0	3.0
			600 699	28.0	(21.9)	70.3	399.9	45.4	5.2	1.6	1.2	5.2	1.2	3.3
			500 599	48.0	(37.5)	69.9	396.5	41.2	5.2	1.4	1.0	5.2	1.0	3.6
			499	22.0	(17.2)	70.5	350.7	41.1	4.8	1.1	1.0	5.3	1.0	3.7
				128.0	(1.3)	70.1	396.6	43.8	5.2	1.6	1.3	5.1	1.3	3.4
			600 699	1.0	(50.0)	69.0	422.0	41.0	4.3	1.4	1.0	7.0	1.0	3.0
			499	1.0	(50.0)	69.0	403.0	36.0	4.2	0.8	2.0	5.0	2.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				2.0	(0.0)	69.0	412.5	38.5	4.3	1.1	1.5	6.0	1.5	3.0
			1000 1099	1.0	(0.0)	67.5	385.4	42.0	4.6	4.0	4.0	4.0	3.0	2.0
			1000 1099	2.0	(1.6)	69.2	418.3	41.0	5.0	1.9	2.0	4.5	2.0	3.0
			900 999	2.0	(1.6)	68.7	394.7	37.5	4.0	1.4	2.0	5.0	2.0	4.0
			800 899	3.0	(2.4)	67.6	402.5	32.3	4.0	1.7	2.3	5.0	2.0	3.7
			700 799	28.0	(22.4)	68.6	394.9	34.3	4.1	1.2	2.0	5.8	2.0	4.0
			600 699	41.0	(32.8)	68.5	394.6	34.2	4.3	1.4	2.0	5.7	1.8	4.2
			500 599	48.0	(38.4)	68.7	357.1	29.9	4.2	0.9	1.9	5.9	1.8	4.3
			499	1.0	(0.8)	67.9	348.5	28.0	3.8	1.4	2.0	5.0	2.0	4.0
				125.0	(1.3)	68.6	380.5	32.6	4.2	1.2	2.0	5.7	1.9	4.1
			1200 1299	2.0	(1.1)	68.9	412.9	39.5	5.7	2.5	3.0	5.0	2.0	2.5
			1100 1199	11.0	(6.2)	69.9	427.4	45.7	6.1	2.4	2.2	4.4	2.0	2.7
			1000 1099	3.0	(1.7)	67.8	372.3	31.0	5.3	2.7	2.7	5.3	2.0	6.0
			800 899	6.0	(3.4)	69.9	392.0	42.2	5.0	1.6	2.0	5.2	2.0	2.7
			700 799	21.0	(11.8)	68.2	437.1	38.4	4.2	1.7	2.0	5.4	2.0	3.8
			600 699	76.0	(42.7)	67.9	410.6	34.7	3.8	1.6	1.9	5.7	1.8	3.9
			500 599	37.0	(20.8)	68.1	333.3	29.5	3.1	1.2	1.8	5.4	1.5	3.5
			499	22.0	(12.4)	68.4	305.7	29.9	2.8	1.0	1.5	5.7	1.0	3.5
				178.0	(1.8)	68.2	384.5	34.4	3.8	1.5	1.9	5.5	1.7	3.7
			800 899	3.0	(10.7)	69.3	386.3	42.0	4.3	1.8	1.7	5.0	1.7	3.0
			700 799	5.0	(17.9)	69.0	391.0	39.2	4.0	1.4	2.2	4.8	2.0	3.6
			600 699	3.0	(10.7)	68.3	451.2	40.3	4.5	1.9	2.0	6.0	2.0	5.3
			500 599	15.0	(53.6)	69.3	339.4	34.9	3.7	0.9	1.8	5.3	1.8	4.3
			499	2.0	(7.1)	69.0	345.1	35.0	3.9	1.4	2.0	5.5	2.0	5.0
				28.0	(0.3)	69.1	366.0	37.0	3.9	1.2	1.9	5.3	1.9	4.2
			900 999	1.0	(5.0)	68.7	435.2	42.0	5.1	2.3	2.0	5.0	2.0	2.0
			700 799	3.0	(15.0)	68.2	448.9	39.0	4.7	1.9	2.7	4.7	2.0	3.0
			600 699	6.0	(30.0)	68.2	446.0	38.0	4.7	1.8	2.0	5.5	2.0	4.0
			500 599	2.0	(10.0)	68.8	411.6	39.0	4.3	1.4	2.0	5.5	1.5	3.0
			499	8.0	(40.0)	68.0	378.3	30.1	4.0	1.2	2.1	5.9	1.4	3.8
				20.0	(0.2)	68.2	415.4	35.3	4.4	1.6	2.1	5.5	1.7	3.5
			600 699	3.0	(37.5)	69.2	413.2	38.3	4.4	1.0	2.0	5.7	2.0	4.7
			499	5.0	(62.5)	69.0	327.0	27.8	3.9	0.5	1.0	6.0	1.0	4.0
				8.0	(0.1)	69.1	359.3	31.8	4.1	0.7	1.4	5.9	1.4	4.3
			600 699	2.0	(28.6)	68.0	422.8	38.5	4.0	1.9	2.0	5.5	2.0	4.0
			500 599	1.0	(14.3)	69.6	382.4	45.0	3.2	1.0	2.0	6.0	2.0	4.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
			499	4.0	(57.1)	68.8	283.6	27.8	2.9	0.7	1.3	5.3	1.0	3.3
				7.0	(0.1)	68.7	337.5	33.3	3.3	1.1	1.6	5.4	1.4	3.6
			700 799	1.0	(12.5)	67.5	328.8	23.0	3.6	1.2	2.0	4.0	2.0	3.0
			600 699	4.0	(50.0)	68.0	425.3	37.3	4.3	1.9	2.0	5.3	2.0	3.8
			499	3.0	(37.5)	68.3	301.8	27.3	2.6	0.7	2.0	5.7	1.0	3.3
				8.0	(0.1)	68.0	366.9	31.8	3.6	1.4	2.0	5.3	1.6	3.5
			900 999	2.0	(0.9)	68.7	391.8	39.0	4.5	2.1	3.0	5.0	2.0	3.5
			800 899	5.0	(2.3)	68.5	365.6	37.2	4.3	2.2	2.2	5.0	2.0	3.2
			700 799	35.0	(16.4)	68.7	400.5	37.6	4.2	1.5	2.0	5.4	1.9	3.9
			600 699	86.0	(40.2)	68.9	379.9	36.5	3.9	1.3	1.9	5.5	1.7	4.2
			500 599	78.0	(36.4)	68.9	353.2	34.5	3.8	1.2	1.8	5.6	1.6	4.3
			499	8.0	(3.7)	69.5	335.7	34.9	3.8	0.9	1.8	5.6	1.6	4.8
				214.0	(2.2)	68.9	371.7	35.9	3.9	1.3	1.9	5.5	1.7	4.2
			700 799	1.0	(14.3)	68.3	368.7	30.0	3.8	0.9	2.0	6.0	2.0	4.0
			600 699	3.0	(42.9)	70.6	391.3	49.7	4.5	1.6	3.3	4.7	2.3	3.7
			500 599	3.0	(42.9)	68.4	354.7	33.3	3.6	1.4	2.7	5.0	2.0	4.3
				7.0	(0.1)	69.3	372.4	39.9	4.0	1.4	2.9	5.0	2.1	4.0
			700 799	15.0	(18.5)	68.4	441.3	37.5	4.5	1.5	2.0	5.3	2.0	3.1
			600 699	46.0	(56.8)	68.9	404.0	38.8	4.4	1.5	2.0	5.2	1.9	3.4
			500 599	17.0	(21.0)	69.2	393.7	40.5	3.9	1.2	2.0	5.6	1.8	4.1
			499	3.0	(3.7)	68.5	381.9	35.7	3.7	1.4	2.0	6.3	1.3	4.3
				81.0	(0.8)	68.9	407.9	38.8	4.3	1.4	2.0	5.4	1.9	3.6
			1500 1599	1.0	(5.3)	69.2	494.2	50.0	5.3	2.2	5.0	4.0	3.0	3.0
			1000 1099	2.0	(10.5)	68.3	490.8	42.0	5.5	2.1	3.5	3.5	2.5	3.5
			900 999	2.0	(10.5)	68.8	475.3	44.0	5.0	1.8	2.5	4.5	2.0	4.0
			800 899	3.0	(15.8)	68.6	479.2	40.0	4.9	1.3	2.0	4.7	2.0	3.3
			700 799	9.0	(47.4)	67.6	446.4	31.7	4.8	1.6	1.9	5.0	1.9	3.9
			600 699	2.0	(10.5)	69.0	370.8	36.0	3.6	0.9	1.0	7.0	1.0	4.0
				19.0	(0.2)	68.2	453.8	36.8	4.8	1.6	2.2	4.9	1.9	3.7
			700 799	6.0	(8.6)	69.1	436.3	42.5	4.3	1.3	2.3	5.5	2.2	3.7
			600 699	24.0	(34.3)	68.5	381.2	34.8	4.0	1.4	1.9	5.3	1.8	3.9
			500 599	36.0	(51.4)	69.0	357.3	35.3	3.9	1.2	1.9	5.5	1.8	4.6
			499	4.0	(5.7)	69.3	400.3	41.0	4.3	1.4	2.0	5.8	2.0	4.5
				70.0	(0.7)	68.9	374.7	36.1	4.0	1.3	1.9	5.4	1.8	4.3
			600 699	1.0	(4.8)	68.4	500.1	47.0	5.2	2.6	2.0	7.0	1.0	2.0
			500 599	3.0	(14.3)	67.8	475.8	42.3	5.0	2.7	2.0	5.3	2.0	3.0

[illegible]

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			800 899	2.0	(25.0)	68.8	408.5	35.5	5.6	1.9	2.0	5.0	2.0	4.0
			700 799	1.0	(12.5)	69.4	408.0	38.0	5.3	1.5	2.0	5.0	2.0	2.0
			600 699	3.0	(37.5)	68.4	310.3	28.0	3.8	1.4	1.7	4.7	1.7	3.3
			500 599	2.0	(25.0)	69.5	292.5	35.0	3.7	1.4	1.5	5.5	1.5	4.5
				8.0	(0.6)	68.9	342.6	32.9	4.4	1.6	1.8	5.0	1.8	3.6
			1000 1099	1.0	(2.6)	68.3	335.0	34.0	4.6	2.7	2.0	5.0	2.0	3.0
			900 999	6.0	(15.4)	69.0	373.0	37.0	4.5	1.8	2.7	4.5	2.3	2.7
			800 899	9.0	(23.1)	69.2	332.7	35.4	4.0	1.5	2.0	5.0	1.9	2.8
			700 799	12.0	(30.8)	69.1	340.8	34.8	4.3	1.6	1.9	4.9	1.9	3.0
			600 699	9.0	(23.1)	69.1	319.1	32.9	4.1	1.4	2.0	5.1	1.8	3.1
			500 599	2.0	(5.1)	69.2	327.0	33.5	4.6	1.7	2.0	5.5	2.0	3.5
				39.0	(3.0)	69.1	338.0	34.8	4.3	1.6	2.1	4.9	1.9	2.9
			1000 1099	1.0	(3.8)	70.2	487.0	56.0	4.8	1.7	4.0	5.0	3.0	3.0
			900 999	3.0	(11.5)	69.1	359.0	34.7	4.3	1.3	2.0	5.0	2.0	2.7
			800 899	10.0	(38.5)	69.7	473.9	45.3	5.4	1.5	2.2	4.8	2.0	3.1
			700 799	7.0	(26.9)	68.6	415.3	37.1	4.7	1.8	2.1	4.9	2.0	3.4
			600 699	4.0	(15.4)	68.9	350.0	35.3	4.2	1.6	1.8	5.3	1.8	4.0
			500 599	1.0	(3.8)	68.9	299.0	36.0	3.1	1.6	1.0	5.0	1.0	4.0
				26.0	(2.0)	69.2	419.6	40.4	4.8	1.6	2.1	4.9	2.0	3.3
			1000 1099	1.0	(5.3)	70.0	389.0	41.0	5.4	1.6	2.0	4.0	2.0	2.0
			900 999	4.0	(21.1)	70.2	431.3	45.0	5.5	1.5	2.3	3.8	2.3	2.3
			800 899	7.0	(36.8)	69.1	497.9	43.9	6.1	2.1	2.1	4.6	2.1	2.4
			700 799	5.0	(26.3)	68.7	399.8	34.8	4.7	1.5	2.0	4.4	2.0	2.8
			600 699	2.0	(10.5)	69.7	275.5	30.5	4.0	0.9	1.5	5.0	2.0	2.5
				19.0	(1.5)	69.3	428.9	40.2	5.3	1.7	2.1	4.4	2.1	2.5
			800 899	5.0	(35.7)	68.9	436.4	40.0	5.4	2.1	2.2	4.4	1.8	2.8
			700 799	5.0	(35.7)	68.5	394.3	36.4	4.5	1.9	2.0	4.2	1.6	2.6
			600 699	3.0	(21.4)	69.7	388.9	42.7	5.1	1.8	1.7	5.0	1.7	2.7
			500 599	1.0	(7.1)	69.4	336.1	30.0	5.0	1.1	2.0	6.0	1.0	2.0
				14.0	(1.1)	68.9	404.0	38.6	5.0	1.9	2.0	4.6	1.6	2.6
			800 899	1.0	(11.1)	68.3	432.0	48.0	5.1	3.7	2.0	5.0	2.0	3.0
			700 799	1.0	(11.1)	69.6	446.0	48.0	5.3	2.1	3.0	5.0	2.0	3.0
			600 699	5.0	(55.6)	69.2	477.6	43.8	5.9	2.0	2.4	4.4	2.0	2.8
			500 599	2.0	(22.2)	69.7	241.5	33.5	2.8	1.1	1.5	6.0	1.0	5.0
				9.0	(0.7)	69.3	416.6	42.4	5.0	2.0	2.2	4.9	1.8	3.3
			800 899	2.0	(13.3)	69.4	611.3	51.5	7.3	2.1	4.0	4.0	3.0	2.5
			700 799	4.0	(26.7)	69.0	374.1	34.5	4.8	1.6	2.0	4.3	2.0	2.8
			600 699	1.0	(6.7)	69.3	260.0	31.0	3.8	1.5	2.0	4.0	2.0	4.0
			500 599	6.0	(40.0)	69.1	251.9	27.3	3.2	0.9	1.3	4.8	1.2	3.2

					(%)		(kg)	(m2)	(m)	(m)				
			499	2 0	(13 3)	67. 5	410. 5	28 0	4. 3	1. 3	2 0	5. 0	2 0	4. 5
				15. 0	(1. 2)	68. 9	354. 1	32 8	4. 3	1. 4	2 0	4. 5	1. 8	3 2
			900 999	12 0	(19. 4)	68. 8	400. 3	37. 8	4. 8	1. 9	2 2	4. 8	2 0	2 9
			800 899	9. 0	(14. 5)	69. 0	380. 3	36. 8	4. 6	1. 6	2 0	5. 1	2 0	2 7
			700 799	12 0	(19. 4)	68. 9	324. 3	32 8	3. 8	1. 4	1. 8	5. 1	1. 6	2 8
			600 699	20 0	(32 3)	69. 2	308. 3	32 9	4. 1	1. 5	1. 9	5. 0	1. 8	3 0
			500 599	9. 0	(14. 5)	68. 7	295. 1	31. 0	3. 3	1. 4	1. 9	5. 0	1. 9	3 2
				62 0	(4. 8)	68. 9	337. 7	34. 1	4. 1	1. 6	2 0	5. 0	1. 8	2 9
			900 999	4. 0	(17. 4)	69. 0	437. 4	39. 5	6. 1	2. 4	2 5	4. 8	2 3	2 8
			800 899	3. 0	(13. 0)	70. 1	427. 0	44. 3	6. 2	2 0	2 3	4. 3	2 0	3 7
			700 799	7. 0	(30. 4)	69. 0	383. 0	39. 0	5. 6	2. 6	2 3	4. 7	2 0	2 7
			600 699	8. 0	(34. 8)	70. 0	353. 8	39. 8	4. 4	1. 2	1. 8	5. 6	1. 8	4. 1
			500 599	1. 0	(4. 3)	69. 0	382. 0	34. 0	4. 5	1. 1	2 0	5. 0	2 0	2 0
				23 0	(1. 8)	69. 5	388. 0	39. 8	5. 3	1. 9	2 1	5. 0	2 0	3 3
			900 999	1. 0	(25. 0)	64. 1	405. 0	4. 0	5. 2	2. 4	2 0	5. 0	2 0	3 0
			800 899	1. 0	(25. 0)	70. 0	340. 5	36. 0	4. 5	0. 9	2 0	5. 0	2 0	2 0
			700 799	1. 0	(25. 0)	70. 4	374. 0	45. 0	5. 2	1. 8	2 0	5. 0	2 0	3 0
			500 599	1. 0	(25. 0)	70. 8	283. 5	35. 0	4. 2	0. 4	2 0	5. 0	2 0	4 0
				4. 0	(0. 3)	68. 8	350. 8	30. 0	4. 8	1. 4	2 0	5. 0	2 0	3 0
			1000 1099	2 0	(3. 7)	69. 3	561. 5	56. 0	6. 2	2. 6	3 0	4. 0	2 0	2 5
			900 999	9. 0	(16. 7)	69. 8	456. 2	49. 7	5. 4	2. 1	2 0	4. 8	1. 8	2 6
			800 899	10. 0	(18. 5)	69. 2	408. 2	41. 4	4. 7	1. 8	1. 9	4. 7	1. 9	2 8
			700 799	16. 0	(29. 6)	69. 0	435. 5	42. 0	4. 9	1. 8	2 0	4. 9	1. 8	3 0
			600 699	11. 0	(20. 4)	68. 7	431. 8	40. 5	4. 7	1. 9	2 0	4. 8	1. 7	3 5
			500 599	6. 0	(11. 1)	69. 0	306. 3	35. 7	2. 8	1. 1	1. 2	5. 3	1. 0	3 8
				54 0	(4. 2)	69. 1	423. 5	42. 7	4. 7	1. 8	1. 9	4. 9	1. 7	3 1
			700 799	2 0	(40. 0)	69. 3	429. 5	42. 0	5. 5	2. 1	2 0	5. 0	2 0	2 5
			500 599	3. 0	(60. 0)	69. 3	284. 7	33. 7	3. 7	1. 6	2 0	5. 0	2 0	3 3
				5. 0	(0. 4)	69. 3	342. 6	37. 0	4. 4	1. 8	2 0	5. 0	2 0	3 0
			1100 1199	6. 0	(2. 2)	68. 7	416. 2	39. 3	4. 5	1. 8	2 0	4. 7	2 0	2 2
			1000 1099	25. 0	(9. 3)	69. 2	429. 4	42. 2	5. 1	1. 8	2 0	4. 5	2 0	2 1
			900 999	75. 0	(28. 0)	68. 7	437. 1	40. 3	5. 0	1. 9	2 1	4. 6	2 0	2 5
			800 899	48. 0	(17. 9)	68. 3	431. 3	38. 0	4. 8	2 0	2 0	4. 5	1. 9	2 5
			700 799	89. 0	(33. 2)	68. 5	458. 8	41. 6	5. 2	2. 1	2 0	4. 6	2 0	2 4
			600 699	24. 0	(9. 0)	69. 0	419. 7	40. 1	4. 8	1. 7	1. 9	5. 0	1. 9	2 3
			499	1. 0	(0. 4)	69. 8	232. 5	27. 0	3. 6	0. 6	2 0	6. 0	1. 0	2 0

					(%)		(kg)	(cm2)	(cm)	(cm)				
				268.0	(20.7)	68.7	439.8	40.4	5.0	2.0	2.0	4.6	2.0	2.4
			700 799	1.0	(0.1)	69.7	490.5	50.0	6.1	2.4	3.0	4.0	3.0	2.0
			700 799	2.0	(40.0)	68.6	294.5	28.5	3.5	1.3	2.0	5.0	2.0	3.0
			600 699	2.0	(40.0)	69.4	283.5	35.5	3.5	1.5	2.0	5.0	2.0	3.0
			500 599	1.0	(20.0)	68.9	301.0	33.0	3.6	1.5	2.0	5.0	2.0	3.0
				5.0	(0.4)	69.0	291.4	32.2	3.5	1.4	2.0	5.0	2.0	3.0
			1100 1199	1.0	(1.0)	68.5	514.8	39.0	6.1	1.7	2.0	5.0	2.0	2.0
			1000 1099	52.0	(53.1)	68.2	465.7	40.1	5.3	2.3	2.2	4.9	2.1	2.9
			900 999	9.0	(9.2)	68.6	426.2	39.0	5.1	2.1	2.0	4.9	2.0	2.3
			800 899	6.0	(6.1)	68.6	394.4	36.2	4.8	1.9	2.2	5.3	2.0	2.5
			700 799	7.0	(7.1)	70.0	283.9	35.0	4.4	1.5	2.0	4.0	2.0	2.3
			600 699	10.0	(10.2)	70.0	264.4	32.2	4.5	1.4	2.0	4.3	2.0	2.2
			500 599	13.0	(13.3)	69.5	249.8	28.2	4.1	1.3	2.0	4.2	2.0	2.4
				98.0	(7.6)	68.8	396.0	37.0	5.0	2.0	2.1	4.7	2.0	2.6
			900 999	11.0	(20.8)	69.0	423.3	40.9	4.8	1.7	2.2	4.2	2.0	2.4
			800 899	11.0	(20.8)	69.4	387.6	38.8	4.7	1.4	2.1	4.5	2.0	2.5
			700 799	14.0	(26.4)	69.2	376.9	38.1	4.3	1.4	1.9	4.4	1.9	2.7
			600 699	14.0	(26.4)	68.8	319.9	31.0	3.8	1.3	2.1	4.5	1.9	2.9
			500 599	3.0	(5.7)	68.7	303.0	27.7	3.8	1.2	1.7	4.7	1.7	3.0
				53.0	(4.1)	69.0	369.5	36.4	4.3	1.5	2.1	4.4	1.9	2.7
			900 999	1.0	(0.1)	70.5	509.0	52.0	5.6	1.1	2.0	5.0	2.0	3.0
			1000 1099	1.0	(6.7)	70.2	486.6	52.0	5.7	1.7	4.0	4.0	3.0	3.0
			900 999	1.0	(6.7)	67.8	401.6	30.0	4.8	1.8	2.0	4.0	2.0	3.0
			800 899	1.0	(6.7)	68.4	394.2	34.0	5.2	2.1	2.0	5.0	2.0	3.0
			700 799	4.0	(26.7)	68.8	376.9	36.0	4.8	1.9	2.0	4.8	2.0	2.5
			600 699	5.0	(33.3)	68.7	368.4	32.6	4.7	1.6	2.0	5.0	2.0	2.4
			500 599	1.0	(6.7)	68.2	393.6	31.0	4.3	1.2	2.0	6.0	2.0	3.0
			499	2.0	(13.3)	69.9	372.3	42.0	4.8	1.6	2.0	5.0	2.0	2.0
				15.0	(1.2)	68.9	384.7	35.9	4.8	1.7	2.1	4.9	2.1	2.5
			900 999	1.0	(33.3)	70.9	508.8	56.0	6.2	1.7	3.0	5.0	2.0	3.0
			600 699	1.0	(33.3)	70.5	405.6	43.0	5.4	1.1	2.0	5.0	2.0	3.0
			500 599	1.0	(33.3)	70.2	364.6	41.0	4.4	0.9	2.0	5.0	2.0	3.0
				3.0	(0.2)	70.5	426.3	46.7	5.3	1.2	2.3	5.0	2.0	3.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
			800 899	2.0	(3.6)	70.5	461.9	51.5	6.3	2.3	2.5	4.5	2.5	2.5
			700 799	47.0	(83.9)	69.3	450.7	43.9	5.8	2.3	2.0	4.3	2.0	2.7
			600 699	4.0	(7.1)	69.8	356.0	37.0	5.0	1.3	2.0	5.5	2.0	2.5
			500 599	2.0	(3.6)	69.9	259.7	27.5	4.2	0.6	2.5	5.0	2.0	3.0
			499	1.0	(1.8)	69.9	256.0	29.0	3.7	0.5	2.0	5.0	1.0	3.0
				56.0	(4.3)	69.4	434.1	42.8	5.7	2.1	2.0	4.4	2.0	2.7
			1100 1199	1.0	(25.0)	69.8	475.2	47.0	6.7	2.4	4.0	3.0	3.0	2.0
			1000 1099	1.0	(25.0)	70.7	456.2	54.0	5.6	1.9	3.0	4.0	2.0	3.0
			700 799	1.0	(25.0)	70.4	533.8	60.0	5.3	1.8	2.0	6.0	2.0	2.0
			500 599	1.0	(25.0)	68.8	334.8	31.0	3.5	0.8	2.0	5.0	1.0	3.0
				4.0	(0.3)	69.9	450.0	48.0	5.3	1.7	2.8	4.5	2.0	2.5
			1100 1199	4.0	(13.3)	69.3	503.1	50.3	6.4	2.8	4.0	4.3	3.3	2.5
			1000 1099	16.0	(53.3)	68.6	434.9	39.5	5.2	2.1	3.1	4.4	2.4	2.3
			900 999	8.0	(26.7)	68.8	426.4	40.0	5.2	2.2	2.5	4.3	2.3	2.4
			700 799	2.0	(6.7)	69.9	397.3	43.0	5.0	1.6	3.0	5.0	2.0	2.5
				30.0	(2.3)	68.8	439.2	41.3	5.4	2.2	3.0	4.4	2.5	2.3
			1100 1199	2.0	(28.6)	69.6	348.5	41.0	4.6	2.0	2.0	5.5	2.0	3.5
			1000 1099	2.0	(28.6)	67.1	413.7	32.5	5.2	3.1	2.0	4.5	2.0	2.5
			900 999	2.0	(28.6)	68.6	338.9	32.5	4.5	1.9	2.0	5.5	2.0	4.5
			800 899	1.0	(14.3)	70.3	366.6	42.0	5.7	2.0	2.0	5.0	2.0	4.0
				7.0	(0.5)	68.7	367.0	36.3	4.9	2.3	2.0	5.1	2.0	3.6
			700 799	2.0	(0.2)	70.7	505.1	55.0	6.0	1.6	2.5	5.0	2.0	2.5
			1200 1299	44.0	(10.7)	68.5	500.1	45.5	5.9	2.7	2.4	4.3	2.2	2.4
			1100 1199	350.0	(85.0)	68.6	494.1	45.1	5.7	2.5	2.2	4.4	2.0	2.7
			1000 1099	5.0	(1.2)	68.4	460.3	41.4	5.3	2.4	2.0	4.8	2.0	2.6
			900 999	1.0	(0.2)	70.2	401.4	45.0	3.8	0.6	1.0	5.0	1.0	3.0
			800 899	5.0	(1.2)	68.2	535.8	44.4	5.8	2.4	2.2	5.0	2.0	2.6
			600 699	2.0	(0.5)	68.3	297.9	28.0	2.7	0.8	2.0	5.0	1.0	3.5
			500 599	4.0	(1.0)	67.8	256.0	20.0	3.2	1.2	2.0	4.5	1.5	2.8
			499	1.0	(0.2)	68.0	177.4	17.0	3.0	1.5	2.0	5.0	1.0	2.0
				412.0	(31.9)	68.6	490.6	44.7	5.7	2.5	2.2	4.4	2.0	2.7
			900 999	2.0	(25.0)	66.8	485.5	33.5	4.7	2.1	2.5	5.5	2.0	3.0
			800 899	2.0	(25.0)	69.8	394.5	41.5	5.5	1.8	2.5	5.5	2.0	2.5
			600 699	2.0	(25.0)	69.3	449.2	43.5	5.3	1.8	2.0	5.5	2.0	2.0
			499	2.0	(25.0)	69.0	329.5	32.0	4.0	1.1	2.0	5.5	1.5	2.5
				8.0	(0.6)	68.8	414.7	37.6	4.9	1.7	2.3	5.5	1.9	2.5
			1100 1199	1.0	(33.3)	68.9	474.3	41.0	5.4	1.6	2.0	4.0	2.0	3.0
			1000 1099	2.0	(66.7)	69.7	452.9	43.5	5.3	1.4	2.5	4.5	2.0	2.0

[illegible]

