

					(%)	(kg)	(cm2)	(cm)	(cm)				
			700 799	3.0	(4.1)	71.1	474.3	42.0	6.1	2.0	2.7	5.3	2.0 3.3
			500 599	1.0	(1.4)	70.2	375.0	36.0	4.3	2.4	2.0	6.0	2.0 5.0
			500 599	1.0	(1.4)	71.8	247.0	23.0	4.2	0.3	2.0	6.0	2.0 4.0
			1900 1999	1.0	(1.4)	72.2	429.0	46.0	7.6	3.2	4.0	4.0	3.0 3.0
			1600 1699	1.0	(50.0)	75.1	493.6	68.0	7.1	1.9	4.0	4.0	3.0 3.0
			1300 1399	1.0	(50.0)	75.9	439.0	71.0	6.7	1.9	4.0	4.0	3.0 3.0
				2.0	(2.7)	75.5	466.3	69.5	6.9	1.9	4.0	4.0	3.0 3.0
			1000 1099	1.0	(1.4)	74.5	342.4	53.0	5.7	1.5	2.0	5.0	2.0 6.0
			2500	28.0	(49.1)	74.7	427.8	57.6	7.8	2.3	5.1	4.3	3.5 2.5
			2400 2499	5.0	(8.8)	74.1	429.6	55.2	7.7	2.5	3.6	5.0	2.6 2.6
			2300 2399	4.0	(7.0)	74.2	440.8	55.8	7.7	2.3	3.3	5.0	2.5 2.5
			2200 2299	7.0	(12.3)	73.9	382.6	48.9	7.1	2.1	3.0	4.9	2.3 2.9
			2100 2199	4.0	(7.0)	73.0	414.1	48.0	7.3	2.6	2.5	4.8	2.3 2.8
			2000 2099	3.0	(5.3)	73.2	409.3	50.7	6.6	2.3	2.7	4.7	2.0 3.0
			1900 1999	1.0	(1.8)	73.5	478.6	53.0	7.0	1.7	3.0	6.0	2.0 2.0
			1700 1799	1.0	(1.8)	74.9	337.0	54.0	6.1	1.5	3.0	5.0	2.0 5.0
			900 999	1.0	(1.8)	72.5	357.4	45.0	5.8	2.4	2.0	5.0	2.0 2.0
			800 899	1.0	(1.8)	72.9	349.4	45.0	5.2	1.6	2.0	5.0	2.0 4.0
			700 799	2.0	(3.5)	73.7	314.2	42.5	6.1	1.6	2.0	4.0	2.0 3.0
				57.0	(78.1)	74.2	414.1	54.1	7.4	2.3	4.0	4.6	2.9 2.6
			1000 1099	1.0	(1.4)	72.6	295.4	40.0	5.6	2.2	3.0	4.0	2.0 3.0
			499	6.0	(8.2)	72.5	373.8	45.2	5.2	1.8	2.2	5.2	2.0 3.5
			2500	28.0	(38.4)	74.7	427.8	57.6	7.8	2.3	5.1	4.3	3.5 2.5
			2400 2499	5.0	(6.8)	74.1	429.6	55.2	7.7	2.5	3.6	5.0	2.6 2.6
			2300 2399	4.0	(5.5)	74.2	440.8	55.8	7.7	2.3	3.3	5.0	2.5 2.5
			2200 2299	7.0	(9.6)	73.9	382.6	48.9	7.1	2.1	3.0	4.9	2.3 2.9
			2100 2199	4.0	(5.5)	73.0	414.1	48.0	7.3	2.6	2.5	4.8	2.3 2.8
			2000 2099	3.0	(4.1)	73.2	409.3	50.7	6.6	2.3	2.7	4.7	2.0 3.0
			1900 1999	2.0	(2.7)	72.8	453.8	49.5	7.3	2.5	3.5	5.0	2.5 2.5
			1700 1799	1.0	(1.4)	74.9	337.0	54.0	6.1	1.5	3.0	5.0	2.0 5.0
			1600 1699	1.0	(1.4)	75.1	493.6	68.0	7.1	1.9	4.0	4.0	3.0 3.0
			1300 1399	1.0	(1.4)	75.9	439.0	71.0	6.7	1.9	4.0	4.0	3.0 3.0
			1000 1099	2.0	(2.7)	73.5	318.9	46.5	5.7	1.9	2.5	4.5	2.0 4.5
			900 999	1.0	(1.4)	72.5	357.4	45.0	5.8	2.4	2.0	5.0	2.0 2.0
			800 899	1.0	(1.4)	72.9	349.4	45.0	5.2	1.6	2.0	5.0	2.0 4.0
			700 799	5.0	(6.8)	72.2	410.3	42.2	6.1	1.8	2.4	4.8	2.0 3.2

[illegible]

