

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1500 1599	1.0	(4.0)	73.0	520.3	66.0	9.2	2.7	8.0	4.0	5.0	3.0
			1300 1399	3.0	(12.0)	70.5	505.3	55.0	8.1	3.5	4.7	3.0	3.3	2.7
			1200 1299	3.0	(12.0)	71.2	441.3	56.7	7.5	3.4	4.7	4.0	3.7	2.7
			1100 1199	3.0	(12.0)	70.7	420.0	52.0	6.6	2.9	3.7	4.0	3.0	3.3
			900 999	1.0	(4.0)	71.5	478.0	57.0	7.7	2.8	2.0	4.0	2.0	2.0
			800 899	4.0	(16.0)	70.0	445.5	43.5	6.6	2.1	3.3	5.0	2.0	3.5
			700 799	2.0	(8.0)	69.0	427.0	41.5	6.0	2.6	2.0	5.5	2.0	4.0
			600 699	5.0	(20.0)	70.8	335.4	44.0	5.1	1.6	2.0	5.8	2.0	4.0
			500 599	2.0	(8.0)	69.3	286.0	35.5	4.0	2.0	2.0	5.5	2.0	3.5
			499	1.0	(4.0)	67.3	352.0	25.0	4.8	2.3	2.0	5.0	2.0	5.0
				25.0	(32.5)	70.4	413.4	47.5	6.4	2.5	3.3	4.7	2.6	3.4
			1100 1199	1.0	(33.3)	69.8	415.0	42.0	6.3	2.2	2.0	4.0	2.0	2.0
			900 999	1.0	(33.3)	69.5	529.0	49.0	6.8	2.4	3.0	5.0	2.0	2.0
			700 799	1.0	(33.3)	68.7	331.0	35.0	5.3	2.9	2.0	4.0	2.0	2.0
				3.0	(3.9)	69.3	425.0	42.0	6.1	2.5	2.3	4.3	2.0	2.0
			600 699	1.0	(1.3)	69.2	298.0	35.0	5.0	2.6	2.0	5.0	2.0	3.0
			1500 1599	1.0	(50.0)	73.1	392.0	57.0	7.3	1.8	8.0	4.0	5.0	2.0
			1200 1299	1.0	(50.0)	71.8	367.0	51.0	6.4	2.1	3.0	4.0	3.0	3.0
				2.0	(2.6)	72.5	379.5	54.0	6.8	1.9	5.5	4.0	4.0	2.5
			1600 1699	1.0	(33.3)	73.7	429.0	57.0	8.4	1.5	12.0	3.0	5.0	3.0
			1300 1399	1.0	(33.3)	72.5	450.0	62.0	7.1	2.2	7.0	3.0	4.0	3.0
			1000 1099	1.0	(33.3)	72.2	402.0	49.0	8.0	2.1	6.0	4.0	4.0	3.0
				3.0	(3.9)	72.8	427.0	56.0	7.8	1.9	8.3	3.3	4.3	3.0
			1100 1199	1.0	(25.0)	72.2	507.0	62.0	7.3	1.9	5.0	4.0	3.0	3.0
			1000 1099	1.0	(25.0)	73.0	498.0	63.0	7.8	1.7	3.0	5.0	2.0	3.0
			700 799	2.0	(50.0)	71.2	285.5	40.0	4.8	1.2	2.0	5.0	2.0	2.5
				4.0	(5.2)	71.9	394.0	51.3	6.2	1.5	3.0	4.8	2.3	2.8
			1500 1599	1.0	(11.1)	70.5	468.0	58.0	7.8	4.2	8.0	4.0	4.0	3.0
			1200 1299	2.0	(22.2)	71.5	477.0	57.0	6.8	2.1	4.0	4.0	2.5	2.5
			1100 1199	1.0	(11.1)	70.7	482.0	60.0	6.3	2.9	3.0	4.0	2.0	3.0
			1000 1099	2.0	(22.2)	67.3	515.5	38.0	7.1	3.6	2.5	4.5	2.0	3.0
			700 799	1.0	(11.1)	66.8	485.5	37.0	5.2	3.1	3.0	5.0	2.0	4.0
			500 599	1.0	(11.1)	68.6	420.5	38.0	5.6	2.5	2.0	5.0	2.0	4.0
			499	1.0	(11.1)	70.8	464.0	48.0	6.7	1.6	3.0	6.0	2.0	4.0
				9.0	(11.7)	69.5	478.3	47.9	6.6	2.9	3.6	4.6	2.3	3.2

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1900 1999	1.0	(33.3)	75.2	472.0	82.0	8.6	3.0	11.0	4.0	5.0	3.0
			1300 1399	1.0	(33.3)	70.8	516.0	57.0	6.8	2.4	7.0	3.0	5.0	3.0
			600 699	1.0	(33.3)	69.3	326.0	35.0	4.2	1.5	3.0	6.0	2.0	7.0
				3.0	(3.9)	71.8	438.0	58.0	6.5	2.3	7.0	4.3	4.0	4.3
			1500 1599	1.0	(50.0)	73.0	446.0	68.0	6.7	2.3	7.0	3.0	4.0	3.0
			1200 1299	1.0	(50.0)	71.8	466.0	55.0	7.7	2.2	3.0	4.0	2.0	3.0
				2.0	(2.6)	72.4	456.0	61.5	7.2	2.3	5.0	3.5	3.0	3.0
			1000 1099	1.0	(1.3)	69.4	359.6	43.0	6.2	3.5	4.0	4.0	3.0	3.0
			700 799	1.0	(1.3)	70.4	397.0	45.0	5.4	1.6	3.0	5.0	2.0	3.0
			1800 1899	1.0	(1.3)	75.1	424.0	79.0	6.9	2.0	12.0	4.0	5.0	3.0
			1700 1799	1.0	(1.3)	70.1	483.2	65.0	7.2	5.0	5.0	4.0	4.0	3.0
			2000 2099	1.0	(5.9)	75.6	457.3	78.0	8.5	2.1	10.0	3.0	5.0	3.0
			1400 1499	1.0	(5.9)	73.1	399.5	60.0	6.4	1.5	6.0	4.0	4.0	3.0
			1300 1399	3.0	(17.6)	70.1	434.8	53.3	7.1	3.9	4.3	4.0	3.3	3.0
			1200 1299	2.0	(11.8)	71.7	460.1	60.5	7.2	2.9	5.5	4.5	3.5	3.0
			1100 1199	3.0	(17.6)	71.4	461.7	50.7	8.2	2.4	4.3	4.0	3.0	3.3
			1000 1099	3.0	(17.6)	70.0	453.1	50.3	6.6	2.9	3.3	4.3	2.7	3.3
			900 999	1.0	(5.9)	73.5	416.3	71.0	7.4	3.1	6.0	5.0	3.0	4.0
			800 899	2.0	(11.8)	70.8	448.9	55.0	7.9	3.9	3.0	4.5	2.0	3.0
			600 699	1.0	(5.9)	69.0	445.3	45.0	6.7	3.4	2.0	5.0	2.0	4.0
				17.0	(22.1)	71.2	446.2	55.8	7.4	3.0	4.5	4.2	3.1	3.2
			1500 1599	1.0	(25.0)	70.6	389.5	52.0	6.8	3.6	8.0	4.0	5.0	3.0
			1300 1399	1.0	(25.0)	72.9	457.9	63.0	6.5	1.5	8.0	4.0	5.0	2.0
			499	2.0	(50.0)	71.3	447.9	57.0	6.5	2.5	5.5	4.5	3.5	3.0
				4.0	(5.2)	71.5	435.8	57.3	6.5	2.5	6.8	4.3	4.3	2.8
			2000 2099	1.0	(1.3)	75.6	457.3	78.0	8.5	2.1	10.0	3.0	5.0	3.0
			1900 1999	1.0	(1.3)	75.2	472.0	82.0	8.6	3.0	11.0	4.0	5.0	3.0
			1800 1899	1.0	(1.3)	75.1	424.0	79.0	6.9	2.0	12.0	4.0	5.0	3.0
			1700 1799	1.0	(1.3)	70.1	483.2	65.0	7.2	5.0	5.0	4.0	4.0	3.0
			1600 1699	1.0	(1.3)	73.7	429.0	57.0	8.4	1.5	12.0	3.0	5.0	3.0
			1500 1599	5.0	(6.5)	72.0	443.2	60.2	7.6	2.9	7.8	3.8	4.6	2.8
			1400 1499	1.0	(1.3)	73.1	399.5	60.0	6.4	1.5	6.0	4.0	4.0	3.0
			1300 1399	9.0	(11.7)	70.9	471.6	56.3	7.3	3.2	5.4	3.4	3.8	2.8
			1200 1299	9.0	(11.7)	71.5	447.9	56.8	7.2	2.7	4.3	4.1	3.1	2.8
			1100 1199	9.0	(11.7)	71.0	449.9	52.4	7.1	2.5	3.8	4.0	2.8	3.1

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1600 1699	4.0	(12.1)	71.6	530.3	57.0	8.5	2.4	7.3	4.0	4.3	3.0
			1500 1599	2.0	(6.1)	70.5	598.8	60.5	8.6	3.3	7.5	3.5	4.5	3.0
			1400 1499	4.0	(12.1)	71.0	507.3	55.5	8.2	2.9	5.3	4.0	3.5	3.0
			1300 1399	3.0	(9.1)	72.0	502.0	59.7	8.2	2.6	4.7	3.3	3.3	2.7
			1200 1299	5.0	(15.2)	71.1	539.6	59.8	8.0	3.0	5.6	4.2	4.0	2.8
			1100 1199	6.0	(18.2)	71.3	475.7	54.3	7.2	2.2	3.2	4.0	2.5	2.7
			1000 1099	5.0	(15.2)	71.1	522.1	55.2	8.0	2.5	3.6	4.0	2.6	2.8
			900 999	2.0	(6.1)	70.3	421.0	42.0	7.1	2.3	2.5	3.5	2.0	2.5
			800 899	2.0	(6.1)	71.1	498.5	55.5	7.3	2.4	3.0	4.5	2.0	2.5
				33.0	(0.5)	71.2	510.7	55.9	7.9	2.6	4.7	3.9	3.2	2.8
			700 799	1.0	(50.0)	71.0	336.0	44.0	6.2	2.3	2.0	4.0	2.0	4.0
			500 599	1.0	(50.0)	69.9	189.0	30.0	3.1	1.2	2.0	4.0	2.0	3.0
				2.0	(0.0)	70.5	262.5	37.0	4.7	1.8	2.0	4.0	2.0	3.5
			1500 1599	1.0	(0.0)	74.7	437.0	70.0	7.0	1.1	10.0	4.0	5.0	3.0
			1500 1599	1.0	(50.0)	71.8	474.0	57.0	6.8	1.8	4.0	4.0	3.0	3.0
			1100 1199	1.0	(50.0)	70.2	432.2	41.0	7.0	2.0	5.0	4.0	4.0	2.0
				2.0	(0.0)	71.0	453.1	49.0	6.9	1.9	4.5	4.0	3.5	2.5
			1400 1499	3.0	(60.0)	73.3	457.2	71.3	7.9	3.2	7.7	3.3	4.7	3.0
			1200 1299	1.0	(20.0)	72.3	426.5	54.0	7.3	1.8	6.0	4.0	4.0	3.0
			1100 1199	1.0	(20.0)	69.9	378.0	43.0	5.6	2.3	4.0	4.0	3.0	3.0
				5.0	(0.1)	72.4	435.2	62.2	7.3	2.8	6.6	3.6	4.2	3.0
			1400 1499	2.0	(50.0)	70.9	466.0	53.5	6.8	2.4	3.5	4.0	3.0	3.0
			1300 1399	1.0	(25.0)	69.6	541.0	49.0	7.5	2.7	3.0	3.0	3.0	3.0
			1200 1299	1.0	(25.0)	71.8	596.0	67.0	8.2	2.5	4.0	4.0	3.0	3.0
				4.0	(0.1)	70.8	517.3	55.8	7.3	2.5	3.5	3.8	3.0	3.0
			1700 1799	1.0	(11.1)	73.7	492.5	71.0	7.6	2.1	9.0	3.0	5.0	3.0
			1600 1699	1.0	(11.1)	72.6	610.0	73.0	9.4	3.2	7.0	5.0	4.0	3.0
			1400 1499	3.0	(33.3)	72.2	617.3	68.0	9.0	2.6	6.7	3.3	4.0	3.0
			1300 1399	1.0	(11.1)	72.5	481.0	65.0	6.0	1.4	4.0	5.0	3.0	3.0
			1200 1299	2.0	(22.2)	70.8	570.0	60.0	7.3	2.4	3.5	3.5	2.5	2.5
			1100 1199	1.0	(11.1)	69.6	619.0	61.0	8.4	3.9	3.0	4.0	2.0	3.0
				9.0	(0.1)	71.8	577.2	66.0	8.1	2.6	5.6	3.8	3.4	2.9
			1400 1499	1.0	(20.0)	73.3	496.0	69.0	7.4	2.0	7.0	4.0	5.0	2.0
			1100 1199	4.0	(80.0)	70.3	523.5	53.5	7.8	2.9	3.0	4.0	2.0	2.8
				5.0	(0.1)	70.9	518.0	56.6	7.7	2.7	3.8	4.0	2.6	2.6

					(%)		(kg)	(cm2)	(cm)	(cm)				
			700 799	1.0	(0.0)	69.1	496.5	44.0	7.1	2.8	2.0	5.0	2.0	2.0
			1400 1499	1.0	(33.3)	72.0	541.0	69.0	8.0	3.3	5.0	4.0	4.0	3.0
			1200 1299	1.0	(33.3)	71.4	448.0	56.0	6.7	2.4	4.0	5.0	3.0	3.0
			1100 1199	1.0	(33.3)	69.4	561.0	64.0	7.9	5.1	3.0	4.0	2.0	2.0
				3.0	(0.0)	70.9	516.7	63.0	7.5	3.6	4.0	4.3	3.0	2.7
			1300 1399	1.0	(0.0)	70.8	517.0	55.0	7.2	2.3	4.0	4.0	3.0	3.0
			1400 1499	1.0	(50.0)	69.8	554.0	50.0	8.5	3.1	5.0	3.0	4.0	3.0
			1000 1099	1.0	(50.0)	68.0	384.0	37.0	6.0	3.7	3.0	4.0	3.0	2.0
				2.0	(0.0)	68.9	469.0	43.5	7.3	3.4	4.0	3.5	3.5	2.5
			1900 1999	31.0	(2.2)	72.3	510.9	61.9	8.6	2.7	5.1	4.1	3.6	2.8
			1800 1899	145.0	(10.4)	71.1	524.1	57.2	8.5	3.1	3.8	4.1	3.1	2.8
			1700 1799	304.0	(21.8)	71.1	524.2	56.9	8.3	3.0	3.6	4.2	2.7	2.7
			1600 1699	227.0	(16.3)	70.8	530.7	55.9	8.5	3.2	3.5	4.3	2.5	2.6
			1500 1599	280.0	(20.1)	71.2	525.9	57.5	8.6	3.1	3.5	4.2	2.8	2.8
			1400 1499	250.0	(17.9)	70.8	519.8	54.8	8.3	3.1	3.1	4.3	2.5	2.8
			1300 1399	153.0	(11.0)	70.7	505.2	53.2	8.1	3.1	2.8	4.5	2.0	2.8
			1200 1299	2.0	(0.1)	68.8	417.5	44.5	6.5	3.8	2.0	5.0	2.0	2.5
			1000 1099	1.0	(0.1)	71.6	335.3	46.0	5.5	1.3	4.0	4.0	2.0	2.0
				1393.0	(23.0)	71.0	522.2	56.2	8.4	3.1	3.5	4.2	2.6	2.7
			1900 1999	13.0	(2.1)	71.5	536.2	58.2	8.7	2.9	5.5	3.9	3.7	2.6
			1800 1899	84.0	(13.3)	70.4	528.7	54.6	8.3	3.3	3.9	4.0	3.0	2.7
			1700 1799	97.0	(15.3)	70.2	520.8	52.8	8.2	3.4	3.4	4.2	2.5	2.5
			1600 1699	93.0	(14.7)	70.3	524.3	53.2	8.2	3.2	3.5	4.1	2.6	2.6
			1500 1599	143.0	(22.6)	70.4	497.5	51.5	7.9	3.1	3.4	4.3	2.5	2.7
			1400 1499	125.0	(19.8)	70.2	489.2	49.8	7.9	3.1	3.2	4.3	2.5	2.7
			1300 1399	61.0	(9.7)	69.9	486.9	47.8	7.8	3.1	2.7	4.6	2.1	2.6
			1200 1299	16.0	(2.5)	68.3	516.5	43.1	8.0	4.0	2.8	4.4	2.0	2.8
				632.0	(10.4)	70.2	507.8	51.6	8.1	3.2	3.4	4.2	2.6	2.6
			1300 1399	1.0	(50.0)	71.9	469.2	58.0	7.0	2.0	4.0	4.0	3.0	3.0
			1200 1299	1.0	(50.0)	71.3	438.8	49.0	7.2	2.0	5.0	4.0	4.0	2.0
				2.0	(0.0)	71.6	454.0	53.5	7.1	2.0	4.5	4.0	3.5	2.5
			1400 1499	1.0	(2.1)	73.6	498.0	72.0	7.8	2.3	7.0	4.0	4.0	3.0
			1300 1399	1.0	(2.1)	69.5	636.0	66.0	8.4	4.5	4.0	5.0	3.0	3.0
			1200 1299	33.0	(70.2)	70.7	574.1	61.4	8.2	3.3	2.5	4.6	2.1	3.0
			1100 1199	12.0	(25.5)	68.4	584.9	53.8	7.7	4.3	2.8	4.7	2.0	3.3
				47.0	(0.8)	70.1	576.6	59.8	8.1	3.5	2.7	4.6	2.1	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1400 1499	1.0	(14.3)	73.4	572.0	69.0	8.5	1.6	6.0	4.0	4.0	3.0
			1300 1399	1.0	(14.3)	70.2	526.7	59.0	8.4	4.3	4.0	4.0	3.0	3.0
			1000 1099	2.0	(28.6)	71.0	511.9	61.5	7.6	3.4	3.5	3.5	2.5	3.0
			900 999	3.0	(42.9)	70.4	536.7	56.7	7.6	3.0	3.0	3.7	2.3	3.0
				7.0	(0.1)	71.0	533.2	60.1	7.8	3.1	3.7	3.7	2.7	3.0
			1800 1899	7.0	(3.1)	69.8	521.8	51.4	8.4	3.7	4.1	4.0	3.1	2.9
			1700 1799	29.0	(12.9)	69.9	542.7	51.9	8.7	3.6	3.4	4.2	2.3	2.9
			1600 1699	30.0	(13.3)	69.3	522.8	48.5	8.5	3.9	2.9	4.2	2.3	2.9
			1500 1599	40.0	(17.8)	70.1	500.2	51.3	7.8	3.2	3.2	4.3	2.4	2.9
			1400 1499	48.0	(21.3)	70.1	508.7	50.5	7.9	3.1	3.1	4.3	2.4	2.8
			1300 1399	53.0	(23.6)	69.3	506.6	46.6	7.7	3.3	2.6	4.7	2.0	2.8
			1200 1299	18.0	(8.0)	68.1	527.5	43.7	7.5	3.8	2.7	4.6	2.0	2.9
				225.0	(3.7)	69.6	514.9	49.1	8.0	3.4	3.0	4.4	2.3	2.8
			2000 2099	6.0	(0.2)	72.5	583.7	67.3	9.2	2.8	6.7	4.0	4.2	3.0
			1900 1999	119.0	(3.2)	71.1	574.3	61.6	8.8	3.3	5.6	4.1	3.8	2.9
			1800 1899	618.0	(16.8)	70.4	568.3	57.1	8.8	3.5	4.2	4.1	3.1	2.9
			1700 1799	882.0	(24.0)	69.8	569.6	55.0	8.7	3.7	3.5	4.2	2.7	2.9
			1600 1699	658.0	(17.9)	69.4	564.0	52.9	8.6	4.0	3.4	4.3	2.5	2.9
			1500 1599	578.0	(15.7)	70.0	554.6	54.4	8.4	3.5	3.5	4.3	2.7	2.9
			1400 1499	501.0	(13.6)	70.0	545.9	53.3	8.3	3.4	3.2	4.3	2.4	2.9
			1300 1399	274.0	(7.4)	69.1	538.5	49.7	8.1	3.8	2.7	4.6	2.0	2.9
			1200 1299	46.0	(1.2)	69.3	535.6	50.5	7.9	3.7	2.9	4.2	2.0	2.9
				3682.0	(60.8)	69.9	560.2	54.4	8.5	3.7	3.6	4.3	2.7	2.9
			1700 1799	1.0	(50.0)	73.1	484.0	65.0	8.0	2.3	8.0	3.0	5.0	3.0
			1300 1399	1.0	(50.0)	71.2	360.0	44.0	6.7	2.2	4.0	4.0	3.0	2.0
				2.0	(0.0)	72.2	422.0	54.5	7.3	2.3	6.0	3.5	4.0	2.5
			2000 2099	6.0	(0.1)	72.5	583.7	67.3	9.2	2.8	6.7	4.0	4.2	3.0
			1900 1999	163.0	(2.7)	71.3	559.2	61.4	8.7	3.2	5.5	4.1	3.8	2.9
			1800 1899	854.0	(14.1)	70.5	556.5	56.9	8.7	3.4	4.1	4.1	3.1	2.9
			1700 1799	1314.0	(21.7)	70.2	554.8	55.3	8.5	3.5	3.6	4.2	2.6	2.8
			1600 1699	1013.0	(16.7)	69.8	551.6	53.5	8.5	3.7	3.4	4.3	2.5	2.8
			1500 1599	1045.0	(17.2)	70.4	536.9	54.7	8.4	3.3	3.5	4.2	2.7	2.8
			1400 1499	941.0	(15.5)	70.3	529.1	53.3	8.2	3.3	3.2	4.3	2.5	2.8
			1300 1399	551.0	(9.1)	69.7	519.8	50.3	8.0	3.4	2.8	4.5	2.1	2.8
			1200 1299	126.0	(2.1)	69.5	539.1	52.1	7.9	3.5	2.9	4.4	2.2	2.9
			1100 1199	26.0	(0.4)	69.6	536.8	53.6	7.5	3.4	3.0	4.3	2.2	2.9
			1000 1099	9.0	(0.1)	70.8	483.7	53.6	7.4	2.7	3.6	3.9	2.6	2.7
			900 999	5.0	(0.1)	70.3	490.4	50.8	7.4	2.7	2.8	3.6	2.2	2.8
			800 899	2.0	(0.0)	71.1	498.5	55.5	7.3	2.4	3.0	4.5	2.0	2.5
			700 799	2.0	(0.0)	70.0	416.3	44.0	6.7	2.5	2.0	4.5	2.0	3.0

[illegible]