

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1400 1499	1.0	(1.3)	74.5	496.0	64.0	7.7	2.5	7.0	4.0	4.0	3.0
			1300 1399	2.0	(2.5)	74.2	454.0	58.0	7.8	2.5	5.5	4.0	3.5	3.0
			1200 1299	2.0	(2.5)	73.2	494.0	56.5	8.4	3.5	4.0	4.5	3.0	3.0
			1100 1199	2.0	(2.5)	71.8	548.5	56.0	8.3	4.0	3.5	4.5	2.5	2.5
			1000 1099	1.0	(1.3)	72.2	511.0	48.0	8.8	3.2	3.0	3.0	2.0	3.0
			900 999	3.0	(3.8)	71.7	548.0	57.3	7.8	3.9	2.7	4.3	2.0	3.0
			800 899	2.0	(2.5)	71.9	519.9	50.0	7.9	3.0	2.5	5.0	2.0	3.5
			700 799	8.0	(10.1)	71.5	485.9	47.9	7.1	3.1	2.0	5.3	2.0	3.6
			600 699	41.0	(51.9)	71.5	485.0	47.3	6.9	2.8	2.0	5.5	2.0	3.8
			500 599	12.0	(15.2)	71.2	489.0	46.0	6.9	2.9	2.1	5.3	2.0	3.7
			499	5.0	(6.3)	71.1	505.8	47.0	6.9	3.1	2.0	5.8	2.0	4.0
				79.0	(65.3)	71.6	491.8	48.5	7.1	3.0	2.3	5.3	2.1	3.6
			900 999	1.0	(0.8)	73.2	354.0	51.0	5.8	2.5	2.0	5.0	2.0	3.0
			1800 1899	1.0	(11.1)	71.2	463.0	47.0	7.1	3.6	2.0	5.0	2.0	5.0
			1600 1699	5.0	(55.6)	71.0	427.6	41.4	6.8	3.3	2.0	4.2	2.0	4.2
			700 799	1.0	(11.1)	72.1	239.0	34.0	2.9	0.8	1.0	7.0	1.0	7.0
			500 599	1.0	(11.1)	70.1	330.0	36.0	3.8	2.7	1.0	6.0	1.0	6.0
			499	1.0	(11.1)	70.2	263.0	24.0	3.1	1.2	1.0	7.0	1.0	7.0
				9.0	(7.4)	71.0	381.4	38.7	5.6	2.7	1.7	5.1	1.7	5.1
			1300 1399	1.0	(12.5)	72.1	608.4	70.0	8.1	4.8	5.0	5.0	3.0	3.0
			1200 1299	1.0	(12.5)	70.8	556.4	56.0	8.7	5.3	4.0	6.0	3.0	3.0
			1100 1199	1.0	(12.5)	75.0	562.4	72.0	8.3	2.6	3.0	6.0	2.0	3.0
			800 899	1.0	(12.5)	70.1	463.0	35.0	8.0	3.6	3.0	4.0	2.0	6.0
			700 799	4.0	(50.0)	71.8	393.9	38.5	6.3	2.1	1.8	5.3	1.8	4.0
				8.0	(6.6)	71.9	470.7	48.4	7.3	3.1	2.8	5.3	2.1	3.9
			1500 1599	1.0	(25.0)	71.7	417.0	45.0	6.6	3.1	3.0	5.0	2.0	4.0
			1300 1399	1.0	(25.0)	70.9	435.5	42.0	7.0	3.6	5.0	4.0	4.0	3.0
			1100 1199	2.0	(50.0)	73.4	490.5	58.0	8.4	3.4	3.0	4.0	2.0	2.5
				4.0	(3.3)	72.3	458.4	50.8	7.6	3.4	3.5	4.3	2.5	3.0
			2000 2099	1.0	(33.3)	75.5	485.0	64.0	8.9	2.3	8.0	4.0	5.0	3.0
			1100 1199	2.0	(66.7)	68.2	513.1	40.5	7.8	5.8	2.0	4.5	2.0	3.0
				3.0	(2.5)	70.6	503.7	48.3	8.2	4.7	4.0	4.3	3.0	3.0
			1000 1099	2.0	(11.8)	72.8	434.8	47.5	7.3	2.5	3.0	4.0	2.5	3.5
			900 999	2.0	(11.8)	71.8	581.0	51.0	10.0	4.0	2.5	5.0	2.0	3.5
			800 899	3.0	(17.6)	70.5	595.9	52.3	9.3	5.0	2.7	5.3	2.0	3.0
			700 799	4.0	(23.5)	70.8	511.1	50.0	7.7	4.3	2.3	4.5	2.0	3.0

[illegible]

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1300 1399	2.0	(12.5)	71.8	555.0	52.5	8.5	3.5	4.0	4.0	3.0	3.0
			1200 1299	3.0	(18.8)	71.4	512.3	52.0	7.9	4.1	3.3	4.0	3.0	2.3
			1100 1199	4.0	(25.0)	71.7	549.8	53.0	7.9	3.4	3.5	4.8	2.5	2.8
			1000 1099	2.0	(12.5)	74.0	551.7	57.0	8.8	2.1	3.0	4.5	2.5	3.0
			900 999	2.0	(12.5)	71.6	553.0	53.0	8.2	3.6	3.0	4.0	2.0	3.0
			800 899	3.0	(18.8)	70.1	585.3	50.3	8.8	5.0	2.0	5.0	2.0	2.7
				16.0	(29.1)	71.6	550.7	52.8	8.3	3.7	3.1	4.4	2.5	2.8
			900 999	1.0	(1.8)	72.9	381.0	44.0	6.4	1.9	2.0	5.0	2.0	3.0
			1900 1999	1.0	(9.1)	72.1	453.0	48.0	7.0	2.8	2.0	4.0	2.0	4.0
			1800 1899	1.0	(9.1)	73.2	488.0	54.0	6.4	1.6	2.0	4.0	2.0	4.0
			1600 1699	6.0	(54.5)	71.4	486.3	48.0	7.2	3.4	2.0	4.7	2.0	4.2
			1000 1099	3.0	(27.3)	70.6	558.3	53.7	8.2	4.8	2.3	4.7	2.0	2.3
				11.0	(20.0)	71.4	503.1	50.1	7.4	3.5	2.1	4.5	2.0	3.6
			1300 1399	1.0	(1.8)	73.9	477.9	56.0	7.0	1.6	3.0	3.0	2.0	3.0
			1400 1499	1.0	(50.0)	73.5	512.0	58.0	8.7	3.2	5.0	4.0	3.0	3.0
			1200 1299	1.0	(50.0)	72.1	555.5	55.0	7.4	2.7	3.0	4.0	2.0	2.0
				2.0	(3.6)	72.8	533.8	56.5	8.1	3.0	4.0	4.0	2.5	2.5
			900 999	1.0	(50.0)	72.7	523.0	54.0	7.0	2.1	2.0	5.0	2.0	4.0
			800 899	1.0	(50.0)	71.1	484.0	40.0	6.9	2.3	2.0	5.0	2.0	4.0
				2.0	(3.6)	71.9	503.5	47.0	7.0	2.2	2.0	5.0	2.0	4.0
			1100 1199	1.0	(4.5)	71.2	577.2	50.0	8.3	3.2	2.0	4.0	2.0	3.0
			1000 1099	1.0	(4.5)	71.9	560.0	49.0	7.9	2.3	4.0	3.0	3.0	3.0
			900 999	1.0	(4.5)	72.3	535.0	53.0	9.4	3.9	3.0	4.0	2.0	3.0
			800 899	5.0	(22.7)	71.6	544.4	53.6	8.7	4.2	2.6	4.2	2.0	3.2
			700 799	12.0	(54.5)	71.2	534.8	49.8	8.0	3.8	2.5	4.6	2.0	3.1
			600 699	2.0	(9.1)	69.6	515.0	40.5	7.3	4.0	2.0	4.5	2.0	3.0
				22.0	(40.0)	71.2	538.2	50.0	8.2	3.8	2.5	4.4	2.0	3.1
			1900 1999	1.0	(1.8)	72.1	453.0	48.0	7.0	2.8	2.0	4.0	2.0	4.0
			1800 1899	1.0	(1.8)	73.2	488.0	54.0	6.4	1.6	2.0	4.0	2.0	4.0
			1600 1699	6.0	(10.9)	71.4	486.3	48.0	7.2	3.4	2.0	4.7	2.0	4.2
			1400 1499	1.0	(1.8)	73.5	512.0	58.0	8.7	3.2	5.0	4.0	3.0	3.0
			1300 1399	3.0	(5.5)	72.5	529.3	53.7	8.0	2.9	3.7	3.7	2.7	3.0
			1200 1299	4.0	(7.3)	71.6	523.1	52.8	7.8	3.7	3.3	4.0	2.8	2.3
			1100 1199	5.0	(9.1)	71.6	555.2	52.4	8.0	3.4	3.2	4.6	2.4	2.8
			1000 1099	6.0	(10.9)	72.0	556.4	54.0	8.4	3.5	2.8	4.3	2.3	2.7
			900 999	5.0	(9.1)	72.2	509.0	51.4	7.8	3.0	2.6	4.4	2.0	3.2
			800 899	9.0	(16.4)	71.0	551.3	51.0	8.5	4.3	2.3	4.6	2.0	3.1
			700 799	12.0	(21.8)	71.2	534.8	49.8	8.0	3.8	2.5	4.6	2.0	3.1
			600 699	2.0	(3.6)	69.6	515.0	40.5	7.3	4.0	2.0	4.5	2.0	3.0

[illegible]