

							(kg)	(m <sup>2</sup> )	(m)	(m)				
					(%)									
			1800 1899	1.0	( 0.2)	73.1	600.0	80.0	9.3	3.7	9.0	4.0	5.0	3.0
			1700 1799	4.0	( 0.9)	73.6	534.5	75.3	7.8	2.3	7.0	4.0	4.5	2.3
			1600 1699	5.0	( 1.2)	71.7	545.0	62.6	8.3	2.9	6.0	4.0	4.0	2.8
			1500 1599	20.0	( 4.7)	71.7	531.1	63.9	7.8	2.8	5.5	4.0	3.8	2.7
			1400 1499	54.0	( 12.6)	71.2	499.6	57.6	7.7	2.8	4.8	4.2	3.4	2.8
			1300 1399	64.0	( 15.0)	70.6	498.2	55.1	7.5	3.0	4.1	4.2	3.0	2.8
			1200 1299	98.0	( 23.0)	70.4	490.0	53.0	7.3	2.9	3.6	4.4	2.7	2.7
			1100 1199	104.0	( 24.4)	70.0	490.0	51.2	7.2	2.9	2.9	4.5	2.1	2.6
			1000 1099	47.0	( 11.0)	69.2	489.6	47.5	7.2	3.4	2.8	4.4	2.1	2.7
			900 999	5.0	( 1.2)	68.6	433.8	39.4	6.1	2.8	2.2	4.6	2.0	3.0
			800 899	5.0	( 1.2)	70.4	446.0	48.6	5.8	1.7	2.6	5.0	2.0	4.0
			700 799	10.0	( 2.3)	69.3	405.2	40.3	5.5	2.2	2.4	5.3	2.0	4.2
			600 699	9.0	( 2.1)	69.4	352.3	38.6	4.5	1.7	2.7	5.0	2.0	4.3
			500 599	1.0	( 0.2)	67.3	379.0	32.0	4.3	2.6	2.0	5.0	2.0	6.0
				427.0	( 14.3)	70.3	489.3	52.9	7.2	2.9	3.7	4.4	2.7	2.8
			1600 1699	1.0	( 1.6)	72.9	552.0	72.0	7.8	2.4	6.0	3.0	4.0	3.0
			1500 1599	5.0	( 7.9)	71.6	507.4	59.2	7.8	2.6	6.2	4.2	4.0	3.0
			1400 1499	15.0	( 23.8)	71.0	501.7	56.0	7.6	2.7	5.0	3.9	3.6	2.9
			1300 1399	9.0	( 14.3)	70.7	472.6	56.2	7.0	3.1	4.4	4.0	3.2	2.9
			1200 1299	14.0	( 22.2)	69.7	442.1	46.4	6.7	2.9	3.3	3.9	2.6	2.9
			1100 1199	15.0	( 23.8)	69.3	467.1	46.1	7.0	3.2	2.9	4.1	2.0	3.0
			1000 1099	3.0	( 4.8)	68.6	520.0	50.3	6.9	3.8	2.7	4.7	2.0	3.0
			700 799	1.0	( 1.6)	69.1	374.0	38.0	5.5	2.4	2.0	5.0	2.0	3.0
				63.0	( 2.1)	70.2	476.1	51.5	7.1	3.0	4.0	4.0	2.9	2.9
			1600 1699	1.0	( 2.6)	71.4	487.0	58.0	7.4	2.6	7.0	3.0	4.0	3.0
			1500 1599	5.0	( 13.2)	72.1	519.4	62.0	8.1	2.5	5.8	3.6	4.0	2.4
			1400 1499	3.0	( 7.9)	71.9	507.7	58.7	7.8	2.2	5.0	3.3	3.3	2.7
			1300 1399	12.0	( 31.6)	71.7	473.7	57.7	7.3	2.3	3.5	3.8	2.8	2.5
			1200 1299	9.0	( 23.7)	70.8	495.1	54.9	7.3	2.7	3.1	3.7	2.4	2.4
			1100 1199	3.0	( 7.9)	71.0	448.0	50.7	6.6	1.9	2.3	3.7	2.0	2.3
			1000 1099	4.0	( 10.5)	70.8	387.5	47.5	7.0	2.9	2.8	4.8	2.0	2.5
			900 999	1.0	( 2.6)	70.6	326.0	41.0	5.6	2.0	2.0	4.0	2.0	2.0
				38.0	( 1.3)	71.4	472.8	55.6	7.3	2.4	3.7	3.8	2.8	2.5
			1600 1699	5.0	( 5.2)	71.7	550.4	69.2	8.3	3.6	7.2	3.8	4.6	3.0
			1500 1599	9.0	( 9.3)	71.0	539.5	63.3	8.1	3.7	6.2	3.8	4.0	2.9
			1400 1499	13.0	( 13.4)	70.5	524.3	58.5	8.0	3.5	5.9	4.0	3.9	3.0
			1300 1399	13.0	( 13.4)	69.7	531.8	54.6	8.1	3.9	4.7	4.1	3.4	2.8
			1200 1299	23.0	( 23.7)	69.3	510.5	49.9	7.5	3.5	4.2	4.2	3.1	3.0
			1100 1199	10.0	( 10.3)	70.0	509.6	51.5	7.6	3.1	3.7	4.1	2.9	2.9
			1000 1099	16.0	( 16.5)	70.2	471.7	50.3	7.0	2.7	2.9	4.3	2.5	2.9
			900 999	5.0	( 5.2)	69.3	476.2	46.6	7.0	3.2	2.8	4.2	2.0	3.0
			700 799	2.0	( 2.1)	70.3	384.3	42.5	5.6	1.6	2.5	5.0	2.0	3.5
			500 599	1.0	( 1.0)	68.5	239.5	21.0	3.2	0.8	2.0	5.0	2.0	3.0

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
				97.0	( 3.2)	70.0	506.3	53.5	7.5	3.3	4.4	4.1	3.2	2.9
			900 999	1.0	( 0.0)	72.6	448.5	62.0	7.0	2.1	2.0	4.0	2.0	3.0
			1300 1399	2.0	( 66.7)	69.9	459.8	47.5	6.7	2.6	3.0	4.0	2.0	2.0
			900 999	1.0	( 33.3)	70.7	381.1	40.0	6.6	1.6	4.0	5.0	2.0	3.0
				3.0	( 0.1)	70.2	433.5	45.0	6.6	2.3	3.3	4.3	2.0	2.3
			1700 1799	2.0	( 1.2)	72.7	553.5	68.5	8.2	2.4	6.5	3.5	4.5	2.0
			1600 1699	1.0	( 0.6)	73.3	584.0	82.0	8.3	3.3	7.0	4.0	5.0	2.0
			1500 1599	8.0	( 4.7)	71.9	510.9	65.4	7.6	2.9	6.3	4.0	4.0	2.6
			1400 1499	22.0	( 12.9)	71.6	509.7	62.2	7.7	2.9	5.5	4.0	3.9	2.7
			1300 1399	32.0	( 18.7)	71.0	499.3	59.2	7.4	3.1	4.8	4.0	3.5	2.7
			1200 1299	30.0	( 17.5)	70.3	500.2	55.0	7.3	3.1	4.0	4.2	3.1	2.5
			1100 1199	38.0	( 22.2)	70.2	496.1	53.7	7.3	3.1	3.3	4.1	2.6	2.6
			1000 1099	27.0	( 15.8)	70.0	479.7	53.2	7.1	3.3	2.9	4.4	2.1	2.4
			900 999	5.0	( 2.9)	69.3	436.0	46.2	6.4	3.3	2.2	4.4	2.0	2.6
			800 899	2.0	( 1.2)	70.2	429.5	48.5	6.0	2.3	2.0	5.0	2.0	2.0
			700 799	1.0	( 0.6)	68.7	338.0	33.0	5.1	2.4	3.0	5.0	3.0	3.0
			600 699	2.0	( 1.2)	69.0	305.5	33.5	3.4	1.4	2.0	5.5	2.0	4.0
			500 599	1.0	( 0.6)	69.6	306.0	34.0	4.6	1.6	3.0	5.0	2.0	4.0
				171.0	( 5.7)	70.6	491.7	56.1	7.2	3.1	4.0	4.2	3.0	2.6
			1800 1899	1.0	( 0.5)	73.2	459.0	65.0	7.8	2.3	10.0	4.0	5.0	3.0
			1700 1799	7.0	( 3.8)	73.5	504.7	70.9	7.9	2.3	6.9	3.9	4.3	2.7
			1600 1699	11.0	( 6.0)	71.9	492.2	60.6	7.9	2.7	6.4	3.9	4.0	2.6
			1500 1599	16.0	( 8.7)	72.0	463.8	60.6	7.4	2.6	5.4	3.8	3.8	2.9
			1400 1499	45.0	( 24.6)	71.3	489.6	57.8	7.3	2.7	4.8	4.0	3.3	2.8
			1300 1399	42.0	( 23.0)	70.7	482.5	53.9	7.4	2.9	3.9	4.2	3.0	2.7
			1200 1299	33.0	( 18.0)	70.8	479.0	54.2	7.2	2.7	3.5	4.3	2.5	2.8
			1100 1199	21.0	( 11.5)	70.1	474.0	50.5	6.8	2.8	3.0	4.0	2.1	2.7
			1000 1099	4.0	( 2.2)	70.5	399.0	44.0	6.6	2.1	2.8	5.0	2.0	2.5
			800 899	1.0	( 0.5)	68.8	349.0	34.0	4.3	1.6	3.0	4.0	2.0	2.0
			700 799	1.0	( 0.5)	69.3	317.5	31.0	4.8	1.5	2.0	6.0	2.0	4.0
			600 699	1.0	( 0.5)	69.7	315.0	39.0	3.8	1.5	2.0	4.0	2.0	3.0
				183.0	( 6.1)	71.1	477.9	55.7	7.3	2.7	4.3	4.1	3.0	2.8
			1700 1799	3.0	( 1.9)	73.2	522.0	72.7	8.7	3.1	6.7	4.0	4.3	3.0
			1600 1699	4.0	( 2.6)	72.6	484.3	63.0	8.2	2.7	6.5	4.0	4.0	3.0
			1500 1599	4.0	( 2.6)	71.0	481.3	56.0	7.5	3.0	5.0	4.0	4.0	2.8
			1400 1499	27.0	( 17.3)	71.4	513.1	60.7	7.8	3.0	4.7	3.9	3.5	2.9
			1300 1399	40.0	( 25.6)	70.8	504.1	56.6	7.6	3.0	4.1	4.0	3.1	2.9
			1200 1299	40.0	( 25.6)	70.4	498.6	52.4	7.4	2.8	3.4	4.5	2.5	2.9
			1100 1199	22.0	( 14.1)	69.5	483.3	48.5	7.1	3.1	2.8	4.5	2.2	2.7
			1000 1099	15.0	( 9.6)	68.8	495.9	48.2	7.3	3.8	2.9	4.5	2.1	2.7

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			500 599	1.0	( 0.6)	68.9	333.0	34.0	3.5	1.1	2.0	7.0	1.0	7.0
				156.0	( 5.2)	70.5	498.7	54.6	7.5	3.0	3.8	4.3	2.9	2.9
			2200 2299	1.0	( 0.2)	74.8	564.0	80.0	8.7	2.0	6.0	3.0	4.0	3.0
			2000 2099	2.0	( 0.5)	75.3	533.5	85.5	8.3	2.4	7.5	3.0	4.5	3.0
			1900 1999	4.0	( 1.0)	73.8	564.0	80.5	8.1	2.7	8.5	3.3	5.0	3.0
			1800 1899	5.0	( 1.2)	74.2	560.4	82.8	7.4	2.1	7.4	3.4	4.8	2.8
			1700 1799	19.0	( 4.7)	73.6	524.4	73.9	7.9	2.4	6.6	3.7	4.4	2.9
			1600 1699	45.0	( 11.2)	72.5	525.3	68.2	7.7	2.6	5.6	3.7	3.9	2.9
			1500 1599	70.0	( 17.4)	72.1	510.0	64.1	7.5	2.5	4.8	3.9	3.6	2.9
			1400 1499	84.0	( 20.8)	71.2	501.1	59.3	7.4	2.8	4.0	4.1	3.1	2.8
			1300 1399	62.0	( 15.4)	71.0	511.7	59.9	7.3	3.0	3.4	4.3	2.7	2.9
			1200 1299	37.0	( 9.2)	70.5	486.6	55.9	7.0	3.1	3.1	4.4	2.4	2.8
			1100 1199	43.0	( 10.7)	70.2	467.3	51.8	6.7	2.8	2.6	4.5	2.1	2.8
			1000 1099	9.0	( 2.2)	69.0	475.7	45.7	6.6	3.1	2.6	4.6	2.1	3.0
			900 999	14.0	( 3.5)	69.3	324.6	35.5	4.5	1.8	1.9	4.6	1.9	2.4
			800 899	2.0	( 0.5)	69.3	405.0	42.0	5.0	1.9	2.0	5.0	2.0	4.0
			600 699	4.0	( 1.0)	68.3	345.6	32.3	4.0	1.8	2.5	5.8	2.0	5.0
			500 599	2.0	( 0.5)	69.6	261.0	33.0	3.3	1.1	1.0	6.0	1.0	4.0
				403.0	( 13.5)	71.3	494.9	59.9	7.2	2.7	4.1	4.1	3.1	2.9
			1600 1699	2.0	( 13.3)	70.8	456.5	58.0	7.6	3.9	5.5	4.0	4.0	3.0
			1500 1599	2.0	( 13.3)	71.7	513.5	65.0	7.5	3.0	7.0	4.0	4.0	3.0
			1400 1499	3.0	( 20.0)	70.2	442.0	48.7	6.8	2.8	5.3	4.3	3.7	2.3
			1300 1399	2.0	( 13.3)	70.7	516.0	54.5	7.3	2.4	4.0	5.0	3.0	3.0
			1200 1299	3.0	( 20.0)	70.5	476.7	53.7	6.1	2.1	3.7	4.0	2.3	2.3
			1100 1199	1.0	( 6.7)	71.2	404.5	46.0	6.6	1.6	3.0	5.0	2.0	3.0
			1000 1099	1.0	( 6.7)	70.0	309.5	37.0	4.6	1.5	2.0	5.0	2.0	2.0
			900 999	1.0	( 6.7)	71.4	309.0	42.0	4.7	0.8	2.0	5.0	2.0	2.0
				15.0	( 0.5)	70.7	450.1	52.5	6.6	2.5	4.5	4.4	3.1	2.6
			2000 2099	1.0	( 0.3)	73.6	560.0	79.0	8.1	2.7	9.0	4.0	5.0	3.0
			1800 1899	6.0	( 1.6)	73.7	518.8	74.5	7.8	2.3	8.7	3.5	4.8	2.5
			1700 1799	13.0	( 3.5)	72.4	534.2	67.8	7.8	2.6	7.7	4.2	4.6	2.3
			1600 1699	19.0	( 5.1)	72.4	520.8	66.3	7.8	2.6	6.9	3.9	4.3	2.7
			1500 1599	32.0	( 8.6)	71.8	527.5	63.9	7.8	2.8	6.4	4.0	4.1	2.7
			1400 1499	73.0	( 19.5)	71.6	523.2	62.8	7.5	2.6	5.3	3.9	3.7	2.7
			1300 1399	77.0	( 20.6)	71.2	516.5	59.6	7.5	2.8	4.3	4.1	3.1	2.7
			1200 1299	57.0	( 15.2)	70.5	491.5	54.5	7.1	2.8	3.7	4.2	2.7	2.7
			1100 1199	61.0	( 16.3)	70.0	481.5	51.5	6.9	2.9	3.1	4.4	2.3	2.5
			1000 1099	28.0	( 7.5)	69.5	466.7	48.3	6.5	2.9	2.8	4.6	2.0	2.6
			900 999	2.0	( 0.5)	69.8	292.0	35.5	4.1	1.4	2.0	5.0	2.0	2.5
			800 899	3.0	( 0.8)	69.0	329.0	33.7	4.1	1.5	2.3	4.7	1.3	3.0
			600 699	2.0	( 0.5)	68.1	367.0	35.5	4.5	2.6	2.5	5.0	2.0	6.0

					(%)		(kg)	(m2)	(m)	(m)				
				374.0	( 12.5)	71.0	503.0	58.1	7.3	2.7	4.6	4.2	3.1	2.6
			1600 1699	1.0	( 10.0)	70.0	593.0	65.0	8.8	4.8	7.0	3.0	4.0	3.0
			1500 1599	1.0	( 10.0)	72.1	587.0	74.0	8.4	3.5	7.0	4.0	4.0	3.0
			1300 1399	3.0	( 30.0)	70.1	543.7	55.3	7.6	3.2	4.3	4.3	3.0	3.0
			1200 1299	5.0	( 50.0)	69.4	541.6	53.4	7.4	3.4	4.2	4.2	3.0	3.0
				10.0	( 0.3)	69.9	551.9	57.2	7.7	3.5	4.8	4.1	3.2	3.0
			2500	1.0	( 3.3)	76.4	521.0	87.0	8.3	1.4	8.0	4.0	5.0	3.0
			1800 1899	1.0	( 3.3)	74.3	570.0	79.0	7.8	1.6	8.0	4.0	5.0	3.0
			1700 1799	1.0	( 3.3)	72.0	504.0	57.0	8.3	2.2	8.0	4.0	5.0	3.0
			1600 1699	2.0	( 6.7)	72.5	489.5	67.5	7.3	2.6	6.0	4.0	4.0	2.0
			1500 1599	6.0	( 20.0)	72.1	528.0	64.0	8.0	2.6	5.2	4.2	3.8	2.8
			1400 1499	7.0	( 23.3)	71.6	516.3	60.7	7.4	2.5	4.4	3.9	3.1	2.9
			1300 1399	8.0	( 26.7)	70.6	492.3	54.3	7.5	3.0	4.0	4.1	3.3	3.0
			1200 1299	2.0	( 6.7)	71.7	468.5	58.5	7.2	2.6	3.0	5.0	2.0	2.5
			1100 1199	1.0	( 3.3)	71.0	493.0	54.0	7.1	2.2	3.0	5.0	2.0	3.0
			700 799	1.0	( 3.3)	69.6	284.0	29.0	4.6	1.2	2.0	4.0	2.0	2.0
				30.0	( 1.0)	71.7	500.3	60.0	7.5	2.5	4.7	4.1	3.4	2.8
			1600 1699	1.0	( 6.3)	70.0	517.5	46.0	7.9	2.4	6.0	3.0	4.0	3.0
			1500 1599	5.0	( 31.3)	70.3	507.6	56.6	7.2	3.2	8.0	3.2	4.4	2.8
			1400 1499	5.0	( 31.3)	72.0	486.4	66.4	7.5	3.2	6.4	3.6	3.8	2.8
			1300 1399	2.0	( 12.5)	70.8	459.8	52.0	7.2	2.6	4.0	4.0	3.0	3.0
			1200 1299	3.0	( 18.8)	70.2	580.6	64.0	9.0	4.7	4.7	3.7	3.3	3.0
				16.0	( 0.5)	70.9	509.3	59.8	7.7	3.4	6.3	3.5	3.8	2.9
			1700 1799	1.0	( 2.4)	71.7	475.0	55.0	7.4	2.0	5.0	4.0	4.0	3.0
			1600 1699	4.0	( 9.5)	70.8	476.3	50.8	7.2	2.3	4.0	4.0	3.3	2.3
			1500 1599	13.0	( 31.0)	71.2	459.8	53.2	6.7	2.1	3.5	4.0	2.9	2.5
			1400 1499	14.0	( 33.3)	70.8	450.9	48.9	7.0	2.2	2.6	4.4	2.4	2.5
			1300 1399	3.0	( 7.1)	71.0	459.2	51.0	7.2	2.3	3.0	4.0	2.0	2.3
			1200 1299	4.0	( 9.5)	71.4	429.0	51.3	6.5	1.8	2.5	4.8	2.3	2.0
			1100 1199	3.0	( 7.1)	70.7	363.0	42.7	5.1	1.2	2.3	4.7	2.0	2.0
				42.0	( 1.4)	71.0	448.9	50.5	6.8	2.0	3.1	4.2	2.6	2.4
			1800 1899	2.0	( 9.1)	72.3	455.0	62.5	7.0	2.5	8.0	3.5	4.5	3.0
			1700 1799	4.0	( 18.2)	71.5	514.2	64.5	7.5	3.1	5.8	3.5	4.3	3.0
			1600 1699	3.0	( 13.6)	71.3	478.9	62.3	6.8	3.0	6.0	4.3	3.7	3.0
			1500 1599	3.0	( 13.6)	72.0	468.3	61.7	7.3	2.6	6.7	4.0	4.0	3.0
			1400 1499	4.0	( 18.2)	70.5	444.5	53.0	6.3	2.6	3.8	4.0	3.0	2.8
			1300 1399	2.0	( 9.1)	70.2	453.0	50.5	6.8	2.9	3.5	4.5	3.0	3.0
			1100 1199	2.0	( 9.1)	68.5	410.5	42.0	6.0	3.5	2.0	4.5	2.0	3.0
			1000 1099	2.0	( 9.1)	68.4	377.5	40.0	4.8	3.0	2.0	5.0	2.0	3.0

					(%)	(kg)	(cm <sup>2</sup> )	(cm)	(cm)					
				22.0	( 0.7)	70.8	457.7	56.0	6.7	2.9	4.9	4.1	3.4	3.0
			1200 1299	1.0	( 0.0)	70.2	470.8	51.0	6.2	2.2	4.0	5.0	3.0	2.0
			1700 1799	1.0	( 1.2)	72.7	500.5	69.0	8.0	3.0	6.0	3.0	4.0	3.0
			1600 1699	2.0	( 2.4)	73.3	482.4	67.5	7.9	2.4	8.5	3.0	5.0	3.0
			1500 1599	13.0	( 15.3)	71.3	502.7	57.1	7.8	2.6	4.9	3.7	3.6	2.8
			1400 1499	24.0	( 28.2)	71.9	502.0	61.8	7.6	2.6	5.0	3.8	3.4	2.9
			1300 1399	16.0	( 18.8)	71.0	514.2	58.7	7.5	2.9	4.1	4.2	3.1	3.0
			1200 1299	15.0	( 17.6)	71.0	504.9	57.4	7.2	2.5	3.1	4.3	2.1	2.9
			1100 1199	10.0	( 11.8)	69.3	514.2	50.7	7.1	3.3	2.9	4.3	2.0	2.9
			1000 1099	3.0	( 3.5)	70.6	383.6	47.3	6.0	2.3	3.3	4.3	2.7	2.7
			900 999	1.0	( 1.2)	68.8	545.6	51.0	5.9	2.6	3.0	5.0	2.0	3.0
				85.0	( 2.8)	71.1	502.2	58.0	7.4	2.7	4.2	4.0	3.0	2.9
			1900 1999	1.0	( 1.3)	73.7	471.0	71.0	8.8	3.1	8.0	3.0	5.0	3.0
			1800 1899	2.0	( 2.6)	75.8	493.0	88.0	8.0	2.4	9.5	3.0	5.0	2.0
			1700 1799	10.0	( 13.2)	72.0	469.2	61.6	7.2	2.5	6.0	3.6	4.0	2.5
			1600 1699	5.0	( 6.6)	71.5	475.2	62.6	7.2	3.2	5.8	3.8	4.0	2.8
			1500 1599	13.0	( 17.1)	71.3	506.8	61.0	7.5	2.9	5.2	3.7	3.6	2.9
			1400 1499	11.0	( 14.5)	70.6	493.5	58.2	7.2	3.2	4.6	4.0	3.5	2.9
			1300 1399	14.0	( 18.4)	69.6	509.5	54.6	7.3	3.7	3.5	3.9	2.9	2.9
			1200 1299	9.0	( 11.8)	69.4	472.8	51.6	6.8	3.6	3.3	4.3	2.7	2.8
			1100 1199	7.0	( 9.2)	69.0	474.6	48.3	6.4	3.3	2.7	4.1	2.0	2.9
			1000 1099	4.0	( 5.3)	69.4	436.1	48.8	5.5	2.8	3.0	4.5	2.5	2.5
				76.0	( 2.5)	70.6	486.8	57.5	7.1	3.2	4.5	3.9	3.3	2.8
			1400 1499	1.0	( 0.0)	73.4	573.0	80.0	8.1	2.8	6.0	5.0	4.0	2.0
			1600 1699	4.0	( 57.1)	70.5	500.1	56.3	7.6	3.3	3.5	4.3	2.8	3.0
			1500 1599	1.0	( 14.3)	71.7	452.3	58.0	6.9	2.5	5.0	4.0	4.0	2.0
			1400 1499	1.0	( 14.3)	71.6	510.4	56.0	8.2	2.3	4.0	4.0	3.0	3.0
			600 699	1.0	( 14.3)	68.8	436.5	38.0	5.0	1.5	2.0	6.0	1.0	2.0
				7.0	( 0.2)	70.6	485.7	53.9	7.2	2.8	3.6	4.4	2.7	2.7
			1400 1499	1.0	( 11.1)	72.0	383.2	60.0	5.7	2.4	4.0	3.0	3.0	3.0
			1300 1399	2.0	( 22.2)	71.3	419.1	54.5	6.0	2.0	4.0	3.5	3.0	3.0
			1200 1299	2.0	( 22.2)	70.6	414.4	50.5	5.8	2.3	3.5	4.0	3.0	3.0
			1100 1199	2.0	( 22.2)	71.5	388.8	55.0	5.8	2.1	2.5	4.5	2.5	3.0
			800 899	1.0	( 11.1)	69.7	388.4	48.0	5.5	3.0	3.0	5.0	2.0	3.0
			700 799	1.0	( 11.1)	70.8	439.4	54.0	6.1	2.4	2.0	5.0	2.0	3.0
				9.0	( 0.3)	71.0	406.2	53.6	5.8	2.3	3.2	4.1	2.7	3.0
			1700 1799	3.0	( 6.5)	72.1	528.3	64.3	8.2	2.8	5.3	3.7	3.7	3.0
			1600 1699	6.0	( 13.0)	71.9	489.4	60.3	7.7	2.6	5.2	4.2	3.7	2.7

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1500 1599	4.0	( 8.7)	68.4	499.2	44.8	7.4	3.9	4.3	4.3	3.5	3.0
			1400 1499	9.0	( 19.6)	70.2	490.8	55.0	7.3	3.4	4.0	3.7	3.1	2.7
			1300 1399	15.0	( 32.6)	70.2	461.6	53.9	6.8	3.3	3.5	3.9	2.6	2.7
			1200 1299	7.0	( 15.2)	69.5	452.5	47.7	6.6	3.2	3.0	4.3	2.0	3.0
			1100 1199	1.0	( 2.2)	71.2	403.4	54.0	5.7	2.1	3.0	5.0	2.0	3.0
			1000 1099	1.0	( 2.2)	68.9	323.7	34.0	4.5	2.1	2.0	5.0	2.0	2.0
				46.0	( 1.5)	70.3	472.9	53.5	7.1	3.2	3.9	4.0	2.9	2.8
			1500 1599	2.0	( 20.0)	72.6	471.7	63.5	7.4	2.3	4.0	4.0	3.0	3.0
			1400 1499	3.0	( 30.0)	70.6	456.4	53.0	7.0	2.8	4.3	3.7	3.3	3.0
			1300 1399	3.0	( 30.0)	71.3	434.7	56.3	6.8	2.8	5.3	4.3	3.7	3.0
			1200 1299	2.0	( 20.0)	72.7	461.7	61.5	7.8	2.4	3.0	4.0	3.0	2.0
				10.0	( 0.3)	71.6	454.0	57.8	7.2	2.6	4.3	4.0	3.3	2.8
			1500 1599	1.0	( 20.0)	70.6	550.8	57.0	8.9	3.6	6.0	4.0	4.0	3.0
			1300 1399	1.0	( 20.0)	71.0	491.8	56.0	6.7	2.2	4.0	4.0	3.0	3.0
			1200 1299	2.0	( 40.0)	71.0	394.4	50.5	5.8	2.0	3.5	4.0	2.5	2.5
			1000 1099	1.0	( 20.0)	71.0	348.2	45.0	5.5	1.6	2.0	4.0	2.0	3.0
				5.0	( 0.2)	70.9	435.9	51.8	6.5	2.3	3.8	4.0	2.8	2.8
			1800 1899	2.0	( 14.3)	73.8	508.8	75.5	8.3	2.8	8.0	3.0	5.0	3.0
			1700 1799	1.0	( 7.1)	72.8	564.0	76.0	8.1	3.0	6.0	4.0	4.0	3.0
			1600 1699	2.0	( 14.3)	70.8	541.8	68.0	7.3	3.9	5.5	4.0	4.0	3.0
			1500 1599	1.0	( 7.1)	71.1	453.8	56.0	6.6	2.5	5.0	4.0	4.0	3.0
			1400 1499	4.0	( 28.6)	70.1	473.7	51.8	7.2	3.1	4.8	3.8	3.5	3.0
			1300 1399	4.0	( 28.6)	70.1	465.9	52.3	7.0	3.1	4.0	3.3	3.5	3.0
				14.0	( 0.5)	71.0	491.3	59.6	7.3	3.1	5.2	3.6	3.9	3.0
			1900 1999	1.0	( 3.7)	73.0	495.0	73.0	7.8	3.2	9.0	3.0	5.0	3.0
			1800 1899	3.0	( 11.1)	73.8	469.3	71.7	7.4	2.2	8.0	4.0	5.0	2.7
			1600 1699	1.0	( 3.7)	73.7	438.0	71.0	6.6	2.0	6.0	4.0	4.0	3.0
			1500 1599	1.0	( 3.7)	75.8	478.0	82.0	7.8	1.7	7.0	3.0	4.0	3.0
			1400 1499	3.0	( 11.1)	71.8	452.7	57.3	6.6	1.9	5.7	4.0	3.7	2.0
			1300 1399	2.0	( 7.4)	71.2	437.0	50.5	7.3	2.5	3.5	4.0	3.0	3.0
			1200 1299	5.0	( 18.5)	70.0	435.5	47.8	6.3	2.5	3.4	4.0	2.6	2.4
			1100 1199	5.0	( 18.5)	69.7	396.9	45.2	6.0	2.9	2.6	4.0	2.4	2.4
			1000 1099	1.0	( 3.7)	70.5	406.0	48.0	5.8	2.1	3.0	5.0	2.0	5.0
			900 999	1.0	( 3.7)	71.4	316.0	48.0	5.2	2.0	3.0	4.0	2.0	2.0
			700 799	1.0	( 3.7)	71.0	292.4	46.0	4.8	2.1	3.0	5.0	2.0	3.0
			600 699	3.0	( 11.1)	68.9	239.3	29.3	3.1	1.6	2.0	5.3	1.7	5.3
				27.0	( 0.9)	71.1	405.4	52.2	6.1	2.3	4.3	4.1	3.0	2.9
			1500 1599	6.0	( 6.7)	71.8	461.9	60.5	7.4	2.9	5.8	4.2	3.8	2.8
			1400 1499	22.0	( 24.7)	70.8	502.7	56.1	7.4	2.8	4.9	4.0	3.5	2.5
			1300 1399	20.0	( 22.5)	70.3	466.1	52.3	7.0	3.0	3.7	4.3	2.8	2.5
			1200 1299	25.0	( 28.1)	70.1	500.3	52.9	7.1	2.9	3.4	4.3	2.6	2.8

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1100 1199	12.0	( 13.5)	69.7	441.6	52.2	6.3	3.4	3.1	4.1	2.4	2.7
			1000 1099	4.0	( 4.5)	68.9	471.3	45.3	6.7	3.2	2.5	5.0	2.3	3.0
				89.0	( 3.0)	70.3	481.4	53.6	7.0	3.0	3.9	4.2	2.9	2.7
			1800 1899	1.0	( 1.0)	73.1	487.8	77.0	7.6	3.6	9.0	4.0	5.0	3.0
			1600 1699	14.0	( 13.9)	71.6	498.4	65.1	7.3	3.1	5.9	4.0	4.1	2.9
			1500 1599	11.0	( 10.9)	72.2	469.1	65.2	7.0	2.7	5.5	4.1	4.0	2.8
			1400 1499	29.0	( 28.7)	70.5	497.5	56.9	7.3	3.2	3.8	4.2	3.0	2.9
			1300 1399	27.0	( 26.7)	71.1	470.9	57.5	7.2	3.0	3.5	4.0	3.0	3.0
			1200 1299	17.0	( 16.8)	70.7	480.2	60.7	6.8	3.4	2.9	4.2	2.1	2.9
			1100 1199	1.0	( 1.0)	69.8	509.6	48.0	9.0	3.9	2.0	4.0	2.0	3.0
			900 999	1.0	( 1.0)	69.9	286.2	37.0	4.0	1.5	2.0	5.0	2.0	3.0
				101.0	( 3.4)	71.0	482.4	59.7	7.1	3.1	4.0	4.1	3.1	2.9
			1800 1899	1.0	( 5.3)	71.1	489.6	56.0	6.3	1.8	3.0	4.0	3.0	4.0
			1600 1699	2.0	( 10.5)	72.2	446.3	60.0	7.2	2.5	5.0	4.0	4.0	2.5
			1500 1599	5.0	( 26.3)	71.6	476.3	56.4	7.2	2.1	6.0	3.8	4.0	2.6
			1400 1499	3.0	( 15.8)	71.6	481.7	63.3	7.0	2.9	5.7	4.0	3.7	2.3
			1300 1399	3.0	( 15.8)	70.7	448.0	51.7	7.0	2.8	3.7	4.3	3.0	2.7
			1200 1299	1.0	( 5.3)	69.8	441.6	53.0	5.7	3.0	4.0	4.0	3.0	2.0
			1100 1199	1.0	( 5.3)	71.0	426.2	52.0	5.8	1.9	3.0	4.0	2.0	3.0
			1000 1099	3.0	( 15.8)	68.5	458.3	46.7	6.8	4.1	3.0	4.0	2.0	2.0
				19.0	( 0.6)	70.9	462.9	55.2	6.9	2.7	4.6	4.0	3.3	2.5
			2000 2099	1.0	( 2.4)	75.3	523.6	85.0	7.4	1.7	9.0	4.0	5.0	3.0
			1900 1999	2.0	( 4.9)	72.9	484.1	70.0	7.7	2.9	8.0	3.5	4.5	3.0
			1800 1899	1.0	( 2.4)	70.8	512.8	63.0	7.2	3.5	7.0	4.0	4.0	3.0
			1700 1799	1.0	( 2.4)	72.1	553.4	69.0	8.0	2.9	7.0	3.0	5.0	3.0
			1600 1699	3.0	( 7.3)	72.2	497.3	64.7	6.7	1.9	5.7	3.3	4.0	2.7
			1500 1599	2.0	( 4.9)	69.6	489.6	55.0	6.7	3.5	4.5	3.5	3.5	3.0
			1400 1499	7.0	( 17.1)	70.6	510.9	63.6	7.1	3.8	4.3	3.9	3.1	3.0
			1300 1399	4.0	( 9.8)	70.3	526.7	59.5	7.1	3.3	4.0	4.0	3.0	3.0
			1200 1299	1.0	( 2.4)	68.7	428.6	47.0	5.3	3.2	3.0	4.0	2.0	3.0
			1100 1199	7.0	( 17.1)	69.9	430.9	48.4	6.3	2.8	2.6	4.1	2.3	3.0
			1000 1099	7.0	( 17.1)	69.6	415.6	46.3	6.1	2.9	2.4	4.1	2.0	2.9
			900 999	3.0	( 7.3)	69.6	363.3	44.0	4.9	2.4	2.3	4.3	2.0	2.7
			800 899	1.0	( 2.4)	68.4	346.2	35.0	5.7	3.3	3.0	4.0	2.0	3.0
			700 799	1.0	( 2.4)	68.6	355.0	31.0	4.9	1.8	2.0	6.0	2.0	2.0
				41.0	( 1.4)	70.4	459.9	54.9	6.5	3.0	3.9	4.0	2.9	2.9
			1900 1999	1.0	( 9.1)	74.7	539.6	80.0	9.0	2.5	7.0	4.0	5.0	3.0
			1700 1799	1.0	( 9.1)	70.8	564.6	61.0	8.1	3.1	6.0	4.0	4.0	3.0
			1500 1599	2.0	( 18.2)	71.4	544.1	68.5	7.3	3.4	4.5	2.5	4.0	3.0
			1400 1499	3.0	( 27.3)	70.2	556.0	64.3	7.5	4.0	5.0	4.3	3.3	3.0
			1300 1399	3.0	( 27.3)	72.2	501.4	67.7	7.3	2.9	4.7	3.0	3.7	3.0
			1100 1199	1.0	( 9.1)	69.7	535.4	62.0	6.9	4.0	3.0	4.0	2.0	3.0

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
				11.0	( 0.4)	71.4	536.4	66.9	7.6	3.4	4.9	3.5	3.6	3.0
			1900 1999	1.0	( 5.6)	72.4	424.6	61.0	7.9	3.1	8.0	3.0	5.0	3.0
			1800 1899	1.0	( 5.6)	73.8	438.0	68.0	7.7	2.3	7.0	4.0	5.0	3.0
			1700 1799	4.0	( 22.2)	70.9	474.9	61.5	7.2	3.7	6.5	3.8	4.3	2.5
			1600 1699	1.0	( 5.6)	69.7	522.6	54.0	7.2	3.3	3.0	3.0	3.0	3.0
			1500 1599	3.0	( 16.7)	71.6	475.3	64.0	7.2	3.2	4.7	4.0	3.7	2.7
			1400 1499	4.0	( 22.2)	70.8	471.4	53.5	6.9	2.4	4.5	4.0	3.5	2.8
			1300 1399	3.0	( 16.7)	70.1	452.0	51.7	6.7	3.2	3.3	3.7	3.0	3.0
			1200 1299	1.0	( 5.6)	69.6	467.0	45.0	7.0	2.7	3.0	3.0	3.0	3.0
				18.0	( 0.6)	71.0	467.7	57.5	7.1	3.0	4.9	3.7	3.7	2.8
			1900 1999	1.0	( 1.8)	72.4	553.4	76.0	7.2	3.0	9.0	3.0	5.0	2.0
			1700 1799	2.0	( 3.5)	72.3	483.6	68.5	6.8	2.8	7.0	4.0	4.5	3.0
			1600 1699	4.0	( 7.0)	70.9	509.0	58.3	7.7	3.1	5.5	3.8	3.8	3.0
			1500 1599	3.0	( 5.3)	70.2	453.4	49.7	6.7	2.7	4.0	3.3	3.3	2.7
			1400 1499	10.0	( 17.5)	70.7	439.3	53.1	6.4	2.6	4.1	4.0	3.0	2.6
			1300 1399	15.0	( 26.3)	70.9	444.8	56.1	6.3	2.7	3.6	4.3	2.7	2.9
			1200 1299	9.0	( 15.8)	69.7	445.8	51.0	6.2	3.2	3.4	4.3	2.3	2.9
			1100 1199	5.0	( 8.8)	69.5	449.2	50.6	6.3	3.4	2.6	4.6	2.0	2.8
			1000 1099	1.0	( 1.8)	68.9	476.7	45.0	7.8	4.0	3.0	5.0	3.0	3.0
			900 999	2.0	( 3.5)	69.3	421.6	43.0	5.7	2.4	2.5	4.0	2.0	4.0
			700 799	3.0	( 5.3)	67.2	545.8	40.0	6.2	2.9	2.3	5.0	2.0	4.3
			600 699	2.0	( 3.5)	67.1	556.1	43.5	6.5	3.6	2.0	5.0	2.0	5.5
				57.0	( 1.9)	70.2	461.6	52.9	6.5	2.9	3.8	4.2	2.8	3.0
			2100 2199	1.0	( 4.3)	74.4	555.9	86.0	7.1	2.2	10.0	3.0	5.0	3.0
			2000 2099	1.0	( 4.3)	74.2	489.0	80.0	7.3	2.6	9.0	3.0	5.0	3.0
			1800 1899	1.0	( 4.3)	74.4	531.7	78.0	8.1	2.0	8.0	4.0	5.0	3.0
			1600 1699	2.0	( 8.7)	72.2	424.9	63.0	6.5	2.7	6.5	3.5	4.0	2.0
			1500 1599	5.0	( 21.7)	71.8	470.3	60.2	7.1	2.5	4.8	3.8	3.4	2.8
			1400 1499	5.0	( 21.7)	70.6	479.5	57.4	7.1	3.3	4.2	3.8	3.0	3.0
			1300 1399	4.0	( 17.4)	69.8	502.4	55.0	7.4	3.7	4.0	4.3	3.0	3.0
			1200 1299	3.0	( 13.0)	70.6	468.0	52.7	6.7	2.5	3.0	3.7	2.0	2.7
			1000 1099	1.0	( 4.3)	67.5	497.5	40.0	5.5	2.7	2.0	4.0	2.0	3.0
				23.0	( 0.8)	71.2	482.0	59.8	7.0	2.9	4.9	3.8	3.3	2.8
			1900 1999	1.0	( 0.5)	71.2	510.3	64.0	7.4	3.4	7.0	3.0	5.0	3.0
			1800 1899	1.0	( 0.5)	71.8	465.6	63.0	7.7	3.3	7.0	4.0	4.0	3.0
			1700 1799	5.0	( 2.6)	72.8	539.8	74.0	7.9	3.0	6.8	4.2	4.2	2.8
			1600 1699	9.0	( 4.7)	71.3	497.4	60.9	7.3	2.8	5.9	3.9	3.9	2.9
			1500 1599	9.0	( 4.7)	71.9	514.0	63.1	8.1	2.9	5.4	3.9	3.9	3.0
			1400 1499	17.0	( 8.9)	71.3	477.0	57.1	7.6	2.8	4.6	4.1	3.5	3.0
			1300 1399	47.0	( 24.6)	70.7	472.2	54.1	7.3	3.0	4.1	4.2	3.0	2.9
			1200 1299	42.0	( 22.0)	70.3	480.5	51.7	7.2	2.9	3.4	4.4	2.7	2.9



					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1100 1199	40.0	( 20.9)	69.7	456.2	47.8	6.8	2.9	3.1	4.5	2.3	3.0
			1000 1099	14.0	( 7.3)	69.8	458.6	50.2	6.7	3.1	2.9	4.6	2.4	3.2
			900 999	2.0	( 1.0)	69.3	368.1	39.0	4.8	1.9	3.0	4.0	2.0	3.0
			800 899	1.0	( 0.5)	68.0	456.0	37.0	7.2	3.6	3.0	4.0	2.0	3.0
			700 799	2.0	( 1.0)	70.0	273.1	30.5	4.3	0.8	2.0	5.0	1.5	2.5
			500 599	1.0	( 0.5)	70.4	315.0	40.0	4.7	1.5	3.0	5.0	2.0	3.0
				191.0	( 6.4)	70.5	471.1	53.0	7.1	2.9	3.9	4.3	2.9	2.9
			1000 1099	1.0	( 0.0)	69.4	531.5	56.0	7.2	3.8	2.0	5.0	2.0	3.0
			900 999	1.0	( 50.0)	69.5	309.9	38.0	3.8	1.6	2.0	4.0	2.0	3.0
			600 699	1.0	( 50.0)	70.0	297.0	39.0	3.8	1.4	2.0	5.0	2.0	4.0
				2.0	( 0.1)	69.8	303.4	38.5	3.8	1.5	2.0	4.5	2.0	3.5
			1900 1999	1.0	( 1.0)	73.9	576.2	80.0	8.3	2.4	8.0	3.0	5.0	3.0
			1700 1799	6.0	( 5.8)	72.8	538.1	72.8	7.9	2.9	5.7	3.3	4.2	3.2
			1600 1699	3.0	( 2.9)	71.9	520.3	64.7	8.2	3.2	5.0	3.7	4.0	3.0
			1500 1599	10.0	( 9.7)	71.3	514.0	61.6	7.9	3.2	5.1	4.0	3.6	2.9
			1400 1499	30.0	( 29.1)	70.9	510.1	58.4	7.7	3.1	3.5	4.0	3.0	2.9
			1300 1399	36.0	( 35.0)	70.2	507.7	55.8	7.6	3.5	2.7	3.9	2.2	3.0
			1200 1299	4.0	( 3.9)	69.5	525.4	55.0	8.0	4.3	3.0	4.5	2.5	3.0
			1100 1199	5.0	( 4.9)	70.2	500.9	51.4	7.4	2.8	2.6	4.6	2.2	3.0
			1000 1099	1.0	( 1.0)	68.5	440.7	43.0	8.2	4.9	3.0	5.0	2.0	3.0
			800 899	1.0	( 1.0)	69.8	416.8	44.0	5.5	2.0	2.0	5.0	2.0	3.0
			499	6.0	( 5.8)	70.3	321.7	39.5	5.1	1.8	2.3	4.7	2.0	2.7
				103.0	( 3.4)	70.7	499.8	57.2	7.5	3.2	3.4	4.0	2.8	3.0
			1600 1699	1.0	( 50.0)	75.1	482.6	85.0	7.3	2.4	7.0	4.0	4.0	3.0
			1300 1399	1.0	( 50.0)	70.7	457.8	52.0	7.1	2.7	3.0	4.0	2.0	3.0
				2.0	( 0.1)	72.9	470.2	68.5	7.2	2.5	5.0	4.0	3.0	3.0
			2500	1.0	( 0.0)	76.4	521.0	87.0	8.3	1.4	8.0	4.0	5.0	3.0
			2200 2299	1.0	( 0.0)	74.8	564.0	80.0	8.7	2.0	6.0	3.0	4.0	3.0
			2100 2199	1.0	( 0.0)	74.4	555.9	86.0	7.1	2.2	10.0	3.0	5.0	3.0
			2000 2099	5.0	( 0.2)	74.7	527.9	83.0	7.9	2.3	8.4	3.4	4.8	3.0
			1900 1999	13.0	( 0.4)	73.2	522.6	74.4	8.0	2.9	8.2	3.2	4.9	2.9
			1800 1899	29.0	( 1.0)	73.6	510.0	74.4	7.7	2.4	8.0	3.6	4.8	2.8
			1700 1799	88.0	( 2.9)	72.7	517.5	69.1	7.8	2.7	6.6	3.8	4.3	2.7
			1600 1699	164.0	( 5.5)	72.0	508.7	64.5	7.6	2.8	5.9	3.8	4.0	2.8
			1500 1599	291.0	( 9.7)	71.7	503.8	61.8	7.6	2.7	5.4	3.9	3.7	2.8
			1400 1499	556.0	( 18.6)	71.2	499.9	58.8	7.4	2.8	4.6	4.0	3.4	2.8
			1300 1399	593.0	( 19.8)	70.7	494.0	56.5	7.4	3.0	3.9	4.1	3.0	2.8
			1200 1299	504.0	( 16.9)	70.3	487.3	53.4	7.1	2.9	3.5	4.3	2.6	2.8
			1100 1199	421.0	( 14.1)	70.0	476.3	50.6	6.9	2.9	2.9	4.4	2.2	2.7
			1000 1099	198.0	( 6.6)	69.5	467.6	48.4	6.8	3.2	2.8	4.5	2.2	2.7



					(%)		(kg)	(cm2)	(cm)	(cm)				
			1800 1899	1.0	( 0.4)	73.0	485.0	65.0	7.4	1.9	7.0	4.0	4.0	2.0
			1600 1699	5.0	( 2.0)	72.5	583.0	66.2	9.0	2.3	6.2	3.6	4.2	3.0
			1500 1599	12.0	( 4.8)	71.1	546.1	57.8	8.3	2.8	5.7	3.8	4.1	2.6
			1400 1499	40.0	( 16.0)	70.7	540.0	56.2	8.0	2.8	4.6	4.0	3.3	2.7
			1300 1399	69.0	( 27.6)	70.3	559.7	56.1	7.9	3.0	3.9	3.9	3.0	2.8
			1200 1299	66.0	( 26.4)	70.0	537.6	52.6	7.6	2.9	3.1	4.1	2.4	2.6
			1100 1199	38.0	( 15.2)	69.6	526.0	50.1	7.1	2.7	2.9	4.1	2.1	2.5
			1000 1099	18.0	( 7.2)	69.6	483.8	46.3	6.8	2.6	2.4	4.7	2.0	2.6
			900 999	1.0	( 0.4)	71.5	394.0	45.0	7.0	1.6	2.0	4.0	2.0	2.0
				250.0	( 10.2)	70.2	539.0	53.8	7.6	2.8	3.7	4.1	2.8	2.6
			1600 1699	1.0	( 3.8)	72.9	646.0	76.0	8.7	2.4	5.0	4.0	4.0	3.0
			1400 1499	5.0	( 19.2)	71.3	583.0	63.0	7.7	2.4	4.8	4.2	3.6	2.4
			1300 1399	7.0	( 26.9)	70.8	530.7	56.7	7.4	2.6	3.9	4.0	3.0	2.7
			1200 1299	8.0	( 30.8)	69.9	514.9	51.1	7.4	2.9	3.3	4.4	2.6	3.0
			1100 1199	4.0	( 15.4)	69.4	497.0	47.8	6.8	2.8	3.0	3.8	2.0	3.0
			1000 1099	1.0	( 3.8)	67.9	482.0	38.0	6.1	2.7	3.0	4.0	2.0	3.0
				26.0	( 1.1)	70.4	533.3	54.8	7.4	2.7	3.7	4.1	2.8	2.8
			1600 1699	1.0	( 5.0)	73.4	590.0	73.0	8.4	1.8	7.0	4.0	4.0	3.0
			1400 1499	3.0	( 15.0)	71.1	562.7	63.3	7.8	3.0	5.0	4.7	4.0	2.3
			1300 1399	3.0	( 15.0)	69.7	568.3	55.0	7.1	2.8	4.3	4.3	3.3	2.7
			1200 1299	3.0	( 15.0)	69.4	531.0	51.3	7.5	3.3	3.7	4.0	3.0	2.0
			1100 1199	5.0	( 25.0)	70.1	536.6	55.2	7.5	3.0	3.4	4.4	2.4	2.6
			1000 1099	4.0	( 20.0)	68.1	543.8	50.5	7.2	4.3	3.3	4.5	2.5	3.0
			900 999	1.0	( 5.0)	67.5	520.0	53.0	7.1	5.5	3.0	6.0	2.0	3.0
				20.0	( 0.8)	69.7	547.7	55.6	7.5	3.3	4.0	4.5	3.0	2.6
			1700 1799	1.0	( 0.9)	74.6	500.0	71.0	8.5	1.6	9.0	5.0	5.0	3.0
			1600 1699	5.0	( 4.4)	70.9	556.8	58.2	8.3	2.8	6.4	4.0	4.2	2.8
			1500 1599	6.0	( 5.3)	70.7	596.1	57.8	8.5	2.7	5.2	4.0	3.8	2.3
			1400 1499	14.0	( 12.4)	70.6	576.2	55.1	8.4	2.6	5.0	4.0	3.6	2.9
			1300 1399	31.0	( 27.4)	69.2	581.5	51.7	8.0	3.3	4.0	4.0	3.3	2.9
			1200 1299	31.0	( 27.4)	69.2	559.0	48.4	7.6	2.9	3.7	4.1	2.9	2.6
			1100 1199	15.0	( 13.3)	69.5	552.5	49.5	7.6	2.8	3.2	4.5	2.5	2.5
			1000 1099	10.0	( 8.8)	68.6	526.1	46.7	6.8	3.1	2.4	4.9	2.0	2.5
				113.0	( 4.6)	69.6	564.9	51.3	7.8	2.9	4.0	4.2	3.1	2.7
			1200 1299	1.0	( 50.0)	71.1	621.0	68.0	7.6	2.6	5.0	4.0	3.0	3.0
			1100 1199	1.0	( 50.0)	69.8	652.0	63.0	8.2	3.4	5.0	3.0	4.0	3.0
				2.0	( 0.1)	70.5	636.5	65.5	7.9	3.0	5.0	3.5	3.5	3.0
			1800 1899	1.0	( 3.7)	72.5	620.0	73.0	8.5	2.6	10.0	4.0	5.0	2.0
			1500 1599	2.0	( 7.4)	71.0	601.5	68.0	7.5	3.1	5.5	4.0	4.0	3.0

							(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
					(%)									
			1400 1499	1.0	( 3.7)	72.3	504.0	65.0	7.0	2.1	6.0	4.0	4.0	3.0
			1300 1399	4.0	( 14.8)	70.5	547.5	61.5	7.7	3.5	4.8	4.5	3.8	3.0
			1200 1299	3.0	( 11.1)	70.0	530.0	57.7	7.8	3.8	3.7	4.3	3.3	2.7
			1100 1199	2.0	( 7.4)	70.3	519.5	59.0	6.8	3.0	3.5	4.0	3.0	2.5
			1000 1099	14.0	( 51.9)	70.2	493.2	50.4	7.2	2.6	2.7	3.9	2.0	2.4
				27.0	( 1.1)	70.4	520.4	56.2	7.4	2.9	3.8	4.0	2.8	2.6
			1700 1799	3.0	( 1.9)	72.5	609.0	72.7	8.4	2.5	8.0	3.7	5.0	2.7
			1600 1699	7.0	( 4.3)	71.4	579.4	62.9	8.2	2.7	6.4	3.9	4.0	2.7
			1500 1599	14.0	( 8.6)	70.7	571.1	58.7	8.1	2.9	4.9	3.9	3.6	2.8
			1400 1499	33.0	( 20.4)	70.8	559.0	57.9	8.1	2.7	4.1	3.9	3.2	2.9
			1300 1399	28.0	( 17.3)	70.1	561.9	54.3	7.7	2.7	3.9	4.0	3.0	2.7
			1200 1299	37.0	( 22.8)	69.7	542.3	52.2	7.2	2.8	3.2	4.2	2.5	2.6
			1100 1199	26.0	( 16.0)	69.1	534.5	48.1	7.0	2.8	2.7	4.4	2.1	2.6
			1000 1099	11.0	( 6.8)	69.2	490.8	45.8	6.6	2.7	2.6	4.3	2.1	2.3
			900 999	1.0	( 0.6)	69.5	414.0	41.0	5.4	1.8	3.0	5.0	2.0	4.0
			800 899	1.0	( 0.6)	68.2	621.0	42.0	9.7	3.8	2.0	5.0	2.0	3.0
			700 799	1.0	( 0.6)	70.2	245.5	34.0	3.7	1.1	2.0	4.0	2.0	2.0
				162.0	( 6.6)	70.1	547.5	53.8	7.5	2.7	3.7	4.1	2.8	2.7
			1800 1899	2.0	( 0.5)	72.2	559.5	64.0	8.2	2.2	7.0	4.0	4.5	3.0
			1700 1799	10.0	( 2.4)	72.3	597.2	68.9	8.7	2.6	6.3	4.0	4.3	2.6
			1600 1699	31.0	( 7.3)	71.6	600.4	65.2	8.4	2.6	5.8	3.9	4.0	2.8
			1500 1599	50.0	( 11.8)	71.5	611.2	66.8	8.2	2.7	5.2	4.0	3.6	2.8
			1400 1499	104.0	( 24.6)	70.6	582.7	59.0	8.0	2.7	4.1	4.1	3.2	2.8
			1300 1399	89.0	( 21.0)	70.3	581.1	57.1	7.8	2.8	3.7	4.2	2.9	2.7
			1200 1299	81.0	( 19.1)	70.4	576.5	56.9	7.9	2.7	3.1	4.3	2.4	2.7
			1100 1199	43.0	( 10.2)	69.6	548.3	51.7	7.1	2.7	2.8	4.5	2.2	2.6
			1000 1099	11.0	( 2.6)	68.8	519.8	46.7	6.6	2.8	2.8	4.0	2.1	2.5
			900 999	2.0	( 0.5)	69.2	477.0	46.5	6.3	2.8	2.0	5.0	2.0	2.0
				423.0	( 17.2)	70.6	580.4	58.7	7.9	2.7	4.0	4.2	3.0	2.7
			1800 1899	2.0	( 1.4)	72.0	634.0	66.5	8.9	2.3	6.0	4.0	4.0	3.0
			1700 1799	9.0	( 6.2)	72.1	603.8	71.6	8.6	3.1	5.8	3.3	4.1	3.0
			1600 1699	9.0	( 6.2)	71.6	541.2	62.3	7.4	2.3	5.8	3.2	3.9	2.9
			1500 1599	20.0	( 13.8)	71.4	542.0	60.3	7.6	2.4	4.5	3.6	3.7	2.6
			1400 1499	38.0	( 26.2)	71.3	531.0	60.4	7.3	2.4	3.9	3.8	3.2	2.7
			1300 1399	18.0	( 12.4)	70.2	549.8	56.1	7.6	3.0	3.2	4.2	2.6	2.8
			1200 1299	17.0	( 11.7)	70.3	555.1	57.6	7.3	2.8	3.1	4.2	2.5	2.7
			1100 1199	22.0	( 15.2)	70.2	516.7	52.3	6.9	2.4	2.7	4.0	2.1	2.7
			1000 1099	2.0	( 1.4)	69.7	451.5	45.5	5.2	1.6	2.0	5.0	2.0	2.0
			900 999	2.0	( 1.4)	69.3	311.5	36.0	3.5	1.4	2.0	4.0	2.0	2.0
			800 899	5.0	( 3.4)	69.1	299.0	29.2	4.3	1.4	1.0	4.8	1.2	2.0
			700 799	1.0	( 0.7)	69.8	313.5	32.0	3.7	0.3	2.0	6.0	1.0	4.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
				145.0	( 5.9)	70.8	528.5	57.4	7.2	2.5	3.7	3.9	2.9	2.7
			1500 1599	3.0	( 18.8)	71.7	551.3	62.3	8.2	2.6	7.0	3.7	4.3	3.0
			1400 1499	2.0	( 12.5)	71.2	563.5	60.0	8.4	2.9	6.0	4.0	3.5	3.0
			1300 1399	7.0	( 43.8)	70.6	563.2	56.9	8.3	3.0	4.1	4.3	2.7	2.6
			1200 1299	4.0	( 25.0)	70.0	515.1	53.3	7.4	3.0	3.3	4.5	2.3	2.8
				16.0	( 0.7)	70.7	549.0	57.4	8.1	2.9	4.7	4.2	3.0	2.8
			1700 1799	10.0	( 3.2)	72.2	585.1	70.5	8.1	2.6	7.5	3.5	4.4	2.5
			1600 1699	15.0	( 4.8)	71.0	592.7	62.1	8.1	2.6	6.6	4.0	4.1	2.6
			1500 1599	27.0	( 8.6)	71.0	590.1	62.0	8.0	2.7	6.1	4.0	4.0	2.7
			1400 1499	65.0	( 20.7)	70.8	575.2	60.1	7.8	2.6	4.9	4.2	3.5	2.5
			1300 1399	67.0	( 21.3)	70.3	574.0	57.1	7.6	2.7	4.1	4.2	3.1	2.5
			1200 1299	74.0	( 23.6)	69.9	554.5	53.4	7.3	2.6	3.5	4.3	2.6	2.4
			1100 1199	47.0	( 15.0)	69.5	535.5	50.4	6.9	2.6	3.0	4.3	2.2	2.3
			1000 1099	9.0	( 2.9)	68.5	513.2	45.2	6.6	3.0	3.0	4.3	2.3	2.2
				314.0	( 12.8)	70.3	564.8	56.6	7.5	2.6	4.3	4.2	3.1	2.5
			1800 1899	1.0	( 4.3)	74.9	539.0	76.0	8.8	1.7	8.0	3.0	5.0	3.0
			1600 1699	1.0	( 4.3)	72.1	597.0	68.0	8.4	2.5	6.0	3.0	4.0	3.0
			1500 1599	3.0	( 13.0)	71.0	552.7	59.0	7.7	2.6	6.0	3.7	4.0	2.3
			1400 1499	5.0	( 21.7)	71.3	592.4	61.4	7.9	2.2	4.4	3.2	3.2	3.0
			1300 1399	3.0	( 13.0)	70.3	540.7	55.7	7.9	3.1	4.0	4.0	3.0	2.7
			1200 1299	8.0	( 34.8)	70.0	540.9	55.3	7.3	3.0	3.9	4.1	2.8	2.9
			1100 1199	2.0	( 8.7)	67.7	624.5	50.5	8.9	5.0	5.0	5.0	3.5	3.0
				23.0	( 0.9)	70.6	563.2	58.2	7.8	2.9	4.7	3.8	3.3	2.8
			1300 1399	1.0	( 4.2)	69.5	497.0	45.0	6.4	2.0	4.0	4.0	3.0	3.0
			1200 1299	4.0	( 16.7)	69.7	527.8	51.0	7.1	2.7	3.3	4.3	2.5	3.0
			1100 1199	10.0	( 41.7)	70.5	487.3	48.3	6.8	1.8	2.3	4.2	2.1	2.4
			1000 1099	7.0	( 29.2)	68.5	513.2	43.6	6.6	2.8	2.4	4.1	2.0	2.4
			900 999	1.0	( 4.2)	69.6	579.0	55.0	7.8	3.3	3.0	5.0	2.0	2.0
			800 899	1.0	( 4.2)	70.0	503.0	50.0	6.7	2.3	2.0	5.0	2.0	2.0
				24.0	( 1.0)	69.7	506.5	47.6	6.8	2.3	2.6	4.3	2.2	2.5
			1600 1699	1.0	( 6.7)	70.0	487.0	55.0	6.4	3.0	10.0	3.0	5.0	2.0
			1500 1599	1.0	( 6.7)	71.3	449.0	55.0	6.1	1.8	6.0	4.0	4.0	3.0
			1400 1499	2.0	( 13.3)	69.3	543.8	49.5	6.9	2.6	7.5	3.5	4.5	3.0
			1300 1399	3.0	( 20.0)	71.1	533.2	57.3	7.6	2.4	5.3	3.3	3.7	2.7
			1200 1299	7.0	( 46.7)	69.4	535.1	53.9	7.2	3.4	3.9	3.1	3.3	2.7
			1000 1099	1.0	( 6.7)	70.7	380.5	46.0	4.9	1.2	3.0	4.0	2.0	3.0
				15.0	( 0.6)	70.0	516.6	53.6	7.0	2.8	5.1	3.3	3.6	2.7
			1700 1799	1.0	( 4.5)	70.3	505.5	48.0	7.8	2.5	7.0	4.0	4.0	3.0
			1600 1699	4.0	( 18.2)	71.3	506.6	60.8	7.4	2.8	6.3	3.8	4.0	2.5

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1500 1599	2.0	( 9.1)	71.0	494.9	53.5	6.6	1.6	5.0	3.5	4.0	2.0
			1400 1499	5.0	( 22.7)	70.3	509.6	52.6	7.1	2.6	3.8	4.0	3.0	2.6
			1300 1399	4.0	( 18.2)	69.7	493.5	52.0	7.0	3.1	3.5	4.0	3.0	3.0
			1200 1299	3.0	( 13.6)	69.4	509.3	48.3	6.6	2.5	3.0	4.0	2.3	3.0
			1100 1199	3.0	( 13.6)	68.6	509.4	42.3	6.2	2.3	2.3	3.7	2.3	2.7
				22.0	( 0.9)	70.1	504.5	51.9	6.9	2.6	4.1	3.9	3.1	2.7
			1500 1599	1.0	( 50.0)	73.6	539.6	74.0	8.2	2.3	7.0	4.0	4.0	3.0
			1200 1299	1.0	( 50.0)	71.0	432.8	48.0	6.4	1.7	4.0	4.0	3.0	2.0
				2.0	( 0.1)	72.3	486.2	61.0	7.3	2.0	5.5	4.0	3.5	2.5
			1700 1799	1.0	( 1.0)	70.9	573.6	60.0	7.6	2.4	10.0	3.0	5.0	2.0
			1600 1699	11.0	( 11.1)	71.9	560.9	64.7	8.1	2.5	5.7	3.5	4.2	2.7
			1500 1599	19.0	( 19.2)	71.3	531.6	59.4	7.3	2.2	5.3	3.7	3.7	2.6
			1400 1499	28.0	( 28.3)	70.7	552.9	59.1	7.4	2.6	4.6	3.7	3.5	2.9
			1300 1399	23.0	( 23.2)	70.8	552.5	58.8	7.4	2.4	3.8	4.0	3.0	2.7
			1200 1299	9.0	( 9.1)	70.4	531.3	56.9	7.1	2.7	3.1	4.1	2.4	2.8
			1100 1199	5.0	( 5.1)	68.9	521.7	49.2	6.9	3.3	2.8	4.2	2.4	2.8
			1000 1099	2.0	( 2.0)	70.3	429.9	49.0	5.6	2.0	2.0	4.5	2.0	3.0
			700 799	1.0	( 1.0)	70.5	374.0	37.0	5.8	1.0	2.0	5.0	2.0	3.0
				99.0	( 4.0)	70.8	542.0	58.6	7.4	2.5	4.4	3.8	3.3	2.8
			1900 1999	2.0	( 1.4)	71.6	597.5	69.0	8.3	3.0	8.5	3.0	5.0	3.0
			1800 1899	3.0	( 2.1)	71.8	556.1	62.0	7.6	2.0	6.3	3.3	4.0	2.7
			1700 1799	1.0	( 0.7)	70.5	530.0	63.0	6.8	3.3	7.0	4.0	4.0	3.0
			1600 1699	6.0	( 4.2)	71.5	519.0	63.5	7.3	2.7	6.7	3.8	4.2	2.8
			1500 1599	22.0	( 15.5)	71.2	556.2	61.6	7.7	2.6	5.7	3.7	4.0	2.7
			1400 1499	40.0	( 28.2)	70.5	529.7	55.8	7.1	2.5	4.4	3.9	3.4	2.8
			1300 1399	47.0	( 33.1)	70.5	542.9	57.3	7.3	2.7	4.0	4.0	3.1	2.9
			1200 1299	14.0	( 9.9)	69.5	492.8	48.9	6.7	2.8	3.2	3.9	2.5	2.9
			1100 1199	7.0	( 4.9)	69.4	533.0	52.3	6.6	2.8	2.9	4.6	2.1	2.7
				142.0	( 5.8)	70.5	535.8	57.1	7.2	2.6	4.5	3.9	3.3	2.8
			1700 1799	2.0	( 2.6)	70.5	604.5	58.5	8.4	2.9	4.5	4.0	3.5	3.0
			1600 1699	56.0	( 72.7)	69.5	576.3	54.2	7.9	3.3	2.6	4.3	2.5	3.0
			1500 1599	5.0	( 6.5)	69.3	535.1	54.8	6.9	3.4	4.8	4.2	3.6	2.6
			1400 1499	5.0	( 6.5)	70.6	526.8	53.4	7.4	2.3	4.0	4.0	2.8	2.6
			1300 1399	4.0	( 5.2)	70.0	544.0	52.3	7.5	2.6	3.5	4.3	2.8	3.0
			1200 1299	2.0	( 2.6)	71.0	516.5	51.5	7.8	1.9	2.5	4.5	2.5	3.0
			1100 1199	1.0	( 1.3)	70.5	540.0	56.0	7.1	2.4	2.0	5.0	2.0	3.0
			1000 1099	1.0	( 1.3)	70.1	629.5	67.0	8.0	3.8	2.0	4.0	2.0	3.0
			900 999	1.0	( 1.3)	71.4	496.5	51.0	7.8	1.8	2.0	4.0	2.0	3.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
				77.0	( 3.1)	69.7	567.1	54.2	7.8	3.1	2.9	4.3	2.6	2.9
			1600 1699	1.0	( 9.1)	71.5	467.2	56.0	6.2	1.6	5.0	4.0	4.0	3.0
			1400 1499	2.0	( 18.2)	70.5	433.7	55.5	6.0	3.0	4.0	4.0	3.0	3.0
			1300 1399	2.0	( 18.2)	72.0	438.6	58.0	6.3	1.8	4.0	4.0	3.0	2.5
			1200 1299	4.0	( 36.4)	70.2	423.1	48.0	5.6	2.1	2.8	3.8	2.3	2.8
			1100 1199	2.0	( 18.2)	71.3	430.0	52.0	6.0	1.7	3.0	4.0	2.5	3.0
				11.0	( 0.4)	70.9	433.1	52.6	5.9	2.1	3.5	3.9	2.7	2.8
			1600 1699	3.0	( 21.4)	70.1	586.1	61.7	7.1	3.1	4.7	4.0	3.3	2.7
			1400 1499	3.0	( 21.4)	70.1	435.5	46.7	6.1	2.1	3.3	3.7	2.3	2.0
			1300 1399	2.0	( 14.3)	69.8	531.1	53.0	7.2	2.8	3.5	4.5	2.5	3.0
			1200 1299	1.0	( 7.1)	70.6	495.8	52.0	7.4	2.5	3.0	4.0	2.0	3.0
			1000 1099	5.0	( 35.7)	69.6	444.2	46.8	6.0	2.6	2.0	4.4	2.0	2.4
				14.0	( 0.6)	69.9	488.8	51.2	6.5	2.6	3.1	4.1	2.4	2.5
			1500 1599	1.0	( 50.0)	71.8	434.2	60.0	6.3	2.4	4.0	4.0	4.0	3.0
			1200 1299	1.0	( 50.0)	71.3	412.6	49.0	6.3	1.7	2.0	4.0	2.0	2.0
				2.0	( 0.1)	71.5	423.4	54.5	6.3	2.0	3.0	4.0	3.0	2.5
			1600 1699	2.0	( 9.5)	70.6	529.4	58.0	7.4	2.9	6.5	3.0	4.0	2.5
			1500 1599	2.0	( 9.5)	69.6	557.2	57.5	6.8	3.0	6.0	4.0	4.0	2.5
			1400 1499	3.0	( 14.3)	70.7	566.1	59.3	8.0	2.8	4.0	4.0	3.3	3.0
			1300 1399	5.0	( 23.8)	69.6	541.3	52.4	7.4	3.0	3.8	4.0	3.2	3.0
			1200 1299	6.0	( 28.6)	69.3	515.5	50.7	6.7	2.9	4.2	4.3	3.0	3.0
			1100 1199	2.0	( 9.5)	67.9	542.5	46.5	6.7	3.5	2.5	4.0	2.0	2.5
			1000 1099	1.0	( 4.8)	67.7	611.4	56.0	7.7	4.9	3.0	4.0	2.0	3.0
				21.0	( 0.9)	69.5	541.3	53.5	7.2	3.1	4.2	4.0	3.1	2.9
			1700 1799	1.0	( 2.1)	71.2	563.0	62.0	8.4	3.1	3.0	2.0	3.0	3.0
			1600 1699	2.0	( 4.2)	71.7	582.5	63.0	8.4	2.5	4.0	3.5	3.0	2.5
			1500 1599	6.0	( 12.5)	71.2	467.8	53.0	6.8	1.9	3.5	3.3	3.0	2.8
			1400 1499	5.0	( 10.4)	69.8	493.3	47.8	6.9	2.4	3.8	3.6	3.0	2.6
			1300 1399	12.0	( 25.0)	70.1	474.1	49.8	6.6	2.4	3.8	3.8	2.9	2.8
			1200 1299	8.0	( 16.7)	70.1	502.0	49.8	6.9	2.3	3.1	4.0	2.3	2.9
			1100 1199	10.0	( 20.8)	70.0	440.0	45.4	6.2	2.1	3.1	4.3	2.5	2.8
			1000 1099	2.0	( 4.2)	70.0	406.0	44.5	5.5	2.0	2.5	4.5	2.0	2.5
			900 999	2.0	( 4.2)	71.2	365.8	48.0	5.3	1.5	2.5	5.0	2.0	2.5
				48.0	( 2.0)	70.3	471.9	49.6	6.6	2.3	3.4	3.9	2.7	2.8
			1600 1699	3.0	( 6.3)	71.9	534.3	64.0	7.9	2.6	6.0	3.3	4.0	3.0
			1500 1599	5.0	( 10.4)	71.6	544.8	62.6	7.6	2.4	5.6	3.8	4.0	2.6

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1400 1499	7.0	( 14.6)	71.3	543.1	61.7	7.3	2.5	4.6	4.1	3.1	2.9
			1300 1399	10.0	( 20.8)	70.2	517.1	51.6	7.1	2.4	3.8	4.1	3.1	2.8
			1200 1299	12.0	( 25.0)	70.0	549.8	54.3	7.0	2.5	3.4	4.2	2.7	2.4
			1100 1199	9.0	( 18.8)	69.6	527.5	50.6	6.9	2.6	3.3	4.3	2.4	2.7
			1000 1099	2.0	( 4.2)	70.5	507.6	52.5	6.3	1.7	2.5	5.0	2.0	2.5
				48.0	( 2.0)	70.4	534.6	55.5	7.1	2.4	4.0	4.1	3.0	2.7
			1600 1699	1.0	( 5.6)	72.1	476.0	61.0	7.0	2.2	6.0	4.0	4.0	3.0
			1500 1599	4.0	( 22.2)	71.8	548.6	67.8	7.3	2.7	5.8	3.5	4.0	2.3
			1400 1499	3.0	( 16.7)	71.0	511.7	53.7	7.1	1.9	4.7	4.0	3.3	3.0
			1300 1399	8.0	( 44.4)	70.9	543.9	59.8	8.0	3.1	3.4	3.8	3.0	2.8
			1200 1299	2.0	( 11.1)	72.0	559.9	66.0	7.4	2.1	3.0	2.5	2.0	2.5
				18.0	( 0.7)	71.3	537.6	61.3	7.6	2.6	4.2	3.6	3.2	2.7
			1800 1899	1.0	( 50.0)	71.6	451.4	54.0	6.0	1.3	4.0	4.0	3.0	3.0
			1600 1699	1.0	( 50.0)	70.5	561.4	59.0	8.0	3.1	5.0	2.0	4.0	3.0
				2.0	( 0.1)	71.0	506.4	56.5	7.0	2.2	4.5	3.0	3.5	3.0
			1800 1899	1.0	( 1.4)	72.4	592.4	71.0	8.3	2.5	8.0	4.0	5.0	3.0
			1700 1799	2.0	( 2.9)	73.5	549.3	71.5	7.7	1.6	5.5	4.0	4.0	2.0
			1600 1699	4.0	( 5.8)	72.0	547.8	64.5	8.1	2.5	5.8	3.3	4.3	2.8
			1500 1599	5.0	( 7.2)	70.3	568.1	58.2	7.2	2.6	5.2	4.0	3.6	2.8
			1400 1499	13.0	( 18.8)	70.8	539.8	60.5	7.0	2.6	4.6	3.8	3.7	2.9
			1300 1399	22.0	( 31.9)	70.3	518.9	56.2	6.8	2.6	3.7	4.1	2.9	2.8
			1200 1299	4.0	( 5.8)	69.5	488.4	47.3	6.6	2.5	3.0	4.5	2.0	3.0
			1100 1199	10.0	( 14.5)	70.4	454.0	50.7	6.1	2.1	2.6	4.4	2.0	2.9
			1000 1099	5.0	( 7.2)	70.3	403.7	46.8	5.7	2.1	2.4	4.2	2.0	2.8
			900 999	2.0	( 2.9)	69.6	387.1	42.0	4.7	1.6	2.5	4.5	2.0	3.0
			800 899	1.0	( 1.4)	69.9	368.6	44.0	4.1	1.5	2.0	5.0	2.0	3.0
				69.0	( 2.8)	70.6	504.5	55.7	6.7	2.4	3.9	4.1	2.9	2.8
			1900 1999	1.0	( 3.0)	67.9	642.1	54.0	8.6	4.6	6.0	3.0	4.0	3.0
			1600 1699	1.0	( 3.0)	69.7	568.5	63.0	7.7	4.3	5.0	4.0	4.0	2.0
			1500 1599	3.0	( 9.1)	70.1	569.0	57.0	7.6	3.0	4.3	3.7	3.3	3.0
			1400 1499	6.0	( 18.2)	70.0	573.2	58.0	7.9	3.3	3.8	3.5	3.2	2.8
			1300 1399	8.0	( 24.2)	68.9	557.1	51.3	7.5	3.4	3.3	4.0	2.8	2.4
			1200 1299	8.0	( 24.2)	68.2	529.2	43.9	6.9	3.2	2.9	4.4	2.3	2.6
			1100 1199	3.0	( 9.1)	67.4	521.0	39.3	7.1	3.7	3.0	4.7	2.0	2.7
			1000 1099	3.0	( 9.1)	67.6	498.1	42.3	6.1	3.5	2.0	4.3	2.0	3.0
				33.0	( 1.3)	68.8	548.6	49.8	7.3	3.4	3.4	4.0	2.7	2.7
			1800 1899	1.0	( 5.9)	71.3	626.2	75.0	8.2	3.8	8.0	3.0	5.0	3.0
			1700 1799	1.0	( 5.9)	72.6	570.6	66.0	8.5	2.0	6.0	4.0	4.0	3.0



					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			1500 1599	1.0	( 5.9)	70.2	521.4	56.0	6.9	2.8	4.0	4.0	3.0	2.0
			1400 1499	5.0	( 29.4)	70.1	532.0	59.2	6.9	3.2	4.6	3.6	3.8	2.8
			1300 1399	2.0	( 11.8)	70.0	475.9	58.0	6.0	3.3	4.5	4.0	3.5	2.5
			1200 1299	5.0	( 29.4)	69.0	544.1	53.2	6.8	3.3	3.4	4.0	3.0	2.8
			1100 1199	2.0	( 11.8)	67.5	506.6	45.5	6.6	4.3	3.5	4.0	2.5	2.5
				17.0	( 0.7)	69.7	533.2	56.8	6.9	3.3	4.4	3.8	3.4	2.7
			1900 1999	1.0	( 1.8)	72.7	547.0	67.0	7.5	1.8	9.0	4.0	5.0	3.0
			1700 1799	3.0	( 5.5)	72.9	593.0	75.3	7.9	2.4	7.0	3.7	4.3	3.0
			1600 1699	8.0	( 14.5)	70.9	533.6	58.9	7.2	2.5	5.0	4.0	3.8	2.6
			1500 1599	7.0	( 12.7)	70.6	538.0	57.9	6.8	2.3	4.6	4.1	3.1	2.9
			1400 1499	8.0	( 14.5)	70.6	497.2	54.6	6.5	2.2	4.1	4.0	3.0	2.8
			1300 1399	15.0	( 27.3)	70.4	458.3	49.5	5.9	1.8	3.2	4.1	2.3	2.9
			1200 1299	10.0	( 18.2)	70.4	476.3	53.0	6.2	2.2	2.8	4.0	2.2	2.9
			1100 1199	3.0	( 5.5)	69.5	484.4	45.7	6.3	2.2	2.3	4.0	2.0	2.7
				55.0	( 2.2)	70.7	498.7	54.8	6.5	2.2	4.0	4.0	2.8	2.8
			1300 1399	2.0	( 66.7)	69.4	491.6	47.5	6.4	2.5	4.0	4.0	2.5	3.0
			1100 1199	1.0	( 33.3)	68.9	473.2	39.0	4.9	1.0	2.0	4.0	2.0	3.0
				3.0	( 0.1)	69.2	485.5	44.7	5.9	2.0	3.3	4.0	2.3	3.0
			1700 1799	8.0	( 15.7)	71.3	595.4	62.4	8.6	2.7	6.3	4.0	4.1	2.9
			1600 1699	5.0	( 9.8)	71.0	630.0	65.2	9.2	3.5	6.2	3.8	4.2	3.0
			1500 1599	9.0	( 17.6)	71.1	551.0	62.1	7.5	2.6	4.0	4.0	3.4	2.9
			1400 1499	2.0	( 3.9)	71.3	588.3	61.0	8.3	2.4	4.0	4.0	3.0	3.0
			1300 1399	3.0	( 5.9)	69.1	561.9	53.7	7.4	3.5	3.0	4.3	2.7	2.7
			1200 1299	14.0	( 27.5)	69.6	527.9	51.4	7.0	2.8	3.4	4.2	2.6	2.9
			1100 1199	7.0	( 13.7)	69.4	476.5	48.6	6.4	2.8	2.7	4.6	2.3	2.9
			1000 1099	3.0	( 5.9)	68.5	424.0	35.3	5.6	2.0	2.7	5.0	2.0	2.7
				51.0	( 2.1)	70.2	543.8	55.5	7.5	2.8	4.1	4.2	3.1	2.9
			1900 1999	2.0	( 1.8)	73.0	569.8	73.5	7.8	2.2	8.0	3.0	5.0	3.0
			1800 1899	2.0	( 1.8)	72.9	578.8	69.0	8.1	1.8	6.0	3.5	4.0	2.5
			1700 1799	7.0	( 6.3)	71.5	588.0	69.1	8.1	3.2	6.4	3.7	4.1	2.4
			1600 1699	9.0	( 8.0)	70.4	560.9	58.4	7.5	2.8	5.1	3.8	3.8	2.8
			1500 1599	24.0	( 21.4)	70.3	578.4	61.2	7.4	3.0	5.1	3.8	3.7	2.8
			1400 1499	18.0	( 16.1)	70.7	572.0	61.8	7.8	3.1	4.2	3.9	3.2	2.8
			1300 1399	21.0	( 18.8)	70.2	563.7	58.9	7.2	2.8	3.6	4.0	2.8	2.7
			1200 1299	15.0	( 13.4)	70.0	583.8	60.7	7.2	3.1	2.9	4.2	2.2	2.7
			1100 1199	9.0	( 8.0)	69.3	526.5	52.6	6.5	2.9	2.6	4.3	2.0	3.0
			1000 1099	5.0	( 4.5)	69.7	541.8	53.6	6.3	2.3	2.8	4.6	2.2	2.6
				112.0	( 4.6)	70.4	568.6	60.4	7.3	2.9	4.2	4.0	3.1	2.8
			1600 1699	6.0	( 14.3)	71.3	561.0	60.0	8.2	2.5	5.3	3.7	4.0	2.7
			1500 1599	6.0	( 14.3)	70.9	577.1	61.7	7.7	2.7	4.5	4.0	3.2	2.8

[illegible]

[illegible]