

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			900 999	1.0	(1.5)	70.6	459.0	56.0	5.1	1.9	2.0	4.0	2.0	3.0
			800 899	5.0	(7.4)	68.8	433.8	38.0	5.1	1.7	2.0	5.2	2.0	4.6
			700 799	23.0	(33.8)	68.7	404.2	38.0	4.4	1.7	2.0	5.3	1.9	3.7
			600 699	19.0	(27.9)	69.0	340.5	34.2	4.0	1.3	1.8	5.6	1.7	4.1
			500 599	19.0	(27.9)	68.6	311.3	32.2	3.0	1.1	1.5	6.1	1.2	4.8
			499	1.0	(1.5)	67.9	309.0	26.0	2.6	0.8	2.0	6.0	1.0	6.0
				68.0	(3.6)	68.8	362.0	35.4	3.9	1.4	1.8	5.6	1.6	4.2
			800 899	1.0	(25.0)	70.1	408.0	45.0	5.3	1.8	3.0	4.0	2.0	2.0
			700 799	2.0	(50.0)	68.6	377.5	35.5	5.3	2.4	2.0	5.5	2.0	3.5
			500 599	1.0	(25.0)	69.2	329.0	39.0	3.1	1.3	2.0	7.0	1.0	5.0
				4.0	(0.2)	69.1	373.0	38.8	4.7	1.9	2.3	5.5	1.8	3.5
			800 899	1.0	(1.3)	69.4	529.0	46.0	6.6	1.8	2.0	6.0	2.0	4.0
			700 799	21.0	(27.3)	68.3	387.7	35.3	3.9	1.5	2.2	5.5	1.9	4.5
			600 699	32.0	(41.6)	68.5	341.0	33.5	3.4	1.3	1.8	5.7	1.6	4.2
			500 599	22.0	(28.6)	68.4	323.2	31.1	3.0	1.1	1.5	6.0	1.3	4.7
			499	1.0	(1.3)	69.1	181.0	23.0	2.4	0.6	1.0	7.0	1.0	6.0
				77.0	(4.1)	68.5	349.0	33.4	3.5	1.3	1.8	5.8	1.6	4.5
			800 899	4.0	(2.0)	68.5	431.9	34.5	5.6	1.9	3.3	4.0	2.5	2.8
			700 799	48.0	(23.6)	68.7	405.8	34.8	4.8	1.5	2.0	5.0	2.0	3.0
			600 699	97.0	(47.8)	68.6	354.4	31.1	4.3	1.3	2.0	5.2	1.8	3.3
			500 599	52.0	(25.6)	69.1	324.4	31.1	4.0	1.0	1.8	5.2	1.5	3.9
			499	2.0	(1.0)	69.3	254.5	25.5	3.6	0.7	1.5	6.0	1.5	3.5
				203.0	(10.8)	68.8	359.4	32.0	4.4	1.3	2.0	5.1	1.8	3.4
			700 799	7.0	(53.8)	68.3	426.9	35.1	5.0	1.7	2.1	4.9	2.0	3.0
			600 699	4.0	(30.8)	69.1	293.4	26.8	4.2	1.0	1.8	5.0	1.5	3.5
			500 599	2.0	(15.4)	69.2	316.3	31.0	4.0	1.0	2.0	5.5	2.0	5.0
				13.0	(0.7)	68.7	368.8	31.9	4.6	1.4	2.0	5.0	1.8	3.5
			800 899	4.0	(13.8)	69.6	406.1	43.3	5.0	1.8	2.0	5.3	2.0	3.5
			700 799	10.0	(34.5)	68.7	375.3	33.5	4.2	1.3	2.0	5.3	2.0	4.0
			600 699	11.0	(37.9)	68.8	373.5	34.6	4.3	1.4	2.0	5.2	1.9	4.1
			500 599	4.0	(13.8)	68.7	296.9	32.5	3.1	1.3	2.3	5.8	2.0	4.3
				29.0	(1.5)	68.9	368.1	35.1	4.2	1.4	2.0	5.3	2.0	4.0
			800 899	2.0	(2.7)	69.4	417.0	38.5	4.5	0.8	2.0	5.5	2.0	5.0
			700 799	19.0	(26.0)	68.8	406.1	37.8	4.5	1.6	2.2	5.3	2.1	4.1
			600 699	22.0	(30.1)	69.0	351.0	32.7	4.1	1.0	2.0	5.8	1.8	4.5
			500 599	26.0	(35.6)	68.9	307.6	29.2	3.5	0.9	1.7	5.6	1.5	4.1

					(%)		(kg)	(cm2)	(cm)	(cm)				
			499	4.0	(5.5)	68.5	275.0	28.3	2.9	1.2	1.5	6.0	1.3	5.3
				73.0	(3.9)	68.9	347.5	32.7	3.9	1.1	1.9	5.6	1.7	4.3
			900 999	2.0	(0.9)	68.3	453.8	34.0	5.8	1.9	2.0	5.0	2.0	4.0
			800 899	10.0	(4.5)	68.0	427.3	34.7	4.2	1.4	2.0	5.1	2.0	3.9
			700 799	93.0	(42.3)	68.7	402.1	36.7	4.1	1.3	2.0	5.5	1.8	3.9
			600 699	75.0	(34.1)	68.4	348.0	29.9	3.5	1.0	1.8	5.4	1.6	4.1
			500 599	35.0	(15.9)	68.4	329.5	29.1	3.1	0.8	1.5	5.6	1.3	4.6
			499	5.0	(2.3)	67.5	364.2	29.8	3.1	1.4	1.8	5.2	1.8	3.6
				220.0	(11.7)	68.5	372.9	32.9	3.8	1.1	1.8	5.5	1.7	4.1
			900 999	8.0	(1.8)	68.4	422.6	35.6	4.6	1.5	1.9	5.4	1.9	3.4
			800 899	40.0	(9.0)	68.9	415.2	38.4	4.7	1.6	2.1	5.2	2.0	3.8
			700 799	144.0	(32.4)	68.9	384.9	36.1	4.4	1.4	2.0	5.5	2.0	4.1
			600 699	178.0	(40.1)	68.8	350.6	32.6	3.9	1.2	2.0	5.5	1.9	4.2
			500 599	68.0	(15.3)	68.9	303.0	29.6	3.3	0.8	1.7	5.6	1.6	4.3
			499	6.0	(1.4)	68.0	303.5	27.0	2.8	1.0	1.8	5.3	1.7	4.8
				444.0	(23.5)	68.8	360.9	33.8	4.0	1.2	2.0	5.5	1.9	4.1
			900 999	3.0	(2.6)	69.0	413.7	40.0	5.0	1.9	2.0	5.3	2.0	3.7
			800 899	5.0	(4.3)	68.9	403.8	37.8	5.0	1.8	2.0	5.2	2.0	4.0
			700 799	30.0	(25.9)	69.0	349.0	34.6	4.1	1.3	2.1	5.4	2.0	4.0
			600 699	52.0	(44.8)	68.9	301.5	28.2	3.3	0.6	1.7	5.8	1.5	4.6
			500 599	24.0	(20.7)	68.9	288.0	27.4	3.2	0.6	1.7	6.1	1.4	4.8
			499	2.0	(1.7)	68.9	210.8	20.0	2.6	0.2	1.0	7.0	1.0	4.5
				116.0	(6.2)	68.9	316.8	30.2	3.6	0.9	1.8	5.7	1.6	4.4
			900 999	2.0	(2.9)	68.5	454.5	45.0	6.0	3.4	2.5	5.0	2.0	2.0
			800 899	9.0	(13.0)	69.1	421.3	42.0	5.1	2.0	2.2	5.0	2.0	3.9
			700 799	23.0	(33.3)	68.9	380.6	37.2	4.4	1.6	2.0	5.0	2.0	3.9
			600 699	28.0	(40.6)	69.0	344.1	32.7	4.0	1.1	2.1	5.4	1.9	4.0
			500 599	7.0	(10.1)	69.5	274.0	29.6	3.3	0.5	1.9	6.0	1.6	4.3
				69.0	(3.7)	69.0	362.4	35.4	4.3	1.4	2.1	5.3	1.9	3.9
			800 899	2.0	(0.9)	69.0	437.5	41.5	4.9	1.7	2.0	4.5	2.0	4.5
			700 799	90.0	(40.2)	68.8	389.8	38.0	4.0	1.5	1.8	5.4	1.7	3.7
			600 699	84.0	(37.5)	68.5	338.0	32.8	3.4	1.4	1.7	5.5	1.5	4.0
			500 599	44.0	(19.6)	68.5	298.2	30.7	2.8	1.1	1.5	5.7	1.2	4.4
			499	4.0	(1.8)	68.2	270.3	25.8	2.7	1.1	1.5	6.0	1.0	5.5
				224.0	(11.9)	68.6	350.7	34.5	3.6	1.4	1.7	5.5	1.5	4.0
			800 899	1.0	(16.7)	69.8	351.5	38.0	4.1	1.0	2.0	5.0	2.0	2.0
			700 799	3.0	(50.0)	67.7	408.2	34.0	4.7	2.3	2.0	5.0	2.0	4.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			600 699	1.0	(16.7)	68.6	333.5	32.0	3.6	1.2	2.0	5.0	2.0	4.0
			499	1.0	(16.7)	69.6	189.5	24.0	3.1	0.6	2.0	6.0	1.0	6.0
				6.0	(0.3)	68.5	349.8	32.7	4.2	1.6	2.0	5.2	1.8	4.0
			700 799	8.0	(33.3)	67.9	391.4	34.4	3.5	1.6	2.0	5.5	1.9	3.4
			600 699	6.0	(25.0)	68.8	361.4	34.2	3.9	1.2	2.0	5.7	1.7	3.3
			500 599	7.0	(29.2)	68.8	317.0	33.1	3.2	1.2	1.7	5.6	1.3	4.3
			499	3.0	(12.5)	68.9	235.3	26.7	2.9	1.0	1.7	5.3	1.0	5.0
				24.0	(1.3)	68.5	342.7	33.0	3.4	1.3	1.9	5.5	1.5	3.8
			800 899	6.0	(37.5)	69.7	438.0	46.2	5.5	2.0	2.3	4.8	2.2	3.5
			700 799	3.0	(18.8)	69.1	326.3	31.3	4.0	1.1	2.0	5.0	2.0	3.3
			600 699	5.0	(31.3)	69.0	337.4	32.0	4.1	1.2	2.0	5.6	2.0	4.2
			500 599	2.0	(12.5)	69.2	257.5	24.0	3.5	0.4	2.0	5.5	1.5	4.5
				16.0	(0.8)	69.3	363.1	36.2	4.5	1.4	2.1	5.2	2.0	3.8
			700 799	5.0	(0.3)	68.3	387.9	33.6	3.8	1.2	2.0	5.2	2.0	5.0
			1000 1099	1.0	(1.3)	67.6	469.0	41.0	6.0	3.6	2.0	5.0	2.0	3.0
			700 799	25.0	(32.5)	68.9	377.3	37.3	4.1	1.5	2.0	5.3	1.9	3.4
			600 699	27.0	(35.1)	68.5	348.4	33.7	3.5	1.3	1.6	5.6	1.5	4.2
			500 599	18.0	(23.4)	68.7	292.0	30.9	3.0	1.2	1.5	5.7	1.3	4.2
			499	6.0	(7.8)	68.5	234.3	24.0	2.8	1.0	1.3	5.5	1.2	3.7
				77.0	(4.1)	68.7	337.3	33.5	3.5	1.4	1.7	5.5	1.5	3.9
			800 899	1.0	(1.6)	69.6	380.0	43.0	4.7	2.0	2.0	6.0	2.0	3.0
			700 799	26.0	(41.9)	68.7	401.6	38.1	4.2	1.5	2.1	5.3	1.9	3.5
			600 699	21.0	(33.9)	68.6	335.2	33.9	3.5	1.5	1.7	5.4	1.5	4.0
			500 599	13.0	(21.0)	68.0	337.8	30.5	3.2	1.4	1.7	5.3	1.5	3.8
			499	1.0	(1.6)	69.9	300.0	39.0	3.7	1.4	2.0	6.0	2.0	3.0
				62.0	(3.3)	68.5	363.7	35.2	3.8	1.5	1.9	5.3	1.7	3.7
			600 699	1.0	(0.1)	67.7	496.0	43.0	4.6	2.3	2.0	6.0	2.0	4.0
			600 699	1.0	(0.1)	71.2	385.5	54.0	3.9	1.0	2.0	6.0	1.0	4.0
			700 799	1.0	(50.0)	70.2	422.6	44.0	5.1	1.1	3.0	6.0	2.0	3.0
			600 699	1.0	(50.0)	68.6	330.2	28.0	4.0	1.0	2.0	7.0	1.0	3.0
				2.0	(0.1)	69.4	376.4	36.0	4.5	1.1	2.5	6.5	1.5	3.0
			800 899	5.0	(18.5)	71.0	408.4	54.0	5.2	2.0	2.0	5.0	2.0	3.2
			700 799	6.0	(22.2)	70.0	432.1	48.2	5.6	2.2	2.0	4.5	2.0	2.8
			600 699	4.0	(14.8)	70.3	367.7	43.0	5.0	1.4	1.3	5.3	1.3	3.3
			500 599	9.0	(33.3)	69.8	419.0	43.2	5.3	1.6	1.0	5.3	1.0	3.4

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			499	3.0	(11.1)	69.9	329.5	34.7	4.6	1.1	1.0	5.3	1.0	3.3
				27.0	(1.4)	70.1	402.4	45.3	5.2	1.7	1.4	5.1	1.4	3.2
			499	1.0	(0.1)	69.0	403.0	36.0	4.2	0.8	2.0	5.0	2.0	3.0
			1000 1099	1.0	(8.3)	68.6	425.6	39.0	5.0	2.1	2.0	5.0	2.0	3.0
			800 899	1.0	(8.3)	66.5	379.2	22.0	3.5	1.4	3.0	5.0	2.0	3.0
			700 799	6.0	(50.0)	67.6	406.3	33.7	3.7	1.7	2.0	5.7	2.0	3.2
			600 699	4.0	(33.3)	67.7	347.1	27.3	3.1	1.1	1.5	6.0	1.3	4.3
				12.0	(0.6)	67.6	385.9	31.0	3.6	1.5	1.9	5.7	1.8	3.5
			1100 1199	3.0	(10.7)	69.7	425.3	44.7	6.3	2.6	2.3	4.3	2.0	3.0
			1000 1099	1.0	(3.6)	68.9	421.0	38.0	5.1	1.7	2.0	4.0	2.0	4.0
			800 899	2.0	(7.1)	70.5	392.6	45.0	5.0	1.4	2.0	5.0	2.0	2.5
			700 799	6.0	(21.4)	67.1	437.5	32.3	4.0	1.9	2.0	5.7	2.0	3.7
			600 699	10.0	(35.7)	67.7	382.4	31.7	3.2	1.3	1.9	5.8	1.7	3.8
			500 599	4.0	(14.3)	67.4	318.6	22.0	3.1	1.0	1.5	5.5	1.3	3.8
			499	2.0	(7.1)	69.0	366.7	38.0	4.0	1.5	2.0	6.0	1.0	3.0
				28.0	(1.5)	68.1	390.7	33.5	4.0	1.5	1.9	5.5	1.7	3.5
			800 899	2.0	(40.0)	68.8	368.6	38.5	4.1	1.9	1.5	5.0	1.5	3.0
			700 799	1.0	(20.0)	69.0	359.7	37.0	3.5	1.2	2.0	6.0	2.0	4.0
			500 599	2.0	(40.0)	68.5	325.9	32.5	3.1	1.2	2.0	6.0	2.0	3.5
				5.0	(0.3)	68.7	349.7	35.8	3.6	1.5	1.8	5.6	1.8	3.4
			900 999	1.0	(33.3)	68.7	435.2	42.0	5.1	2.3	2.0	5.0	2.0	2.0
			500 599	1.0	(33.3)	68.8	396.4	38.0	4.0	1.3	2.0	6.0	1.0	4.0
			499	1.0	(33.3)	67.7	373.2	28.0	3.5	1.0	2.0	6.0	1.0	4.0
				3.0	(0.2)	68.4	401.6	36.0	4.2	1.5	2.0	5.7	1.3	3.3
			600 699	2.0	(50.0)	69.3	430.1	40.0	4.3	0.8	2.0	6.0	2.0	4.5
			499	2.0	(50.0)	70.3	295.4	32.0	3.8	0.1	1.0	5.5	1.0	2.0
				4.0	(0.2)	69.8	362.8	36.0	4.0	0.5	1.5	5.8	1.5	3.3
			499	2.0	(0.1)	68.6	309.0	29.5	2.8	0.6	1.5	5.0	1.0	3.5
			800 899	2.0	(5.4)	67.8	366.3	35.5	4.5	2.8	2.0	4.5	2.0	3.0
			700 799	2.0	(5.4)	68.6	423.4	39.5	4.3	1.6	2.0	5.5	2.0	4.0
			600 699	24.0	(64.9)	68.9	358.6	34.8	3.7	1.1	1.8	5.4	1.5	4.3
			500 599	9.0	(24.3)	68.7	342.1	31.9	3.6	1.1	1.9	5.3	1.7	4.0
				37.0	(2.0)	68.8	358.5	34.4	3.8	1.2	1.8	5.3	1.6	4.2

					(%)		(kg)	(cm2)	(cm)	(cm)				
			800 899	1.0	(33.3)	69.6	407.0	39.0	5.7	1.7	2.0	5.0	2.0	4.0
			600 699	1.0	(33.3)	68.2	341.0	29.0	4.1	1.6	2.0	5.0	2.0	4.0
			500 599	1.0	(33.3)	69.4	304.0	35.0	4.0	1.5	2.0	6.0	2.0	7.0
				3.0	(0.9)	69.1	350.7	34.3	4.6	1.6	2.0	5.3	2.0	5.0
			800 899	2.0	(18.2)	68.8	335.5	35.0	3.8	1.8	2.0	5.5	2.0	3.5
			700 799	4.0	(36.4)	69.3	362.3	35.0	4.8	1.5	2.0	4.8	2.0	3.0
			600 699	3.0	(27.3)	68.9	354.3	34.3	4.5	1.7	2.0	5.0	2.0	3.0
			500 599	2.0	(18.2)	69.2	327.0	33.5	4.6	1.7	2.0	5.5	2.0	3.5
				11.0	(3.3)	69.1	348.8	34.5	4.5	1.6	2.0	5.1	2.0	3.2
			900 999	1.0	(16.7)	69.2	384.0	36.0	4.9	1.5	2.0	5.0	2.0	3.0
			800 899	2.0	(33.3)	69.3	366.0	37.0	4.5	1.4	2.5	5.0	2.0	4.0
			700 799	1.0	(16.7)	68.5	433.0	35.0	5.0	1.5	2.0	6.0	2.0	3.0
			600 699	2.0	(33.3)	69.0	355.0	36.0	4.5	1.8	2.0	5.5	2.0	3.0
				6.0	(1.8)	69.0	376.5	36.2	4.6	1.6	2.2	5.3	2.0	3.3
			900 999	1.0	(20.0)	71.6	400.5	51.0	5.2	1.0	2.0	3.0	2.0	2.0
			800 899	1.0	(20.0)	68.7	603.0	48.0	6.5	1.9	2.0	5.0	2.0	2.0
			700 799	2.0	(40.0)	68.3	417.8	34.0	4.7	1.6	2.0	4.5	2.0	2.5
			600 699	1.0	(20.0)	70.2	239.0	33.0	3.4	0.8	2.0	5.0	2.0	3.0
				5.0	(1.5)	69.4	415.6	40.0	4.9	1.4	2.0	4.4	2.0	2.4
			800 899	1.0	(50.0)	69.5	515.0	48.0	7.0	2.6	3.0	4.0	2.0	3.0
			700 799	1.0	(50.0)	70.3	461.0	52.0	4.6	1.3	3.0	4.0	2.0	2.0
				2.0	(0.6)	69.9	488.0	50.0	5.8	1.9	3.0	4.0	2.0	2.5
			600 699	1.0	(33.3)	69.4	456.0	45.0	5.8	2.2	3.0	4.0	2.0	3.0
			500 599	2.0	(66.7)	69.7	241.5	33.5	2.8	1.1	1.5	6.0	1.0	5.0
				3.0	(0.9)	69.6	313.0	37.3	3.8	1.4	2.0	5.3	1.3	4.3
			800 899	1.0	(33.3)	68.7	565.0	46.0	6.8	2.4	4.0	4.0	3.0	2.0
			499	2.0	(66.7)	67.5	410.5	28.0	4.3	1.3	2.0	5.0	2.0	4.5
				3.0	(0.9)	67.9	462.0	34.0	5.1	1.7	2.7	4.7	2.3	3.7
			900 999	2.0	(18.2)	68.0	395.5	33.0	5.0	2.2	2.5	5.0	2.0	3.0
			700 799	2.0	(18.2)	68.5	302.0	27.0	3.5	1.1	2.0	5.5	1.5	3.0
			600 699	6.0	(54.5)	69.6	299.8	35.5	4.0	1.4	2.2	4.8	2.0	2.8
			500 599	1.0	(9.1)	68.5	228.0	25.0	2.8	1.3	1.0	5.0	1.0	2.0
				11.0	(3.3)	69.0	311.1	32.5	4.0	1.5	2.1	5.0	1.8	2.8
			900 999	4.0	(40.0)	69.0	437.4	39.5	6.1	2.4	2.5	4.8	2.3	2.8
			800 899	2.0	(20.0)	70.3	420.5	44.5	6.0	1.8	2.5	4.5	2.0	4.5
			700 799	3.0	(30.0)	68.5	373.2	34.7	5.5	2.6	2.7	5.0	2.0	3.0
			600 699	1.0	(10.0)	69.8	327.0	37.0	3.8	0.9	2.0	6.0	2.0	4.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				10.0	(3.0)	69.2	403.7	38.8	5.7	2.2	2.5	4.9	2.1	3.3
			900 999	1.0	(33.3)	64.1	405.0	4.0	5.2	2.4	2.0	5.0	2.0	3.0
			800 899	1.0	(33.3)	70.0	340.5	36.0	4.5	0.9	2.0	5.0	2.0	2.0
			500 599	1.0	(33.3)	70.8	283.5	35.0	4.2	0.4	2.0	5.0	2.0	4.0
				3.0	(0.9)	68.3	343.0	25.0	4.6	1.2	2.0	5.0	2.0	3.0
			900 999	1.0	(6.7)	69.9	428.0	46.0	4.7	1.3	2.0	5.0	2.0	3.0
			800 899	3.0	(20.0)	69.0	366.3	36.3	4.1	1.4	1.7	4.3	1.7	2.7
			700 799	5.0	(33.3)	69.3	497.2	48.4	5.9	2.3	2.4	4.0	2.0	2.8
			600 699	3.0	(20.0)	69.4	286.7	34.0	3.2	1.1	1.3	5.7	1.3	4.3
			500 599	3.0	(20.0)	68.8	301.0	35.3	2.6	1.3	1.3	5.0	1.0	3.7
				15.0	(4.6)	69.2	385.1	40.3	4.3	1.6	1.8	4.7	1.6	3.3
			900 999	10.0	(16.1)	68.1	470.6	39.3	5.4	2.3	2.2	4.6	2.0	2.7
			800 899	5.0	(8.1)	68.6	429.4	38.0	4.8	1.8	2.0	4.6	2.0	3.0
			700 799	31.0	(50.0)	68.4	464.3	41.4	5.0	2.1	2.1	4.9	2.0	2.5
			600 699	16.0	(25.8)	69.2	424.6	42.7	4.8	1.7	1.9	5.1	1.9	2.4
				62.0	(18.8)	68.6	452.3	41.1	5.0	2.0	2.0	4.9	2.0	2.5
			600 699	2.0	(0.6)	69.4	283.5	35.5	3.5	1.5	2.0	5.0	2.0	3.0
			1000 1099	17.0	(56.7)	68.2	461.8	39.9	5.4	2.3	2.2	4.8	2.1	3.1
			900 999	4.0	(13.3)	67.6	466.6	40.3	4.9	2.6	2.0	5.0	2.0	2.5
			800 899	1.0	(3.3)	68.9	325.5	40.0	4.0	2.5	2.0	4.0	2.0	2.0
			700 799	4.0	(13.3)	69.9	292.1	35.5	4.3	1.4	2.0	4.0	2.0	2.0
			600 699	1.0	(3.3)	71.3	269.5	39.0	4.5	0.8	2.0	5.0	2.0	2.0
			500 599	3.0	(10.0)	69.8	258.8	30.0	4.3	1.2	2.0	4.0	2.0	2.0
				30.0	(9.1)	68.6	408.6	38.3	5.0	2.1	2.1	4.6	2.0	2.7
			900 999	4.0	(19.0)	69.0	410.5	39.5	4.6	1.6	2.0	4.0	2.0	2.5
			800 899	2.0	(9.5)	68.4	382.5	33.5	4.3	1.5	2.0	4.5	2.0	3.0
			700 799	8.0	(38.1)	69.2	397.9	40.1	4.5	1.5	1.9	4.6	1.9	2.6
			600 699	5.0	(23.8)	68.2	355.2	30.6	3.9	1.5	2.0	4.4	1.8	2.6
			500 599	2.0	(9.5)	68.7	302.5	28.0	3.9	1.3	2.0	4.5	2.0	3.0
				21.0	(6.4)	68.8	379.6	36.0	4.3	1.5	2.0	4.4	1.9	2.7
			900 999	1.0	(0.3)	70.5	509.0	52.0	5.6	1.1	2.0	5.0	2.0	3.0
			700 799	7.0	(2.1)	70.7	419.9	50.1	5.6	1.9	2.0	4.0	2.0	2.7
			500 599	1.0	(0.3)	68.8	334.8	31.0	3.5	0.8	2.0	5.0	1.0	3.0

