

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1100 1199	2.0	(2.6)	69.5	446.5	45.5	5.2	1.8	2.0	5.5	2.0	4.0
			1000 1099	6.0	(7.9)	70.3	429.4	46.8	5.7	1.8	2.0	4.3	2.0	3.3
			900 999	45.0	(59.2)	69.3	352.5	35.4	4.0	1.1	1.5	5.6	1.2	4.0
			800 899	14.0	(18.4)	69.2	333.4	34.9	3.7	1.1	1.4	5.8	1.1	4.1
			700 799	7.0	(9.2)	69.7	335.9	36.6	3.7	0.8	1.6	5.4	1.1	4.1
			600 699	2.0	(2.6)	69.5	350.0	38.0	4.2	1.4	1.0	4.5	1.0	3.0
				76.0	(3.2)	69.4	355.9	36.6	4.1	1.1	1.5	5.5	1.3	3.9
			1000 1099	10.0	(29.4)	69.5	410.6	40.0	4.8	1.3	2.0	5.1	2.0	4.0
			900 999	21.0	(61.8)	70.0	327.9	38.2	3.7	0.7	1.8	5.0	1.6	4.0
			800 899	1.0	(2.9)	70.0	264.5	30.0	3.7	0.4	2.0	5.0	1.0	4.0
			700 799	2.0	(5.9)	69.7	366.0	40.5	4.2	1.3	2.0	5.0	1.5	4.0
				34.0	(1.4)	69.8	352.6	38.6	4.0	0.9	1.9	5.0	1.7	4.0
			1100 1199	1.0	(0.9)	69.1	415.0	41.0	5.7	2.4	2.0	5.0	2.0	3.0
			1000 1099	7.0	(6.0)	69.9	369.6	40.4	4.6	1.2	1.4	5.6	1.1	4.3
			900 999	87.0	(75.0)	69.3	359.9	36.9	4.1	1.2	1.5	5.4	1.2	4.2
			800 899	16.0	(13.8)	69.3	319.9	34.3	3.7	1.1	1.3	5.8	1.0	4.6
			700 799	5.0	(4.3)	69.7	297.4	34.6	3.6	1.0	1.2	5.2	1.0	4.6
				116.0	(4.8)	69.3	352.8	36.7	4.0	1.2	1.5	5.5	1.2	4.2
			1100 1199	2.0	(1.2)	67.3	486.0	39.0	5.3	2.9	2.0	5.5	2.0	3.0
			1000 1099	10.0	(6.0)	69.2	423.6	39.7	5.3	1.7	2.0	5.2	2.1	3.4
			900 999	130.0	(78.3)	69.2	360.1	33.9	4.5	1.2	1.9	5.5	1.8	3.5
			800 899	20.0	(12.0)	69.1	324.2	30.5	4.0	1.0	1.9	5.6	1.9	4.2
			700 799	1.0	(0.6)	69.7	370.5	38.0	4.3	1.0	2.0	6.0	2.0	3.0
			600 699	3.0	(1.8)	68.9	301.2	29.0	4.1	1.3	2.0	5.0	2.0	3.3
				166.0	(6.9)	69.1	360.1	33.8	4.5	1.2	1.9	5.5	1.8	3.6
			900 999	9.0	(81.8)	68.9	375.3	33.3	4.5	1.3	2.0	5.6	1.8	3.4
			800 899	2.0	(18.2)	70.3	312.3	39.0	3.7	0.9	1.5	5.5	1.0	4.0
				11.0	(0.5)	69.1	363.8	34.4	4.4	1.2	1.9	5.5	1.6	3.5
			1000 1099	11.0	(24.4)	69.7	407.9	42.1	4.8	1.4	1.9	5.4	1.7	3.5
			900 999	33.0	(73.3)	69.6	357.2	36.8	4.3	1.1	2.0	5.2	1.5	3.8
			800 899	1.0	(2.2)	68.8	346.0	32.0	3.9	1.1	2.0	5.0	2.0	3.0
				45.0	(1.9)	69.6	369.4	38.0	4.4	1.2	2.0	5.2	1.6	3.8
			1000 1099	3.0	(3.8)	67.6	425.8	33.7	4.3	1.8	2.7	4.3	2.3	4.0
			900 999	59.0	(73.8)	69.5	378.1	37.5	4.5	1.2	1.9	5.2	1.6	4.1
			800 899	15.0	(18.8)	69.2	325.9	32.8	4.0	1.1	1.9	5.1	1.6	4.1
			700 799	2.0	(2.5)	69.7	348.0	39.0	3.6	0.9	1.5	5.0	1.5	5.0
			600 699	1.0	(1.3)	69.1	305.5	29.0	3.4	0.4	2.0	4.0	2.0	4.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				80.0	(3.3)	69.4	368.4	36.4	4.4	1.2	1.9	5.2	1.6	4.1
			1100 1199	2.0	(0.5)	70.2	460.3	49.5	6.0	2.1	2.0	5.5	2.0	3.5
			1000 1099	21.0	(5.6)	69.6	415.3	41.2	5.0	1.5	2.0	5.2	1.7	3.9
			900 999	240.0	(63.8)	69.4	372.9	37.5	4.0	1.0	1.8	5.2	1.5	3.9
			800 899	88.0	(23.4)	69.3	355.4	35.7	3.8	0.9	1.8	5.3	1.3	4.1
			700 799	24.0	(6.4)	69.3	350.8	36.2	3.9	1.1	1.8	5.3	1.5	4.0
			600 699	1.0	(0.3)	67.8	435.0	33.0	4.6	1.8	2.0	5.0	2.0	3.0
				376.0	(15.6)	69.3	370.4	37.3	4.0	1.0	1.8	5.3	1.5	3.9
			1100 1199	5.0	(0.9)	69.3	511.7	47.8	6.4	2.3	3.0	4.6	2.4	4.0
			1000 1099	66.0	(11.6)	69.6	414.5	41.3	5.0	1.4	2.2	4.9	2.0	3.9
			900 999	421.0	(74.0)	69.5	378.6	38.1	4.5	1.2	1.8	5.0	1.6	4.0
			800 899	57.0	(10.0)	69.4	345.3	35.3	4.1	1.1	1.8	5.1	1.4	4.1
			700 799	17.0	(3.0)	69.5	332.9	35.9	3.9	1.1	1.8	5.3	1.4	4.4
			600 699	3.0	(0.5)	68.8	376.7	32.3	4.3	1.0	2.0	5.3	1.7	4.0
				569.0	(23.6)	69.5	379.2	38.2	4.5	1.2	1.9	5.0	1.6	4.0
			1100 1199	4.0	(4.2)	68.6	492.0	43.8	5.8	2.4	2.3	5.3	2.0	3.8
			1000 1099	30.0	(31.3)	69.4	409.8	40.5	4.9	1.5	2.1	4.8	1.9	3.9
			900 999	59.0	(61.5)	69.7	338.3	35.6	4.3	1.0	1.8	5.0	1.5	4.1
			800 899	2.0	(2.1)	69.6	246.5	29.5	3.5	0.9	1.5	6.5	1.5	4.0
			600 699	1.0	(1.0)	70.1	291.0	36.0	3.9	1.0	2.0	6.0	2.0	3.0
				96.0	(4.0)	69.6	364.7	37.4	4.5	1.2	1.9	5.0	1.6	4.0
			1100 1199	2.0	(3.8)	70.2	322.8	43.5	5.0	2.3	3.5	4.0	3.0	3.0
			1000 1099	9.0	(17.0)	69.7	389.9	41.8	5.0	1.8	2.0	4.8	1.9	4.4
			900 999	34.0	(64.2)	69.4	385.2	39.7	4.6	1.4	2.1	4.7	1.9	4.0
			800 899	8.0	(15.1)	69.8	314.6	34.5	4.1	0.9	2.0	4.5	1.6	3.6
				53.0	(2.2)	69.6	373.0	39.4	4.6	1.5	2.1	4.7	1.9	4.0
			1200 1299	1.0	(0.3)	70.8	410.0	53.0	4.8	1.7	2.0	4.0	2.0	3.0
			1100 1199	1.0	(0.3)	71.0	461.0	58.0	5.7	2.0	3.0	6.0	2.0	4.0
			1000 1099	21.0	(6.2)	69.6	459.9	47.5	5.3	1.9	2.0	5.1	2.0	3.7
			900 999	201.0	(59.1)	69.1	368.1	36.6	4.1	1.2	1.5	5.4	1.2	4.0
			800 899	62.0	(18.2)	69.7	333.6	37.1	3.9	1.1	1.4	5.5	1.1	4.1
			700 799	44.0	(12.9)	69.3	374.9	39.1	4.2	1.4	1.6	5.4	1.1	3.9
			600 699	4.0	(1.2)	69.0	429.5	45.3	4.3	1.9	1.5	5.8	1.0	4.0
			500 599	3.0	(0.9)	70.4	282.3	38.0	3.7	1.0	1.3	6.0	1.0	4.7
			499	3.0	(0.9)	69.9	279.0	34.0	3.4	0.7	2.0	5.0	1.0	3.7
				340.0	(14.1)	69.3	367.9	37.9	4.1	1.3	1.5	5.4	1.2	4.0
			1000 1099	1.0	(5.6)	71.0	403.0	48.0	4.4	0.6	2.0	5.0	2.0	3.0
			900 999	14.0	(77.8)	69.5	357.9	36.3	4.4	1.2	1.9	4.6	1.6	3.7

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
			800 899	1.0	(5.6)	71.0	333.0	40.0	4.5	0.5	2.0	5.0	1.0	4.0
			700 799	2.0	(11.1)	69.0	345.8	32.5	3.8	0.9	2.0	4.5	1.5	4.5
				18.0	(0.7)	69.6	357.7	36.7	4.3	1.1	1.9	4.7	1.6	3.8
			1000 1099	1.0	(6.3)	71.3	432.0	52.0	6.3	1.8	3.0	5.0	2.0	4.0
			900 999	6.0	(37.5)	68.7	376.7	34.8	3.9	1.2	1.8	5.3	1.5	4.2
			800 899	5.0	(31.3)	69.8	259.8	33.8	3.4	1.1	1.8	5.6	1.4	3.8
			700 799	3.0	(18.8)	69.4	338.3	35.0	3.9	1.0	1.7	5.3	1.0	3.7
			600 699	1.0	(6.3)	70.1	338.0	38.0	3.7	0.5	1.0	5.0	1.0	5.0
				16.0	(0.7)	69.4	334.0	35.8	3.9	1.1	1.8	5.4	1.4	4.0
			900 999	1.0	(0.0)	70.7	283.0	34.0	4.6	0.7	2.0	5.0	1.0	4.0
			1000 1099	1.0	(11.1)	70.6	523.0	56.0	5.4	1.4	2.0	6.0	2.0	3.0
			900 999	8.0	(88.9)	70.0	427.1	47.9	4.3	1.3	1.5	6.4	1.5	3.6
				9.0	(0.4)	70.0	437.8	48.8	4.4	1.3	1.6	6.3	1.6	3.6
			1100 1199	3.0	(5.1)	71.1	386.0	51.3	5.4	1.9	2.3	4.7	2.0	3.7
			1000 1099	6.0	(10.2)	69.0	390.5	37.5	4.2	1.4	1.7	5.5	1.7	4.5
			900 999	36.0	(61.0)	69.0	346.8	34.0	4.0	1.2	1.6	5.0	1.2	4.0
			800 899	8.0	(13.6)	68.6	341.0	30.8	3.8	1.1	1.6	5.3	1.3	3.8
			700 799	6.0	(10.2)	69.2	325.2	31.3	4.0	0.9	1.8	6.3	1.0	3.3
				59.0	(2.4)	69.1	350.2	34.5	4.1	1.2	1.7	5.2	1.3	3.9
			900 999	20.0	(90.9)	69.3	396.6	39.8	4.5	1.4	1.6	5.2	1.3	3.9
			800 899	1.0	(4.5)	69.0	300.0	30.0	3.3	0.8	1.0	6.0	1.0	6.0
			700 799	1.0	(4.5)	69.1	363.0	33.0	3.8	0.6	1.0	5.0	1.0	5.0
				22.0	(0.9)	69.2	390.7	39.0	4.4	1.4	1.5	5.2	1.2	4.0
			600 699	2.0	(0.1)	70.8	397.3	44.5	5.9	1.5	2.0	6.0	1.5	3.5
			1000 1099	1.0	(0.0)	70.1	494.2	51.0	6.3	2.1	2.0	5.0	2.0	3.0
			900 999	1.0	(7.1)	67.9	404.2	37.0	4.0	2.1	5.0	5.0	3.0	3.0
			600 699	2.0	(14.3)	67.7	462.6	34.5	5.3	2.0	1.5	5.5	1.5	3.5
			500 599	10.0	(71.4)	70.3	365.1	43.1	4.5	1.2	1.0	6.6	1.0	3.9
			499	1.0	(7.1)	70.9	329.6	42.0	3.9	0.5	1.0	7.0	1.0	4.0
				14.0	(0.6)	69.8	379.3	41.4	4.5	1.4	1.4	6.4	1.2	3.8
			700 799	2.0	(66.7)	69.5	360.8	38.5	3.7	0.9	2.0	5.5	1.0	2.5
			600 699	1.0	(33.3)	69.3	334.0	35.0	3.8	1.0	1.0	7.0	1.0	7.0
				3.0	(0.1)	69.4	351.9	37.3	3.7	1.0	1.7	6.0	1.0	4.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1100 1199	1.0	(1.4)	68.4	398.2	35.0	4.4	1.6	2.0	5.0	2.0	3.0
			1000 1099	18.0	(26.1)	67.5	398.3	29.6	3.9	1.4	2.0	5.5	1.8	3.5
			900 999	50.0	(72.5)	68.5	385.3	34.2	4.1	1.3	1.9	5.3	1.6	3.6
				69.0	(2.9)	68.3	388.9	33.0	4.0	1.3	1.9	5.3	1.7	3.6
			1200 1299	1.0	(1.3)	69.1	403.4	38.0	6.2	2.5	2.0	5.0	2.0	3.0
			1000 1099	2.0	(2.7)	68.0	415.9	33.5	4.8	1.9	2.0	5.0	2.0	2.5
			900 999	55.0	(73.3)	67.8	369.0	29.5	3.5	1.2	1.4	5.6	1.4	2.9
			800 899	11.0	(14.7)	67.6	309.0	23.1	3.0	1.0	1.4	5.5	1.5	2.8
			700 799	4.0	(5.3)	67.4	363.4	23.3	3.9	1.1	1.5	5.0	1.5	3.3
			600 699	2.0	(2.7)	68.0	279.6	20.5	3.3	0.9	1.5	5.5	1.0	4.5
				75.0	(3.1)	67.8	359.2	28.2	3.5	1.2	1.5	5.5	1.5	2.9
			900 999	5.0	(21.7)	68.7	412.4	39.6	4.3	1.7	2.2	5.6	2.0	3.4
			800 899	16.0	(69.6)	69.1	377.9	38.8	3.9	1.4	1.9	5.7	1.8	3.6
			700 799	2.0	(8.7)	69.8	467.5	50.0	4.7	1.6	1.5	6.0	1.5	7.0
				23.0	(1.0)	69.1	393.1	39.9	4.1	1.5	1.9	5.7	1.8	3.9
			900 999	1.0	(0.0)	70.0	399.6	45.0	4.6	1.5	2.0	6.0	2.0	4.0
			700 799	1.0	(0.0)	67.9	384.2	31.0	4.0	1.5	2.0	6.0	2.0	3.0
			900 999	1.0	(50.0)	68.7	406.4	46.0	5.0	3.2	2.0	5.0	2.0	4.0
			800 899	1.0	(50.0)	65.6	363.2	14.0	3.7	1.7	2.0	5.0	2.0	3.0
				2.0	(0.1)	67.2	384.8	30.0	4.3	2.5	2.0	5.0	2.0	3.5
			1100 1199	1.0	(1.5)	69.2	283.7	34.0	3.1	1.2	2.0	5.0	2.0	2.0
			1000 1099	4.0	(6.1)	68.7	336.2	33.5	3.8	1.5	2.0	5.0	2.0	2.5
			900 999	10.0	(15.2)	70.0	376.7	45.1	4.1	1.5	2.1	5.0	1.9	3.6
			800 899	49.0	(74.2)	69.1	373.4	38.2	3.9	1.4	1.7	5.6	1.7	3.8
			700 799	2.0	(3.0)	69.9	394.5	44.0	4.4	1.4	1.5	6.0	1.5	3.0
				66.0	(2.7)	69.2	370.9	39.1	3.9	1.4	1.8	5.5	1.7	3.6
			800 899	5.0	(0.2)	69.7	395.4	42.8	3.8	1.0	2.0	5.8	2.0	3.6
			900 999	1.0	(3.1)	69.2	452.5	47.0	4.4	1.7	2.0	5.0	2.0	3.0
			800 899	23.0	(71.9)	69.0	418.2	39.4	4.7	1.6	2.1	5.6	1.8	3.1
			700 799	6.0	(18.8)	69.3	346.2	35.8	3.6	0.9	2.0	5.7	1.3	3.3
			600 699	2.0	(6.3)	69.5	284.4	32.5	3.3	0.8	1.5	6.0	1.0	3.5
				32.0	(1.3)	69.1	397.4	38.6	4.4	1.4	2.0	5.6	1.7	3.2
			900 999	1.0	(33.3)	68.4	221.3	19.0	3.3	1.0	2.0	5.0	2.0	3.0
			800 899	2.0	(66.7)	68.1	332.6	27.5	3.4	1.1	2.0	6.0	2.0	3.5

[illegible]

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1100 1199	1.0	(0.4)	68.9	351.0	38.0	3.8	1.7	2.0	5.0	2.0	4.0
			600 699	1.0	(0.4)	69.3	259.0	24.0	4.3	0.9	2.0	5.0	2.0	3.0
			1000 1099	1.0	(0.4)	69.2	319.9	33.0	4.4	1.5	2.0	5.0	2.0	2.0
			1000 1099	7.0	(70.0)	69.3	440.1	40.6	5.5	1.7	2.0	5.0	2.0	3.0
			900 999	3.0	(30.0)	70.3	333.8	38.3	4.5	1.0	1.7	5.7	1.7	3.3
				10.0	(4.1)	69.6	408.3	39.9	5.2	1.5	1.9	5.2	1.9	3.1
			1100 1199	1.0	(50.0)	71.3	365.0	46.0	5.7	1.4	2.0	6.0	2.0	3.0
			900 999	1.0	(50.0)	70.5	335.0	36.0	5.0	0.8	2.0	5.0	2.0	3.0
				2.0	(0.8)	70.9	350.0	41.0	5.3	1.1	2.0	5.5	2.0	3.0
			1200 1299	1.0	(33.3)	71.5	630.0	72.0	8.3	3.2	6.0	4.0	4.0	3.0
			1000 1099	2.0	(66.7)	70.7	471.3	47.5	6.2	1.2	2.0	4.0	2.0	3.0
				3.0	(1.2)	71.0	524.2	55.7	6.9	1.9	3.3	4.0	2.7	3.0
			1000 1099	2.0	(0.8)	69.5	368.8	36.0	4.9	1.3	2.0	3.5	2.0	3.0
			1100 1199	3.0	(15.0)	69.4	285.7	32.3	4.5	1.7	2.0	4.3	2.0	3.7
			1000 1099	15.0	(75.0)	69.7	322.8	35.5	5.0	1.8	2.0	3.3	1.9	3.1
			900 999	2.0	(10.0)	70.6	312.3	38.5	5.0	1.3	2.0	3.5	2.0	4.0
				20.0	(8.2)	69.7	316.2	35.4	5.0	1.8	2.0	3.5	1.9	3.3
			1200 1299	1.0	(16.7)	68.2	618.0	54.0	5.9	2.7	2.0	5.0	2.0	3.0
			1100 1199	2.0	(33.3)	69.3	520.5	49.5	6.3	2.5	2.0	5.5	2.0	2.5
			1000 1099	3.0	(50.0)	68.8	510.7	46.0	6.0	2.4	2.0	4.3	2.0	2.7
				6.0	(2.4)	68.9	531.8	48.5	6.1	2.5	2.0	4.8	2.0	2.7
			900 999	2.0	(0.8)	70.4	192.3	28.0	3.3	0.5	1.0	6.0	1.0	4.0
			1100 1199	37.0	(62.7)	69.0	471.2	43.2	5.7	2.1	2.0	4.8	2.0	2.9
			1000 1099	21.0	(35.6)	68.6	439.5	40.2	5.7	2.5	1.9	4.4	1.9	3.0
			900 999	1.0	(1.7)	70.7	221.5	29.0	4.0	0.4	1.0	2.0	1.0	4.0
				59.0	(24.1)	68.9	455.7	41.9	5.6	2.2	2.0	4.6	1.9	2.9
			900 999	2.0	(0.8)	70.2	281.0	35.0	3.9	0.9	1.5	5.0	1.0	3.0
			1100 1199	7.0	(23.3)	68.0	494.1	39.4	5.6	2.2	2.1	5.1	2.0	2.1
			1000 1099	14.0	(46.7)	70.1	286.9	33.5	4.5	1.2	2.0	3.5	1.6	2.9
			900 999	9.0	(30.0)	70.7	239.8	34.0	4.2	0.9	1.9	3.3	1.3	3.4

[illegible]

[illegible]