

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1100 1199	11.0	(3.3)	70.0	452.4	47.8	5.7	1.8	2.1	5.1	2.0	3.3
			1000 1099	18.0	(5.5)	70.0	415.3	44.8	5.2	1.7	2.0	4.8	1.9	3.4
			900 999	120.0	(36.5)	69.4	349.7	35.4	4.1	1.1	1.5	5.5	1.3	3.9
			800 899	91.0	(27.7)	69.5	341.7	36.2	4.0	1.1	1.5	5.6	1.2	4.1
			700 799	79.0	(24.0)	69.3	335.3	33.5	3.9	1.0	1.5	5.7	1.2	4.2
			600 699	10.0	(3.0)	69.8	320.3	33.8	4.0	0.7	1.2	5.7	1.1	4.4
				329.0	(3.4)	69.5	350.2	36.0	4.2	1.1	1.5	5.5	1.3	4.0
			1000 1099	45.0	(40.2)	70.0	401.0	42.4	4.9	1.2	2.0	5.2	1.8	3.9
			900 999	57.0	(50.9)	70.2	333.3	38.8	4.1	0.9	1.9	5.1	1.6	4.0
			800 899	7.0	(6.3)	70.3	293.5	35.6	3.9	0.7	1.9	5.3	1.4	4.1
			700 799	3.0	(2.7)	69.5	371.0	39.7	4.1	1.2	1.7	5.0	1.3	4.3
				112.0	(1.2)	70.1	359.0	40.1	4.4	1.0	2.0	5.1	1.7	4.0
			1100 1199	1.0	(0.2)	69.1	415.0	41.0	5.7	2.4	2.0	5.0	2.0	3.0
			1000 1099	10.0	(2.3)	69.8	377.6	40.8	4.6	1.4	1.7	5.5	1.3	4.1
			900 999	187.0	(42.6)	69.2	358.2	36.0	4.0	1.2	1.6	5.4	1.3	4.1
			800 899	142.0	(32.3)	69.1	351.8	35.5	4.0	1.2	1.6	5.5	1.3	4.2
			700 799	95.0	(21.6)	69.1	338.6	34.2	3.9	1.2	1.7	5.5	1.3	4.5
			600 699	4.0	(0.9)	69.8	283.3	37.0	3.4	1.1	1.5	5.5	1.0	4.5
				439.0	(4.6)	69.2	351.8	35.6	4.0	1.2	1.7	5.5	1.3	4.2
			1100 1199	4.0	(0.6)	68.3	470.1	40.3	5.6	2.4	2.0	5.3	2.0	3.8
			1000 1099	36.0	(5.0)	69.1	385.0	34.8	4.9	1.4	1.9	5.4	1.9	3.3
			900 999	278.0	(38.8)	69.2	356.7	33.1	4.5	1.2	1.9	5.5	1.8	3.5
			800 899	140.0	(19.5)	69.0	372.4	32.8	4.7	1.2	2.0	5.4	1.9	3.6
			700 799	208.0	(29.0)	69.0	361.1	31.6	4.6	1.2	1.9	5.3	1.9	3.7
			600 699	44.0	(6.1)	69.0	339.7	30.8	4.4	1.2	1.8	5.4	1.8	3.5
			500 599	7.0	(1.0)	69.2	318.9	29.1	4.1	0.8	1.9	5.3	1.9	3.6
				717.0	(7.4)	69.1	361.7	32.6	4.6	1.2	1.9	5.4	1.9	3.5
			1000 1099	3.0	(4.6)	69.1	408.0	36.3	4.8	1.3	2.0	5.0	2.0	3.3
			900 999	23.0	(35.4)	68.9	391.2	35.6	4.9	1.6	2.0	5.7	1.9	3.6
			800 899	19.0	(29.2)	68.8	377.9	33.9	4.6	1.4	1.9	5.3	1.8	3.6
			700 799	19.0	(29.2)	68.9	336.3	31.3	3.9	1.1	1.8	5.5	1.5	3.8
			600 699	1.0	(1.5)	69.8	326.0	32.0	4.4	0.7	2.0	5.0	2.0	4.0
				65.0	(0.7)	68.9	371.0	33.8	4.5	1.4	1.9	5.5	1.8	3.7
			1000 1099	30.0	(13.9)	69.3	392.5	39.1	4.6	1.4	1.9	5.4	1.7	3.5
			900 999	72.0	(33.3)	69.4	372.2	36.7	4.5	1.2	2.0	5.1	1.6	3.8
			800 899	53.0	(24.5)	69.3	386.8	38.0	4.5	1.3	2.0	5.2	1.7	3.8
			700 799	50.0	(23.1)	69.2	351.8	34.4	4.2	1.1	1.9	5.2	1.5	4.1
			600 699	9.0	(4.2)	69.2	305.9	27.9	4.0	0.7	1.7	5.4	1.4	4.1
			500 599	2.0	(0.9)	68.8	329.0	31.5	3.8	1.2	2.5	6.0	1.5	3.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				216.0	(2.2)	69.3	370.7	36.4	4.4	1.2	1.9	5.2	1.6	3.8
			1000 1099	8.0	(2.2)	69.0	407.0	38.3	4.8	1.6	2.3	4.9	2.0	3.6
			900 999	158.0	(44.4)	69.3	377.4	37.0	4.5	1.3	1.9	5.1	1.7	4.0
			800 899	95.0	(26.7)	69.5	370.1	38.2	4.4	1.2	1.9	5.2	1.6	3.9
			700 799	83.0	(23.3)	69.3	367.9	36.3	4.2	1.1	1.9	5.3	1.5	4.0
			600 699	12.0	(3.4)	69.0	350.0	33.3	4.0	1.1	1.9	5.0	1.8	3.8
				356.0	(3.7)	69.3	373.0	37.1	4.4	1.2	1.9	5.2	1.6	4.0
			1700 1799	3.0	(0.2)	70.0	350.0	38.0	3.8	0.6	1.7	5.0	1.0	4.0
			1100 1199	5.0	(0.3)	70.0	482.9	50.4	6.3	2.3	2.2	4.8	2.0	3.2
			1000 1099	45.0	(3.1)	69.6	417.6	41.1	5.0	1.4	2.0	5.2	1.8	3.8
			900 999	500.0	(34.1)	69.4	375.5	37.9	4.2	1.0	1.9	5.2	1.6	4.0
			800 899	481.0	(32.8)	69.5	380.7	38.0	4.4	1.1	2.0	5.2	1.6	4.0
			700 799	395.0	(26.9)	69.4	369.7	37.5	4.0	1.0	1.9	5.2	1.5	4.0
			600 699	36.0	(2.5)	68.8	361.3	33.8	3.5	0.9	1.8	5.5	1.5	4.1
			499	1.0	(0.1)	70.8	406.0	47.0	4.4	0.6	2.0	5.0	2.0	4.0
				1466.0	(15.2)	69.4	376.9	37.9	4.2	1.1	1.9	5.2	1.6	4.0
			1100 1199	13.0	(0.6)	69.4	476.9	46.1	6.2	2.3	2.8	4.7	2.3	3.8
			1000 1099	131.0	(5.9)	69.6	411.8	40.9	5.0	1.4	2.2	4.8	1.9	3.8
			900 999	968.0	(43.7)	69.5	380.7	37.9	4.6	1.2	1.9	5.1	1.6	4.1
			800 899	569.0	(25.7)	69.3	386.9	37.7	4.5	1.2	1.9	5.2	1.6	4.1
			700 799	514.0	(23.2)	69.5	357.6	36.9	4.1	1.0	1.9	5.2	1.5	4.2
			600 699	17.0	(0.8)	68.9	372.7	33.3	4.4	1.2	2.0	5.2	1.7	4.4
			499	1.0	(0.0)	69.7	222.5	32.0	3.1	1.2	2.0	6.0	2.0	7.0
				2213.0	(23.0)	69.4	379.2	37.8	4.5	1.2	1.9	5.1	1.6	4.1
			1100 1199	5.0	(1.3)	68.3	502.0	44.2	5.8	2.7	2.2	5.2	2.0	3.8
			1000 1099	54.0	(13.5)	69.2	406.5	38.9	4.8	1.5	2.1	4.8	1.9	3.8
			900 999	166.0	(41.5)	69.5	355.7	36.5	4.3	1.1	1.9	5.0	1.7	4.0
			800 899	94.0	(23.5)	69.5	385.6	38.9	4.7	1.4	2.1	5.1	1.8	3.9
			700 799	74.0	(18.5)	69.5	337.6	35.6	3.9	0.9	2.0	5.1	1.6	4.1
			600 699	4.0	(1.0)	70.1	235.8	31.5	3.2	0.6	1.8	6.0	1.3	4.8
			500 599	2.0	(0.5)	67.5	379.5	29.5	3.3	1.3	1.5	5.5	1.0	3.5
			499	1.0	(0.3)	70.5	305.5	42.0	4.4	1.6	4.0	6.0	3.0	6.0
				400.0	(4.2)	69.5	366.9	37.3	4.4	1.2	2.0	5.0	1.7	4.0
			1100 1199	6.0	(2.6)	69.8	369.0	40.3	5.2	1.8	2.5	4.7	2.3	3.8
			1000 1099	30.0	(13.2)	69.6	381.3	39.7	4.9	1.5	2.1	4.5	1.9	4.2
			900 999	90.0	(39.5)	69.5	372.7	38.5	4.5	1.4	2.0	4.8	1.9	4.0
			800 899	60.0	(26.3)	69.3	382.1	38.5	4.5	1.4	2.2	4.6	1.9	4.0
			700 799	39.0	(17.1)	69.3	329.0	34.4	3.9	1.1	2.0	4.9	1.6	4.2
			600 699	2.0	(0.9)	69.3	263.8	29.5	3.5	1.1	2.0	5.0	1.5	4.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			499	1.0	(0.4)	69.6	271.5	30.0	3.8	0.8	2.0	6.0	2.0	7.0
				228.0	(2.4)	69.4	367.3	37.9	4.4	1.4	2.1	4.7	1.8	4.1
			1200 1299	1.0	(0.1)	70.8	410.0	53.0	4.8	1.7	2.0	4.0	2.0	3.0
			1100 1199	2.0	(0.2)	70.7	426.0	52.0	5.0	1.6	2.5	6.0	1.5	4.0
			1000 1099	43.0	(3.4)	69.2	438.9	43.3	5.0	1.8	2.0	5.1	1.9	3.7
			900 999	487.0	(38.5)	69.1	368.8	36.4	4.1	1.2	1.6	5.4	1.3	3.9
			800 899	433.0	(34.2)	69.1	369.1	36.4	4.1	1.2	1.7	5.4	1.4	3.9
			700 799	285.0	(22.5)	69.0	351.3	34.1	3.9	1.1	1.7	5.5	1.3	4.2
			600 699	8.0	(0.6)	69.0	347.1	37.5	3.8	1.6	1.5	5.6	1.0	4.4
			500 599	4.0	(0.3)	70.1	254.5	34.5	3.5	1.0	1.3	6.0	1.0	5.3
			499	3.0	(0.2)	69.9	279.0	34.0	3.4	0.7	2.0	5.0	1.0	3.7
				1266.0	(13.1)	69.1	366.8	36.1	4.1	1.2	1.7	5.4	1.3	4.0
			1000 1099	5.0	(9.6)	70.5	371.2	45.2	4.7	1.4	2.2	4.6	2.0	3.6
			900 999	24.0	(46.2)	69.4	365.1	36.8	4.3	1.2	2.0	4.8	1.7	3.7
			800 899	11.0	(21.2)	69.3	369.5	36.9	4.3	1.3	2.2	5.2	1.5	3.5
			700 799	12.0	(23.1)	69.2	340.0	33.3	3.9	0.9	2.1	4.7	1.6	4.0
				52.0	(0.5)	69.4	360.9	36.8	4.3	1.2	2.1	4.8	1.7	3.7
			1000 1099	4.0	(3.7)	68.8	438.8	40.0	4.8	1.7	2.5	5.0	2.0	3.5
			900 999	44.0	(40.4)	68.6	365.6	34.1	3.9	1.3	1.9	5.2	1.5	3.7
			800 899	29.0	(26.6)	69.0	347.9	33.8	3.9	1.1	1.9	5.5	1.5	3.7
			700 799	28.0	(25.7)	68.9	314.5	31.3	3.5	1.0	1.7	5.3	1.2	3.9
			600 699	2.0	(1.8)	70.0	281.5	35.5	3.4	0.8	1.5	5.0	1.5	3.5
			500 599	2.0	(1.8)	69.5	217.5	26.0	3.5	0.9	2.0	6.5	1.0	5.0
				109.0	(1.1)	68.8	346.2	33.4	3.8	1.2	1.9	5.3	1.4	3.8
			1000 1099	4.0	(10.3)	70.4	330.6	38.3	4.6	1.0	2.3	3.5	1.8	3.5
			900 999	7.0	(17.9)	69.3	355.9	36.9	4.3	1.4	2.0	5.0	1.6	3.7
			800 899	12.0	(30.8)	69.6	363.2	39.0	4.2	1.3	2.0	4.8	1.8	3.7
			700 799	15.0	(38.5)	68.7	351.3	32.7	3.7	1.1	1.9	4.8	1.8	3.7
			499	1.0	(2.6)	69.7	210.5	29.0	3.5	1.2	2.0	5.0	2.0	7.0
				39.0	(0.4)	69.3	350.1	35.9	4.1	1.2	2.0	4.7	1.7	3.7
			1100 1199	1.0	(50.0)	69.7	381.0	37.0	5.1	1.2	3.0	5.0	3.0	2.0
			800 899	1.0	(50.0)	69.0	297.0	32.0	2.8	0.7	2.0	5.0	2.0	4.0
				2.0	(0.0)	69.3	339.0	34.5	4.0	0.9	2.5	5.0	2.5	3.0
			1000 1099	2.0	(5.7)	69.5	469.5	45.0	4.8	1.3	2.0	5.5	2.0	3.5
			900 999	19.0	(54.3)	69.6	422.8	44.5	4.4	1.3	1.5	6.2	1.5	3.5
			800 899	10.0	(28.6)	69.5	447.0	43.3	4.8	1.3	1.7	6.1	1.4	3.6
			700 799	4.0	(11.4)	70.2	414.0	47.5	4.3	1.1	1.5	5.8	1.5	3.8

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				35.0	(0.4)	69.6	431.4	44.5	4.5	1.3	1.6	6.1	1.5	3.5
			1200 1299	1.0	(0.4)	70.1	440.6	46.0	6.2	2.1	4.0	4.0	3.0	2.0
			1100 1199	4.0	(1.8)	70.5	404.6	49.5	5.6	2.1	2.3	4.8	2.0	3.5
			1000 1099	9.0	(3.9)	69.0	384.0	37.2	4.2	1.3	1.8	5.4	1.7	4.1
			900 999	97.0	(42.5)	68.9	350.3	33.5	4.0	1.2	1.6	5.1	1.2	4.1
			800 899	64.0	(28.1)	69.0	364.1	34.8	4.1	1.2	1.7	5.3	1.4	4.0
			700 799	50.0	(21.9)	68.8	317.3	30.5	3.6	1.1	1.6	5.4	1.3	4.1
			600 699	1.0	(0.4)	69.5	296.0	33.0	3.0	0.5	2.0	4.0	1.0	6.0
			500 599	2.0	(0.9)	69.5	218.0	26.0	3.1	0.7	2.0	5.5	1.0	5.0
				228.0	(2.4)	69.0	348.2	33.6	4.0	1.2	1.7	5.3	1.3	4.1
			1100 1199	1.0	(0.8)	71.5	359.0	49.0	5.7	1.7	2.0	5.0	2.0	3.0
			1000 1099	6.0	(5.1)	69.0	401.3	37.5	4.9	1.6	1.8	5.2	1.7	3.0
			900 999	58.0	(49.2)	69.2	389.2	38.3	4.4	1.4	1.7	5.3	1.3	3.8
			800 899	27.0	(22.9)	69.5	387.4	39.7	4.4	1.2	1.6	5.8	1.3	4.1
			700 799	25.0	(21.2)	68.9	361.0	35.4	3.9	1.2	1.6	5.5	1.2	4.7
			600 699	1.0	(0.8)	68.3	311.0	26.0	2.8	0.4	1.0	5.0	1.0	5.0
				118.0	(1.2)	69.2	382.5	37.9	4.3	1.3	1.7	5.5	1.3	4.0
			1100 1199	1.0	(33.3)	69.1	371.0	38.0	4.9	2.0	2.0	5.0	2.0	4.0
			1000 1099	1.0	(33.3)	68.0	394.0	30.0	4.6	1.6	3.0	4.0	2.0	2.0
			900 999	1.0	(33.3)	68.6	335.0	31.0	3.8	1.3	2.0	6.0	1.0	2.0
				3.0	(0.0)	68.6	366.7	33.0	4.4	1.6	2.3	5.0	1.7	2.7
			900 999	1.0	(0.0)	68.0	402.0	34.0	3.5	1.2	2.0	5.0	1.0	4.0
			900 999	1.0	(20.0)	68.6	354.5	31.0	4.5	1.5	2.0	5.0	1.0	3.0
			600 699	4.0	(80.0)	70.1	373.8	38.3	4.9	0.9	2.0	6.0	1.3	3.8
				5.0	(0.1)	69.8	369.9	36.8	4.8	1.1	2.0	5.8	1.2	3.6
			1000 1099	1.0	(9.1)	70.1	494.2	51.0	6.3	2.1	2.0	5.0	2.0	3.0
			800 899	4.0	(36.4)	69.3	469.4	44.8	5.8	2.0	2.0	5.5	2.0	3.8
			700 799	2.0	(18.2)	70.1	356.6	36.0	4.7	0.8	2.0	6.0	1.0	4.5
			600 699	3.0	(27.3)	69.4	372.8	39.7	4.4	1.5	2.0	6.3	1.3	4.0
			499	1.0	(9.1)	69.4	507.1	48.0	6.4	2.4	2.0	5.0	2.0	3.0
				11.0	(0.1)	69.6	428.2	42.6	5.3	1.7	2.0	5.7	1.6	3.8
			1000 1099	2.0	(9.5)	68.9	440.8	41.5	5.2	1.9	3.5	6.0	2.5	3.5
			900 999	4.0	(19.0)	68.8	350.1	35.3	3.9	1.5	2.5	5.5	1.8	2.8
			800 899	7.0	(33.3)	68.3	378.5	34.1	4.3	1.8	2.3	5.3	1.7	2.7
			700 799	4.0	(19.0)	67.0	416.6	29.8	4.1	1.9	2.0	5.8	1.5	2.3
			600 699	4.0	(19.0)	68.2	311.0	27.8	3.2	1.1	1.3	5.3	1.0	3.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
				21.0	(0.2)	68.2	373.4	33.0	4.1	1.6	2.2	5.5	1.6	2.8
			1300 1399	1.0	(20.0)	69.9	503.4	48.0	5.9	1.5	3.0	5.0	3.0	3.0
			800 899	3.0	(60.0)	68.8	342.7	36.7	4.3	2.1	2.0	6.0	2.0	5.0
			700 799	1.0	(20.0)	69.2	279.0	31.0	3.4	1.0	2.0	6.0	1.0	4.0
				5.0	(0.1)	69.1	362.1	37.8	4.4	1.8	2.2	5.8	2.0	4.4
			900 999	1.0	(1.1)	67.9	404.2	37.0	4.0	2.1	5.0	5.0	3.0	3.0
			700 799	14.0	(16.1)	69.9	443.8	48.4	5.3	1.9	1.9	5.1	1.9	3.1
			600 699	3.0	(3.4)	68.6	422.9	35.7	5.2	1.8	1.7	5.3	1.7	3.7
			500 599	43.0	(49.4)	69.8	381.3	42.0	4.4	1.3	1.0	6.2	1.0	3.7
			499	26.0	(29.9)	69.9	350.7	39.8	4.3	1.3	1.2	5.9	1.2	3.9
				87.0	(0.9)	69.8	383.9	42.1	4.6	1.4	1.3	5.9	1.3	3.7
			700 799	2.0	(66.7)	69.5	360.8	38.5	3.7	0.9	2.0	5.5	1.0	2.5
			600 699	1.0	(33.3)	69.3	334.0	35.0	3.8	1.0	1.0	7.0	1.0	7.0
				3.0	(0.0)	69.4	351.9	37.3	3.7	1.0	1.7	6.0	1.0	4.0
			1100 1199	1.0	(0.4)	68.4	398.2	35.0	4.4	1.6	2.0	5.0	2.0	3.0
			1000 1099	41.0	(17.2)	67.6	400.8	30.4	3.8	1.4	1.8	5.5	1.7	3.4
			900 999	86.0	(36.0)	68.2	380.5	31.9	3.9	1.3	1.8	5.4	1.6	3.4
			800 899	60.0	(25.1)	68.6	420.1	36.8	4.6	1.4	1.9	5.4	1.8	3.5
			700 799	38.0	(15.9)	68.0	386.3	32.0	3.7	1.2	1.7	5.3	1.6	3.2
			600 699	13.0	(5.4)	67.6	311.5	23.3	3.1	1.1	1.7	5.4	1.5	3.0
				239.0	(2.5)	68.1	391.2	32.4	4.0	1.3	1.8	5.4	1.6	3.3
			1000 1099	1.0	(0.0)	69.1	350.6	35.0	3.7	1.0	2.0	6.0	2.0	3.0
			1200 1299	4.0	(2.1)	68.3	413.9	37.5	5.8	3.0	2.3	5.0	2.0	2.8
			1100 1199	7.0	(3.7)	68.6	350.1	31.9	4.6	1.8	2.3	4.7	2.0	2.6
			1000 1099	5.0	(2.6)	68.3	379.3	32.2	4.6	1.8	2.0	5.4	2.0	3.0
			900 999	84.0	(44.2)	67.5	375.0	28.1	3.5	1.3	1.5	5.7	1.5	3.0
			800 899	31.0	(16.3)	67.7	370.7	29.4	3.5	1.3	1.7	5.6	1.6	3.3
			700 799	36.0	(18.9)	67.8	399.0	32.3	3.8	1.4	1.8	5.3	1.5	3.3
			600 699	19.0	(10.0)	68.0	312.2	25.9	3.1	1.0	1.6	5.3	1.3	3.6
			500 599	2.0	(1.1)	68.0	329.4	28.5	2.8	1.0	1.0	5.0	1.0	4.0
			499	2.0	(1.1)	68.5	309.6	32.0	2.8	1.2	1.5	5.0	1.0	3.5
				190.0	(2.0)	67.7	371.4	29.3	3.6	1.3	1.7	5.5	1.5	3.1
			1100 1199	1.0	(1.4)	68.6	422.8	42.0	4.5	2.2	2.0	5.0	2.0	3.0
			1000 1099	2.0	(2.7)	69.2	395.0	41.5	3.8	1.3	1.5	6.0	1.5	4.0
			900 999	23.0	(31.1)	69.2	378.4	39.7	4.0	1.4	2.2	5.2	2.0	3.7
			800 899	35.0	(47.3)	69.4	367.8	38.7	3.9	1.2	1.7	5.5	1.7	3.8

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
			700 799	10.0	(13.5)	69.1	390.9	39.8	3.9	1.3	1.6	5.7	1.5	4.8
			600 699	3.0	(4.1)	69.2	389.9	36.0	3.9	0.8	1.7	5.7	1.7	5.0
				74.0	(0.8)	69.3	376.6	39.2	3.9	1.3	1.9	5.5	1.8	4.0
			1000 1099	1.0	(0.0)	70.2	296.6	36.0	4.1	0.9	2.0	5.0	2.0	3.0
			900 999	1.0	(25.0)	70.0	399.6	45.0	4.6	1.5	2.0	6.0	2.0	4.0
			700 799	1.0	(25.0)	70.6	388.0	49.0	4.5	1.4	1.0	6.0	1.0	4.0
			600 699	1.0	(25.0)	71.1	367.6	45.0	4.6	0.6	2.0	6.0	2.0	6.0
			500 599	1.0	(25.0)	70.1	385.0	44.0	4.9	1.6	1.0	6.0	1.0	7.0
				4.0	(0.0)	70.5	385.1	45.8	4.7	1.3	1.5	6.0	1.5	5.3
			700 799	2.0	(66.7)	68.0	336.4	27.0	3.2	0.9	1.5	6.0	1.5	3.5
			600 699	1.0	(33.3)	68.3	379.8	34.0	3.5	1.2	2.0	5.0	2.0	3.0
				3.0	(0.0)	68.1	350.9	29.3	3.3	1.0	1.7	5.7	1.7	3.3
			900 999	2.0	(7.1)	68.8	407.8	47.5	4.3	2.8	2.0	5.0	2.0	3.5
			800 899	10.0	(35.7)	67.6	406.4	31.0	3.9	1.4	2.1	5.4	2.0	3.1
			700 799	11.0	(39.3)	67.6	334.6	25.0	3.0	0.9	1.4	5.6	1.1	3.5
			600 699	3.0	(10.7)	67.7	372.2	31.3	3.5	1.5	2.0	5.0	2.0	3.0
			500 599	2.0	(7.1)	68.0	332.6	27.0	3.1	0.8	1.5	6.0	1.0	3.5
				28.0	(0.3)	67.7	369.3	29.6	3.5	1.3	1.8	5.5	1.6	3.3
			1100 1199	4.0	(1.6)	69.5	361.7	41.3	4.2	1.7	2.0	5.0	2.0	2.3
			1000 1099	10.0	(4.1)	69.0	348.3	34.9	4.0	1.3	1.8	5.4	1.8	3.0
			900 999	65.0	(26.6)	69.1	387.5	39.1	4.1	1.5	1.8	5.4	1.7	3.9
			800 899	108.0	(44.3)	69.0	375.8	36.9	3.9	1.3	1.8	5.5	1.7	3.8
			700 799	45.0	(18.4)	69.0	384.5	37.0	4.1	1.3	1.9	5.4	1.8	4.1
			600 699	12.0	(4.9)	69.1	376.6	37.3	3.8	1.2	1.6	5.7	1.6	3.8
				244.0	(2.5)	69.0	379.2	37.5	4.0	1.4	1.8	5.4	1.7	3.8
			900 999	5.0	(31.3)	68.8	424.9	40.2	4.4	1.7	2.0	5.6	2.0	3.8
			800 899	6.0	(37.5)	69.4	400.8	41.8	4.0	1.2	2.0	5.8	2.0	3.7
			700 799	1.0	(6.3)	70.8	438.6	53.0	4.8	1.3	2.0	5.0	2.0	4.0
			600 699	4.0	(25.0)	68.4	424.7	40.5	4.1	1.9	2.3	5.3	2.0	3.8
				16.0	(0.2)	69.1	416.7	41.7	4.2	1.5	2.1	5.6	2.0	3.8
			900 999	10.0	(8.1)	68.7	416.3	39.2	4.2	1.5	2.0	5.5	1.8	3.3
			800 899	44.0	(35.8)	68.8	429.7	39.5	4.7	1.7	2.1	5.5	1.9	3.1
			700 799	33.0	(26.8)	68.9	393.4	36.0	4.2	1.2	2.1	5.5	1.9	3.3
			600 699	31.0	(25.2)	69.1	393.9	37.8	4.3	1.2	2.0	5.5	1.7	3.1
			500 599	4.0	(3.3)	69.8	377.5	40.5	4.3	1.1	2.0	5.3	2.0	4.3
			499	1.0	(0.8)	69.3	404.3	39.0	4.2	1.0	2.0	6.0	2.0	4.0
				123.0	(1.3)	68.9	408.0	38.1	4.4	1.4	2.1	5.5	1.8	3.2

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1100 1199	2.0	(40.0)	69.6	404.0	39.5	5.1	1.4	2.0	4.5	2.0	3.0
			1000 1099	1.0	(20.0)	67.1	438.0	30.0	5.0	2.2	2.0	4.0	2.0	3.0
			900 999	2.0	(40.0)	68.7	446.5	41.0	5.9	2.6	2.0	5.0	1.5	2.5
				5.0	(0.4)	68.7	427.8	38.2	5.4	2.0	2.0	4.6	1.8	2.8
			1100 1199	5.0	(21.7)	70.6	405.4	45.8	5.2	1.3	2.0	5.0	2.0	3.0
			1000 1099	14.0	(60.9)	69.2	410.6	37.9	5.6	1.9	2.0	4.6	2.1	3.1
			900 999	3.0	(13.0)	69.3	334.3	34.7	3.6	0.9	1.7	4.7	1.3	3.3
			800 899	1.0	(4.3)	68.1	318.0	26.0	4.4	1.8	2.0	6.0	2.0	3.0
				23.0	(2.1)	69.5	395.5	38.7	5.2	1.6	2.0	4.7	2.0	3.1
			1100 1199	3.0	(37.5)	69.7	392.0	39.0	5.2	1.5	2.0	5.0	2.0	3.3
			1000 1099	4.0	(50.0)	69.9	380.5	41.8	4.8	1.5	2.0	4.8	2.0	3.0
			900 999	1.0	(12.5)	70.2	261.0	33.0	4.1	1.0	1.0	5.0	1.0	3.0
				8.0	(0.7)	69.9	369.9	39.6	4.9	1.4	1.9	4.9	1.9	3.1
			1100 1199	3.0	(21.4)	69.6	473.3	42.3	6.3	1.8	2.0	4.3	2.0	2.3
			1000 1099	6.0	(42.9)	69.9	421.6	39.8	6.1	1.6	2.0	4.3	2.2	2.8
			900 999	3.0	(21.4)	71.0	437.2	48.3	6.4	1.6	2.3	4.7	2.3	3.0
			700 799	1.0	(7.1)	69.9	209.0	29.0	2.9	0.6	2.0	5.0	2.0	6.0
			600 699	1.0	(7.1)	69.3	259.0	24.0	4.3	0.9	2.0	5.0	2.0	3.0
				14.0	(1.3)	70.0	409.2	40.3	5.9	1.5	2.1	4.5	2.1	3.0
			1000 1099	2.0	(0.2)	69.9	343.9	39.0	4.8	1.6	2.0	5.0	2.0	2.5
			1000 1099	43.0	(47.8)	69.9	441.6	42.6	5.9	1.6	2.0	4.7	2.0	2.9
			900 999	40.0	(44.4)	69.9	401.8	40.4	5.3	1.4	2.0	4.8	2.0	2.9
			800 899	7.0	(7.8)	70.0	345.8	36.6	4.7	1.1	2.0	5.0	1.9	3.1
				90.0	(8.1)	69.9	416.4	41.2	5.6	1.5	2.0	4.8	2.0	2.9
			1100 1199	10.0	(43.5)	69.5	476.9	44.3	6.1	2.0	2.2	5.0	2.0	3.1
			1000 1099	6.0	(26.1)	69.9	466.8	44.7	5.8	1.4	2.3	4.8	2.0	3.3
			900 999	3.0	(13.0)	68.7	399.7	34.0	4.7	1.4	2.3	4.7	2.0	3.0
			800 899	2.0	(8.7)	69.5	278.0	27.0	3.9	0.6	2.0	4.5	1.5	3.5
			700 799	2.0	(8.7)	68.0	392.0	30.5	4.4	1.4	2.0	5.0	2.0	3.5
				23.0	(2.1)	69.4	439.5	40.3	5.5	1.6	2.2	4.9	2.0	3.2
			1200 1299	1.0	(1.7)	71.5	630.0	72.0	8.3	3.2	6.0	4.0	4.0	3.0
			1100 1199	5.0	(8.6)	69.0	480.8	43.8	6.2	2.4	2.2	4.6	2.0	3.0
			1000 1099	18.0	(31.0)	69.2	444.4	41.6	5.6	1.9	2.1	4.8	2.1	3.2
			900 999	26.0	(44.8)	70.1	391.9	42.4	5.1	1.4	2.1	4.2	2.0	3.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			800 899	6.0	(10.3)	69.1	417.7	38.8	4.8	1.4	1.8	5.2	1.5	3.3
			700 799	2.0	(3.4)	70.0	405.5	40.0	6.0	1.6	2.0	4.5	2.0	2.5
				58.0	(5.2)	69.7	423.1	42.3	5.4	1.7	2.1	4.6	2.0	3.3
			1100 1199	4.0	(22.2)	69.3	415.6	42.3	5.5	2.2	2.3	4.0	2.0	3.0
			1000 1099	7.0	(38.9)	69.1	395.4	37.1	5.3	1.8	2.0	3.9	2.0	3.0
			900 999	3.0	(16.7)	69.8	324.0	32.7	4.5	0.9	2.0	5.0	1.7	4.7
			600 699	4.0	(22.2)	69.9	273.8	32.5	3.5	0.7	2.0	6.3	1.0	6.5
				18.0	(1.6)	69.5	361.0	36.5	4.8	1.5	2.1	4.6	1.7	4.1
			1100 1199	3.0	(7.5)	69.4	285.7	32.3	4.5	1.7	2.0	4.3	2.0	3.7
			1000 1099	20.0	(50.0)	69.6	324.4	35.0	5.0	1.8	2.0	3.4	1.9	3.1
			900 999	12.0	(30.0)	69.4	332.3	35.3	4.7	1.7	2.0	4.2	2.0	3.2
			800 899	3.0	(7.5)	69.7	296.3	31.7	4.3	1.1	1.7	4.3	1.7	3.7
			700 799	1.0	(2.5)	71.2	453.0	53.0	5.5	1.2	2.0	5.0	2.0	4.0
			600 699	1.0	(2.5)	68.6	241.0	23.0	2.5	0.4	1.0	7.0	1.0	2.0
				40.0	(3.6)	69.5	322.9	34.8	4.7	1.7	1.9	3.9	1.9	3.2
			1200 1299	1.0	(4.5)	68.2	618.0	54.0	5.9	2.7	2.0	5.0	2.0	3.0
			1100 1199	9.0	(40.9)	69.2	555.4	51.1	6.2	2.3	2.0	4.7	2.0	2.9
			1000 1099	10.0	(45.5)	68.4	542.3	45.5	6.3	2.5	2.2	4.6	2.0	3.3
			800 899	2.0	(9.1)	69.3	248.0	25.5	3.4	0.7	1.0	5.5	1.0	4.0
				22.0	(2.0)	68.8	524.4	46.4	6.0	2.2	2.0	4.7	1.9	3.2
			900 999	2.0	(0.2)	70.4	192.3	28.0	3.3	0.5	1.0	6.0	1.0	4.0
			1100 1199	6.0	(46.2)	69.7	530.2	50.2	6.5	2.1	2.7	4.8	2.2	2.3
			1000 1099	7.0	(53.8)	68.1	497.0	40.7	6.1	2.7	2.3	5.0	2.0	2.6
				13.0	(1.2)	68.8	512.3	45.1	6.3	2.4	2.5	4.9	2.1	2.5
			1100 1199	103.0	(37.7)	68.8	467.1	41.6	5.6	2.0	2.1	4.8	2.0	2.8
			1000 1099	154.0	(56.4)	68.8	462.6	41.5	5.6	2.2	2.0	4.7	1.9	2.8
			900 999	15.0	(5.5)	70.1	307.4	35.6	4.2	0.9	1.7	4.6	1.3	3.2
			800 899	1.0	(0.4)	69.9	315.0	38.0	3.4	0.8	1.0	6.0	1.0	3.0
				273.0	(24.6)	68.9	455.2	41.2	5.5	2.0	2.0	4.7	1.9	2.8
			900 999	7.0	(53.8)	69.5	309.0	33.3	4.0	1.2	1.7	5.0	1.6	3.3
			800 899	6.0	(46.2)	69.3	296.8	30.5	3.9	1.0	1.8	5.3	1.3	3.5
				13.0	(1.2)	69.4	303.4	32.0	4.0	1.1	1.8	5.2	1.5	3.4
			1200 1299	2.0	(2.5)	68.3	472.2	39.0	5.4	1.9	2.0	5.5	2.0	2.0
			1100 1199	22.0	(27.5)	68.2	472.0	39.2	5.4	2.2	2.1	5.2	2.0	2.2
			1000 1099	25.0	(31.3)	69.4	339.9	34.9	4.7	1.5	2.0	4.2	1.8	2.8
			900 999	21.0	(26.3)	70.4	262.7	33.8	4.3	1.0	2.0	3.6	1.6	3.2
			800 899	7.0	(8.8)	70.1	228.1	30.0	3.9	1.1	2.0	3.3	1.7	3.3
			700 799	3.0	(3.8)	69.8	246.2	30.3	3.5	0.8	2.0	4.0	1.3	3.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				80.0	(7.2)	69.4	346.0	35.3	4.7	1.5	2.0	4.3	1.8	2.8
			1100 1199	2.0	(6.7)	69.5	401.5	40.5	4.6	1.3	2.0	5.0	2.0	3.0
			1000 1099	4.0	(13.3)	69.8	391.8	38.5	5.2	1.3	2.0	5.0	2.0	2.8
			900 999	8.0	(26.7)	69.8	328.5	35.9	4.0	0.8	1.9	5.1	1.6	3.1
			800 899	7.0	(23.3)	69.8	310.1	33.7	4.0	0.8	1.4	5.3	1.4	3.1
			700 799	6.0	(20.0)	69.1	246.2	24.5	3.4	0.7	1.0	5.3	1.0	3.5
			600 699	3.0	(10.0)	69.2	222.0	24.0	3.1	0.6	1.7	5.3	1.7	3.0
				30.0	(2.7)	69.6	310.4	32.6	4.0	0.9	1.6	5.2	1.5	3.1
			900 999	4.0	(80.0)	70.0	340.2	37.0	4.3	0.8	2.0	4.8	2.0	2.0
			700 799	1.0	(20.0)	69.7	258.4	24.0	3.8	0.1	1.0	7.0	1.0	3.0
				5.0	(0.4)	69.9	323.8	34.4	4.2	0.7	1.8	5.2	1.8	2.2
			1100 1199	1.0	(50.0)	70.0	442.6	43.0	5.8	1.4	3.0	5.0	2.0	2.0
			700 799	1.0	(50.0)	70.6	418.6	54.0	4.9	2.0	2.0	5.0	2.0	3.0
				2.0	(0.2)	70.3	430.6	48.5	5.3	1.7	2.5	5.0	2.0	2.5
			1300 1399	1.0	(4.2)	71.4	397.6	53.0	5.6	1.7	3.0	4.0	2.0	3.0
			1200 1299	10.0	(41.7)	68.6	417.7	37.6	5.6	2.4	2.6	4.5	2.4	2.1
			1100 1199	10.0	(41.7)	68.5	441.6	38.8	6.0	2.6	2.8	4.6	2.4	2.4
			1000 1099	3.0	(12.5)	69.3	414.7	39.0	5.0	1.4	2.3	5.0	2.0	2.3
				24.0	(2.2)	68.8	426.5	38.9	5.7	2.3	2.7	4.6	2.3	2.3
			1200 1299	2.0	(16.7)	68.2	501.7	42.0	6.2	2.9	2.0	5.0	2.0	3.0
			1100 1199	6.0	(50.0)	69.2	373.8	37.5	5.1	2.0	2.2	4.8	2.0	3.0
			1000 1099	1.0	(8.3)	68.9	332.4	32.0	4.3	1.5	2.0	5.0	2.0	2.0
			900 999	1.0	(8.3)	68.6	312.6	30.0	4.4	1.8	2.0	5.0	2.0	4.0
			800 899	1.0	(8.3)	68.3	370.2	32.0	4.4	1.7	2.0	7.0	2.0	2.0
			600 699	1.0	(8.3)	69.5	411.0	44.0	4.8	1.8	2.0	6.0	2.0	2.0
				12.0	(1.1)	68.9	389.4	37.3	5.1	2.0	2.1	5.2	2.0	2.8
			1200 1299	48.0	(15.7)	68.4	467.9	38.4	6.3	2.6	2.4	4.6	2.2	2.7
			1100 1199	246.0	(80.7)	67.9	492.1	38.5	6.2	2.8	2.3	4.5	2.0	2.7
			1000 1099	4.0	(1.3)	68.2	369.1	33.0	5.0	2.4	2.3	4.5	2.0	3.0
			900 999	6.0	(2.0)	67.8	298.4	23.3	3.5	1.3	2.2	5.2	1.8	2.2
			800 899	1.0	(0.3)	69.3	298.2	32.0	4.0	1.3	2.0	5.0	1.0	3.0
				305.0	(27.4)	68.0	482.2	38.1	6.1	2.7	2.3	4.6	2.0	2.7
			1000 1099	1.0	(33.3)	67.2	431.6	29.0	4.6	1.7	2.0	4.0	2.0	2.0
			900 999	2.0	(66.7)	67.0	404.7	29.0	5.3	2.9	2.0	4.5	2.0	2.5
				3.0	(0.3)	67.0	413.7	29.0	5.0	2.5	2.0	4.3	2.0	2.3
			1200 1299	2.0	(5.3)	68.7	423.2	38.5	5.2	2.1	2.0	4.0	2.0	2.5
			1100 1199	24.0	(63.2)	68.1	429.6	36.2	4.7	1.9	2.0	4.9	1.9	2.5

