

								(kg)	(cm2)	(cm)	(cm)				
						(%)									
			2200	2299	1.0	(0.3)	73.8	506.0	83.0	8.0	3.7	9.0	4.0	5.0	3.0
			2100	2199	1.0	(0.3)	72.6	566.0	75.0	8.0	3.1	11.0	4.0	5.0	3.0
			1900	1999	4.0	(1.2)	73.1	530.5	72.0	8.2	2.8	7.3	4.3	4.5	2.8
			1800	1899	4.0	(1.2)	73.7	545.3	76.5	8.8	2.9	8.0	4.0	4.8	2.5
			1700	1799	13.0	(3.8)	72.4	526.8	66.8	8.3	2.9	6.2	4.2	4.1	2.5
			1600	1699	18.0	(5.3)	72.3	539.7	68.7	8.4	3.2	6.2	4.1	4.2	2.8
			1500	1599	54.0	(15.9)	71.9	525.8	63.1	8.2	2.8	4.8	4.2	3.5	2.9
			1400	1499	105.0	(30.9)	71.0	507.6	57.6	7.9	3.1	3.8	4.3	3.0	2.9
			1300	1399	98.0	(28.8)	70.3	487.2	52.3	7.6	3.2	2.9	4.7	2.4	2.9
			1200	1299	25.0	(7.4)	69.1	450.5	43.9	6.9	3.3	2.8	4.9	2.1	2.9
			1100	1199	10.0	(2.9)	69.5	438.0	43.7	6.6	2.7	2.6	4.9	2.0	2.8
			1000	1099	6.0	(1.8)	69.6	346.8	37.0	5.2	1.9	2.2	4.8	2.0	3.7
			800	899	1.0	(0.3)	70.7	310.0	38.0	4.0	0.5	2.0	5.0	1.0	6.0
					340.0	(11.6)	70.9	498.3	56.6	7.7	3.1	3.9	4.5	2.9	2.9
			1700	1799	3.0	(7.9)	73.2	499.3	67.3	8.6	2.7	6.7	4.0	4.3	2.7
			1600	1699	1.0	(2.6)	73.8	486.0	70.0	7.9	2.0	5.0	4.0	4.0	3.0
			1500	1599	6.0	(15.8)	72.3	513.2	66.0	8.1	2.9	4.8	4.3	3.7	3.0
			1400	1499	3.0	(7.9)	71.2	481.3	57.0	7.5	2.8	4.0	4.0	3.0	3.0
			1300	1399	4.0	(10.5)	71.7	478.3	61.5	6.9	2.6	2.8	4.8	2.3	2.8
			1200	1299	3.0	(7.9)	71.1	372.7	49.7	6.2	2.4	4.0	4.7	2.7	3.0
			1100	1199	7.0	(18.4)	69.6	435.6	42.9	6.3	2.4	3.3	4.7	2.3	3.4
			1000	1099	9.0	(23.7)	70.3	323.4	39.4	4.9	1.6	2.2	4.7	2.0	3.4
			900	999	2.0	(5.3)	69.3	279.5	33.0	3.5	1.3	2.0	5.0	1.5	4.0
					38.0	(1.3)	71.0	422.6	51.4	6.5	2.3	3.6	4.5	2.7	3.2
			1600	1699	3.0	(9.1)	72.8	484.7	70.7	8.2	3.5	5.7	3.3	4.3	3.0
			1500	1599	6.0	(18.2)	72.0	526.7	65.2	8.4	3.2	5.5	3.8	3.8	3.0
			1400	1499	12.0	(36.4)	71.3	477.9	57.0	7.6	2.8	4.0	4.3	3.2	3.0
			1300	1399	2.0	(6.1)	70.0	509.0	52.5	8.3	3.7	3.5	4.0	2.5	3.0
			1200	1299	1.0	(3.0)	70.7	384.0	46.0	5.7	1.8	3.0	4.0	2.0	2.0
			1100	1199	1.0	(3.0)	69.2	329.0	38.0	5.0	2.6	3.0	5.0	2.0	3.0
			1000	1099	2.0	(6.1)	70.0	363.3	34.5	5.7	1.1	2.0	5.5	2.0	3.5
			900	999	6.0	(18.2)	69.6	284.9	34.5	4.2	1.6	2.0	5.2	2.0	4.0
					33.0	(1.1)	71.0	439.9	53.1	7.0	2.6	3.8	4.4	3.0	3.2
			1600	1699	2.0	(2.4)	73.3	559.3	73.5	8.5	2.6	7.0	4.0	4.5	3.0
			1500	1599	5.0	(6.1)	71.1	512.4	60.8	8.3	3.6	6.2	3.8	4.2	3.0
			1400	1499	33.0	(40.2)	71.3	531.2	60.4	8.4	3.2	4.2	4.2	3.3	2.9
			1300	1399	18.0	(22.0)	70.1	514.0	54.4	7.9	3.5	3.7	4.3	2.9	2.9
			1200	1299	16.0	(19.5)	70.2	528.6	55.6	7.7	3.2	3.0	4.6	2.3	2.9
			1100	1199	2.0	(2.4)	69.0	412.0	42.5	6.2	3.3	3.0	5.0	2.5	3.0
			1000	1099	2.0	(2.4)	70.5	413.5	43.0	6.0	1.6	2.5	5.0	2.5	3.0
			900	999	4.0	(4.9)	69.6	324.3	36.0	4.5	1.6	2.5	5.5	2.3	4.5

					(%)		(kg)	(cm2)	(cm)	(cm)				
				82.0	(2.8)	70.7	510.6	56.5	7.9	3.2	3.9	4.4	3.0	3.0
			1700 1799	1.0	(20.0)	70.0	508.0	49.0	7.7	2.9	4.0	5.0	3.0	3.0
			1500 1599	1.0	(20.0)	73.7	396.1	63.0	7.0	1.8	7.0	3.0	4.0	3.0
			1400 1499	3.0	(60.0)	70.7	444.5	55.3	7.3	3.5	5.0	4.3	3.7	3.0
				5.0	(0.2)	71.2	447.5	55.6	7.3	3.0	5.2	4.2	3.6	3.0
			1700 1799	6.0	(4.1)	72.1	520.5	63.3	7.9	2.5	7.0	3.7	4.3	3.0
			1600 1699	8.0	(5.4)	73.0	480.0	67.0	7.5	2.4	6.1	4.1	4.0	3.0
			1500 1599	22.0	(14.9)	71.9	493.5	62.8	7.5	2.8	5.1	4.1	3.7	2.8
			1400 1499	54.0	(36.5)	71.3	490.4	59.9	7.4	2.9	4.3	4.1	3.3	2.9
			1300 1399	40.0	(27.0)	70.5	476.7	54.3	7.3	3.2	3.2	4.2	2.5	3.0
			1200 1299	14.0	(9.5)	69.4	458.3	46.6	6.7	3.1	2.8	4.2	2.2	2.8
			1100 1199	1.0	(0.7)	68.8	466.0	44.0	5.7	2.5	3.0	5.0	2.0	2.0
			1000 1099	1.0	(0.7)	67.2	358.0	34.0	4.6	3.5	2.0	4.0	2.0	4.0
			900 999	1.0	(0.7)	67.3	420.0	32.0	5.8	3.1	3.0	5.0	3.0	4.0
			800 899	1.0	(0.7)	71.2	310.0	44.0	4.0	0.8	2.0	5.0	2.0	5.0
				148.0	(5.1)	71.0	482.0	57.5	7.3	2.9	4.1	4.2	3.1	2.9
			1800 1899	4.0	(1.9)	73.4	523.3	75.3	7.9	2.8	8.3	3.5	4.8	3.0
			1700 1799	12.0	(5.7)	73.0	526.8	70.0	8.3	2.8	6.5	4.3	4.1	2.8
			1600 1699	22.0	(10.5)	71.9	500.2	61.4	7.8	2.7	6.0	4.0	4.0	2.8
			1500 1599	47.0	(22.5)	71.9	493.1	61.9	7.6	2.7	4.8	4.1	3.5	2.7
			1400 1499	72.0	(34.4)	70.9	500.5	57.3	7.7	3.1	3.9	4.2	3.0	2.7
			1300 1399	42.0	(20.1)	70.0	478.1	52.0	7.1	3.2	3.1	4.3	2.4	2.9
			1200 1299	8.0	(3.8)	69.2	440.9	42.4	6.6	2.8	2.5	4.3	2.0	2.9
			1100 1199	1.0	(0.5)	68.4	315.0	31.0	3.7	1.6	2.0	5.0	2.0	2.0
			900 999	1.0	(0.5)	70.0	326.0	39.0	4.7	1.6	3.0	4.0	2.0	3.0
				209.0	(7.2)	71.2	492.3	58.0	7.5	2.9	4.3	4.2	3.1	2.8
			1900 1999	2.0	(0.9)	72.5	559.0	74.5	8.6	3.6	9.0	4.0	5.0	3.0
			1800 1899	8.0	(3.6)	72.3	533.3	66.6	8.7	3.2	8.6	3.9	5.0	3.0
			1700 1799	12.0	(5.5)	73.5	536.0	73.1	8.6	2.7	7.7	4.0	4.6	2.9
			1600 1699	18.0	(8.2)	71.9	523.8	64.7	8.1	3.0	5.6	4.1	4.1	3.0
			1500 1599	45.0	(20.5)	71.2	506.6	59.1	7.8	3.0	5.0	4.1	3.6	2.9
			1400 1499	75.0	(34.1)	70.9	513.3	58.3	7.7	3.0	4.0	4.2	3.0	2.9
			1300 1399	49.0	(22.3)	69.9	498.4	52.7	7.3	3.3	3.2	4.2	2.5	3.0
			1200 1299	6.0	(2.7)	69.0	497.8	47.7	7.3	3.5	2.5	4.8	2.2	2.7
			1100 1199	2.0	(0.9)	69.0	432.0	42.0	5.4	2.3	3.0	5.0	2.0	3.0
			1000 1099	2.0	(0.9)	68.5	442.5	41.5	4.8	2.0	2.0	5.0	2.0	4.0
			900 999	1.0	(0.5)	69.4	366.0	36.0	5.4	1.8	2.0	6.0	2.0	4.0
				220.0	(7.5)	70.9	509.3	58.3	7.7	3.1	4.5	4.2	3.3	2.9

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
			1900 1999	2.0	(0.5)	75.5	567.0	96.5	8.7	3.2	11.5	3.5	5.0	3.0
			1800 1899	8.0	(2.0)	73.8	535.6	75.3	8.2	2.3	8.1	3.5	5.0	2.5
			1700 1799	26.0	(6.5)	73.5	523.3	74.2	7.9	2.5	7.7	3.9	4.7	2.5
			1600 1699	47.0	(11.8)	72.7	516.2	69.1	7.6	2.5	6.3	3.9	4.2	2.7
			1500 1599	210.0	(52.6)	71.4	496.3	61.3	7.3	2.9	4.6	4.3	3.4	2.7
			1400 1499	82.0	(20.6)	70.5	494.8	56.4	7.3	3.2	3.5	4.5	2.8	2.7
			1300 1399	13.0	(3.3)	70.3	455.7	50.0	6.9	2.7	3.2	4.6	2.6	2.8
			1200 1299	7.0	(1.8)	68.8	446.4	47.0	6.4	3.8	2.9	4.6	2.3	3.0
			1100 1199	3.0	(0.8)	70.7	326.8	41.0	5.3	1.6	4.0	4.3	2.7	3.3
			1000 1099	1.0	(0.3)	72.0	327.0	51.0	5.6	1.8	2.0	3.0	2.0	3.0
				399.0	(13.7)	71.5	497.3	61.7	7.4	2.9	4.8	4.3	3.5	2.7
			1700 1799	2.0	(10.0)	74.5	528.8	75.5	8.2	1.6	8.5	3.5	4.5	3.0
			1600 1699	1.0	(5.0)	74.1	607.5	77.0	9.0	1.8	5.0	3.0	4.0	3.0
			1500 1599	1.0	(5.0)	70.5	471.0	50.0	8.2	3.3	7.0	5.0	4.0	2.0
			1400 1499	2.0	(10.0)	69.7	432.5	45.0	6.7	2.9	3.5	4.5	3.0	3.0
			1300 1399	3.0	(15.0)	70.8	445.5	51.7	7.1	2.7	3.0	4.7	2.3	3.0
			1200 1299	5.0	(25.0)	70.4	365.8	44.8	5.7	2.3	2.4	4.2	2.0	3.0
			1000 1099	2.0	(10.0)	69.7	340.3	37.5	5.0	1.8	2.0	5.0	2.0	3.5
			900 999	3.0	(15.0)	69.5	300.0	32.0	3.4	0.7	1.3	5.7	1.0	4.7
			800 899	1.0	(5.0)	69.3	280.0	30.0	3.2	0.7	1.0	6.0	1.0	4.0
				20.0	(0.7)	70.7	401.4	47.4	6.0	2.0	3.3	4.6	2.4	3.3
			1800 1899	8.0	(1.9)	74.5	563.9	80.1	8.7	2.3	8.5	3.5	5.0	3.0
			1700 1799	22.0	(5.3)	73.0	527.1	69.7	8.2	2.6	7.1	4.0	4.2	3.0
			1600 1699	41.0	(9.9)	72.0	521.9	64.9	8.0	2.9	6.1	4.0	4.0	3.0
			1500 1599	81.0	(19.6)	72.1	515.0	63.5	7.8	2.5	5.0	3.9	3.5	3.0
			1400 1499	133.0	(32.1)	71.5	503.4	59.2	7.7	2.7	3.9	4.2	3.0	2.9
			1300 1399	111.0	(26.8)	70.7	492.8	54.8	7.4	2.8	3.1	4.3	2.3	2.9
			1200 1299	17.0	(4.1)	69.0	482.8	48.2	7.3	3.8	2.6	4.4	2.1	2.8
			1100 1199	1.0	(0.2)	71.2	361.0	45.0	6.0	1.7	3.0	5.0	2.0	4.0
				414.0	(14.2)	71.5	505.9	59.9	7.7	2.7	4.4	4.1	3.1	2.9
			1400 1499	1.0	(0.0)	72.0	510.0	54.0	9.2	2.4	4.0	4.0	3.0	3.0
			1800 1899	1.0	(3.4)	73.7	537.0	68.0	8.2	1.5	9.0	4.0	5.0	2.0
			1700 1799	5.0	(17.2)	71.7	546.8	66.2	8.1	3.1	6.6	4.0	4.2	2.8
			1600 1699	5.0	(17.2)	71.4	544.8	64.4	8.1	3.2	5.2	4.0	4.0	2.6
			1500 1599	4.0	(13.8)	71.2	518.8	59.8	7.4	2.7	4.8	4.3	3.3	3.0
			1400 1499	7.0	(24.1)	70.6	511.3	56.9	7.6	3.2	3.6	4.4	2.9	3.0
			1300 1399	6.0	(20.7)	69.6	533.3	56.5	7.3	3.6	3.2	4.8	2.3	2.7
			1100 1199	1.0	(3.4)	68.8	321.0	30.0	4.7	1.8	2.0	6.0	2.0	2.0
				29.0	(1.0)	70.8	523.1	59.6	7.6	3.1	4.6	4.4	3.3	2.8

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1400 1499	1.0	(0.0)	70.7	493.0	51.0	8.6	3.2	3.0	5.0	3.0	3.0
			1600 1699	3.0	(13.6)	72.3	551.0	68.7	7.7	2.6	6.7	3.7	4.3	3.0
			1500 1599	9.0	(40.9)	70.2	523.2	56.9	7.7	3.5	4.8	3.9	3.6	3.0
			1400 1499	5.0	(22.7)	71.3	495.2	56.6	8.1	2.9	4.0	4.0	3.4	3.0
			1300 1399	4.0	(18.2)	70.6	506.4	54.8	8.1	3.3	3.5	4.3	2.8	3.0
			1100 1199	1.0	(4.5)	67.9	526.0	45.0	7.9	4.4	2.0	4.0	3.0	3.0
				22.0	(0.8)	70.7	517.7	57.5	7.9	3.3	4.5	4.0	3.5	3.0
			1600 1699	2.0	(28.6)	71.9	579.7	73.5	8.0	3.4	6.0	3.5	4.5	2.5
			1400 1499	3.0	(42.9)	70.2	586.1	63.7	7.9	3.8	4.3	4.3	3.0	3.0
			1300 1399	2.0	(28.6)	68.5	579.3	57.5	7.8	4.8	3.5	4.5	2.5	3.0
				7.0	(0.2)	70.2	582.3	64.7	7.9	4.0	4.6	4.1	3.3	2.9
			1800 1899	1.0	(2.2)	73.5	510.0	69.0	8.9	2.6	7.0	4.0	4.0	3.0
			1700 1799	2.0	(4.4)	72.0	465.8	58.5	7.3	2.3	5.0	4.0	3.5	2.0
			1600 1699	8.0	(17.8)	71.4	481.0	55.6	7.3	2.3	4.1	4.0	3.1	2.6
			1500 1599	18.0	(40.0)	71.2	470.0	53.3	7.6	2.5	3.5	4.1	2.9	2.6
			1400 1499	11.0	(24.4)	69.7	476.3	48.5	7.4	3.2	2.9	4.6	2.2	2.5
			1300 1399	3.0	(6.7)	70.9	421.7	51.7	6.5	2.5	3.3	4.7	2.3	2.7
			1200 1299	1.0	(2.2)	68.5	490.0	51.0	6.2	3.9	2.0	5.0	2.0	3.0
			1100 1199	1.0	(2.2)	71.4	308.0	46.0	5.2	1.8	3.0	5.0	2.0	3.0
				45.0	(1.5)	70.9	467.8	52.8	7.3	2.6	3.6	4.3	2.8	2.6
			1500 1599	1.0	(20.0)	69.6	412.2	49.0	6.5	3.6	6.0	4.0	4.0	3.0
			1200 1299	2.0	(40.0)	70.8	411.8	46.5	5.8	1.5	2.5	6.0	2.0	4.0
			1000 1099	2.0	(40.0)	70.8	478.5	53.0	7.2	2.5	3.0	4.5	2.0	4.0
				5.0	(0.2)	70.5	438.5	49.6	6.5	2.3	3.4	5.0	2.4	3.8
			1200 1299	1.0	(0.0)	71.1	343.6	45.0	4.2	0.7	2.0	6.0	2.0	4.0
			1700 1799	4.0	(4.4)	71.7	527.9	64.0	8.3	3.2	7.0	3.5	4.3	2.8
			1600 1699	11.0	(12.2)	71.8	526.9	62.5	8.2	2.8	7.0	3.8	4.4	2.6
			1500 1599	24.0	(26.7)	71.6	534.5	63.0	7.9	2.8	5.9	4.0	4.0	2.8
			1400 1499	32.0	(35.6)	70.5	525.1	56.4	7.8	3.1	4.0	4.1	3.0	2.9
			1300 1399	10.0	(11.1)	69.8	488.3	51.4	7.1	3.1	3.3	4.6	2.3	2.9
			1200 1299	8.0	(8.9)	70.0	496.4	51.4	7.4	3.1	2.6	4.9	2.1	2.9
			1100 1199	1.0	(1.1)	68.7	540.1	48.0	8.0	3.9	3.0	4.0	2.0	3.0
				90.0	(3.1)	70.9	521.5	58.1	7.8	3.0	4.8	4.1	3.3	2.8
			2000 2099	1.0	(1.0)	74.7	588.0	77.0	10.6	2.7	11.0	4.0	5.0	3.0
			1900 1999	4.0	(4.1)	72.8	490.8	65.8	8.2	2.8	9.8	3.5	5.0	2.8

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1800 1899	8.0	(8.2)	72.2	504.1	67.6	7.7	3.0	8.6	3.6	5.0	2.9
			1700 1799	20.0	(20.6)	72.1	477.2	61.3	7.6	2.6	6.5	3.8	4.3	2.9
			1600 1699	14.0	(14.4)	70.7	507.6	58.7	7.5	3.2	5.1	3.9	3.8	2.8
			1500 1599	12.0	(12.4)	71.5	485.1	60.5	7.5	3.0	5.5	4.2	3.8	2.8
			1400 1499	23.0	(23.7)	70.4	505.0	55.3	7.7	3.3	4.0	4.3	3.0	2.9
			1300 1399	11.0	(11.3)	69.2	510.9	52.7	7.4	3.9	3.0	4.5	2.4	2.9
			1200 1299	3.0	(3.1)	67.3	505.3	44.0	7.3	4.8	3.0	4.3	2.3	3.0
			1100 1199	1.0	(1.0)	67.3	481.2	39.0	6.8	4.0	3.0	5.0	2.0	3.0
				97.0	(3.3)	71.0	497.8	58.5	7.6	3.2	5.4	4.1	3.6	2.9
			1500 1599	1.0	(14.3)	73.7	525.0	78.0	7.8	2.7	6.0	3.0	4.0	3.0
			1400 1499	1.0	(14.3)	70.7	528.0	57.0	7.0	2.4	3.0	4.0	2.0	3.0
			1300 1399	1.0	(14.3)	69.3	583.0	56.0	8.3	3.9	3.0	5.0	2.0	2.0
			1200 1299	3.0	(42.9)	69.5	435.5	46.0	6.4	3.0	2.7	5.0	2.0	3.0
			1000 1099	1.0	(14.3)	69.2	340.0	37.0	4.9	2.2	2.0	4.0	2.0	4.0
				7.0	(0.2)	70.2	468.9	52.3	6.8	2.9	3.1	4.4	2.3	3.0
			1700 1799	3.0	(42.9)	71.5	523.2	60.7	9.1	3.7	6.3	4.0	4.3	3.0
			1600 1699	2.0	(28.6)	69.3	600.8	55.5	9.7	4.8	4.0	4.5	3.5	3.0
			1500 1599	1.0	(14.3)	69.6	505.3	56.0	6.9	3.7	3.0	4.0	3.0	2.0
			1200 1299	1.0	(14.3)	70.3	520.0	48.0	9.4	3.5	4.0	5.0	3.0	3.0
				7.0	(0.2)	70.4	542.3	56.7	9.0	4.0	4.9	4.3	3.7	2.9
			1300 1399	3.0	(0.1)	69.6	386.9	41.0	6.0	2.5	3.3	4.3	2.3	2.7
			1700 1799	2.0	(16.7)	70.2	458.6	50.0	7.2	3.0	6.5	3.5	4.0	2.5
			1400 1499	5.0	(41.7)	70.5	470.2	54.0	6.9	2.9	4.4	4.4	3.0	2.4
			1300 1399	3.0	(25.0)	70.4	453.3	55.0	6.7	3.2	3.7	4.3	3.0	2.7
			1000 1099	1.0	(8.3)	69.8	482.6	48.0	6.4	2.2	3.0	5.0	2.0	3.0
			900 999	1.0	(8.3)	69.9	397.4	45.0	5.6	2.3	2.0	5.0	2.0	3.0
				12.0	(0.4)	70.3	459.0	52.3	6.8	2.9	4.3	4.3	3.0	2.6
			1800 1899	3.0	(8.3)	71.8	531.7	70.3	7.9	3.7	7.0	4.0	4.3	2.7
			1700 1799	3.0	(8.3)	72.6	512.3	68.7	7.3	2.4	6.7	4.3	4.3	3.0
			1600 1699	3.0	(8.3)	71.5	491.7	56.0	8.0	2.5	6.3	4.7	4.0	2.3
			1500 1599	8.0	(22.2)	70.2	487.5	55.8	7.8	3.9	4.8	4.3	3.4	3.0
			1400 1499	15.0	(41.7)	70.9	488.5	55.1	7.6	2.9	3.6	4.3	2.9	2.7
			1300 1399	4.0	(11.1)	69.8	447.3	46.8	7.1	3.1	3.3	5.0	2.3	2.5
				36.0	(1.2)	70.9	489.6	56.8	7.6	3.1	4.6	4.4	3.3	2.7
			800 899	1.0	(0.0)	70.0	528.8	55.0	6.8	2.7	3.0	4.0	3.0	3.0
			2000 2099	1.0	(3.7)	75.5	517.0	86.0	7.7	1.9	11.0	4.0	5.0	3.0
			1900 1999	1.0	(3.7)	74.2	471.0	71.0	8.2	2.1	10.0	4.0	5.0	2.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1800 1899	2.0	(7.4)	71.9	505.1	63.5	8.1	3.0	8.0	3.5	5.0	2.5
			1700 1799	5.0	(18.5)	71.5	451.4	58.6	7.2	2.9	7.0	3.6	4.2	2.6
			1600 1699	5.0	(18.5)	71.8	516.6	65.6	7.5	2.8	6.4	3.8	4.0	3.0
			1500 1599	4.0	(14.8)	70.7	512.6	58.5	7.5	3.2	5.3	3.8	4.0	2.5
			1400 1499	7.0	(25.9)	70.6	458.8	52.1	7.4	3.0	4.0	4.1	2.9	2.7
			1300 1399	1.0	(3.7)	66.5	569.6	45.0	8.1	5.5	3.0	4.0	2.0	3.0
			1200 1299	1.0	(3.7)	69.9	367.8	40.0	5.2	1.7	2.0	4.0	2.0	2.0
				27.0	(0.9)	71.2	482.9	58.9	7.4	2.9	5.9	3.9	3.7	2.7
			1500 1599	1.0	(9.1)	72.3	458.0	56.0	8.0	2.1	3.0	4.0	3.0	3.0
			1400 1499	4.0	(36.4)	70.2	413.0	46.5	6.5	2.7	4.0	4.0	2.8	2.8
			1300 1399	3.0	(27.3)	70.8	404.3	50.3	6.2	2.5	3.0	4.3	2.3	2.7
			1200 1299	1.0	(9.1)	71.3	418.0	48.0	6.3	1.5	3.0	5.0	2.0	2.0
			1100 1199	2.0	(18.2)	70.0	336.0	36.0	5.2	1.4	2.5	4.0	2.0	3.0
				11.0	(0.4)	70.6	401.2	46.6	6.3	2.2	3.3	4.2	2.5	2.7
			1600 1699	4.0	(7.7)	72.2	530.4	70.8	8.2	3.5	6.8	4.3	4.3	2.8
			1500 1599	18.0	(34.6)	70.9	501.6	59.5	7.6	3.3	5.1	3.9	3.7	2.9
			1400 1499	17.0	(32.7)	70.8	501.7	57.8	7.6	3.2	3.9	4.1	3.1	2.8
			1300 1399	12.0	(23.1)	69.8	464.0	48.9	6.8	2.9	3.2	4.5	2.3	2.6
			1200 1299	1.0	(1.9)	71.8	368.0	51.0	5.7	1.6	2.0	5.0	2.0	2.0
				52.0	(1.8)	70.7	492.6	57.2	7.4	3.2	4.3	4.2	3.2	2.8
			1700 1799	2.0	(2.3)	73.3	543.3	74.5	8.0	2.6	10.5	4.5	5.0	2.5
			1600 1699	18.0	(20.7)	71.2	483.6	58.4	7.2	2.8	5.6	4.4	4.0	2.9
			1500 1599	7.0	(8.0)	71.4	448.1	57.3	6.8	2.6	4.7	4.4	3.7	2.6
			1400 1499	39.0	(44.8)	69.5	474.2	48.1	7.1	3.2	3.5	4.4	3.0	2.8
			1300 1399	18.0	(20.7)	69.3	477.0	49.2	7.1	3.5	2.9	4.4	2.0	2.7
			1200 1299	1.0	(1.1)	69.9	399.4	47.0	5.7	2.6	3.0	5.0	2.0	2.0
			1000 1099	1.0	(1.1)	70.9	374.2	43.0	5.6	1.2	2.0	4.0	2.0	3.0
			700 799	1.0	(1.1)	70.2	315.4	45.0	4.2	2.0	3.0	5.0	3.0	2.0
				87.0	(3.0)	70.1	472.4	51.7	7.0	3.1	4.0	4.4	3.1	2.7
			1500 1599	1.0	(11.1)	72.1	388.6	55.0	6.4	2.0	6.0	3.0	4.0	3.0
			1400 1499	5.0	(55.6)	70.7	440.7	49.6	6.9	2.4	3.4	4.4	2.8	3.0
			1300 1399	2.0	(22.2)	70.0	448.0	44.5	6.3	2.0	2.5	5.0	2.0	3.0
			900 999	1.0	(11.1)	67.0	348.5	26.0	4.3	2.5	2.0	5.0	2.0	3.0
				9.0	(0.3)	70.3	426.3	46.4	6.4	2.3	3.3	4.4	2.7	3.0
			2500	1.0	(5.9)	76.3	579.4	98.0	8.3	2.3	12.0	4.0	5.0	3.0
			1800 1899	1.0	(5.9)	70.3	489.8	60.0	8.2	4.9	7.0	3.0	4.0	3.0
			1700 1799	4.0	(23.5)	72.9	560.1	77.3	8.4	3.4	7.3	4.0	4.8	2.8
			1600 1699	3.0	(17.6)	70.6	465.2	56.3	7.3	3.4	5.7	3.7	4.0	2.3

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1500 1599	2.0	(11.8)	72.4	520.4	70.5	7.9	3.1	5.0	3.5	4.0	3.0
			1400 1499	5.0	(29.4)	70.5	512.7	56.2	7.3	2.9	4.0	4.0	3.2	2.8
			1300 1399	1.0	(5.9)	68.0	440.8	43.0	6.2	3.9	2.0	5.0	2.0	3.0
				17.0	(0.6)	71.5	514.7	64.8	7.7	3.3	5.7	3.9	3.9	2.8
			1700 1799	2.0	(50.0)	73.3	553.6	78.0	8.6	3.3	6.5	4.0	4.0	2.5
			1600 1699	1.0	(25.0)	71.7	532.5	69.0	7.8	3.7	4.0	3.0	4.0	3.0
			1300 1399	1.0	(25.0)	70.3	517.9	63.0	8.0	4.7	2.0	4.0	2.0	2.0
				4.0	(0.1)	72.2	539.4	72.0	8.3	3.7	4.8	3.8	3.5	2.5
			1800 1899	2.0	(7.4)	72.5	511.4	75.0	7.7	3.8	8.5	4.0	5.0	3.0
			1700 1799	2.0	(7.4)	71.3	522.8	61.0	8.1	3.1	6.0	4.0	4.5	3.0
			1600 1699	1.0	(3.7)	70.1	552.6	62.0	7.8	3.9	5.0	5.0	4.0	3.0
			1500 1599	6.0	(22.2)	71.0	526.1	61.5	7.8	3.3	5.3	4.0	3.7	2.8
			1400 1499	8.0	(29.6)	70.4	463.0	53.6	7.0	3.1	4.9	4.0	3.5	2.8
			1300 1399	7.0	(25.9)	68.9	480.9	49.1	7.3	4.1	3.3	4.3	2.6	2.7
			1200 1299	1.0	(3.7)	69.9	437.0	48.0	6.4	2.8	3.0	5.0	2.0	3.0
				27.0	(0.9)	70.3	492.0	56.4	7.4	3.5	4.9	4.1	3.4	2.8
			1100 1199	1.0	(0.0)	70.3	341.8	43.0	5.3	2.2	2.0	4.0	2.0	2.0
			1600 1699	5.0	(10.0)	71.7	462.3	60.0	6.6	2.3	5.6	3.8	4.0	3.0
			1500 1599	6.0	(12.0)	71.0	468.0	54.5	6.7	2.4	3.7	3.8	3.0	3.0
			1400 1499	28.0	(56.0)	70.4	457.6	53.3	6.6	2.9	3.5	4.2	2.7	2.9
			1300 1399	10.0	(20.0)	70.5	370.2	45.2	5.3	1.9	2.6	4.3	2.0	2.9
			1200 1299	1.0	(2.0)	70.0	298.0	35.0	4.3	1.2	3.0	4.0	2.0	3.0
				50.0	(1.7)	70.6	438.6	52.1	6.3	2.5	3.5	4.1	2.7	2.9
			1800 1899	1.0	(4.3)	72.2	490.1	64.0	7.0	2.4	9.0	4.0	5.0	3.0
			1700 1799	2.0	(8.7)	73.1	456.1	68.0	6.8	2.1	6.0	3.5	4.0	3.0
			1600 1699	1.0	(4.3)	71.5	471.2	63.0	6.9	3.1	5.0	4.0	4.0	3.0
			1500 1599	1.0	(4.3)	70.9	522.2	61.0	8.7	4.0	5.0	4.0	4.0	3.0
			1400 1499	18.0	(78.3)	70.8	468.7	55.5	6.8	2.8	3.3	4.2	2.6	3.0
				23.0	(0.8)	71.1	471.0	57.5	6.9	2.8	4.0	4.1	3.0	3.0
			1600 1699	1.0	(2.8)	70.6	558.4	62.0	8.0	3.5	5.0	4.0	4.0	3.0
			1500 1599	3.0	(8.3)	72.0	475.5	58.7	7.8	2.5	4.7	3.7	3.7	3.0
			1400 1499	25.0	(69.4)	71.1	432.4	53.4	6.8	2.6	3.4	4.1	2.5	3.0
			1300 1399	7.0	(19.4)	70.1	428.6	49.4	6.1	2.6	3.3	4.6	2.4	3.0
				36.0	(1.2)	71.0	438.8	53.3	6.8	2.6	3.6	4.2	2.6	3.0

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
			1800 1899	1.0	(33.3)	72.5	571.4	74.0	8.5	3.2	9.0	3.0	5.0	3.0
			1200 1299	1.0	(33.3)	69.6	455.4	49.0	5.9	2.6	3.0	5.0	2.0	3.0
			1000 1099	1.0	(33.3)	68.9	381.7	37.0	5.5	2.4	3.0	5.0	2.0	3.0
				3.0	(0.1)	70.3	469.5	53.3	6.6	2.7	5.0	4.3	3.0	3.0
			1700 1799	1.0	(0.3)	73.8	501.0	65.0	10.4	3.0	8.0	4.0	5.0	3.0
			1600 1699	6.0	(2.0)	72.3	499.6	63.7	8.2	2.8	5.2	4.0	4.0	2.8
			1500 1599	69.0	(23.1)	71.4	498.8	59.1	7.9	3.0	5.2	4.4	3.7	3.0
			1400 1499	123.0	(41.1)	71.1	486.9	56.3	7.7	3.0	3.7	4.5	2.8	3.0
			1300 1399	23.0	(7.7)	70.4	494.5	53.1	7.8	3.3	3.3	4.9	2.5	3.0
			1200 1299	70.0	(23.4)	70.4	473.1	51.2	7.4	3.0	2.8	4.9	2.0	3.0
			1100 1199	3.0	(1.0)	68.7	391.4	41.0	5.3	2.9	2.0	5.0	2.0	3.0
			1000 1099	2.0	(0.7)	68.0	460.6	43.5	5.8	3.4	2.0	4.5	2.0	3.0
			900 999	2.0	(0.7)	69.1	322.3	34.5	3.8	1.4	2.0	6.0	2.0	3.0
				299.0	(10.2)	70.9	485.1	55.3	7.7	3.0	3.8	4.6	2.8	3.0
			1300 1399	1.0	(50.0)	68.9	483.0	43.0	6.8	2.8	3.0	5.0	2.0	2.0
			900 999	1.0	(50.0)	67.7	337.6	29.0	4.3	2.3	2.0	5.0	2.0	3.0
				2.0	(0.1)	68.3	410.3	36.0	5.5	2.5	2.5	5.0	2.0	2.5
			2500	1.0	(0.0)	76.3	579.4	98.0	8.3	2.3	12.0	4.0	5.0	3.0
			2200 2299	1.0	(0.0)	73.8	506.0	83.0	8.0	3.7	9.0	4.0	5.0	3.0
			2100 2199	1.0	(0.0)	72.6	566.0	75.0	8.0	3.1	11.0	4.0	5.0	3.0
			2000 2099	2.0	(0.1)	75.1	552.5	81.5	9.2	2.3	11.0	4.0	5.0	3.0
			1900 1999	13.0	(0.4)	73.4	523.7	74.2	8.3	2.9	9.2	3.8	4.8	2.8
			1800 1899	52.0	(1.8)	73.0	530.7	72.1	8.2	2.9	8.3	3.7	4.9	2.8
			1700 1799	154.0	(5.3)	72.7	516.1	68.0	8.1	2.7	7.0	3.9	4.3	2.8
			1600 1699	254.0	(8.7)	72.0	513.8	64.5	7.8	2.8	5.9	4.0	4.1	2.8
			1500 1599	674.0	(23.1)	71.5	502.2	61.0	7.6	2.9	4.9	4.2	3.5	2.8
			1400 1499	957.0	(32.8)	70.9	495.0	56.7	7.6	3.0	3.8	4.3	3.0	2.9
			1300 1399	513.0	(17.6)	70.2	483.9	52.7	7.3	3.1	3.1	4.4	2.4	2.9
			1200 1299	198.0	(6.8)	69.8	465.4	48.8	7.1	3.1	2.8	4.7	2.1	2.9
			1100 1199	39.0	(1.3)	69.4	408.5	41.9	6.0	2.5	2.8	4.8	2.2	3.0
			1000 1099	33.0	(1.1)	69.8	371.3	40.4	5.4	1.9	2.2	4.7	2.0	3.5
			900 999	23.0	(0.8)	69.2	317.6	34.3	4.2	1.6	2.1	5.3	1.9	3.9
			800 899	4.0	(0.1)	70.3	357.2	41.8	4.5	1.2	2.0	5.0	1.8	4.5
			700 799	1.0	(0.0)	70.2	315.4	45.0	4.2	2.0	3.0	5.0	3.0	2.0
				2920.0	(100.0)	71.0	492.1	57.5	7.5	2.9	4.3	4.3	3.1	2.9

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2500	1.0	(0.4)	74.1	557.0	75.0	9.2	2.5	11.0	4.0	5.0	2.0
			2000 2099	1.0	(0.4)	72.8	567.0	82.0	7.4	3.4	9.0	4.0	5.0	3.0
			1800 1899	5.0	(2.0)	73.3	566.8	74.6	8.5	2.6	6.8	4.0	4.4	2.2
			1700 1799	16.0	(6.5)	71.4	586.8	64.5	8.8	3.2	6.8	3.9	4.2	2.9
			1600 1699	20.0	(8.1)	71.4	572.8	62.2	8.7	2.9	5.9	4.1	4.0	2.5
			1500 1599	30.0	(12.2)	71.6	536.7	60.1	8.3	2.6	4.7	4.3	3.5	2.8
			1400 1499	90.0	(36.6)	70.5	519.9	53.9	7.8	2.8	3.8	4.3	2.9	2.8
			1300 1399	71.0	(28.9)	70.2	514.4	50.9	7.5	2.6	3.0	4.6	2.4	2.7
			1200 1299	10.0	(4.1)	67.9	511.3	40.6	6.9	3.3	2.7	4.6	2.2	2.5
			1000 1099	2.0	(0.8)	70.2	255.5	35.5	4.0	1.4	2.0	4.5	2.0	3.5
				246.0	(9.6)	70.7	527.8	55.1	7.9	2.8	4.1	4.3	3.0	2.7
			1700 1799	2.0	(9.1)	72.5	550.0	63.0	8.6	2.0	5.5	4.0	4.0	3.0
			1600 1699	3.0	(13.6)	70.9	570.7	57.3	8.7	2.9	5.3	4.0	4.0	2.3
			1500 1599	9.0	(40.9)	71.1	569.7	59.0	8.8	3.0	4.2	4.1	3.1	2.8
			1400 1499	5.0	(22.7)	70.0	548.6	52.6	8.1	3.1	3.2	4.6	2.4	3.0
			1300 1399	1.0	(4.5)	68.1	517.0	40.0	7.3	3.2	3.0	4.0	2.0	2.0
			1200 1299	2.0	(9.1)	72.1	591.5	62.0	8.6	1.9	2.0	5.0	2.0	3.0
				22.0	(0.9)	70.9	562.8	57.1	8.5	2.8	4.0	4.3	3.0	2.8
			1700 1799	2.0	(7.1)	71.2	570.5	61.0	8.4	2.9	6.0	4.5	4.5	3.0
			1600 1699	1.0	(3.6)	70.8	654.0	69.0	9.7	4.4	7.0	5.0	5.0	3.0
			1500 1599	6.0	(21.4)	71.0	502.5	56.2	8.1	3.0	4.0	4.5	3.2	3.0
			1400 1499	7.0	(25.0)	70.9	558.6	62.7	7.4	2.9	4.0	4.1	3.0	2.9
			1300 1399	11.0	(39.3)	70.1	532.5	55.0	7.4	3.0	2.7	4.0	2.2	2.9
			1200 1299	1.0	(3.6)	67.8	633.0	54.0	8.3	4.6	3.0	5.0	2.0	3.0
				28.0	(1.1)	70.5	543.3	58.1	7.7	3.1	3.7	4.3	2.9	2.9
			1700 1799	1.0	(1.5)	74.3	570.5	78.0	9.1	2.4	8.0	4.0	5.0	3.0
			1600 1699	4.0	(6.1)	71.4	581.4	64.0	8.4	2.9	6.3	3.8	4.0	2.8
			1500 1599	12.0	(18.2)	71.2	533.2	58.6	8.2	2.9	5.8	3.8	4.0	2.8
			1400 1499	29.0	(43.9)	70.0	576.3	54.7	8.5	3.2	4.2	4.1	3.4	2.9
			1300 1399	18.0	(27.3)	69.7	540.7	48.7	8.2	3.0	3.5	4.1	2.8	2.9
			1200 1299	1.0	(1.5)	67.7	514.2	44.0	6.8	3.9	3.0	5.0	2.0	3.0
			1100 1199	1.0	(1.5)	64.8	625.5	42.0	8.1	6.3	2.0	4.0	2.0	3.0
				66.0	(2.6)	70.2	558.8	54.3	8.3	3.1	4.4	4.0	3.3	2.9
			1600 1699	1.0	(20.0)	73.0	582.0	75.0	8.5	2.9	6.0	3.0	4.0	3.0
			1400 1499	2.0	(40.0)	70.0	639.5	63.5	9.3	4.3	4.5	4.0	3.5	3.0
			1200 1299	1.0	(20.0)	70.7	304.1	36.0	5.6	1.4	3.0	4.0	2.0	3.0
			1100 1199	1.0	(20.0)	71.4	311.0	40.0	5.5	1.0	2.0	4.0	2.0	3.0
				5.0	(0.2)	71.0	495.2	55.6	7.6	2.8	4.0	3.8	3.0	3.0
			1400 1499	2.0	(40.0)	71.6	516.0	62.0	7.5	2.7	6.0	4.5	3.5	3.0
			1300 1399	2.0	(40.0)	69.8	592.0	60.5	7.7	3.5	3.5	4.0	3.0	2.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1200 1299	1.0	(20.0)	71.9	402.0	50.0	6.7	1.6	3.0	4.0	3.0	3.0
				5.0	(0.2)	70.9	523.6	59.0	7.4	2.8	4.4	4.2	3.2	2.8
			2000 2099	1.0	(0.6)	71.9	615.0	70.0	9.7	3.7	7.0	4.0	4.0	2.0
			1800 1899	3.0	(1.8)	72.4	569.3	66.0	8.3	2.2	6.7	4.0	4.3	3.0
			1700 1799	11.0	(6.7)	72.3	562.6	66.9	8.5	2.6	6.5	4.0	4.3	3.0
			1600 1699	18.0	(11.0)	71.7	586.6	65.0	8.9	3.0	5.4	4.1	3.9	2.7
			1500 1599	40.0	(24.5)	71.0	557.7	58.7	8.1	2.7	4.3	3.9	3.4	2.9
			1400 1499	47.0	(28.8)	70.6	555.8	57.5	8.0	2.9	3.8	4.3	3.0	2.9
			1300 1399	33.0	(20.2)	70.1	535.2	52.3	7.6	2.7	2.8	4.3	2.3	2.8
			1200 1299	10.0	(6.1)	68.7	535.4	47.1	7.5	3.4	2.8	4.1	2.2	2.9
				163.0	(6.4)	70.8	555.3	57.8	8.1	2.8	4.1	4.1	3.1	2.9
			2500	1.0	(0.2)	71.7	701.0	82.0	9.5	4.3	10.0	4.0	5.0	3.0
			1900 1999	1.0	(0.2)	72.2	480.0	53.0	8.5	2.0	9.0	4.0	5.0	3.0
			1800 1899	8.0	(1.7)	72.7	627.6	74.3	9.2	3.0	8.4	4.0	4.9	3.0
			1700 1799	46.0	(9.6)	71.9	612.7	69.7	8.7	2.9	6.6	4.0	4.3	2.9
			1600 1699	56.0	(11.7)	71.6	613.5	67.0	8.7	2.9	5.9	3.9	4.0	2.9
			1500 1599	138.0	(28.9)	71.0	584.0	61.9	8.2	2.9	4.5	4.1	3.4	2.9
			1400 1499	127.0	(26.6)	70.6	577.2	59.6	8.0	2.9	3.7	4.3	2.9	2.8
			1300 1399	80.0	(16.7)	70.0	552.5	54.1	7.4	2.7	2.9	4.4	2.3	2.9
			1200 1299	19.0	(4.0)	69.2	557.2	51.3	7.3	3.0	2.5	4.3	2.0	2.7
			1100 1199	1.0	(0.2)	69.1	397.0	38.0	4.5	1.4	2.0	5.0	2.0	3.0
			1000 1099	1.0	(0.2)	70.6	407.0	45.0	5.0	1.0	1.0	5.0	1.0	3.0
				478.0	(18.7)	70.8	582.1	61.1	8.1	2.9	4.4	4.2	3.2	2.9
			2000 2099	1.0	(0.6)	73.4	612.0	72.0	10.3	2.9	10.0	4.0	5.0	3.0
			1900 1999	1.0	(0.6)	72.2	694.0	76.0	9.5	3.0	8.0	5.0	5.0	3.0
			1700 1799	11.0	(6.2)	72.1	583.2	66.5	8.7	2.7	7.5	3.6	4.5	2.9
			1600 1699	26.0	(14.7)	72.3	571.1	69.5	8.2	2.6	6.5	3.6	4.3	2.7
			1500 1599	88.0	(49.7)	71.2	539.7	60.6	7.6	2.7	4.8	4.1	3.6	2.6
			1400 1499	33.0	(18.6)	70.5	540.5	57.6	7.3	2.8	3.5	4.4	2.7	2.6
			1300 1399	12.0	(6.8)	70.1	508.6	55.1	6.9	2.9	3.2	4.4	2.5	2.8
			1200 1299	3.0	(1.7)	67.9	587.3	52.7	7.8	4.7	3.0	4.3	2.3	2.7
			1100 1199	1.0	(0.6)	70.7	324.5	36.0	5.3	0.9	2.0	5.0	2.0	3.0
			900 999	1.0	(0.6)	70.5	265.5	30.0	4.2	0.3	2.0	5.0	1.0	4.0
				177.0	(6.9)	71.2	544.4	61.0	7.7	2.7	4.9	4.1	3.5	2.7
			1500 1599	2.0	(14.3)	70.0	590.8	57.0	8.3	3.4	5.0	4.0	4.0	3.0
			1400 1499	8.0	(57.1)	70.6	526.9	53.1	8.0	2.7	3.6	3.9	3.0	2.6
			1300 1399	3.0	(21.4)	70.0	458.2	42.7	7.4	2.4	2.7	3.7	2.0	3.0
			1000 1099	1.0	(7.1)	70.3	314.5	40.0	5.3	2.1	2.0	3.0	2.0	3.0
				14.0	(0.5)	70.3	506.1	50.5	7.8	2.7	3.5	3.8	2.9	2.8

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2000 2099	1.0	(0.2)	70.9	604.0	70.0	7.6	3.4	9.0	4.0	5.0	3.0
			1900 1999	3.0	(0.7)	72.6	588.0	72.7	8.9	3.2	8.3	3.7	5.0	3.0
			1800 1899	16.0	(3.6)	72.9	606.1	72.1	9.0	2.5	7.6	3.9	4.6	2.9
			1700 1799	60.0	(13.4)	72.0	584.8	67.0	8.5	2.7	6.9	4.1	4.3	2.9
			1600 1699	71.0	(15.8)	71.6	575.1	65.0	8.3	2.8	5.7	4.2	3.9	2.9
			1500 1599	97.0	(21.6)	71.1	579.6	61.5	8.3	2.9	4.8	4.1	3.4	2.9
			1400 1499	126.0	(28.1)	70.5	556.8	57.4	7.8	2.9	3.9	4.3	2.9	2.9
			1300 1399	65.0	(14.5)	70.0	533.8	54.2	7.4	2.9	3.2	4.6	2.5	2.9
			1200 1299	5.0	(1.1)	69.0	522.8	48.2	7.2	3.3	2.8	4.2	2.0	3.0
			1100 1199	3.0	(0.7)	69.5	362.0	37.7	5.5	2.1	2.7	4.7	2.0	2.7
			1000 1099	2.0	(0.4)	69.7	250.5	31.0	3.9	1.4	2.0	4.0	2.0	3.0
				449.0	(17.6)	71.0	564.0	60.6	8.1	2.8	4.8	4.2	3.4	2.9
			1600 1699	2.0	(10.0)	69.8	591.5	57.5	7.7	3.0	5.5	4.0	4.0	2.5
			1500 1599	4.0	(20.0)	70.6	569.8	59.5	8.7	3.6	5.3	4.3	4.0	2.8
			1400 1499	5.0	(25.0)	70.3	570.4	57.6	8.4	3.4	4.0	4.6	3.0	2.6
			1300 1399	7.0	(35.0)	69.9	569.9	55.1	8.0	3.2	3.0	4.1	2.1	2.7
			1200 1299	2.0	(10.0)	67.8	556.0	46.0	7.0	3.6	2.5	5.0	2.0	2.5
				20.0	(0.8)	69.9	570.8	56.0	8.1	3.4	3.9	4.3	2.9	2.6
			1500 1599	1.0	(5.9)	71.0	489.0	58.0	6.4	2.3	6.0	5.0	4.0	3.0
			1400 1499	4.0	(23.5)	70.5	575.5	56.5	8.1	2.6	4.3	4.5	3.3	2.8
			1300 1399	5.0	(29.4)	69.8	594.6	53.6	8.0	2.8	3.8	4.4	2.8	2.2
			1200 1299	5.0	(29.4)	68.5	554.4	44.8	7.4	3.0	3.0	4.4	2.6	2.4
			1100 1199	2.0	(11.8)	69.6	344.0	35.5	5.0	1.6	2.5	5.0	2.0	2.5
				17.0	(0.7)	69.6	542.6	49.8	7.4	2.6	3.6	4.5	2.8	2.5
			1500 1599	2.0	(2.9)	70.0	527.0	57.5	7.3	3.5	5.5	4.0	4.0	3.0
			1400 1499	19.0	(27.9)	71.0	482.4	54.2	7.3	2.4	3.7	4.1	3.0	3.0
			1300 1399	34.0	(50.0)	70.0	483.3	49.4	6.8	2.6	2.7	4.3	2.1	2.9
			1200 1299	13.0	(19.1)	69.0	478.1	45.8	6.5	2.9	2.2	4.4	2.0	2.9
				68.0	(2.7)	70.1	483.3	50.3	6.9	2.6	3.0	4.3	2.4	2.9
			1700 1799	1.0	(5.0)	73.7	561.5	82.0	8.1	3.0	8.0	4.0	5.0	3.0
			1600 1699	4.0	(20.0)	72.4	502.4	61.8	7.5	1.9	5.8	3.5	3.8	2.8
			1500 1599	2.0	(10.0)	71.0	544.5	61.0	7.2	2.5	5.5	4.0	4.0	3.0
			1400 1499	2.0	(10.0)	70.2	478.5	49.0	6.5	2.1	3.5	4.0	3.0	3.0
			1300 1399	9.0	(45.0)	70.0	513.7	49.6	7.2	2.3	3.1	3.9	2.8	3.0
			1200 1299	2.0	(10.0)	69.9	539.8	53.5	8.0	3.3	3.0	4.0	2.5	3.0
				20.0	(0.8)	70.8	516.0	55.1	7.3	2.4	4.2	3.9	3.2	3.0
			1400 1499	1.0	(50.0)	70.9	640.5	62.0	9.3	3.0	4.0	4.0	3.0	2.0
			1000 1099	1.0	(50.0)	68.6	310.0	28.0	4.7	1.8	2.0	5.0	2.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				2.0	(0.1)	69.8	475.3	45.0	7.0	2.4	3.0	4.5	2.5	2.5
			1600 1699	1.0	(20.0)	69.0	462.0	38.0	6.5	2.1	6.0	3.0	4.0	2.0
			1500 1599	1.0	(20.0)	71.5	469.0	53.0	6.7	1.4	4.0	4.0	3.0	2.0
			1300 1399	1.0	(20.0)	68.5	329.5	33.0	5.3	2.9	3.0	4.0	3.0	3.0
			1200 1299	2.0	(40.0)	71.0	400.5	44.5	6.3	1.4	2.0	5.5	2.0	3.0
				5.0	(0.2)	70.2	412.3	42.6	6.2	1.9	3.4	4.4	2.8	2.6
			1800 1899	1.0	(1.1)	72.1	571.1	64.0	8.7	2.5	6.0	4.0	4.0	3.0
			1700 1799	7.0	(7.6)	71.4	590.7	63.3	8.8	3.0	7.3	3.7	4.3	3.0
			1600 1699	12.0	(13.0)	70.7	555.1	56.4	8.1	2.8	6.4	3.7	4.3	2.6
			1500 1599	23.0	(25.0)	70.5	564.9	58.1	7.7	2.8	5.3	4.0	3.7	2.8
			1400 1499	30.0	(32.6)	70.3	551.3	54.6	7.7	2.7	4.3	4.0	3.2	2.7
			1300 1399	14.0	(15.2)	68.4	582.9	50.6	7.5	3.6	3.6	4.0	2.6	2.8
			1200 1299	4.0	(4.3)	68.2	572.5	47.3	7.3	3.5	3.0	4.3	2.3	2.8
			1100 1199	1.0	(1.1)	71.8	321.0	47.0	5.6	1.5	2.0	5.0	2.0	3.0
				92.0	(3.6)	70.1	561.6	55.5	7.8	2.9	4.9	3.9	3.4	2.8
			1900 1999	1.0	(1.1)	73.3	632.6	80.0	8.1	2.1	11.0	4.0	5.0	3.0
			1800 1899	4.0	(4.4)	71.7	540.8	64.0	7.7	2.6	8.5	3.5	5.0	2.5
			1700 1799	9.0	(10.0)	71.3	516.6	61.2	7.5	2.8	6.2	3.9	4.2	2.7
			1600 1699	20.0	(22.2)	71.2	545.0	59.5	8.0	2.6	6.0	3.9	4.0	2.9
			1500 1599	21.0	(23.3)	70.7	531.3	56.0	7.5	2.6	5.3	4.1	3.9	2.7
			1400 1499	24.0	(26.7)	70.1	526.3	53.1	7.5	2.9	4.1	4.1	3.1	2.8
			1300 1399	10.0	(11.1)	69.7	524.8	52.1	7.2	3.0	2.8	4.2	2.1	3.0
			1200 1299	1.0	(1.1)	68.4	356.8	34.0	4.7	2.3	2.0	5.0	2.0	3.0
				90.0	(3.5)	70.6	530.4	56.5	7.6	2.7	5.1	4.0	3.6	2.8
			1500 1599	1.0	(50.0)	69.0	474.0	49.0	6.0	3.2	4.0	5.0	3.0	3.0
			1300 1399	1.0	(50.0)	69.8	451.8	44.0	6.3	2.0	3.0	5.0	2.0	3.0
				2.0	(0.1)	69.4	462.9	46.5	6.2	2.6	3.5	5.0	2.5	3.0
			1700 1799	5.0	(10.0)	71.7	560.3	60.6	8.5	2.4	6.0	4.4	4.0	3.0
			1600 1699	42.0	(84.0)	70.1	562.6	53.2	8.5	3.1	4.5	4.3	3.4	3.0
			1500 1599	2.0	(4.0)	70.5	555.4	57.0	8.3	3.0	4.5	4.5	3.0	3.0
			1400 1499	1.0	(2.0)	69.1	449.5	40.0	6.2	2.3	4.0	5.0	3.0	3.0
				50.0	(2.0)	70.3	559.8	53.8	8.4	3.0	4.6	4.3	3.4	3.0
			1400 1499	2.0	(66.7)	70.0	439.8	43.5	6.5	2.0	3.5	3.5	2.5	3.0
			1200 1299	1.0	(33.3)	69.7	342.8	34.0	5.0	1.3	3.0	5.0	2.0	2.0
				3.0	(0.1)	69.9	407.5	40.3	6.0	1.8	3.3	4.0	2.3	2.7
			1600 1699	2.0	(40.0)	71.1	428.5	52.5	7.1	2.7	5.5	4.0	4.0	2.0
			1500 1599	1.0	(20.0)	69.9	482.0	55.0	7.1	3.8	5.0	4.0	4.0	3.0
			1400 1499	1.0	(20.0)	71.9	469.0	58.0	6.8	1.9	3.0	4.0	3.0	3.0
			1300 1399	1.0	(20.0)	69.4	494.0	45.0	6.9	2.4	2.0	4.0	2.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				5.0	(0.2)	70.7	460.4	52.6	7.0	2.7	4.2	4.0	3.4	2.6
			1400 1499	3.0	(0.1)	70.7	464.3	55.0	6.5	2.5	3.7	4.0	3.0	2.0
			1700 1799	1.0	(0.0)	72.5	510.0	61.0	8.2	2.1	8.0	4.0	5.0	3.0
			1800 1899	1.0	(10.0)	73.1	519.6	70.0	8.3	2.6	10.0	3.0	5.0	2.0
			1700 1799	2.0	(20.0)	71.8	571.7	63.5	8.1	2.4	8.5	4.0	5.0	2.5
			1500 1599	5.0	(50.0)	70.4	541.2	53.8	7.4	2.3	4.8	3.8	3.6	2.2
			1400 1499	2.0	(20.0)	70.6	500.3	51.0	7.2	2.1	3.5	4.0	3.0	2.5
				10.0	(0.4)	71.0	537.0	56.8	7.6	2.3	5.8	3.8	3.9	2.3
			1500 1599	2.0	(18.2)	72.5	525.0	65.5	7.2	1.8	4.0	4.0	3.0	3.0
			1400 1499	5.0	(45.5)	71.0	461.4	51.8	7.3	2.5	4.0	4.0	3.4	3.0
			1300 1399	3.0	(27.3)	69.4	473.0	42.7	7.4	2.8	2.7	4.0	2.7	3.0
			1200 1299	1.0	(9.1)	69.9	436.0	45.0	6.0	2.1	2.0	4.0	2.0	3.0
				11.0	(0.4)	70.7	473.8	51.2	7.2	2.4	3.5	4.0	3.0	3.0
			1700 1799	1.0	(3.7)	73.3	502.0	66.0	7.0	1.2	7.0	4.0	4.0	2.0
			1600 1699	2.0	(7.4)	72.0	548.2	67.5	7.0	2.1	6.0	4.0	4.0	2.5
			1500 1599	1.0	(3.7)	71.3	456.8	52.0	7.4	2.3	6.0	5.0	4.0	3.0
			1400 1499	13.0	(48.1)	70.5	488.0	51.5	7.2	2.5	4.0	4.2	3.0	2.8
			1300 1399	9.0	(33.3)	70.3	468.1	49.7	6.9	2.5	2.6	4.4	2.0	2.4
			1200 1299	1.0	(3.7)	68.0	400.4	32.0	6.4	3.1	3.0	4.0	3.0	3.0
				27.0	(1.1)	70.6	482.0	51.9	7.1	2.4	3.8	4.3	2.8	2.7
			1600 1699	2.0	(8.3)	71.0	532.6	55.0	7.5	2.0	5.5	4.0	4.5	3.0
			1500 1599	1.0	(4.2)	69.7	585.6	59.0	7.7	3.6	6.0	4.0	4.0	3.0
			1400 1499	16.0	(66.7)	70.2	487.4	51.9	7.1	2.9	3.8	4.0	3.0	2.8
			1300 1399	4.0	(16.7)	70.5	457.7	46.0	6.7	1.8	2.8	4.3	2.0	2.8
			1000 1099	1.0	(4.2)	69.9	346.6	38.0	4.3	1.0	2.0	5.0	2.0	3.0
				24.0	(0.9)	70.3	484.4	50.9	7.0	2.6	3.8	4.1	3.0	2.8
			1800 1899	2.0	(22.2)	72.7	490.3	64.0	7.2	1.9	8.0	4.0	4.5	3.0
			1600 1699	5.0	(55.6)	72.2	537.7	58.6	8.5	1.9	6.6	4.6	4.0	3.0
			1400 1499	2.0	(22.2)	71.2	570.5	60.5	7.8	2.4	3.5	5.0	3.0	3.0
				9.0	(0.4)	72.1	534.4	60.2	8.1	2.0	6.2	4.6	3.9	3.0
			1800 1899	1.0	(3.4)	74.2	567.0	75.0	8.5	1.6	9.0	4.0	5.0	3.0
			1700 1799	3.0	(10.3)	70.7	578.6	59.7	8.1	2.9	6.3	4.0	4.3	2.7
			1600 1699	3.0	(10.3)	70.4	563.4	57.3	7.7	2.8	4.7	4.3	3.3	2.7
			1500 1599	3.0	(10.3)	70.9	539.7	59.3	8.0	3.0	4.7	4.0	3.7	2.7
			1400 1499	17.0	(58.6)	70.1	557.8	57.8	7.4	3.0	4.1	4.2	3.1	2.6
			1300 1399	2.0	(6.9)	69.6	467.0	47.0	6.5	2.6	3.0	4.5	2.5	2.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				29.0	(1.1)	70.4	552.7	58.0	7.5	2.9	4.6	4.2	3.3	2.7
			1700 1799	1.0	(25.0)	72.0	479.1	66.0	7.7	3.5	6.0	4.0	5.0	2.0
			1500 1599	2.0	(50.0)	70.8	528.6	59.5	8.2	3.5	3.5	4.5	3.0	3.0
			1300 1399	1.0	(25.0)	71.8	506.3	67.0	7.3	3.2	2.0	3.0	3.0	2.0
				4.0	(0.2)	71.4	510.6	63.0	7.8	3.4	3.8	4.0	3.5	2.5
			1700 1799	6.0	(16.7)	71.0	542.9	59.5	8.3	3.1	6.5	3.7	4.3	2.5
			1600 1699	4.0	(11.1)	71.0	551.4	62.3	7.3	2.6	6.0	3.8	4.0	2.3
			1500 1599	4.0	(11.1)	70.7	549.9	60.3	7.8	3.2	5.5	4.5	4.0	2.5
			1400 1499	18.0	(50.0)	69.7	525.0	51.8	7.3	3.0	4.1	4.1	3.1	2.6
			1300 1399	3.0	(8.3)	67.5	494.8	40.0	6.4	3.5	3.0	4.0	2.7	2.7
			1200 1299	1.0	(2.8)	67.5	493.2	43.0	6.4	3.9	2.0	5.0	2.0	3.0
				36.0	(1.4)	70.0	530.3	53.9	7.4	3.0	4.7	4.0	3.4	2.6
			1700 1799	8.0	(9.5)	71.4	533.2	63.5	7.5	2.9	6.3	3.9	4.4	3.0
			1600 1699	10.0	(11.9)	71.5	537.6	62.9	7.3	2.4	5.2	3.9	3.7	2.9
			1500 1599	28.0	(33.3)	70.5	498.2	54.0	6.8	2.4	4.0	4.0	3.0	2.9
			1400 1499	27.0	(32.1)	70.4	494.3	53.3	6.6	2.3	3.2	4.2	2.4	2.9
			1300 1399	11.0	(13.1)	70.3	423.3	45.4	5.7	1.6	2.5	4.5	2.1	2.7
				84.0	(3.3)	70.6	495.2	54.6	6.7	2.3	3.9	4.1	2.9	2.9
			1700 1799	1.0	(16.7)	72.9	476.2	62.0	7.3	1.6	6.0	4.0	4.0	3.0
			1600 1699	1.0	(16.7)	74.9	516.8	79.0	7.5	1.5	5.0	4.0	4.0	3.0
			1400 1499	4.0	(66.7)	70.4	501.8	54.0	6.5	2.3	4.0	4.3	2.8	3.0
				6.0	(0.2)	71.6	500.1	59.5	6.8	2.0	4.5	4.2	3.2	3.0
			1700 1799	8.0	(14.0)	71.2	602.2	67.6	7.9	3.0	5.6	3.8	4.1	3.0
			1600 1699	7.0	(12.3)	71.4	579.7	63.9	8.6	3.1	5.3	4.0	3.6	3.0
			1500 1599	13.0	(22.8)	70.0	554.8	55.8	7.6	3.0	5.0	4.2	3.7	2.9
			1400 1499	21.0	(36.8)	70.5	500.9	52.1	7.1	2.3	3.6	4.2	2.8	2.9
			1300 1399	7.0	(12.3)	69.4	499.1	48.9	6.8	2.8	3.0	4.4	2.1	3.0
			1200 1299	1.0	(1.8)	69.9	553.4	54.0	7.9	3.1	5.0	5.0	3.0	3.0
				57.0	(2.2)	70.5	537.8	56.2	7.5	2.7	4.4	4.2	3.2	2.9
			1800 1899	1.0	(1.1)	72.2	595.8	72.0	8.0	2.7	8.0	3.0	5.0	3.0
			1700 1799	13.0	(14.3)	71.8	581.4	64.3	8.4	2.5	7.0	3.8	4.4	2.8
			1600 1699	12.0	(13.2)	71.0	574.0	62.9	7.8	2.9	6.1	3.9	4.1	3.0
			1500 1599	28.0	(30.8)	70.3	576.1	59.1	7.7	3.0	4.9	3.7	3.6	2.9
			1400 1499	33.0	(36.3)	70.3	570.7	58.8	7.8	3.1	3.5	3.9	2.7	2.9
			1300 1399	4.0	(4.4)	69.4	515.0	50.8	6.8	3.1	2.5	4.3	2.0	2.5
				91.0	(3.6)	70.6	572.2	60.0	7.8	3.0	4.8	3.8	3.4	2.9

[illegible]