

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1900 1999	2.0	(0.5)	73.1	555.0	74.5	9.4	3.6	8.0	4.5	4.5	3.0
			1700 1799	7.0	(1.8)	72.5	591.1	72.9	8.8	3.2	6.4	4.0	4.3	2.6
			1600 1699	22.0	(5.6)	71.9	533.9	64.5	8.3	3.0	5.5	4.3	3.8	3.0
			1500 1599	71.0	(18.0)	71.1	511.4	58.8	7.8	3.0	4.2	4.4	3.2	2.9
			1400 1499	172.0	(43.5)	70.9	503.3	56.4	7.7	3.0	3.5	4.6	2.7	2.9
			1300 1399	71.0	(18.0)	70.2	488.2	52.2	7.5	3.2	2.8	4.7	2.3	2.9
			1200 1299	23.0	(5.8)	69.0	470.8	46.5	7.2	3.7	2.8	4.9	2.2	2.7
			1100 1199	11.0	(2.8)	69.8	404.8	44.8	6.2	2.7	2.4	5.1	1.9	3.7
			1000 1099	12.0	(3.0)	69.8	411.1	41.5	5.8	1.9	2.5	5.3	2.0	3.8
			900 999	3.0	(0.8)	69.2	357.0	39.7	5.0	2.4	2.3	5.3	2.0	4.3
			800 899	1.0	(0.3)	70.2	359.0	39.0	5.5	1.5	2.0	6.0	2.0	3.0
				395.0	(12.3)	70.7	496.6	55.4	7.6	3.0	3.6	4.6	2.7	2.9
			1700 1799	1.0	(3.8)	72.2	516.0	62.0	8.0	2.4	5.0	4.0	4.0	3.0
			1600 1699	4.0	(15.4)	72.1	528.5	66.8	7.6	2.7	6.3	4.5	4.0	3.0
			1500 1599	6.0	(23.1)	71.7	495.3	60.2	7.3	2.5	3.8	4.5	2.8	3.0
			1400 1499	7.0	(26.9)	70.5	527.4	58.6	7.3	3.2	3.7	4.4	2.9	3.0
			1300 1399	4.0	(15.4)	70.0	440.3	50.8	6.5	3.0	2.8	4.3	2.0	3.0
			1200 1299	3.0	(11.5)	70.1	567.3	55.7	7.8	2.8	3.3	4.7	2.3	3.7
			1100 1199	1.0	(3.8)	71.2	385.0	47.0	6.4	1.9	2.0	6.0	2.0	4.0
				26.0	(0.8)	71.0	505.5	58.3	7.3	2.8	3.9	4.5	2.8	3.1
			1900 1999	1.0	(1.9)	73.4	523.0	74.0	8.5	3.1	8.0	4.0	5.0	3.0
			1700 1799	6.0	(11.5)	72.2	521.3	66.5	8.2	3.0	6.8	3.8	4.5	2.8
			1600 1699	2.0	(3.8)	70.5	538.0	55.0	7.6	2.7	5.0	4.0	3.5	3.0
			1500 1599	15.0	(28.8)	71.6	498.7	61.3	7.4	2.7	4.6	4.3	3.4	3.0
			1400 1499	14.0	(26.9)	71.0	462.6	56.4	7.1	2.9	3.8	4.6	2.7	2.9
			1300 1399	11.0	(21.2)	70.1	470.0	52.4	7.1	3.2	2.9	4.5	2.2	3.0
			1200 1299	2.0	(3.8)	70.5	391.5	46.5	5.5	1.9	2.0	5.0	2.0	3.5
			1100 1199	1.0	(1.9)	70.2	267.0	30.0	5.2	1.3	2.0	5.0	2.0	3.0
				52.0	(1.6)	71.1	478.9	57.5	7.2	2.8	4.2	4.4	3.0	3.0
			1600 1699	1.0	(1.5)	70.3	491.0	54.0	8.0	3.6	4.0	4.0	4.0	3.0
			1500 1599	13.0	(19.1)	71.4	498.9	59.6	8.2	3.3	4.5	4.1	3.5	2.8
			1400 1499	22.0	(32.4)	70.5	511.6	57.0	7.8	3.5	3.8	4.2	3.0	3.0
			1300 1399	18.0	(26.5)	70.0	507.5	54.6	7.6	3.6	3.2	4.3	2.4	2.9
			1200 1299	7.0	(10.3)	70.0	542.7	57.3	7.5	3.4	3.1	4.6	2.3	3.0
			1100 1199	1.0	(1.5)	72.3	472.0	56.0	7.6	1.7	5.0	4.0	4.0	3.0
			1000 1099	5.0	(7.4)	69.9	371.4	39.0	6.1	2.2	2.4	5.4	2.2	3.0
			900 999	1.0	(1.5)	69.1	351.0	34.0	5.1	1.8	2.0	5.0	2.0	6.0
				68.0	(2.1)	70.4	497.7	55.2	7.6	3.3	3.6	4.3	2.8	3.0
			1100 1199	1.0	(50.0)	70.6	427.0	57.0	5.9	3.0	2.0	5.0	2.0	4.0
			1000 1099	1.0	(50.0)	69.2	407.5	37.0	6.0	2.1	4.0	5.0	3.0	7.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
				2.0	(0.1)	69.9	417.3	47.0	6.0	2.5	3.0	5.0	2.5	5.5
			1300 1399	1.0	(16.7)	71.3	403.0	51.0	6.1	1.9	3.0	5.0	2.0	2.0
			1100 1199	1.0	(16.7)	71.4	413.0	54.0	5.3	1.5	2.0	5.0	2.0	2.0
			1000 1099	4.0	(66.7)	69.5	359.3	38.5	5.3	2.1	2.3	4.5	2.0	3.3
				6.0	(0.2)	70.1	375.5	43.2	5.4	2.0	2.3	4.7	2.0	2.8
			1700 1799	7.0	(6.0)	72.9	499.4	70.3	7.8	2.9	7.0	4.1	4.4	2.9
			1600 1699	14.0	(12.0)	72.2	494.6	65.1	7.8	2.9	6.4	4.3	4.1	2.9
			1500 1599	30.0	(25.6)	72.4	475.3	64.3	7.4	2.5	5.5	4.1	3.7	2.9
			1400 1499	45.0	(38.5)	71.2	476.6	58.5	7.2	2.9	4.0	4.5	3.0	2.9
			1300 1399	14.0	(12.0)	70.3	451.1	52.7	6.9	3.1	3.1	4.6	2.4	2.9
			1200 1299	2.0	(1.7)	70.2	413.5	49.5	7.2	3.5	4.0	4.0	2.5	3.5
			1100 1199	1.0	(0.9)	71.1	324.0	45.0	5.0	1.5	3.0	5.0	2.0	3.0
			1000 1099	2.0	(1.7)	71.3	338.8	42.0	5.9	1.4	2.0	5.5	2.0	4.0
			900 999	1.0	(0.9)	68.1	331.0	33.0	3.8	2.3	2.0	5.0	2.0	4.0
			800 899	1.0	(0.9)	69.1	247.0	28.0	3.3	1.1	2.0	5.0	1.0	4.0
				117.0	(3.7)	71.6	468.8	59.8	7.2	2.8	4.7	4.4	3.3	2.9
			2300 2399	1.0	(0.4)	75.6	681.0	98.0	9.3	2.4	12.0	4.0	5.0	3.0
			2000 2099	1.0	(0.4)	75.0	596.0	84.0	9.2	2.4	9.0	4.0	5.0	3.0
			1900 1999	3.0	(1.3)	71.7	507.7	67.3	8.3	3.9	8.7	4.3	4.7	2.7
			1800 1899	8.0	(3.4)	72.6	507.6	68.9	7.7	2.8	7.0	4.0	4.4	2.5
			1700 1799	16.0	(6.8)	71.7	484.8	61.1	7.8	3.1	6.5	4.0	4.2	2.6
			1600 1699	34.0	(14.3)	71.5	492.5	60.7	7.7	3.0	5.6	4.2	3.9	2.9
			1500 1599	75.0	(31.6)	71.2	487.4	57.9	7.5	2.8	4.3	4.2	3.2	2.8
			1400 1499	68.0	(28.7)	70.5	487.6	55.1	7.2	3.1	3.7	4.5	2.9	2.8
			1300 1399	19.0	(8.0)	69.5	486.5	51.2	7.1	3.6	3.1	4.3	2.3	2.9
			1200 1299	9.0	(3.8)	69.3	457.9	45.7	6.7	3.1	2.8	4.7	2.1	2.9
			1100 1199	3.0	(1.3)	69.0	423.5	42.0	5.8	2.7	2.7	5.0	2.3	3.3
				237.0	(7.4)	70.9	488.2	57.3	7.4	3.0	4.5	4.3	3.2	2.8
			1900 1999	5.0	(2.6)	73.4	529.0	77.0	7.6	2.7	9.0	4.0	5.0	2.8
			1800 1899	4.0	(2.1)	73.0	522.3	71.8	7.8	2.7	7.8	4.3	4.3	2.8
			1700 1799	7.0	(3.7)	71.7	533.9	61.9	8.0	2.7	6.1	3.9	4.0	2.6
			1600 1699	31.0	(16.4)	71.3	515.3	61.7	8.0	3.3	5.7	4.2	3.9	2.9
			1500 1599	58.0	(30.7)	71.0	519.1	60.0	7.8	3.2	4.6	4.2	3.4	2.9
			1400 1499	59.0	(31.2)	70.4	508.5	56.2	7.7	3.4	3.8	4.3	2.9	3.0
			1300 1399	20.0	(10.6)	70.6	479.9	55.1	7.2	3.0	3.2	4.5	2.4	2.9
			1200 1299	4.0	(2.1)	68.7	488.3	46.5	7.4	4.0	3.3	4.5	2.3	2.8
			1100 1199	1.0	(0.5)	70.8	417.0	49.0	5.8	1.7	3.0	5.0	2.0	4.0
				189.0	(5.9)	70.9	510.7	59.0	7.7	3.2	4.6	4.2	3.3	2.9

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2200 2299	2.0	(0.4)	72.1	482.0	63.5	7.3	2.6	8.0	4.0	4.0	4.5
			2100 2199	1.0	(0.2)	71.4	321.0	49.0	4.4	1.5	2.0	4.0	2.0	3.0
			2000 2099	1.0	(0.2)	73.0	683.0	100.0	9.5	5.7	12.0	4.0	5.0	3.0
			1900 1999	5.0	(1.1)	73.3	565.2	81.2	8.3	3.4	10.0	3.6	5.0	3.0
			1800 1899	20.0	(4.3)	73.3	569.5	77.4	8.1	2.7	8.6	3.8	4.8	2.9
			1700 1799	29.0	(6.2)	73.0	549.4	73.4	8.3	2.9	8.1	4.0	4.8	2.9
			1600 1699	48.0	(10.2)	72.4	541.8	70.6	8.1	3.1	6.7	3.8	4.4	2.8
			1500 1599	231.0	(49.1)	71.7	515.7	64.1	7.6	3.0	4.9	4.1	3.6	2.8
			1400 1499	88.0	(18.7)	70.3	503.8	57.5	7.2	3.3	3.7	4.4	2.9	2.8
			1300 1399	39.0	(8.3)	69.4	455.2	49.6	6.5	3.4	2.9	4.4	2.4	2.9
			1200 1299	5.0	(1.1)	69.7	463.8	53.0	7.1	4.0	3.2	4.0	3.0	3.0
			900 999	1.0	(0.2)	69.8	329.0	41.0	4.0	1.6	2.0	6.0	2.0	2.0
				470.0	(14.7)	71.5	514.9	63.5	7.5	3.1	5.1	4.1	3.6	2.8
			1800 1899	1.0	(7.1)	73.9	474.0	80.0	7.7	3.3	6.0	5.0	4.0	3.0
			1600 1699	3.0	(21.4)	72.5	505.7	69.3	7.7	3.0	5.7	4.3	4.0	2.7
			1500 1599	5.0	(35.7)	71.6	533.8	65.0	7.6	2.9	5.2	4.4	3.8	3.0
			1400 1499	1.0	(7.1)	72.6	500.0	75.0	8.0	4.0	5.0	4.0	4.0	3.0
			1200 1299	2.0	(14.3)	70.0	475.0	56.0	6.8	3.8	3.5	5.5	2.5	3.0
			1100 1199	2.0	(14.3)	69.5	476.3	43.5	6.8	2.4	2.5	5.5	2.0	4.5
				14.0	(0.4)	71.5	504.5	63.4	7.4	3.1	4.7	4.7	3.4	3.1
			1900 1999	3.0	(0.6)	71.3	535.0	62.3	8.4	3.4	9.7	4.0	5.0	3.0
			1800 1899	9.0	(1.8)	73.0	541.1	72.2	8.3	2.9	8.6	4.0	4.7	2.9
			1700 1799	25.0	(5.1)	72.5	536.1	67.4	8.3	2.7	7.1	3.8	4.4	3.0
			1600 1699	80.0	(16.3)	72.2	513.5	65.8	7.9	2.8	5.9	4.1	3.9	3.0
			1500 1599	133.0	(27.1)	71.7	506.7	61.5	7.8	2.9	4.6	4.2	3.3	2.9
			1400 1499	167.0	(34.1)	71.0	496.3	57.8	7.5	3.0	3.6	4.3	2.7	2.9
			1300 1399	52.0	(10.6)	69.9	488.4	51.9	7.4	3.4	2.9	4.5	2.3	2.9
			1200 1299	15.0	(3.1)	69.2	471.5	51.1	6.9	3.9	2.6	4.5	2.2	2.9
			1100 1199	3.0	(0.6)	71.2	377.7	49.7	5.8	2.0	2.3	5.0	2.0	3.3
			1000 1099	3.0	(0.6)	70.6	365.7	42.0	6.0	1.8	2.0	5.0	2.0	3.0
				490.0	(15.3)	71.3	501.9	59.9	7.7	3.0	4.4	4.3	3.1	2.9
			1600 1699	3.0	(33.3)	71.7	559.7	64.7	8.6	3.2	5.7	4.7	4.0	2.0
			1500 1599	3.0	(33.3)	70.5	563.7	65.0	8.5	4.4	4.7	4.7	3.7	2.3
			1400 1499	3.0	(33.3)	69.9	539.3	54.0	8.1	3.5	3.7	5.0	3.0	2.0
				9.0	(0.3)	70.7	554.2	61.2	8.4	3.7	4.7	4.8	3.6	2.1
			1800 1899	4.0	(7.4)	73.7	581.5	79.0	9.0	3.0	8.8	4.5	5.0	2.3
			1700 1799	9.0	(16.7)	72.7	547.2	69.7	8.1	2.6	6.8	4.4	4.2	2.2
			1600 1699	11.0	(20.4)	72.1	551.3	66.5	8.1	2.7	5.5	4.5	3.9	2.5
			1500 1599	12.0	(22.2)	71.1	510.0	59.9	7.9	3.2	4.3	4.3	3.2	2.7
			1400 1499	11.0	(20.4)	70.6	514.5	57.7	7.5	3.2	3.7	4.5	2.6	2.7
			1300 1399	5.0	(9.3)	69.0	520.6	51.6	6.8	3.5	3.2	4.8	2.2	2.8

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1200 1299	2.0	(3.7)	68.7	418.5	39.0	5.7	2.6	2.5	5.0	2.0	2.5
				54.0	(1.7)	71.4	528.4	62.3	7.8	3.0	5.0	4.5	3.4	2.5
			1300 1399	1.0	(0.0)	71.5	415.0	54.0	7.9	3.2	3.0	5.0	3.0	3.0
			1700 1799	2.0	(8.7)	71.3	501.4	59.5	7.2	2.5	6.5	4.0	4.5	3.0
			1600 1699	6.0	(26.1)	71.2	486.8	59.0	7.2	2.8	5.7	4.0	4.0	3.0
			1500 1599	4.0	(17.4)	70.5	503.8	55.0	7.6	3.0	4.3	4.0	3.3	3.0
			1400 1499	3.0	(13.0)	71.9	499.3	57.0	7.7	1.9	3.7	4.3	2.7	3.0
			1300 1399	4.0	(17.4)	70.0	493.1	53.5	7.4	3.5	2.8	4.8	2.5	3.3
			1200 1299	4.0	(17.4)	69.9	474.1	48.5	7.3	3.0	2.8	4.3	2.3	3.0
				23.0	(0.7)	70.7	491.5	55.3	7.4	2.9	4.2	4.2	3.2	3.0
			1700 1799	1.0	(20.0)	69.6	559.4	62.0	6.7	3.7	7.0	3.0	4.0	3.0
			1600 1699	2.0	(40.0)	71.2	548.7	65.0	7.8	3.3	4.0	4.5	3.0	3.0
			1500 1599	1.0	(20.0)	70.4	537.0	70.0	5.8	3.6	4.0	3.0	3.0	3.0
			1400 1499	1.0	(20.0)	71.6	505.0	52.0	7.0	1.0	3.0	5.0	2.0	3.0
				5.0	(0.2)	70.8	539.8	62.8	7.0	3.0	4.4	4.0	3.0	3.0
			1900 1999	2.0	(5.3)	73.0	488.8	66.0	7.8	2.3	8.0	3.0	5.0	3.0
			1800 1899	8.0	(21.1)	71.8	441.8	55.8	7.2	2.3	4.8	3.9	3.6	2.6
			1700 1799	19.0	(50.0)	71.0	487.7	56.7	7.3	2.8	3.8	4.4	2.9	2.7
			1600 1699	7.0	(18.4)	70.7	476.6	51.7	7.8	3.0	3.3	4.7	2.4	2.9
			1500 1599	2.0	(5.3)	68.8	516.8	53.0	7.7	4.5	4.5	4.0	3.0	3.0
				38.0	(1.2)	71.1	477.6	55.9	7.4	2.8	4.2	4.3	3.1	2.8
			1700 1799	1.0	(50.0)	72.0	407.6	59.0	6.7	2.7	6.0	4.0	4.0	2.0
			1400 1499	1.0	(50.0)	70.0	414.0	44.0	6.7	2.6	3.0	5.0	3.0	2.0
				2.0	(0.1)	71.0	410.8	51.5	6.7	2.6	4.5	4.5	3.5	2.0
			1800 1899	2.0	(2.0)	75.2	539.6	88.5	7.7	2.3	8.0	4.0	4.5	3.0
			1700 1799	10.0	(10.2)	71.1	520.6	61.3	8.1	3.4	7.5	4.0	4.6	2.8
			1600 1699	36.0	(36.7)	71.3	530.9	61.9	8.0	3.0	6.0	3.9	4.1	2.9
			1500 1599	24.0	(24.5)	70.6	512.2	56.1	7.5	3.0	4.3	4.2	3.3	3.0
			1400 1499	11.0	(11.2)	70.7	536.6	58.5	7.9	3.1	3.7	4.2	2.5	2.9
			1300 1399	13.0	(13.3)	70.5	528.2	56.1	7.6	2.9	3.2	4.7	2.1	2.9
			1200 1299	1.0	(1.0)	71.5	343.4	46.0	5.6	1.5	4.0	4.0	3.0	2.0
			1000 1099	1.0	(1.0)	69.2	304.0	31.0	5.3	2.1	2.0	5.0	2.0	3.0
				98.0	(3.1)	71.0	521.5	59.3	7.7	3.0	5.1	4.2	3.5	2.9
			2000 2099	1.0	(0.9)	73.5	534.4	82.0	8.6	3.9	10.0	3.0	5.0	3.0
			1900 1999	3.0	(2.6)	74.2	539.2	79.0	8.8	2.8	8.3	3.3	5.0	3.0
			1800 1899	13.0	(11.4)	72.1	499.0	65.2	7.6	2.8	7.5	3.7	4.5	3.0
			1700 1799	29.0	(25.4)	71.4	486.4	61.2	7.4	3.1	6.1	3.8	4.1	2.8

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1600 1699	28.0	(24.6)	70.5	488.0	56.5	7.1	3.2	4.8	4.0	3.6	2.9
			1500 1599	20.0	(17.5)	70.4	468.6	53.8	6.8	2.9	3.8	4.3	2.9	3.0
			1400 1499	12.0	(10.5)	69.6	478.9	50.4	7.3	3.5	3.3	4.4	2.6	3.0
			1300 1399	5.0	(4.4)	69.4	459.4	47.8	6.3	3.0	2.4	4.4	2.0	3.0
			1200 1299	3.0	(2.6)	69.2	414.4	42.3	5.8	2.5	3.0	4.7	2.0	3.3
				114.0	(3.6)	70.8	483.1	57.6	7.2	3.1	5.1	4.0	3.5	2.9
			1700 1799	1.0	(12.5)	71.7	535.0	63.0	9.4	3.8	6.0	4.0	4.0	3.0
			1600 1699	1.0	(12.5)	72.0	447.2	60.0	6.5	2.1	6.0	4.0	4.0	3.0
			1400 1499	1.0	(12.5)	70.8	439.5	48.0	7.4	2.5	4.0	4.0	3.0	3.0
			1300 1399	4.0	(50.0)	69.8	450.7	48.5	6.9	3.2	2.8	4.8	2.3	2.8
			1100 1199	1.0	(12.5)	70.4	334.0	43.0	5.1	2.0	2.0	5.0	2.0	4.0
				8.0	(0.2)	70.5	444.8	51.0	7.0	2.9	3.6	4.5	2.8	3.0
			1700 1799	6.0	(40.0)	71.4	548.4	64.2	8.4	3.4	5.8	4.0	4.2	3.0
			1600 1699	3.0	(20.0)	69.7	542.9	54.7	7.5	3.3	4.3	4.7	3.3	3.0
			1500 1599	3.0	(20.0)	70.8	520.2	60.7	7.5	3.2	3.7	4.7	2.7	3.0
			1400 1499	2.0	(13.3)	70.2	519.2	56.0	7.4	3.3	3.5	5.0	3.0	2.5
			1300 1399	1.0	(6.7)	68.3	412.0	40.0	6.0	3.5	2.0	6.0	2.0	3.0
				15.0	(0.5)	70.6	528.7	58.9	7.7	3.3	4.5	4.5	3.4	2.9
			1800 1899	1.0	(33.3)	73.4	481.6	70.0	8.7	3.1	6.0	4.0	4.0	2.0
			1700 1799	1.0	(33.3)	72.9	476.4	63.0	8.1	2.3	4.0	3.0	3.0	3.0
			1500 1599	1.0	(33.3)	71.1	456.4	50.0	6.9	1.8	4.0	4.0	3.0	2.0
				3.0	(0.1)	72.5	471.5	61.0	7.9	2.4	4.7	3.7	3.3	2.3
			2100 2199	1.0	(2.3)	71.8	513.0	70.0	8.3	4.3	8.0	4.0	5.0	3.0
			1800 1899	2.0	(4.5)	71.8	534.5	67.0	7.8	3.1	9.0	4.0	5.0	3.0
			1700 1799	5.0	(11.4)	72.4	487.7	64.8	8.0	3.0	5.8	4.0	4.0	2.8
			1600 1699	10.0	(22.7)	71.1	476.8	58.6	7.1	2.9	5.3	4.3	3.7	2.7
			1500 1599	15.0	(34.1)	71.3	466.1	57.1	7.0	2.6	3.9	4.4	2.9	2.5
			1400 1499	10.0	(22.7)	69.5	485.7	51.1	7.5	3.8	3.7	4.2	2.8	3.0
			1300 1399	1.0	(2.3)	67.7	518.6	49.0	7.6	5.1	3.0	4.0	2.0	3.0
				44.0	(1.4)	70.9	480.8	57.5	7.3	3.1	4.7	4.3	3.3	2.8
			1500 1599	2.0	(40.0)	69.8	445.8	50.0	6.7	3.3	3.5	4.0	3.0	2.5
			1400 1499	2.0	(40.0)	70.7	416.8	51.0	6.0	2.4	3.5	4.0	3.0	2.5
			800 899	1.0	(20.0)	69.5	558.4	67.0	7.3	5.0	2.0	5.0	2.0	3.0
				5.0	(0.2)	70.1	456.7	53.8	6.5	3.2	3.2	4.2	2.8	2.6

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1300 1399	1.0	(0.0)	70.1	345.4	37.0	5.0	1.1	3.0	5.0	2.0	2.0
			1900 1999	1.0	(3.8)	73.1	434.6	66.0	7.9	3.0	10.0	4.0	5.0	3.0
			1700 1799	8.0	(30.8)	71.6	481.6	62.6	7.5	3.2	6.8	3.8	4.1	2.8
			1600 1699	8.0	(30.8)	70.3	512.9	58.0	7.3	3.3	5.3	3.9	3.8	2.9
			1500 1599	6.0	(23.1)	69.6	527.8	53.8	7.6	3.6	3.8	4.0	3.0	3.0
			1400 1499	2.0	(7.7)	70.5	457.6	52.0	7.0	2.9	3.0	3.5	3.0	3.0
			1300 1399	1.0	(3.8)	66.1	563.4	48.0	6.4	5.3	3.0	5.0	3.0	3.0
				26.0	(0.8)	70.5	501.4	57.9	7.4	3.4	5.3	3.9	3.7	2.9
			1700 1799	1.0	(7.1)	73.9	444.0	67.0	8.3	2.4	5.0	4.0	4.0	3.0
			1600 1699	2.0	(14.3)	71.3	439.5	54.0	7.5	3.0	5.0	3.5	3.5	3.0
			1500 1599	3.0	(21.4)	71.6	451.3	59.7	7.3	3.0	3.7	4.0	3.0	3.0
			1400 1499	6.0	(42.9)	71.6	410.5	56.2	6.8	2.8	3.0	3.8	2.0	2.8
			1300 1399	2.0	(14.3)	70.5	386.6	48.0	6.2	2.6	2.5	4.5	2.0	3.0
				14.0	(0.4)	71.6	422.4	56.2	7.0	2.8	3.5	3.9	2.6	2.9
			1700 1799	1.0	(2.4)	73.4	472.4	72.0	7.1	2.4	5.0	4.0	4.0	3.0
			1600 1699	12.0	(29.3)	71.2	465.9	58.5	7.1	2.9	5.4	3.8	3.9	2.8
			1500 1599	14.0	(34.1)	69.8	483.5	52.6	7.1	3.4	4.1	4.1	3.1	2.9
			1400 1499	10.0	(24.4)	70.0	474.1	52.4	7.0	3.2	3.3	4.8	2.5	2.7
			1300 1399	4.0	(9.8)	70.4	481.7	54.0	6.9	2.9	3.0	4.3	2.0	3.0
				41.0	(1.3)	70.4	475.6	54.9	7.0	3.1	4.2	4.2	3.1	2.9
			1700 1799	6.0	(5.7)	73.0	487.3	71.7	6.8	2.4	8.7	4.5	4.8	2.5
			1600 1699	27.0	(25.7)	70.9	478.4	58.2	7.2	3.2	5.7	4.1	4.0	2.6
			1500 1599	48.0	(45.7)	70.1	499.0	54.5	7.5	3.5	3.6	4.3	3.0	2.9
			1400 1499	20.0	(19.0)	69.7	472.8	49.1	7.0	3.1	3.0	4.4	2.3	2.8
			1300 1399	3.0	(2.9)	69.9	461.8	47.0	6.8	2.6	2.3	4.3	2.0	2.3
			1100 1199	1.0	(1.0)	70.1	376.4	47.0	6.0	2.9	5.0	5.0	3.0	3.0
				105.0	(3.3)	70.4	485.8	55.1	7.3	3.2	4.3	4.3	3.2	2.8
			1800 1899	1.0	(16.7)	71.5	515.8	67.0	7.0	3.2	6.0	4.0	4.0	3.0
			1600 1699	1.0	(16.7)	70.4	560.5	67.0	7.9	4.3	5.0	4.0	4.0	3.0
			1500 1599	1.0	(16.7)	69.5	396.0	42.0	5.1	2.0	4.0	4.0	3.0	3.0
			1400 1499	2.0	(33.3)	70.3	417.0	48.5	6.0	2.5	3.0	4.5	2.5	3.0
			1200 1299	1.0	(16.7)	69.8	368.7	36.0	5.0	1.1	2.0	5.0	2.0	4.0
				6.0	(0.2)	70.3	445.8	51.5	6.2	2.6	3.8	4.3	3.0	3.2
			2000 2099	2.0	(4.8)	74.8	559.5	90.5	9.0	3.6	10.5	4.0	5.0	3.0
			1900 1999	1.0	(2.4)	75.8	545.2	96.0	7.7	2.5	9.0	3.0	5.0	3.0
			1800 1899	2.0	(4.8)	73.5	538.7	79.5	8.0	3.1	8.0	4.0	5.0	2.5
			1700 1799	2.0	(4.8)	71.4	449.1	57.0	7.3	2.9	6.5	4.0	4.0	3.0

7 11

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
				36.0	(1.1)	70.8	446.9	52.7	6.7	2.5	3.6	4.3	2.8	3.0
			2200 2299	1.0	(33.3)	70.4	501.5	53.0	8.1	3.4	9.0	4.0	5.0	3.0
			2000 2099	2.0	(66.7)	71.2	570.1	64.0	8.6	3.5	5.0	3.5	4.0	3.0
				3.0	(0.1)	70.9	547.3	60.3	8.4	3.4	6.3	3.7	4.3	3.0
			1800 1899	5.0	(1.6)	73.0	504.1	64.4	8.2	2.1	8.4	3.8	4.8	2.8
			1700 1799	3.0	(0.9)	73.0	506.0	67.3	8.3	2.6	6.0	4.3	4.3	2.7
			1600 1699	28.0	(8.8)	72.9	495.5	67.0	8.1	2.7	5.5	4.5	3.9	3.0
			1500 1599	63.0	(19.8)	71.0	501.9	58.1	7.7	3.1	4.9	4.5	3.7	2.9
			1400 1499	112.0	(35.2)	70.7	489.5	55.3	7.6	3.1	3.7	4.6	2.9	3.0
			1300 1399	104.0	(32.7)	70.3	474.2	52.4	7.2	3.1	2.9	4.9	2.1	3.0
			1200 1299	1.0	(0.3)	70.2	323.8	43.0	4.5	1.9	3.0	4.0	2.0	3.0
			1100 1199	1.0	(0.3)	69.5	441.6	45.0	5.1	1.8	2.0	5.0	2.0	3.0
			900 999	1.0	(0.3)	69.8	248.9	31.0	3.8	1.1	2.0	5.0	2.0	3.0
				318.0	(9.9)	70.9	486.5	56.1	7.5	3.0	3.9	4.6	2.9	3.0
			1800 1899	2.0	(20.0)	70.5	532.1	62.0	7.7	3.9	8.5	3.5	5.0	3.0
			1600 1699	2.0	(20.0)	69.9	554.8	66.5	7.5	4.7	5.5	4.0	4.0	3.0
			1500 1599	1.0	(10.0)	68.1	579.0	49.0	8.1	4.2	6.0	4.0	4.0	3.0
			1400 1499	3.0	(30.0)	67.9	574.5	49.3	7.7	4.3	3.7	4.3	3.0	2.7
			1200 1299	2.0	(20.0)	69.7	429.5	46.0	5.3	2.1	2.0	5.0	2.0	3.5
				10.0	(0.3)	69.2	533.5	54.6	7.2	3.8	4.9	4.2	3.5	3.0
			2300 2399	1.0	(0.0)	75.6	681.0	98.0	9.3	2.4	12.0	4.0	5.0	3.0
			2200 2299	3.0	(0.1)	71.5	488.5	60.0	7.6	2.9	8.3	4.0	4.3	4.0
			2100 2199	2.0	(0.1)	71.6	417.0	59.5	6.3	2.9	5.0	4.0	3.5	3.0
			2000 2099	8.0	(0.2)	73.4	567.1	81.4	8.6	3.6	8.9	3.6	4.8	3.0
			1900 1999	28.0	(0.9)	73.0	529.0	73.9	8.2	3.2	8.9	3.8	4.9	2.9
			1800 1899	84.0	(2.6)	72.8	523.9	70.3	7.9	2.7	7.7	3.9	4.5	2.8
			1700 1799	224.0	(7.0)	72.0	512.8	65.0	7.8	3.0	6.6	4.0	4.2	2.8
			1600 1699	468.0	(14.6)	71.7	508.0	62.9	7.7	3.0	5.6	4.1	3.9	2.9
			1500 1599	901.0	(28.1)	71.2	503.8	60.0	7.6	3.0	4.5	4.2	3.4	2.9
			1400 1499	914.0	(28.6)	70.6	493.8	56.1	7.4	3.1	3.6	4.4	2.8	2.9
			1300 1399	412.0	(12.9)	70.1	477.9	52.0	7.2	3.2	2.9	4.6	2.2	2.9
			1200 1299	86.0	(2.7)	69.4	467.8	48.7	6.9	3.4	2.9	4.6	2.3	3.0
			1100 1199	30.0	(0.9)	70.1	399.0	45.3	5.9	2.3	2.6	5.0	2.1	3.5
			1000 1099	28.0	(0.9)	69.9	382.6	40.2	5.8	1.9	2.4	5.1	2.1	3.6
			900 999	9.0	(0.3)	69.4	327.8	36.7	4.5	1.8	2.1	5.2	2.0	3.8
			800 899	3.0	(0.1)	69.6	388.1	44.7	5.4	2.5	2.0	5.3	1.7	3.3
	3201.0	(100.0)	71.0	496.1	58.4	7.5	3.0	4.4	4.3	3.2	2.9			

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
			2000 2099	1.0	(0.4)	75.2	571.0	82.0	9.1	2.0	10.0	4.0	5.0	3.0
			1800 1899	2.0	(0.8)	72.3	516.0	63.0	8.3	2.6	8.0	4.5	5.0	3.0
			1700 1799	6.0	(2.3)	71.2	528.7	56.3	8.5	2.8	7.3	4.5	4.2	3.0
			1600 1699	19.0	(7.3)	71.7	551.7	61.0	8.4	2.6	6.0	4.2	3.9	2.7
			1500 1599	58.0	(22.3)	71.1	530.1	57.4	8.1	2.8	3.9	4.2	3.1	2.9
			1400 1499	105.0	(40.4)	70.5	531.6	54.1	7.9	2.8	3.4	4.6	2.7	2.8
			1300 1399	48.0	(18.5)	70.0	505.6	49.1	7.1	2.4	2.7	4.8	2.2	2.8
			1200 1299	13.0	(5.0)	69.3	496.4	45.1	6.9	2.6	2.8	4.5	2.2	2.7
			1100 1199	4.0	(1.5)	70.6	357.0	42.0	5.5	1.6	2.8	4.8	2.3	3.0
			1000 1099	4.0	(1.5)	69.7	274.5	32.5	4.6	1.7	1.8	5.0	1.8	3.3
				260.0	(9.0)	70.6	519.5	53.7	7.7	2.7	3.7	4.5	2.8	2.8
			1900 1999	1.0	(5.0)	72.4	624.0	74.0	8.3	2.5	9.0	4.0	5.0	3.0
			1600 1699	3.0	(15.0)	70.8	583.3	61.3	7.9	2.9	4.7	4.0	3.7	3.0
			1500 1599	4.0	(20.0)	70.9	558.8	57.0	8.4	2.8	4.0	4.8	3.0	3.0
			1400 1499	7.0	(35.0)	70.5	570.6	54.9	8.4	2.8	3.7	4.4	2.7	3.0
			1300 1399	4.0	(20.0)	69.0	553.3	47.3	8.2	3.4	2.8	4.5	2.0	3.0
			1200 1299	1.0	(5.0)	67.9	563.0	44.0	8.3	4.0	3.0	5.0	2.0	3.0
				20.0	(0.7)	70.3	569.0	55.1	8.3	3.0	4.0	4.5	2.9	3.0
			1600 1699	1.0	(4.0)	73.4	532.0	69.0	8.0	1.7	7.0	3.0	4.0	3.0
			1500 1599	7.0	(28.0)	70.9	537.6	58.7	7.8	2.9	4.1	3.9	3.4	2.7
			1400 1499	8.0	(32.0)	70.9	497.1	54.8	7.5	2.6	3.4	4.3	2.9	2.9
			1300 1399	7.0	(28.0)	70.2	458.6	49.3	6.9	2.7	2.7	4.1	2.0	2.7
			1200 1299	2.0	(8.0)	71.2	416.0	49.5	6.3	1.7	2.0	5.0	2.0	2.5
				25.0	(0.9)	70.8	492.6	54.5	7.3	2.6	3.4	4.1	2.8	2.8
			1800 1899	1.0	(2.0)	70.0	639.4	69.0	9.3	5.0	7.0	4.0	4.0	3.0
			1700 1799	7.0	(13.7)	71.1	578.3	60.4	8.6	2.8	6.3	3.9	4.3	2.9
			1600 1699	5.0	(9.8)	71.3	536.1	63.2	7.9	3.2	5.4	4.0	4.0	2.8
			1500 1599	19.0	(37.3)	70.5	573.2	55.6	8.7	3.0	4.2	4.3	3.3	2.8
			1400 1499	13.0	(25.5)	69.4	576.6	51.8	8.2	3.3	3.6	3.9	3.0	2.9
			1300 1399	3.0	(5.9)	67.1	601.8	47.7	7.4	4.4	2.7	4.0	2.7	3.0
			1200 1299	1.0	(2.0)	68.0	748.5	60.0	9.3	4.6	3.0	4.0	3.0	3.0
			900 999	2.0	(3.9)	71.9	287.0	46.5	6.2	2.3	2.5	4.0	2.0	3.5
				51.0	(1.8)	70.2	566.3	55.6	8.3	3.2	4.3	4.1	3.4	2.9
			1700 1799	1.0	(7.1)	71.3	548.0	62.0	8.2	2.9	7.0	4.0	4.0	3.0
			1600 1699	1.0	(7.1)	71.0	615.0	67.0	8.8	3.6	6.0	4.0	4.0	3.0
			1500 1599	3.0	(21.4)	71.7	593.7	68.0	8.5	3.0	7.0	4.3	4.3	3.0
			1400 1499	2.0	(14.3)	71.8	540.0	66.0	7.6	2.6	3.5	4.0	2.5	3.0
			1300 1399	4.0	(28.6)	70.1	551.3	53.3	7.6	2.7	3.8	3.8	2.5	3.0
			1200 1299	2.0	(14.3)	70.0	327.3	34.5	5.8	1.8	2.0	4.5	2.0	3.0
			1100 1199	1.0	(7.1)	70.7	290.0	34.0	5.2	1.0	2.0	3.0	2.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				14.0	(0.5)	70.9	512.4	55.8	7.5	2.6	4.4	4.0	3.0	3.0
			1500 1599	1.0	(50.0)	73.7	377.0	57.0	7.6	1.5	6.0	5.0	4.0	3.0
			1400 1499	1.0	(50.0)	69.2	562.0	51.0	8.0	3.4	5.0	4.0	4.0	3.0
				2.0	(0.1)	71.5	469.5	54.0	7.8	2.5	5.5	4.5	4.0	3.0
			1900 1999	1.0	(0.5)	73.4	654.0	79.0	9.3	2.6	9.0	4.0	5.0	3.0
			1800 1899	6.0	(2.9)	72.3	579.0	68.3	8.3	2.6	8.0	4.0	4.8	2.7
			1700 1799	8.0	(3.9)	72.2	563.2	67.8	8.4	2.9	7.0	3.8	4.4	2.8
			1600 1699	32.0	(15.5)	71.7	576.5	63.2	8.6	2.7	5.2	3.9	3.8	2.8
			1500 1599	76.0	(36.7)	70.8	551.3	57.5	7.9	2.7	4.1	4.1	3.2	2.9
			1400 1499	52.0	(25.1)	70.0	574.6	56.6	8.0	3.1	3.4	4.3	2.7	2.7
			1300 1399	29.0	(14.0)	69.0	570.6	52.3	7.7	3.5	3.4	4.3	2.7	3.0
			1200 1299	3.0	(1.4)	68.8	534.7	47.0	7.9	3.7	3.0	5.0	2.0	2.7
				207.0	(7.2)	70.6	565.3	58.1	8.1	3.0	4.2	4.1	3.2	2.8
			2100 2199	1.0	(0.2)	72.8	627.0	72.0	10.5	3.5	12.0	4.0	5.0	3.0
			1900 1999	1.0	(0.2)	72.3	660.0	75.0	9.2	3.0	10.0	4.0	5.0	3.0
			1800 1899	13.0	(2.4)	72.6	610.8	71.1	8.8	2.5	8.2	3.8	4.7	2.8
			1700 1799	48.0	(8.9)	71.9	579.4	66.1	8.4	2.7	7.3	4.0	4.4	2.7
			1600 1699	89.0	(16.5)	71.5	590.7	64.3	8.5	2.8	5.8	4.0	4.0	2.9
			1500 1599	187.0	(34.8)	71.0	591.0	62.2	8.2	2.9	4.6	4.2	3.4	2.8
			1400 1499	149.0	(27.7)	70.3	583.4	59.4	7.9	3.0	3.6	4.3	2.8	2.8
			1300 1399	43.0	(8.0)	69.6	588.5	56.3	8.1	3.4	2.9	4.5	2.2	2.9
			1200 1299	6.0	(1.1)	68.5	617.2	51.5	8.4	3.8	2.7	4.5	2.0	2.7
			1100 1199	1.0	(0.2)	68.3	673.0	60.0	7.9	4.2	2.0	4.0	2.0	3.0
				538.0	(18.7)	70.9	588.7	61.8	8.2	2.9	4.7	4.2	3.3	2.8
			1900 1999	1.0	(0.7)	71.8	534.0	59.0	8.7	2.7	7.0	5.0	4.0	3.0
			1800 1899	4.0	(2.8)	73.3	582.5	74.0	9.4	3.0	8.3	4.0	4.8	3.0
			1700 1799	12.0	(8.5)	72.1	556.2	66.9	8.0	2.6	6.9	3.8	4.5	2.5
			1600 1699	22.0	(15.6)	71.5	558.2	63.7	7.8	2.7	6.1	3.9	4.0	2.5
			1500 1599	68.0	(48.2)	71.2	551.8	61.6	7.7	2.7	4.6	4.0	3.4	2.6
			1400 1499	24.0	(17.0)	69.7	535.9	54.6	7.5	3.4	3.6	4.2	2.8	2.6
			1300 1399	10.0	(7.1)	69.3	549.3	55.2	7.5	3.7	3.4	4.0	2.6	2.8
				141.0	(4.9)	71.0	551.0	61.1	7.8	2.9	4.9	4.0	3.5	2.6
			1500 1599	7.0	(70.0)	70.4	514.5	52.4	8.0	3.0	3.9	4.1	3.1	3.0
			1400 1499	2.0	(20.0)	68.7	498.0	49.5	7.6	4.4	3.0	4.0	3.0	3.0
			1300 1399	1.0	(10.0)	73.0	395.0	57.0	6.2	1.1	3.0	5.0	2.0	3.0
				10.0	(0.3)	70.3	499.3	52.3	7.7	3.1	3.6	4.2	3.0	3.0
			1900 1999	7.0	(1.4)	72.8	596.3	72.6	9.0	2.8	8.1	3.9	5.0	3.0
			1800 1899	17.0	(3.4)	72.5	597.5	71.1	8.7	2.8	8.6	4.2	4.8	2.9

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1700 1799	54.0	(10.7)	71.6	585.5	65.6	8.5	2.9	7.1	4.3	4.3	2.9
			1600 1699	101.0	(20.0)	71.2	574.9	62.3	8.3	2.9	5.9	4.1	3.9	2.9
			1500 1599	158.0	(31.3)	70.7	559.7	59.4	8.0	3.0	4.4	4.2	3.3	2.9
			1400 1499	140.0	(27.7)	70.2	543.1	55.1	7.6	3.0	3.6	4.4	2.7	2.9
			1300 1399	21.0	(4.2)	69.4	534.6	51.1	7.5	3.3	2.9	4.4	2.2	2.9
			1200 1299	5.0	(1.0)	68.5	569.2	54.8	7.5	4.3	3.0	4.6	2.2	3.0
			1000 1099	2.0	(0.4)	70.3	256.0	34.5	3.5	0.7	1.0	5.0	1.0	4.0
				505.0	(17.5)	70.8	560.5	59.5	8.0	3.0	4.9	4.3	3.4	2.9
			1700 1799	2.0	(16.7)	71.0	551.5	57.5	8.0	2.6	7.5	4.0	4.5	2.0
			1500 1599	2.0	(16.7)	70.7	519.5	57.0	7.5	3.0	3.0	4.0	3.0	2.0
			1400 1499	6.0	(50.0)	69.8	557.3	53.0	8.1	3.3	4.0	4.3	3.2	2.3
			1300 1399	2.0	(16.7)	67.7	572.5	52.0	7.2	4.5	3.5	4.0	3.0	2.0
				12.0	(0.4)	69.8	552.6	54.3	7.8	3.3	4.3	4.2	3.3	2.2
			1600 1699	3.0	(13.6)	71.3	603.7	64.7	8.1	2.6	5.7	4.3	4.0	2.0
			1500 1599	3.0	(13.6)	70.9	567.7	62.0	8.2	3.3	4.0	4.0	3.3	2.7
			1400 1499	6.0	(27.3)	69.8	545.5	50.5	7.4	2.4	3.2	4.7	2.7	2.0
			1300 1399	8.0	(36.4)	69.2	463.1	43.1	6.4	2.5	3.1	4.5	2.4	2.1
			1200 1299	1.0	(4.5)	68.9	380.0	38.0	5.6	2.7	2.0	5.0	2.0	3.0
			1100 1199	1.0	(4.5)	69.7	288.0	30.0	5.0	1.5	2.0	5.0	2.0	3.0
				22.0	(0.8)	69.9	507.3	49.8	7.0	2.6	3.5	4.5	2.8	2.2
			1600 1699	2.0	(1.8)	70.9	533.5	54.5	8.2	2.6	6.5	4.0	4.5	3.0
			1500 1599	9.0	(8.3)	71.5	525.1	58.7	7.6	2.2	4.8	4.6	3.4	2.9
			1400 1499	57.0	(52.3)	70.6	521.2	55.8	7.7	2.9	3.5	4.4	2.8	2.9
			1300 1399	40.0	(36.7)	69.8	504.4	51.1	7.1	2.9	2.7	4.7	2.1	2.9
			1200 1299	1.0	(0.9)	70.3	386.0	45.0	5.4	2.0	2.0	5.0	2.0	3.0
				109.0	(3.8)	70.4	514.3	54.2	7.5	2.9	3.4	4.5	2.6	2.9
			1700 1799	1.0	(7.1)	70.6	570.0	60.0	7.5	2.7	6.0	3.0	4.0	3.0
			1600 1699	5.0	(35.7)	71.1	509.4	55.2	7.1	2.0	5.2	4.0	4.0	2.6
			1500 1599	1.0	(7.1)	70.6	509.0	56.0	7.2	2.7	4.0	4.0	3.0	3.0
			1400 1499	4.0	(28.6)	69.5	556.4	52.5	7.5	3.0	4.0	4.0	3.3	3.0
			1300 1399	2.0	(14.3)	69.0	530.8	47.0	7.0	2.8	3.0	4.0	3.0	3.0
			1100 1199	1.0	(7.1)	67.4	577.5	48.0	8.2	4.9	2.0	4.0	2.0	3.0
				14.0	(0.5)	70.0	535.0	53.1	7.3	2.7	4.3	3.9	3.4	2.9
			1700 1799	1.0	(50.0)	72.1	489.0	55.0	7.7	1.6	4.0	3.0	3.0	2.0
			1600 1699	1.0	(50.0)	70.8	538.5	54.0	7.2	1.8	3.0	4.0	3.0	3.0
				2.0	(0.1)	71.5	513.8	54.5	7.5	1.7	3.5	3.5	3.0	2.5
			1700 1799	1.0	(33.3)	73.0	498.4	66.0	7.4	1.8	5.0	4.0	4.0	2.0
			1400 1499	1.0	(33.3)	69.9	400.5	44.0	6.5	2.8	3.0	4.0	3.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1100 1199	1.0	(33.3)	70.2	194.0	26.0	4.0	0.9	3.0	3.0	2.0	2.0
				3.0	(0.1)	71.0	364.3	45.3	6.0	1.8	3.7	3.7	3.0	2.3
			1900 1999	1.0	(0.9)	74.2	521.5	67.0	9.0	1.5	9.0	3.0	5.0	2.0
			1800 1899	2.0	(1.9)	73.6	569.5	75.5	8.3	2.3	7.5	3.5	4.5	3.0
			1700 1799	10.0	(9.3)	71.3	555.5	61.7	8.3	3.0	6.7	3.7	4.1	2.6
			1600 1699	32.0	(29.6)	71.1	569.8	61.2	8.0	2.7	5.8	3.8	4.1	2.6
			1500 1599	31.0	(28.7)	70.0	559.3	55.7	7.7	3.1	4.5	4.0	3.4	2.8
			1400 1499	15.0	(13.9)	70.4	532.9	55.1	7.7	2.8	3.4	4.6	2.5	2.8
			1300 1399	13.0	(12.0)	69.7	555.6	55.4	7.4	3.2	3.0	4.2	2.2	2.9
			1200 1299	2.0	(1.9)	69.7	544.6	56.0	7.3	3.3	2.5	5.0	2.0	3.0
			1100 1199	1.0	(0.9)	70.1	331.0	38.0	4.6	1.3	2.0	5.0	2.0	3.0
			1000 1099	1.0	(0.9)	71.0	302.0	39.0	5.4	1.4	2.0	5.0	2.0	4.0
				108.0	(3.8)	70.6	553.0	57.9	7.8	2.9	4.7	4.0	3.4	2.8
			1800 1899	9.0	(7.0)	72.0	541.4	64.4	8.0	2.5	8.1	3.7	4.8	2.8
			1700 1799	19.0	(14.8)	71.3	533.5	59.2	7.8	2.6	6.3	3.8	4.1	2.8
			1600 1699	29.0	(22.7)	70.2	541.1	55.4	7.5	2.9	5.3	3.8	3.8	2.7
			1500 1599	48.0	(37.5)	70.0	528.7	54.0	7.5	3.1	4.2	4.0	3.2	2.8
			1400 1499	15.0	(11.7)	69.2	544.1	53.6	7.2	3.5	3.1	4.4	2.3	2.9
			1300 1399	5.0	(3.9)	69.3	583.1	58.4	7.9	4.0	3.6	4.4	2.4	3.0
			1200 1299	2.0	(1.6)	68.4	401.8	40.0	5.3	2.9	3.0	4.5	2.5	3.0
			1000 1099	1.0	(0.8)	67.1	453.8	43.0	5.7	4.5	2.0	4.0	2.0	3.0
				128.0	(4.4)	70.2	534.5	55.6	7.5	3.0	4.9	4.0	3.4	2.8
			1600 1699	1.0	(14.3)	70.4	524.7	60.0	7.1	3.3	5.0	4.0	4.0	3.0
			1500 1599	2.0	(28.6)	70.7	540.5	60.5	7.7	3.2	3.0	4.0	3.0	3.0
			1400 1499	2.0	(28.6)	70.0	474.6	50.0	6.8	2.8	3.5	4.5	3.0	3.0
			1300 1399	2.0	(28.6)	70.4	423.3	46.5	6.5	2.3	3.0	5.0	2.0	3.0
				7.0	(0.2)	70.4	485.9	53.4	7.0	2.8	3.4	4.4	2.9	3.0
			1700 1799	6.0	(7.9)	72.8	597.8	78.0	8.8	3.5	5.5	4.0	3.8	3.0
			1600 1699	65.0	(85.5)	70.5	561.1	54.4	8.7	3.1	4.4	4.3	3.3	2.9
			1500 1599	2.0	(2.6)	69.2	531.8	45.5	8.3	3.3	4.0	4.5	3.5	3.0
			1400 1499	3.0	(3.9)	69.4	461.0	45.3	7.3	3.3	3.7	4.7	3.0	2.7
				76.0	(2.6)	70.6	559.3	55.7	8.6	3.1	4.4	4.3	3.4	2.9
			1600 1699	1.0	(0.0)	70.5	566.2	66.0	8.0	4.1	7.0	4.0	4.0	3.0
			1300 1399	1.0	(0.0)	69.3	465.8	43.0	6.1	2.1	2.0	5.0	2.0	3.0
			1600 1699	1.0	(25.0)	71.4	485.0	63.0	7.7	3.6	5.0	5.0	3.0	3.0
			1400 1499	2.0	(50.0)	70.2	468.5	50.0	6.6	2.5	2.0	4.5	2.0	2.0
			1300 1399	1.0	(25.0)	70.3	407.0	46.0	5.9	2.1	3.0	5.0	2.0	2.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				4.0	(0.1)	70.5	457.3	52.3	6.7	2.7	3.0	4.8	2.3	2.3
			1400 1499	1.0	(0.0)	66.7	469.8	40.0	5.5	4.0	3.0	4.0	2.0	3.0
			1800 1899	2.0	(18.2)	72.0	504.2	62.5	7.5	2.5	9.0	4.0	5.0	3.0
			1700 1799	2.0	(18.2)	69.7	541.1	57.5	7.9	4.0	6.5	3.5	4.0	2.5
			1600 1699	3.0	(27.3)	70.1	578.9	60.3	7.2	2.9	7.0	4.0	4.0	3.0
			1500 1599	3.0	(27.3)	70.9	544.4	59.3	7.4	2.5	4.7	4.0	3.3	3.0
			1400 1499	1.0	(9.1)	69.5	454.6	45.0	6.7	2.8	4.0	4.0	3.0	3.0
				11.0	(0.4)	70.5	537.7	58.5	7.4	2.9	6.4	3.9	3.9	2.9
			1700 1799	1.0	(3.7)	72.9	498.0	60.0	7.9	1.4	5.0	4.0	4.0	3.0
			1600 1699	5.0	(18.5)	71.6	560.8	62.6	8.0	2.5	4.6	3.8	3.2	2.8
			1500 1599	7.0	(25.9)	71.8	491.1	60.3	7.7	2.7	3.6	3.9	3.3	3.0
			1400 1499	7.0	(25.9)	70.9	428.6	52.0	6.5	2.5	3.0	4.0	2.3	2.7
			1300 1399	6.0	(22.2)	70.3	396.7	45.5	5.8	2.1	3.0	4.3	2.2	2.3
			1200 1299	1.0	(3.7)	68.9	335.0	33.0	4.7	1.9	3.0	5.0	2.0	3.0
				27.0	(0.9)	71.1	461.3	54.3	6.9	2.4	3.5	4.0	2.7	2.7
			1600 1699	5.0	(25.0)	70.7	495.3	54.2	6.9	2.4	5.2	3.6	3.6	2.2
			1500 1599	7.0	(35.0)	70.1	523.2	54.7	6.9	2.6	4.0	4.4	3.1	2.7
			1400 1499	6.0	(30.0)	70.0	487.5	47.2	7.3	2.4	3.7	4.0	3.0	2.3
			1300 1399	2.0	(10.0)	67.8	437.1	32.0	5.7	2.1	2.5	4.5	2.0	2.0
				20.0	(0.7)	70.0	496.9	50.0	6.9	2.5	4.0	4.1	3.1	2.4
			1600 1699	12.0	(25.0)	70.4	514.2	55.3	7.9	3.3	5.3	4.3	4.0	2.8
			1500 1599	14.0	(29.2)	70.9	493.3	55.1	7.3	2.6	3.8	4.4	3.1	2.9
			1400 1499	10.0	(20.8)	69.3	486.1	46.1	7.1	3.0	3.4	4.5	2.8	2.8
			1300 1399	11.0	(22.9)	69.9	493.0	50.1	7.1	2.8	2.5	4.2	2.1	2.8
			1000 1099	1.0	(2.1)	68.6	318.6	27.0	4.6	1.5	3.0	5.0	2.0	3.0
				48.0	(1.7)	70.2	493.3	51.5	7.3	2.9	3.8	4.3	3.0	2.8
			1800 1899	2.0	(15.4)	70.3	563.9	57.0	7.0	2.3	7.5	4.0	4.5	3.0
			1700 1799	1.0	(7.7)	72.8	518.9	65.0	7.0	1.4	7.0	5.0	4.0	3.0
			1600 1699	4.0	(30.8)	70.6	510.4	56.5	6.5	2.4	6.0	4.8	4.0	3.0
			1500 1599	3.0	(23.1)	70.2	501.5	50.7	6.5	2.0	4.0	4.3	3.0	3.0
			1400 1499	2.0	(15.4)	68.9	503.6	47.0	6.7	3.0	3.5	4.0	3.0	3.0
			1200 1299	1.0	(7.7)	67.4	355.9	28.0	4.3	2.3	2.0	4.0	2.0	4.0
				13.0	(0.5)	70.1	504.3	52.2	6.4	2.3	5.2	4.4	3.5	3.1
			1800 1899	1.0	(2.3)	73.5	620.2	79.0	9.4	2.8	10.0	4.0	5.0	3.0
			1700 1799	2.0	(4.7)	72.4	624.7	76.0	8.4	2.9	7.5	4.0	5.0	3.0
			1600 1699	8.0	(18.6)	70.2	566.9	58.9	7.5	3.1	4.9	3.8	3.6	2.6
			1500 1599	21.0	(48.8)	70.1	534.8	53.3	7.3	2.6	4.2	4.1	3.1	2.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1400 1499	11.0	(25.6)	68.9	497.6	45.1	6.6	2.8	3.0	4.5	2.2	2.5
				43.0	(1.5)	70.0	537.4	53.9	7.3	2.7	4.3	4.1	3.1	2.6
			1700 1799	2.0	(22.2)	72.2	519.4	65.0	8.0	2.8	7.5	4.0	4.5	3.0
			1500 1599	2.0	(22.2)	70.0	537.0	57.0	7.5	3.5	4.5	4.0	3.0	3.0
			1400 1499	5.0	(55.6)	70.3	529.4	56.4	7.6	3.2	3.0	4.4	2.6	3.0
				9.0	(0.3)	70.7	528.9	58.4	7.7	3.1	4.3	4.2	3.1	3.0
			1800 1899	2.0	(5.7)	71.3	577.7	64.0	8.2	2.9	8.5	3.5	5.0	3.0
			1700 1799	7.0	(20.0)	71.2	549.3	64.1	7.8	3.1	7.1	3.6	4.4	2.6
			1600 1699	8.0	(22.9)	70.2	537.0	54.1	7.3	2.6	5.0	4.0	3.8	2.4
			1500 1599	13.0	(37.1)	69.9	507.2	51.7	7.6	3.2	4.5	3.9	3.3	2.8
			1400 1499	5.0	(14.3)	69.5	526.9	53.0	7.2	3.3	3.0	3.8	2.4	2.6
				35.0	(1.2)	70.3	529.3	55.6	7.6	3.0	5.1	3.8	3.6	2.7
			1900 1999	1.0	(1.2)	74.9	597.5	90.0	8.7	2.8	9.0	4.0	5.0	3.0
			1800 1899	3.0	(3.6)	73.3	546.6	72.7	7.9	2.2	8.0	4.0	5.0	3.0
			1700 1799	17.0	(20.2)	71.4	538.7	64.8	7.1	2.6	6.6	3.9	4.2	2.9
			1600 1699	25.0	(29.8)	70.9	530.3	59.1	7.1	2.5	4.9	3.9	3.6	3.0
			1500 1599	26.0	(31.0)	70.8	511.7	56.6	7.1	2.5	3.7	4.1	3.1	2.9
			1400 1499	11.0	(13.1)	70.5	496.2	55.1	6.8	2.6	3.4	4.3	2.4	2.9
			1300 1399	1.0	(1.2)	69.6	523.2	52.0	6.8	2.8	2.0	5.0	2.0	3.0
				84.0	(2.9)	71.0	523.1	59.7	7.1	2.5	4.8	4.0	3.4	2.9
			1700 1799	1.0	(20.0)	71.7	527.1	60.0	8.5	2.9	8.0	4.0	5.0	3.0
			1500 1599	1.0	(20.0)	69.6	494.0	58.0	6.7	4.0	5.0	4.0	4.0	3.0
			1400 1499	3.0	(60.0)	71.2	510.9	55.7	7.2	2.0	4.0	4.7	3.0	2.7
				5.0	(0.2)	71.0	510.7	57.0	7.3	2.6	5.0	4.4	3.6	2.8
			1700 1799	5.0	(13.2)	72.2	588.6	69.4	8.3	2.7	7.6	3.6	4.8	3.0
			1600 1699	8.0	(21.1)	70.7	570.2	62.3	7.4	2.9	5.9	4.1	4.3	3.0
			1500 1599	7.0	(18.4)	70.7	571.0	60.7	7.4	2.6	4.3	4.1	3.3	3.0
			1400 1499	13.0	(34.2)	69.5	503.7	47.8	7.3	2.9	3.8	4.2	3.2	3.0
			1300 1399	3.0	(7.9)	69.4	567.8	54.3	7.3	3.2	3.3	5.0	2.3	3.0
			1200 1299	1.0	(2.6)	69.7	314.7	37.0	3.8	1.2	2.0	5.0	2.0	3.0
			1100 1199	1.0	(2.6)	69.6	308.9	33.0	4.5	1.3	2.0	5.0	2.0	3.0
				38.0	(1.3)	70.3	536.2	55.9	7.3	2.8	4.7	4.2	3.5	3.0
			2500	2.0	(2.1)	72.3	565.0	65.5	8.8	2.8	9.0	4.0	5.0	3.0
			2000 2099	3.0	(3.1)	71.0	581.1	59.3	8.9	3.1	6.7	3.7	4.3	3.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1800 1899	3.0	(3.1)	72.3	547.4	67.3	7.8	2.4	5.7	4.0	4.0	2.7
			1700 1799	18.0	(18.8)	71.2	592.7	65.7	8.1	3.0	6.4	3.7	4.1	3.0
			1600 1699	15.0	(15.6)	70.5	555.0	58.4	7.7	2.8	4.8	3.8	3.7	2.9
			1500 1599	35.0	(36.5)	70.3	570.4	60.2	7.6	3.1	4.4	4.0	3.3	2.9
			1400 1499	15.0	(15.6)	69.5	577.3	55.1	7.8	3.3	3.7	4.1	3.1	2.9
			1300 1399	4.0	(4.2)	68.8	570.5	52.3	6.9	3.2	2.5	4.5	2.0	2.8
			1200 1299	1.0	(1.0)	70.5	310.2	38.0	4.0	0.7	2.0	5.0	2.0	2.0
				96.0	(3.3)	70.5	570.1	59.9	7.7	3.0	4.8	4.0	3.5	2.9
			1800 1899	1.0	(9.1)	72.0	604.7	68.0	8.7	2.7	10.0	4.0	5.0	3.0
			1600 1699	3.0	(27.3)	70.9	581.6	56.7	8.5	2.5	6.3	4.3	4.0	3.0
			1500 1599	1.0	(9.1)	68.7	612.9	59.0	8.3	4.7	6.0	5.0	4.0	3.0
			1400 1499	5.0	(45.5)	70.3	597.7	60.6	8.2	3.3	3.8	4.8	3.0	3.0
			1300 1399	1.0	(9.1)	68.3	627.0	53.0	7.4	3.4	3.0	5.0	2.0	3.0
				11.0	(0.4)	70.3	598.0	59.4	8.3	3.2	5.2	4.6	3.5	3.0
			1800 1899	9.0	(5.2)	72.2	544.0	66.1	8.1	2.6	9.3	4.0	5.0	2.7
			1700 1799	2.0	(1.2)	69.4	568.6	56.0	7.1	3.2	7.0	3.5	4.5	3.0
			1600 1699	47.0	(27.2)	71.3	529.7	59.1	7.9	2.6	5.9	4.3	4.0	2.9
			1500 1599	24.0	(13.9)	70.9	536.1	57.3	7.4	2.5	4.2	4.1	3.3	2.9
			1400 1499	53.0	(30.6)	70.6	520.9	53.7	7.5	2.6	3.8	4.5	2.9	3.0
			1300 1399	38.0	(22.0)	70.1	516.4	52.7	7.0	2.6	2.9	4.8	2.1	3.0
				173.0	(6.0)	70.8	526.2	56.1	7.5	2.6	4.6	4.4	3.2	2.9
			1400 1499	3.0	(60.0)	70.0	606.4	55.7	7.9	2.6	4.0	4.0	3.0	3.0
			1300 1399	2.0	(40.0)	69.5	452.2	45.5	5.8	2.2	2.5	5.0	2.0	2.5
				5.0	(0.2)	69.8	544.7	51.6	7.1	2.4	3.4	4.4	2.6	2.8
			2500	2.0	(0.1)	72.3	565.0	65.5	8.8	2.8	9.0	4.0	5.0	3.0
			2100 2199	1.0	(0.0)	72.8	627.0	72.0	10.5	3.5	12.0	4.0	5.0	3.0
			2000 2099	4.0	(0.1)	72.0	578.5	65.0	8.9	2.8	7.5	3.8	4.5	3.0
			1900 1999	13.0	(0.5)	73.0	597.3	73.2	8.9	2.7	8.5	3.9	4.9	2.9
			1800 1899	77.0	(2.7)	72.3	575.1	68.7	8.4	2.6	8.3	3.9	4.8	2.8
			1700 1799	234.0	(8.1)	71.6	568.3	64.8	8.2	2.8	6.9	4.0	4.3	2.8
			1600 1699	556.0	(19.3)	71.1	561.5	60.3	8.1	2.8	5.5	4.1	3.8	2.8
			1500 1599	850.0	(29.5)	70.7	555.1	58.8	7.9	2.9	4.3	4.1	3.3	2.8
			1400 1499	765.0	(26.6)	70.2	543.9	55.1	7.7	3.0	3.5	4.4	2.8	2.8
			1300 1399	312.0	(10.8)	69.7	528.7	51.6	7.3	3.0	2.9	4.5	2.2	2.8
			1200 1299	43.0	(1.5)	69.1	497.2	46.3	6.9	3.0	2.7	4.7	2.1	2.8
			1100 1199	11.0	(0.4)	69.9	371.9	39.7	5.6	1.9	2.4	4.4	2.1	2.9
			1000 1099	9.0	(0.3)	69.6	298.3	34.2	4.6	1.7	1.8	4.9	1.7	3.4
			900 999	2.0	(0.1)	71.9	287.0	46.5	6.2	2.3	2.5	4.0	2.0	3.5
				2879.0	(100.0)	70.6	549.8	57.8	7.8	2.9	4.5	4.2	3.2	2.8