

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2000 2099	1.0	(0.3)	73.0	618.0	74.0	9.3	2.7	8.0	4.0	5.0	3.0
			1900 1999	4.0	(1.1)	73.1	575.3	74.0	8.6	2.8	7.3	4.3	4.3	2.8
			1800 1899	6.0	(1.7)	73.1	564.7	75.0	8.3	2.8	6.7	4.0	4.2	3.0
			1700 1799	16.0	(4.5)	71.6	550.9	64.8	8.6	3.4	6.1	4.3	3.9	2.8
			1600 1699	53.0	(15.0)	71.7	525.0	64.1	8.0	3.1	4.5	4.4	3.4	2.8
			1500 1599	93.0	(26.3)	71.3	500.6	59.2	7.8	3.0	3.8	4.5	2.8	2.9
			1400 1499	79.0	(22.4)	70.9	497.9	56.4	7.6	3.0	3.3	4.6	2.5	2.9
			1300 1399	56.0	(15.9)	70.3	481.9	53.6	7.4	3.3	3.5	4.7	2.6	3.0
			1200 1299	24.0	(6.8)	69.8	489.4	52.3	7.4	3.5	2.5	4.8	2.0	3.0
			1100 1199	9.0	(2.5)	70.2	401.1	44.8	6.2	2.4	2.6	5.1	2.1	3.4
			1000 1099	3.0	(0.8)	69.9	388.0	43.3	5.7	2.2	2.0	4.7	2.0	3.3
			800 899	7.0	(2.0)	70.3	460.6	51.0	6.1	2.2	3.1	5.0	2.3	3.9
			700 799	2.0	(0.6)	68.7	459.5	42.5	5.8	2.6	3.0	6.0	2.0	6.5
				353.0	(9.6)	71.0	500.0	57.9	7.7	3.1	3.8	4.6	2.8	3.0
			1800 1899	1.0	(3.1)	72.0	556.0	62.0	8.5	2.4	6.0	4.0	4.0	3.0
			1700 1799	2.0	(6.3)	72.9	412.0	59.5	7.3	2.1	6.5	4.0	4.0	2.5
			1600 1699	5.0	(15.6)	72.0	493.6	60.2	8.3	2.8	5.0	4.4	3.4	3.0
			1500 1599	7.0	(21.9)	71.4	503.6	58.1	7.9	2.8	4.3	4.6	3.1	3.0
			1400 1499	1.0	(3.1)	72.0	449.0	66.0	6.8	3.2	4.0	5.0	3.0	3.0
			1300 1399	3.0	(9.4)	71.8	537.0	63.0	7.5	2.2	4.0	4.3	3.0	3.0
			1200 1299	2.0	(6.3)	71.2	450.0	54.5	6.5	2.1	3.0	5.0	2.5	3.0
			1100 1199	5.0	(15.6)	70.1	344.6	40.0	5.2	1.8	2.2	4.8	2.0	3.6
			1000 1099	1.0	(3.1)	70.0	280.0	38.0	3.7	1.4	2.0	5.0	2.0	3.0
			900 999	4.0	(12.5)	69.7	354.5	38.3	4.5	1.4	1.8	5.8	1.3	4.5
			700 799	1.0	(3.1)	70.7	364.0	41.0	5.0	0.8	2.0	5.0	1.0	5.0
				32.0	(0.9)	71.2	441.2	52.7	6.7	2.2	3.7	4.7	2.7	3.3
			1800 1899	2.0	(5.1)	71.8	538.0	64.5	8.0	2.9	7.0	4.0	4.0	3.0
			1700 1799	5.0	(12.8)	71.6	526.4	64.8	8.0	3.2	6.4	4.0	4.2	3.0
			1600 1699	9.0	(23.1)	72.4	478.9	64.2	7.7	2.7	5.0	4.2	3.4	3.1
			1500 1599	11.0	(28.2)	70.4	483.8	55.5	7.4	3.3	4.0	4.3	3.0	3.0
			1400 1499	6.0	(15.4)	70.2	456.3	52.8	7.0	3.4	3.5	4.3	2.7	3.0
			1200 1299	2.0	(5.1)	71.5	495.5	60.0	7.7	2.9	2.5	4.5	2.0	3.0
			1100 1199	3.0	(7.7)	70.6	447.3	50.0	7.0	2.6	2.3	4.3	2.0	3.3
			1000 1099	1.0	(2.6)	69.2	337.0	34.0	5.4	2.2	2.0	5.0	2.0	6.0
				39.0	(1.1)	71.1	480.7	58.0	7.4	3.1	4.4	4.3	3.1	3.1
			2000 2099	1.0	(0.9)	70.7	654.4	76.0	9.3	5.2	10.0	4.0	5.0	3.0
			1900 1999	3.0	(2.7)	72.1	523.4	66.3	8.1	3.0	8.3	4.0	5.0	2.7
			1800 1899	7.0	(6.3)	71.9	544.1	65.3	8.8	3.3	7.1	4.1	4.3	3.0
			1700 1799	10.0	(8.9)	70.9	575.5	63.0	8.5	3.5	5.6	3.9	3.8	3.0
			1600 1699	12.0	(10.7)	70.6	536.0	61.3	7.9	3.7	5.2	3.9	3.7	3.0
			1500 1599	18.0	(16.1)	71.0	542.9	60.3	8.5	3.4	4.2	4.2	3.4	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1400 1499	20.0	(17.9)	70.4	522.0	57.5	7.9	3.6	4.0	4.5	3.1	3.0
			1300 1399	17.0	(15.2)	70.4	497.4	54.4	7.7	3.3	3.2	4.4	2.8	2.9
			1200 1299	7.0	(6.3)	70.9	524.7	61.1	7.6	3.2	3.7	4.9	2.9	2.7
			1100 1199	12.0	(10.7)	70.6	529.2	60.5	7.8	3.5	3.8	4.8	2.8	2.8
			1000 1099	3.0	(2.7)	69.5	480.3	45.0	7.5	3.1	3.0	4.7	2.3	3.3
			900 999	1.0	(0.9)	68.1	373.5	24.0	4.3	0.7	2.0	5.0	2.0	4.0
			800 899	1.0	(0.9)	69.0	244.5	23.0	4.1	1.2	2.0	5.0	2.0	3.0
				112.0	(3.0)	70.7	526.5	58.9	8.0	3.4	4.4	4.3	3.3	3.0
			1400 1499	1.0	(0.0)	71.0	429.5	49.0	7.8	2.9	4.0	5.0	4.0	3.0
			1600 1699	1.0	(33.3)	70.8	466.0	67.0	7.4	4.9	7.0	4.0	4.0	3.0
			1100 1199	2.0	(66.7)	70.2	302.3	37.5	4.9	1.7	2.0	5.5	2.0	3.0
				3.0	(0.1)	70.4	356.8	47.3	5.7	2.8	3.7	5.0	2.7	3.0
			1900 1999	1.0	(0.7)	75.6	466.0	89.0	7.5	2.8	12.0	4.0	5.0	3.0
			1800 1899	4.0	(2.9)	72.4	521.0	68.5	7.8	2.8	6.3	4.8	4.0	2.8
			1700 1799	6.0	(4.4)	71.6	474.7	62.5	7.1	3.0	6.2	4.2	4.2	3.0
			1600 1699	33.0	(24.1)	71.5	491.5	62.2	7.4	3.0	5.0	4.1	3.5	2.9
			1500 1599	24.0	(17.5)	70.6	491.1	56.5	7.5	3.3	4.3	4.3	3.1	2.9
			1400 1499	27.0	(19.7)	70.6	497.9	57.7	7.4	3.3	3.8	4.4	2.8	3.0
			1300 1399	13.0	(9.5)	70.9	485.0	58.5	7.7	3.5	3.8	4.3	2.9	2.9
			1200 1299	19.0	(13.9)	69.8	480.3	52.3	7.4	3.7	3.6	4.3	2.9	2.9
			1100 1199	7.0	(5.1)	69.3	454.4	47.0	6.6	3.2	2.9	4.1	2.6	2.7
			1000 1099	3.0	(2.2)	71.5	459.0	56.3	7.1	2.4	2.3	4.7	2.0	3.0
				137.0	(3.7)	70.8	487.8	58.1	7.4	3.2	4.3	4.3	3.1	2.9
			1900 1999	3.0	(1.1)	72.3	507.2	64.7	7.7	2.6	6.7	3.7	4.3	3.0
			1800 1899	12.0	(4.3)	73.3	492.2	70.2	7.9	2.6	6.3	4.2	4.1	2.8
			1700 1799	26.0	(9.4)	72.0	516.8	64.4	8.1	3.1	6.3	4.2	4.1	2.8
			1600 1699	71.0	(25.7)	71.6	498.2	60.7	7.6	2.8	4.6	4.3	3.4	2.8
			1500 1599	95.0	(34.4)	70.8	493.4	56.5	7.5	3.0	3.9	4.5	3.0	2.8
			1400 1499	46.0	(16.7)	70.0	484.2	52.9	7.2	3.3	3.4	4.5	2.6	2.9
			1300 1399	18.0	(6.5)	70.5	472.9	54.3	7.4	3.3	3.7	4.5	2.7	2.9
			1200 1299	4.0	(1.4)	69.8	505.0	57.3	7.9	4.4	3.0	5.0	2.3	3.0
			1000 1099	1.0	(0.4)	69.1	201.5	26.0	2.8	1.1	2.0	5.0	1.0	3.0
				276.0	(7.5)	71.1	493.2	58.2	7.6	3.0	4.3	4.4	3.2	2.8
			1900 1999	1.0	(0.4)	74.2	455.0	75.0	7.9	2.7	9.0	4.0	5.0	2.0
			1800 1899	6.0	(2.4)	73.0	557.1	75.3	8.6	3.2	7.5	4.2	4.5	2.8
			1700 1799	27.0	(11.0)	72.4	525.9	67.1	8.3	2.9	5.7	4.2	3.9	2.9
			1600 1699	44.0	(18.0)	71.4	504.4	60.2	7.7	2.9	4.6	4.0	3.4	2.9
			1500 1599	72.0	(29.4)	70.7	507.2	57.7	7.8	3.3	4.2	4.1	3.0	2.9
			1400 1499	53.0	(21.6)	70.4	508.2	55.4	7.7	3.3	3.7	4.3	2.8	2.9

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1300 1399	31.0	(12.7)	70.1	501.1	55.5	7.4	3.5	3.4	4.4	2.6	2.9
			1200 1299	8.0	(3.3)	69.8	514.3	55.8	7.9	4.1	3.0	4.9	2.4	3.0
			1100 1199	2.0	(0.8)	70.0	453.5	51.5	7.1	3.5	3.0	5.0	2.5	3.0
			499	1.0	(0.4)	69.7	518.0	64.0	8.2	5.5	3.0	4.0	3.0	3.0
				245.0	(6.7)	70.9	509.0	58.8	7.8	3.2	4.3	4.2	3.1	2.9
			2400 2499	1.0	(0.2)	74.0	552.0	83.0	9.2	3.9	12.0	3.0	5.0	3.0
			2300 2399	3.0	(0.5)	73.3	588.7	77.3	8.8	3.0	12.0	3.3	5.0	2.7
			2200 2299	1.0	(0.2)	74.0	597.0	88.0	7.6	2.6	12.0	3.0	5.0	2.0
			2100 2199	2.0	(0.4)	76.9	580.5	97.5	9.9	2.8	12.0	3.5	5.0	3.0
			2000 2099	2.0	(0.4)	74.5	597.5	83.0	9.0	2.6	11.5	4.0	5.0	3.0
			1900 1999	15.0	(2.7)	74.4	561.7	81.9	8.1	2.2	9.3	3.6	5.0	2.6
			1800 1899	33.0	(6.0)	73.4	559.5	77.9	8.5	3.1	8.8	3.8	4.8	2.8
			1700 1799	58.0	(10.5)	73.0	560.9	75.6	8.4	3.1	7.6	3.8	4.6	2.9
			1600 1699	118.0	(21.3)	72.2	525.5	67.3	8.0	3.0	6.2	4.0	4.1	2.9
			1500 1599	209.0	(37.7)	71.1	518.2	61.8	7.6	3.2	4.6	4.1	3.4	2.9
			1400 1499	72.0	(13.0)	70.6	497.5	57.9	7.2	3.1	3.7	4.4	2.8	2.8
			1300 1399	19.0	(3.4)	69.2	477.7	50.5	6.9	3.7	3.1	4.4	2.3	2.8
			1200 1299	13.0	(2.3)	69.5	452.5	49.2	6.4	3.2	2.6	4.5	2.2	2.8
			1100 1199	5.0	(0.9)	69.8	393.6	43.4	5.6	2.2	2.4	4.4	2.0	2.8
			1000 1099	2.0	(0.4)	68.8	382.5	45.5	5.2	3.5	2.0	4.5	1.5	3.0
			700 799	1.0	(0.2)	70.2	209.0	27.0	3.7	0.5	1.0	4.0	1.0	2.0
				554.0	(15.1)	71.6	521.1	64.8	7.7	3.1	5.5	4.1	3.6	2.9
			2100 2199	1.0	(3.6)	72.3	574.5	68.0	7.7	2.1	9.0	4.0	5.0	3.0
			1800 1899	1.0	(3.6)	70.5	528.0	61.0	7.7	3.6	8.0	4.0	5.0	3.0
			1700 1799	2.0	(7.1)	71.0	501.3	57.5	7.0	2.5	7.0	4.0	4.0	2.5
			1600 1699	3.0	(10.7)	71.7	526.2	65.0	7.6	2.9	6.0	3.7	4.0	2.7
			1500 1599	5.0	(17.9)	70.6	508.9	53.8	7.1	2.4	5.0	4.2	3.4	2.4
			1400 1499	5.0	(17.9)	69.5	490.3	51.4	7.3	3.6	4.0	4.0	3.2	2.6
			1300 1399	1.0	(3.6)	69.2	342.0	35.0	5.7	2.4	2.0	4.0	2.0	2.0
			1100 1199	1.0	(3.6)	71.5	432.0	53.0	6.6	2.0	6.0	4.0	4.0	3.0
			1000 1099	1.0	(3.6)	68.9	372.0	35.0	5.3	2.1	3.0	6.0	2.0	4.0
			900 999	4.0	(14.3)	70.5	292.5	38.5	3.6	0.8	1.0	6.0	1.0	5.3
			800 899	3.0	(10.7)	70.1	311.0	36.7	4.1	1.0	1.3	5.7	1.3	5.3
			500 599	1.0	(3.6)	70.1	292.0	33.0	3.6	0.3	1.0	7.0	1.0	2.0
				28.0	(0.8)	70.4	436.4	49.5	6.2	2.2	4.1	4.6	2.9	3.3
			2100 2199	2.0	(0.4)	73.2	472.0	71.5	7.7	3.0	9.5	3.5	5.0	3.0
			2000 2099	1.0	(0.2)	74.9	596.0	88.0	8.4	2.3	10.0	4.0	5.0	3.0
			1900 1999	12.0	(2.2)	73.2	547.4	75.2	8.6	3.2	8.5	3.8	4.8	2.8
			1800 1899	50.0	(9.3)	72.8	538.8	70.5	8.5	2.9	7.2	3.8	4.4	3.0
			1700 1799	64.0	(11.9)	72.5	520.3	68.3	8.2	2.9	6.5	3.9	4.2	2.8
			1600 1699	128.0	(23.7)	71.5	509.6	61.6	7.9	3.1	4.7	4.1	3.4	2.9
			1500 1599	150.0	(27.8)	70.9	502.6	58.5	7.7	3.2	3.8	4.2	2.8	2.9
			1400 1499	78.0	(14.5)	70.5	496.7	55.4	7.5	3.2	3.2	4.4	2.4	2.9

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1300 1399	28.0	(5.2)	70.6	464.9	53.3	7.2	3.0	3.1	4.0	2.5	2.8
			1200 1299	12.0	(2.2)	70.3	475.7	52.8	7.2	3.1	3.0	4.3	2.4	3.0
			1100 1199	7.0	(1.3)	70.6	467.4	53.4	7.0	2.8	3.0	4.4	2.6	2.9
			1000 1099	6.0	(1.1)	69.9	449.8	49.0	6.7	3.0	3.0	4.2	2.2	2.7
			900 999	1.0	(0.2)	68.6	297.0	30.0	3.8	1.6	2.0	5.0	2.0	3.0
				539.0	(14.6)	71.4	505.9	60.9	7.8	3.1	4.6	4.1	3.2	2.9
			1500 1599	8.0	(34.8)	71.1	549.3	61.6	8.3	3.3	4.3	4.4	3.3	2.8
			1400 1499	6.0	(26.1)	70.1	557.7	60.8	7.5	3.6	3.5	4.7	2.7	3.0
			1300 1399	8.0	(34.8)	69.0	547.5	53.9	7.5	3.9	3.1	4.8	2.1	2.9
			800 899	1.0	(4.3)	71.7	206.5	35.0	4.0	0.3	2.0	3.0	1.0	4.0
				23.0	(0.6)	70.1	535.9	57.6	7.6	3.5	3.6	4.5	2.6	2.9
			2500	1.0	(1.6)	73.9	578.0	80.0	8.7	2.7	11.0	4.0	5.0	3.0
			2100 2199	1.0	(1.6)	70.8	564.0	64.0	8.1	3.7	8.0	4.0	5.0	2.0
			2000 2099	2.0	(3.2)	73.9	542.0	82.0	8.3	3.2	9.5	4.0	5.0	2.5
			1900 1999	5.0	(7.9)	72.5	537.4	69.4	8.1	2.8	9.8	4.0	5.0	2.6
			1800 1899	5.0	(7.9)	71.6	588.0	69.8	8.1	3.2	7.4	4.0	4.6	2.6
			1700 1799	21.0	(33.3)	72.2	538.4	66.7	7.9	2.7	6.0	4.3	4.1	2.5
			1600 1699	10.0	(15.9)	71.5	529.0	62.0	7.6	2.7	4.9	4.2	3.4	2.7
			1500 1599	12.0	(19.0)	70.0	547.3	57.7	7.8	3.6	4.3	4.6	3.2	2.6
			1400 1499	6.0	(9.5)	69.6	510.7	50.7	7.7	3.5	3.8	4.2	2.8	2.7
				63.0	(1.7)	71.4	541.0	63.8	7.9	3.1	6.0	4.3	3.9	2.6
			1300 1399	3.0	(50.0)	70.7	423.2	50.0	6.3	2.3	3.0	4.3	2.0	3.0
			1200 1299	1.0	(16.7)	70.2	399.0	47.0	5.5	2.1	3.0	5.0	2.0	3.0
			1100 1199	2.0	(33.3)	68.8	383.5	36.5	6.7	3.3	2.5	4.0	2.0	3.0
				6.0	(0.2)	70.0	405.9	45.0	6.3	2.6	2.8	4.3	2.0	3.0
			1600 1699	7.0	(23.3)	71.4	525.7	62.3	7.6	2.8	5.3	3.9	3.7	3.0
			1500 1599	10.0	(33.3)	71.1	532.2	60.8	7.9	3.1	5.0	4.4	3.6	3.0
			1400 1499	5.0	(16.7)	71.0	517.5	58.6	7.6	2.8	4.8	4.4	3.4	3.0
			1300 1399	5.0	(16.7)	69.9	528.2	58.6	7.7	4.0	2.6	4.0	2.2	3.0
			1200 1299	3.0	(10.0)	69.5	491.0	50.3	7.7	3.7	2.3	4.7	2.0	3.0
				30.0	(0.8)	70.8	523.5	59.4	7.7	3.2	4.4	4.2	3.2	3.0
			1900 1999	2.0	(3.4)	72.7	525.3	66.5	8.6	2.8	7.5	3.5	5.0	2.5
			1800 1899	5.0	(8.5)	72.3	497.9	63.2	8.3	2.9	6.2	3.6	4.0	2.4
			1700 1799	24.0	(40.7)	71.1	471.9	55.5	7.4	2.9	3.9	4.3	3.0	2.9
			1600 1699	14.0	(23.7)	70.8	457.5	51.6	7.0	2.5	3.1	4.4	2.5	2.6
			1500 1599	4.0	(6.8)	69.8	419.5	45.5	6.8	3.0	3.0	4.8	2.3	2.8
			1400 1499	5.0	(8.5)	71.4	440.9	52.2	7.1	2.2	3.6	3.8	3.0	2.8

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1300 1399	1.0	(1.7)	70.9	328.0	43.0	5.4	1.8	2.0	5.0	2.0	4.0
			1200 1299	4.0	(6.8)	71.4	391.9	52.8	6.3	2.4	2.8	4.8	2.0	2.5
				59.0	(1.6)	71.1	458.5	54.3	7.3	2.7	3.8	4.2	2.9	2.8
			1800 1899	1.0	(25.0)	70.2	406.2	46.0	6.7	2.8	5.0	4.0	4.0	3.0
			1600 1699	1.0	(25.0)	70.4	425.4	48.0	6.7	2.6	3.0	4.0	3.0	3.0
			1200 1299	2.0	(50.0)	72.3	375.5	52.5	6.2	1.5	2.0	5.0	2.0	3.0
				4.0	(0.1)	71.3	395.6	49.8	6.4	2.1	3.0	4.5	2.8	3.0
			1900 1999	1.0	(1.6)	72.7	571.6	72.0	9.1	3.1	7.0	5.0	4.0	3.0
			1800 1899	6.0	(9.4)	71.5	525.3	61.2	8.3	3.1	7.3	4.0	4.3	3.0
			1700 1799	8.0	(12.5)	71.5	511.7	61.6	7.4	2.6	7.0	3.8	4.5	2.9
			1600 1699	14.0	(21.9)	71.1	516.1	57.4	7.9	2.8	5.3	4.1	3.8	2.8
			1500 1599	20.0	(31.3)	70.8	509.7	57.2	7.6	3.0	4.9	4.2	3.5	3.0
			1400 1499	6.0	(9.4)	70.3	511.0	53.5	7.6	3.1	3.7	4.3	2.5	3.0
			1300 1399	3.0	(4.7)	72.2	532.2	65.7	7.4	2.2	4.7	4.7	3.0	3.0
			1200 1299	3.0	(4.7)	70.8	501.3	59.7	7.1	3.1	2.7	4.3	2.0	3.0
			1100 1199	3.0	(4.7)	69.2	460.0	48.3	7.1	3.8	2.3	4.7	2.0	2.7
				64.0	(1.7)	71.0	512.2	58.1	7.7	2.9	5.2	4.2	3.5	2.9
			2200 2299	2.0	(1.9)	72.5	530.1	72.5	7.4	2.8	10.0	4.0	5.0	3.0
			2100 2199	1.0	(0.9)	74.6	481.4	82.0	7.9	2.9	9.0	4.0	5.0	3.0
			2000 2099	4.0	(3.8)	71.7	526.7	62.5	8.7	3.3	8.3	3.5	4.8	3.0
			1900 1999	9.0	(8.5)	72.9	491.9	71.2	7.6	2.8	8.4	3.7	4.8	2.9
			1800 1899	10.0	(9.4)	71.5	510.3	64.1	7.9	3.5	6.5	3.7	4.1	2.9
			1700 1799	37.0	(34.9)	71.2	477.4	59.4	7.3	3.1	5.5	4.0	3.9	2.9
			1600 1699	27.0	(25.5)	70.2	477.3	54.8	7.1	3.4	4.4	4.0	3.4	3.0
			1500 1599	12.0	(11.3)	70.3	498.9	56.8	7.0	3.1	3.8	4.7	2.9	2.9
			1400 1499	2.0	(1.9)	70.3	516.4	58.0	8.1	3.9	3.5	4.0	2.5	3.0
			1300 1399	1.0	(0.9)	71.2	510.4	60.0	7.3	2.7	3.0	5.0	2.0	3.0
			1200 1299	1.0	(0.9)	70.1	341.6	41.0	5.4	2.2	2.0	5.0	2.0	3.0
				106.0	(2.9)	71.1	486.8	59.8	7.4	3.2	5.5	4.0	3.7	2.9
			2300 2399	1.0	(8.3)	72.6	511.7	72.0	7.7	3.2	9.0	3.0	5.0	3.0
			1800 1899	1.0	(8.3)	70.8	489.3	58.0	8.0	3.7	7.0	3.0	4.0	3.0
			1600 1699	1.0	(8.3)	70.7	462.2	55.0	6.5	2.7	5.0	4.0	4.0	3.0
			1500 1599	6.0	(50.0)	70.6	458.7	52.8	7.0	2.9	4.2	4.2	3.2	2.7
			1400 1499	3.0	(25.0)	68.1	536.9	52.0	7.1	4.5	4.0	4.0	3.0	3.0
				12.0	(0.3)	70.2	485.5	54.8	7.1	3.4	4.8	3.9	3.4	2.8
			1700 1799	2.0	(33.3)	70.0	535.3	58.0	7.6	3.6	5.0	4.5	4.0	3.0
			1600 1699	2.0	(33.3)	71.5	551.8	61.5	8.4	3.0	4.5	5.0	3.5	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1500 1599	1.0	(16.7)	69.6	423.0	43.0	6.3	2.5	3.0	5.0	3.0	3.0
			900 999	1.0	(16.7)	71.2	288.5	44.0	4.8	1.6	2.0	6.0	2.0	2.0
				6.0	(0.2)	70.6	480.9	54.3	7.2	2.9	4.0	5.0	3.3	2.8
			1600 1699	1.0	(0.0)	71.2	408.6	59.0	5.8	2.8	5.0	4.0	4.0	3.0
			1900 1999	2.0	(3.3)	72.6	474.5	68.0	7.3	2.9	8.5	4.0	5.0	3.0
			1800 1899	4.0	(6.7)	71.5	487.1	63.3	7.5	3.4	6.0	4.0	4.0	3.0
			1700 1799	16.0	(26.7)	71.7	476.9	61.4	7.7	3.1	5.3	4.1	3.8	3.0
			1600 1699	17.0	(28.3)	70.4	476.2	52.9	7.2	2.9	4.3	4.2	3.1	2.8
			1500 1599	16.0	(26.7)	69.6	489.2	50.3	7.3	3.4	3.2	4.4	2.4	2.9
			1400 1499	4.0	(6.7)	69.5	461.5	51.0	7.2	3.9	2.5	4.3	2.0	3.0
			1300 1399	1.0	(1.7)	69.4	277.0	29.0	4.8	1.6	2.0	4.0	2.0	2.0
				60.0	(1.6)	70.6	476.2	55.1	7.3	3.2	4.4	4.2	3.1	2.9
			1800 1899	1.0	(20.0)	72.7	403.2	70.0	5.4	2.5	10.0	4.0	5.0	3.0
			1700 1799	1.0	(20.0)	67.7	526.2	63.0	7.2	6.7	9.0	4.0	5.0	3.0
			1500 1599	1.0	(20.0)	69.9	421.0	54.0	6.3	3.8	3.0	4.0	3.0	2.0
			1300 1399	1.0	(20.0)	70.2	436.8	49.0	6.4	2.6	2.0	5.0	2.0	3.0
			1200 1299	1.0	(20.0)	67.3	442.4	43.0	7.2	5.5	3.0	4.0	2.0	3.0
				5.0	(0.1)	69.6	445.9	55.8	6.5	4.2	5.4	4.2	3.4	2.8
			1500 1599	1.0	(0.0)	69.1	431.4	39.0	6.2	2.2	3.0	5.0	2.0	3.0
			2100 2199	1.0	(2.4)	72.7	472.4	70.0	7.8	3.4	11.0	4.0	5.0	2.0
			2000 2099	1.0	(2.4)	73.4	495.6	71.0	7.3	2.0	9.0	4.0	5.0	3.0
			1900 1999	4.0	(9.8)	73.3	438.1	69.3	7.2	2.6	7.8	3.8	4.8	2.5
			1800 1899	6.0	(14.6)	71.7	500.3	65.7	7.0	2.9	6.8	4.0	4.3	2.8
			1700 1799	8.0	(19.5)	71.5	474.6	59.0	7.0	2.5	5.8	3.8	4.0	2.4
			1600 1699	13.0	(31.7)	70.8	479.8	56.5	7.0	2.8	4.0	3.9	3.1	2.8
			1500 1599	5.0	(12.2)	69.9	493.7	54.0	7.4	3.6	3.2	4.0	2.2	3.0
			1400 1499	1.0	(2.4)	68.0	472.4	44.0	6.6	4.0	3.0	4.0	3.0	2.0
			1300 1399	1.0	(2.4)	67.3	530.6	51.0	6.1	4.5	3.0	4.0	3.0	3.0
			1200 1299	1.0	(2.4)	67.2	552.8	52.0	8.0	6.0	3.0	4.0	3.0	3.0
				41.0	(1.1)	71.1	482.5	59.4	7.1	3.0	5.2	3.9	3.6	2.7
			1800 1899	1.0	(3.3)	73.6	566.0	82.0	8.0	2.9	8.0	4.0	5.0	3.0
			1700 1799	3.0	(10.0)	71.5	504.0	59.7	7.6	2.7	5.0	4.7	3.3	3.0
			1600 1699	5.0	(16.7)	72.0	451.4	60.0	7.3	2.7	4.4	4.0	3.2	3.0
			1500 1599	4.0	(13.3)	70.6	420.1	49.5	6.3	2.4	3.5	4.5	2.8	2.8
			1400 1499	8.0	(26.7)	71.5	450.8	57.1	7.1	2.7	3.4	3.6	2.6	2.9
			1300 1399	4.0	(13.3)	70.3	454.8	50.8	7.0	3.0	2.8	4.5	2.0	3.0
			1200 1299	2.0	(6.7)	69.4	411.0	43.5	6.3	2.9	2.0	5.0	2.0	3.0
			1000 1099	1.0	(3.3)	70.6	354.9	43.0	5.4	1.7	3.0	4.0	2.0	4.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			900 999	2.0	(6.7)	67.9	433.4	37.5	6.3	3.5	2.5	5.0	2.0	3.0
				30.0	(0.8)	71.0	449.5	54.1	6.9	2.7	3.6	4.2	2.7	3.0
			1900 1999	1.0	(2.0)	72.1	469.7	66.0	7.8	3.5	7.0	3.0	4.0	3.0
			1800 1899	4.0	(8.0)	72.7	471.8	67.8	7.2	2.6	7.3	4.3	4.5	2.5
			1700 1799	12.0	(24.0)	71.0	505.8	59.6	8.0	3.4	5.4	3.9	3.8	3.0
			1600 1699	15.0	(30.0)	70.8	515.4	59.9	7.6	3.2	4.7	4.1	3.3	2.8
			1500 1599	12.0	(24.0)	69.5	490.0	52.1	6.9	3.5	3.4	4.3	2.5	3.0
			1400 1499	6.0	(12.0)	69.0	470.5	45.2	6.9	3.3	3.7	4.2	3.0	2.7
				50.0	(1.4)	70.5	497.2	56.9	7.4	3.3	4.7	4.1	3.3	2.9
			1800 1899	9.0	(4.7)	71.9	488.4	60.9	7.8	2.7	6.4	4.7	4.1	3.0
			1700 1799	41.0	(21.6)	70.9	496.1	58.4	7.5	3.2	5.7	4.3	4.0	2.9
			1600 1699	66.0	(34.7)	70.8	492.0	57.4	7.6	3.2	4.0	4.2	3.2	2.9
			1500 1599	48.0	(25.3)	70.0	475.4	52.6	7.3	3.5	3.4	4.3	2.8	2.9
			1400 1499	25.0	(13.2)	70.0	498.2	52.7	7.5	3.3	2.6	4.3	2.0	3.0
			1300 1399	1.0	(0.5)	68.8	495.0	47.0	6.2	2.9	2.0	4.0	2.0	3.0
				190.0	(5.2)	70.6	489.3	55.9	7.5	3.2	4.1	4.3	3.2	2.9
			2000 2099	1.0	(20.0)	71.0	592.1	73.0	8.6	4.7	9.0	4.0	5.0	3.0
			1800 1899	1.0	(20.0)	74.1	451.9	71.0	7.6	2.1	7.0	4.0	4.0	3.0
			1700 1799	1.0	(20.0)	70.8	463.9	51.0	6.5	1.9	4.0	4.0	3.0	3.0
			1600 1699	2.0	(40.0)	68.5	492.8	53.0	7.1	4.7	4.0	4.0	3.5	2.5
				5.0	(0.1)	70.6	498.7	60.2	7.4	3.6	5.6	4.0	3.8	2.8
			2200 2299	1.0	(2.3)	71.4	529.8	70.0	7.7	4.0	9.0	4.0	5.0	3.0
			2000 2099	1.0	(2.3)	74.6	558.8	84.0	7.7	2.0	8.0	4.0	5.0	3.0
			1900 1999	5.0	(11.6)	70.1	554.0	60.8	7.9	4.0	7.2	4.0	4.6	2.8
			1800 1899	4.0	(9.3)	71.3	498.4	61.5	7.4	3.0	6.5	4.5	4.0	3.0
			1700 1799	11.0	(25.6)	71.2	526.1	64.2	7.3	3.0	5.5	3.9	3.9	3.0
			1600 1699	10.0	(23.3)	69.5	516.3	55.8	6.9	3.6	4.3	4.0	3.3	2.6
			1500 1599	8.0	(18.6)	69.5	514.9	54.3	7.2	3.7	3.8	4.8	2.6	2.6
			1400 1499	1.0	(2.3)	68.3	493.8	49.0	6.4	4.0	2.0	4.0	2.0	3.0
			1300 1399	1.0	(2.3)	68.0	406.4	35.0	6.0	3.1	2.0	5.0	2.0	2.0
			1200 1299	1.0	(2.3)	70.8	340.6	43.0	5.0	1.4	2.0	4.0	2.0	2.0
				43.0	(1.2)	70.3	515.4	58.8	7.2	3.4	5.1	4.2	3.5	2.8
			2500	1.0	(10.0)	71.6	681.9	88.0	9.8	5.9	6.0	4.0	4.0	3.0
			1700 1799	3.0	(30.0)	71.8	508.2	67.3	8.5	4.1	6.3	4.0	4.0	3.0
			1600 1699	4.0	(40.0)	71.3	480.9	62.5	7.2	3.3	4.0	3.8	3.5	2.8
			1500 1599	2.0	(20.0)	71.7	483.5	62.0	8.1	3.5	4.5	4.5	3.5	2.5
				10.0	(0.3)	71.6	509.7	66.4	8.0	3.8	5.0	4.0	3.7	2.8
			1800 1899	1.0	(4.0)	71.6	516.8	62.0	7.1	2.3	7.0	4.0	4.0	3.0
			1700 1799	3.0	(12.0)	71.3	493.9	61.7	7.3	3.0	5.3	4.3	3.7	2.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1600 1699	13.0	(52.0)	70.7	498.8	58.5	7.6	3.5	4.1	3.8	3.2	2.9
			1500 1599	6.0	(24.0)	69.8	450.6	51.2	6.9	3.6	3.7	4.0	3.0	3.0
			1400 1499	1.0	(4.0)	69.7	457.6	41.0	7.7	2.7	4.0	5.0	3.0	3.0
			1300 1399	1.0	(4.0)	70.3	531.6	55.0	7.7	2.9	3.0	4.0	3.0	3.0
				25.0	(0.7)	70.5	487.0	56.4	7.4	3.4	4.2	4.0	3.2	2.9
			1800 1899	8.0	(13.3)	70.8	471.8	55.5	6.7	2.5	4.9	3.9	3.5	3.0
			1700 1799	7.0	(11.7)	70.2	472.0	54.1	6.4	2.9	4.0	4.3	3.1	3.0
			1600 1699	17.0	(28.3)	70.7	465.7	54.8	6.8	2.7	3.9	4.2	3.0	3.0
			1500 1599	14.0	(23.3)	70.3	435.0	50.1	6.2	2.5	3.3	4.3	2.6	2.9
			1400 1499	14.0	(23.3)	70.1	404.4	48.4	5.5	2.4	3.0	4.4	2.2	2.6
				60.0	(1.6)	70.4	445.8	52.2	6.3	2.6	3.7	4.2	2.8	2.9
			1900 1999	2.0	(9.1)	71.2	543.5	65.0	7.1	3.0	7.5	3.5	4.5	3.0
			1800 1899	8.0	(36.4)	71.7	487.4	63.0	7.3	3.0	5.6	3.9	4.0	2.9
			1700 1799	2.0	(9.1)	71.7	469.2	63.5	6.6	2.7	4.0	4.0	3.5	3.0
			1600 1699	5.0	(22.7)	70.5	501.0	57.4	7.6	3.5	3.8	4.0	3.0	3.0
			1500 1599	1.0	(4.5)	72.0	432.6	59.0	6.2	2.0	3.0	5.0	2.0	3.0
			1400 1499	3.0	(13.6)	71.2	490.2	55.7	7.8	2.8	2.7	4.0	2.7	2.7
			900 999	1.0	(4.5)	68.6	412.3	39.0	5.0	2.2	2.0	5.0	2.0	3.0
				22.0	(0.6)	71.2	488.4	59.7	7.2	3.0	4.5	4.0	3.4	2.9
			2000 2099	1.0	(1.7)	69.9	536.1	59.0	8.5	4.6	7.0	4.0	4.0	3.0
			1900 1999	1.0	(1.7)	71.8	645.0	73.0	8.8	3.2	5.0	3.0	4.0	3.0
			1800 1899	4.0	(6.9)	72.1	449.7	58.0	7.8	2.6	5.8	4.0	3.8	3.0
			1700 1799	5.0	(8.6)	70.9	478.8	57.0	7.0	2.9	3.8	4.2	3.2	3.0
			1600 1699	24.0	(41.4)	70.9	454.9	52.0	7.0	2.4	3.6	4.3	2.8	3.0
			1500 1599	9.0	(15.5)	70.8	448.6	50.4	7.1	2.5	3.4	4.2	2.6	2.9
			1400 1499	11.0	(19.0)	69.7	462.8	48.7	6.8	3.1	3.2	4.4	2.4	2.8
			1300 1399	2.0	(3.4)	69.1	409.8	41.5	5.8	2.6	3.0	4.0	2.0	2.5
			1200 1299	1.0	(1.7)	70.8	373.0	50.0	4.8	1.7	4.0	5.0	2.0	2.0
				58.0	(1.6)	70.7	458.8	52.1	7.0	2.7	3.7	4.3	2.8	2.9
			1700 1799	2.0	(40.0)	72.5	553.4	70.5	7.5	2.3	5.0	4.5	3.0	3.0
			1600 1699	1.0	(20.0)	68.7	494.8	52.0	7.2	4.5	4.0	4.0	3.0	3.0
			1300 1399	1.0	(20.0)	70.5	447.6	48.0	6.5	2.0	3.0	4.0	3.0	3.0
			1100 1199	1.0	(20.0)	69.0	400.1	33.0	5.9	1.8	3.0	4.0	2.0	3.0
				5.0	(0.1)	70.7	489.9	54.8	6.9	2.6	4.0	4.2	2.8	3.0
			1000 1099	1.0	(0.0)	67.8	522.7	43.0	5.0	2.1	3.0	5.0	2.0	3.0
			1900 1999	11.0	(3.0)	72.1	461.8	59.3	7.5	2.5	8.8	4.5	5.0	2.8
			1800 1899	10.0	(2.8)	71.8	529.8	68.3	8.2	3.7	5.1	3.9	3.7	2.8

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
			1700 1799	63.0	(17.4)	71.2	500.4	59.3	7.8	3.1	5.7	4.7	4.0	2.9
			1600 1699	121.0	(33.3)	71.1	496.5	58.0	7.7	3.1	3.9	4.6	3.0	2.9
			1500 1599	131.0	(36.1)	70.5	499.7	55.5	7.6	3.2	3.0	4.8	2.3	3.0
			1400 1499	22.0	(6.1)	68.7	497.9	48.4	7.1	3.8	2.6	4.6	2.1	2.8
			1100 1199	1.0	(0.3)	67.5	517.8	46.0	5.1	3.0	2.0	5.0	2.0	3.0
			1000 1099	1.0	(0.3)	71.7	431.1	55.0	7.6	2.8	3.0	4.0	2.0	3.0
			700 799	3.0	(0.8)	67.8	400.1	35.3	4.9	2.7	3.0	5.0	2.0	3.0
				363.0	(9.9)	70.8	497.4	56.8	7.6	3.2	4.0	4.7	2.9	2.9
			1800 1899	1.0	(5.6)	72.0	562.2	68.0	7.5	2.4	6.0	4.0	4.0	3.0
			1700 1799	2.0	(11.1)	70.7	543.1	59.0	7.7	3.0	5.0	4.0	4.0	3.0
			1600 1699	14.0	(77.8)	69.6	544.9	58.0	7.4	3.8	3.7	4.3	3.0	2.8
			1500 1599	1.0	(5.6)	70.1	497.0	53.0	7.3	3.1	3.0	5.0	2.0	3.0
				18.0	(0.5)	69.9	543.0	58.4	7.5	3.6	3.9	4.3	3.1	2.8
			2500	2.0	(0.1)	72.8	630.0	84.0	9.3	4.3	8.5	4.0	4.5	3.0
			2400 2499	1.0	(0.0)	74.0	552.0	83.0	9.2	3.9	12.0	3.0	5.0	3.0
			2300 2399	4.0	(0.1)	73.1	569.4	76.0	8.6	3.0	11.3	3.3	5.0	2.8
			2200 2299	4.0	(0.1)	72.6	546.8	75.8	7.5	3.0	10.3	3.8	5.0	2.8
			2100 2199	8.0	(0.2)	73.8	524.7	77.8	8.3	3.0	10.0	3.8	5.0	2.8
			2000 2099	15.0	(0.4)	72.7	562.5	73.7	8.6	3.2	9.1	3.9	4.9	2.9
			1900 1999	82.0	(2.2)	72.8	521.9	70.9	8.0	2.8	8.4	3.9	4.8	2.8
			1800 1899	212.0	(5.8)	72.4	524.4	68.5	8.1	3.0	7.0	4.0	4.3	2.9
			1700 1799	488.0	(13.3)	71.7	512.9	63.8	7.8	3.0	5.9	4.1	4.0	2.9
			1600 1699	881.0	(23.9)	71.3	502.7	60.3	7.7	3.1	4.6	4.2	3.4	2.9
			1500 1599	1016.0	(27.6)	70.8	501.7	57.6	7.6	3.2	3.9	4.4	2.9	2.9
			1400 1499	517.0	(14.0)	70.4	493.8	54.8	7.4	3.2	3.4	4.4	2.6	2.9
			1300 1399	220.0	(6.0)	70.3	483.3	53.8	7.3	3.3	3.3	4.4	2.5	2.9
			1200 1299	111.0	(3.0)	70.0	475.0	52.8	7.2	3.4	2.9	4.6	2.3	2.9
			1100 1199	60.0	(1.6)	70.1	440.9	48.8	6.6	2.8	2.9	4.7	2.4	3.0
			1000 1099	24.0	(0.7)	69.9	414.4	45.5	6.1	2.6	2.6	4.6	2.0	3.2
			900 999	14.0	(0.4)	69.5	344.7	37.1	4.5	1.5	1.7	5.6	1.5	4.1
			800 899	12.0	(0.3)	70.3	384.0	43.8	5.3	1.7	2.5	5.0	1.9	4.2
			700 799	7.0	(0.2)	68.8	384.6	37.0	5.0	2.1	2.6	5.1	1.7	4.1
			500 599	1.0	(0.0)	70.1	292.0	33.0	3.6	0.3	1.0	7.0	1.0	2.0
			499	1.0	(0.0)	69.7	518.0	64.0	8.2	5.5	3.0	4.0	3.0	3.0
				3680.0	(100.0)	71.0	499.9	59.0	7.6	3.1	4.5	4.3	3.2	2.9
				</										

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1900 1999	1.0	(0.4)	72.5	561.0	63.0	9.7	2.8	9.0	4.0	5.0	3.0
			1800 1899	5.0	(1.8)	72.4	525.4	63.8	8.6	2.6	6.8	4.0	4.2	3.0
			1700 1799	16.0	(5.8)	71.3	554.3	62.1	8.2	3.0	6.3	4.3	4.3	2.8
			1600 1699	30.0	(10.9)	71.5	554.6	62.2	8.3	2.9	4.4	4.4	3.3	2.8
			1500 1599	79.0	(28.8)	70.9	529.3	56.9	7.8	2.7	3.6	4.5	2.8	2.8
			1400 1499	82.0	(29.9)	70.6	518.4	54.2	7.5	2.6	3.1	4.7	2.4	2.7
			1300 1399	49.0	(17.9)	70.2	519.3	53.7	7.5	2.9	3.3	4.6	2.4	2.8
			1200 1299	7.0	(2.6)	69.2	524.6	49.6	7.2	3.2	2.7	4.7	2.1	2.7
			1100 1199	4.0	(1.5)	69.6	419.0	44.0	6.1	2.5	2.3	5.0	1.8	3.0
			1000 1099	1.0	(0.4)	70.4	236.0	31.0	4.4	1.1	2.0	4.0	1.0	3.0
				274.0	(8.1)	70.7	525.7	56.1	7.7	2.8	3.7	4.5	2.8	2.8
			1800 1899	2.0	(5.0)	72.3	586.5	71.0	8.2	2.6	6.0	4.0	4.0	3.0
			1700 1799	6.0	(15.0)	70.9	580.5	62.2	8.2	3.1	6.2	4.3	4.0	2.7
			1600 1699	7.0	(17.5)	71.1	571.7	60.0	8.1	2.6	4.0	4.3	3.1	2.4
			1500 1599	8.0	(20.0)	70.3	551.6	55.3	8.0	3.0	4.3	4.3	3.4	2.9
			1400 1499	11.0	(27.5)	71.0	547.9	61.4	7.9	3.0	3.4	4.0	2.5	2.9
			1300 1399	4.0	(10.0)	71.3	550.0	62.5	7.7	2.6	4.0	4.5	2.5	3.0
			1100 1199	2.0	(5.0)	69.8	396.5	45.0	5.8	2.6	2.0	5.0	1.5	3.0
				40.0	(1.2)	70.9	552.3	59.8	7.9	2.9	4.2	4.3	3.0	2.8
			1800 1899	1.0	(5.6)	72.8	611.0	77.0	9.6	3.8	7.0	4.0	5.0	3.0
			1700 1799	1.0	(5.6)	72.2	578.0	68.0	9.7	3.5	4.0	5.0	3.0	3.0
			1600 1699	1.0	(5.6)	69.1	618.0	55.0	9.3	4.3	3.0	4.0	3.0	3.0
			1500 1599	2.0	(11.1)	70.7	544.0	57.5	7.5	2.8	4.0	4.0	3.0	3.0
			1400 1499	1.0	(5.6)	71.6	375.0	54.0	6.0	2.4	3.0	5.0	2.0	3.0
			1300 1399	2.0	(11.1)	69.0	597.5	60.0	7.5	4.0	4.0	4.0	3.5	2.5
			1200 1299	6.0	(33.3)	70.8	523.2	55.3	7.5	2.5	2.8	4.2	2.5	2.8
			1100 1199	3.0	(16.7)	69.4	587.7	55.7	7.5	3.2	2.3	4.7	2.0	3.0
			700 799	1.0	(5.6)	71.1	323.0	43.0	4.2	0.6	1.0	5.0	1.0	4.0
				18.0	(0.5)	70.5	538.3	57.3	7.6	2.9	3.2	4.3	2.7	2.9
			1800 1899	2.0	(2.5)	71.5	558.8	71.0	8.6	4.2	6.5	3.5	5.0	3.0
			1700 1799	6.0	(7.6)	70.6	591.9	61.8	8.7	3.5	5.7	4.0	3.7	2.8
			1600 1699	27.0	(34.2)	70.8	566.1	58.7	8.5	3.1	4.4	4.0	3.6	2.8
			1500 1599	12.0	(15.2)	70.0	567.8	54.0	8.4	3.2	4.2	4.0	3.3	2.8
			1400 1499	17.0	(21.5)	69.7	560.4	51.6	8.3	3.2	3.3	4.4	3.1	2.8
			1300 1399	10.0	(12.7)	69.2	542.4	51.5	7.8	3.6	3.1	4.4	2.8	2.9
			1200 1299	3.0	(3.8)	68.1	527.5	46.0	7.2	3.8	3.0	4.7	2.3	2.3
			1100 1199	2.0	(2.5)	66.1	550.8	41.5	7.2	5.0	2.5	4.0	2.0	2.5
				79.0	(2.3)	70.1	562.1	55.2	8.3	3.4	4.0	4.1	3.3	2.8
			1600 1699	2.0	(25.0)	70.3	558.5	57.5	8.3	3.5	8.0	4.0	5.0	3.0
			1500 1599	1.0	(12.5)	69.8	584.0	54.0	7.9	2.7	4.0	4.0	3.0	2.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1400 1499	3.0	(37.5)	68.8	510.2	48.3	7.4	3.7	3.7	4.3	3.0	2.7
			1300 1399	1.0	(12.5)	69.9	306.9	34.0	5.0	1.5	2.0	4.0	2.0	2.0
			1200 1299	1.0	(12.5)	71.2	271.6	38.0	5.5	1.5	2.0	4.0	2.0	3.0
				8.0	(0.2)	69.8	476.3	48.3	7.2	3.0	4.4	4.1	3.3	2.6
			1700 1799	1.0	(14.3)	73.9	590.0	75.0	10.2	2.9	8.0	4.0	5.0	3.0
			1500 1599	1.0	(14.3)	71.4	518.0	58.0	8.0	2.6	7.0	4.0	4.0	3.0
			1400 1499	2.0	(28.6)	69.5	551.5	53.0	8.1	3.6	3.0	4.0	2.0	3.0
			1300 1399	1.0	(14.3)	71.5	516.0	57.0	7.0	1.6	4.0	5.0	3.0	3.0
			1200 1299	2.0	(28.6)	68.3	577.0	51.5	7.8	4.2	3.0	4.5	2.0	3.0
				7.0	(0.2)	70.3	554.4	57.0	8.1	3.3	4.4	4.3	2.9	3.0
			2000 2099	1.0	(0.6)	72.2	595.0	61.0	9.2	2.0	6.0	4.0	4.0	3.0
			1800 1899	8.0	(4.4)	72.3	589.9	70.0	8.5	2.8	6.5	4.3	4.1	3.0
			1700 1799	22.0	(12.2)	71.5	585.1	64.2	8.7	2.9	5.7	3.9	4.0	2.8
			1600 1699	41.0	(22.7)	70.9	583.5	60.8	8.4	2.9	4.5	4.1	3.4	3.0
			1500 1599	66.0	(36.5)	70.6	564.1	57.6	8.0	2.8	3.7	4.1	2.8	2.7
			1400 1499	27.0	(14.9)	70.4	570.1	59.0	8.0	3.1	3.4	4.3	2.5	2.6
			1300 1399	8.0	(4.4)	69.3	522.9	48.9	7.3	3.1	3.3	4.6	2.4	2.8
			1200 1299	4.0	(2.2)	68.9	546.0	52.0	6.8	3.3	3.0	4.3	2.0	3.0
			1100 1199	3.0	(1.7)	69.0	427.5	39.3	6.0	2.4	2.3	4.7	2.0	3.3
			1000 1099	1.0	(0.6)	67.5	298.0	18.0	4.4	1.6	2.0	4.0	2.0	2.0
				181.0	(5.4)	70.7	567.3	58.9	8.1	2.9	4.2	4.2	3.1	2.8
			2000 2099	1.0	(0.2)	74.6	638.8	80.0	10.8	2.7	10.0	5.0	5.0	3.0
			1900 1999	6.0	(1.1)	72.7	625.7	71.0	9.4	2.5	8.7	4.2	4.8	2.8
			1800 1899	35.0	(6.3)	72.2	587.2	68.4	8.7	2.8	6.9	4.0	4.3	2.9
			1700 1799	64.0	(11.6)	71.7	582.2	65.5	8.5	2.8	6.0	4.1	4.0	2.8
			1600 1699	141.0	(25.5)	71.1	584.7	63.4	8.2	3.0	4.7	4.2	3.4	2.8
			1500 1599	156.0	(28.2)	70.6	578.4	60.3	8.1	3.1	4.2	4.1	3.2	2.8
			1400 1499	96.0	(17.3)	70.2	578.9	58.1	7.8	3.0	3.4	4.4	2.6	2.8
			1300 1399	38.0	(6.9)	70.2	568.7	57.2	7.9	3.1	3.2	4.4	2.4	2.7
			1200 1299	14.0	(2.5)	69.4	621.9	55.0	8.6	3.4	3.4	4.5	2.6	2.9
			1100 1199	2.0	(0.4)	68.8	609.0	53.5	8.5	4.0	2.5	4.5	2.0	3.0
			900 999	1.0	(0.2)	70.3	347.0	40.0	4.3	0.9	2.0	5.0	1.0	3.0
				554.0	(16.4)	70.8	581.8	61.6	8.2	3.0	4.5	4.2	3.3	2.8
			1800 1899	4.0	(2.2)	74.5	579.5	77.5	9.4	2.1	8.5	3.5	5.0	3.0
			1700 1799	14.0	(7.7)	72.0	575.1	65.3	8.1	2.4	7.4	3.8	4.8	2.8
			1600 1699	38.0	(20.8)	71.7	557.4	63.8	8.1	2.7	6.4	3.7	4.2	2.7
			1500 1599	78.0	(42.6)	71.0	552.0	60.0	7.6	2.6	4.6	4.0	3.3	2.7
			1400 1499	32.0	(17.5)	70.2	531.5	55.8	7.1	2.8	3.3	4.3	2.5	2.8
			1300 1399	10.0	(5.5)	68.8	572.2	52.6	7.5	3.6	3.8	4.4	3.0	2.8

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
			1200 1299	6.0	(3.3)	70.0	429.9	45.3	6.0	2.0	2.2	3.8	2.0	2.8
			1100 1199	1.0	(0.5)	70.3	413.0	40.0	5.6	0.9	2.0	5.0	2.0	3.0
				183.0	(5.4)	71.0	548.2	59.8	7.6	2.6	4.9	4.0	3.4	2.7
			1600 1699	5.0	(45.5)	70.9	555.6	60.8	8.6	3.5	6.2	3.6	4.0	2.8
			1500 1599	5.0	(45.5)	70.9	488.5	54.0	7.4	2.6	4.4	4.2	3.0	2.8
			1400 1499	1.0	(9.1)	70.2	497.5	55.0	7.4	3.2	3.0	4.0	2.0	3.0
				11.0	(0.3)	70.9	519.8	57.2	7.9	3.0	5.1	3.9	3.4	2.8
			2300 2399	1.0	(0.2)	75.7	591.0	89.0	9.9	2.7	11.0	4.0	5.0	3.0
			2200 2299	1.0	(0.2)	75.7	572.0	89.0	8.0	1.6	11.0	4.0	5.0	3.0
			2000 2099	5.0	(0.8)	73.3	597.0	77.4	8.9	2.9	9.4	4.2	5.0	2.8
			1900 1999	31.0	(5.1)	72.0	597.5	70.0	8.9	3.2	8.5	4.0	4.7	2.8
			1800 1899	60.0	(10.0)	72.1	586.5	69.2	8.5	2.9	7.0	3.9	4.3	2.9
			1700 1799	87.0	(14.4)	71.5	577.4	64.4	8.3	2.8	5.9	4.1	3.9	2.8
			1600 1699	128.0	(21.2)	71.1	560.8	61.8	8.1	3.0	4.7	4.2	3.4	2.9
			1500 1599	137.0	(22.7)	70.8	550.9	59.3	8.0	3.1	4.2	4.3	3.0	2.8
			1400 1499	91.0	(15.1)	70.3	548.5	56.3	8.0	3.1	3.6	4.5	2.8	2.9
			1300 1399	32.0	(5.3)	70.4	527.5	55.8	7.5	2.8	3.4	4.5	2.5	2.9
			1200 1299	20.0	(3.3)	69.2	552.3	54.6	7.8	3.9	3.4	4.5	2.6	2.9
			1100 1199	8.0	(1.3)	69.0	460.8	46.5	6.5	3.3	2.8	4.5	2.4	2.6
			1000 1099	1.0	(0.2)	69.6	358.0	38.0	5.4	2.0	2.0	4.0	2.0	3.0
			900 999	1.0	(0.2)	72.1	411.0	56.0	6.4	1.8	2.0	4.0	2.0	3.0
				603.0	(17.9)	71.0	559.9	61.4	8.1	3.0	4.9	4.2	3.4	2.9
			1700 1799	3.0	(11.1)	71.3	555.0	60.3	8.1	2.7	5.3	4.3	4.0	2.3
			1600 1699	1.0	(3.7)	69.5	623.0	59.0	9.1	4.2	5.0	4.0	4.0	3.0
			1500 1599	12.0	(44.4)	70.4	565.0	58.2	8.3	3.4	3.7	4.2	3.1	2.3
			1400 1499	9.0	(33.3)	69.1	551.8	50.7	7.6	3.4	3.4	4.4	2.8	2.9
			1300 1399	2.0	(7.4)	68.8	632.5	53.5	8.1	3.5	3.5	4.5	2.5	2.5
				27.0	(0.8)	69.9	566.6	55.6	8.0	3.3	3.8	4.3	3.1	2.5
			1800 1899	1.0	(4.5)	73.8	565.0	75.0	8.8	2.4	9.0	4.0	5.0	3.0
			1700 1799	3.0	(13.6)	72.8	579.3	66.7	8.9	2.2	6.7	4.0	4.7	2.0
			1600 1699	6.0	(27.3)	71.5	568.0	65.2	8.1	2.9	3.8	4.0	3.3	2.7
			1500 1599	2.0	(9.1)	70.0	479.5	49.0	7.6	3.1	3.0	4.0	2.5	3.0
			1400 1499	3.0	(13.6)	70.3	539.3	56.0	8.0	3.3	4.3	4.3	3.0	2.3
			1300 1399	1.0	(4.5)	70.9	547.0	60.0	7.3	2.6	3.0	5.0	2.0	2.0
			1200 1299	2.0	(9.1)	68.8	439.5	43.5	6.2	3.2	2.5	4.5	2.5	2.5
			1100 1199	2.0	(9.1)	68.3	468.0	42.0	6.1	3.1	2.0	5.0	2.0	2.0
			900 999	2.0	(9.1)	69.4	276.0	29.0	4.0	1.1	2.0	6.0	1.5	2.5
				22.0	(0.7)	70.7	509.2	55.5	7.4	2.7	4.0	4.4	3.0	2.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1600 1699	10.0	(16.4)	71.2	545.6	61.8	7.8	2.8	4.4	4.5	3.3	2.9
			1500 1599	21.0	(34.4)	69.9	530.0	54.6	7.7	3.4	3.9	4.6	3.0	2.7
			1400 1499	16.0	(26.2)	69.8	535.6	52.8	8.0	3.3	3.0	4.6	2.4	2.8
			1300 1399	10.0	(16.4)	70.2	462.5	50.4	6.8	2.8	2.7	4.8	2.1	2.8
			1200 1299	3.0	(4.9)	70.0	438.2	42.7	6.5	1.9	2.3	5.0	2.0	2.7
			1100 1199	1.0	(1.6)	67.9	496.0	46.0	8.4	5.3	3.0	4.0	2.0	3.0
				61.0	(1.8)	70.1	517.9	53.9	7.6	3.1	3.4	4.6	2.7	2.8
			1700 1799	2.0	(11.1)	72.0	447.0	56.0	6.8	1.8	9.0	4.0	5.0	3.0
			1600 1699	4.0	(22.2)	70.8	505.5	55.5	7.3	2.6	6.0	4.0	4.0	3.0
			1500 1599	1.0	(5.6)	71.9	491.5	61.0	6.6	1.9	7.0	4.0	5.0	3.0
			1400 1499	5.0	(27.8)	70.2	509.9	51.6	7.6	2.9	4.2	4.0	3.6	3.0
			1300 1399	3.0	(16.7)	70.6	464.2	49.7	6.5	1.9	3.7	4.0	3.0	3.0
			1200 1299	1.0	(5.6)	72.7	431.5	57.0	6.4	1.0	3.0	5.0	2.0	3.0
			1100 1199	2.0	(11.1)	69.1	598.5	56.0	7.8	3.6	2.0	4.5	2.0	3.0
				18.0	(0.5)	70.7	498.8	53.9	7.2	2.5	4.9	4.1	3.6	3.0
			1700 1799	1.0	(50.0)	71.8	485.0	60.0	7.5	2.5	6.0	3.0	4.0	3.0
			1500 1599	1.0	(50.0)	69.3	435.5	42.0	7.0	3.0	3.0	5.0	2.0	3.0
				2.0	(0.1)	70.5	460.3	51.0	7.3	2.8	4.5	4.0	3.0	3.0
			1600 1699	2.0	(66.7)	71.5	425.0	49.5	6.7	1.6	3.0	3.5	2.5	2.0
			1100 1199	1.0	(33.3)	68.9	416.5	36.0	6.0	2.1	2.0	4.0	2.0	2.0
				3.0	(0.1)	70.6	422.2	45.0	6.5	1.8	2.7	3.7	2.3	2.0
			2000 2099	1.0	(1.1)	73.8	580.6	72.0	9.3	2.1	9.0	4.0	5.0	3.0
			1800 1899	3.0	(3.2)	71.5	557.5	58.3	8.4	2.3	7.7	4.3	4.3	3.0
			1700 1799	13.0	(13.7)	71.2	532.6	59.2	7.9	2.6	6.2	4.2	4.2	2.9
			1600 1699	40.0	(42.1)	70.3	539.0	55.0	7.4	2.6	4.7	4.1	3.5	2.7
			1500 1599	19.0	(20.0)	70.2	539.5	55.7	7.2	2.7	4.4	4.0	3.3	3.1
			1400 1499	6.0	(6.3)	70.6	526.5	55.3	7.0	2.4	4.2	4.2	3.0	2.7
			1300 1399	9.0	(9.5)	70.4	543.2	54.2	7.9	2.8	3.7	4.4	3.1	2.9
			1200 1299	3.0	(3.2)	69.5	556.2	49.7	7.7	2.8	2.7	4.3	2.0	2.7
			1100 1199	1.0	(1.1)	66.8	548.2	41.0	6.8	4.0	3.0	5.0	2.0	3.0
				95.0	(2.8)	70.5	539.5	55.6	7.5	2.6	4.8	4.2	3.4	2.8
			2100 2199	1.0	(0.5)	73.3	557.6	73.0	9.6	3.3	10.0	4.0	5.0	3.0
			2000 2099	5.0	(2.5)	72.3	549.8	67.8	8.2	2.8	8.4	3.6	5.0	2.8
			1900 1999	8.0	(4.1)	71.8	558.5	65.5	8.3	3.0	6.9	3.5	4.4	2.9
			1800 1899	24.0	(12.2)	70.9	517.6	58.2	7.6	2.9	6.5	3.8	4.2	2.8
			1700 1799	54.0	(27.4)	70.7	531.1	57.8	7.7	2.9	5.7	3.8	3.9	2.7
			1600 1699	80.0	(40.6)	70.0	534.2	55.7	7.4	3.2	4.3	3.9	3.3	2.8
			1500 1599	18.0	(9.1)	69.4	545.8	52.7	7.4	3.3	3.9	4.2	2.9	2.8
			1400 1499	3.0	(1.5)	70.0	543.7	56.7	6.9	2.8	3.3	4.7	2.7	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1300 1399	3.0	(1.5)	69.3	507.7	51.3	6.8	3.2	2.0	4.7	2.0	2.7
			1200 1299	1.0	(0.5)	66.5	503.2	39.0	4.8	3.2	3.0	5.0	2.0	3.0
				197.0	(5.8)	70.4	533.5	56.9	7.6	3.0	5.1	3.9	3.6	2.8
			1600 1699	2.0	(18.2)	70.7	474.4	53.0	7.3	2.8	4.5	4.0	3.5	3.0
			1500 1599	4.0	(36.4)	69.8	458.7	45.3	6.9	2.5	4.0	4.8	3.0	3.0
			1400 1499	3.0	(27.3)	69.4	462.8	45.3	6.6	2.7	3.0	4.3	2.0	2.7
			1300 1399	1.0	(9.1)	70.0	445.4	54.0	5.2	2.5	2.0	5.0	2.0	3.0
			1200 1299	1.0	(9.1)	69.8	454.4	48.0	5.1	1.6	2.0	5.0	2.0	2.0
				11.0	(0.3)	69.9	461.1	47.7	6.6	2.5	3.5	4.5	2.6	2.8
			1700 1799	8.0	(9.6)	70.5	626.1	63.1	9.3	3.8	6.1	4.0	4.1	3.0
			1600 1699	70.0	(84.3)	70.6	578.4	56.8	8.7	3.1	4.5	4.4	3.4	3.0
			1500 1599	2.0	(2.4)	70.0	509.3	50.0	7.7	3.0	4.5	5.0	3.5	3.0
			1400 1499	1.0	(1.2)	69.8	532.0	49.0	8.2	3.1	4.0	5.0	3.0	3.0
			1300 1399	1.0	(1.2)	73.6	436.5	60.0	8.1	1.7	3.0	5.0	3.0	3.0
			800 899	1.0	(1.2)	70.0	606.5	64.0	8.8	4.4	4.0	4.0	3.0	3.0
				83.0	(2.5)	70.6	579.4	57.3	8.7	3.1	4.6	4.4	3.5	3.0
			1600 1699	1.0	(50.0)	71.2	506.8	59.0	6.6	2.1	4.0	3.0	3.0	3.0
			1400 1499	1.0	(50.0)	70.1	375.0	40.0	5.7	1.8	2.0	5.0	2.0	3.0
				2.0	(0.1)	70.7	440.9	49.5	6.2	1.9	3.0	4.0	2.5	3.0
			1600 1699	1.0	(50.0)	69.8	421.0	43.0	5.5	1.7	4.0	4.0	3.0	2.0
			1400 1499	1.0	(50.0)	71.5	431.4	54.0	7.2	2.5	3.0	4.0	3.0	3.0
				2.0	(0.1)	70.7	426.2	48.5	6.3	2.1	3.5	4.0	3.0	2.5
			1700 1799	1.0	(25.0)	71.6	518.6	65.0	7.3	2.8	5.0	4.0	4.0	2.0
			1600 1699	2.0	(50.0)	70.8	475.0	52.5	6.5	1.9	5.0	4.5	3.5	2.5
			1500 1599	1.0	(25.0)	71.6	477.8	57.0	6.3	1.5	3.0	5.0	2.0	2.0
				4.0	(0.1)	71.2	486.6	56.8	6.7	2.0	4.5	4.5	3.3	2.3
			1900 1999	2.0	(7.1)	72.6	480.8	61.5	7.5	2.0	8.0	3.5	4.5	2.5
			1800 1899	1.0	(3.6)	71.7	536.2	66.0	6.9	2.4	6.0	4.0	4.0	3.0
			1700 1799	5.0	(17.9)	71.4	500.6	59.8	7.4	2.7	6.0	4.0	4.2	2.8
			1600 1699	14.0	(50.0)	70.2	520.0	52.6	7.4	2.7	4.1	3.9	3.1	2.5
			1500 1599	6.0	(21.4)	70.1	460.0	47.7	6.7	2.5	2.8	4.0	2.0	2.8
				28.0	(0.8)	70.6	501.4	54.0	7.3	2.6	4.5	3.9	3.2	2.6
			1800 1899	1.0	(3.1)	73.7	583.0	72.0	9.0	2.0	7.0	3.0	5.0	2.0
			1700 1799	5.0	(15.6)	71.7	487.6	58.8	7.7	2.6	5.2	4.2	3.6	3.0
			1600 1699	4.0	(12.5)	70.6	499.1	55.3	7.5	3.0	4.8	4.0	3.5	3.0
			1500 1599	8.0	(25.0)	71.0	487.1	54.9	7.4	2.6	3.8	4.0	2.8	2.8

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1400 1499	8.0	(25.0)	70.1	454.9	48.4	6.4	2.4	2.8	4.3	2.3	2.9
			1300 1399	5.0	(15.6)	70.0	428.1	48.4	6.4	2.9	3.6	4.4	2.8	2.4
			1200 1299	1.0	(3.1)	71.2	293.2	42.0	4.5	1.1	3.0	4.0	2.0	2.0
				32.0	(1.0)	70.8	468.4	53.0	7.0	2.6	3.9	4.1	2.9	2.8
			1800 1899	3.0	(11.5)	70.8	532.3	53.7	7.7	2.2	6.3	4.0	4.0	2.7
			1700 1799	4.0	(15.4)	70.6	525.3	55.0	7.6	2.7	5.3	4.0	3.8	3.0
			1600 1699	7.0	(26.9)	70.3	509.0	52.0	7.2	2.6	5.0	4.3	3.6	2.6
			1500 1599	10.0	(38.5)	69.2	513.9	49.2	6.8	3.0	3.3	4.2	2.8	2.8
			1400 1499	1.0	(3.8)	71.3	475.8	59.0	5.8	1.8	3.0	5.0	2.0	3.0
			1300 1399	1.0	(3.8)	70.1	476.8	53.0	6.3	2.7	3.0	5.0	2.0	3.0
				26.0	(0.8)	70.0	513.5	51.9	7.1	2.7	4.4	4.2	3.2	2.8
			1700 1799	11.0	(11.6)	71.4	474.5	53.6	7.9	2.5	5.5	4.3	4.0	2.9
			1600 1699	20.0	(21.1)	69.9	494.9	49.0	7.5	2.9	4.2	4.0	3.5	2.9
			1500 1599	44.0	(46.3)	70.0	492.3	50.0	7.7	3.2	3.4	4.0	3.0	2.9
			1400 1499	18.0	(18.9)	69.5	488.0	48.4	6.8	2.9	2.6	4.2	2.0	2.8
			800 899	1.0	(1.1)	69.3	205.4	27.0	3.8	1.7	2.0	5.0	2.0	3.0
			600 699	1.0	(1.1)	70.0	340.8	40.0	4.5	1.5	2.0	4.0	2.0	2.0
				95.0	(2.8)	70.0	485.3	49.5	7.4	3.0	3.6	4.1	3.0	2.9
			1800 1899	5.0	(25.0)	71.1	517.9	57.4	7.6	2.6	7.6	4.2	4.6	3.0
			1600 1699	11.0	(55.0)	70.4	537.1	56.4	7.7	2.9	5.8	4.5	4.0	3.0
			1500 1599	4.0	(20.0)	70.6	567.3	59.5	8.7	3.6	4.3	4.8	3.3	3.0
				20.0	(0.6)	70.6	538.3	57.3	7.8	3.0	6.0	4.5	4.0	3.0
			1800 1899	4.0	(5.2)	70.8	592.0	61.5	8.1	2.8	7.0	4.0	4.5	2.8
			1700 1799	8.0	(10.4)	71.0	590.4	61.8	7.7	2.4	5.5	4.1	3.8	2.8
			1600 1699	37.0	(48.1)	70.2	566.2	56.8	7.5	2.7	4.6	4.2	3.4	2.6
			1500 1599	18.0	(23.4)	68.9	592.6	53.6	7.5	3.3	4.0	4.4	2.8	2.7
			1400 1499	6.0	(7.8)	68.1	600.3	50.3	7.3	3.5	3.7	4.7	2.5	2.8
			1300 1399	1.0	(1.3)	66.2	655.2	50.0	8.9	6.0	4.0	4.0	3.0	3.0
			1200 1299	3.0	(3.9)	69.2	560.9	51.7	6.9	2.7	3.0	4.3	2.7	2.7
				77.0	(2.3)	69.7	579.8	56.0	7.5	3.0	4.5	4.3	3.2	2.7
			1800 1899	4.0	(11.8)	72.3	550.6	69.5	8.4	3.1	7.8	3.8	4.8	2.8
			1700 1799	4.0	(11.8)	71.2	554.6	62.0	7.8	2.8	4.5	3.8	3.3	3.0
			1600 1699	11.0	(32.4)	70.0	558.3	56.1	7.7	3.2	3.5	3.9	2.9	2.9
			1500 1599	13.0	(38.2)	69.7	535.7	52.5	7.3	3.0	3.3	4.2	2.3	2.8
			1400 1499	1.0	(2.9)	71.4	575.2	66.0	8.2	3.2	3.0	3.0	3.0	3.0
			1300 1399	1.0	(2.9)	68.7	524.7	58.0	7.3	5.1	2.0	4.0	2.0	3.0
				34.0	(1.0)	70.3	547.8	57.4	7.6	3.1	4.0	4.0	2.9	2.9

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1700 1799	7.0	(25.0)	71.3	528.3	59.1	7.7	2.5	5.6	4.3	3.9	2.7
			1600 1699	10.0	(35.7)	70.1	537.2	53.2	7.5	2.7	4.3	4.2	3.2	2.5
			1500 1599	6.0	(21.4)	70.2	489.0	52.0	6.9	2.6	3.0	4.2	2.5	2.7
			1400 1499	4.0	(14.3)	70.1	493.8	51.5	7.1	2.8	3.5	4.0	2.8	2.3
			1300 1399	1.0	(3.6)	68.9	520.0	48.0	6.3	2.6	3.0	5.0	2.0	2.0
				28.0	(0.8)	70.4	517.8	54.0	7.3	2.7	4.2	4.2	3.1	2.5
			2000 2099	1.0	(0.9)	72.0	534.6	59.0	7.8	1.8	8.0	4.0	5.0	3.0
			1900 1999	2.0	(1.9)	72.8	556.9	71.0	7.9	2.4	6.0	4.0	4.0	3.0
			1800 1899	21.0	(19.6)	71.0	533.3	58.4	7.3	2.4	5.2	3.9	3.9	2.9
			1700 1799	24.0	(22.4)	70.2	501.4	52.0	6.7	2.4	4.3	4.1	3.3	2.8
			1600 1699	33.0	(30.8)	70.1	516.8	54.3	6.9	2.7	3.8	4.1	2.9	2.8
			1500 1599	17.0	(15.9)	69.7	494.3	49.2	6.4	2.4	3.0	4.2	2.5	2.7
			1400 1499	9.0	(8.4)	70.0	474.8	50.0	6.3	2.3	2.9	4.6	2.2	2.8
				107.0	(3.2)	70.3	510.4	53.8	6.9	2.5	4.1	4.1	3.1	2.8
			1900 1999	1.0	(7.1)	71.2	552.2	63.0	7.7	2.9	6.0	5.0	4.0	2.0
			1800 1899	2.0	(14.3)	70.2	579.0	58.0	8.3	3.4	6.0	3.5	4.0	3.0
			1700 1799	1.0	(7.1)	68.5	576.3	62.0	7.4	5.2	6.0	4.0	4.0	3.0
			1600 1699	2.0	(14.3)	68.0	533.8	45.5	7.3	3.9	4.0	4.0	3.0	3.0
			1500 1599	4.0	(28.6)	70.1	532.7	55.3	7.4	3.1	3.0	4.3	2.3	3.0
			1400 1499	3.0	(21.4)	68.8	514.4	47.0	6.2	2.7	3.3	4.0	2.3	2.7
			1200 1299	1.0	(7.1)	68.6	569.2	51.0	7.7	3.8	3.0	4.0	2.0	3.0
				14.0	(0.4)	69.4	542.6	53.2	7.3	3.3	4.1	4.1	2.9	2.9
			2000 2099	3.0	(4.1)	70.9	612.5	61.3	9.0	3.2	6.0	3.3	4.3	3.0
			1900 1999	4.0	(5.5)	71.5	577.5	67.8	8.2	3.3	5.8	3.5	4.3	3.0
			1800 1899	6.0	(8.2)	71.4	577.4	62.0	8.3	2.6	6.0	4.0	3.8	3.0
			1700 1799	7.0	(9.6)	69.7	613.7	62.0	7.9	3.7	4.7	4.0	3.6	2.9
			1600 1699	31.0	(42.5)	70.4	507.0	53.0	7.1	2.5	4.5	4.4	3.2	2.9
			1500 1599	7.0	(9.6)	68.8	533.9	47.6	7.7	3.6	3.7	4.4	2.9	2.9
			1400 1499	9.0	(12.3)	71.0	482.5	54.6	7.0	2.4	3.4	4.4	2.7	3.0
			1300 1399	2.0	(2.7)	66.9	553.5	41.5	7.5	4.3	3.5	4.0	2.5	3.0
			1200 1299	2.0	(2.7)	69.9	352.4	37.5	5.2	1.6	2.0	5.0	2.0	3.0
			1000 1099	1.0	(1.4)	69.8	293.0	33.0	4.5	1.4	2.0	5.0	2.0	2.0
			800 899	1.0	(1.4)	68.3	207.4	23.0	3.3	1.9	2.0	5.0	2.0	3.0
				73.0	(2.2)	70.3	520.8	54.0	7.4	2.8	4.4	4.3	3.2	2.9
			2100 2199	1.0	(0.8)	71.2	563.6	58.0	8.0	2.2	9.0	4.0	5.0	3.0
			2000 2099	3.0	(2.3)	70.9	636.5	72.3	8.1	3.6	7.7	4.0	4.3	3.0
			1900 1999	13.0	(9.8)	71.9	586.4	66.5	8.6	2.8	6.6	3.8	4.2	2.9
			1800 1899	18.0	(13.5)	71.8	585.6	69.5	8.0	2.9	5.8	3.8	3.9	2.9

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1700 1799	32.0	(24.1)	70.9	577.4	62.2	7.8	2.8	5.3	3.9	3.7	3.0
			1600 1699	51.0	(38.3)	69.9	586.1	58.1	7.7	3.1	3.9	4.2	3.1	2.9
			1500 1599	5.0	(3.8)	68.3	591.7	54.0	7.7	4.2	4.0	4.2	2.8	3.0
			1400 1499	9.0	(6.8)	69.7	569.6	56.4	7.5	3.2	4.0	3.9	3.0	3.0
			1300 1399	1.0	(0.8)	68.2	557.9	45.0	8.0	3.8	3.0	4.0	3.0	3.0
				133.0	(3.9)	70.6	583.9	61.4	7.9	3.0	4.9	4.0	3.5	2.9
			1800 1899	2.0	(18.2)	71.3	545.8	63.5	7.4	2.7	9.0	4.5	5.0	2.5
			1700 1799	1.0	(9.1)	68.6	637.6	59.0	9.0	5.0	9.0	4.0	5.0	3.0
			1600 1699	4.0	(36.4)	70.1	608.0	55.8	8.4	2.8	6.3	4.3	4.0	3.0
			1500 1599	3.0	(27.3)	70.1	592.7	59.0	8.0	3.2	4.0	3.3	3.0	3.0
			1400 1499	1.0	(9.1)	67.0	604.2	48.0	7.7	4.7	3.0	4.0	3.0	3.0
				11.0	(0.3)	69.9	594.8	57.6	8.1	3.2	6.1	4.0	3.9	2.9
			2000 2099	5.0	(2.5)	72.8	523.8	65.4	8.1	2.2	7.8	4.2	4.6	2.8
			1900 1999	10.0	(5.0)	71.0	527.3	57.4	7.7	2.6	8.8	4.1	5.0	3.0
			1800 1899	22.0	(11.1)	72.1	540.6	64.5	7.9	2.4	6.8	4.4	4.2	3.0
			1700 1799	48.0	(24.1)	71.2	515.9	58.6	7.5	2.6	5.6	4.6	3.9	2.9
			1600 1699	50.0	(25.1)	70.5	522.9	54.8	7.6	2.8	4.3	4.4	3.2	2.9
			1500 1599	48.0	(24.1)	70.2	520.2	53.4	7.1	2.6	3.0	4.8	2.2	2.8
			1400 1499	15.0	(7.5)	69.1	500.8	49.5	6.6	3.2	2.8	4.5	2.1	2.8
			1300 1399	1.0	(0.5)	67.0	381.6	32.0	4.0	2.6	3.0	5.0	2.0	3.0
				199.0	(5.9)	70.7	520.4	56.3	7.4	2.7	4.8	4.5	3.3	2.9
			1800 1899	1.0	(16.7)	73.1	563.8	74.0	8.8	3.0	9.0	4.0	5.0	3.0
			1700 1799	1.0	(16.7)	71.8	517.3	65.0	7.6	2.9	8.0	4.0	5.0	3.0
			1600 1699	3.0	(50.0)	71.0	515.8	57.7	7.6	2.8	4.3	4.0	3.7	2.7
			1100 1199	1.0	(16.7)	69.0	528.6	50.0	6.6	2.9	3.0	4.0	2.0	3.0
				6.0	(0.2)	71.1	526.2	60.3	7.6	2.9	5.5	4.0	3.8	2.8
			2300 2399	1.0	(0.0)	75.7	591.0	89.0	9.9	2.7	11.0	4.0	5.0	3.0
			2200 2299	1.0	(0.0)	75.7	572.0	89.0	8.0	1.6	11.0	4.0	5.0	3.0
			2100 2199	2.0	(0.1)	72.3	560.6	65.5	8.8	2.8	9.5	4.0	5.0	3.0
			2000 2099	25.0	(0.7)	72.4	578.0	69.0	8.6	2.7	8.1	4.0	4.7	2.9
			1900 1999	78.0	(2.3)	71.9	578.7	66.9	8.6	2.9	7.8	3.9	4.6	2.9
			1800 1899	235.0	(7.0)	71.8	564.9	65.7	8.2	2.8	6.7	4.0	4.2	2.9
			1700 1799	460.0	(13.7)	71.2	555.7	61.4	8.0	2.8	5.8	4.1	3.9	2.8
			1600 1699	927.0	(27.5)	70.7	555.2	58.5	7.9	2.9	4.6	4.2	3.4	2.8
			1500 1599	819.0	(24.3)	70.4	545.9	56.8	7.7	2.9	3.9	4.2	3.0	2.8
			1400 1499	495.0	(14.7)	70.2	539.7	55.0	7.6	3.0	3.3	4.4	2.6	2.8
			1300 1399	198.0	(5.9)	70.0	530.1	53.9	7.5	3.0	3.3	4.5	2.5	2.8
			1200 1299	81.0	(2.4)	69.5	528.8	51.0	7.3	3.1	3.0	4.4	2.3	2.8
			1100 1199	33.0	(1.0)	68.9	486.5	46.1	6.7	3.2	2.4	4.6	2.0	2.8
			1000 1099	4.0	(0.1)	69.3	296.3	30.0	4.7	1.5	2.0	4.3	1.8	2.5

[illegible]