

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1700 1799	2.0	(3.8)	75.1	456.5	65.0	7.8	2.6	5.5	3.0	4.0	3.0
			1600 1699	1.0	(50.0)	73.1	368.3	45.0	6.2	1.9	5.0	4.0	4.0	2.0
			1500 1599	1.0	(50.0)	72.7	421.0	56.0	6.3	3.2	3.0	4.0	2.0	3.0
				2.0	(3.8)	72.9	394.6	50.5	6.3	2.5	4.0	4.0	3.0	2.5
			2500	14.0	(35.9)	75.0	430.0	57.7	8.2	2.3	5.9	4.2	3.9	2.6
			2400 2499	3.0	(7.7)	74.0	408.3	49.0	8.0	2.3	5.7	4.0	3.7	2.7
			2300 2399	4.0	(10.3)	73.1	433.5	46.8	8.2	2.7	3.8	4.5	2.8	2.8
			2200 2299	1.0	(2.6)	73.0	404.2	46.0	7.8	2.8	3.0	5.0	2.0	3.0
			2100 2199	1.0	(2.6)	75.9	391.6	61.0	7.5	1.7	3.0	5.0	2.0	3.0
			2000 2099	4.0	(10.3)	72.4	435.9	45.8	7.4	2.7	3.0	4.8	2.0	2.0
			1900 1999	1.0	(2.6)	76.5	484.4	69.0	8.9	2.0	3.0	5.0	2.0	3.0
			1800 1899	1.0	(2.6)	73.2	299.6	41.0	6.1	2.1	5.0	4.0	4.0	3.0
			1400 1499	1.0	(2.6)	72.9	396.0	40.0	7.1	1.6	2.0	5.0	2.0	2.0
			1300 1399	1.0	(2.6)	73.9	343.2	51.0	6.0	2.0	5.0	5.0	3.0	3.0
			1200 1299	3.0	(7.7)	73.3	363.6	45.7	5.8	1.5	2.0	5.0	2.0	4.3
			1100 1199	1.0	(2.6)	73.0	337.2	44.0	4.7	1.2	3.0	4.0	2.0	2.0
			1000 1099	1.0	(2.6)	74.2	281.2	46.0	5.0	1.1	2.0	5.0	2.0	3.0
			900 999	3.0	(7.7)	73.0	293.9	41.7	4.7	1.4	2.0	5.3	2.0	5.0
				39.0	(73.6)	74.0	400.8	50.9	7.3	2.1	4.2	4.5	2.9	2.9
			2500	5.0	(50.0)	74.9	487.4	62.6	8.4	2.3	5.6	3.8	3.8	3.0
			1500 1599	2.0	(20.0)	70.6	449.8	46.5	5.3	3.0	4.0	4.0	2.5	3.5
			1400 1499	1.0	(10.0)	70.8	365.7	40.0	4.9	2.7	2.0	5.0	2.0	3.0
			1300 1399	1.0	(10.0)	72.7	408.4	54.0	5.6	2.6	2.0	5.0	2.0	4.0
			1200 1299	1.0	(10.0)	72.3	479.7	57.0	6.3	3.0	2.0	6.0	2.0	4.0
				10.0	(18.9)	73.2	459.1	55.7	6.9	2.6	4.2	4.3	3.0	3.3
			2500	19.0	(35.8)	75.0	445.1	59.0	8.3	2.3	5.8	4.1	3.8	2.7
			2400 2499	3.0	(5.7)	74.0	408.3	49.0	8.0	2.3	5.7	4.0	3.7	2.7
			2300 2399	4.0	(7.5)	73.1	433.5	46.8	8.2	2.7	3.8	4.5	2.8	2.8
			2200 2299	1.0	(1.9)	73.0	404.2	46.0	7.8	2.8	3.0	5.0	2.0	3.0
			2100 2199	1.0	(1.9)	75.9	391.6	61.0	7.5	1.7	3.0	5.0	2.0	3.0
			2000 2099	4.0	(7.5)	72.4	435.9	45.8	7.4	2.7	3.0	4.8	2.0	2.0
			1900 1999	1.0	(1.9)	76.5	484.4	69.0	8.9	2.0	3.0	5.0	2.0	3.0
			1800 1899	1.0	(1.9)	73.2	299.6	41.0	6.1	2.1	5.0	4.0	4.0	3.0
			1700 1799	2.0	(3.8)	75.1	456.5	65.0	7.8	2.6	5.5	3.0	4.0	3.0
			1600 1699	1.0	(1.9)	73.1	368.3	45.0	6.2	1.9	5.0	4.0	4.0	2.0
			1500 1599	3.0	(5.7)	71.3	440.2	49.7	5.6	3.1	3.7	4.0	2.3	3.3
			1400 1499	2.0	(3.8)	71.8	380.9	40.0	6.0	2.1	2.0	5.0	2.0	2.5
			1300 1399	2.0	(3.8)	73.3	375.8	52.5	5.8	2.3	3.5	5.0	2.5	3.5
			1200 1299	4.0	(7.5)	73.0	392.6	48.5	6.0	1.9	2.0	5.3	2.0	4.3
			1100 1199	1.0	(1.9)	73.0	337.2	44.0	4.7	1.2	3.0	4.0	2.0	2.0
			1000 1099	1.0	(1.9)	74.2	281.2	46.0	5.0	1.1	2.0	5.0	2.0	3.0

[illegible]

[illegible]