

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1600 1699	1.0	(1.2)	75.3	483.0	68.0	9.3	3.5	7.0	4.0	4.0	3.0
			1400 1499	5.0	(6.0)	72.3	456.0	52.4	7.6	3.7	3.8	3.8	2.8	3.0
			1300 1399	8.0	(9.5)	73.4	468.5	58.8	8.1	3.6	3.3	4.5	2.4	3.0
			1200 1299	15.0	(17.9)	72.1	478.6	50.7	8.0	3.6	2.3	4.9	2.1	3.1
			1100 1199	27.0	(32.1)	71.4	474.3	48.5	8.0	4.1	2.2	4.8	2.0	3.0
			1000 1099	25.0	(29.8)	71.1	462.8	47.9	7.8	4.4	2.2	4.7	2.0	3.0
			900 999	2.0	(2.4)	71.8	443.0	46.0	8.1	3.9	2.0	3.5	2.0	3.0
			700 799	1.0	(1.2)	70.8	386.0	41.0	5.3	3.0	1.0	5.0	1.0	6.0
				84.0	(48.3)	71.7	468.3	50.0	7.9	4.0	2.5	4.7	2.1	3.1
			1400 1499	2.0	(11.8)	74.1	435.0	55.0	7.8	2.5	4.0	5.0	3.0	3.0
			1100 1199	4.0	(23.5)	72.8	402.0	49.0	6.8	2.8	2.3	4.3	2.0	3.0
			1000 1099	3.0	(17.6)	73.4	417.7	57.3	7.2	3.4	2.3	4.7	2.0	3.3
			900 999	3.0	(17.6)	70.2	346.3	32.3	5.3	2.9	1.7	5.7	2.0	4.7
			800 899	3.0	(17.6)	72.1	355.8	42.7	5.8	2.5	1.3	6.0	1.3	5.7
			700 799	2.0	(11.8)	71.6	340.0	38.0	5.0	2.1	2.0	5.5	2.0	6.0
				17.0	(9.8)	72.3	383.4	45.8	6.4	2.8	2.2	5.1	2.0	4.2
			1600 1699	24.0	(54.5)	71.8	423.5	45.8	7.0	3.3	2.0	4.8	2.0	4.3
			1100 1199	2.0	(4.5)	72.5	516.5	53.0	7.2	2.4	3.0	5.5	2.5	3.0
			1000 1099	1.0	(2.3)	71.7	385.0	40.0	6.8	2.9	2.0	4.0	2.0	2.0
			900 999	4.0	(9.1)	72.2	306.3	35.3	5.3	1.6	1.8	5.5	1.5	5.5
			800 899	5.0	(11.4)	70.9	364.5	33.8	5.0	1.8	1.8	5.6	1.6	6.0
			700 799	5.0	(11.4)	71.3	331.4	32.2	4.8	1.6	1.6	6.0	1.4	6.8
			600 699	3.0	(6.8)	72.1	312.0	34.7	5.0	1.4	1.7	6.0	1.0	7.0
				44.0	(25.3)	71.7	391.4	41.4	6.2	2.6	2.0	5.2	1.8	5.0
			1500 1599	1.0	(16.7)	73.5	415.0	50.0	7.3	2.4	4.0	5.0	3.0	3.0
			1300 1399	1.0	(16.7)	75.3	359.5	59.0	7.0	2.2	5.0	3.0	4.0	3.0
			1000 1099	1.0	(16.7)	72.9	382.0	49.0	5.4	1.9	2.0	6.0	2.0	4.0
			800 899	2.0	(33.3)	72.8	402.5	45.0	6.1	1.8	2.0	5.5	2.0	5.0
			700 799	1.0	(16.7)	72.3	446.0	39.0	7.1	1.6	2.0	5.0	2.0	7.0
				6.0	(3.4)	73.3	401.3	47.8	6.5	1.9	2.8	5.0	2.5	4.5
			900 999	1.0	(50.0)	72.8	334.6	40.0	5.4	1.4	2.0	6.0	2.0	4.0
			800 899	1.0	(50.0)	71.4	350.8	39.0	5.8	2.8	2.0	6.0	2.0	5.0
				2.0	(1.1)	72.1	342.7	39.5	5.6	2.1	2.0	6.0	2.0	4.5
			1100 1199	1.0	(0.6)	75.3	534.0	79.0	8.8	4.0	2.0	4.0	2.0	3.0
			1800 1899	1.0	(20.0)	75.7	521.0	70.0	8.0	1.8	7.0	5.0	4.0	3.0
			1600 1699	1.0	(20.0)	74.3	577.0	73.0	8.3	3.3	6.0	4.0	4.0	3.0
			1400 1499	1.0	(20.0)	72.8	386.5	47.0	6.2	2.3	2.0	5.0	2.0	3.0
			1300 1399	2.0	(40.0)	73.4	378.0	51.5	7.0	3.0	3.5	4.5	2.5	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1700 1799	1.0	(1.3)	75.5	508.0	67.0	8.2	1.9	4.0	4.0	3.0	3.0
			1500 1599	3.0	(4.0)	73.1	515.0	59.0	8.0	3.2	2.7	3.7	3.0	3.0
			1400 1499	7.0	(9.3)	73.6	519.7	62.1	8.5	3.4	3.6	4.3	2.9	3.0
			1300 1399	4.0	(5.3)	73.1	506.0	56.3	8.5	3.4	3.3	4.3	2.5	3.0
			1200 1299	17.0	(22.7)	72.1	511.9	52.9	8.2	3.6	2.4	4.6	2.2	2.9
			1100 1199	27.0	(36.0)	71.6	484.1	48.8	8.0	3.8	2.3	4.7	2.0	3.0
			1000 1099	14.0	(18.7)	71.1	456.0	45.4	7.3	3.7	2.3	4.6	2.0	3.0
			900 999	2.0	(2.7)	70.5	446.5	44.5	7.3	4.3	2.0	4.5	2.0	3.0
				75.0	(58.1)	72.0	490.2	51.3	7.9	3.6	2.5	4.6	2.2	3.0
			1400 1499	1.0	(14.3)	73.8	527.0	58.0	7.3	1.8	3.0	5.0	2.0	3.0
			1300 1399	1.0	(14.3)	76.4	545.0	68.0	8.8	1.0	3.0	4.0	2.0	3.0
			1200 1299	1.0	(14.3)	69.5	675.0	53.0	9.2	5.0	2.0	5.0	2.0	3.0
			1100 1199	2.0	(28.6)	73.2	531.0	59.5	8.9	3.6	2.0	5.0	2.0	3.0
			1000 1099	2.0	(28.6)	74.2	443.0	59.0	7.4	2.6	2.0	4.5	2.0	3.0
				7.0	(5.4)	73.5	527.9	59.4	8.3	2.9	2.3	4.7	2.0	3.0
			1600 1699	26.0	(96.3)	72.2	483.3	50.8	7.3	3.0	2.0	4.8	2.0	4.3
			1200 1299	1.0	(3.7)	75.6	457.0	64.0	8.1	2.0	4.0	5.0	3.0	3.0
				27.0	(20.9)	72.3	482.3	51.3	7.4	2.9	2.1	4.8	2.0	4.3
			1500 1599	2.0	(66.7)	74.2	507.0	60.0	7.5	1.9	4.0	4.5	3.0	3.0
			1100 1199	1.0	(33.3)	71.6	430.0	44.0	6.6	2.8	3.0	5.0	2.0	2.0
				3.0	(2.3)	73.3	481.3	54.7	7.2	2.2	3.7	4.7	2.7	2.7
			1100 1199	1.0	(0.8)	75.2	395.0	56.0	6.8	1.2	2.0	5.0	2.0	3.0
			1300 1399	6.0	(4.7)	71.7	420.9	41.8	6.8	2.8	2.0	4.0	2.0	3.2
			1100 1199	1.0	(0.8)	73.2	417.5	45.0	7.4	2.0	2.0	4.0	2.0	4.0
			1600 1699	1.0	(0.8)	75.6	431.5	64.0	7.2	1.7	5.0	4.0	3.0	3.0
			1500 1599	1.0	(0.8)	74.6	405.4	58.0	6.5	1.8	4.0	4.0	3.0	3.0
			1500 1599	1.0	(14.3)	72.9	523.4	54.0	8.4	2.7	3.0	3.0	3.0	3.0
			1400 1499	3.0	(42.9)	73.0	468.1	50.0	7.6	2.3	3.0	3.7	2.3	3.0
			1300 1399	3.0	(42.9)	72.4	479.6	51.0	7.5	2.9	2.7	4.0	2.0	3.0
				7.0	(5.4)	72.8	480.9	51.0	7.7	2.6	2.9	3.7	2.3	3.0
			1700 1799	1.0	(0.8)	75.5	508.0	67.0	8.2	1.9	4.0	4.0	3.0	3.0
			1600 1699	27.0	(20.9)	72.3	481.4	51.3	7.3	2.9	2.1	4.8	2.0	4.3
			1500 1599	7.0	(5.4)	73.6	498.3	58.4	7.7	2.6	3.3	3.9	3.0	3.0
			1400 1499	11.0	(8.5)	73.5	506.3	58.5	8.1	3.0	3.4	4.2	2.6	3.0

