

					(%)		(kg)	(m2)	(m)	(m)				
			1000 1099	2.0	(0.7)	70.8	445.0	53.0	5.5	1.9	2.0	5.5	2.0	3.5
			900 999	2.0	(0.7)	69.2	480.0	44.0	5.0	1.4	2.0	5.0	2.0	3.5
			800 899	3.0	(1.1)	69.1	455.8	43.7	5.3	2.0	2.3	5.0	2.0	3.3
			700 799	53.0	(19.0)	69.4	377.6	37.8	4.6	1.4	1.8	5.9	1.7	4.4
			600 699	135.0	(48.4)	69.3	351.6	35.7	4.1	1.2	1.7	5.8	1.5	4.4
			500 599	83.0	(29.7)	69.3	329.6	34.1	3.8	1.0	1.5	6.0	1.4	4.8
			499	1.0	(0.4)	68.6	214.0	22.0	2.9	1.1	1.0	6.0	1.0	7.0
				279.0	(3.0)	69.3	352.2	35.9	4.1	1.2	1.7	5.9	1.5	4.5
			1000 1099	1.0	(4.3)	70.2	460.0	48.0	5.5	1.5	2.0	5.0	2.0	3.0
			900 999	2.0	(8.7)	69.0	477.5	45.5	6.1	2.6	2.5	5.0	2.0	2.5
			700 799	4.0	(17.4)	69.0	411.0	39.5	4.7	1.6	2.0	5.5	1.8	3.3
			600 699	14.0	(60.9)	69.1	390.6	36.6	4.5	1.2	1.9	5.4	1.7	4.3
			500 599	2.0	(8.7)	67.6	357.5	27.5	3.8	1.6	2.0	6.0	2.0	5.0
				23.0	(0.2)	69.0	401.9	37.6	4.6	1.5	2.0	5.4	1.8	4.0
			1000 1099	2.0	(0.6)	69.2	386.0	36.5	4.8	1.5	2.0	5.0	2.0	3.5
			900 999	1.0	(0.3)	69.2	415.0	41.0	4.3	1.3	2.0	5.0	2.0	3.0
			800 899	4.0	(1.3)	69.5	456.3	40.3	6.1	1.7	2.5	5.5	2.0	3.5
			700 799	45.0	(14.2)	68.8	411.0	37.8	4.7	1.6	2.2	5.6	1.9	4.2
			600 699	161.0	(50.8)	69.0	374.4	35.6	4.3	1.3	1.9	5.7	1.6	4.7
			500 599	102.0	(32.2)	69.1	336.4	33.7	3.9	1.1	1.8	5.6	1.5	5.2
			499	2.0	(0.6)	69.7	221.5	30.0	2.9	0.8	2.0	6.0	1.0	4.5
				317.0	(3.4)	69.0	367.6	35.3	4.2	1.3	1.9	5.7	1.6	4.7
			900 999	21.0	(2.1)	69.5	416.7	40.4	5.7	1.9	2.2	4.7	2.0	2.5
			800 899	16.0	(1.6)	69.5	386.8	39.7	5.1	1.8	2.3	4.6	2.1	2.3
			700 799	176.0	(17.5)	68.8	404.1	35.3	5.1	1.6	2.1	5.0	2.0	2.8
			600 699	497.0	(49.4)	68.9	372.4	33.0	4.6	1.3	2.1	5.3	1.9	3.2
			500 599	249.0	(24.8)	69.1	343.2	31.5	4.3	1.1	2.0	5.4	1.7	3.4
			499	47.0	(4.7)	69.4	310.0	29.5	4.2	0.8	2.0	5.7	1.4	3.9
				1006.0	(10.8)	69.0	369.0	33.1	4.6	1.3	2.1	5.3	1.8	3.2
			800 899	2.0	(4.7)	68.7	401.0	35.0	5.7	2.2	2.0	5.0	2.0	2.5
			700 799	11.0	(25.6)	68.4	392.3	34.9	4.7	1.9	2.0	4.8	1.8	2.6
			600 699	26.0	(60.5)	68.8	364.8	32.2	4.4	1.2	2.1	5.2	1.8	3.3
			500 599	4.0	(9.3)	69.3	283.3	27.0	3.7	0.6	1.8	6.0	1.5	4.5
				43.0	(0.5)	68.7	365.9	32.5	4.4	1.4	2.0	5.2	1.8	3.2
			700 799	3.0	(27.3)	68.6	456.7	35.7	5.7	1.6	2.7	5.0	2.0	3.3
			600 699	8.0	(72.7)	68.5	381.6	32.0	4.8	1.6	1.9	6.0	1.9	3.6
				11.0	(0.1)	68.6	402.1	33.0	5.0	1.6	2.1	5.7	1.9	3.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			800 899	1.0	(0.3)	67.8	410.0	35.0	5.7	3.0	4.0	4.0	3.0	3.0
			700 799	28.0	(9.7)	68.5	397.5	34.2	4.3	1.4	2.1	5.3	2.0	3.9
			600 699	123.0	(42.7)	68.6	379.1	33.2	4.2	1.3	2.0	5.0	1.8	4.3
			500 599	120.0	(41.7)	68.6	358.2	32.0	3.8	1.2	1.9	5.0	1.7	4.3
			499	16.0	(5.6)	68.9	320.4	29.3	3.9	0.9	1.7	5.5	1.5	5.0
				288.0	(3.1)	68.6	369.0	32.6	4.1	1.2	1.9	5.1	1.8	4.3
			900 999	1.0	(0.1)	66.1	501.5	39.0	5.6	4.2	3.0	4.0	3.0	3.0
			800 899	7.0	(0.7)	69.2	448.4	40.7	5.3	1.6	2.3	4.7	2.3	2.6
			700 799	210.0	(20.7)	68.6	410.7	36.5	4.4	1.4	2.0	5.1	1.9	3.5
			600 699	456.0	(44.9)	68.7	382.5	34.8	4.0	1.2	2.0	5.1	1.8	3.8
			500 599	275.0	(27.1)	68.6	355.5	31.8	3.6	1.0	1.8	5.4	1.6	3.9
			499	67.0	(6.6)	68.5	362.9	33.0	3.5	1.1	1.8	5.5	1.6	4.1
				1016.0	(10.9)	68.6	380.3	34.3	3.9	1.2	1.9	5.2	1.8	3.8
			1000 1099	1.0	(0.1)	69.2	440.0	37.0	5.3	1.1	2.0	4.0	2.0	3.0
			900 999	14.0	(0.7)	68.6	393.6	36.6	5.3	2.4	2.2	4.4	2.1	2.5
			800 899	22.0	(1.1)	69.2	431.5	41.0	5.5	2.0	2.4	4.6	2.0	3.0
			700 799	413.0	(21.1)	68.9	408.7	36.9	4.7	1.4	2.0	5.1	1.9	3.9
			600 699	911.0	(46.5)	68.8	385.0	34.9	4.3	1.2	1.9	5.3	1.7	4.1
			500 599	579.0	(29.6)	68.8	358.6	32.9	3.8	1.0	1.8	5.5	1.6	4.5
			499	18.0	(0.9)	69.0	311.4	30.4	3.3	0.7	1.5	5.6	1.3	4.9
				1958.0	(20.9)	68.8	382.1	34.8	4.3	1.2	1.9	5.3	1.7	4.2
			1000 1099	2.0	(0.5)	68.5	448.0	42.5	5.8	3.0	5.5	4.5	3.0	4.5
			800 899	6.0	(1.4)	69.8	379.4	43.0	4.8	1.8	2.0	5.5	2.0	3.3
			700 799	74.0	(17.8)	68.8	391.0	35.8	4.4	1.4	2.0	4.9	1.9	3.7
			600 699	206.0	(49.6)	68.6	379.6	33.7	4.1	1.3	1.9	5.0	1.8	4.0
			500 599	120.0	(28.9)	68.5	335.4	30.2	3.4	0.9	1.8	5.2	1.5	4.3
			499	7.0	(1.7)	68.8	337.1	31.3	4.0	1.2	1.7	5.7	1.3	4.6
				415.0	(4.4)	68.6	368.4	33.2	4.0	1.2	1.9	5.0	1.8	4.0
			800 899	4.0	(1.2)	68.6	463.1	43.8	5.5	2.6	2.8	4.0	2.3	3.5
			700 799	82.0	(24.9)	68.8	402.3	36.3	4.6	1.5	2.2	4.8	2.0	3.6
			600 699	163.0	(49.5)	68.5	385.4	34.4	4.1	1.3	2.0	4.7	1.9	3.7
			500 599	79.0	(24.0)	68.7	352.8	33.4	3.5	1.1	1.9	5.0	1.7	3.9
			499	1.0	(0.3)	69.4	331.5	35.0	2.7	0.2	2.0	6.0	1.0	4.0
				329.0	(3.5)	68.6	382.6	34.8	4.1	1.3	2.0	4.8	1.9	3.7
			1000 1099	1.0	(0.1)	68.0	402.0	43.0	4.7	3.4	2.0	5.0	2.0	4.0
			900 999	5.0	(0.4)	69.7	399.8	43.2	4.9	1.8	2.2	4.6	2.0	3.4
			800 899	24.0	(2.0)	69.2	426.4	40.9	5.2	1.8	2.4	4.9	2.0	3.4
			700 799	239.0	(19.9)	69.0	400.0	37.9	4.5	1.4	2.0	5.5	1.8	3.8

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
			600 699	613.0	(50.9)	69.0	361.5	34.3	4.1	1.2	1.8	5.7	1.6	4.2
			500 599	306.0	(25.4)	69.0	331.3	32.1	3.7	1.0	1.7	5.7	1.4	4.5
			499	16.0	(1.3)	69.0	302.1	30.3	3.5	1.0	1.6	5.9	1.3	5.4
				1204.0	(12.9)	69.0	362.2	34.6	4.1	1.2	1.8	5.7	1.6	4.2
			900 999	1.0	(1.5)	70.6	405.0	49.0	5.8	2.2	2.0	5.0	2.0	3.0
			800 899	1.0	(1.5)	67.3	463.0	35.0	5.5	2.7	2.0	6.0	2.0	3.0
			700 799	8.0	(11.8)	68.7	387.2	34.8	4.4	1.4	2.0	4.6	2.0	4.3
			600 699	43.0	(63.2)	68.3	377.3	32.6	4.0	1.4	2.1	4.8	1.9	3.7
			500 599	14.0	(20.6)	68.1	327.0	27.4	3.3	1.1	1.8	4.9	1.6	4.1
			499	1.0	(1.5)	68.0	198.0	17.0	2.5	0.9	2.0	5.0	1.0	3.0
				68.0	(0.7)	68.3	367.1	31.8	3.9	1.4	2.0	4.8	1.8	3.8
			900 999	2.0	(1.5)	70.0	451.0	48.5	6.3	2.5	2.5	5.0	2.0	2.0
			800 899	4.0	(3.0)	69.0	463.0	44.8	5.5	2.3	2.8	4.5	2.0	3.3
			700 799	41.0	(30.6)	69.0	397.4	38.1	4.3	1.4	2.1	5.6	1.9	3.6
			600 699	50.0	(37.3)	68.7	372.3	35.4	4.0	1.4	1.9	5.7	1.7	3.9
			500 599	34.0	(25.4)	68.7	324.8	30.7	3.5	1.1	1.8	5.7	1.6	4.2
			499	3.0	(2.2)	69.1	292.3	31.0	3.1	0.8	1.7	5.7	1.0	4.7
				134.0	(1.4)	68.8	370.0	35.4	4.0	1.3	2.0	5.6	1.7	3.8
			800 899	3.0	(4.1)	70.2	305.2	35.0	4.7	1.1	2.3	3.7	2.0	3.0
			700 799	23.0	(31.1)	68.8	348.8	31.6	4.3	1.3	2.0	4.7	2.0	3.7
			600 699	31.0	(41.9)	68.5	376.0	34.5	4.0	1.5	2.0	4.6	1.9	4.2
			500 599	16.0	(21.6)	68.9	349.8	33.7	3.8	1.1	1.9	4.8	1.8	4.3
			499	1.0	(1.4)	67.8	308.5	29.0	2.6	1.3	2.0	5.0	1.0	4.0
				74.0	(0.8)	68.8	358.1	33.4	4.1	1.3	2.0	4.6	1.9	4.0
			499	1.0	(0.0)	67.2	414.5	28.0	4.3	1.5	2.0	5.0	2.0	4.0
			600 699	3.0	(27.3)	68.9	339.0	33.0	4.0	1.3	1.7	5.3	1.7	4.0
			500 599	7.0	(63.6)	69.1	310.6	29.9	3.3	0.5	1.1	5.9	1.0	4.7
			499	1.0	(9.1)	69.4	319.0	26.0	4.2	0.2	1.0	7.0	1.0	7.0
				11.0	(0.1)	69.0	319.1	30.4	3.6	0.7	1.3	5.8	1.2	4.7
			700 799	1.0	(33.3)	69.2	296.2	34.0	4.0	1.7	2.0	5.0	2.0	2.0
			500 599	2.0	(66.7)	70.2	266.0	36.5	2.9	0.6	1.0	6.0	1.0	5.0
				3.0	(0.0)	69.9	276.1	35.7	3.2	0.9	1.3	5.7	1.3	4.0
			800 899	2.0	(3.8)	70.2	470.5	51.0	5.3	1.5	2.0	5.5	2.0	3.5
			700 799	14.0	(26.9)	68.9	442.7	40.0	5.0	1.6	2.3	5.8	1.9	4.3
			600 699	26.0	(50.0)	68.7	446.5	40.0	5.0	1.7	1.9	6.0	1.7	4.6
			500 599	9.0	(17.3)	69.3	354.7	35.2	4.1	1.1	1.7	6.0	1.4	4.6

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			499	1.0	(1.9)	71.0	415.5	48.0	5.5	1.2	1.0	7.0	1.0	5.0
				52.0	(0.6)	69.0	429.9	39.8	4.9	1.6	2.0	5.9	1.7	4.5
			1000 1099	2.0	(0.7)	67.3	502.2	42.5	6.6	4.1	2.5	4.5	2.0	2.5
			900 999	4.0	(1.3)	68.7	402.3	36.3	5.6	2.3	2.5	4.5	2.3	2.8
			800 899	9.0	(3.0)	69.4	374.4	39.1	4.9	1.9	2.0	4.7	2.0	3.4
			700 799	38.0	(12.7)	69.3	380.8	37.0	4.6	1.3	1.9	5.5	1.8	4.0
			600 699	168.0	(56.2)	68.7	369.7	33.3	4.1	1.2	1.7	5.5	1.6	4.2
			500 599	76.0	(25.4)	69.0	331.3	32.3	3.8	1.1	1.7	5.7	1.5	4.5
			499	2.0	(0.7)	69.4	281.5	30.0	4.0	1.1	1.5	6.0	1.5	5.0
				299.0	(3.2)	68.9	362.2	33.8	4.2	1.2	1.8	5.5	1.6	4.2
			700 799	1.0	(0.0)	66.8	476.0	28.0	5.4	2.0	2.0	6.0	2.0	4.0
			1000 1099	2.0	(0.7)	68.8	373.6	35.0	5.3	2.1	2.0	4.5	2.0	2.5
			900 999	5.0	(1.9)	68.1	435.8	39.6	5.1	2.7	2.2	5.2	2.0	3.0
			800 899	9.0	(3.4)	69.0	417.5	40.1	5.3	2.1	2.3	5.0	2.0	2.9
			700 799	58.0	(21.6)	69.0	419.5	39.9	4.6	1.5	2.0	5.6	1.9	3.9
			600 699	124.0	(46.3)	68.9	376.8	35.4	4.1	1.2	2.0	5.7	1.7	4.2
			500 599	65.0	(24.3)	68.4	329.6	29.7	3.5	1.1	1.7	6.0	1.5	4.7
			499	5.0	(1.9)	69.0	227.6	24.2	2.8	0.6	1.4	6.4	1.0	5.6
				268.0	(2.9)	68.8	374.3	35.0	4.1	1.3	1.9	5.7	1.7	4.2
			900 999	1.0	(50.0)	70.9	374.0	46.0	5.2	1.4	2.0	5.0	2.0	3.0
			600 699	1.0	(50.0)	68.6	392.0	27.0	4.6	0.5	2.0	6.0	1.0	4.0
				2.0	(0.0)	69.8	383.0	36.5	4.9	0.9	2.0	5.5	1.5	3.5
			600 699	4.0	(0.0)	68.8	419.4	38.3	4.6	1.6	2.0	6.0	1.0	2.8
			1000 1099	1.0	(6.3)	67.9	499.3	47.0	5.8	3.6	3.0	5.0	2.0	2.0
			800 899	1.0	(6.3)	69.6	464.8	45.0	6.0	1.9	2.0	5.0	2.0	4.0
			700 799	2.0	(12.5)	68.3	351.1	31.5	3.8	1.4	2.0	5.5	1.5	2.5
			600 699	6.0	(37.5)	68.7	435.3	38.7	5.1	1.9	2.0	5.7	1.8	3.0
			500 599	3.0	(18.8)	68.6	466.7	42.0	5.9	2.5	2.3	5.7	2.0	3.7
			499	3.0	(18.8)	69.5	294.4	29.0	3.8	0.5	1.7	5.7	1.0	3.7
				16.0	(0.2)	68.8	410.1	37.5	4.9	1.8	2.1	5.6	1.7	3.2
			800 899	1.0	(2.7)	66.7	424.8	36.0	4.2	3.1	2.0	6.0	2.0	4.0
			700 799	12.0	(32.4)	67.8	398.3	32.0	4.2	1.6	2.1	5.2	1.9	3.3
			600 699	14.0	(37.8)	67.9	378.7	30.4	4.3	1.7	2.0	5.8	1.6	3.9
			500 599	10.0	(27.0)	68.0	379.0	30.4	3.9	1.3	1.6	6.4	1.1	3.9
				37.0	(0.4)	67.9	386.4	31.1	4.1	1.6	1.9	5.8	1.6	3.7

					(%)		(kg)	(cm2)	(cm)	(cm)				
			800 899	1.0	(16.7)	68.2	456.4	34.0	5.3	1.4	3.0	5.0	2.0	6.0
			700 799	1.0	(16.7)	68.5	372.6	29.0	4.4	1.0	2.0	6.0	1.0	2.0
			600 699	3.0	(50.0)	68.9	425.0	35.3	5.1	1.3	1.3	4.7	1.0	3.3
			500 599	1.0	(16.7)	70.3	360.2	44.0	4.3	1.3	1.0	7.0	1.0	5.0
				6.0	(0.1)	68.9	410.7	35.5	4.9	1.3	1.7	5.3	1.2	3.8
			800 899	3.0	(4.7)	70.8	397.2	49.0	4.9	1.3	2.0	5.0	2.0	4.0
			700 799	12.0	(18.8)	68.6	415.4	37.5	4.6	1.7	1.6	5.9	1.5	3.5
			600 699	18.0	(28.1)	69.3	405.5	42.1	4.8	1.8	1.3	5.8	1.2	3.3
			500 599	28.0	(43.8)	69.6	407.1	42.8	4.8	1.6	1.1	5.9	1.0	3.9
			499	3.0	(4.7)	70.0	350.9	41.7	4.1	1.3	1.0	6.0	1.0	4.0
				64.0	(0.7)	69.4	405.1	41.8	4.8	1.7	1.3	5.9	1.2	3.7
			700 799	1.0	(20.0)	67.9	397.4	35.0	3.9	1.8	2.0	6.0	2.0	4.0
			600 699	4.0	(80.0)	68.5	382.1	33.5	4.5	1.5	2.0	5.3	1.8	3.0
				5.0	(0.1)	68.4	385.2	33.8	4.3	1.6	2.0	5.4	1.8	3.2
			1000 1099	2.0	(0.0)	68.8	396.1	44.0	5.2	3.1	2.5	4.5	2.0	2.5
			1000 1099	2.0	(2.6)	68.5	408.9	40.5	5.0	2.6	2.0	4.5	2.0	2.0
			900 999	2.0	(2.6)	66.5	401.0	23.0	4.0	1.6	1.5	5.5	1.5	4.5
			800 899	4.0	(5.2)	68.8	389.2	37.3	4.5	1.7	2.0	5.5	1.8	3.5
			700 799	23.0	(29.9)	69.1	401.1	35.3	5.0	1.4	2.0	4.9	2.0	4.0
			600 699	39.0	(50.6)	68.5	382.8	31.7	4.3	1.2	1.9	5.2	1.8	4.1
			500 599	6.0	(7.8)	68.0	344.6	28.7	3.4	1.1	1.7	5.3	1.7	3.8
			499	1.0	(1.3)	68.0	294.4	21.0	3.1	0.5	1.0	6.0	1.0	4.0
				77.0	(0.8)	68.6	385.6	32.7	4.4	1.3	1.9	5.1	1.8	4.0
			1000 1099	41.0	(12.5)	68.8	407.1	37.5	5.7	2.4	2.2	4.2	2.1	2.3
			900 999	21.0	(6.4)	68.4	396.4	37.1	5.3	2.6	2.1	4.4	2.0	2.4
			800 899	34.0	(10.4)	67.6	447.5	33.3	5.0	2.0	2.1	5.7	2.0	3.5
			700 799	105.0	(32.1)	68.1	436.9	34.2	5.0	1.8	2.0	5.7	1.9	4.0
			600 699	66.0	(20.2)	68.3	396.9	32.1	4.5	1.5	1.8	5.8	1.5	4.1
			500 599	35.0	(10.7)	68.1	352.2	27.8	3.9	1.2	1.7	5.8	1.4	3.9
			499	25.0	(7.6)	68.4	326.2	27.4	3.7	1.0	1.5	5.8	1.2	3.8
				327.0	(3.5)	68.2	406.1	33.1	4.8	1.7	2.0	5.5	1.7	3.6
			1000 1099	109.0	(42.1)	68.7	413.9	36.3	6.0	2.5	2.2	4.3	2.0	2.3
			900 999	96.0	(37.1)	68.5	404.9	36.2	5.8	2.7	2.2	4.4	2.0	2.3
			800 899	1.0	(0.4)	67.8	407.4	29.0	4.1	1.1	2.0	5.0	1.0	4.0
			700 799	8.0	(3.1)	69.2	403.9	39.0	4.5	1.4	2.0	5.6	1.8	4.1
			600 699	22.0	(8.5)	68.6	407.0	36.5	4.3	1.4	1.9	5.3	1.8	4.0
			500 599	22.0	(8.5)	68.0	377.8	30.0	3.8	1.2	1.5	5.9	1.4	4.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			499	1.0	(0.4)	67.7	299.0	30.0	3.6	2.5	2.0	7.0	2.0	7.0
				259.0	(2.8)	68.5	406.1	35.8	5.5	2.3	2.1	4.6	1.9	2.7
			1000 1099	1.0	(1.1)	68.8	467.0	46.0	5.8	2.9	3.0	4.0	2.0	2.0
			800 899	4.0	(4.3)	69.2	444.3	42.0	5.2	1.7	2.3	5.3	2.0	3.3
			700 799	29.0	(31.2)	68.2	440.3	36.1	4.8	1.7	2.0	5.8	1.7	3.6
			600 699	39.0	(41.9)	68.6	386.8	33.5	4.3	1.3	1.8	6.0	1.3	3.8
			500 599	19.0	(20.4)	68.8	342.6	30.4	3.8	0.8	1.3	6.4	1.0	4.2
			499	1.0	(1.1)	67.9	364.2	27.0	3.6	0.9	2.0	6.0	1.0	3.0
				93.0	(1.0)	68.5	397.6	34.1	4.4	1.3	1.8	5.9	1.4	3.7
			500 599	2.0	(33.3)	69.5	383.6	37.0	5.3	1.6	2.0	5.5	1.5	3.0
			499	4.0	(66.7)	68.3	347.2	29.5	4.1	1.4	2.0	5.5	1.3	2.8
				6.0	(0.1)	68.7	359.3	32.0	4.5	1.5	2.0	5.5	1.3	2.8
			600 699	5.0	(62.5)	68.0	401.8	30.4	4.3	1.2	1.8	6.2	1.6	4.4
			500 599	1.0	(12.5)	68.9	358.6	37.0	3.6	1.3	2.0	5.0	2.0	5.0
			499	2.0	(25.0)	68.2	275.9	20.5	3.3	0.7	1.0	6.0	1.0	4.0
				8.0	(0.1)	68.2	364.9	28.8	4.0	1.1	1.6	6.0	1.5	4.4
			900 999	1.0	(4.8)	71.9	414.2	56.0	6.0	1.7	4.0	5.0	2.0	5.0
			700 799	5.0	(23.8)	68.5	509.3	47.2	5.6	2.6	2.0	6.8	1.8	2.4
			600 699	8.0	(38.1)	68.1	404.8	34.1	4.2	1.6	1.9	6.3	1.8	3.4
			500 599	5.0	(23.8)	68.1	360.3	29.2	4.0	1.4	2.2	6.0	1.6	4.4
			499	2.0	(9.5)	68.2	334.9	28.5	3.9	1.4	1.0	6.0	1.0	3.0
				21.0	(0.2)	68.4	412.9	36.6	4.5	1.8	2.0	6.2	1.7	3.4
			1100 1199	1.0	(0.3)	70.3	437.6	57.0	5.4	2.9	3.0	4.0	2.0	3.0
			900 999	7.0	(2.2)	69.1	408.2	42.9	4.9	2.2	2.1	5.1	2.0	2.7
			800 899	22.0	(7.0)	68.6	410.0	36.9	4.6	1.7	2.0	5.2	1.9	3.9
			700 799	91.0	(29.1)	68.5	406.9	36.2	4.4	1.5	1.9	5.3	1.8	3.9
			600 699	143.0	(45.7)	68.6	389.0	34.9	4.2	1.3	1.8	5.4	1.7	4.2
			500 599	40.0	(12.8)	68.5	377.8	33.4	4.0	1.2	1.5	5.8	1.5	4.3
			499	9.0	(2.9)	68.5	422.0	38.0	4.4	1.5	1.6	5.7	1.6	4.0
				313.0	(3.3)	68.6	395.8	35.5	4.3	1.4	1.8	5.4	1.7	4.0
			1100 1199	1.0	(5.6)	70.0	373.7	42.0	5.3	1.9	3.0	4.0	3.0	2.0
			800 899	2.0	(11.1)	69.0	423.5	38.5	4.5	1.4	2.0	5.0	2.0	3.5
			700 799	6.0	(33.3)	68.3	379.6	35.5	3.6	1.4	1.8	5.0	1.8	4.0
			600 699	8.0	(44.4)	67.7	385.5	30.4	4.1	1.6	1.8	5.3	1.8	3.9
			500 599	1.0	(5.6)	67.7	437.6	36.0	4.5	2.0	2.0	6.0	2.0	4.0

					(%)	(kg)	(m2)	(m)	(m)					
				18.0	(0.2)	68.2	390.0	33.9	4.1	1.6	1.9	5.1	1.9	3.8
			800 899	2.0	(5.3)	67.3	441.8	34.0	4.3	2.0	2.0	5.5	2.0	3.5
			700 799	9.0	(23.7)	68.1	416.3	35.7	4.4	1.7	1.9	6.1	1.6	3.8
			600 699	13.0	(34.2)	68.8	405.5	36.1	4.4	1.3	1.9	5.5	1.8	3.9
			500 599	10.0	(26.3)	67.6	442.6	32.1	4.9	1.8	2.4	6.1	1.9	3.0
			499	4.0	(10.5)	68.5	340.0	30.5	3.8	1.3	1.8	7.0	1.5	3.0
				38.0	(0.4)	68.2	412.9	34.2	4.5	1.6	2.0	6.0	1.8	3.5
			1400 1499	1.0	(2.5)	70.2	569.4	53.0	7.6	2.1	3.0	4.0	3.0	3.0
			1300 1399	1.0	(2.5)	69.8	474.8	53.0	4.8	1.9	3.0	4.0	2.0	3.0
			1200 1299	1.0	(2.5)	69.0	472.9	47.0	5.5	2.5	3.0	5.0	2.0	3.0
			1100 1199	6.0	(15.0)	68.6	469.3	39.8	5.3	1.7	2.0	5.2	2.0	3.3
			1000 1099	16.0	(40.0)	68.9	458.7	42.3	5.0	1.7	2.1	4.9	2.1	3.2
			900 999	3.0	(7.5)	68.3	536.1	46.0	5.4	2.2	2.7	4.0	2.0	3.3
			800 899	3.0	(7.5)	68.9	475.2	49.0	5.0	2.5	2.0	5.3	2.0	3.0
			700 799	6.0	(15.0)	67.6	481.7	37.7	4.9	2.1	2.0	5.3	2.0	3.2
			600 699	3.0	(7.5)	68.5	386.2	35.7	3.7	1.2	2.0	5.7	1.7	4.0
				40.0	(0.4)	68.6	468.9	42.2	5.0	1.9	2.1	5.0	2.0	3.3
			700 799	15.0	(30.0)	68.6	397.6	37.1	4.5	1.7	2.1	4.9	2.0	3.9
			600 699	28.0	(56.0)	68.5	409.0	35.6	4.3	1.3	1.9	5.2	1.8	4.2
			500 599	7.0	(14.0)	68.3	400.1	34.4	4.2	1.5	1.6	5.9	1.6	4.6
				50.0	(0.5)	68.5	404.4	35.9	4.3	1.5	1.9	5.2	1.8	4.1
			1100 1199	3.0	(1.8)	67.8	404.1	32.3	5.2	2.4	2.0	5.0	2.0	3.0
			900 999	3.0	(1.8)	68.8	439.7	42.0	5.6	2.5	2.3	4.3	2.0	2.7
			800 899	1.0	(0.6)	69.9	433.6	45.0	6.2	2.3	2.0	5.0	2.0	4.0
			700 799	103.0	(60.2)	68.8	473.2	42.9	5.1	1.8	2.1	5.3	2.0	3.2
			600 699	9.0	(5.3)	68.9	468.8	44.7	4.9	1.8	2.0	5.2	2.0	3.0
			500 599	52.0	(30.4)	68.4	464.1	40.4	5.0	1.9	2.1	5.4	1.9	3.3
				171.0	(1.8)	68.7	468.1	42.1	5.1	1.9	2.1	5.3	2.0	3.2
			1400 1499	1.0	(0.0)	70.2	569.4	53.0	7.6	2.1	3.0	4.0	3.0	3.0
			1300 1399	1.0	(0.0)	69.8	474.8	53.0	4.8	1.9	3.0	4.0	2.0	3.0
			1200 1299	1.0	(0.0)	69.0	472.9	47.0	5.5	2.5	3.0	5.0	2.0	3.0
			1100 1199	11.0	(0.1)	68.7	439.9	39.5	5.3	2.0	2.2	4.9	2.1	3.1
			1000 1099	185.0	(2.0)	68.7	418.0	37.7	5.8	2.4	2.2	4.4	2.0	2.5
			900 999	192.0	(2.1)	68.7	410.2	38.0	5.6	2.5	2.2	4.5	2.0	2.5
			800 899	196.0	(2.1)	68.9	423.4	39.1	5.1	1.9	2.2	5.0	2.0	3.3
			700 799	1950.0	(20.8)	68.8	409.9	36.9	4.7	1.5	2.0	5.3	1.9	3.7
			600 699	4191.0	(44.8)	68.8	378.1	34.4	4.2	1.3	1.9	5.4	1.7	4.0
			500 599	2384.0	(25.5)	68.8	350.9	32.4	3.8	1.1	1.8	5.5	1.6	4.3

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1100 1199	11.0	(2.1)	68.1	453.6	38.3	5.8	2.7	2.0	4.5	2.0	3.0
			1000 1099	255.0	(49.7)	68.9	470.7	42.1	6.0	2.3	2.2	4.6	2.0	2.9
			900 999	218.0	(42.5)	68.8	491.3	43.1	6.3	2.5	2.3	4.9	2.0	2.6
			800 899	23.0	(4.5)	68.0	474.7	39.9	5.9	2.8	2.1	5.3	2.0	2.6
			700 799	2.0	(0.4)	70.0	341.5	41.0	5.5	2.4	1.5	4.5	1.5	2.5
			600 699	2.0	(0.4)	69.9	328.0	35.5	4.5	1.1	1.5	5.0	1.5	3.0
			500 599	2.0	(0.4)	68.8	275.0	29.0	3.5	1.4	1.5	6.0	1.5	4.0
				513.0	(11.9)	68.8	477.4	42.3	6.1	2.4	2.2	4.8	2.0	2.7
			900 999	2.0	(40.0)	68.5	423.5	36.0	5.0	1.8	2.5	4.5	2.0	3.0
			800 899	1.0	(20.0)	69.6	341.0	36.0	3.9	1.0	2.0	5.0	2.0	4.0
			500 599	1.0	(20.0)	68.7	325.0	28.0	4.2	1.2	2.0	6.0	1.0	2.0
			499	1.0	(20.0)	69.4	313.0	31.0	3.7	0.6	1.0	5.0	1.0	3.0
				5.0	(0.1)	69.0	365.2	33.4	4.4	1.3	2.0	5.0	1.6	3.0
			900 999	1.0	(33.3)	70.6	337.0	41.0	4.2	0.8	2.0	4.0	2.0	3.0
			700 799	1.0	(33.3)	69.8	297.0	35.0	3.7	1.0	2.0	4.0	2.0	2.0
			500 599	1.0	(33.3)	70.1	251.0	32.0	2.9	0.2	2.0	5.0	1.0	3.0
				3.0	(0.1)	70.2	295.0	36.0	3.6	0.7	2.0	4.3	1.7	2.7
			900 999	13.0	(52.0)	69.4	418.8	38.0	5.6	1.5	2.0	4.9	2.0	2.4
			800 899	2.0	(8.0)	69.6	345.3	35.5	4.9	1.4	2.0	5.5	2.0	2.5
			700 799	2.0	(8.0)	69.9	343.5	35.5	5.0	1.3	2.0	4.0	2.0	2.0
			600 699	3.0	(12.0)	69.8	339.0	34.7	4.5	0.9	2.0	4.7	1.7	2.0
			500 599	4.0	(16.0)	70.4	302.3	37.8	5.1	1.6	3.0	4.5	2.0	2.5
			499	1.0	(4.0)	68.3	319.5	30.0	4.2	2.0	2.0	5.0	2.0	4.0
				25.0	(0.6)	69.6	374.7	36.8	5.2	1.4	2.2	4.8	2.0	2.4
			900 999	3.0	(11.5)	68.3	466.3	41.3	5.3	2.3	2.0	4.7	2.0	3.0
			800 899	6.0	(23.1)	69.5	468.5	47.0	5.7	2.1	2.0	4.3	2.0	2.5
			700 799	7.0	(26.9)	69.1	463.9	43.0	5.5	1.9	2.3	4.4	2.1	2.0
			600 699	8.0	(30.8)	69.6	400.8	41.0	5.0	1.6	2.1	5.1	1.9	2.8
			500 599	1.0	(3.8)	68.1	336.0	25.0	4.3	1.3	2.0	4.0	2.0	2.0
			499	1.0	(3.8)	69.5	321.0	33.0	3.5	0.6	2.0	6.0	1.0	3.0
				26.0	(0.6)	69.2	435.4	42.0	5.2	1.8	2.1	4.7	2.0	2.5
			1000 1099	75.0	(42.1)	69.0	429.2	39.7	5.3	1.8	2.1	4.3	2.0	2.2
			900 999	98.0	(55.1)	68.5	443.7	39.2	5.2	2.1	2.1	4.4	2.0	2.3
			700 799	3.0	(1.7)	69.0	367.2	32.7	5.2	1.6	2.0	5.0	2.0	3.0
			600 699	2.0	(1.1)	69.8	325.3	39.5	4.4	1.6	3.0	4.5	2.0	3.0
				178.0	(4.1)	68.7	435.0	39.3	5.3	2.0	2.1	4.4	2.0	2.2
			1000 1099	178.0	(42.8)	68.8	502.0	41.8	6.2	2.1	2.2	4.3	2.1	2.6
			900 999	198.0	(47.6)	68.4	486.0	40.0	5.7	2.1	2.1	4.4	2.1	2.4

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			800 899	11.0	(2.6)	68.8	386.3	35.0	4.6	1.5	2.2	4.5	2.0	2.4
			700 799	18.0	(4.3)	69.1	374.0	35.7	4.5	1.4	1.9	4.6	1.8	2.3
			600 699	7.0	(1.7)	69.2	315.9	30.9	4.1	1.1	1.7	4.4	1.4	3.3
			500 599	3.0	(0.7)	68.5	329.3	30.0	3.6	1.2	2.3	4.3	1.7	2.7
			499	1.0	(0.2)	69.1	164.5	18.0	2.5	0.2	1.0	4.0	1.0	3.0
				416.0	(9.6)	68.6	480.6	40.2	5.8	2.0	2.1	4.4	2.1	2.5
			1000 1099	1.0	(1.7)	69.0	398.0	33.0	5.5	1.4	2.0	6.0	2.0	2.0
			900 999	7.0	(11.9)	69.2	386.7	35.6	5.2	1.6	2.0	3.9	2.0	2.6
			800 899	18.0	(30.5)	69.2	361.1	35.3	4.6	1.5	2.1	4.9	1.9	2.3
			700 799	16.0	(27.1)	69.5	340.7	34.5	4.4	1.2	1.9	4.8	1.8	2.8
			600 699	11.0	(18.6)	69.3	282.5	30.1	3.9	1.1	1.6	4.7	1.5	2.6
			500 599	5.0	(8.5)	69.5	322.5	33.8	4.5	1.3	2.2	5.2	1.8	2.8
			499	1.0	(1.7)	69.4	252.0	28.0	3.0	0.5	1.0	6.0	1.0	3.0
				59.0	(1.4)	69.3	339.4	33.8	4.5	1.3	1.9	4.8	1.8	2.6
			1100 1199	1.0	(4.3)	69.4	566.0	48.0	6.7	1.8	2.0	5.0	2.0	2.0
			900 999	5.0	(21.7)	68.5	419.7	36.2	5.2	2.1	2.0	4.4	2.0	3.0
			800 899	7.0	(30.4)	69.1	443.4	40.7	5.2	1.7	2.0	4.4	2.0	3.1
			700 799	3.0	(13.0)	68.4	432.3	34.7	5.2	1.7	2.0	5.0	2.0	2.3
			600 699	5.0	(21.7)	69.1	324.1	32.4	3.8	1.0	1.8	4.4	1.8	2.8
			500 599	2.0	(8.7)	70.3	337.0	39.0	4.8	1.3	2.0	5.0	2.0	2.5
				23.0	(0.5)	69.0	407.0	37.3	4.9	1.6	2.0	4.6	2.0	2.8
			1000 1099	15.0	(25.9)	69.3	497.7	43.9	6.2	1.8	2.3	4.7	2.0	2.5
			900 999	23.0	(39.7)	69.3	445.2	42.0	5.5	1.8	2.2	5.2	2.0	2.3
			800 899	10.0	(17.2)	69.5	418.9	40.0	5.3	1.6	2.2	4.9	2.0	2.7
			700 799	5.0	(8.6)	68.6	406.6	30.8	5.2	1.3	1.8	5.4	1.6	3.2
			600 699	3.0	(5.2)	69.5	217.3	22.7	3.1	0.2	1.3	6.3	1.0	3.7
			500 599	2.0	(3.4)	69.2	304.5	30.0	3.0	0.3	1.5	6.0	1.0	4.0
				58.0	(1.3)	69.3	434.3	39.8	5.4	1.6	2.1	5.1	1.9	2.6
			1000 1099	6.0	(7.5)	68.0	480.3	39.7	6.2	3.0	2.0	4.3	2.0	3.0
			900 999	21.0	(26.3)	68.1	467.0	39.9	5.7	2.7	2.2	4.6	2.0	2.8
			800 899	31.0	(38.8)	68.1	467.0	39.7	5.5	2.6	2.1	4.8	2.0	2.5
			700 799	6.0	(7.5)	68.8	461.7	41.3	5.1	1.8	2.2	4.5	1.8	2.3
			600 699	5.0	(6.3)	68.7	452.6	42.0	5.4	2.3	1.8	5.0	1.8	2.4
			500 599	10.0	(12.5)	68.6	425.7	41.4	5.1	2.4	2.0	4.6	1.9	2.4
			499	1.0	(1.3)	68.2	321.0	25.0	3.8	1.0	2.0	6.0	2.0	6.0
				80.0	(1.9)	68.2	459.7	40.0	5.5	2.5	2.1	4.7	2.0	2.6
			1100 1199	1.0	(0.3)	69.0	505.0	44.0	5.7	1.8	3.0	4.0	3.0	3.0
			1000 1099	26.0	(7.8)	68.7	469.4	40.8	5.6	2.0	2.1	4.4	2.0	2.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			900 999	148.0	(44.3)	68.7	469.9	41.6	5.4	2.0	2.1	4.8	2.0	2.3
			800 899	123.0	(36.8)	68.2	472.0	39.9	5.3	2.2	2.0	5.0	2.0	2.2
			700 799	20.0	(6.0)	68.8	384.5	35.6	4.8	1.7	2.0	4.5	2.0	2.3
			600 699	8.0	(2.4)	70.3	321.1	38.1	4.3	1.0	2.0	3.1	1.6	2.5
			500 599	7.0	(2.1)	70.4	297.4	34.9	4.3	0.7	1.7	3.1	1.7	2.7
			499	1.0	(0.3)	71.0	280.5	37.0	3.9	0.3	2.0	3.0	1.0	3.0
				334.0	(7.7)	68.6	457.9	40.3	5.3	2.0	2.1	4.8	2.0	2.3
			1000 1099	3.0	(37.5)	70.6	454.6	45.0	6.8	1.7	2.7	4.3	2.3	2.0
			900 999	3.0	(37.5)	70.5	428.4	46.7	5.5	1.4	2.3	4.0	2.3	2.0
			700 799	1.0	(12.5)	69.6	270.1	32.0	4.4	1.6	3.0	4.0	2.0	2.0
			600 699	1.0	(12.5)	68.9	221.9	22.0	3.5	1.0	2.0	3.0	1.0	2.0
				8.0	(0.2)	70.2	392.6	41.1	5.6	1.5	2.5	4.0	2.1	2.0
			1200 1299	1.0	(3.7)	69.1	513.0	47.0	5.6	1.9	3.0	4.0	2.0	3.0
			1000 1099	2.0	(7.4)	69.3	581.0	54.5	7.1	3.0	3.0	4.5	2.5	3.0
			900 999	6.0	(22.2)	68.8	507.7	44.8	5.7	2.1	2.3	4.3	2.2	2.8
			800 899	13.0	(48.1)	68.4	485.2	41.5	5.6	2.2	2.2	4.7	1.9	2.7
			700 799	4.0	(14.8)	68.6	388.3	31.5	5.0	1.4	1.8	5.3	1.8	2.3
			600 699	1.0	(3.7)	69.6	332.0	32.0	4.3	0.7	2.0	5.0	2.0	2.0
				27.0	(0.6)	68.7	478.3	41.6	5.6	2.1	2.2	4.7	2.0	2.7
			1000 1099	62.0	(68.1)	68.0	493.1	40.5	5.7	2.5	2.1	4.7	2.0	2.9
			900 999	13.0	(14.3)	68.8	443.4	38.5	5.3	1.8	2.2	5.1	2.0	3.0
			800 899	12.0	(13.2)	69.3	375.1	37.7	4.4	1.3	2.0	4.7	1.8	3.0
			700 799	4.0	(4.4)	69.3	249.3	28.3	3.6	1.2	2.0	5.5	2.0	3.0
				91.0	(2.1)	68.3	459.7	39.3	5.4	2.2	2.1	4.8	2.0	2.9
			1000 1099	59.0	(48.4)	69.4	449.7	43.9	5.9	2.2	2.1	4.5	2.0	2.0
			900 999	20.0	(16.4)	69.1	403.3	36.8	5.0	1.5	2.1	5.0	2.0	2.2
			800 899	14.0	(11.5)	69.1	405.9	39.8	4.8	1.7	2.1	5.1	2.0	2.4
			700 799	13.0	(10.7)	69.4	359.6	36.8	4.7	1.5	2.2	5.5	2.0	2.4
			600 699	12.0	(9.8)	69.4	339.1	35.7	4.4	1.4	1.8	5.4	1.8	2.5
			500 599	3.0	(2.5)	69.5	273.0	30.0	3.9	1.1	2.0	5.3	1.3	2.3
			499	1.0	(0.8)	70.2	227.0	29.0	3.3	0.3	1.0	6.0	1.0	3.0
				122.0	(2.8)	69.3	410.4	40.3	5.3	1.8	2.1	4.8	2.0	2.2
			900 999	1.0	(0.0)	67.8	564.3	43.0	5.7	2.1	3.0	5.0	2.0	2.0
			900 999	1.0	(0.0)	68.9	365.6	34.0	4.3	1.3	2.0	5.0	2.0	2.0
			1000 1099	3.0	(25.0)	70.3	400.4	44.7	5.3	1.5	2.0	5.0	1.7	2.7
			900 999	7.0	(58.3)	69.0	417.4	40.4	5.0	1.9	2.0	4.7	1.9	2.1
			700 799	1.0	(8.3)	70.3	355.9	39.0	5.0	1.1	2.0	5.0	2.0	2.0
			600 699	1.0	(8.3)	69.3	329.4	34.0	4.3	1.3	2.0	6.0	1.0	4.0

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
				12.0	(0.3)	69.5	400.7	40.8	5.0	1.7	2.0	4.9	1.8	2.4
			1100 1199	1.0	(2.0)	69.9	513.1	54.0	6.3	2.6	3.0	4.0	3.0	2.0
			1000 1099	1.0	(2.0)	68.8	507.8	48.0	6.4	3.0	4.0	4.0	3.0	3.0
			900 999	6.0	(11.8)	69.8	456.7	44.8	5.9	1.8	2.2	4.7	2.0	2.8
			800 899	7.0	(13.7)	69.2	490.4	44.6	6.0	2.0	2.3	4.1	2.3	2.9
			700 799	36.0	(70.6)	68.1	497.9	43.2	6.2	3.0	1.9	4.1	1.9	3.0
				51.0	(1.2)	68.5	492.5	43.9	6.1	2.7	2.1	4.2	2.0	2.9
			1000 1099	9.0	(81.8)	68.3	465.3	42.0	5.6	2.7	2.2	4.3	2.0	2.6
			900 999	2.0	(18.2)	68.6	372.9	31.5	4.7	1.4	2.0	5.0	2.0	2.5
				11.0	(0.3)	68.3	448.5	40.1	5.4	2.5	2.2	4.5	2.0	2.5
			1100 1199	3.0	(11.1)	68.9	483.9	44.7	5.9	2.4	3.0	4.3	2.3	2.7
			1000 1099	20.0	(74.1)	68.4	439.4	37.9	5.4	2.2	2.2	4.5	2.0	2.2
			900 999	3.0	(11.1)	68.9	392.0	39.3	4.8	2.1	2.0	5.0	2.0	2.0
			700 799	1.0	(3.7)	68.8	302.6	29.0	3.0	0.6	1.0	5.0	1.0	3.0
				27.0	(0.6)	68.5	434.0	38.5	5.3	2.2	2.2	4.5	2.0	2.3
			1000 1099	33.0	(45.2)	68.5	412.6	36.7	5.0	2.0	2.0	4.9	1.9	2.3
			900 999	19.0	(26.0)	68.4	391.2	34.3	4.8	1.9	1.9	4.9	1.8	2.4
			800 899	8.0	(11.0)	68.8	351.7	32.8	4.5	1.6	2.0	4.9	1.9	2.5
			700 799	6.0	(8.2)	68.5	360.1	31.5	4.5	1.6	1.5	6.0	1.0	2.2
			600 699	7.0	(9.6)	69.6	293.2	32.1	4.0	1.1	1.9	5.7	1.3	2.6
				73.0	(1.7)	68.6	384.6	34.8	4.8	1.8	1.9	5.1	1.7	2.4
			1200 1299	26.0	(5.8)	68.0	454.1	38.3	5.3	2.5	2.0	4.7	2.0	3.0
			1100 1199	49.0	(10.9)	67.9	470.5	40.0	5.5	2.7	2.0	4.8	2.0	3.0
			1000 1099	184.0	(41.1)	68.2	444.3	38.5	5.1	2.2	2.0	4.9	2.0	3.0
			900 999	184.0	(41.1)	68.5	448.5	40.3	5.3	2.3	2.0	4.6	2.0	3.0
			800 899	5.0	(1.1)	68.3	359.8	32.6	3.6	1.3	2.2	5.2	1.6	2.8
				448.0	(10.4)	68.3	448.5	39.3	5.2	2.3	2.0	4.8	2.0	3.0
			1100 1199	5.0	(0.6)	69.5	445.6	43.6	6.0	2.2	3.4	4.0	3.0	2.6
			1000 1099	593.0	(69.4)	68.6	434.2	37.9	5.7	2.3	2.1	4.3	2.0	2.4
			900 999	245.0	(28.7)	68.9	422.9	39.0	5.4	2.1	2.0	4.4	2.0	2.5
			800 899	2.0	(0.2)	69.4	289.0	31.0	4.4	1.4	2.0	5.5	2.0	2.0
			700 799	3.0	(0.4)	68.8	316.3	31.3	3.5	1.2	1.7	5.0	1.7	3.0
			600 699	4.0	(0.5)	68.0	263.6	22.0	3.6	1.5	2.0	5.0	2.0	2.5
			500 599	2.0	(0.2)	68.7	258.6	25.0	3.0	0.8	1.5	5.0	1.0	2.5
				854.0	(19.8)	68.7	429.1	38.1	5.6	2.2	2.1	4.3	2.0	2.4

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1000 1099	264.0	(51.5)	68.7	435.0	38.0	5.8	2.3	2.2	4.2	2.0	2.4
			900 999	249.0	(48.5)	68.4	427.7	35.8	5.8	2.4	2.1	4.3	2.0	2.2
				513.0	(11.9)	68.5	431.4	37.0	5.8	2.4	2.1	4.3	2.0	2.3
			1000 1099	20.0	(83.3)	68.0	490.1	39.9	5.7	2.5	2.1	4.7	2.0	2.5
			900 999	2.0	(8.3)	68.8	490.1	44.0	5.8	2.4	2.0	5.5	2.0	2.5
			700 799	2.0	(8.3)	67.8	363.3	27.5	3.9	1.4	2.0	6.0	1.0	3.5
				24.0	(0.6)	68.0	479.6	39.2	5.5	2.4	2.1	4.9	1.9	2.6
			1100 1199	2.0	(50.0)	70.4	493.6	50.0	6.0	1.4	2.5	4.0	2.0	2.0
			1000 1099	2.0	(50.0)	67.3	492.7	39.0	5.9	3.3	3.0	4.0	2.5	2.0
				4.0	(0.1)	68.8	493.2	44.5	5.9	2.4	2.8	4.0	2.3	2.0
			1200 1299	1.0	(14.3)	66.5	531.5	42.0	6.1	4.2	2.0	5.0	2.0	2.0
			1000 1099	3.0	(42.9)	69.0	441.4	41.3	4.5	1.3	2.3	5.0	2.0	2.7
			800 899	1.0	(14.3)	70.8	387.6	38.0	5.5	0.4	2.0	6.0	2.0	3.0
			700 799	1.0	(14.3)	69.1	475.2	44.0	4.5	1.1	2.0	7.0	1.0	2.0
			600 699	1.0	(14.3)	69.1	348.0	37.0	4.7	2.0	2.0	4.0	2.0	2.0
				7.0	(0.2)	68.9	438.1	40.7	4.9	1.7	2.1	5.3	1.9	2.4
			1200 1299	4.0	(4.7)	68.5	458.4	43.5	6.0	3.1	3.3	4.0	2.5	2.0
			1100 1199	11.0	(12.9)	68.7	463.0	41.6	5.5	2.3	2.4	4.6	2.1	2.2
			1000 1099	36.0	(42.4)	68.9	444.9	41.3	5.4	2.1	2.3	4.6	2.0	2.2
			900 999	23.0	(27.1)	68.7	407.1	38.0	4.7	1.8	2.2	4.9	2.0	2.5
			800 899	6.0	(7.1)	69.0	351.9	33.3	4.4	1.4	2.0	4.8	2.0	2.0
			700 799	4.0	(4.7)	69.0	313.8	30.3	4.2	1.3	1.5	5.3	1.5	2.3
			499	1.0	(1.2)	68.1	488.5	41.0	4.9	2.0	2.0	6.0	2.0	7.0
				85.0	(2.0)	68.8	425.4	39.5	5.1	2.0	2.2	4.7	2.0	2.3
			1000 1099	1.0	(0.0)	68.6	469.0	40.0	6.3	2.6	2.0	5.0	2.0	2.0
			2100 2199	1.0	(8.3)	70.1	536.5	55.0	7.1	2.7	3.0	4.0	3.0	3.0
			1400 1499	2.0	(16.7)	69.0	497.6	47.5	6.4	2.9	2.5	4.0	2.0	2.5
			1300 1399	5.0	(41.7)	68.8	475.0	41.6	5.8	2.2	2.0	4.2	2.0	2.6
			1200 1299	1.0	(8.3)	67.9	418.1	37.0	5.4	2.9	3.0	3.0	2.0	2.0
			1100 1199	1.0	(8.3)	68.6	507.8	41.0	6.1	2.0	2.0	4.0	2.0	2.0
			900 999	2.0	(16.7)	70.6	500.9	54.0	6.5	2.0	2.0	5.0	2.0	2.5
				12.0	(0.3)	69.1	486.2	45.3	6.1	2.4	2.3	4.2	2.1	2.5
			900 999	2.0	(66.7)	69.8	391.9	42.5	5.0	1.7	2.0	4.5	2.0	3.0
			800 899	1.0	(33.3)	68.9	325.7	29.0	4.1	1.0	2.0	5.0	2.0	2.0
				3.0	(0.1)	69.5	369.8	38.0	4.7	1.5	2.0	4.7	2.0	2.7

