

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1800 1899	1.0	(0.6)	73.7	514.0	73.0	8.0	2.3	6.0	4.0	4.0	3.0
			1700 1799	6.0	(3.8)	71.4	514.7	63.3	7.8	3.3	6.5	4.0	4.2	2.5
			1600 1699	15.0	(9.6)	71.6	498.7	58.9	7.7	2.5	4.9	4.0	3.6	2.6
			1500 1599	33.0	(21.2)	71.2	493.1	58.5	7.5	2.9	4.1	4.0	3.1	2.8
			1400 1499	51.0	(32.7)	70.5	494.4	54.9	7.5	3.1	3.6	4.2	2.8	2.5
			1300 1399	20.0	(12.8)	70.2	487.9	52.3	7.4	3.1	3.3	4.3	2.4	2.5
			1200 1299	20.0	(12.8)	69.3	464.9	47.9	6.7	3.3	2.7	4.3	2.1	2.5
			1100 1199	7.0	(4.5)	69.4	462.9	48.0	6.9	3.4	2.9	4.4	2.1	2.3
			1000 1099	2.0	(1.3)	68.3	550.5	51.0	6.8	3.8	4.0	4.0	2.5	2.0
			800 899	1.0	(0.6)	70.4	440.0	53.0	6.6	3.0	3.0	5.0	3.0	2.0
				156.0	(5.5)	70.5	489.8	54.9	7.4	3.1	3.8	4.2	2.8	2.6
			1700 1799	4.0	(7.1)	72.3	503.3	67.0	7.9	3.0	6.0	4.0	3.8	2.3
			1600 1699	7.0	(12.5)	71.4	494.0	62.1	7.4	3.1	4.9	4.1	3.4	2.3
			1500 1599	18.0	(32.1)	70.9	459.2	54.9	7.1	2.8	3.8	3.9	2.8	2.2
			1400 1499	16.0	(28.6)	70.6	477.1	53.6	7.3	2.9	3.4	4.2	2.7	2.1
			1300 1399	7.0	(12.5)	70.4	449.9	51.4	7.1	3.0	3.3	4.4	2.6	2.1
			1200 1299	3.0	(5.4)	70.1	473.0	54.7	6.9	3.4	2.3	4.7	2.0	2.3
			800 899	1.0	(1.8)	70.7	348.0	45.0	5.8	2.2	2.0	6.0	2.0	2.0
				56.0	(2.0)	70.9	469.4	55.7	7.2	2.9	3.8	4.2	2.8	2.2
			1800 1899	2.0	(5.0)	70.8	548.0	64.5	7.2	3.3	7.0	4.0	4.0	2.0
			1700 1799	5.0	(12.5)	72.0	493.4	61.8	7.4	2.4	5.6	3.8	3.6	2.2
			1600 1699	10.0	(25.0)	71.0	482.7	57.2	7.5	3.1	5.1	3.9	3.6	2.2
			1500 1599	6.0	(15.0)	72.0	479.7	60.8	7.5	2.5	4.8	3.5	3.3	2.5
			1400 1499	8.0	(20.0)	70.5	477.5	55.6	7.0	3.1	3.3	4.0	2.6	2.3
			1300 1399	5.0	(12.5)	70.0	475.8	53.4	7.1	3.4	3.0	4.4	2.4	2.2
			1200 1299	1.0	(2.5)	68.9	466.0	50.0	7.0	4.2	2.0	4.0	2.0	2.0
			1100 1199	2.0	(5.0)	69.5	448.5	39.0	7.6	2.5	3.5	4.5	2.5	2.0
			600 699	1.0	(2.5)	71.1	288.0	51.0	4.3	2.4	2.0	6.0	2.0	3.0
				40.0	(1.4)	70.9	477.9	56.6	7.2	3.0	4.3	4.0	3.1	2.3
			2000 2099	1.0	(1.4)	69.4	596.5	66.0	7.7	4.6	5.0	4.0	4.0	3.0
			1900 1999	3.0	(4.3)	70.6	538.3	61.0	8.5	4.0	6.3	3.3	4.0	2.7
			1700 1799	1.0	(1.4)	69.2	625.9	51.0	9.9	3.9	5.0	3.0	4.0	3.0
			1600 1699	7.0	(10.1)	72.0	549.4	66.1	8.9	3.4	5.1	3.7	3.4	2.6
			1500 1599	21.0	(30.4)	70.9	561.8	61.0	8.8	3.6	4.3	4.0	3.3	2.1
			1400 1499	10.0	(14.5)	70.9	514.0	60.2	8.0	3.6	4.2	4.2	3.1	2.3
			1300 1399	8.0	(11.6)	69.6	505.5	52.8	7.5	3.6	3.9	4.0	2.6	2.1
			1200 1299	2.0	(2.9)	69.0	545.0	55.5	7.0	4.0	3.0	4.5	2.0	2.0
			1100 1199	2.0	(2.9)	68.5	553.0	53.0	7.5	4.3	4.0	4.0	3.0	2.0
			1000 1099	2.0	(2.9)	70.0	481.0	46.0	7.6	2.7	3.0	4.0	2.5	3.0
			800 899	6.0	(8.7)	69.0	493.8	46.7	6.5	2.9	2.7	4.8	2.2	2.5
			700 799	4.0	(5.8)	68.3	461.9	42.5	6.3	3.3	2.5	5.0	2.0	3.3

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
			600 699	1.0	(1.4)	70.4	479.0	58.0	6.5	3.2	2.0	6.0	2.0	2.0
			500 599	1.0	(1.4)	70.7	311.0	37.0	4.5	0.6	1.0	7.0	1.0	3.0
				69.0	(2.4)	70.3	527.9	56.8	8.0	3.5	4.0	4.2	3.0	2.4
			1800 1899	2.0	(0.8)	72.8	522.5	66.0	8.3	2.3	7.5	4.0	4.5	2.0
			1700 1799	11.0	(4.6)	71.8	534.0	65.4	8.0	3.0	7.4	4.0	4.4	2.3
			1600 1699	12.0	(5.0)	71.8	520.5	64.6	7.9	3.0	6.3	3.9	4.1	2.3
			1500 1599	28.0	(11.6)	71.5	527.1	62.6	7.7	2.9	5.6	3.9	3.8	2.5
			1400 1499	40.0	(16.6)	70.7	516.2	58.9	7.5	3.2	4.4	4.2	3.1	2.4
			1300 1399	52.0	(21.6)	70.1	512.0	55.7	7.3	3.3	4.3	4.0	3.1	2.6
			1200 1299	49.0	(20.3)	69.4	501.1	52.7	7.1	3.7	3.3	4.4	2.6	2.3
			1100 1199	32.0	(13.3)	69.3	480.3	48.8	7.0	3.5	2.9	4.3	2.3	2.2
			1000 1099	12.0	(5.0)	69.5	442.8	45.9	6.5	3.0	2.6	4.4	2.0	2.3
			900 999	1.0	(0.4)	68.8	571.0	53.0	8.3	4.3	3.0	4.0	2.0	2.0
			700 799	1.0	(0.4)	70.8	297.0	39.0	4.5	1.0	2.0	5.0	2.0	2.0
			499	1.0	(0.4)	70.0	287.0	37.0	3.4	0.9	1.0	5.0	1.0	2.0
				241.0	(8.5)	70.3	504.5	55.8	7.3	3.3	4.2	4.2	3.0	2.4
			1800 1899	7.0	(2.8)	71.0	494.7	59.9	7.6	3.3	6.7	3.6	4.1	2.6
			1700 1799	20.0	(8.0)	71.7	493.1	61.5	7.5	2.8	5.9	3.9	4.0	2.4
			1600 1699	38.0	(15.3)	71.1	510.7	61.1	7.6	3.2	4.9	3.9	3.6	2.4
			1500 1599	87.0	(34.9)	70.7	483.0	55.7	7.4	3.1	4.1	4.0	3.1	2.5
			1400 1499	51.0	(20.5)	70.7	496.2	56.1	7.5	3.0	3.7	4.2	2.6	2.3
			1300 1399	28.0	(11.2)	69.8	491.5	53.0	7.1	3.4	3.2	4.3	2.4	2.3
			1200 1299	10.0	(4.0)	69.8	435.8	46.7	6.7	2.9	2.8	4.6	2.2	2.5
			1100 1199	3.0	(1.2)	70.0	506.0	56.0	7.5	3.7	2.7	4.3	2.3	2.0
			1000 1099	4.0	(1.6)	68.2	466.3	47.8	6.3	4.3	2.8	4.3	2.0	2.0
			500 599	1.0	(0.4)	69.8	441.0	45.0	6.4	2.4	2.0	5.0	2.0	3.0
				249.0	(8.8)	70.7	490.0	56.4	7.4	3.1	4.1	4.1	3.0	2.4
			1800 1899	8.0	(6.2)	72.0	507.8	63.5	7.9	2.9	7.1	3.6	4.3	2.5
			1700 1799	11.0	(8.5)	71.6	526.1	63.7	7.9	3.0	6.2	3.6	4.0	2.6
			1600 1699	19.0	(14.6)	71.1	523.1	58.9	7.9	2.9	4.8	4.0	3.6	2.7
			1500 1599	25.0	(19.2)	70.4	514.8	57.1	7.5	3.3	4.1	4.0	3.2	2.7
			1400 1499	24.0	(18.5)	70.1	501.3	54.3	7.5	3.4	3.7	4.1	2.8	2.5
			1300 1399	17.0	(13.1)	69.8	464.0	49.1	6.9	3.1	3.0	4.5	2.2	2.4
			1200 1299	9.0	(6.9)	69.9	460.1	48.6	6.6	2.8	2.7	4.7	2.1	2.2
			1100 1199	7.0	(5.4)	70.5	451.9	48.1	6.9	2.3	2.6	4.6	2.1	2.4
			1000 1099	4.0	(3.1)	69.5	434.3	42.0	7.0	2.9	2.8	4.8	2.0	2.3
			900 999	2.0	(1.5)	69.5	445.5	42.0	7.1	2.8	2.5	6.0	2.0	2.5
			800 899	2.0	(1.5)	69.2	399.5	37.5	6.6	2.9	2.5	5.5	2.0	2.0
			700 799	1.0	(0.8)	69.9	398.0	46.0	4.9	2.0	2.0	5.0	2.0	3.0
			600 699	1.0	(0.8)	70.4	325.0	37.0	5.5	1.6	2.0	5.0	2.0	2.0
				130.0	(4.6)	70.5	492.5	54.4	7.4	3.0	4.0	4.2	3.0	2.5

					(%)		(kg)	(m2)	(m)	(m)				
			2200 2299	2.0	(0.6)	74.8	559.0	78.0	8.5	1.6	9.5	3.5	5.0	2.5
			2100 2199	1.0	(0.3)	75.8	514.0	85.0	9.6	2.9	9.0	4.0	5.0	3.0
			1900 1999	5.0	(1.4)	74.7	507.2	73.0	8.4	1.7	7.8	3.6	4.6	2.4
			1800 1899	7.0	(2.0)	73.1	524.3	69.4	8.5	2.7	6.9	3.7	4.7	2.6
			1700 1799	34.0	(9.6)	72.2	503.1	63.3	7.7	2.5	6.6	3.7	4.4	2.6
			1600 1699	91.0	(25.7)	71.8	502.0	60.7	7.6	2.6	4.6	3.8	3.6	2.7
			1500 1599	108.0	(30.5)	70.8	481.3	54.3	7.3	2.8	3.9	4.1	3.1	2.6
			1400 1499	53.0	(15.0)	70.4	478.3	53.3	7.1	3.0	3.4	4.3	2.8	2.7
			1300 1399	37.0	(10.5)	69.8	474.8	50.2	6.9	3.0	2.7	4.5	2.3	2.7
			1200 1299	11.0	(3.1)	69.2	507.6	52.1	7.2	3.8	2.7	4.7	2.5	2.5
			1100 1199	4.0	(1.1)	69.5	427.5	45.0	6.7	3.2	2.3	5.0	2.0	2.8
			900 999	1.0	(0.3)	68.3	416.0	39.0	5.9	3.2	2.0	5.0	2.0	3.0
				354.0	(12.5)	71.1	489.4	56.8	7.4	2.8	4.2	4.1	3.3	2.6
			1700 1799	1.0	(6.3)	71.8	466.5	64.0	6.6	2.7	5.0	4.0	4.0	3.0
			1600 1699	2.0	(12.5)	72.0	481.8	61.5	5.9	1.4	5.5	4.0	4.0	2.0
			1500 1599	3.0	(18.8)	70.7	476.0	56.0	7.1	3.1	4.3	3.3	3.0	3.0
			1400 1499	3.0	(18.8)	69.5	491.7	51.7	6.6	3.2	3.3	4.0	3.0	2.7
			1300 1399	2.0	(12.5)	70.8	471.0	51.5	6.9	2.3	3.5	4.0	2.5	3.5
			1200 1299	1.0	(6.3)	70.7	502.5	56.0	5.9	1.8	2.0	4.0	2.0	3.0
			1100 1199	1.0	(6.3)	68.7	411.0	40.0	5.0	2.3	3.0	5.0	2.0	2.0
			1000 1099	1.0	(6.3)	66.8	381.5	37.0	5.0	4.3	3.0	5.0	2.0	2.0
			800 899	1.0	(6.3)	67.9	458.5	43.0	5.2	3.1	2.0	6.0	2.0	5.0
			700 799	1.0	(6.3)	68.0	387.0	31.0	5.2	2.3	3.0	6.0	2.0	2.0
				16.0	(0.6)	70.0	463.5	51.3	6.2	2.7	3.7	4.3	2.8	2.8
			2000 2099	1.0	(0.3)	70.5	526.0	60.0	7.5	3.4	11.0	4.0	5.0	2.0
			1900 1999	4.0	(1.1)	72.4	541.0	66.0	8.3	2.5	9.0	3.5	5.0	2.3
			1800 1899	16.0	(4.3)	72.2	514.6	65.1	7.9	2.7	7.3	3.8	4.3	2.4
			1700 1799	47.0	(12.5)	71.8	503.3	61.0	7.7	2.6	6.3	3.7	4.1	2.4
			1600 1699	37.0	(9.9)	71.2	489.9	58.1	7.4	2.8	5.1	3.7	3.5	2.4
			1500 1599	70.0	(18.7)	70.6	497.9	55.0	7.4	3.0	4.3	3.9	3.2	2.4
			1400 1499	84.0	(22.4)	70.7	488.4	54.1	7.3	2.8	3.8	4.0	2.8	2.4
			1300 1399	63.0	(16.8)	70.3	478.6	52.1	7.1	2.9	3.3	4.5	2.4	2.3
			1200 1299	28.0	(7.5)	69.8	477.9	49.3	7.1	3.0	2.9	4.5	2.3	2.3
			1100 1199	13.0	(3.5)	69.6	437.0	44.8	6.7	2.9	2.7	4.1	2.1	2.5
			1000 1099	3.0	(0.8)	68.2	427.0	41.0	6.8	4.1	2.0	4.7	2.3	2.0
			900 999	2.0	(0.5)	70.1	441.0	48.5	6.8	2.9	2.0	5.0	2.0	3.0
			800 899	3.0	(0.8)	69.2	402.3	38.0	5.9	2.2	2.3	5.0	2.0	2.3
			700 799	3.0	(0.8)	68.5	448.3	39.3	6.1	2.6	2.3	4.7	2.0	2.0
			499	1.0	(0.3)	69.5	194.0	25.0	2.6	0.5	1.0	4.0	1.0	2.0
				375.0	(13.3)	70.7	487.2	54.7	7.3	2.8	4.3	4.1	3.0	2.4
			1800 1899	4.0	(6.5)	72.1	496.5	62.5	7.5	2.4	6.8	3.5	4.5	2.8
			1700 1799	6.0	(9.7)	71.8	522.5	65.0	7.6	2.9	5.7	3.7	4.0	2.8

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1600 1699	6.0	(9.7)	70.8	562.5	64.3	7.8	3.5	5.0	4.0	3.8	3.0
			1500 1599	7.0	(11.3)	70.8	497.7	53.9	7.3	2.6	3.9	3.9	3.3	2.6
			1400 1499	15.0	(24.2)	70.5	513.3	59.3	7.2	3.3	4.0	4.2	3.1	2.8
			1300 1399	15.0	(24.2)	70.6	508.3	57.1	7.4	3.1	3.2	4.3	2.3	2.8
			1200 1299	2.0	(3.2)	67.7	581.0	49.5	8.5	5.0	3.0	4.0	2.5	3.0
			1000 1099	4.0	(6.5)	68.2	423.8	39.3	5.9	3.3	2.8	4.0	2.3	2.3
			800 899	1.0	(1.6)	68.7	343.0	35.0	5.3	2.7	3.0	4.0	2.0	3.0
			700 799	2.0	(3.2)	68.8	349.5	37.0	5.0	2.7	3.0	4.0	2.0	2.5
				62.0	(2.2)	70.5	503.3	56.7	7.2	3.1	4.1	4.0	3.1	2.8
			1400 1499	2.0	(4.1)	69.8	431.0	49.0	6.7	3.3	3.0	4.5	2.0	2.0
			1300 1399	9.0	(18.4)	70.6	420.2	50.0	6.7	2.7	3.0	4.6	2.4	2.0
			1200 1299	11.0	(22.4)	70.1	436.2	49.0	6.6	2.9	2.5	4.7	2.2	2.0
			1100 1199	14.0	(28.6)	69.9	421.8	46.1	6.5	2.8	2.6	4.4	2.0	2.0
			1000 1099	11.0	(22.4)	70.1	413.8	45.4	6.2	2.4	2.6	4.5	2.0	2.0
			900 999	2.0	(4.1)	67.6	482.0	45.0	6.4	4.3	2.0	5.5	2.0	2.0
				49.0	(1.7)	70.0	425.8	47.4	6.5	2.8	2.7	4.6	2.1	2.0
			1600 1699	3.0	(21.4)	70.9	521.8	52.7	8.0	2.3	4.7	4.0	3.7	3.0
			1500 1599	3.0	(21.4)	70.7	524.0	61.7	7.3	3.2	4.0	4.0	3.0	3.3
			1400 1499	6.0	(42.9)	70.2	487.2	56.3	7.0	3.4	3.3	3.8	3.0	3.0
			1300 1399	2.0	(14.3)	69.0	558.5	61.0	7.3	4.8	3.0	4.5	2.0	3.0
				14.0	(0.5)	70.3	512.7	57.4	7.3	3.3	3.7	4.0	3.0	3.1
			1500 1599	2.0	(50.0)	70.7	486.2	57.0	6.7	2.7	4.0	4.0	3.0	3.0
			1400 1499	2.0	(50.0)	71.0	514.2	53.5	7.8	2.5	3.0	4.0	2.5	3.0
				4.0	(0.1)	70.8	500.2	55.3	7.2	2.6	3.5	4.0	2.8	3.0
			2000 2099	1.0	(2.0)	72.3	481.5	69.0	7.3	3.1	6.0	4.0	4.0	3.0
			1800 1899	2.0	(4.0)	71.3	460.0	58.0	7.5	3.1	4.5	4.0	3.5	3.0
			1700 1799	7.0	(14.0)	70.4	433.9	51.1	6.2	2.6	3.6	4.0	3.1	3.0
			1600 1699	4.0	(8.0)	70.8	458.8	53.8	7.0	2.8	3.8	4.0	2.8	3.0
			1500 1599	15.0	(30.0)	70.2	432.1	48.6	6.3	2.6	2.8	4.7	2.3	2.9
			1400 1499	5.0	(10.0)	70.9	439.5	54.0	6.4	2.4	2.8	4.4	2.2	3.0
			1300 1399	13.0	(26.0)	69.9	411.2	46.6	5.9	2.7	2.2	5.2	2.0	3.0
			1100 1199	1.0	(2.0)	70.1	408.0	48.0	6.7	3.2	2.0	5.0	2.0	3.0
			1000 1099	2.0	(4.0)	69.3	345.3	36.5	4.3	1.6	2.0	6.0	2.0	2.5
				50.0	(1.8)	70.3	427.9	49.7	6.3	2.6	2.9	4.7	2.4	2.9
			1700 1799	10.0	(30.3)	70.9	540.4	59.8	8.1	3.2	5.3	4.0	3.7	3.0
			1600 1699	2.0	(6.1)	70.7	427.5	50.0	7.2	2.9	4.5	3.5	3.5	3.0
			1500 1599	5.0	(15.2)	70.6	468.9	56.4	7.1	3.3	3.0	4.4	2.8	2.6
			1400 1499	7.0	(21.2)	70.2	437.7	50.3	6.7	3.0	2.9	3.9	2.6	3.0
			1300 1399	5.0	(15.2)	69.2	402.5	45.0	6.4	3.6	2.2	4.0	2.2	3.0
			1200 1299	1.0	(3.0)	67.7	431.0	42.0	6.5	4.5	3.0	4.0	2.0	3.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1000 1099	2.0	(6.1)	70.5	339.0	42.0	5.0	1.6	2.0	4.5	2.0	3.0
			500 599	1.0	(3.0)	69.4	313.0	35.0	3.4	1.0	1.0	7.0	1.0	4.0
				33.0	(1.2)	70.3	457.6	52.1	6.9	3.1	3.5	4.1	2.8	3.0
			700 799	1.0	(0.0)	68.1	420.0	43.0	6.0	4.0	4.0	5.0	2.0	3.0
			2200 2299	1.0	(1.0)	70.3	577.7	59.0	8.9	3.9	7.0	3.0	5.0	3.0
			1900 1999	2.0	(2.0)	70.2	561.1	63.0	8.1	4.0	6.5	3.0	4.0	3.0
			1700 1799	11.0	(11.0)	71.3	542.3	62.8	7.8	2.9	5.6	3.6	3.6	2.9
			1600 1699	26.0	(26.0)	71.0	503.8	57.5	7.7	3.0	4.7	3.9	3.6	2.9
			1500 1599	29.0	(29.0)	70.5	498.5	55.2	7.4	3.0	3.6	4.2	2.7	2.8
			1400 1499	12.0	(12.0)	70.3	513.7	56.2	7.3	3.2	3.5	4.3	2.6	2.9
			1300 1399	9.0	(9.0)	69.7	493.0	53.6	7.2	3.7	2.7	4.3	2.1	2.8
			1200 1299	4.0	(4.0)	69.1	529.9	56.0	7.3	4.2	2.8	5.0	2.5	2.8
			1100 1199	3.0	(3.0)	69.5	475.0	48.7	7.2	3.3	3.0	4.0	2.3	3.0
			1000 1099	2.0	(2.0)	69.2	552.5	53.0	7.6	3.6	2.5	5.0	2.0	3.0
			700 799	1.0	(1.0)	69.1	309.0	36.0	5.0	2.7	2.0	5.0	2.0	2.0
				100.0	(3.5)	70.5	507.8	56.4	7.5	3.2	4.0	4.1	3.0	2.9
			2300 2399	1.0	(0.8)	74.6	453.8	74.0	7.5	1.9	10.0	3.0	5.0	3.0
			2200 2299	1.0	(0.8)	71.1	549.6	56.0	8.3	2.4	7.0	4.0	5.0	3.0
			2000 2099	3.0	(2.5)	72.4	437.3	58.7	7.2	2.1	6.3	3.7	4.0	3.0
			1900 1999	3.0	(2.5)	71.5	444.3	57.3	7.2	2.9	6.7	3.7	4.3	3.0
			1800 1899	5.0	(4.2)	71.7	465.4	59.4	7.4	2.8	5.6	3.8	4.0	2.8
			1700 1799	13.0	(11.0)	70.9	470.6	54.6	7.5	2.9	5.5	3.7	3.6	2.7
			1600 1699	21.0	(17.8)	70.8	483.1	56.6	7.5	3.2	4.0	4.1	3.0	2.9
			1500 1599	28.0	(23.7)	70.4	503.4	56.1	7.2	3.1	3.8	4.0	2.8	2.9
			1400 1499	30.0	(25.4)	69.5	502.2	51.4	7.2	3.5	3.2	4.0	2.5	3.0
			1300 1399	8.0	(6.8)	68.6	475.6	47.9	6.5	3.8	2.6	4.6	2.3	2.5
			1200 1299	4.0	(3.4)	68.3	492.4	46.8	7.2	4.1	2.3	5.0	2.0	3.0
			1100 1199	1.0	(0.8)	68.1	470.4	44.0	6.6	3.9	3.0	5.0	2.0	4.0
				118.0	(4.2)	70.2	488.5	54.2	7.3	3.2	4.0	4.0	2.9	2.9
			1600 1699	7.0	(87.5)	69.7	515.6	50.4	7.1	2.8	3.1	4.7	2.9	3.0
			1500 1599	1.0	(12.5)	69.1	565.0	56.0	7.3	3.8	6.0	4.0	4.0	3.0
				8.0	(0.3)	69.7	521.8	51.1	7.1	2.9	3.5	4.6	3.0	3.0
			800 899	1.0	(0.0)	69.3	452.1	45.0	5.3	2.0	2.0	5.0	2.0	3.0
			1600 1699	1.0	(2.4)	68.0	528.6	49.0	7.7	4.6	5.0	4.0	4.0	3.0
			1500 1599	2.0	(4.8)	71.0	434.7	52.5	6.8	2.6	4.0	4.0	3.0	2.5
			1400 1499	13.0	(31.0)	70.0	461.4	49.9	7.0	3.0	3.3	4.3	2.8	2.5
			1300 1399	5.0	(11.9)	69.2	469.3	44.0	7.1	3.0	2.8	4.6	2.2	2.6
			1200 1299	14.0	(33.3)	69.9	419.7	45.0	6.5	2.6	2.4	4.2	2.0	2.4
			1100 1199	3.0	(7.1)	70.1	484.3	48.7	7.2	2.6	2.0	4.3	2.0	2.7

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1000 1099	3.0	(7.1)	69.4	426.6	45.7	6.5	3.1	2.3	4.7	2.3	2.3
			900 999	1.0	(2.4)	70.8	428.6	48.0	6.1	1.7	2.0	6.0	2.0	2.0
				42.0	(1.5)	69.9	447.1	47.2	6.8	2.8	2.8	4.4	2.4	2.5
			1700 1799	2.0	(3.3)	70.6	437.5	54.0	7.0	3.4	4.5	4.0	3.5	3.0
			1600 1699	16.0	(26.2)	70.1	506.4	53.5	7.6	3.2	4.2	3.7	3.3	2.9
			1500 1599	13.0	(21.3)	70.0	468.1	51.2	7.4	3.4	3.4	4.0	2.8	2.9
			1400 1499	20.0	(32.8)	69.5	477.0	47.5	7.1	3.1	2.8	4.2	2.3	2.8
			1300 1399	6.0	(9.8)	69.8	507.9	55.5	7.3	3.6	2.3	4.3	2.2	2.5
			1200 1299	4.0	(6.6)	68.5	505.2	48.3	7.0	3.8	2.0	4.5	2.0	3.0
				61.0	(2.2)	69.8	486.4	50.9	7.3	3.3	3.2	4.0	2.7	2.9
			2000 2099	1.0	(33.3)	71.2	494.8	72.0	7.6	4.9	8.0	4.0	5.0	3.0
			1800 1899	1.0	(33.3)	70.0	465.4	51.0	7.1	3.3	6.0	4.0	4.0	3.0
			1500 1599	1.0	(33.3)	70.5	325.2	45.0	5.2	2.3	4.0	4.0	3.0	3.0
				3.0	(0.1)	70.6	428.5	56.0	6.6	3.5	6.0	4.0	4.0	3.0
			1600 1699	1.0	(12.5)	71.7	468.8	62.0	7.3	3.0	4.0	4.0	3.0	2.0
			1500 1599	2.0	(25.0)	69.8	487.0	53.5	7.5	3.8	4.5	4.0	3.5	3.0
			1400 1499	1.0	(12.5)	68.9	461.6	43.0	5.9	2.4	3.0	3.0	3.0	2.0
			1300 1399	2.0	(25.0)	69.3	460.2	54.5	6.9	4.3	3.5	4.0	2.5	3.0
			1000 1099	1.0	(12.5)	67.8	484.6	46.0	6.4	4.2	2.0	4.0	2.0	2.0
			700 799	1.0	(12.5)	68.3	335.0	38.0	5.0	3.5	2.0	6.0	1.0	4.0
				8.0	(0.3)	69.4	455.6	50.6	6.7	3.7	3.4	4.1	2.6	2.8
			1800 1899	2.0	(20.0)	73.1	518.0	70.0	7.8	2.3	5.0	3.5	3.5	3.0
			1700 1799	2.0	(20.0)	70.2	529.3	61.0	7.3	3.6	5.5	3.0	4.0	2.0
			1600 1699	1.0	(10.0)	70.0	576.8	57.0	8.0	3.2	3.0	3.0	3.0	3.0
			1500 1599	1.0	(10.0)	68.3	599.2	60.0	8.0	5.2	4.0	4.0	3.0	3.0
			1400 1499	1.0	(10.0)	71.3	510.0	54.0	7.4	1.8	3.0	4.0	3.0	2.0
			1200 1299	3.0	(30.0)	70.3	500.6	57.3	7.1	3.2	2.7	4.0	2.0	2.0
				10.0	(0.4)	70.7	528.2	60.5	7.5	3.2	3.9	3.6	3.0	2.4
			1500 1599	1.0	(50.0)	71.3	376.2	51.0	6.9	2.8	4.0	3.0	4.0	3.0
			1300 1399	1.0	(50.0)	69.0	379.8	47.0	4.5	3.0	3.0	4.0	2.0	2.0
				2.0	(0.1)	70.2	378.0	49.0	5.7	2.9	3.5	3.5	3.0	2.5
			1700 1799	4.0	(5.5)	72.9	488.7	64.8	7.8	2.1	5.8	4.0	3.8	2.8
			1600 1699	14.0	(19.2)	71.6	476.7	59.5	7.4	2.7	4.9	4.1	3.5	2.6
			1500 1599	19.0	(26.0)	70.7	494.5	56.6	7.2	2.9	3.8	4.1	2.9	2.7
			1400 1499	14.0	(19.2)	70.7	470.9	54.1	7.0	2.7	3.4	4.4	2.6	2.9
			1300 1399	5.0	(6.8)	69.4	457.6	47.2	7.1	3.4	3.0	4.4	2.4	2.6
			1200 1299	13.0	(17.8)	69.4	465.2	48.2	6.9	3.4	2.3	4.5	2.1	3.0
			1100 1199	2.0	(2.7)	69.8	485.9	47.0	8.0	3.3	3.0	5.0	2.0	3.0
			1000 1099	1.0	(1.4)	70.4	414.0	48.0	6.6	2.7	3.0	4.0	2.0	2.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			900 999	1.0	(1.4)	69.4	365.2	34.0	5.2	1.4	2.0	4.0	2.0	3.0
				73.0	(2.6)	70.6	475.4	54.3	7.1	2.9	3.7	4.3	2.8	2.8
			1800 1899	1.0	(0.7)	70.5	443.2	57.0	7.3	4.0	8.0	3.0	5.0	3.0
			1700 1799	13.0	(9.2)	71.5	481.9	59.5	7.7	3.0	5.8	3.8	4.1	2.5
			1600 1699	5.0	(3.5)	71.9	458.3	57.6	8.0	2.9	5.6	3.6	4.0	2.6
			1500 1599	57.0	(40.4)	70.4	476.4	54.3	7.3	3.3	3.5	3.9	3.0	2.5
			1400 1499	26.0	(18.4)	70.0	485.4	54.6	7.3	3.6	2.4	4.2	2.0	2.5
			1300 1399	25.0	(17.7)	69.9	475.1	51.8	7.2	3.4	2.4	4.2	2.0	2.4
			1100 1199	12.0	(8.5)	69.6	482.8	53.2	6.6	3.4	3.0	4.3	2.3	3.0
			700 799	1.0	(0.7)	69.8	335.6	34.0	5.5	1.6	2.0	6.0	2.0	4.0
			600 699	1.0	(0.7)	68.7	332.6	34.0	4.8	2.3	2.0	5.0	2.0	3.0
				141.0	(5.0)	70.3	476.0	54.1	7.2	3.3	3.4	4.0	2.7	2.5
			1900 1999	1.0	(4.2)	73.3	413.3	68.0	7.0	2.6	8.0	4.0	5.0	3.0
			1700 1799	3.0	(12.5)	71.2	515.7	65.7	7.3	3.5	5.7	4.0	4.0	2.7
			1600 1699	8.0	(33.3)	70.6	469.3	57.5	7.2	3.5	5.5	4.0	3.6	2.5
			1500 1599	3.0	(12.5)	69.4	466.4	48.7	6.5	3.2	4.0	4.3	3.0	2.7
			1400 1499	7.0	(29.2)	69.2	514.0	51.7	7.1	3.6	3.3	4.4	2.3	2.0
			1200 1299	2.0	(8.3)	69.3	369.7	38.0	5.8	2.4	2.5	4.0	2.0	2.0
				24.0	(0.8)	70.1	477.1	54.5	7.0	3.3	4.5	4.2	3.1	2.4
			1800 1899	3.0	(5.7)	71.6	469.6	59.3	7.3	2.8	5.3	3.7	4.0	3.0
			1700 1799	6.0	(11.3)	70.9	468.6	53.8	7.0	2.5	5.3	3.8	3.8	2.8
			1600 1699	6.0	(11.3)	70.4	501.1	56.8	6.9	3.0	4.3	3.8	3.3	2.5
			1500 1599	17.0	(32.1)	70.4	468.6	52.8	7.1	2.9	3.8	3.8	2.9	2.5
			1400 1499	11.0	(20.8)	69.3	486.2	53.6	6.5	3.7	3.2	4.1	2.5	2.9
			1300 1399	8.0	(15.1)	69.9	479.8	53.5	7.0	3.4	3.1	4.4	2.1	2.8
			1200 1299	1.0	(1.9)	69.6	462.4	48.0	7.6	3.7	2.0	4.0	2.0	3.0
			1100 1199	1.0	(1.9)	68.5	428.0	41.0	6.3	3.4	2.0	4.0	2.0	3.0
				53.0	(1.9)	70.2	476.8	53.7	6.9	3.1	3.8	3.9	2.9	2.7
			1800 1899	1.0	(16.7)	69.7	480.1	46.0	7.1	2.6	5.0	4.0	4.0	2.0
			1700 1799	1.0	(16.7)	70.2	517.0	54.0	7.6	3.0	4.0	4.0	3.0	2.0
			1500 1599	3.0	(50.0)	68.6	490.1	45.3	7.6	4.0	3.3	4.3	3.0	3.0
			1300 1399	1.0	(16.7)	68.2	421.9	34.0	6.2	2.7	2.0	5.0	2.0	3.0
				6.0	(0.2)	69.0	481.6	45.0	7.3	3.4	3.5	4.3	3.0	2.7
			2200 2299	1.0	(4.2)	73.8	573.8	79.0	9.1	3.0	10.0	4.0	5.0	3.0
			2100 2199	1.0	(4.2)	71.7	575.4	78.0	7.4	3.9	6.0	3.0	4.0	3.0
			1900 1999	1.0	(4.2)	71.7	489.8	57.0	9.0	3.2	5.0	3.0	4.0	3.0
			1700 1799	1.0	(4.2)	70.8	517.6	59.0	8.5	3.8	4.0	4.0	3.0	2.0
			1600 1699	1.0	(4.2)	71.6	422.6	50.0	7.0	1.8	4.0	4.0	3.0	3.0
			1500 1599	3.0	(12.5)	70.1	460.0	48.3	6.6	2.4	4.0	4.0	3.3	2.7

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1400 1499	7.0	(29.2)	69.4	456.8	47.6	6.4	3.0	3.1	4.4	2.4	3.0
			1300 1399	2.0	(8.3)	68.1	486.5	48.5	6.3	4.0	3.0	4.0	3.0	3.0
			1200 1299	5.0	(20.8)	69.5	493.8	53.0	7.1	3.6	2.6	4.0	2.0	2.6
			1100 1199	1.0	(4.2)	71.5	446.0	58.0	6.6	2.5	2.0	4.0	2.0	3.0
			800 899	1.0	(4.2)	70.4	273.0	36.0	4.3	1.3	2.0	5.0	2.0	3.0
				24.0	(0.8)	70.1	471.6	52.4	6.9	3.1	3.6	4.1	2.8	2.8
			1800 1899	2.0	(4.5)	70.7	488.9	52.5	7.9	2.9	4.5	4.0	3.5	2.5
			1700 1799	9.0	(20.5)	70.3	469.4	51.4	7.1	2.9	3.8	4.2	2.6	2.4
			1600 1699	7.0	(15.9)	70.5	429.5	46.7	6.9	2.4	3.1	4.1	2.4	2.6
			1500 1599	8.0	(18.2)	70.2	403.6	45.4	6.7	2.8	3.6	4.1	2.5	2.6
			1400 1499	9.0	(20.5)	69.9	402.0	44.4	6.3	2.7	2.9	4.2	2.1	2.3
			1300 1399	7.0	(15.9)	69.8	413.2	46.3	6.2	2.8	2.7	4.6	2.1	2.6
			1200 1299	2.0	(4.5)	67.7	426.7	43.0	5.8	4.3	2.0	5.0	2.0	2.5
				44.0	(1.6)	70.1	427.3	47.0	6.7	2.8	3.3	4.3	2.4	2.5
			1800 1899	1.0	(5.0)	70.3	452.4	45.0	7.6	2.6	6.0	4.0	4.0	3.0
			1600 1699	2.0	(10.0)	69.5	481.3	47.0	7.3	3.1	5.0	4.0	3.5	3.0
			1500 1599	4.0	(20.0)	71.3	462.3	52.0	7.5	2.2	4.3	4.3	2.8	2.8
			1400 1499	4.0	(20.0)	69.3	489.9	52.8	7.4	4.1	2.8	4.3	2.8	3.0
			1300 1399	2.0	(10.0)	69.2	475.0	53.0	6.7	4.0	3.5	4.0	2.5	3.0
			1200 1299	3.0	(15.0)	70.1	521.7	52.7	7.3	2.6	2.7	4.0	2.0	4.0
			1100 1199	1.0	(5.0)	70.5	509.9	56.0	6.8	2.4	2.0	4.0	2.0	4.0
			1000 1099	3.0	(15.0)	69.9	479.0	46.7	7.2	2.6	2.0	4.0	2.0	3.0
				20.0	(0.7)	70.0	484.3	50.9	7.3	3.0	3.4	4.1	2.6	3.1
			1800 1899	1.0	(0.9)	72.3	473.0	65.0	7.0	2.6	7.0	4.0	4.0	3.0
			1700 1799	5.0	(4.3)	71.6	475.1	61.8	8.0	3.5	5.4	4.0	3.8	3.0
			1600 1699	3.0	(2.6)	70.3	478.2	51.0	7.4	2.9	4.3	4.0	3.0	3.0
			1500 1599	18.0	(15.4)	70.9	474.2	53.5	7.7	2.9	3.9	4.2	2.8	2.7
			1400 1499	29.0	(24.8)	70.3	481.1	51.9	7.6	3.1	3.5	4.2	2.6	2.8
			1300 1399	32.0	(27.4)	69.5	484.9	48.7	7.5	3.5	3.5	4.4	2.6	2.9
			1200 1299	14.0	(12.0)	69.2	481.2	49.7	7.2	3.8	3.1	4.6	2.2	2.8
			1100 1199	10.0	(8.5)	68.6	470.8	42.9	7.3	3.7	2.7	4.7	2.1	3.0
			1000 1099	3.0	(2.6)	68.7	522.5	52.3	7.4	4.3	2.7	5.0	2.0	2.7
			500 599	2.0	(1.7)	69.3	405.6	44.0	4.9	2.2	1.5	7.0	1.0	4.0
				117.0	(4.1)	69.9	479.6	50.6	7.4	3.3	3.5	4.4	2.6	2.9
			1100 1199	1.0	(50.0)	70.6	461.7	51.0	6.0	1.8	2.0	5.0	2.0	4.0
			900 999	1.0	(50.0)	70.7	382.7	50.0	4.8	1.7	3.0	5.0	2.0	3.0
				2.0	(0.1)	70.7	422.2	50.5	5.4	1.8	2.5	5.0	2.0	3.5
			1400 1499	2.0	(0.1)	68.5	451.4	43.5	6.8	3.8	3.0	4.0	3.0	2.5

							(kg)	(m2)	(m)	(m)				
					(%)									
			2000 2099	2.0	(3.0)	71.3	500.9	65.0	8.1	4.0	7.0	4.0	4.5	3.0
			1900 1999	1.0	(1.5)	73.0	591.3	74.0	8.0	2.0	7.0	3.0	5.0	3.0
			1800 1899	1.0	(1.5)	72.0	509.3	65.0	7.4	2.7	4.0	4.0	3.0	3.0
			1700 1799	5.0	(7.6)	71.2	459.5	60.0	7.2	3.4	6.0	3.8	4.2	2.6
			1600 1699	4.0	(6.1)	71.0	516.9	60.0	7.8	3.3	3.8	3.5	3.0	3.0
			1500 1599	18.0	(27.3)	70.1	505.5	56.5	7.4	3.6	3.1	3.8	2.9	2.9
			1400 1499	26.0	(39.4)	69.9	490.4	54.5	7.3	3.7	2.5	4.1	2.1	3.0
			1300 1399	7.0	(10.6)	68.8	466.9	46.3	7.0	3.8	2.6	4.4	2.1	2.9
			500 599	2.0	(3.0)	69.5	418.6	40.5	6.1	2.1	2.5	4.5	2.0	3.0
				66.0	(2.3)	70.1	491.3	55.3	7.3	3.5	3.2	4.0	2.7	2.9
			2300 2399	1.0	(0.0)	74.6	453.8	74.0	7.5	1.9	10.0	3.0	5.0	3.0
			2200 2299	5.0	(0.2)	72.9	563.8	70.0	8.7	2.5	8.6	3.6	5.0	2.8
			2100 2199	2.0	(0.1)	73.8	544.7	81.5	8.5	3.4	7.5	3.5	4.5	3.0
			2000 2099	9.0	(0.3)	71.5	490.3	63.7	7.5	3.4	7.0	3.9	4.3	2.9
			1900 1999	20.0	(0.7)	72.4	513.2	65.5	8.1	2.8	7.3	3.5	4.5	2.6
			1800 1899	67.0	(2.4)	71.9	500.9	62.7	7.7	2.8	6.5	3.7	4.2	2.6
			1700 1799	238.0	(8.4)	71.5	500.2	60.7	7.6	2.8	5.9	3.8	3.9	2.6
			1600 1699	376.0	(13.3)	71.2	499.3	58.7	7.6	2.9	4.7	3.9	3.5	2.6
			1500 1599	659.0	(23.3)	70.7	488.3	55.3	7.4	3.0	4.0	4.0	3.0	2.6
			1400 1499	589.0	(20.9)	70.3	488.4	54.0	7.3	3.1	3.5	4.2	2.6	2.6
			1300 1399	403.0	(14.3)	69.9	479.2	51.6	7.1	3.2	3.2	4.4	2.4	2.5
			1200 1299	217.0	(7.7)	69.5	477.2	49.9	6.9	3.4	2.8	4.5	2.3	2.5
			1100 1199	121.0	(4.3)	69.5	463.4	47.8	6.9	3.2	2.8	4.4	2.2	2.5
			1000 1099	60.0	(2.1)	69.3	442.4	45.2	6.5	3.1	2.6	4.5	2.1	2.3
			900 999	11.0	(0.4)	69.3	445.5	45.0	6.4	2.9	2.3	5.2	2.0	2.5
			800 899	17.0	(0.6)	69.3	428.4	42.7	6.0	2.6	2.5	5.1	2.1	2.6
			700 799	16.0	(0.6)	68.8	398.3	39.3	5.6	2.7	2.5	5.0	1.9	2.8
			600 699	4.0	(0.1)	70.2	356.1	45.0	5.3	2.4	2.0	5.5	2.0	2.5
			500 599	7.0	(0.2)	69.6	387.6	40.9	5.2	1.8	1.7	6.0	1.4	3.4
			499	2.0	(0.1)	69.8	240.5	31.0	3.0	0.7	1.0	4.5	1.0	2.0
				2824.0	(100.0)	70.5	485.6	54.5	7.3	3.1	3.9	4.1	2.9	2.6
							</							

					(%)		(kg)	(m2)	(m)	(m)				
			1800 1899	2.0	(0.7)	72.5	552.0	70.5	8.1	2.8	7.0	3.5	4.0	2.5
			1700 1799	22.0	(8.1)	71.6	552.1	61.6	8.1	2.5	5.4	3.6	3.9	2.4
			1600 1699	38.0	(14.0)	70.8	542.9	56.7	7.8	2.5	4.5	3.7	3.4	2.2
			1500 1599	59.0	(21.7)	70.1	541.7	54.2	7.4	2.8	4.0	4.0	3.1	2.2
			1400 1499	69.0	(25.4)	69.9	535.7	53.6	7.4	2.9	3.3	4.0	2.7	2.2
			1300 1399	47.0	(17.3)	69.3	537.8	50.7	7.3	3.1	2.9	4.3	2.3	2.3
			1200 1299	21.0	(7.7)	69.2	521.2	50.8	7.0	3.2	2.6	4.4	2.2	2.3
			1100 1199	11.0	(4.0)	69.6	494.5	51.6	6.6	3.0	2.6	4.5	2.1	2.5
			1000 1099	1.0	(0.4)	68.4	521.0	49.0	6.2	3.3	3.0	5.0	2.0	3.0
			900 999	1.0	(0.4)	70.1	417.0	48.0	5.7	2.3	2.0	5.0	2.0	2.0
			800 899	1.0	(0.4)	70.3	356.0	42.0	5.1	1.6	2.0	5.0	2.0	2.0
				272.0	(9.3)	70.1	535.9	54.0	7.4	2.9	3.7	4.0	2.8	2.3
			1700 1799	1.0	(9.1)	72.7	583.0	72.0	8.8	2.8	7.0	4.0	4.0	3.0
			1600 1699	2.0	(18.2)	70.6	533.0	58.0	7.5	3.0	4.5	4.5	3.0	2.0
			1500 1599	4.0	(36.4)	70.1	590.0	60.3	7.6	3.1	3.0	4.0	2.5	2.3
			1400 1499	4.0	(36.4)	69.0	520.3	50.8	6.7	3.3	3.0	4.0	2.3	2.0
				11.0	(0.4)	70.0	553.6	57.5	7.4	3.1	3.6	4.1	2.6	2.2
			1900 1999	1.0	(1.9)	70.8	582.0	60.0	8.1	2.8	9.0	4.0	5.0	2.0
			1800 1899	1.0	(1.9)	72.7	576.0	70.0	9.0	3.0	9.0	4.0	5.0	2.0
			1700 1799	5.0	(9.3)	70.7	593.6	61.6	8.4	3.2	6.0	4.0	4.2	2.2
			1600 1699	10.0	(18.5)	71.0	595.6	62.8	8.1	2.8	5.8	4.2	3.9	2.2
			1500 1599	15.0	(27.8)	70.6	588.9	59.7	8.5	3.1	4.5	4.1	3.5	2.5
			1400 1499	14.0	(25.9)	69.8	578.6	55.9	8.0	3.3	4.3	4.3	3.1	2.4
			1300 1399	4.0	(7.4)	69.2	594.3	54.3	8.5	3.9	3.8	4.3	3.0	2.8
			1200 1299	3.0	(5.6)	69.2	589.7	52.7	8.5	3.6	3.3	4.7	2.3	2.0
			1100 1199	1.0	(1.9)	67.0	633.0	52.0	7.3	4.5	3.0	5.0	2.0	3.0
				54.0	(1.8)	70.3	588.8	58.7	8.3	3.2	4.9	4.2	3.5	2.4
			2000 2099	1.0	(1.1)	74.2	673.7	80.0	10.4	2.3	7.0	4.0	5.0	3.0
			1900 1999	1.0	(1.1)	74.2	574.6	69.0	9.6	1.5	7.0	4.0	4.0	3.0
			1800 1899	2.0	(2.2)	72.7	588.3	71.5	8.2	2.4	7.0	3.5	4.5	3.0
			1700 1799	7.0	(7.9)	72.2	577.9	67.1	9.0	2.9	6.0	3.9	3.9	2.9
			1600 1699	13.0	(14.6)	71.2	582.2	60.2	8.7	2.8	5.0	3.8	3.5	2.6
			1500 1599	24.0	(27.0)	70.5	579.6	58.3	8.4	3.1	4.2	4.1	3.2	2.3
			1400 1499	18.0	(20.2)	69.8	605.1	57.7	8.5	3.6	4.0	4.1	2.8	2.5
			1300 1399	18.0	(20.2)	69.5	556.1	51.9	7.5	3.0	2.9	4.5	2.2	2.4
			1200 1299	4.0	(4.5)	69.5	548.9	53.8	7.7	3.5	3.3	4.3	2.5	2.5
			1100 1199	1.0	(1.1)	68.8	676.4	65.0	8.8	4.8	3.0	5.0	2.0	3.0
				89.0	(3.0)	70.5	581.2	58.4	8.4	3.1	4.2	4.1	3.0	2.5
			1600 1699	1.0	(50.0)	70.3	718.0	70.0	8.3	3.1	6.0	4.0	4.0	2.0
			1400 1499	1.0	(50.0)	72.0	691.5	76.0	9.7	3.4	3.0	5.0	2.0	2.0

					(%)		(kg)	(m ²)	(m)	(m)				
				2.0	(0.1)	71.2	704.8	73.0	9.0	3.3	4.5	4.5	3.0	2.0
			1300 1399	1.0	(20.0)	69.3	518.0	42.0	7.6	2.4	5.0	5.0	3.0	2.0
			1100 1199	1.0	(20.0)	67.2	496.0	39.0	5.8	3.2	2.0	4.0	2.0	2.0
			1000 1099	2.0	(40.0)	70.5	441.5	54.5	6.8	3.3	3.5	5.0	3.0	3.5
			700 799	1.0	(20.0)	71.4	394.0	47.0	6.6	1.7	4.0	4.0	3.0	3.0
				5.0	(0.2)	69.8	458.2	47.4	6.7	2.8	3.6	4.6	2.8	2.8
			2000 2099	3.0	(1.8)	73.2	565.8	73.0	8.6	2.6	8.7	3.7	5.0	2.3
			1900 1999	1.0	(0.6)	70.2	563.0	66.0	7.4	4.0	6.0	4.0	4.0	3.0
			1800 1899	5.0	(3.0)	71.1	583.4	64.2	8.2	3.1	6.6	3.8	4.2	2.0
			1700 1799	25.0	(15.0)	71.4	554.0	59.5	8.0	2.3	5.6	3.9	3.9	2.4
			1600 1699	34.0	(20.4)	70.9	545.9	57.9	8.0	2.7	4.9	3.7	3.6	2.5
			1500 1599	57.0	(34.1)	70.1	555.0	53.9	7.7	2.8	3.7	4.0	3.1	2.6
			1400 1499	28.0	(16.8)	69.4	553.1	52.4	7.3	3.1	3.4	4.3	2.5	2.3
			1300 1399	8.0	(4.8)	69.0	540.8	47.9	7.1	3.0	3.3	4.1	2.6	2.4
			1200 1299	5.0	(3.0)	69.2	532.0	50.2	7.0	3.0	3.0	4.0	2.6	2.4
			1100 1199	1.0	(0.6)	70.6	474.0	48.0	6.5	1.6	2.0	4.0	2.0	2.0
				167.0	(5.7)	70.3	551.9	55.6	7.7	2.8	4.3	4.0	3.2	2.5
			2200 2299	1.0	(0.2)	73.0	630.0	74.0	9.4	2.7	9.0	4.0	5.0	3.0
			2000 2099	1.0	(0.2)	72.2	614.0	69.0	8.3	2.2	7.0	4.0	4.0	3.0
			1900 1999	6.0	(1.0)	72.5	610.8	71.0	9.0	2.7	8.2	3.0	4.8	2.7
			1800 1899	19.0	(3.1)	71.4	598.2	65.0	8.3	2.7	6.9	3.8	4.5	2.6
			1700 1799	97.0	(15.8)	71.3	588.8	62.7	8.2	2.6	5.8	3.8	4.0	2.5
			1600 1699	160.0	(26.1)	70.5	584.6	59.2	7.9	2.8	4.5	3.9	3.4	2.5
			1500 1599	149.0	(24.3)	70.2	570.7	56.0	7.7	2.8	3.7	4.1	3.0	2.5
			1400 1499	98.0	(16.0)	69.8	562.4	54.6	7.4	2.8	3.3	4.2	2.5	2.4
			1300 1399	52.0	(8.5)	69.2	570.9	52.8	7.3	3.0	3.0	4.4	2.3	2.3
			1200 1299	16.0	(2.6)	69.3	553.4	49.9	7.3	2.8	2.6	4.6	2.3	2.3
			1100 1199	8.0	(1.3)	68.4	528.1	44.8	6.8	3.0	2.1	4.6	2.0	2.5
			1000 1099	1.0	(0.2)	68.7	408.0	39.0	5.2	2.3	3.0	4.0	2.0	2.0
			900 999	1.0	(0.2)	69.8	357.0	37.0	4.8	1.2	2.0	5.0	1.0	2.0
			800 899	1.0	(0.2)	69.7	335.0	33.0	5.3	1.4	2.0	6.0	1.0	2.0
			600 699	4.0	(0.7)	70.7	261.8	36.0	4.2	1.0	1.0	6.0	1.0	2.0
				614.0	(21.0)	70.3	573.3	57.4	7.7	2.8	4.2	4.1	3.1	2.5
			2100 2199	1.0	(0.4)	74.9	546.0	74.0	9.0	1.4	8.0	3.0	5.0	3.0
			2000 2099	3.0	(1.3)	72.2	577.0	66.0	9.1	2.8	8.7	3.7	4.7	2.0
			1900 1999	4.0	(1.7)	72.5	582.5	68.5	8.7	2.6	8.3	3.3	4.8	2.3
			1800 1899	16.0	(6.8)	71.2	595.0	65.9	8.4	3.2	7.4	3.6	4.6	2.6
			1700 1799	42.0	(17.8)	71.6	542.3	62.4	8.2	2.8	6.2	3.8	4.2	2.5
			1600 1699	81.0	(34.3)	71.1	550.5	59.2	7.8	2.6	4.9	3.9	3.7	2.5
			1500 1599	51.0	(21.6)	70.3	551.7	55.3	7.5	2.7	3.9	4.1	3.1	2.5
			1400 1499	22.0	(9.3)	70.0	547.3	55.1	7.3	2.9	3.3	4.3	2.9	2.3

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1300 1399	6.0	(2.5)	69.4	506.5	50.7	6.8	3.1	2.7	4.7	2.3	2.5
			1200 1299	6.0	(2.5)	70.5	501.8	53.5	7.0	2.4	2.3	4.7	2.2	2.5
			1100 1199	2.0	(0.8)	68.2	447.0	41.0	6.5	3.6	2.5	4.5	2.0	3.0
			1000 1099	1.0	(0.4)	69.5	380.0	40.0	4.6	1.5	2.0	4.0	2.0	2.0
			500 599	1.0	(0.4)	70.3	281.0	34.0	4.7	1.2	2.0	4.0	2.0	3.0
				236.0	(8.1)	70.9	547.8	58.6	7.8	2.7	4.9	4.0	3.6	2.5
			1600 1699	1.0	(9.1)	69.0	621.0	56.0	7.4	3.1	5.0	4.0	3.0	3.0
			1500 1599	4.0	(36.4)	69.7	591.6	52.0	8.2	2.8	4.0	3.8	3.3	3.0
			1400 1499	1.0	(9.1)	70.4	514.0	51.0	6.5	1.7	3.0	5.0	2.0	2.0
			1300 1399	1.0	(9.1)	71.2	566.5	64.0	7.3	2.5	3.0	4.0	2.0	3.0
			1200 1299	1.0	(9.1)	71.1	599.5	63.0	8.0	2.6	3.0	4.0	2.0	2.0
			1100 1199	3.0	(27.3)	68.0	527.8	41.7	6.7	3.1	2.3	4.3	2.0	3.0
				11.0	(0.4)	69.5	568.3	51.5	7.5	2.8	3.4	4.1	2.5	2.8
			2100 2199	1.0	(0.2)	70.3	509.0	50.0	7.5	2.4	7.0	4.0	4.0	2.0
			2000 2099	1.0	(0.2)	74.2	579.0	73.0	8.8	1.4	7.0	3.0	5.0	2.0
			1900 1999	7.0	(1.6)	71.9	573.3	63.9	8.4	2.5	7.3	3.9	4.7	2.4
			1800 1899	24.0	(5.5)	71.8	554.5	64.1	7.9	2.5	7.1	3.7	4.5	2.5
			1700 1799	74.0	(17.1)	71.2	549.3	60.4	7.7	2.6	5.6	3.9	3.8	2.2
			1600 1699	83.0	(19.1)	70.4	557.5	57.0	7.6	2.7	4.7	4.1	3.4	2.2
			1500 1599	80.0	(18.4)	69.9	565.2	56.5	7.6	3.1	3.9	4.1	3.0	2.2
			1400 1499	79.0	(18.2)	69.8	555.9	55.1	7.4	3.0	3.6	4.3	2.6	2.1
			1300 1399	44.0	(10.1)	69.8	563.8	55.4	7.4	3.0	3.2	4.6	2.3	2.2
			1200 1299	24.0	(5.5)	69.0	547.0	49.3	7.2	3.1	2.8	4.7	2.1	2.1
			1100 1199	12.0	(2.8)	68.1	539.3	45.8	6.9	3.5	2.7	4.5	2.0	2.0
			1000 1099	2.0	(0.5)	69.2	382.5	36.5	4.8	1.5	2.5	5.0	2.0	2.0
			900 999	1.0	(0.2)	69.4	523.0	48.0	7.6	3.0	3.0	5.0	2.0	2.0
			800 899	1.0	(0.2)	68.0	322.0	29.0	3.6	1.7	3.0	5.0	2.0	2.0
			600 699	1.0	(0.2)	68.4	339.0	31.0	3.8	1.4	2.0	5.0	2.0	2.0
				434.0	(14.8)	70.2	554.9	56.5	7.5	2.8	4.4	4.2	3.1	2.2
			1800 1899	1.0	(3.0)	72.7	524.0	68.0	7.5	2.2	8.0	3.0	5.0	3.0
			1600 1699	3.0	(9.1)	70.2	590.7	52.7	8.5	2.6	4.0	4.0	3.3	2.0
			1500 1599	5.0	(15.2)	71.4	613.6	67.6	8.5	3.1	4.8	4.0	3.6	2.6
			1400 1499	8.0	(24.2)	69.9	557.3	55.1	7.4	2.9	3.5	4.3	3.0	2.9
			1300 1399	5.0	(15.2)	70.0	637.0	62.0	8.2	3.2	3.4	4.2	2.8	2.8
			1200 1299	3.0	(9.1)	68.9	568.0	53.0	7.2	3.5	2.7	4.7	2.7	2.7
			1100 1199	1.0	(3.0)	65.9	663.0	48.0	7.5	4.9	3.0	4.0	2.0	3.0
			1000 1099	3.0	(9.1)	67.9	523.3	46.7	6.6	3.8	2.7	4.7	2.0	3.0
			900 999	1.0	(3.0)	69.8	378.0	39.0	5.5	1.8	3.0	5.0	2.0	3.0
			800 899	1.0	(3.0)	70.0	379.0	42.0	5.0	1.6	2.0	5.0	2.0	2.0
			700 799	1.0	(3.0)	70.6	359.0	42.0	5.1	1.3	2.0	4.0	2.0	2.0
			600 699	1.0	(3.0)	69.7	337.0	36.0	4.4	1.2	2.0	5.0	2.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				33.0	(1.1)	69.9	557.5	55.2	7.4	2.9	3.5	4.3	2.9	2.7
			1700 1799	1.0	(2.0)	71.5	500.0	53.0	7.2	1.5	5.0	4.0	4.0	2.0
			1500 1599	2.0	(4.1)	70.9	488.0	57.0	7.0	2.8	5.0	4.0	3.5	2.5
			1400 1499	12.0	(24.5)	70.2	501.8	52.0	7.1	2.7	3.1	4.3	2.4	2.0
			1300 1399	14.0	(28.6)	69.8	506.9	51.7	7.0	2.9	3.1	4.4	2.4	2.1
			1200 1299	9.0	(18.4)	69.2	516.1	47.7	7.0	2.9	2.6	4.7	2.1	2.1
			1100 1199	5.0	(10.2)	68.5	469.0	40.4	6.6	3.0	2.4	4.6	2.0	2.2
			1000 1099	6.0	(12.2)	69.0	440.7	42.8	5.9	2.6	2.2	4.5	2.0	2.0
				49.0	(1.7)	69.6	494.5	49.0	6.9	2.8	2.9	4.4	2.3	2.1
			1800 1899	1.0	(3.8)	69.6	592.0	63.0	7.6	4.0	8.0	3.0	5.0	3.0
			1700 1799	5.0	(19.2)	70.4	603.0	61.4	8.2	3.2	6.8	4.0	4.2	2.8
			1600 1699	9.0	(34.6)	70.8	503.7	54.3	7.4	2.5	5.6	3.3	4.0	2.6
			1500 1599	3.0	(11.5)	70.1	552.1	59.0	7.0	3.0	4.7	3.7	3.3	3.0
			1400 1499	5.0	(19.2)	70.1	516.4	52.2	7.6	2.9	4.0	4.0	3.2	2.6
			1300 1399	3.0	(11.5)	70.2	567.0	54.0	8.2	2.9	3.0	3.7	2.0	2.7
				26.0	(0.9)	70.4	541.5	56.1	7.7	2.9	5.2	3.7	3.6	2.7
			1800 1899	2.0	(14.3)	70.0	587.0	61.0	8.1	3.6	5.5	4.0	4.0	3.0
			1700 1799	4.0	(28.6)	68.9	560.3	52.3	7.2	3.4	3.3	4.3	3.0	3.0
			1400 1499	6.0	(42.9)	69.3	538.3	53.2	6.9	3.1	2.0	4.8	2.0	3.0
			1100 1199	1.0	(7.1)	69.8	364.0	42.0	5.0	2.1	2.0	4.0	2.0	3.0
			900 999	1.0	(7.1)	69.6	320.0	36.0	4.2	1.3	2.0	5.0	2.0	3.0
				14.0	(0.5)	69.4	523.5	52.0	6.8	3.1	2.9	4.5	2.6	3.0
			1800 1899	1.0	(33.3)	71.5	569.6	60.0	8.9	2.7	9.0	4.0	5.0	3.0
			1600 1699	1.0	(33.3)	72.4	448.0	58.0	7.2	1.8	5.0	4.0	4.0	2.0
			1500 1599	1.0	(33.3)	70.2	406.4	42.0	6.2	1.8	6.0	4.0	4.0	2.0
				3.0	(0.1)	71.4	474.7	53.3	7.4	2.1	6.7	4.0	4.3	2.3
			2500	1.0	(0.7)	73.9	527.7	74.0	8.5	2.4	7.0	4.0	4.0	3.0
			1900 1999	3.0	(2.2)	69.8	582.8	57.3	8.4	3.8	6.0	3.0	4.0	3.0
			1800 1899	10.0	(7.4)	70.7	597.8	62.7	8.0	3.0	5.7	3.6	3.9	2.6
			1700 1799	25.0	(18.4)	70.4	560.7	57.6	7.9	3.1	5.8	3.5	3.9	2.6
			1600 1699	30.0	(22.1)	70.5	539.9	54.9	7.5	2.5	4.2	3.8	3.3	2.7
			1500 1599	33.0	(24.3)	70.0	545.6	54.5	7.5	2.9	3.5	3.9	2.7	2.7
			1400 1499	17.0	(12.5)	70.3	532.1	53.4	7.4	2.5	3.3	4.0	2.8	2.7
			1300 1399	8.0	(5.9)	69.5	497.9	50.6	6.8	3.0	2.6	4.0	2.5	2.5
			1200 1299	6.0	(4.4)	69.2	498.1	47.3	6.3	2.6	2.5	4.5	2.0	2.8
			1100 1199	1.0	(0.7)	71.2	501.0	53.0	7.5	2.0	3.0	6.0	2.0	3.0
			1000 1099	1.0	(0.7)	69.5	499.5	48.0	6.7	2.6	3.0	5.0	2.0	3.0
			500 599	1.0	(0.7)	69.1	218.5	23.0	2.7	0.4	2.0	6.0	1.0	4.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				136.0	(4.6)	70.2	542.0	55.0	7.5	2.8	4.2	3.8	3.1	2.7
			2000 2099	1.0	(0.6)	70.5	481.4	59.0	7.3	3.7	6.0	4.0	4.0	2.0
			1900 1999	5.0	(3.1)	71.5	518.8	59.6	8.0	2.7	7.0	3.6	4.4	2.6
			1800 1899	6.0	(3.7)	70.1	545.4	60.0	7.7	3.8	5.5	3.7	3.8	2.8
			1700 1799	16.0	(9.9)	70.7	521.4	58.4	7.2	2.8	5.1	3.6	3.7	2.8
			1600 1699	48.0	(29.8)	70.3	508.6	53.8	7.1	2.7	4.2	3.6	3.2	2.7
			1500 1599	46.0	(28.6)	69.7	529.4	53.2	7.2	3.1	3.7	3.8	2.9	2.5
			1400 1499	22.0	(13.7)	69.4	517.6	51.0	6.7	2.9	2.9	4.0	2.5	2.3
			1300 1399	6.0	(3.7)	68.9	480.6	45.2	6.3	2.8	3.0	4.3	2.7	2.2
			1200 1299	9.0	(5.6)	69.7	454.4	45.9	6.0	2.2	2.8	4.2	2.0	2.0
			1100 1199	1.0	(0.6)	66.8	461.2	38.0	5.8	4.1	2.0	5.0	2.0	3.0
			500 599	1.0	(0.6)	71.3	331.2	46.0	4.7	1.2	2.0	2.0	2.0	2.0
				161.0	(5.5)	70.0	513.1	53.2	7.0	2.9	4.0	3.8	3.0	2.5
			1700 1799	4.0	(7.0)	71.4	516.8	54.0	8.2	2.2	4.5	4.3	3.5	3.0
			1600 1699	49.0	(86.0)	69.8	563.2	54.3	7.7	3.1	3.2	4.3	2.8	3.0
			1500 1599	2.0	(3.5)	70.5	602.5	58.5	8.2	2.7	2.5	4.0	2.5	3.0
			1400 1499	1.0	(1.8)	65.8	641.0	42.0	8.3	5.1	2.0	4.0	2.0	3.0
			1300 1399	1.0	(1.8)	70.3	569.5	58.0	8.2	3.3	2.0	4.0	2.0	3.0
				57.0	(1.9)	69.9	562.8	54.3	7.8	3.0	3.2	4.3	2.8	3.0
			1700 1799	1.0	(5.3)	70.4	497.0	60.0	7.7	4.1	5.0	4.0	4.0	2.0
			1600 1699	1.0	(5.3)	68.7	535.4	50.0	6.8	3.2	6.0	5.0	4.0	3.0
			1500 1599	3.0	(15.8)	69.6	466.1	46.7	6.1	2.3	3.7	4.3	3.0	3.0
			1400 1499	6.0	(31.6)	69.8	445.7	47.0	6.0	2.3	3.2	4.0	2.2	2.2
			1300 1399	5.0	(26.3)	69.6	483.5	47.8	6.5	2.5	2.4	4.8	2.0	2.6
			1200 1299	2.0	(10.5)	68.3	434.9	40.0	5.4	2.7	2.5	4.5	2.0	2.5
			1000 1099	1.0	(5.3)	68.8	411.6	39.0	5.8	2.7	2.0	4.0	2.0	3.0
				19.0	(0.6)	69.5	463.3	46.8	6.2	2.5	3.2	4.4	2.4	2.5
			1600 1699	2.0	(15.4)	70.1	439.7	44.0	7.1	2.5	4.0	4.0	3.0	2.0
			1500 1599	8.0	(61.5)	70.1	516.8	52.3	7.0	2.5	4.1	4.1	3.0	2.5
			1400 1499	2.0	(15.4)	69.3	470.6	46.5	6.5	2.8	3.0	4.0	3.0	2.0
			1300 1399	1.0	(7.7)	68.3	408.0	38.0	5.5	2.9	3.0	5.0	2.0	2.0
				13.0	(0.4)	69.9	489.4	49.0	6.8	2.6	3.8	4.2	2.9	2.3
			1600 1699	3.0	(14.3)	71.6	519.6	61.0	7.0	2.0	6.0	3.7	3.7	2.7
			1500 1599	11.0	(52.4)	69.5	484.4	47.5	6.5	2.6	3.3	4.0	3.0	3.0
			1400 1499	7.0	(33.3)	69.7	457.9	47.3	6.1	2.4	2.1	4.3	2.0	2.7
				21.0	(0.7)	69.9	480.6	49.4	6.4	2.4	3.3	4.0	2.8	2.9

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1700 1799	1.0	(0.0)	70.6	432.2	55.0	5.7	2.6	6.0	4.0	4.0	2.0
			2000 2099	2.0	(5.1)	71.5	522.6	64.5	8.3	3.5	7.0	3.0	4.5	2.5
			1900 1999	1.0	(2.6)	70.3	519.6	64.0	6.5	3.7	6.0	3.0	4.0	3.0
			1800 1899	5.0	(12.8)	70.3	574.4	60.0	7.9	3.2	5.4	3.2	4.0	3.0
			1700 1799	6.0	(15.4)	70.5	565.3	59.8	7.6	2.9	4.7	3.7	3.7	2.7
			1600 1699	9.0	(23.1)	70.6	549.5	60.7	7.2	2.9	3.6	3.7	3.2	2.4
			1500 1599	10.0	(25.6)	69.6	555.4	52.7	7.7	3.1	3.6	3.7	2.8	2.6
			1400 1499	5.0	(12.8)	68.5	533.8	50.2	6.8	3.5	3.6	3.8	3.0	2.6
			1300 1399	1.0	(2.6)	67.8	515.2	49.0	6.8	4.4	3.0	4.0	3.0	3.0
				39.0	(1.3)	70.0	551.6	57.1	7.5	3.2	4.2	3.6	3.3	2.6
			1800 1899	4.0	(11.1)	71.2	551.0	61.0	7.5	2.5	6.8	3.5	4.0	2.8
			1700 1799	6.0	(16.7)	70.4	574.3	58.2	7.5	2.6	4.7	4.0	3.5	2.5
			1600 1699	11.0	(30.6)	69.9	581.6	57.7	7.6	3.1	4.3	4.2	3.2	2.5
			1500 1599	5.0	(13.9)	70.1	558.4	54.6	7.7	2.8	3.6	4.4	2.8	2.0
			1400 1499	6.0	(16.7)	70.0	552.5	55.0	7.3	2.7	3.5	4.2	2.7	2.3
			1300 1399	3.0	(8.3)	69.8	556.7	55.0	7.2	2.7	3.0	5.0	2.3	2.7
			1200 1299	1.0	(2.8)	67.6	593.0	52.0	6.7	4.0	2.0	5.0	2.0	3.0
				36.0	(1.2)	70.1	567.2	56.9	7.5	2.8	4.2	4.2	3.1	2.5
			1800 1899	4.0	(13.8)	71.3	516.8	58.8	6.9	2.1	5.8	3.8	4.0	2.3
			1700 1799	3.0	(10.3)	70.6	444.9	53.3	6.4	2.6	5.3	3.7	3.7	2.7
			1600 1699	4.0	(13.8)	70.2	528.0	56.0	7.3	3.0	4.5	3.8	3.3	2.5
			1500 1599	9.0	(31.0)	70.4	550.6	55.3	7.4	2.5	3.8	4.0	2.9	2.4
			1400 1499	4.0	(13.8)	70.4	547.9	54.8	7.1	2.1	3.3	4.0	2.5	2.0
			1300 1399	3.0	(10.3)	69.2	508.8	51.0	6.8	3.3	2.7	4.0	2.3	2.3
			1200 1299	1.0	(3.4)	70.8	435.2	42.0	6.7	1.2	3.0	3.0	2.0	3.0
			1100 1199	1.0	(3.4)	67.4	534.8	35.0	6.8	2.7	2.0	4.0	2.0	2.0
				29.0	(1.0)	70.3	522.7	54.0	7.1	2.5	4.0	3.9	3.0	2.4
			1700 1799	2.0	(11.1)	72.0	513.9	68.5	7.1	2.9	5.0	3.0	4.0	2.0
			1500 1599	8.0	(44.4)	71.6	504.3	58.6	7.5	2.3	3.3	3.8	3.0	2.3
			1400 1499	3.0	(16.7)	69.9	479.5	50.0	7.0	2.9	2.0	4.0	2.0	2.3
			1300 1399	5.0	(27.8)	69.4	472.9	44.8	6.8	2.7	2.0	3.8	2.0	2.0
				18.0	(0.6)	70.8	492.5	54.4	7.2	2.6	2.9	3.7	2.7	2.2
			1600 1699	1.0	(33.3)	72.0	480.2	56.0	7.7	2.0	6.0	3.0	4.0	3.0
			1500 1599	2.0	(66.7)	68.0	605.5	49.5	7.5	3.6	3.5	4.0	3.0	3.0
				3.0	(0.1)	69.3	563.7	51.7	7.6	3.1	4.3	3.7	3.3	3.0
			1900 1999	2.0	(3.4)	71.3	526.5	58.5	7.8	2.5	6.0	4.0	3.5	3.0
			1800 1899	2.0	(3.4)	71.1	504.4	58.0	6.7	2.2	4.0	3.5	3.0	2.0
			1700 1799	7.0	(11.9)	70.0	530.3	53.7	7.1	2.7	5.0	3.7	3.6	2.4
			1600 1699	5.0	(8.5)	70.1	532.4	51.4	7.5	2.5	3.8	3.8	3.0	2.8

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1500 1599	16.0	(27.1)	69.3	543.8	51.2	7.4	3.2	3.6	3.9	3.1	2.8
			1400 1499	13.0	(22.0)	69.3	511.5	50.4	6.8	3.0	2.9	3.8	2.4	2.7
			1300 1399	12.0	(20.3)	68.1	550.6	49.5	7.1	4.0	2.8	4.2	2.3	2.9
			1200 1299	1.0	(1.7)	66.5	478.6	35.0	5.2	3.2	2.0	4.0	2.0	3.0
			1100 1199	1.0	(1.7)	66.1	534.4	43.0	6.3	4.9	3.0	4.0	2.0	3.0
				59.0	(2.0)	69.2	532.3	51.1	7.1	3.2	3.5	3.9	2.8	2.7
			2000 2099	1.0	(6.7)	71.3	643.1	64.0	8.7	2.3	5.0	3.0	4.0	3.0
			1900 1999	1.0	(6.7)	71.0	497.6	48.0	8.4	2.2	6.0	4.0	4.0	3.0
			1800 1899	2.0	(13.3)	70.5	556.3	56.5	7.3	2.4	5.5	4.0	4.0	3.0
			1600 1699	5.0	(33.3)	69.0	557.5	47.4	8.1	3.2	3.6	3.8	3.0	2.8
			1500 1599	3.0	(20.0)	68.6	540.9	42.7	7.2	2.7	3.3	4.0	3.0	2.0
			1400 1499	1.0	(6.7)	68.8	609.1	55.0	8.8	4.6	3.0	3.0	3.0	2.0
			1300 1399	1.0	(6.7)	68.7	488.2	46.0	6.5	3.2	2.0	4.0	2.0	2.0
			1200 1299	1.0	(6.7)	67.5	522.8	38.0	5.8	2.3	3.0	4.0	2.0	2.0
				15.0	(0.5)	69.3	552.2	48.6	7.6	2.9	3.9	3.8	3.1	2.5
			1800 1899	5.0	(9.6)	70.7	533.7	59.2	7.3	2.9	5.4	4.0	3.8	2.4
			1700 1799	6.0	(11.5)	70.5	498.7	56.0	7.3	3.0	4.8	3.8	3.5	2.8
			1600 1699	11.0	(21.2)	70.3	516.9	54.8	7.0	2.7	4.5	3.8	3.4	2.6
			1500 1599	14.0	(26.9)	69.4	497.6	48.3	6.9	2.9	3.6	3.9	2.9	2.4
			1400 1499	11.0	(21.2)	68.6	531.6	45.7	7.0	3.0	2.8	3.9	2.6	2.5
			1300 1399	3.0	(5.8)	68.2	554.4	49.3	6.7	3.4	2.7	4.3	2.0	2.0
			1100 1199	1.0	(1.9)	68.7	488.0	39.0	5.8	1.7	2.0	4.0	2.0	2.0
			1000 1099	1.0	(1.9)	71.0	396.6	48.0	5.0	1.1	2.0	4.0	2.0	3.0
				52.0	(1.8)	69.6	513.6	50.9	7.0	2.9	3.8	3.9	3.0	2.5
			1800 1899	1.0	(2.6)	72.0	494.5	59.0	7.4	2.0	7.0	4.0	4.0	2.0
			1700 1799	8.0	(21.1)	70.5	502.6	51.6	7.2	2.3	3.5	4.3	2.6	2.4
			1600 1699	11.0	(28.9)	70.4	441.8	48.6	6.3	2.2	3.9	4.1	2.7	2.3
			1500 1599	6.0	(15.8)	70.0	479.3	47.8	7.5	2.8	2.8	4.2	2.0	2.5
			1400 1499	4.0	(10.5)	70.5	410.0	44.0	5.7	1.4	2.5	4.8	2.0	2.0
			1300 1399	6.0	(15.8)	70.2	508.6	49.3	6.8	1.9	2.7	4.8	2.0	2.5
			1200 1299	2.0	(5.3)	69.8	446.8	45.0	6.7	2.5	2.0	4.5	2.0	2.0
				38.0	(1.3)	70.3	469.4	48.8	6.7	2.2	3.3	4.3	2.4	2.3
			1600 1699	1.0	(50.0)	72.0	469.2	55.0	6.9	1.4	4.0	4.0	3.0	2.0
			1400 1499	1.0	(50.0)	69.9	505.4	59.0	7.2	4.0	2.0	5.0	2.0	3.0
				2.0	(0.1)	71.0	487.3	57.0	7.0	2.7	3.0	4.5	2.5	2.5
			1800 1899	3.0	(3.9)	70.6	570.6	57.7	8.4	3.1	7.3	3.7	4.3	3.0
			1700 1799	4.0	(5.2)	72.0	481.6	58.8	7.8	2.4	5.0	4.3	3.5	2.5
			1600 1699	7.0	(9.1)	70.9	531.2	57.3	8.2	3.0	4.4	4.0	3.6	2.7
			1500 1599	19.0	(24.7)	70.2	518.1	52.4	7.9	3.0	3.6	4.2	2.8	2.8

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1400 1499	22.0	(28.6)	69.6	502.4	48.1	7.3	2.8	3.5	4.2	2.6	2.6
			1300 1399	10.0	(13.0)	69.6	487.6	47.3	7.0	2.8	3.3	4.2	2.4	2.6
			1200 1299	7.0	(9.1)	70.0	494.9	51.4	7.2	3.0	2.4	4.4	2.3	2.9
			1100 1199	3.0	(3.9)	69.6	523.3	52.0	7.1	3.0	3.0	4.0	2.0	3.0
			1000 1099	1.0	(1.3)	68.2	495.0	44.0	6.9	3.6	2.0	5.0	2.0	3.0
			600 699	1.0	(1.3)	68.9	262.5	18.0	4.9	0.9	1.0	7.0	2.0	2.0
				77.0	(2.6)	70.0	505.5	50.8	7.5	2.9	3.6	4.2	2.8	2.7
			2200 2299	1.0	(1.3)	69.7	535.6	56.0	7.2	3.3	8.0	4.0	5.0	3.0
			1900 1999	3.0	(3.9)	70.7	601.0	61.0	9.2	3.5	6.0	4.0	4.0	3.0
			1800 1899	3.0	(3.9)	70.2	538.8	58.3	7.1	3.1	4.7	4.0	3.3	2.7
			1700 1799	8.0	(10.5)	70.6	565.5	57.1	8.3	3.0	4.5	4.0	3.4	2.9
			1600 1699	18.0	(23.7)	70.3	558.7	56.5	7.8	2.8	4.4	3.9	3.2	2.4
			1500 1599	20.0	(26.3)	69.3	548.3	50.6	7.5	3.1	3.3	4.3	2.6	2.6
			1400 1499	15.0	(19.7)	68.2	551.7	46.8	7.2	3.4	2.9	4.4	2.3	2.9
			1300 1399	7.0	(9.2)	68.4	527.3	48.9	7.0	3.8	2.7	4.1	2.0	2.9
			1100 1199	1.0	(1.3)	67.5	770.2	56.0	9.8	4.5	2.0	4.0	2.0	3.0
				76.0	(2.6)	69.5	555.8	52.6	7.6	3.2	3.8	4.1	2.8	2.7
			1800 1899	1.0	(16.7)	69.0	567.3	50.0	8.2	3.7	7.0	4.0	4.0	3.0
			1700 1799	1.0	(16.7)	69.9	612.0	60.0	8.5	3.7	6.0	3.0	4.0	2.0
			1600 1699	1.0	(16.7)	70.9	499.0	57.0	6.7	2.4	4.0	4.0	3.0	3.0
			1400 1499	2.0	(33.3)	69.8	517.0	55.0	6.8	3.2	2.5	4.5	2.0	2.5
			1300 1399	1.0	(16.7)	67.9	504.8	42.0	8.0	4.4	2.0	4.0	2.0	2.0
				6.0	(0.2)	69.5	536.2	53.2	7.5	3.4	4.0	4.0	2.8	2.5
			1800 1899	2.0	(3.8)	70.8	595.4	65.0	8.0	3.1	5.5	3.5	4.0	3.0
			1700 1799	8.0	(15.4)	70.8	547.2	57.4	8.0	2.9	5.1	4.0	3.6	2.6
			1600 1699	11.0	(21.2)	70.1	520.2	55.1	7.1	3.0	3.7	4.0	2.9	2.9
			1500 1599	11.0	(21.2)	69.4	537.8	53.9	7.3	3.4	3.3	3.9	2.8	2.5
			1400 1499	11.0	(21.2)	69.2	538.3	51.2	7.2	3.2	2.5	4.4	2.1	2.8
			1300 1399	8.0	(15.4)	69.2	484.1	45.3	6.8	2.8	2.4	4.1	2.1	2.8
			1200 1299	1.0	(1.9)	68.8	569.9	53.0	8.5	4.5	2.0	4.0	2.0	3.0
				52.0	(1.8)	69.7	530.2	53.2	7.3	3.1	3.4	4.1	2.7	2.8
			2500	1.0	(0.0)	73.9	527.7	74.0	8.5	2.4	7.0	4.0	4.0	3.0
			2200 2299	2.0	(0.1)	71.3	582.8	65.0	8.3	3.0	8.5	4.0	5.0	3.0
			2100 2199	2.0	(0.1)	72.6	527.5	62.0	8.3	1.9	7.5	3.5	4.5	2.5
			2000 2099	13.0	(0.4)	72.4	574.2	68.5	8.7	2.7	7.5	3.5	4.6	2.4
			1900 1999	35.0	(1.2)	71.6	569.8	63.5	8.5	2.8	7.1	3.5	4.4	2.7
			1800 1899	122.0	(4.2)	71.2	570.4	63.1	8.0	2.9	6.6	3.7	4.3	2.6
			1700 1799	389.0	(13.3)	71.1	556.8	60.4	7.9	2.7	5.6	3.8	3.8	2.5
			1600 1699	664.0	(22.7)	70.5	554.0	57.1	7.7	2.7	4.5	3.9	3.4	2.5

[illegible]