

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1800 1899	4.0	(0.1)	72.5	506.8	66.5	7.8	2.7	5.8	4.0	4.0	3.0
			1700 1799	37.0	(1.2)	72.2	502.3	64.4	7.9	2.8	5.9	3.8	4.0	2.8
			1600 1699	146.0	(4.9)	71.7	505.9	60.3	7.9	2.8	5.4	3.9	3.8	2.8
			1500 1599	727.0	(24.3)	71.2	488.6	56.2	7.7	2.8	4.0	4.0	3.1	2.8
			1400 1499	1229.0	(41.1)	70.4	482.5	52.8	7.4	3.1	3.3	4.2	2.5	2.8
			1300 1399	570.0	(19.1)	69.8	476.0	50.1	7.2	3.2	3.0	4.3	2.2	2.7
			1200 1299	167.0	(5.6)	69.3	475.6	48.3	7.0	3.4	2.7	4.5	2.1	2.7
			1100 1199	52.0	(1.7)	68.9	484.2	47.6	7.1	3.7	2.8	4.5	2.1	2.8
			1000 1099	15.0	(0.5)	69.3	473.7	46.7	6.5	2.8	3.0	4.6	2.1	3.3
			900 999	12.0	(0.4)	69.5	438.9	44.6	6.1	2.4	3.0	4.9	2.2	3.3
			800 899	13.0	(0.4)	69.4	465.9	46.4	6.6	2.8	3.0	4.8	2.2	3.5
			700 799	13.0	(0.4)	69.8	388.3	41.8	5.6	2.1	2.6	5.0	2.0	4.7
			600 699	4.0	(0.1)	69.3	483.8	47.0	6.7	2.9	3.0	3.8	2.3	4.3
			500 599	2.0	(0.1)	70.6	276.0	38.0	4.0	0.9	1.5	5.5	1.5	5.0
				2991.0	(8.4)	70.5	483.0	53.1	7.4	3.0	3.5	4.2	2.7	2.8
			2000 2099	2.0	(0.2)	71.7	515.0	64.0	8.4	3.5	7.5	4.0	4.5	3.0
			1800 1899	2.0	(0.2)	72.3	382.0	56.5	6.5	2.3	6.5	3.5	4.0	3.0
			1700 1799	21.0	(1.8)	72.4	496.8	64.9	8.0	2.8	6.1	3.9	4.0	2.6
			1600 1699	81.0	(7.0)	71.7	493.6	60.8	7.6	2.7	5.1	3.9	3.6	2.6
			1500 1599	399.0	(34.5)	71.3	467.4	56.1	7.4	2.7	3.8	3.9	2.9	2.6
			1400 1499	463.0	(40.0)	70.7	459.9	53.2	7.1	2.8	3.0	4.1	2.3	2.6
			1300 1399	128.0	(11.1)	70.4	451.3	51.1	6.9	2.8	2.8	4.3	2.2	2.5
			1200 1299	35.0	(3.0)	69.6	428.2	46.9	6.5	3.1	2.7	4.4	2.2	2.5
			1100 1199	10.0	(0.9)	70.2	415.1	47.1	6.0	2.4	3.0	4.6	2.3	2.9
			1000 1099	7.0	(0.6)	69.7	352.7	40.3	5.1	2.1	3.0	5.4	2.0	3.6
			900 999	3.0	(0.3)	70.2	361.3	41.7	4.6	1.3	2.3	5.7	2.0	3.3
			800 899	5.0	(0.4)	69.6	356.8	38.6	5.6	2.3	2.6	5.4	2.0	3.8
			700 799	1.0	(0.1)	68.7	369.0	39.0	4.2	2.2	2.0	5.0	2.0	3.0
				1157.0	(3.2)	70.9	461.7	54.3	7.2	2.8	3.4	4.1	2.6	2.6
			1900 1999	1.0	(0.2)	71.8	513.0	69.0	8.8	4.4	6.0	3.0	4.0	3.0
			1800 1899	8.0	(1.8)	72.2	514.3	66.3	8.0	3.0	6.9	3.9	4.1	2.5
			1700 1799	27.0	(6.0)	72.0	504.6	63.2	8.0	2.9	6.2	3.9	4.0	2.6
			1600 1699	78.0	(17.4)	71.8	499.9	62.0	7.8	2.9	5.6	3.8	3.8	2.6
			1500 1599	136.0	(30.4)	71.2	480.5	56.9	7.5	2.8	4.4	4.0	3.2	2.6
			1400 1499	117.0	(26.2)	70.5	487.7	54.8	7.3	3.1	3.7	4.2	2.7	2.6
			1300 1399	51.0	(11.4)	69.9	466.1	50.9	7.0	3.3	3.1	4.4	2.4	2.7
			1200 1299	9.0	(2.0)	69.8	443.6	49.2	6.5	3.1	2.4	4.8	2.0	2.6
			1100 1199	7.0	(1.6)	69.2	456.7	44.0	7.0	3.1	3.4	4.6	2.3	2.4
			1000 1099	2.0	(0.4)	70.3	464.0	51.0	6.9	2.8	3.5	4.0	2.5	4.0
			800 899	3.0	(0.7)	68.5	402.7	37.3	4.9	2.2	2.7	5.3	2.0	5.7
			700 799	5.0	(1.1)	69.7	309.8	34.8	4.6	1.6	2.4	5.2	1.8	4.8
			600 699	2.0	(0.4)	70.6	265.5	40.5	4.3	1.8	2.0	5.5	2.0	4.5
			500 599	1.0	(0.2)	70.6	324.0	36.0	5.1	0.9	2.0	6.0	2.0	6.0

					(%)		(kg)	(m2)	(m)	(m)				
				447.0	(1.2)	70.9	481.3	56.3	7.4	3.0	4.3	4.1	3.1	2.7
			2000 2099	2.0	(0.2)	71.3	555.0	69.5	7.8	3.8	6.0	4.0	4.0	2.5
			1900 1999	3.0	(0.3)	70.6	538.3	61.0	8.5	4.0	6.3	3.3	4.0	2.7
			1800 1899	4.0	(0.4)	73.3	559.4	73.0	9.3	3.2	7.0	3.5	4.5	3.0
			1700 1799	19.0	(1.8)	71.9	535.4	62.7	8.9	3.2	6.3	3.8	4.1	2.8
			1600 1699	88.0	(8.2)	71.6	537.1	61.5	8.7	3.2	5.6	3.9	3.8	2.7
			1500 1599	276.0	(25.7)	71.3	530.4	58.6	8.6	3.1	4.6	4.0	3.4	2.5
			1400 1499	275.0	(25.6)	70.5	510.9	54.2	8.1	3.3	3.7	4.1	2.8	2.6
			1300 1399	209.0	(19.5)	70.3	489.1	52.5	7.7	3.2	3.1	4.2	2.4	2.6
			1200 1299	107.0	(10.0)	70.1	486.7	50.8	7.5	3.1	3.0	4.5	2.2	2.5
			1100 1199	31.0	(2.9)	69.6	498.0	50.0	7.3	3.2	2.8	4.7	2.2	2.5
			1000 1099	13.0	(1.2)	70.1	451.1	49.2	6.9	2.9	2.9	4.6	2.1	2.4
			900 999	18.0	(1.7)	69.8	470.8	46.3	7.1	2.7	2.4	4.8	2.1	2.7
			800 899	9.0	(0.8)	69.1	476.4	45.7	6.5	2.9	2.4	4.9	2.1	2.7
			700 799	11.0	(1.0)	69.4	423.3	43.3	6.0	2.6	2.7	5.2	2.1	3.5
			600 699	8.0	(0.7)	69.8	349.9	39.3	5.3	2.1	2.3	5.0	2.0	3.3
			500 599	1.0	(0.1)	70.7	311.0	37.0	4.5	0.6	1.0	7.0	1.0	3.0
				1074.0	(3.0)	70.7	507.9	54.9	8.0	3.2	3.9	4.2	2.9	2.6
			1300 1399	3.0	(50.0)	70.3	507.3	58.0	7.3	3.5	3.0	4.0	2.3	3.0
			1200 1299	1.0	(16.7)	70.4	467.0	50.0	6.3	2.0	3.0	4.0	2.0	3.0
			1100 1199	1.0	(16.7)	66.8	523.0	45.0	7.6	5.4	3.0	4.0	2.0	3.0
			500 599	1.0	(16.7)	69.5	281.0	34.0	4.5	2.0	3.0	6.0	2.0	6.0
				6.0	(0.0)	69.6	465.5	50.5	6.7	3.3	3.0	4.3	2.2	3.5
			1500 1599	7.0	(25.9)	70.0	492.3	54.0	7.0	3.3	4.1	4.4	3.1	3.0
			1400 1499	2.0	(7.4)	70.6	464.5	53.0	7.4	3.0	3.5	4.0	3.0	3.0
			1300 1399	5.0	(18.5)	70.3	468.2	55.4	7.1	3.5	2.8	4.2	2.2	3.0
			1200 1299	1.0	(3.7)	68.0	628.0	61.0	7.5	5.0	2.0	4.0	2.0	3.0
			1000 1099	2.0	(7.4)	70.0	425.3	45.0	6.1	2.2	2.5	5.5	2.0	2.5
			900 999	4.0	(14.8)	69.8	353.1	35.5	5.4	1.6	2.0	5.0	2.0	2.8
			800 899	1.0	(3.7)	70.4	304.0	39.0	5.0	1.7	2.0	5.0	2.0	3.0
			700 799	1.0	(3.7)	69.7	316.5	28.0	5.0	0.8	2.0	6.0	2.0	2.0
			600 699	3.0	(11.1)	69.9	306.5	32.3	4.7	1.1	2.0	5.0	2.0	2.7
			499	1.0	(3.7)	68.9	293.0	33.0	4.2	2.0	3.0	4.0	2.0	5.0
				27.0	(0.1)	69.9	423.7	46.3	6.3	2.6	2.9	4.6	2.4	2.9
			1800 1899	2.0	(0.1)	72.8	522.5	66.0	8.3	2.3	7.5	4.0	4.5	2.0
			1700 1799	23.0	(0.8)	72.2	533.2	66.3	8.2	2.8	7.3	3.9	4.4	2.6
			1600 1699	117.0	(4.3)	72.1	516.8	65.3	7.9	2.9	6.2	3.9	4.0	2.7
			1500 1599	280.0	(10.2)	71.4	516.0	61.3	7.8	3.0	5.4	4.0	3.8	2.8
			1400 1499	847.0	(30.9)	70.8	502.2	57.2	7.6	3.1	4.3	4.1	3.1	2.7
			1300 1399	800.0	(29.2)	70.2	503.6	54.9	7.4	3.3	3.6	4.2	2.7	2.7
			1200 1299	413.0	(15.1)	69.7	493.7	52.5	7.2	3.4	3.1	4.4	2.4	2.6
			1100 1199	188.0	(6.9)	69.4	483.7	50.1	7.0	3.4	2.8	4.5	2.2	2.6

							(kg)	(m2)	(m)	(m)				
					(%)									
			1000 1099	52.0	(1.9)	69.4	447.2	46.3	6.4	3.0	2.5	4.7	2.0	2.7
			900 999	7.0	(0.3)	68.3	498.5	45.4	6.9	3.7	2.4	4.6	2.0	3.0
			800 899	4.0	(0.1)	69.2	448.5	41.5	6.3	2.4	2.0	4.8	2.0	3.5
			700 799	4.0	(0.1)	69.3	371.4	38.3	5.3	2.2	2.8	5.0	2.0	3.8
			600 699	2.0	(0.1)	69.3	221.8	27.0	3.0	0.8	1.5	5.0	1.0	4.0
			499	1.0	(0.0)	70.0	287.0	37.0	3.4	0.9	1.0	5.0	1.0	2.0
				2740.0	(7.6)	70.5	500.8	55.9	7.4	3.2	4.0	4.2	2.9	2.7
			2300 2399	1.0	(0.0)	72.8	472.0	67.0	8.4	3.2	12.0	3.0	5.0	2.0
			2200 2299	1.0	(0.0)	72.1	494.0	68.0	7.9	3.5	7.0	4.0	4.0	2.0
			2000 2099	1.0	(0.0)	70.8	545.5	58.0	8.7	3.5	8.0	3.0	5.0	3.0
			1900 1999	6.0	(0.2)	73.0	515.8	67.5	8.3	2.5	8.0	3.8	5.0	2.7
			1800 1899	16.0	(0.6)	71.6	504.2	62.3	7.9	3.2	7.1	3.6	4.4	2.8
			1700 1799	124.0	(4.3)	72.0	507.0	63.1	7.9	2.8	6.3	3.7	4.1	2.6
			1600 1699	336.0	(11.6)	71.6	502.7	60.3	7.8	2.8	5.5	3.8	3.8	2.7
			1500 1599	980.0	(34.0)	71.0	494.4	56.3	7.6	2.9	4.2	4.0	3.2	2.8
			1400 1499	884.0	(30.6)	70.3	491.1	53.7	7.4	3.1	3.5	4.2	2.7	2.8
			1300 1399	364.0	(12.6)	69.8	486.7	51.3	7.3	3.4	3.2	4.2	2.4	2.7
			1200 1299	111.0	(3.8)	69.1	474.2	46.7	7.0	3.5	2.9	4.4	2.3	2.7
			1100 1199	34.0	(1.2)	69.3	457.7	47.3	6.7	3.3	2.9	4.4	2.2	2.6
			1000 1099	17.0	(0.6)	68.9	449.6	44.7	6.6	3.4	2.9	4.4	2.1	2.5
			900 999	3.0	(0.1)	69.5	324.7	35.0	4.7	1.7	2.0	4.7	2.0	2.3
			800 899	3.0	(0.1)	69.6	322.8	36.0	4.7	1.7	2.0	4.7	2.0	4.0
			700 799	2.0	(0.1)	69.8	259.5	35.0	3.9	1.7	3.0	6.0	1.5	4.0
			600 699	1.0	(0.0)	69.8	197.5	28.0	2.7	0.6	2.0	5.0	1.0	3.0
			500 599	1.0	(0.0)	69.8	441.0	45.0	6.4	2.4	2.0	5.0	2.0	3.0
				2885.0	(8.1)	70.6	491.9	55.1	7.5	3.0	4.1	4.1	3.0	2.7
			2000 2099	2.0	(0.1)	73.5	490.0	68.5	8.1	2.3	7.5	3.5	4.5	2.5
			1900 1999	3.0	(0.2)	71.1	525.7	62.3	7.8	3.4	7.7	4.0	4.7	3.0
			1800 1899	23.0	(1.4)	72.4	523.0	66.1	8.2	2.7	7.5	3.7	4.5	2.7
			1700 1799	64.0	(3.9)	71.9	515.7	63.0	8.1	2.9	6.6	3.8	4.2	2.8
			1600 1699	202.0	(12.2)	71.5	513.6	60.3	7.9	2.9	5.6	3.9	3.9	2.7
			1500 1599	519.0	(31.3)	70.8	502.3	55.7	7.7	2.9	4.1	4.0	3.2	2.8
			1400 1499	458.0	(27.6)	70.1	498.2	52.8	7.4	3.1	3.5	4.2	2.7	2.8
			1300 1399	236.0	(14.2)	69.4	488.9	49.2	7.2	3.3	3.0	4.3	2.3	2.7
			1200 1299	75.0	(4.5)	69.4	474.0	49.3	6.8	3.3	2.7	4.3	2.1	2.7
			1100 1199	25.0	(1.5)	69.5	447.9	45.7	6.5	2.8	2.5	4.6	2.1	2.6
			1000 1099	16.0	(1.0)	69.4	399.4	40.2	5.9	2.4	2.8	4.6	2.0	2.9
			900 999	7.0	(0.4)	70.2	432.4	46.6	6.2	2.2	2.6	5.3	2.1	3.3
			800 899	11.0	(0.7)	69.3	366.4	38.3	5.1	2.1	2.2	4.9	2.0	2.9
			700 799	5.0	(0.3)	69.7	307.7	33.0	4.5	1.2	2.2	5.2	1.8	4.0
			600 699	5.0	(0.3)	69.8	299.9	33.2	4.6	1.3	1.8	5.4	1.6	4.2
			500 599	5.0	(0.3)	69.7	366.2	37.0	5.5	1.7	2.0	5.8	1.8	5.6
			499	2.0	(0.1)	69.3	320.5	35.5	4.1	1.6	2.0	6.0	1.5	5.5

					(%)		(kg)	(cm2)	(cm)	(cm)				
				1658.0	(4.6)	70.5	495.3	54.0	7.5	3.0	4.0	4.2	3.0	2.8
			2500	2.0	(0.0)	72.4	485.5	62.0	7.5	2.3	5.0	4.0	3.5	3.0
			2300 2399	1.0	(0.0)	71.1	493.0	56.0	7.9	2.9	8.0	4.0	5.0	3.0
			2200 2299	2.0	(0.0)	74.8	559.0	78.0	8.5	1.6	9.5	3.5	5.0	2.5
			2100 2199	3.0	(0.1)	74.5	511.3	74.0	8.3	1.8	9.3	4.0	5.0	3.0
			2000 2099	12.0	(0.2)	72.9	525.2	66.9	8.6	2.7	7.6	3.6	4.8	2.8
			1900 1999	42.0	(0.8)	73.1	523.5	68.6	8.3	2.4	7.7	3.6	4.7	2.8
			1800 1899	96.0	(1.8)	72.5	511.5	64.8	8.0	2.6	6.7	3.6	4.4	2.8
			1700 1799	247.0	(4.7)	72.2	506.8	62.9	8.0	2.6	6.2	3.7	4.2	2.8
			1600 1699	886.0	(17.0)	71.8	502.1	60.7	7.7	2.7	5.1	3.8	3.7	2.9
			1500 1599	1846.0	(35.4)	71.1	488.9	56.9	7.5	2.8	4.1	4.0	3.2	2.9
			1400 1499	1368.0	(26.2)	70.5	475.9	53.2	7.1	2.9	3.4	4.2	2.7	2.8
			1300 1399	458.0	(8.8)	69.6	474.7	49.7	7.0	3.3	3.0	4.4	2.4	2.8
			1200 1299	162.0	(3.1)	69.2	474.8	48.3	6.8	3.4	2.8	4.5	2.3	2.8
			1100 1199	52.0	(1.0)	69.0	447.1	44.8	6.6	3.4	2.6	4.8	2.1	2.8
			1000 1099	17.0	(0.3)	68.5	419.1	40.7	5.8	3.1	2.9	4.7	2.2	3.1
			900 999	9.0	(0.2)	69.5	317.7	34.8	4.9	1.9	2.4	4.8	2.0	2.6
			800 899	5.0	(0.1)	70.1	321.1	34.6	5.2	1.4	2.2	5.2	2.0	2.0
			700 799	5.0	(0.1)	68.6	348.0	31.4	4.9	2.0	2.2	5.2	1.8	3.4
			600 699	1.0	(0.0)	70.2	490.0	51.0	7.3	2.8	4.0	4.0	4.0	3.0
			500 599	2.0	(0.0)	69.8	228.0	27.0	3.4	0.5	1.0	5.5	1.0	4.5
			499	3.0	(0.1)	69.4	456.3	49.0	6.7	3.4	3.3	4.3	2.7	3.0
				5219.0	(14.6)	70.9	486.4	56.0	7.4	2.9	4.1	4.1	3.1	2.9
			2000 2099	1.0	(0.3)	72.5	501.0	63.0	7.6	2.1	10.0	3.0	5.0	2.0
			1900 1999	1.0	(0.3)	69.9	443.5	46.0	8.0	3.5	11.0	4.0	5.0	3.0
			1800 1899	3.0	(0.8)	75.1	504.2	79.7	7.5	1.5	8.0	3.7	5.0	2.7
			1700 1799	17.0	(4.3)	71.8	481.7	60.5	7.3	2.6	6.5	3.8	4.6	2.8
			1600 1699	45.0	(11.5)	71.4	503.0	59.0	7.7	2.7	5.4	3.8	3.9	2.9
			1500 1599	99.0	(25.2)	71.4	489.2	57.8	7.4	2.6	4.4	3.9	3.4	2.8
			1400 1499	104.0	(26.5)	70.6	496.8	54.6	7.2	2.7	3.7	4.0	2.8	2.8
			1300 1399	77.0	(19.6)	69.8	504.6	52.2	7.3	3.2	3.2	4.3	2.5	2.9
			1200 1299	25.0	(6.4)	69.0	488.8	48.6	6.8	3.4	3.0	4.2	2.2	2.9
			1100 1199	10.0	(2.5)	69.0	433.4	41.8	6.3	2.9	2.7	4.6	2.2	2.6
			1000 1099	6.0	(1.5)	68.5	438.9	42.0	6.2	3.2	2.3	4.8	2.2	2.5
			800 899	3.0	(0.8)	69.4	401.2	44.0	5.0	2.2	2.3	5.3	2.0	3.7
			700 799	2.0	(0.5)	69.8	371.5	42.0	4.7	1.7	2.5	6.0	2.0	3.0
				393.0	(1.1)	70.6	492.0	54.8	7.2	2.8	4.0	4.0	3.1	2.8
			2200 2299	1.0	(0.0)	73.5	509.0	63.0	8.7	1.7	12.0	4.0	5.0	3.0
			2100 2199	2.0	(0.1)	74.0	579.5	78.5	8.9	2.6	9.5	4.0	5.0	2.0
			2000 2099	10.0	(0.3)	72.1	500.1	64.0	7.7	2.7	8.8	3.4	4.9	2.6
			1900 1999	27.0	(0.7)	72.5	512.1	65.2	8.1	2.6	7.9	3.6	4.7	2.6

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1800 1899	66.0	(1.8)	72.5	503.5	64.9	7.9	2.5	7.5	3.6	4.5	2.6
			1700 1799	299.0	(8.0)	72.2	499.1	62.7	7.8	2.5	6.4	3.7	4.1	2.6
			1600 1699	508.0	(13.5)	71.7	498.6	59.7	7.7	2.6	5.5	3.9	3.7	2.6
			1500 1599	1078.0	(28.7)	71.1	492.2	56.5	7.5	2.7	4.4	4.0	3.2	2.7
			1400 1499	1058.0	(28.2)	70.6	486.8	53.5	7.3	2.8	3.6	4.2	2.7	2.6
			1300 1399	467.0	(12.4)	69.9	480.4	50.6	7.1	3.1	3.2	4.5	2.3	2.6
			1200 1299	144.0	(3.8)	69.5	467.9	47.7	6.8	3.1	2.9	4.5	2.2	2.5
			1100 1199	53.0	(1.4)	69.1	468.3	45.8	6.8	3.2	2.8	4.5	2.1	2.6
			1000 1099	17.0	(0.5)	69.1	370.5	36.8	5.6	2.4	2.7	4.6	2.2	2.7
			900 999	12.0	(0.3)	69.4	373.6	36.6	5.6	1.9	2.2	4.8	2.0	2.8
			800 899	5.0	(0.1)	69.7	402.4	39.8	6.0	2.0	2.4	4.8	2.2	2.8
			700 799	6.0	(0.2)	69.1	402.0	37.0	5.7	2.0	2.2	5.2	1.8	2.2
			600 699	2.0	(0.1)	71.0	218.5	32.0	4.6	0.8	2.0	5.0	1.0	3.0
			499	1.0	(0.0)	69.5	194.0	25.0	2.6	0.5	1.0	4.0	1.0	2.0
				3756.0	(10.5)	70.9	488.3	55.4	7.4	2.8	4.3	4.1	3.0	2.6
			1500 1599	1.0	(20.0)	71.0	460.5	51.0	5.8	1.4	5.0	5.0	3.0	4.0
			1400 1499	2.0	(40.0)	69.5	492.5	54.0	6.5	3.4	3.0	4.5	3.0	3.5
			1100 1199	2.0	(40.0)	68.7	451.0	48.0	5.8	3.5	4.0	4.5	2.5	3.0
				5.0	(0.0)	69.5	469.5	51.0	6.1	3.0	3.8	4.6	2.8	3.4
			2500	1.0	(0.2)	71.5	505.0	56.0	8.2	2.6	9.0	4.0	5.0	3.0
			2000 2099	1.0	(0.2)	72.4	512.0	71.0	7.6	3.2	8.0	3.0	5.0	3.0
			1900 1999	1.0	(0.2)	75.2	562.0	91.0	7.7	2.4	8.0	4.0	5.0	3.0
			1800 1899	16.0	(3.1)	72.2	515.4	64.8	7.7	2.6	7.6	3.7	4.6	2.8
			1700 1799	43.0	(8.3)	71.9	529.6	65.2	7.7	2.7	6.0	3.8	4.1	2.9
			1600 1699	77.0	(14.8)	70.9	522.8	59.1	7.5	2.9	4.9	3.9	3.6	2.9
			1500 1599	137.0	(26.3)	70.3	508.8	55.4	7.4	3.1	4.1	3.9	3.2	2.9
			1400 1499	140.0	(26.9)	70.2	503.5	55.3	7.3	3.3	3.7	4.1	2.8	2.9
			1300 1399	66.0	(12.7)	69.8	499.1	53.3	7.2	3.4	3.2	4.3	2.4	2.9
			1200 1299	19.0	(3.6)	69.0	498.8	49.7	7.5	4.0	2.7	4.3	2.3	2.9
			1100 1199	8.0	(1.5)	69.3	500.0	55.3	6.7	3.9	2.4	4.8	2.0	3.0
			1000 1099	6.0	(1.2)	68.5	397.5	37.8	5.7	2.9	2.7	4.2	2.2	2.5
			900 999	1.0	(0.2)	69.3	462.0	43.0	5.8	2.0	3.0	5.0	2.0	5.0
			800 899	2.0	(0.4)	68.4	332.5	32.5	4.8	2.5	2.5	4.5	2.0	2.5
			700 799	3.0	(0.6)	69.0	318.7	35.3	4.8	2.5	2.7	4.0	2.0	2.3
				521.0	(1.5)	70.4	506.6	56.2	7.3	3.2	4.2	4.0	3.1	2.9
			1600 1699	2.0	(0.6)	70.5	437.0	53.5	6.4	3.0	5.5	4.0	4.0	3.0
			1500 1599	6.0	(1.7)	70.5	439.7	51.0	7.0	2.9	3.7	4.0	3.2	2.7
			1400 1499	48.0	(13.5)	70.3	455.1	49.8	6.7	2.6	3.1	4.3	2.4	2.5
			1300 1399	130.0	(36.5)	70.2	428.1	47.8	6.5	2.6	2.8	4.6	2.2	2.4
			1200 1299	79.0	(22.2)	70.0	417.4	45.9	6.3	2.6	2.6	4.7	2.1	2.3
			1100 1199	54.0	(15.2)	69.9	407.8	44.2	6.2	2.5	2.5	4.6	2.1	2.4

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1000 1099	27.0	(7.6)	69.8	392.3	43.3	5.9	2.5	2.3	4.6	2.0	2.5
			900 999	6.0	(1.7)	68.7	387.8	39.5	5.4	2.9	2.0	5.0	2.0	2.3
			800 899	1.0	(0.3)	70.9	294.0	39.0	4.8	1.2	2.0	5.0	2.0	2.0
			700 799	3.0	(0.8)	70.2	276.0	34.3	4.3	1.1	2.0	5.3	1.7	3.3
				356.0	(1.0)	70.1	421.5	46.6	6.3	2.6	2.7	4.6	2.2	2.4
			1900 1999	3.0	(1.7)	72.3	476.8	61.0	7.6	2.3	8.0	4.0	4.7	3.0
			1700 1799	9.0	(5.0)	71.6	472.1	58.6	7.8	3.0	5.8	3.7	3.8	2.9
			1600 1699	30.0	(16.7)	71.3	489.8	57.7	7.5	2.7	5.2	3.7	3.7	3.0
			1500 1599	42.0	(23.3)	70.9	490.3	56.0	7.6	3.0	4.3	3.9	3.3	3.0
			1400 1499	41.0	(22.8)	70.7	488.9	54.6	7.6	3.0	3.8	4.0	2.9	2.9
			1300 1399	38.0	(21.1)	70.4	484.5	53.3	7.3	3.0	3.1	4.0	2.3	2.8
			1200 1299	13.0	(7.2)	70.1	492.1	53.5	7.1	3.1	2.3	4.4	2.0	2.8
			1100 1199	3.0	(1.7)	68.7	440.0	35.0	7.3	2.9	2.7	4.7	2.0	2.7
			900 999	1.0	(0.6)	69.8	280.5	33.0	4.6	1.6	2.0	5.0	2.0	4.0
				180.0	(0.5)	70.8	485.7	54.9	7.5	2.9	4.0	3.9	3.0	2.9
			1800 1899	1.0	(2.4)	72.2	491.0	53.0	7.8	1.3	6.0	3.0	4.0	2.0
			1700 1799	5.0	(11.9)	70.3	551.9	57.8	7.8	3.2	5.0	3.4	4.0	3.0
			1600 1699	7.0	(16.7)	70.5	512.7	53.9	7.6	2.8	4.4	3.9	3.4	2.7
			1500 1599	15.0	(35.7)	70.6	500.9	55.3	6.9	2.5	3.8	3.8	2.8	2.9
			1400 1499	12.0	(28.6)	70.0	529.4	54.2	7.4	3.1	3.1	3.8	2.6	2.8
			1300 1399	2.0	(4.8)	70.5	486.5	52.5	7.3	2.8	2.5	4.5	2.0	3.5
				42.0	(0.1)	70.4	516.2	54.8	7.3	2.8	3.8	3.8	3.0	2.8
			2000 2099	1.0	(0.1)	72.3	481.5	69.0	7.3	3.1	6.0	4.0	4.0	3.0
			1800 1899	7.0	(1.0)	71.4	434.0	55.7	6.8	2.6	4.0	4.0	3.1	3.0
			1700 1799	63.0	(9.2)	70.7	455.4	52.6	6.9	2.7	3.6	4.1	2.9	3.0
			1600 1699	147.0	(21.5)	70.7	444.1	51.5	6.8	2.6	3.1	4.2	2.5	3.0
			1500 1599	212.0	(31.0)	70.4	431.2	48.6	6.6	2.6	2.8	4.4	2.3	3.0
			1400 1499	151.0	(22.1)	70.1	419.0	46.5	6.3	2.5	2.6	4.4	2.1	3.0
			1300 1399	76.0	(11.1)	69.7	441.9	47.5	6.6	3.0	2.5	4.6	2.1	3.0
			1200 1299	16.0	(2.3)	69.3	468.3	47.8	7.1	3.5	2.4	4.4	2.1	3.0
			1100 1199	4.0	(0.6)	69.1	408.9	41.0	6.7	3.3	2.5	4.5	2.0	3.0
			1000 1099	4.0	(0.6)	70.2	322.0	39.8	4.2	1.3	2.0	5.8	2.0	2.5
			800 899	2.0	(0.3)	69.3	338.3	34.5	4.6	1.6	1.5	5.0	1.5	3.5
				683.0	(1.9)	70.3	434.6	48.9	6.6	2.6	2.8	4.4	2.3	3.0
			2200 2299	1.0	(0.3)	72.3	396.0	62.0	7.7	3.7	8.0	4.0	5.0	3.0
			1900 1999	1.0	(0.3)	74.0	472.0	79.0	7.9	3.3	9.0	3.0	5.0	3.0
			1800 1899	3.0	(0.8)	71.5	534.0	66.3	7.3	3.0	5.7	3.3	4.0	3.0
			1700 1799	112.0	(30.9)	70.4	503.8	56.8	7.4	3.4	4.3	3.9	3.4	3.0
			1600 1699	26.0	(7.2)	70.8	498.7	59.2	7.6	3.4	4.0	3.9	3.2	3.0
			1500 1599	50.0	(13.8)	70.1	471.6	53.3	7.3	3.5	3.4	4.0	2.9	2.9

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1400 1499	64.0	(17.7)	69.9	456.3	51.0	6.7	3.1	2.6	4.0	2.3	3.0
			1300 1399	33.0	(9.1)	69.8	417.8	47.3	6.2	3.0	2.6	4.2	2.2	3.0
			1200 1299	12.0	(3.3)	69.8	405.0	46.6	6.0	2.8	2.8	4.3	2.2	3.0
			1100 1199	7.0	(1.9)	70.3	371.6	45.1	5.4	2.1	2.6	4.1	2.1	3.0
			1000 1099	15.0	(4.1)	69.7	326.9	37.5	4.8	1.9	2.0	4.1	2.0	3.1
			900 999	25.0	(6.9)	70.1	293.7	36.2	4.7	1.7	2.0	4.3	2.0	3.0
			800 899	4.0	(1.1)	69.9	310.3	38.0	4.6	1.8	2.0	4.3	2.0	3.0
			700 799	1.0	(0.3)	69.1	381.0	42.0	4.6	2.2	2.0	5.0	2.0	4.0
			600 699	3.0	(0.8)	68.8	362.5	34.0	4.8	1.8	2.3	5.7	1.7	5.0
			500 599	5.0	(1.4)	69.7	299.0	37.4	3.7	1.4	2.0	5.4	1.8	5.0
				362.0	(1.0)	70.2	448.4	51.3	6.7	3.0	3.3	4.1	2.7	3.0
			1500 1599	1.0	(16.7)	70.8	516.6	58.0	7.2	2.7	6.0	5.0	4.0	2.0
			1400 1499	1.0	(16.7)	69.4	483.0	52.0	6.7	3.5	4.0	5.0	3.0	2.0
			1300 1399	2.0	(33.3)	71.3	402.3	49.5	6.3	1.8	3.5	4.5	2.5	3.0
			1200 1299	1.0	(16.7)	70.9	530.0	57.0	6.2	1.5	3.0	4.0	2.0	2.0
			700 799	1.0	(16.7)	68.1	420.0	43.0	6.0	4.0	4.0	5.0	2.0	3.0
				6.0	(0.0)	70.3	459.0	51.5	6.5	2.5	4.0	4.7	2.7	2.5
			2200 2299	1.0	(0.1)	70.3	577.7	59.0	8.9	3.9	7.0	3.0	5.0	3.0
			1900 1999	2.0	(0.2)	70.2	561.1	63.0	8.1	4.0	6.5	3.0	4.0	3.0
			1800 1899	5.0	(0.5)	70.8	520.2	62.6	7.6	3.6	7.0	3.6	4.4	2.8
			1700 1799	31.0	(2.9)	71.5	528.8	61.7	7.9	2.8	6.2	3.5	4.0	2.9
			1600 1699	150.0	(14.0)	71.2	504.6	59.1	7.8	3.0	5.1	3.7	3.7	2.9
			1500 1599	440.0	(41.0)	70.6	499.7	54.9	7.5	3.0	3.9	3.9	3.0	2.9
			1400 1499	302.0	(28.1)	70.0	497.6	52.4	7.4	3.2	3.1	4.1	2.5	2.9
			1300 1399	83.0	(7.7)	69.6	497.4	51.9	7.3	3.5	2.7	4.2	2.2	2.9
			1200 1299	37.0	(3.4)	69.3	472.9	49.0	6.8	3.4	2.6	4.4	2.1	2.8
			1100 1199	11.0	(1.0)	69.5	470.4	49.5	6.9	3.4	2.5	4.5	2.1	2.8
			1000 1099	6.0	(0.6)	69.8	410.3	43.2	6.1	2.4	2.5	5.2	2.0	2.5
			900 999	3.0	(0.3)	69.7	328.4	40.7	5.0	2.4	2.3	5.0	2.0	2.7
			800 899	2.0	(0.2)	69.5	298.4	34.0	4.2	1.4	2.0	5.0	2.0	3.0
			700 799	1.0	(0.1)	69.1	309.0	36.0	5.0	2.7	2.0	5.0	2.0	2.0
				1074.0	(3.0)	70.4	498.0	54.4	7.5	3.1	3.8	4.0	2.9	2.9
			2300 2399	1.0	(0.1)	74.6	453.8	74.0	7.5	1.9	10.0	3.0	5.0	3.0
			2200 2299	1.0	(0.1)	71.1	549.6	56.0	8.3	2.4	7.0	4.0	5.0	3.0
			2000 2099	3.0	(0.3)	72.4	437.3	58.7	7.2	2.1	6.3	3.7	4.0	3.0
			1900 1999	7.0	(0.8)	70.8	475.0	57.0	7.4	3.3	7.0	3.9	4.3	3.0
			1800 1899	32.0	(3.5)	71.5	505.9	61.5	7.9	3.1	5.9	3.6	4.1	2.9
			1700 1799	74.0	(8.1)	71.5	475.2	58.2	7.4	2.8	5.6	3.7	3.8	2.9
			1600 1699	152.0	(16.7)	70.7	483.6	55.8	7.4	3.1	4.4	3.9	3.4	2.9
			1500 1599	309.0	(33.9)	70.3	490.3	53.4	7.4	3.1	3.7	3.9	2.9	2.9
			1400 1499	233.0	(25.5)	69.7	488.8	51.2	7.2	3.4	3.2	4.0	2.5	2.9
			1300 1399	77.0	(8.4)	69.1	481.6	49.2	7.0	3.6	2.8	4.3	2.3	2.9

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1200 1299	17.0	(1.9)	68.3	471.3	45.2	6.7	3.9	2.6	4.6	2.1	2.9
			1100 1199	5.0	(0.5)	69.1	421.8	40.0	6.1	2.5	2.8	4.8	2.2	2.8
			900 999	1.0	(0.1)	69.1	440.9	47.0	5.3	2.6	2.0	5.0	2.0	3.0
				912.0	(2.5)	70.2	486.3	53.4	7.3	3.2	3.9	3.9	2.9	2.9
			1600 1699	1.0	(14.3)	74.2	464.0	66.0	8.2	1.6	6.0	4.0	4.0	2.0
			1500 1599	1.0	(14.3)	71.5	498.5	51.0	8.1	1.9	5.0	3.0	4.0	2.0
			1400 1499	4.0	(57.1)	71.5	492.1	56.8	7.5	2.3	3.0	4.3	2.0	2.8
			1300 1399	1.0	(14.3)	70.9	522.1	49.0	8.8	2.4	3.0	5.0	2.0	3.0
				7.0	(0.0)	71.8	493.3	56.1	7.9	2.1	3.7	4.1	2.6	2.6
			1700 1799	3.0	(3.6)	70.8	537.2	53.3	8.5	2.7	5.3	4.0	4.0	2.7
			1600 1699	59.0	(71.1)	69.7	512.4	50.0	7.4	3.0	3.0	4.5	2.7	3.0
			1500 1599	3.0	(3.6)	69.4	512.3	48.7	7.0	2.9	3.3	5.0	2.7	3.0
			1400 1499	4.0	(4.8)	68.5	532.9	48.0	7.9	4.2	3.0	4.5	2.5	3.3
			1300 1399	3.0	(3.6)	68.6	480.3	45.7	6.6	3.5	2.0	5.0	2.0	3.0
			1000 1099	3.0	(3.6)	70.6	268.2	37.0	3.7	0.8	2.0	4.3	2.0	2.3
			900 999	1.0	(1.2)	69.3	316.8	35.0	3.9	1.4	2.0	5.0	2.0	2.0
			800 899	3.0	(3.6)	68.7	292.2	28.3	4.2	1.6	2.0	5.0	2.0	3.0
			700 799	1.0	(1.2)	69.4	303.7	35.0	4.3	1.8	2.0	5.0	2.0	3.0
			600 699	2.0	(2.4)	68.8	307.8	30.5	4.2	1.6	2.0	5.5	1.0	3.0
			499	1.0	(1.2)	70.8	249.3	36.0	3.3	0.4	2.0	5.0	1.0	4.0
				83.0	(0.2)	69.6	483.4	47.6	7.0	2.8	2.9	4.5	2.6	3.0
			1400 1499	1.0	(6.3)	69.6	462.5	38.0	7.3	1.9	3.0	4.0	2.0	2.0
			1300 1399	5.0	(31.3)	69.0	473.1	43.6	6.6	2.8	2.6	5.0	2.0	2.4
			1200 1299	1.0	(6.3)	70.5	517.5	47.0	7.5	1.6	2.0	4.0	2.0	3.0
			1000 1099	2.0	(12.5)	69.7	431.7	42.5	5.5	1.6	2.5	5.0	2.0	2.5
			900 999	1.0	(6.3)	70.3	419.3	41.0	7.3	2.3	2.0	6.0	2.0	3.0
			800 899	2.0	(12.5)	68.5	437.4	38.5	5.1	2.0	2.5	5.0	2.0	3.0
			600 699	1.0	(6.3)	69.6	347.9	36.0	5.1	1.7	2.0	5.0	2.0	3.0
			500 599	3.0	(18.8)	69.5	351.9	39.7	4.8	2.1	2.3	5.0	2.0	3.7
				16.0	(0.0)	69.4	431.7	41.3	6.0	2.2	2.4	4.9	2.0	2.8
			2200 2299	1.0	(0.3)	71.5	550.4	66.0	8.6	3.7	9.0	4.0	5.0	3.0
			1700 1799	4.0	(1.1)	71.8	470.1	57.5	7.2	2.0	6.0	4.0	4.0	2.8
			1600 1699	9.0	(2.5)	70.7	484.6	54.1	7.4	2.7	5.1	3.9	3.6	3.0
			1500 1599	27.0	(7.6)	70.3	466.1	51.7	7.1	2.9	3.9	3.6	3.0	2.7
			1400 1499	113.0	(31.7)	69.9	452.0	47.7	6.9	2.8	3.1	4.0	2.4	2.7
			1300 1399	136.0	(38.2)	70.0	440.4	46.8	6.7	2.6	2.4	4.2	2.1	2.7
			1200 1299	44.0	(12.4)	70.2	405.5	46.0	6.1	2.3	2.3	4.4	2.0	2.5
			1100 1199	12.0	(3.4)	70.4	388.7	44.6	5.6	1.9	2.0	4.6	2.0	2.4
			1000 1099	7.0	(2.0)	70.2	379.6	45.3	5.6	2.2	2.1	5.0	2.1	2.6
			900 999	2.0	(0.6)	71.3	399.7	50.0	5.6	1.5	2.0	6.0	2.0	2.5

					(%)		(kg)	(m ²)	(m)	(m)				
			600 699	1.0	(0.3)	66.7	471.4	29.0	6.8	3.4	2.0	6.0	2.0	6.0
				356.0	(1.0)	70.1	440.4	47.6	6.7	2.6	2.8	4.2	2.3	2.7
			2500	1.0	(0.1)	71.1	424.0	56.0	6.8	3.1	2.0	5.0	2.0	3.0
			2000 2099	1.0	(0.1)	73.0	525.0	65.0	8.7	2.2	9.0	4.0	5.0	3.0
			1800 1899	4.0	(0.4)	71.2	484.8	56.0	8.0	3.0	6.8	4.0	4.3	2.8
			1700 1799	22.0	(2.2)	71.7	483.7	60.0	7.6	2.8	5.0	3.6	3.7	3.0
			1600 1699	113.0	(11.1)	71.0	490.9	55.9	7.6	2.9	4.3	3.7	3.3	2.9
			1500 1599	311.0	(30.6)	70.4	483.7	52.3	7.4	3.0	3.5	3.9	3.0	2.9
			1400 1499	347.0	(34.2)	69.8	482.2	49.7	7.3	3.2	2.8	4.0	2.3	2.8
			1300 1399	183.0	(18.0)	69.2	480.8	47.7	7.1	3.4	2.4	4.1	2.1	2.8
			1200 1299	21.0	(2.1)	69.1	486.8	48.6	7.2	3.6	2.2	4.2	2.0	2.9
			1100 1199	4.0	(0.4)	68.5	444.9	40.8	6.0	2.8	2.3	4.3	2.0	2.5
			1000 1099	3.0	(0.3)	66.1	508.6	33.0	6.8	4.2	2.3	4.3	2.0	3.3
			900 999	1.0	(0.1)	68.8	280.9	27.0	4.6	1.8	2.0	5.0	2.0	2.0
			800 899	1.0	(0.1)	70.5	224.6	32.0	3.9	0.9	2.0	4.0	1.0	3.0
			700 799	1.0	(0.1)	66.4	559.6	52.0	6.7	5.7	2.0	5.0	2.0	2.0
			600 699	1.0	(0.1)	69.2	236.0	25.0	3.0	0.5	1.0	4.0	1.0	2.0
			499	1.0	(0.1)	68.5	411.0	40.0	5.2	2.7	3.0	4.0	2.0	3.0
				1015.0	(2.8)	70.0	482.7	50.9	7.3	3.1	3.2	4.0	2.6	2.8
			2000 2099	1.0	(2.5)	71.2	494.8	72.0	7.6	4.9	8.0	4.0	5.0	3.0
			1800 1899	2.0	(5.0)	71.4	433.7	58.0	7.0	3.1	6.0	4.0	4.0	2.5
			1600 1699	1.0	(2.5)	74.0	435.4	71.0	6.8	1.9	5.0	4.0	3.0	2.0
			1500 1599	9.0	(22.5)	70.4	448.0	52.3	6.8	3.0	3.7	4.0	3.0	3.0
			1400 1499	15.0	(37.5)	69.8	449.9	47.6	6.5	2.8	2.1	4.3	2.0	3.0
			1300 1399	5.0	(12.5)	69.5	413.6	41.2	6.4	2.5	2.0	4.6	2.0	3.0
			1200 1299	1.0	(2.5)	71.5	363.8	54.0	5.6	2.3	5.0	5.0	3.0	5.0
			1100 1199	1.0	(2.5)	67.8	354.2	32.0	4.4	2.4	3.0	4.0	2.0	5.0
			1000 1099	4.0	(10.0)	70.1	415.1	45.5	5.8	2.0	1.5	5.3	1.5	3.0
			500 599	1.0	(2.5)	71.7	270.2	48.0	3.5	1.0	1.0	6.0	1.0	3.0
				40.0	(0.1)	70.2	432.4	49.1	6.4	2.7	2.9	4.4	2.4	3.0
			1700 1799	2.0	(3.2)	70.1	579.7	69.0	6.7	3.8	6.5	4.0	4.0	3.0
			1600 1699	9.0	(14.3)	70.2	538.0	60.7	7.5	3.7	5.2	3.7	3.7	2.8
			1500 1599	16.0	(25.4)	69.6	518.2	55.1	7.3	3.6	4.3	4.0	3.4	2.9
			1400 1499	20.0	(31.7)	68.7	516.4	51.1	7.0	3.9	3.5	4.0	2.8	2.9
			1300 1399	8.0	(12.7)	68.5	482.4	48.1	7.0	4.1	3.0	4.5	2.5	2.9
			1200 1299	4.0	(6.3)	66.9	524.0	45.0	6.5	4.5	2.8	5.0	2.0	3.0
			1100 1199	1.0	(1.6)	66.8	574.2	50.0	6.7	4.8	4.0	4.0	3.0	3.0
			1000 1099	1.0	(1.6)	67.8	484.6	46.0	6.4	4.2	2.0	4.0	2.0	2.0
			900 999	1.0	(1.6)	66.5	493.8	37.0	6.2	3.9	2.0	6.0	2.0	4.0
			700 799	1.0	(1.6)	68.3	335.0	38.0	5.0	3.5	2.0	6.0	1.0	4.0
				63.0	(0.2)	69.0	515.3	52.8	7.0	3.9	3.9	4.1	3.0	2.9

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1900 1999	2.0	(1.4)	73.5	535.1	81.0	8.1	3.3	8.0	3.5	4.5	2.5
			1800 1899	10.0	(6.8)	72.1	499.0	64.2	7.6	2.7	6.4	3.7	4.1	2.7
			1700 1799	18.0	(12.2)	71.0	517.1	61.1	7.4	3.1	5.2	3.7	3.7	2.7
			1600 1699	27.0	(18.2)	71.1	503.2	60.4	7.5	3.2	4.6	3.6	3.4	2.9
			1500 1599	37.0	(25.0)	70.1	519.3	55.6	7.5	3.3	3.9	3.5	3.1	2.9
			1400 1499	40.0	(27.0)	70.0	484.9	52.3	7.1	3.2	3.2	3.9	2.5	2.9
			1300 1399	10.0	(6.8)	69.0	483.5	50.4	6.8	3.8	2.9	4.2	2.2	3.0
			1200 1299	4.0	(2.7)	70.3	467.0	52.3	6.7	2.7	2.5	4.3	2.0	2.3
				148.0	(0.4)	70.5	501.8	56.7	7.3	3.2	4.1	3.7	3.1	2.9
			1600 1699	3.0	(10.0)	71.9	418.9	54.0	6.3	1.6	4.7	3.7	3.3	2.3
			1500 1599	6.0	(20.0)	71.3	409.7	51.8	6.5	2.2	4.2	3.8	3.2	2.5
			1400 1499	10.0	(33.3)	70.2	436.0	49.3	6.3	2.6	3.1	4.1	2.6	2.8
			1300 1399	6.0	(20.0)	69.3	381.6	43.2	5.7	3.0	2.7	4.0	2.2	2.8
			1200 1299	1.0	(3.3)	70.8	368.0	47.0	5.8	2.2	3.0	4.0	2.0	3.0
			1100 1199	3.0	(10.0)	69.7	344.9	40.7	5.4	2.5	2.7	4.7	2.0	4.3
			1000 1099	1.0	(3.3)	68.9	440.1	45.0	4.8	2.2	2.0	5.0	2.0	5.0
				30.0	(0.1)	70.3	406.9	48.0	6.0	2.4	3.3	4.1	2.6	2.9
			1900 1999	1.0	(0.1)	71.1	435.0	53.0	6.8	2.4	4.0	4.0	3.0	3.0
			1800 1899	13.0	(1.2)	72.3	473.1	59.8	7.6	2.1	6.3	4.0	4.2	2.7
			1700 1799	53.0	(5.0)	72.3	465.8	60.7	7.5	2.3	5.9	3.9	4.0	2.8
			1600 1699	203.0	(19.1)	71.8	473.6	58.4	7.5	2.5	5.0	4.0	3.6	2.7
			1500 1599	373.0	(35.2)	71.0	476.0	54.7	7.3	2.6	4.0	4.1	3.1	2.7
			1400 1499	306.0	(28.8)	70.7	470.0	52.5	7.2	2.7	3.3	4.3	2.5	2.8
			1300 1399	79.0	(7.4)	69.8	460.1	47.8	6.8	2.8	2.7	4.3	2.2	2.7
			1200 1299	26.0	(2.5)	69.8	463.6	49.5	6.8	3.0	2.3	4.5	2.1	2.8
			1100 1199	3.0	(0.3)	69.3	481.4	47.7	7.4	3.5	2.7	4.7	2.0	3.0
			1000 1099	2.0	(0.2)	71.0	374.2	47.5	6.3	2.3	3.0	4.0	2.0	2.0
			900 999	1.0	(0.1)	69.4	365.2	34.0	5.2	1.4	2.0	4.0	2.0	3.0
			499	1.0	(0.1)	68.9	372.4	41.0	6.6	4.0	4.0	4.0	3.0	2.0
				1061.0	(3.0)	71.0	471.4	54.4	7.3	2.6	4.0	4.1	3.0	2.7
			1900 1999	1.0	(0.1)	72.1	543.8	71.0	9.2	4.3	8.0	3.0	5.0	3.0
			1800 1899	2.0	(0.1)	71.3	490.3	60.0	7.7	3.3	7.0	3.5	4.5	3.0
			1700 1799	54.0	(3.4)	70.9	493.3	56.0	7.9	3.1	5.7	3.8	4.0	2.6
			1600 1699	204.0	(12.8)	70.7	484.1	54.3	7.6	3.1	4.9	3.9	3.7	2.6
			1500 1599	776.0	(48.7)	70.1	476.3	50.8	7.4	3.2	3.5	3.9	3.0	2.6
			1400 1499	389.0	(24.4)	69.7	470.4	49.3	7.2	3.3	2.7	4.1	2.2	2.7
			1300 1399	136.0	(8.5)	69.7	465.9	49.1	7.0	3.2	2.5	4.2	2.0	2.7
			1200 1299	3.0	(0.2)	68.5	465.7	44.7	7.1	3.9	2.3	5.0	2.0	3.0
			1100 1199	14.0	(0.9)	69.3	484.5	51.7	6.7	3.6	3.0	4.5	2.2	3.1
			1000 1099	4.0	(0.3)	67.7	504.8	45.5	7.3	4.7	3.0	4.3	2.3	4.0
			800 899	1.0	(0.1)	70.3	465.2	45.0	7.2	2.1	2.0	5.0	2.0	4.0
			700 799	2.0	(0.1)	69.3	301.8	30.5	5.0	1.7	2.0	5.5	2.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			600 699	6.0	(0.4)	68.9	315.0	30.7	4.3	1.6	2.2	5.2	1.8	2.7
				1592.0	(4.4)	70.1	474.9	50.8	7.3	3.2	3.4	4.0	2.8	2.7
			2000 2099	1.0	(0.4)	73.4	401.0	65.0	6.7	2.1	8.0	4.0	5.0	3.0
			1900 1999	1.0	(0.4)	73.3	413.3	68.0	7.0	2.6	8.0	4.0	5.0	3.0
			1800 1899	1.0	(0.4)	72.0	509.0	61.0	8.0	2.5	6.0	4.0	4.0	3.0
			1700 1799	11.0	(4.1)	71.9	493.9	64.6	7.5	3.0	6.2	3.8	4.1	2.8
			1600 1699	49.0	(18.1)	71.1	488.8	58.3	7.6	3.1	4.9	4.0	3.6	2.7
			1500 1599	88.0	(32.6)	70.5	479.0	54.7	7.2	3.1	4.1	4.0	3.2	2.8
			1400 1499	68.0	(25.2)	69.7	499.3	52.8	7.2	3.5	3.4	4.3	2.5	2.6
			1300 1399	29.0	(10.7)	69.4	485.8	50.8	7.0	3.5	3.1	4.6	2.2	2.6
			1200 1299	16.0	(5.9)	68.8	447.7	43.8	6.7	3.5	2.9	4.3	2.1	2.4
			1100 1199	2.0	(0.7)	68.7	328.9	34.0	4.5	2.1	2.5	4.5	2.0	2.0
			1000 1099	3.0	(1.1)	70.7	315.0	40.0	5.4	1.7	2.0	4.7	2.0	3.0
			600 699	1.0	(0.4)	69.9	292.5	39.0	4.2	1.8	2.0	5.0	2.0	5.0
				270.0	(0.8)	70.2	481.3	53.9	7.2	3.2	4.0	4.2	2.9	2.7
			2000 2099	4.0	(0.6)	73.2	543.5	75.0	8.2	2.9	6.8	3.3	4.3	2.5
			1900 1999	7.0	(1.0)	72.4	469.5	65.1	7.6	2.9	7.0	3.4	4.3	2.6
			1800 1899	29.0	(4.0)	71.7	489.7	61.4	7.5	2.8	5.9	3.5	4.1	2.8
			1700 1799	63.0	(8.7)	71.1	486.7	58.4	7.2	2.9	5.1	3.7	3.8	2.9
			1600 1699	115.0	(15.9)	70.6	487.9	55.0	7.3	2.9	4.3	3.6	3.3	2.8
			1500 1599	243.0	(33.5)	70.2	479.3	52.8	7.1	3.0	3.6	3.9	2.9	2.8
			1400 1499	172.0	(23.7)	69.7	477.7	50.2	6.9	3.2	3.0	4.0	2.4	2.8
			1300 1399	65.0	(9.0)	68.9	469.8	46.5	6.7	3.4	2.7	4.2	2.1	2.8
			1200 1299	9.0	(1.2)	68.8	429.9	44.1	6.5	3.6	2.1	4.3	2.0	2.6
			1100 1199	4.0	(0.6)	69.6	388.2	41.5	5.2	1.9	2.0	4.5	2.0	2.8
			1000 1099	1.0	(0.1)	69.7	389.4	43.0	4.9	1.9	2.0	6.0	2.0	2.0
			800 899	2.0	(0.3)	68.5	386.8	33.5	5.3	2.0	2.5	5.0	2.0	4.5
			700 799	9.0	(1.2)	68.9	353.9	35.3	5.1	2.2	2.1	5.8	1.7	4.2
			600 699	1.0	(0.1)	68.9	236.0	24.0	3.3	0.9	1.0	6.0	1.0	6.0
			500 599	1.0	(0.1)	68.9	240.4	27.0	3.0	1.0	2.0	5.0	1.0	4.0
				725.0	(2.0)	70.2	477.0	52.5	7.0	3.0	3.7	3.9	2.9	2.8
			2000 2099	2.0	(1.3)	70.8	536.5	60.0	8.2	3.5	6.5	3.5	4.5	3.0
			1900 1999	1.0	(0.6)	73.3	523.2	75.0	7.4	2.4	6.0	3.0	4.0	3.0
			1800 1899	8.0	(5.2)	70.9	484.6	55.6	7.3	2.7	5.9	3.5	4.1	2.5
			1700 1799	8.0	(5.2)	70.8	513.1	57.3	8.3	3.4	5.0	3.6	3.8	2.8
			1600 1699	32.0	(20.8)	71.1	500.3	57.8	7.7	3.0	4.8	3.5	3.5	2.8
			1500 1599	52.0	(33.8)	69.9	492.4	51.3	7.5	3.3	3.5	3.7	3.0	2.7
			1400 1499	34.0	(22.1)	69.5	487.8	50.4	7.4	3.6	3.2	3.9	2.5	2.8
			1300 1399	16.0	(10.4)	69.2	446.9	44.2	6.7	3.1	2.8	4.1	2.3	2.9
			800 899	1.0	(0.6)	69.8	450.0	43.0	6.6	2.1	4.0	4.0	3.0	2.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				154.0	(0.4)	70.1	489.5	52.5	7.5	3.2	3.9	3.7	3.1	2.8
			2200 2299	1.0	(0.4)	73.8	573.8	79.0	9.1	3.0	10.0	4.0	5.0	3.0
			2100 2199	2.0	(0.8)	71.5	581.1	76.5	8.0	4.3	8.0	3.0	4.5	3.0
			2000 2099	5.0	(2.0)	71.7	504.9	61.6	7.5	2.5	6.4	3.6	4.4	2.6
			1900 1999	8.0	(3.2)	71.4	508.1	59.0	7.7	2.7	6.0	3.1	4.1	3.0
			1800 1899	17.0	(6.9)	71.1	502.7	58.2	7.7	2.9	5.4	3.6	3.9	2.8
			1700 1799	24.0	(9.7)	70.9	482.8	56.0	7.6	3.0	5.1	3.5	3.7	2.7
			1600 1699	43.0	(17.4)	70.5	493.8	55.7	7.4	3.2	4.4	3.5	3.3	2.9
			1500 1599	61.0	(24.7)	70.1	495.8	52.9	7.2	3.1	3.7	3.7	3.0	2.8
			1400 1499	57.0	(23.1)	69.6	470.9	49.9	6.9	3.2	3.0	3.9	2.5	2.9
			1300 1399	15.0	(6.1)	69.5	470.1	48.3	6.6	3.0	2.8	4.0	2.3	2.8
			1200 1299	6.0	(2.4)	69.4	495.3	51.8	7.2	3.7	2.5	4.0	2.0	2.7
			1100 1199	1.0	(0.4)	71.5	446.0	58.0	6.6	2.5	2.0	4.0	2.0	3.0
			1000 1099	1.0	(0.4)	68.7	378.6	38.0	5.3	2.6	2.0	5.0	2.0	3.0
			900 999	2.0	(0.8)	68.5	384.7	33.5	5.2	2.0	2.0	5.5	2.0	3.0
			800 899	2.0	(0.8)	70.4	321.2	39.5	4.7	1.4	2.5	5.0	2.0	3.5
			700 799	1.0	(0.4)	71.0	302.0	41.0	4.6	1.1	3.0	5.0	2.0	2.0
			500 599	1.0	(0.4)	69.7	255.0	34.0	3.2	1.1	1.0	6.0	1.0	4.0
				247.0	(0.7)	70.2	484.2	53.3	7.2	3.1	4.0	3.7	3.0	2.8
			1200 1299	1.0	(50.0)	71.5	371.0	50.0	4.8	1.0	3.0	4.0	2.0	2.0
			1000 1099	1.0	(50.0)	71.7	343.8	49.0	5.2	1.3	2.0	4.0	2.0	4.0
				2.0	(0.0)	71.6	357.4	49.5	5.0	1.1	2.5	4.0	2.0	3.0
			2000 2099	1.0	(0.2)	72.8	387.6	59.0	7.5	2.6	8.0	4.0	5.0	3.0
			1900 1999	1.0	(0.2)	71.9	546.5	64.0	8.0	2.5	7.0	4.0	5.0	3.0
			1800 1899	32.0	(6.0)	70.6	514.5	54.8	7.8	2.9	4.2	4.1	3.3	2.8
			1700 1799	97.0	(18.2)	70.1	483.2	51.5	7.2	3.0	3.6	4.2	2.6	2.8
			1600 1699	78.0	(14.7)	70.5	456.6	52.1	6.9	2.8	3.9	4.0	3.0	2.7
			1500 1599	92.0	(17.3)	71.0	432.5	52.2	6.9	2.6	4.0	4.0	3.0	2.8
			1400 1499	122.0	(22.9)	70.3	443.4	50.0	6.8	2.9	3.1	4.2	2.4	2.8
			1300 1399	90.0	(16.9)	69.9	422.3	46.7	6.3	2.7	2.8	4.4	2.1	2.7
			1200 1299	12.0	(2.3)	69.1	415.7	44.3	5.9	3.1	2.3	4.3	2.0	2.8
			1100 1199	1.0	(0.2)	69.0	521.3	47.0	7.5	3.3	3.0	4.0	2.0	4.0
			1000 1099	3.0	(0.6)	69.7	339.0	40.7	4.7	2.0	2.0	4.7	2.0	4.3
			900 999	2.0	(0.4)	69.5	371.0	41.0	4.7	1.9	3.0	5.0	2.0	4.5
			600 699	1.0	(0.2)	68.3	189.1	18.0	3.5	1.5	2.0	4.0	2.0	2.0
				532.0	(1.5)	70.3	449.7	50.5	6.8	2.8	3.5	4.2	2.6	2.8
			2300 2399	1.0	(0.7)	73.6	512.8	72.0	8.4	2.5	9.0	4.0	5.0	3.0
			1800 1899	1.0	(0.7)	70.3	452.4	45.0	7.6	2.6	6.0	4.0	4.0	3.0
			1700 1799	3.0	(2.0)	71.9	506.9	62.3	7.5	2.4	6.0	4.3	4.0	3.0
			1600 1699	10.0	(6.5)	71.0	461.7	55.5	7.2	2.9	5.4	4.0	3.7	2.9

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1500 1599	37.0	(24.2)	70.7	463.3	52.9	7.2	2.8	4.4	4.1	3.1	2.8
			1400 1499	46.0	(30.1)	70.2	462.4	50.5	7.3	3.0	3.5	4.2	2.8	2.9
			1300 1399	35.0	(22.9)	69.5	462.6	47.4	6.9	3.2	3.0	4.4	2.2	2.8
			1200 1299	9.0	(5.9)	69.3	476.9	48.1	7.0	3.4	2.9	4.2	2.1	3.3
			1100 1199	1.0	(0.7)	70.5	509.9	56.0	6.8	2.4	2.0	4.0	2.0	4.0
			1000 1099	5.0	(3.3)	69.6	487.0	44.8	7.3	2.6	2.0	4.0	2.0	3.0
			900 999	3.0	(2.0)	70.3	463.0	49.7	7.0	2.6	2.3	4.3	2.0	4.0
			800 899	2.0	(1.3)	69.2	415.8	39.5	5.5	1.9	2.0	4.5	2.0	3.5
				153.0	(0.4)	70.2	465.1	50.6	7.2	3.0	3.7	4.2	2.7	2.9
			1800 1899	3.0	(0.2)	72.4	479.3	65.7	7.2	2.6	7.3	4.0	4.7	2.7
			1700 1799	16.0	(0.8)	71.8	495.8	62.0	8.1	3.1	5.6	4.0	3.9	3.0
			1600 1699	58.0	(3.0)	71.3	489.9	58.1	7.8	2.9	5.0	3.9	3.6	2.9
			1500 1599	313.0	(16.2)	70.8	489.2	55.1	7.7	3.0	4.2	4.1	3.1	2.9
			1400 1499	776.0	(40.1)	70.3	478.8	51.9	7.4	3.1	3.4	4.3	2.6	3.0
			1300 1399	613.0	(31.7)	69.7	472.7	49.7	7.2	3.3	2.9	4.5	2.2	2.9
			1200 1299	129.0	(6.7)	69.1	470.7	47.3	7.1	3.6	2.7	4.6	2.1	2.9
			1100 1199	18.0	(0.9)	68.8	467.8	44.5	7.2	3.6	2.6	4.7	2.1	3.0
			1000 1099	6.0	(0.3)	68.4	410.7	40.8	5.8	3.3	2.3	5.0	2.0	2.7
			900 999	1.0	(0.1)	68.6	487.4	48.0	5.8	3.1	2.0	5.0	2.0	3.0
			500 599	2.0	(0.1)	69.3	405.6	44.0	4.9	2.2	1.5	7.0	1.0	4.0
			499	1.0	(0.1)	68.4	310.2	32.0	3.8	1.9	1.0	6.0	2.0	2.0
				1936.0	(5.4)	70.1	478.0	51.6	7.4	3.2	3.4	4.3	2.5	2.9
			2500	1.0	(1.3)	70.3	549.1	65.0	7.9	4.3	7.0	4.0	4.0	3.0
			1800 1899	1.0	(1.3)	70.0	525.2	53.0	10.0	4.8	5.0	3.0	3.0	3.0
			1600 1699	2.0	(2.6)	70.2	479.9	55.0	7.0	3.3	3.0	3.5	2.5	2.5
			1500 1599	4.0	(5.1)	69.4	515.5	50.8	8.1	3.9	4.3	4.0	3.0	2.5
			1400 1499	6.0	(7.7)	69.4	497.5	48.2	7.5	3.3	3.3	4.3	2.5	2.7
			1300 1399	13.0	(16.7)	70.0	431.9	47.7	6.4	2.6	2.8	4.5	2.1	3.1
			1200 1299	25.0	(32.1)	69.4	443.5	46.0	6.2	2.8	2.4	4.7	2.0	3.5
			1100 1199	11.0	(14.1)	69.6	466.7	46.6	6.4	2.5	2.3	4.8	2.0	3.8
			1000 1099	6.0	(7.7)	69.4	486.4	46.2	6.7	2.6	2.3	4.8	2.0	3.5
			900 999	6.0	(7.7)	69.5	431.4	43.0	5.8	2.2	2.3	4.8	2.0	3.7
			800 899	2.0	(2.6)	69.4	383.6	45.0	5.6	3.0	2.0	5.0	2.0	3.5
			700 799	1.0	(1.3)	68.8	368.2	33.0	4.6	1.5	2.0	5.0	2.0	4.0
				78.0	(0.2)	69.6	455.9	46.9	6.5	2.8	2.7	4.6	2.2	3.3
			1800 1899	1.0	(6.7)	74.2	408.3	64.0	7.7	1.7	5.0	4.0	4.0	2.0
			1600 1699	1.0	(6.7)	69.9	474.7	45.0	8.0	3.1	3.0	4.0	3.0	3.0
			1500 1599	5.0	(33.3)	70.3	454.0	49.4	7.5	3.2	3.8	4.2	2.8	3.0
			1400 1499	3.0	(20.0)	69.0	414.5	41.3	6.5	3.2	3.0	4.3	2.7	2.7
			1300 1399	1.0	(6.7)	72.0	496.1	55.0	9.1	2.8	3.0	4.0	2.0	3.0
			1200 1299	1.0	(6.7)	67.7	433.6	36.0	5.8	3.1	3.0	4.0	2.0	3.0
			1100 1199	2.0	(13.3)	68.7	457.8	45.5	6.3	3.5	2.5	4.0	2.0	3.0
			800 899	1.0	(6.7)	70.1	277.2	36.0	4.0	1.3	2.0	5.0	2.0	3.0

					(%)		(kg)	(m2)	(m)	(m)				
				15.0	(0.0)	70.0	434.6	46.5	6.9	3.0	3.3	4.2	2.6	2.9
			2000 2099	2.0	(0.3)	71.3	500.9	65.0	8.1	4.0	7.0	4.0	4.5	3.0
			1900 1999	5.0	(0.6)	71.4	445.2	58.0	6.8	2.7	4.4	3.8	3.2	2.8
			1800 1899	13.0	(1.7)	71.8	516.6	62.9	8.0	2.9	6.5	3.8	4.1	2.8
			1700 1799	47.0	(6.0)	71.4	495.5	60.5	7.7	3.1	5.8	3.7	4.0	2.9
			1600 1699	116.0	(14.8)	70.9	513.8	59.0	7.9	3.3	4.2	3.9	3.3	3.0
			1500 1599	246.0	(31.3)	70.5	497.4	55.9	7.6	3.3	3.3	4.0	2.9	2.9
			1400 1499	272.0	(34.6)	69.8	492.2	52.5	7.4	3.6	2.6	4.2	2.2	3.0
			1300 1399	57.0	(7.3)	69.1	472.4	49.9	7.0	3.8	2.6	4.4	2.2	3.0
			1200 1299	6.0	(0.8)	69.0	540.3	50.8	8.6	4.4	3.0	4.3	2.5	3.0
			1100 1199	1.0	(0.1)	68.7	563.0	49.0	8.5	4.2	3.0	4.0	2.0	3.0
			1000 1099	9.0	(1.1)	69.4	425.9	43.4	6.2	2.6	3.3	4.4	2.4	3.9
			900 999	2.0	(0.3)	69.3	394.6	40.0	5.5	2.3	2.0	5.0	2.0	4.5
			800 899	3.0	(0.4)	68.6	480.8	41.3	6.5	2.7	2.3	5.0	2.0	5.7
			700 799	1.0	(0.1)	68.8	435.1	39.0	6.2	2.6	3.0	5.0	2.0	6.0
			500 599	3.0	(0.4)	69.6	386.8	37.7	5.5	1.7	2.3	4.3	2.0	2.7
			499	2.0	(0.3)	71.5	296.9	44.5	5.2	1.5	2.0	4.5	2.0	2.0
				785.0	(2.2)	70.3	494.3	54.8	7.5	3.4	3.3	4.1	2.7	3.0
			1500 1599	2.0	(11.1)	70.0	475.1	52.5	6.5	2.8	5.0	4.0	3.5	3.0
			1400 1499	2.0	(11.1)	69.6	543.5	58.0	7.3	3.8	3.5	4.5	3.0	3.5
			1300 1399	11.0	(61.1)	69.5	532.9	55.5	7.3	3.7	3.2	4.6	2.5	3.0
			1200 1299	2.0	(11.1)	68.8	571.2	51.0	7.7	3.5	3.0	5.0	2.0	3.0
			1000 1099	1.0	(5.6)	69.1	566.8	46.0	8.5	3.1	3.0	5.0	2.0	4.0
				18.0	(0.1)	69.5	533.8	54.4	7.3	3.5	3.4	4.6	2.6	3.1
			2500	5.0	(0.0)	71.5	489.8	60.2	7.6	2.9	5.6	4.2	3.6	3.0
			2300 2399	4.0	(0.0)	73.0	482.9	67.3	8.1	2.6	9.8	3.5	5.0	2.8
			2200 2299	9.0	(0.0)	72.7	529.8	67.7	8.5	2.8	8.8	3.8	4.9	2.8
			2100 2199	7.0	(0.0)	73.5	550.7	76.0	8.4	2.7	9.0	3.7	4.9	2.7
			2000 2099	52.0	(0.1)	72.3	506.9	65.4	8.0	2.8	7.5	3.6	4.6	2.7
			1900 1999	124.0	(0.3)	72.4	508.7	65.5	8.0	2.7	7.4	3.6	4.5	2.8
			1800 1899	425.0	(1.2)	72.0	504.4	62.7	7.8	2.7	6.5	3.7	4.2	2.8
			1700 1799	1640.0	(4.6)	71.6	498.4	60.5	7.7	2.8	5.7	3.8	3.9	2.8
			1600 1699	4211.0	(11.8)	71.4	497.1	58.8	7.7	2.8	5.0	3.9	3.6	2.8
			1500 1599	10262.0	(28.6)	70.9	488.6	55.4	7.5	2.9	4.0	4.0	3.1	2.8
			1400 1499	10606.0	(29.6)	70.3	483.0	52.8	7.3	3.0	3.4	4.2	2.6	2.8
			1300 1399	5392.0	(15.1)	69.8	477.8	50.6	7.1	3.2	3.0	4.3	2.3	2.7
			1200 1299	1765.0	(4.9)	69.5	472.8	49.0	6.9	3.3	2.8	4.5	2.2	2.7
			1100 1199	636.0	(1.8)	69.3	461.8	47.3	6.7	3.2	2.7	4.6	2.1	2.7
			1000 1099	285.0	(0.8)	69.4	416.4	43.1	6.0	2.7	2.6	4.6	2.1	2.9
			900 999	135.0	(0.4)	69.6	387.8	40.6	5.7	2.2	2.3	4.8	2.0	3.0
			800 899	93.0	(0.3)	69.4	390.9	39.9	5.5	2.2	2.4	4.9	2.0	3.3
			700 799	81.0	(0.2)	69.3	362.5	37.8	5.2	2.1	2.4	5.2	1.9	3.7

[illegible]

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2500	1.0	(0.0)	75.8	538.0	85.0	8.6	1.9	12.0	3.0	5.0	2.0
			2000 2099	1.0	(0.0)	70.3	559.0	54.0	8.0	2.7	7.0	3.0	5.0	2.0
			1900 1999	3.0	(0.1)	72.2	549.3	63.0	8.4	2.3	6.7	4.0	4.3	2.7
			1800 1899	8.0	(0.3)	72.7	560.2	71.1	8.0	2.5	7.1	3.6	4.4	2.5
			1700 1799	59.0	(2.6)	71.4	547.5	61.6	8.0	2.7	5.9	3.6	4.0	2.7
			1600 1699	270.0	(11.8)	71.2	547.4	59.8	7.9	2.6	5.0	3.8	3.6	2.6
			1500 1599	652.0	(28.5)	70.5	541.6	56.1	7.7	2.8	4.0	3.9	3.1	2.7
			1400 1499	780.0	(34.1)	69.9	530.8	53.2	7.4	3.0	3.3	4.1	2.5	2.7
			1300 1399	380.0	(16.6)	69.4	522.8	50.5	7.1	3.0	2.9	4.3	2.2	2.6
			1200 1299	99.0	(4.3)	68.9	517.1	49.1	7.0	3.3	2.6	4.4	2.1	2.6
			1100 1199	28.0	(1.2)	69.0	506.1	49.5	6.6	3.2	2.5	4.6	2.0	2.4
			1000 1099	3.0	(0.1)	67.7	512.0	44.0	6.0	3.4	2.7	5.0	2.0	2.7
			900 999	2.0	(0.1)	70.8	378.5	46.0	5.5	1.6	2.5	4.5	2.0	2.0
			800 899	1.0	(0.0)	70.3	356.0	42.0	5.1	1.6	2.0	5.0	2.0	2.0
				2287.0	(7.5)	70.1	534.0	54.4	7.5	2.9	3.7	4.0	2.8	2.6
			2300 2399	1.0	(0.5)	74.7	610.0	86.0	7.7	1.5	10.0	3.0	5.0	3.0
			2100 2199	1.0	(0.5)	73.4	656.0	77.0	9.2	2.1	8.0	4.0	5.0	2.0
			1700 1799	10.0	(4.9)	71.5	553.9	64.2	8.0	3.0	6.6	3.7	4.0	2.6
			1600 1699	19.0	(9.3)	71.2	532.7	59.5	7.9	2.7	4.8	3.9	3.5	2.4
			1500 1599	55.0	(26.8)	70.8	536.9	57.3	7.7	2.7	4.3	3.9	3.1	2.6
			1400 1499	76.0	(37.1)	70.6	529.0	56.5	7.6	2.9	3.6	4.1	2.7	2.7
			1300 1399	34.0	(16.6)	69.8	520.1	52.6	7.3	3.1	3.0	4.3	2.2	2.7
			1200 1299	6.0	(2.9)	69.1	503.8	49.5	6.5	3.0	2.3	4.5	2.0	2.8
			1100 1199	2.0	(1.0)	68.5	542.5	49.0	6.0	2.7	2.5	4.5	2.5	2.0
			1000 1099	1.0	(0.5)	71.4	377.0	46.0	5.5	1.0	2.0	5.0	2.0	3.0
				205.0	(0.7)	70.6	530.9	56.7	7.6	2.9	3.9	4.1	2.8	2.6
			1900 1999	1.0	(0.3)	70.8	582.0	60.0	8.1	2.8	9.0	4.0	5.0	2.0
			1800 1899	2.0	(0.5)	72.4	604.0	70.0	9.1	2.9	8.0	4.0	4.5	2.5
			1700 1799	12.0	(3.0)	71.4	579.4	63.5	8.5	2.9	6.5	3.9	4.3	2.4
			1600 1699	67.0	(16.9)	71.1	587.5	62.0	8.4	2.9	5.8	4.1	3.9	2.6
			1500 1599	118.0	(29.8)	70.4	577.0	57.9	8.2	3.0	4.5	4.1	3.3	2.7
			1400 1499	119.0	(30.1)	69.6	583.4	55.1	8.1	3.3	4.0	4.3	3.0	2.6
			1300 1399	56.0	(14.1)	68.9	583.8	53.5	7.8	3.7	3.5	4.5	2.5	2.7
			1200 1299	16.0	(4.0)	68.7	572.3	49.8	7.8	3.5	3.3	4.9	2.4	2.4
			1100 1199	5.0	(1.3)	67.8	581.2	47.0	7.5	3.9	3.0	4.6	2.4	2.6
				396.0	(1.3)	70.0	581.8	56.9	8.1	3.2	4.5	4.3	3.2	2.7
			2200 2299	1.0	(0.1)	73.2	673.5	77.0	10.0	2.6	9.0	3.0	5.0	3.0
			2000 2099	1.0	(0.1)	74.2	673.7	80.0	10.4	2.3	7.0	4.0	5.0	3.0
			1900 1999	4.0	(0.3)	73.1	599.9	66.8	9.9	2.3	7.3	4.0	4.5	2.8
			1800 1899	10.0	(0.8)	72.5	601.5	68.9	9.0	2.5	6.9	3.5	4.3	2.7
			1700 1799	36.0	(2.7)	72.2	582.3	65.1	9.1	2.7	6.6	3.8	4.2	2.9
			1600 1699	131.0	(9.9)	71.2	578.2	59.9	8.8	2.9	5.4	3.8	3.8	2.6

					(%)		(kg)	(m2)	(m)	(m)				
			1500 1599	467.0	(35.4)	70.7	566.1	56.7	8.5	2.9	4.3	3.9	3.3	2.5
			1400 1499	418.0	(31.7)	70.0	566.6	53.9	8.3	3.1	3.6	4.1	2.8	2.5
			1300 1399	198.0	(15.0)	69.4	549.1	50.5	7.8	3.2	3.0	4.3	2.3	2.5
			1200 1299	40.0	(3.0)	69.3	551.7	49.9	7.7	3.1	2.8	4.3	2.2	2.5
			1100 1199	7.0	(0.5)	68.4	499.1	43.4	7.0	3.4	3.0	4.4	2.1	2.6
			1000 1099	1.0	(0.1)	71.5	358.0	43.0	6.6	1.5	2.0	4.0	2.0	2.0
			900 999	2.0	(0.2)	70.9	329.8	42.0	5.0	1.3	2.0	5.0	2.0	2.0
			800 899	2.0	(0.2)	68.4	540.5	47.5	6.4	3.0	2.5	5.5	2.0	2.5
			700 799	1.0	(0.1)	70.5	206.0	30.0	4.7	1.5	2.0	5.0	2.0	2.0
				1319.0	(4.3)	70.3	564.3	55.2	8.3	3.0	4.0	4.0	3.0	2.5
			1600 1699	1.0	(2.3)	69.9	623.0	58.0	8.1	2.9	4.0	4.0	3.0	3.0
			1500 1599	8.0	(18.2)	69.2	562.1	52.8	7.5	3.3	4.4	3.9	3.3	3.0
			1400 1499	15.0	(34.1)	68.9	548.5	50.8	7.3	3.4	3.3	3.9	2.7	2.9
			1300 1399	16.0	(36.4)	69.1	555.2	50.9	7.5	3.3	3.1	4.2	2.4	2.9
			1200 1299	4.0	(9.1)	69.3	524.0	49.8	7.4	3.4	2.5	4.5	2.0	3.0
				44.0	(0.1)	69.1	552.9	51.3	7.4	3.4	3.4	4.1	2.6	2.9
			1800 1899	1.0	(5.9)	70.6	643.0	65.0	9.2	3.6	7.0	4.0	5.0	2.0
			1700 1799	6.0	(35.3)	71.0	612.2	65.5	8.5	3.2	5.8	3.8	3.8	2.7
			1600 1699	5.0	(29.4)	70.1	641.9	59.4	9.2	3.4	4.4	4.2	3.2	2.4
			1500 1599	2.0	(11.8)	69.9	625.0	60.5	8.5	3.5	3.5	4.5	3.0	3.0
			1400 1499	3.0	(17.6)	70.5	613.5	63.7	8.5	3.5	3.3	4.3	2.3	2.3
				17.0	(0.1)	70.5	624.5	62.8	8.7	3.4	4.8	4.1	3.4	2.5
			1800 1899	1.0	(0.3)	71.9	598.0	66.0	8.6	2.5	8.0	4.0	5.0	3.0
			1700 1799	3.0	(0.8)	72.2	528.7	62.3	7.8	2.0	6.7	3.7	4.0	3.0
			1600 1699	13.0	(3.4)	71.6	575.7	63.9	8.3	2.6	6.2	4.0	4.1	2.8
			1500 1599	45.0	(11.9)	71.0	549.1	60.6	7.7	2.8	5.4	4.0	3.8	2.8
			1400 1499	129.0	(34.0)	70.4	553.8	57.6	7.7	2.9	4.4	4.1	3.2	2.7
			1300 1399	114.0	(30.1)	70.2	544.1	55.3	7.5	2.9	3.6	4.2	2.7	2.7
			1200 1299	44.0	(11.6)	69.8	527.4	53.0	7.2	3.0	3.2	4.4	2.4	2.6
			1100 1199	20.0	(5.3)	69.8	533.9	53.0	7.2	2.9	3.0	4.3	2.2	2.4
			1000 1099	6.0	(1.6)	69.8	429.3	44.2	6.0	2.1	2.8	4.8	2.3	2.8
			800 899	2.0	(0.5)	69.7	301.0	34.5	4.3	1.4	2.5	5.0	2.0	2.5
			700 799	1.0	(0.3)	71.4	394.0	47.0	6.6	1.7	4.0	4.0	3.0	3.0
			600 699	1.0	(0.3)	69.5	255.5	25.0	3.6	0.3	2.0	5.0	1.0	3.0
				379.0	(1.2)	70.3	542.4	56.3	7.5	2.9	4.1	4.1	3.0	2.7
			2100 2199	1.0	(0.1)	74.1	543.0	78.0	8.4	2.4	10.0	4.0	5.0	3.0
			2000 2099	8.0	(0.4)	72.4	578.3	67.4	8.6	2.5	8.1	3.8	5.0	2.5
			1900 1999	4.0	(0.2)	72.1	599.8	71.5	8.3	2.9	6.0	4.0	4.0	3.0
			1800 1899	22.0	(1.2)	72.2	566.9	66.6	8.5	2.6	7.6	3.6	4.6	2.6

							(kg)	(m2)	(m)	(m)				
					(%)									
			1700 1799	151.0	(8.0)	71.8	559.5	62.2	8.3	2.5	6.0	3.6	4.1	2.7
			1600 1699	372.0	(19.8)	70.9	557.8	58.4	8.0	2.7	5.2	3.7	3.7	2.8
			1500 1599	642.0	(34.2)	70.5	549.1	56.0	7.8	2.7	4.0	3.9	3.1	2.7
			1400 1499	457.0	(24.3)	69.8	541.6	52.6	7.4	2.8	3.4	4.1	2.6	2.6
			1300 1399	143.0	(7.6)	69.2	525.9	49.5	7.0	3.0	3.0	4.2	2.3	2.6
			1200 1299	49.0	(2.6)	69.5	491.1	48.2	6.7	2.8	2.8	4.4	2.3	2.6
			1100 1199	8.0	(0.4)	69.7	427.0	44.1	5.9	2.3	2.4	4.0	2.3	2.6
			1000 1099	8.0	(0.4)	69.5	378.7	37.5	5.3	1.7	2.3	4.4	2.0	2.3
			900 999	4.0	(0.2)	68.8	306.1	31.0	4.5	1.9	2.0	4.3	1.8	2.3
			700 799	2.0	(0.1)	70.3	267.8	35.5	3.8	0.9	1.5	4.5	1.0	2.0
			600 699	4.0	(0.2)	70.0	227.0	31.5	3.2	0.8	1.5	4.5	1.0	2.3
			500 599	3.0	(0.2)	70.5	239.7	34.0	3.4	0.7	1.3	4.7	1.0	2.0
				1878.0	(6.2)	70.4	543.8	55.3	7.7	2.7	4.2	3.9	3.1	2.7
			2200 2299	1.0	(0.0)	73.0	630.0	74.0	9.4	2.7	9.0	4.0	5.0	3.0
			2100 2199	2.0	(0.0)	72.7	697.5	74.0	8.8	1.6	9.0	4.0	4.5	2.0
			2000 2099	11.0	(0.2)	72.4	612.2	69.1	8.5	2.2	7.5	3.5	4.6	2.5
			1900 1999	19.0	(0.4)	71.5	600.6	65.9	8.5	2.9	7.3	3.5	4.5	2.8
			1800 1899	87.0	(1.7)	71.8	593.9	67.2	8.3	2.6	7.2	3.8	4.5	2.7
			1700 1799	447.0	(8.5)	71.4	579.0	63.3	8.1	2.6	6.0	3.8	4.0	2.6
			1600 1699	1119.0	(21.3)	70.9	583.3	60.8	8.0	2.6	5.0	3.9	3.6	2.7
			1500 1599	1654.0	(31.4)	70.4	577.9	57.8	7.8	2.7	4.1	4.1	3.1	2.7
			1400 1499	1265.0	(24.0)	69.9	574.3	55.6	7.6	2.8	3.3	4.2	2.6	2.7
			1300 1399	472.0	(9.0)	69.4	558.4	52.8	7.3	3.0	3.1	4.4	2.3	2.5
			1200 1299	121.0	(2.3)	68.9	541.2	48.9	6.9	2.9	2.9	4.5	2.2	2.5
			1100 1199	26.0	(0.5)	68.9	499.7	45.3	6.6	2.8	2.5	4.7	2.1	2.4
			1000 1099	8.0	(0.2)	69.6	389.8	39.3	5.7	1.9	2.4	4.0	2.0	2.4
			900 999	4.0	(0.1)	69.7	337.8	36.3	4.5	1.3	2.3	4.8	1.8	2.0
			800 899	10.0	(0.2)	69.9	327.3	36.2	4.6	1.2	2.1	4.0	1.8	2.1
			700 799	6.0	(0.1)	69.7	263.2	28.7	3.8	0.7	1.8	4.3	1.5	2.3
			600 699	9.0	(0.2)	69.8	279.6	31.8	3.8	0.8	1.3	5.4	1.1	2.4
			500 599	2.0	(0.0)	68.7	288.3	25.0	3.1	0.5	1.5	4.0	1.5	2.0
				5263.0	(17.3)	70.4	573.8	57.7	7.7	2.7	4.2	4.1	3.1	2.7
			2100 2199	4.0	(0.1)	73.5	558.5	70.0	8.5	1.9	8.8	3.0	5.0	2.8
			2000 2099	7.0	(0.3)	72.6	591.4	71.0	8.9	2.8	9.1	3.4	4.9	2.4
			1900 1999	31.0	(1.1)	72.4	569.0	65.6	8.8	2.5	7.9	3.4	4.8	2.7
			1800 1899	81.0	(2.9)	72.0	573.5	65.5	8.4	2.6	7.3	3.5	4.6	2.8
			1700 1799	216.0	(7.8)	71.7	554.9	63.0	8.2	2.7	6.2	3.6	4.2	2.7
			1600 1699	597.0	(21.7)	71.2	549.6	60.1	7.9	2.6	5.1	3.7	3.8	2.8
			1500 1599	947.0	(34.4)	70.7	533.1	56.2	7.5	2.6	4.0	3.8	3.2	2.8
			1400 1499	590.0	(21.4)	70.1	521.7	53.1	7.2	2.7	3.3	4.1	2.6	2.8
			1300 1399	185.0	(6.7)	69.6	514.9	49.7	7.1	2.8	2.9	4.3	2.3	2.7
			1200 1299	60.0	(2.2)	69.4	485.5	47.3	6.7	2.8	2.6	4.5	2.2	2.6
			1100 1199	17.0	(0.6)	68.7	458.6	42.5	6.3	3.0	2.4	4.6	2.1	2.8
			1000 1099	7.0	(0.3)	69.8	364.0	37.7	4.8	1.3	2.0	4.3	2.0	2.1

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			900 999	4.0	(0.1)	70.5	312.8	39.3	4.4	1.1	2.0	5.0	1.8	2.8
			800 899	2.0	(0.1)	70.5	307.5	37.5	4.2	0.8	2.0	5.5	1.5	2.5
			600 699	2.0	(0.1)	70.1	225.3	31.5	3.2	0.8	1.5	5.5	1.0	2.5
			500 599	2.0	(0.1)	69.8	302.0	30.5	4.5	0.8	1.5	5.0	1.5	2.5
			499	4.0	(0.1)	70.6	422.5	46.0	6.3	1.8	3.5	4.5	2.3	2.5
				2756.0	(9.0)	70.7	533.5	56.5	7.5	2.7	4.3	3.9	3.2	2.8
			2300 2399	1.0	(0.1)	73.2	554.5	67.0	9.5	2.6	9.0	4.0	5.0	3.0
			2000 2099	2.0	(0.2)	73.8	585.0	72.0	9.4	2.1	8.0	3.0	5.0	3.0
			1900 1999	9.0	(0.9)	72.6	602.6	68.6	9.0	2.3	8.1	3.4	4.8	2.9
			1800 1899	31.0	(3.1)	72.4	587.8	68.5	8.8	2.7	7.4	3.4	4.6	2.8
			1700 1799	110.0	(10.9)	71.7	590.3	64.9	8.5	2.7	6.1	3.5	4.2	2.8
			1600 1699	275.0	(27.2)	70.9	573.6	59.0	8.2	2.8	4.7	3.8	3.6	2.9
			1500 1599	301.0	(29.8)	70.5	563.5	56.9	7.9	2.8	3.9	4.0	3.1	2.8
			1400 1499	185.0	(18.3)	69.8	553.6	52.5	7.6	2.8	3.4	4.1	2.5	2.8
			1300 1399	70.0	(6.9)	69.4	529.0	49.7	7.1	2.8	2.9	4.3	2.2	2.8
			1200 1299	12.0	(1.2)	69.4	542.8	47.9	7.5	2.8	2.8	4.6	2.3	2.8
			1100 1199	8.0	(0.8)	68.4	534.2	44.1	6.8	2.9	2.6	4.4	2.1	2.8
			1000 1099	3.0	(0.3)	68.9	510.2	44.7	6.4	2.5	2.7	5.0	2.0	2.7
			800 899	2.0	(0.2)	68.3	310.3	29.0	4.0	1.9	2.0	4.5	2.0	2.5
			700 799	1.0	(0.1)	68.6	279.0	22.0	4.0	0.9	2.0	6.0	2.0	2.0
			499	1.0	(0.1)	66.1	585.0	40.0	7.3	4.5	3.0	4.0	3.0	3.0
				1011.0	(3.3)	70.6	564.7	57.2	8.0	2.8	4.3	3.9	3.2	2.8
			2100 2199	2.0	(0.1)	71.4	560.5	59.5	8.6	2.6	8.0	3.5	4.5	2.5
			2000 2099	9.0	(0.2)	72.8	584.7	68.6	8.7	2.1	8.2	3.4	4.9	2.6
			1900 1999	29.0	(0.8)	72.3	567.7	66.9	8.4	2.5	8.0	3.7	4.8	2.6
			1800 1899	83.0	(2.2)	71.7	563.9	64.0	8.2	2.7	7.1	3.8	4.4	2.6
			1700 1799	304.0	(8.1)	71.4	566.9	62.6	8.0	2.6	6.2	3.8	4.0	2.5
			1600 1699	728.0	(19.4)	71.0	565.9	60.1	7.9	2.7	5.3	3.9	3.7	2.5
			1500 1599	1262.0	(33.6)	70.5	564.5	57.6	7.7	2.8	4.3	4.0	3.1	2.6
			1400 1499	858.0	(22.8)	69.9	555.3	55.0	7.5	2.9	3.5	4.2	2.6	2.6
			1300 1399	336.0	(8.9)	69.4	553.1	52.3	7.3	3.0	3.1	4.5	2.3	2.4
			1200 1299	98.0	(2.6)	68.8	552.8	49.8	7.2	3.3	2.8	4.6	2.1	2.3
			1100 1199	36.0	(1.0)	68.7	486.4	44.6	6.3	2.8	2.6	4.7	2.1	2.4
			1000 1099	6.0	(0.2)	69.9	424.2	45.3	5.8	2.2	2.5	4.7	2.2	2.2
			900 999	2.0	(0.1)	69.4	443.0	43.0	5.8	2.1	2.5	5.0	2.0	2.5
			800 899	2.0	(0.1)	68.7	291.0	29.5	3.9	1.6	2.5	5.5	2.0	2.0
			700 799	2.0	(0.1)	69.5	289.0	33.5	3.5	1.1	2.0	4.5	1.5	2.0
			600 699	1.0	(0.0)	68.4	339.0	31.0	3.8	1.4	2.0	5.0	2.0	2.0
				3758.0	(12.3)	70.4	560.2	57.3	7.7	2.8	4.4	4.1	3.1	2.6
			1300 1399	1.0	(33.3)	69.8	455.0	49.0	6.1	2.5	3.0	4.0	2.0	2.0
			1200 1299	2.0	(66.7)	69.8	468.5	47.5	6.0	2.1	3.0	5.0	2.0	2.0

					(%)		(kg)	(m ²)	(m)	(m)				
				3.0	(0.0)	69.8	464.0	48.0	6.0	2.2	3.0	4.7	2.0	2.0
			2000 2099	1.0	(0.3)	71.1	522.0	54.0	8.2	2.5	7.0	4.0	4.0	3.0
			1900 1999	1.0	(0.3)	72.5	570.0	68.0	9.1	3.0	8.0	4.0	5.0	3.0
			1800 1899	2.0	(0.7)	73.4	527.5	65.5	9.3	2.4	8.0	3.5	5.0	3.0
			1700 1799	7.0	(2.4)	71.8	519.6	58.1	7.6	1.9	5.7	3.9	4.0	2.4
			1600 1699	33.0	(11.3)	71.0	561.4	59.4	7.9	2.5	4.8	3.9	3.5	2.8
			1500 1599	79.0	(27.1)	70.3	552.4	57.5	7.5	2.9	4.1	4.0	3.1	2.8
			1400 1499	83.0	(28.4)	69.6	557.3	54.3	7.2	3.0	3.3	4.2	2.6	2.8
			1300 1399	42.0	(14.4)	69.3	562.2	53.9	7.1	3.2	3.0	4.3	2.3	2.8
			1200 1299	16.0	(5.5)	68.5	564.7	53.4	7.2	4.0	3.1	4.3	2.4	2.7
			1100 1199	13.0	(4.5)	68.0	503.3	42.8	6.5	3.3	2.7	4.6	2.2	2.5
			1000 1099	6.0	(2.1)	68.9	430.0	41.8	5.5	2.5	2.7	4.8	2.0	2.5
			900 999	3.0	(1.0)	69.2	355.3	35.7	5.2	2.1	2.7	4.3	2.0	2.7
			800 899	1.0	(0.3)	70.0	379.0	42.0	5.0	1.6	2.0	5.0	2.0	2.0
			700 799	1.0	(0.3)	70.6	359.0	42.0	5.1	1.3	2.0	4.0	2.0	2.0
			600 699	2.0	(0.7)	69.5	318.0	33.0	4.3	1.1	2.0	5.0	2.0	2.5
			500 599	1.0	(0.3)	70.1	284.0	37.0	3.7	1.1	2.0	5.0	1.0	2.0
			499	1.0	(0.3)	71.0	238.0	37.0	3.7	0.7	1.0	6.0	1.0	4.0
				292.0	(1.0)	69.9	544.3	54.5	7.2	2.9	3.7	4.2	2.8	2.8
			1700 1799	1.0	(0.4)	71.5	500.0	53.0	7.2	1.5	5.0	4.0	4.0	2.0
			1600 1699	1.0	(0.4)	71.0	528.0	57.0	7.8	2.6	6.0	4.0	4.0	3.0
			1500 1599	11.0	(3.9)	70.6	517.1	53.8	7.1	2.3	4.1	4.3	3.0	2.3
			1400 1499	68.0	(24.4)	70.0	495.3	50.3	6.8	2.5	3.2	4.4	2.5	2.3
			1300 1399	93.0	(33.3)	69.7	492.3	48.5	6.7	2.5	2.9	4.4	2.2	2.2
			1200 1299	64.0	(22.9)	69.4	476.5	46.0	6.4	2.6	2.6	4.5	2.1	2.2
			1100 1199	28.0	(10.0)	69.0	467.0	42.5	6.3	2.5	2.3	4.6	2.0	2.3
			1000 1099	13.0	(4.7)	68.9	442.8	42.2	5.9	2.6	2.1	4.7	2.0	2.0
				279.0	(0.9)	69.6	485.7	47.7	6.6	2.5	2.9	4.5	2.2	2.2
			1800 1899	6.0	(3.6)	71.7	532.1	62.3	7.8	2.6	8.0	3.3	4.7	2.8
			1700 1799	18.0	(10.8)	71.1	533.9	58.5	7.7	2.7	6.8	3.7	4.1	2.8
			1600 1699	26.0	(15.7)	71.1	507.0	56.7	7.4	2.5	5.2	3.4	3.8	2.7
			1500 1599	33.0	(19.9)	70.7	527.1	56.6	7.4	2.7	4.5	3.7	3.3	2.7
			1400 1499	33.0	(19.9)	70.2	517.0	54.6	7.3	3.0	3.6	3.7	2.8	2.7
			1300 1399	38.0	(22.9)	70.0	535.8	53.3	7.4	2.9	3.0	3.9	2.2	2.7
			1200 1299	10.0	(6.0)	69.9	509.8	48.8	7.0	2.4	2.4	3.8	2.1	2.5
			1100 1199	2.0	(1.2)	69.6	419.3	45.0	6.3	2.9	2.5	4.0	2.0	2.5
				166.0	(0.5)	70.5	522.5	55.3	7.4	2.7	4.3	3.7	3.1	2.7
			1300 1399	1.0	(50.0)	69.9	416.7	40.0	6.1	1.7	5.0	4.0	3.0	3.0
			1200 1299	1.0	(50.0)	74.5	380.7	73.0	6.0	1.8	2.0	4.0	2.0	3.0
				2.0	(0.0)	72.2	398.7	56.5	6.0	1.8	3.5	4.0	2.5	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1600 1699	2.0	(8.7)	70.7	499.3	53.0	7.5	2.5	3.0	4.0	2.5	3.0
			1500 1599	6.0	(26.1)	69.9	507.7	51.0	7.2	2.8	3.5	4.3	2.7	3.0
			1400 1499	5.0	(21.7)	70.8	473.5	52.2	6.6	2.1	2.8	4.2	2.0	3.0
			1300 1399	7.0	(30.4)	70.0	449.0	45.3	6.3	2.0	2.1	4.7	2.0	2.9
			1200 1299	2.0	(8.7)	68.1	538.0	48.0	6.8	3.8	3.0	4.0	2.5	3.0
			1100 1199	1.0	(4.3)	69.0	533.0	53.0	6.0	2.7	3.0	4.0	2.0	3.0
				23.0	(0.1)	70.0	485.4	49.5	6.7	2.5	2.8	4.3	2.3	3.0
			2000 2099	1.0	(0.3)	69.4	570.0	60.0	8.5	4.8	6.0	3.0	4.0	3.0
			1900 1999	2.0	(0.6)	71.7	602.0	66.5	8.6	2.8	7.0	3.0	4.5	3.0
			1800 1899	11.0	(3.3)	70.5	556.0	59.2	7.8	3.2	6.0	3.5	4.0	3.0
			1700 1799	127.0	(37.7)	70.2	547.6	57.8	7.6	3.3	4.8	3.9	3.6	3.0
			1600 1699	44.0	(13.1)	70.5	532.8	56.5	7.5	2.8	3.7	3.9	3.1	3.0
			1500 1599	49.0	(14.5)	69.5	517.4	50.9	7.1	3.1	3.1	4.1	2.8	2.9
			1400 1499	43.0	(12.8)	69.6	505.5	51.3	6.9	3.0	2.3	4.2	2.2	3.0
			1300 1399	22.0	(6.5)	69.2	476.1	47.8	6.5	3.0	2.2	4.1	2.0	3.0
			1200 1299	10.0	(3.0)	70.3	371.2	43.2	5.0	1.5	2.2	4.1	2.2	2.9
			1100 1199	16.0	(4.7)	70.1	355.2	40.6	4.8	1.5	2.1	3.8	2.0	3.0
			1000 1099	7.0	(2.1)	70.1	340.0	39.7	4.9	1.6	2.0	4.1	2.0	3.0
			900 999	5.0	(1.5)	69.8	323.4	37.2	4.5	1.4	2.0	4.4	2.0	3.0
				337.0	(1.1)	70.0	509.9	53.3	7.0	2.9	3.7	4.0	3.0	3.0
			1800 1899	1.0	(9.1)	71.5	569.6	60.0	8.9	2.7	9.0	4.0	5.0	3.0
			1600 1699	1.0	(9.1)	72.4	448.0	58.0	7.2	1.8	5.0	4.0	4.0	2.0
			1500 1599	4.0	(36.4)	70.1	444.1	50.8	6.3	2.8	6.3	3.8	4.0	2.3
			1400 1499	3.0	(27.3)	69.2	510.5	48.3	7.4	3.3	4.3	4.7	3.0	3.3
			1300 1399	2.0	(18.2)	70.5	408.0	45.5	6.3	2.1	3.5	4.5	2.5	3.0
				11.0	(0.0)	70.2	467.4	50.6	6.9	2.7	5.4	4.2	3.5	2.7
			2500	1.0	(0.1)	73.9	527.7	74.0	8.5	2.4	7.0	4.0	4.0	3.0
			2000 2099	1.0	(0.1)	74.7	597.4	74.0	10.2	1.8	8.0	3.0	5.0	3.0
			1900 1999	5.0	(0.4)	70.7	576.0	61.2	8.2	3.2	6.6	3.2	4.2	2.8
			1800 1899	20.0	(1.5)	71.0	568.1	61.4	7.9	2.8	6.0	3.5	4.0	2.7
			1700 1799	73.0	(5.3)	70.8	561.6	59.9	7.9	2.9	5.7	3.4	4.0	2.7
			1600 1699	249.0	(18.2)	70.8	550.0	58.1	7.7	2.6	4.9	3.6	3.6	2.7
			1500 1599	542.0	(39.7)	70.1	540.5	54.1	7.5	2.8	3.8	3.8	3.0	2.7
			1400 1499	359.0	(26.3)	69.6	528.8	50.8	7.3	2.9	3.0	4.0	2.4	2.8
			1300 1399	78.0	(5.7)	69.2	520.3	48.9	7.0	3.0	2.6	4.1	2.2	2.7
			1200 1299	16.0	(1.2)	69.1	460.1	44.2	5.9	2.4	2.6	4.6	2.0	2.8
			1100 1199	7.0	(0.5)	69.7	415.7	40.6	5.7	1.7	2.7	5.3	2.0	2.4
			1000 1099	10.0	(0.7)	69.4	382.9	38.0	5.2	1.7	2.3	4.9	2.0	2.5
			900 999	1.0	(0.1)	68.8	315.0	37.0	4.1	2.4	3.0	6.0	2.0	4.0
			800 899	1.0	(0.1)	69.6	264.0	33.0	4.4	1.9	2.0	6.0	2.0	4.0
			700 799	1.0	(0.1)	69.9	188.0	24.0	3.0	0.3	1.0	5.0	1.0	2.0
			500 599	2.0	(0.1)	68.8	223.9	24.0	2.8	0.9	2.0	5.5	1.5	3.5

					(%)		(kg)	(m2)	(m)	(m)				
				1366.0	(4.5)	70.1	535.9	53.8	7.4	2.8	3.8	3.8	2.9	2.7
			2100 2199	2.0	(0.1)	71.6	528.9	62.5	7.5	2.5	8.0	3.5	5.0	3.0
			2000 2099	6.0	(0.4)	71.6	552.5	63.0	8.0	2.6	7.5	3.5	4.5	2.5
			1900 1999	26.0	(1.7)	71.2	545.2	60.9	7.8	2.6	6.7	3.3	4.3	2.7
			1800 1899	55.0	(3.5)	70.9	544.0	59.9	7.8	2.9	5.8	3.5	4.0	2.9
			1700 1799	129.0	(8.3)	70.8	531.0	57.2	7.6	2.7	5.3	3.4	3.9	2.8
			1600 1699	355.0	(22.9)	70.3	522.2	54.6	7.3	2.7	4.4	3.6	3.4	2.8
			1500 1599	597.0	(38.5)	69.9	521.8	52.5	7.1	2.8	3.6	3.8	2.9	2.7
			1400 1499	300.0	(19.3)	69.2	510.3	48.7	6.8	2.9	3.0	4.0	2.4	2.6
			1300 1399	53.0	(3.4)	68.8	503.4	47.2	6.6	3.1	2.7	4.0	2.3	2.5
			1200 1299	19.0	(1.2)	69.2	490.0	47.8	6.4	2.8	2.7	4.2	2.1	2.3
			1100 1199	3.0	(0.2)	68.4	446.5	43.3	5.6	3.0	2.3	5.0	2.0	2.7
			1000 1099	3.0	(0.2)	69.9	374.2	39.7	5.3	1.6	2.0	4.7	2.0	3.0
			900 999	1.0	(0.1)	67.6	306.4	23.0	5.0	2.5	2.0	5.0	2.0	3.0
			800 899	1.0	(0.1)	68.8	304.2	31.0	3.9	1.5	2.0	6.0	1.0	2.0
			700 799	1.0	(0.1)	68.7	243.4	25.0	2.6	0.7	1.0	5.0	1.0	3.0
			500 599	1.0	(0.1)	71.3	331.2	46.0	4.7	1.2	2.0	2.0	2.0	2.0
				1552.0	(5.1)	69.9	519.7	52.8	7.1	2.8	3.9	3.7	3.0	2.7
			1500 1599	4.0	(33.3)	71.0	554.7	56.8	7.9	2.2	3.3	4.0	3.0	2.5
			1400 1499	6.0	(50.0)	70.0	554.3	50.2	7.4	2.0	3.2	4.5	2.5	2.2
			1300 1399	2.0	(16.7)	71.7	504.4	56.0	7.3	1.7	3.5	4.0	2.5	2.5
				12.0	(0.0)	70.7	546.1	53.3	7.5	2.0	3.3	4.3	2.7	2.3
			1700 1799	25.0	(3.6)	71.3	555.7	60.3	7.8	2.5	4.9	4.0	3.7	3.0
			1600 1699	597.0	(84.8)	69.8	558.9	52.9	7.7	3.0	3.1	4.2	2.7	3.0
			1500 1599	50.0	(7.1)	69.6	561.8	51.7	7.5	2.7	2.6	4.7	2.5	3.0
			1400 1499	16.0	(2.3)	69.6	573.2	52.1	7.7	2.8	2.3	4.8	2.3	3.0
			1300 1399	8.0	(1.1)	69.9	512.1	49.6	6.8	2.3	2.0	4.6	2.0	3.0
			1200 1299	1.0	(0.1)	68.6	369.5	30.0	4.1	0.9	2.0	5.0	2.0	2.0
			1100 1199	2.0	(0.3)	69.0	561.3	46.5	7.3	2.6	3.0	4.5	2.5	2.5
			1000 1099	1.0	(0.1)	67.8	359.5	26.0	5.3	2.2	2.0	4.0	2.0	2.0
			900 999	1.0	(0.1)	70.4	333.5	42.0	4.2	1.1	2.0	4.0	1.0	2.0
			800 899	1.0	(0.1)	69.6	378.5	34.0	5.0	0.8	2.0	5.0	2.0	3.0
			600 699	1.0	(0.1)	69.0	348.0	36.0	4.4	1.8	2.0	5.0	1.0	3.0
			500 599	1.0	(0.1)	68.6	350.0	31.0	4.9	1.8	2.0	5.0	1.0	3.0
				704.0	(2.3)	69.8	557.0	52.8	7.7	2.9	3.1	4.3	2.7	3.0
			1500 1599	1.0	(11.1)	70.5	550.0	54.0	7.4	2.1	4.0	4.0	3.0	2.0
			1400 1499	1.0	(11.1)	70.9	575.7	57.0	7.6	1.9	3.0	4.0	2.0	3.0
			1300 1399	3.0	(33.3)	70.0	512.1	47.0	7.1	2.0	2.7	4.3	2.0	3.0
			1200 1299	1.0	(11.1)	70.5	517.7	48.0	7.4	1.7	2.0	5.0	2.0	3.0
			1100 1199	1.0	(11.1)	70.5	435.0	48.0	6.2	1.9	2.0	5.0	2.0	2.0
			900 999	2.0	(22.2)	69.2	458.6	40.5	6.3	2.1	3.0	5.0	2.0	2.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				9.0	(0.0)	70.1	503.6	47.7	6.9	2.0	2.8	4.6	2.1	2.7
			1700 1799	1.0	(0.7)	70.4	497.0	60.0	7.7	4.1	5.0	4.0	4.0	2.0
			1600 1699	5.0	(3.5)	70.0	502.7	53.0	6.8	2.7	4.6	3.6	3.2	2.8
			1500 1599	19.0	(13.4)	70.3	476.4	50.8	6.6	2.4	3.7	3.7	3.1	2.6
			1400 1499	47.0	(33.1)	69.7	465.5	46.8	6.3	2.4	3.0	4.0	2.3	2.4
			1300 1399	48.0	(33.8)	69.5	443.6	44.8	5.9	2.3	2.5	4.2	2.1	2.5
			1200 1299	14.0	(9.9)	69.3	434.0	44.4	5.6	2.3	2.3	4.4	2.0	2.5
			1100 1199	3.0	(2.1)	69.0	448.2	42.7	5.8	2.4	2.0	4.7	2.0	2.3
			1000 1099	5.0	(3.5)	69.4	386.8	37.2	5.2	1.5	2.0	4.2	2.0	2.8
				142.0	(0.5)	69.7	454.9	46.3	6.1	2.4	2.9	4.1	2.3	2.5
			1800 1899	4.0	(2.1)	70.2	541.5	56.8	7.6	3.1	6.8	4.0	4.3	2.8
			1700 1799	9.0	(4.7)	70.3	487.3	50.7	7.3	2.7	4.9	3.6	3.8	2.8
			1600 1699	30.0	(15.7)	70.2	516.6	51.6	7.2	2.5	4.5	3.9	3.4	2.7
			1500 1599	78.0	(40.8)	70.0	499.0	50.7	6.9	2.7	3.7	3.8	3.0	2.6
			1400 1499	57.0	(29.8)	69.2	493.7	46.7	6.7	2.8	3.1	4.0	2.4	2.8
			1300 1399	7.0	(3.7)	69.7	458.3	47.4	6.3	2.6	2.4	4.1	2.1	2.7
			1200 1299	1.0	(0.5)	68.5	620.1	58.0	7.6	4.1	2.0	4.0	2.0	3.0
			1100 1199	2.0	(1.0)	69.7	442.5	40.0	7.4	2.6	2.0	5.0	2.0	2.0
			1000 1099	3.0	(1.6)	69.6	466.3	45.7	6.6	2.5	2.0	4.7	2.0	2.7
				191.0	(0.6)	69.7	498.6	49.5	6.9	2.7	3.6	3.9	2.9	2.7
			1700 1799	3.0	(1.9)	71.0	479.7	55.3	6.7	2.2	4.3	4.0	3.3	2.7
			1600 1699	11.0	(6.8)	71.3	518.6	59.2	7.0	2.2	5.5	3.8	4.0	2.9
			1500 1599	93.0	(57.8)	70.3	487.5	51.4	6.8	2.4	3.3	4.0	3.0	3.0
			1400 1499	53.0	(32.9)	70.2	483.1	50.8	6.5	2.3	2.1	4.3	2.0	3.0
			1300 1399	1.0	(0.6)	68.6	469.0	44.0	5.8	2.7	3.0	4.0	2.0	2.0
				161.0	(0.5)	70.3	487.9	51.7	6.7	2.3	3.1	4.1	2.7	3.0
			1700 1799	1.0	(11.1)	70.6	432.2	55.0	5.7	2.6	6.0	4.0	4.0	2.0
			1500 1599	3.0	(33.3)	70.0	457.5	52.7	6.3	2.9	3.7	3.7	3.0	2.7
			1400 1499	4.0	(44.4)	70.4	466.9	48.8	6.5	1.9	2.3	4.3	2.0	2.5
			1300 1399	1.0	(11.1)	70.2	418.4	46.0	5.4	1.7	3.0	4.0	2.0	2.0
				9.0	(0.0)	70.3	454.5	50.4	6.2	2.3	3.2	4.0	2.6	2.4
			2000 2099	4.0	(1.4)	71.5	538.8	63.5	8.5	3.4	7.0	3.0	4.5	2.8
			1900 1999	9.0	(3.2)	71.5	563.5	64.1	7.9	2.7	6.1	3.2	4.0	2.9
			1800 1899	25.0	(8.8)	70.7	566.4	60.6	8.0	3.1	5.6	3.2	4.1	2.8
			1700 1799	44.0	(15.5)	70.5	568.6	59.9	7.6	2.9	4.8	3.4	3.7	2.8
			1600 1699	54.0	(19.1)	70.4	552.3	57.1	7.7	2.9	4.2	3.5	3.4	2.7
			1500 1599	91.0	(32.2)	69.5	556.1	53.8	7.5	3.2	3.6	3.6	3.0	2.8
			1400 1499	51.0	(18.0)	68.9	540.1	50.5	7.1	3.3	3.2	3.8	2.6	2.8
			1300 1399	5.0	(1.8)	67.2	548.6	44.8	6.6	3.9	3.0	4.0	2.4	2.8

					(%)		(kg)	(m2)	(m)	(m)				
				283.0	(0.9)	69.9	555.2	55.7	7.5	3.1	4.1	3.5	3.3	2.8
			2000 2099	1.0	(0.2)	73.1	618.0	79.0	8.8	2.9	10.0	4.0	5.0	3.0
			1900 1999	1.0	(0.2)	72.0	527.0	65.0	8.0	2.9	9.0	4.0	5.0	3.0
			1800 1899	5.0	(1.0)	71.3	566.6	63.8	7.8	2.7	6.8	3.6	4.0	2.8
			1700 1799	40.0	(8.0)	71.1	563.3	61.4	7.9	2.8	5.5	3.9	3.9	2.6
			1600 1699	139.0	(27.8)	71.1	561.5	61.0	7.8	2.7	4.9	4.0	3.5	2.8
			1500 1599	185.0	(37.0)	70.3	571.5	58.9	7.7	3.0	4.1	4.0	3.1	2.8
			1400 1499	97.0	(19.4)	69.5	567.8	54.8	7.5	3.2	3.4	4.2	2.6	2.6
			1300 1399	25.0	(5.0)	69.0	563.0	53.6	7.1	3.3	3.0	4.4	2.2	2.6
			1200 1299	7.0	(1.4)	68.9	578.4	57.7	7.0	3.8	2.9	4.0	2.3	2.7
				500.0	(1.6)	70.4	567.0	58.7	7.7	3.0	4.3	4.0	3.1	2.7
			1800 1899	17.0	(2.8)	71.3	521.0	58.5	7.6	2.4	5.6	3.6	3.9	2.7
			1700 1799	56.0	(9.1)	71.0	511.1	57.4	7.2	2.5	5.5	3.7	3.9	2.7
			1600 1699	101.0	(16.5)	70.4	517.2	54.7	7.2	2.6	4.4	3.7	3.3	2.8
			1500 1599	224.0	(36.5)	70.3	512.8	52.9	7.1	2.5	3.7	3.9	3.0	2.7
			1400 1499	155.0	(25.3)	69.8	512.8	50.0	6.9	2.5	3.1	4.1	2.4	2.7
			1300 1399	52.0	(8.5)	69.5	480.3	46.2	6.5	2.5	2.6	4.2	2.1	2.6
			1200 1299	5.0	(0.8)	70.2	437.3	46.0	6.2	2.0	2.8	4.0	2.0	2.6
			1100 1199	3.0	(0.5)	68.1	530.0	40.7	6.8	2.7	2.3	4.3	2.0	2.7
				613.0	(2.0)	70.2	510.3	52.3	7.0	2.5	3.8	3.9	2.9	2.7
			1800 1899	1.0	(0.4)	70.9	549.4	60.0	7.6	2.7	8.0	4.0	5.0	3.0
			1700 1799	7.0	(2.5)	72.0	517.7	62.6	7.8	2.4	6.3	3.6	4.3	2.7
			1600 1699	39.0	(14.0)	71.0	506.3	57.5	7.4	2.7	5.4	3.7	3.8	2.6
			1500 1599	121.0	(43.5)	70.6	504.9	53.7	7.3	2.6	3.4	3.9	3.0	2.5
			1400 1499	77.0	(27.7)	70.2	484.6	50.2	6.8	2.5	2.6	4.0	2.2	2.4
			1300 1399	20.0	(7.2)	70.3	473.9	50.6	6.8	2.5	2.3	4.0	2.0	2.3
			1200 1299	12.0	(4.3)	69.8	490.6	47.6	6.7	2.3	2.6	4.1	2.1	2.8
			900 999	1.0	(0.4)	67.8	264.2	18.0	3.8	1.3	2.0	6.0	2.0	2.0
				278.0	(0.9)	70.5	496.2	52.9	7.1	2.5	3.4	3.9	2.8	2.5
			2100 2199	1.0	(1.5)	72.9	508.0	72.0	7.9	3.0	9.0	4.0	5.0	3.0
			1800 1899	1.0	(1.5)	71.9	472.2	53.0	8.2	2.0	5.0	4.0	4.0	2.0
			1700 1799	4.0	(6.0)	70.9	533.2	58.8	7.4	2.6	6.3	3.8	4.0	3.0
			1600 1699	9.0	(13.4)	70.5	514.8	52.2	7.6	2.6	4.8	3.6	3.7	2.9
			1500 1599	31.0	(46.3)	69.9	490.3	49.1	7.0	2.6	3.7	3.9	2.9	2.8
			1400 1499	14.0	(20.9)	69.0	518.1	46.7	7.0	2.9	3.2	4.1	2.4	2.9
			1300 1399	2.0	(3.0)	68.7	472.1	43.5	6.0	2.7	3.0	5.0	2.0	2.5
			1000 1099	5.0	(7.5)	70.9	366.7	42.6	5.6	1.3	2.0	4.4	2.0	2.2
				67.0	(0.2)	70.0	492.2	49.4	7.0	2.5	3.9	4.0	2.9	2.8
			1900 1999	2.0	(0.3)	71.3	526.5	58.5	7.8	2.5	6.0	4.0	3.5	3.0
			1800 1899	12.0	(1.9)	71.1	563.9	61.8	7.8	2.6	6.2	3.6	4.0	2.6

					(%)		(kg)	(m2)	(m)	(m)				
			1700 1799	39.0	(6.3)	70.6	546.5	58.1	7.5	2.7	5.4	3.6	3.8	2.7
			1600 1699	92.0	(14.8)	70.3	534.6	54.8	7.3	2.7	4.2	3.6	3.3	2.6
			1500 1599	214.0	(34.5)	69.8	536.9	52.9	7.3	2.9	3.6	3.7	2.9	2.7
			1400 1499	197.0	(31.7)	69.2	509.8	48.9	6.8	3.0	2.9	3.9	2.3	2.7
			1300 1399	51.0	(8.2)	68.5	508.5	46.3	6.7	3.3	2.5	4.2	2.1	2.6
			1200 1299	9.0	(1.4)	68.0	479.0	40.7	6.3	3.2	2.3	3.9	2.0	2.6
			1100 1199	4.0	(0.6)	68.8	469.8	45.3	5.7	2.7	2.3	5.0	2.0	2.3
			600 699	1.0	(0.2)	70.4	283.8	38.0	4.6	1.6	2.0	5.0	1.0	2.0
				621.0	(2.0)	69.6	525.0	51.6	7.1	2.9	3.5	3.8	2.8	2.7
			2000 2099	1.0	(0.3)	71.3	643.1	64.0	8.7	2.3	5.0	3.0	4.0	3.0
			1900 1999	1.0	(0.3)	71.0	497.6	48.0	8.4	2.2	6.0	4.0	4.0	3.0
			1800 1899	8.0	(2.3)	70.3	592.0	58.6	8.3	3.0	5.4	3.8	3.8	2.9
			1700 1799	21.0	(6.1)	70.6	569.5	59.5	8.2	3.2	5.5	3.4	3.9	2.8
			1600 1699	54.0	(15.6)	70.1	556.4	54.6	7.9	3.0	4.4	3.5	3.4	2.7
			1500 1599	132.0	(38.2)	69.6	557.6	52.3	7.8	3.1	3.6	3.7	3.0	2.7
			1400 1499	102.0	(29.5)	68.9	561.8	50.1	7.6	3.3	3.0	3.8	2.4	2.7
			1300 1399	26.0	(7.5)	68.5	543.2	44.3	7.5	3.1	2.4	4.0	2.0	2.6
			1200 1299	1.0	(0.3)	67.5	522.8	38.0	5.8	2.3	3.0	4.0	2.0	2.0
				346.0	(1.1)	69.5	559.1	52.0	7.7	3.1	3.6	3.7	2.9	2.7
			2200 2299	1.0	(0.2)	73.6	566.8	67.0	9.0	1.5	9.0	3.0	5.0	3.0
			2100 2199	1.0	(0.2)	73.4	555.2	74.0	8.7	2.8	9.0	3.0	5.0	3.0
			2000 2099	12.0	(2.2)	71.0	536.0	61.5	7.6	3.0	7.0	3.3	4.4	2.8
			1900 1999	19.0	(3.6)	71.3	533.0	62.1	7.5	2.7	6.3	3.4	4.1	2.6
			1800 1899	47.0	(8.8)	70.7	528.5	58.0	7.4	2.8	5.6	3.6	4.0	2.6
			1700 1799	76.0	(14.2)	70.8	522.8	57.5	7.4	2.6	5.0	3.5	3.7	2.7
			1600 1699	113.0	(21.2)	70.3	505.0	53.6	7.0	2.7	4.3	3.6	3.3	2.7
			1500 1599	136.0	(25.5)	69.6	512.5	51.0	7.0	2.9	3.5	3.9	2.9	2.7
			1400 1499	84.0	(15.7)	69.4	497.3	48.4	6.6	2.7	2.9	4.0	2.3	2.7
			1300 1399	38.0	(7.1)	68.7	479.7	43.8	6.1	2.7	2.5	4.2	2.1	2.5
			1200 1299	1.0	(0.2)	69.3	408.6	43.0	4.8	1.9	3.0	5.0	2.0	2.0
			1100 1199	3.0	(0.6)	70.4	407.7	45.0	5.5	1.5	2.3	4.3	2.0	2.7
			1000 1099	2.0	(0.4)	70.8	414.3	49.5	5.8	1.9	2.0	4.0	2.0	3.0
			900 999	1.0	(0.2)	67.5	356.0	27.0	3.0	1.0	2.0	5.0	2.0	2.0
				534.0	(1.8)	70.0	509.1	52.8	7.0	2.7	4.1	3.8	3.1	2.7
			2000 2099	3.0	(0.6)	72.4	534.8	67.7	7.4	2.3	7.7	3.3	4.7	2.7
			1900 1999	1.0	(0.2)	70.5	546.9	66.0	7.2	3.8	7.0	4.0	5.0	3.0
			1800 1899	20.0	(3.8)	70.7	546.3	57.6	7.7	2.8	5.3	4.0	3.8	2.8
			1700 1799	93.0	(17.5)	70.3	507.7	53.2	7.0	2.5	3.8	4.2	2.8	2.7
			1600 1699	88.0	(16.6)	70.6	498.4	53.3	7.0	2.4	4.2	4.1	3.2	2.6
			1500 1599	113.0	(21.3)	70.6	503.5	54.1	7.2	2.6	3.7	4.0	2.7	2.8
			1400 1499	109.0	(20.6)	70.2	484.6	50.3	6.7	2.3	3.1	4.2	2.3	2.6
			1300 1399	82.0	(15.5)	69.8	474.6	48.2	6.6	2.5	2.8	4.4	2.1	2.6

					(%)		(kg)	(m2)	(m)	(m)				
			1200 1299	18.0	(3.4)	69.3	480.6	46.2	6.5	2.7	2.5	4.5	2.0	2.4
			1100 1199	1.0	(0.2)	70.3	398.5	42.0	5.1	1.0	2.0	5.0	2.0	2.0
			1000 1099	2.0	(0.4)	70.3	337.3	39.5	4.3	0.9	1.5	4.5	1.5	3.0
				530.0	(1.7)	70.3	495.3	52.0	6.9	2.5	3.6	4.2	2.7	2.7
			2100 2199	1.0	(3.6)	72.8	514.5	70.0	7.8	2.7	6.0	4.0	4.0	3.0
			1800 1899	1.0	(3.6)	71.1	468.7	55.0	6.8	2.3	8.0	3.0	5.0	2.0
			1700 1799	2.0	(7.1)	71.0	476.8	53.0	6.7	1.9	5.0	4.5	3.5	2.0
			1600 1699	5.0	(17.9)	71.0	505.4	58.0	7.2	2.7	5.0	4.2	3.4	2.6
			1500 1599	8.0	(28.6)	70.5	514.8	51.8	7.5	2.5	4.4	4.0	3.1	2.6
			1400 1499	8.0	(28.6)	69.5	505.4	51.0	7.0	3.1	3.3	4.4	2.5	3.0
			1300 1399	2.0	(7.1)	69.1	519.8	57.5	6.8	4.3	2.5	4.5	2.0	3.0
			1200 1299	1.0	(3.6)	70.5	390.1	48.0	4.4	1.4	2.0	4.0	2.0	3.0
				28.0	(0.1)	70.3	502.0	53.8	7.1	2.8	4.2	4.2	3.0	2.7
			2100 2199	1.0	(0.1)	73.0	559.3	64.0	9.2	2.0	8.0	3.0	5.0	3.0
			1800 1899	7.0	(0.9)	71.5	549.9	59.6	8.5	2.6	7.1	3.7	4.3	3.0
			1700 1799	19.0	(2.6)	71.5	534.2	61.2	7.9	2.6	6.0	3.8	4.0	2.9
			1600 1699	66.0	(8.9)	70.7	533.0	57.2	7.9	2.9	5.1	4.0	3.6	2.9
			1500 1599	181.0	(24.5)	70.5	525.4	54.6	7.7	2.8	4.1	4.1	3.0	2.9
			1400 1499	282.0	(38.2)	70.0	513.1	51.5	7.4	2.8	3.4	4.2	2.6	2.8
			1300 1399	145.0	(19.6)	69.6	498.8	49.1	7.0	2.8	2.9	4.5	2.2	2.8
			1200 1299	26.0	(3.5)	69.3	470.5	46.5	6.5	2.8	2.5	4.5	2.1	2.6
			1100 1199	6.0	(0.8)	69.1	467.1	47.8	6.1	3.0	2.5	4.0	2.0	2.7
			1000 1099	3.0	(0.4)	68.0	351.7	29.0	4.9	2.2	2.0	4.3	2.0	2.7
			800 899	1.0	(0.1)	69.8	311.0	35.0	4.0	1.0	2.0	5.0	2.0	2.0
			600 699	1.0	(0.1)	68.9	262.5	18.0	4.9	0.9	1.0	7.0	2.0	2.0
				738.0	(2.4)	70.1	512.9	52.3	7.4	2.8	3.7	4.2	2.7	2.8
			2500	2.0	(0.2)	71.1	560.4	64.5	8.3	3.5	6.5	4.0	4.0	2.5
			2200 2299	2.0	(0.2)	70.8	554.7	64.5	7.3	3.1	6.5	3.5	4.5	2.5
			2100 2199	2.0	(0.2)	71.4	524.3	56.5	7.9	2.3	6.0	3.0	4.0	2.5
			2000 2099	3.0	(0.4)	70.5	580.8	60.7	8.2	3.2	6.3	3.3	4.0	2.7
			1900 1999	8.0	(1.0)	70.6	558.0	59.6	8.5	3.5	5.8	3.6	3.8	3.0
			1800 1899	20.0	(2.5)	71.0	545.9	60.1	7.9	2.9	5.6	3.6	3.8	2.7
			1700 1799	45.0	(5.5)	70.7	565.7	60.9	8.1	3.2	5.5	3.7	3.8	2.7
			1600 1699	147.0	(18.1)	70.4	546.8	56.7	7.8	3.0	4.7	3.8	3.5	2.7
			1500 1599	237.0	(29.1)	69.9	553.5	54.7	7.6	3.0	3.9	4.0	3.0	2.8
			1400 1499	212.0	(26.0)	69.5	552.1	53.1	7.5	3.2	3.3	4.1	2.5	2.9
			1300 1399	117.0	(14.4)	69.3	534.6	50.6	7.2	3.0	2.8	4.5	2.1	2.8
			1200 1299	15.0	(1.8)	69.1	543.2	51.9	7.1	3.3	2.4	4.5	2.0	2.7
			1100 1199	4.0	(0.5)	66.9	651.6	49.8	7.9	4.6	2.5	4.5	2.0	2.8
				814.0	(2.7)	69.9	550.1	54.6	7.6	3.1	3.9	4.0	2.9	2.8

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2000 2099	1.0	(4.0)	72.0	531.9	60.0	7.5	1.7	9.0	4.0	5.0	3.0
			1900 1999	2.0	(8.0)	72.1	582.6	67.0	8.3	2.5	6.5	3.5	4.5	3.0
			1800 1899	2.0	(8.0)	69.8	588.0	53.0	8.4	3.1	7.5	4.0	4.5	3.0
			1700 1799	2.0	(8.0)	70.6	590.2	59.5	8.1	2.9	5.5	3.5	4.0	2.0
			1600 1699	3.0	(12.0)	70.6	560.4	55.7	8.0	2.6	4.0	4.0	3.0	3.0
			1500 1599	5.0	(20.0)	70.0	541.1	53.4	7.5	2.9	3.8	4.0	3.0	3.0
			1400 1499	5.0	(20.0)	69.9	531.4	53.0	7.6	3.2	3.4	4.4	2.6	2.8
			1300 1399	2.0	(8.0)	69.5	499.9	46.5	8.0	3.4	2.5	4.0	2.0	2.5
			1200 1299	3.0	(12.0)	68.3	581.6	51.3	7.4	3.8	2.7	4.0	2.0	3.0
				25.0	(0.1)	70.1	553.7	54.6	7.8	3.0	4.4	4.0	3.1	2.8
			2000 2099	1.0	(0.2)	72.1	503.0	64.0	7.2	2.3	6.0	4.0	4.0	3.0
			1900 1999	1.0	(0.2)	69.0	438.0	47.0	6.3	3.6	2.0	4.0	2.0	3.0
			1800 1899	8.0	(1.5)	70.3	507.7	53.9	7.1	2.8	3.6	3.9	2.9	3.0
			1700 1799	41.0	(7.9)	70.9	535.1	57.2	7.9	2.7	5.3	3.9	3.8	2.8
			1600 1699	114.0	(21.9)	70.7	534.1	55.7	7.7	2.6	4.0	3.9	3.2	2.9
			1500 1599	162.0	(31.1)	70.1	528.1	53.1	7.4	2.8	3.4	4.0	2.8	2.9
			1400 1499	127.0	(24.4)	69.8	514.5	51.3	7.1	2.9	2.8	4.1	2.3	2.9
			1300 1399	51.0	(9.8)	69.3	502.5	47.8	6.8	2.9	2.7	4.4	2.2	2.9
			1200 1299	10.0	(1.9)	68.9	486.2	42.0	6.8	2.7	2.0	4.4	2.0	2.8
			1100 1199	2.0	(0.4)	69.3	461.8	44.5	6.5	2.6	2.5	4.0	2.0	2.5
			1000 1099	2.0	(0.4)	69.1	535.3	52.5	7.0	3.5	4.0	4.0	3.0	3.0
			800 899	1.0	(0.2)	71.3	354.1	47.0	4.7	1.0	2.0	5.0	2.0	2.0
			499	1.0	(0.2)	69.3	517.1	42.0	6.0	1.1	3.0	4.0	3.0	3.0
				521.0	(1.7)	70.1	522.2	52.8	7.3	2.8	3.4	4.1	2.8	2.9
			1700 1799	1.0	(5.9)	69.7	645.0	64.0	8.3	3.9	5.0	4.0	4.0	3.0
			1600 1699	2.0	(11.8)	70.0	578.0	63.0	7.0	3.4	6.5	4.0	4.5	3.0
			1500 1599	2.0	(11.8)	69.3	542.0	50.0	7.0	2.8	5.0	4.0	3.5	3.0
			1400 1499	8.0	(47.1)	69.7	542.1	55.4	7.4	3.4	3.5	4.0	2.9	3.0
			1300 1399	4.0	(23.5)	70.3	531.8	58.8	6.6	2.7	3.0	4.8	2.5	2.8
				17.0	(0.1)	69.8	549.9	56.9	7.2	3.2	4.0	4.2	3.1	2.9
			2500	4.0	(0.0)	73.0	546.6	72.0	8.4	2.8	8.0	3.8	4.3	2.5
			2300 2399	2.0	(0.0)	74.0	582.3	76.5	8.6	2.0	9.5	3.5	5.0	3.0
			2200 2299	5.0	(0.0)	72.3	595.9	69.4	8.6	2.6	8.0	3.4	4.8	2.8
			2100 2199	18.0	(0.1)	72.6	566.2	67.8	8.4	2.3	8.2	3.4	4.7	2.7
			2000 2099	74.0	(0.2)	72.1	573.0	66.2	8.4	2.6	7.6	3.4	4.6	2.6
			1900 1999	178.0	(0.6)	71.8	565.7	64.3	8.3	2.7	7.1	3.5	4.4	2.7
			1800 1899	599.0	(2.0)	71.5	563.5	63.1	8.1	2.7	6.6	3.6	4.3	2.7
			1700 1799	2238.0	(7.3)	71.2	557.3	61.0	8.0	2.7	5.7	3.7	3.9	2.7
			1600 1699	5977.0	(19.6)	70.8	556.4	58.2	7.8	2.7	4.7	3.9	3.5	2.7
			1500 1599	9564.0	(31.4)	70.3	548.9	55.8	7.6	2.8	4.0	3.9	3.1	2.7

[illegible]

