

					(%)		(kg)	(cm2)	(cm)	(cm)				
			3000	3.0	(0.9)	76.3	487.3	75.0	8.9	3.0	10.7	3.3	5.0	3.0
			2900 2999	7.0	(2.0)	77.7	478.9	80.6	9.1	2.5	10.6	3.9	5.0	2.6
			2800 2899	6.0	(1.7)	77.8	457.8	79.7	8.5	2.0	10.2	3.8	5.0	2.3
			2700 2799	13.0	(3.7)	77.1	472.4	77.0	8.4	2.3	10.3	3.4	5.0	2.6
			2600 2699	21.0	(6.0)	75.9	472.2	70.7	8.4	2.6	9.5	3.7	5.0	2.6
			2500 2599	27.0	(7.7)	75.4	475.1	69.5	8.3	2.9	8.8	3.7	4.9	2.7
			2400 2499	20.0	(5.7)	75.5	473.8	69.0	8.2	2.6	8.5	3.7	4.9	2.6
			2300 2399	42.0	(12.0)	74.9	476.2	65.2	8.3	2.8	8.0	3.7	4.6	2.8
			2200 2299	31.0	(8.8)	74.4	469.6	61.3	7.9	2.7	6.9	3.8	4.3	2.8
			2100 2199	30.0	(8.5)	74.2	469.9	61.8	7.9	2.9	7.0	3.8	4.2	2.7
			2000 2099	26.0	(7.4)	74.2	493.0	62.0	8.1	2.8	6.2	4.0	4.0	2.7
			1900 1999	27.0	(7.7)	73.5	463.2	56.4	7.5	2.6	5.9	4.0	3.9	2.9
			1800 1899	18.0	(5.1)	73.2	460.5	57.3	7.5	3.2	5.3	3.9	3.6	2.7
			1700 1799	13.0	(3.7)	72.7	457.0	52.5	7.9	3.4	4.6	4.3	3.5	2.7
			1600 1699	4.0	(1.1)	73.0	447.8	50.8	7.8	2.8	5.0	4.0	3.5	3.3
			1500 1599	7.0	(2.0)	72.9	474.6	54.6	7.3	2.9	4.6	4.4	3.0	2.9
			1400 1499	1.0	(0.3)	71.5	576.0	56.0	8.7	4.2	4.0	5.0	3.0	3.0
			1300 1399	2.0	(0.6)	72.3	379.5	47.0	6.2	3.0	4.5	5.0	3.5	3.0
			1200 1299	1.0	(0.3)	70.6	452.0	40.0	6.0	2.6	4.0	5.0	2.0	3.0
			1100 1199	6.0	(1.7)	71.6	409.3	41.5	6.5	2.6	3.5	5.0	2.2	3.3
			1000 1099	5.0	(1.4)	72.3	360.4	40.8	6.0	2.1	4.4	5.6	2.4	5.0
			999	41.0	(11.7)	72.0	327.9	37.9	5.0	1.8	3.0	5.8	1.9	5.2
				351.0	(5.8)	74.3	452.2	60.2	7.6	2.7	6.8	4.1	4.0	3.1
			3000	3.0	(2.5)	76.7	486.3	75.7	8.9	2.7	10.0	3.7	5.0	3.0
			2900 2999	2.0	(1.6)	75.5	490.0	72.0	7.7	2.5	10.5	4.0	5.0	2.5
			2800 2899	10.0	(8.2)	76.2	480.4	73.9	8.2	2.5	10.4	3.8	5.0	2.5
			2700 2799	3.0	(2.5)	75.5	451.0	65.7	8.2	2.5	9.0	4.0	5.0	3.0
			2600 2699	8.0	(6.6)	75.6	457.6	68.0	8.4	2.9	8.4	4.4	4.9	2.6
			2500 2599	11.0	(9.0)	75.6	478.5	71.7	8.3	3.0	8.5	3.6	4.7	2.9
			2400 2499	8.0	(6.6)	75.4	445.3	65.8	8.0	2.6	8.1	4.1	4.5	2.8
			2300 2399	7.0	(5.7)	75.8	506.9	72.7	8.9	3.0	7.9	4.1	4.6	2.7
			2200 2299	7.0	(5.7)	75.1	443.0	62.4	7.9	2.5	7.0	4.0	4.3	2.9
			2100 2199	12.0	(9.8)	74.3	460.2	62.2	8.0	3.1	6.5	4.1	4.0	2.5
			2000 2099	5.0	(4.1)	74.3	444.4	60.4	7.9	2.9	6.0	3.8	3.8	2.8
			1900 1999	8.0	(6.6)	73.2	473.8	57.4	7.4	3.0	6.1	4.1	3.9	2.9
			1800 1899	2.0	(1.6)	74.2	501.5	64.5	8.1	3.1	8.0	4.5	4.5	2.5
			1700 1799	4.0	(3.3)	72.5	501.0	58.5	7.5	3.5	4.3	4.5	3.0	2.5
			1600 1699	1.0	(0.8)	72.1	390.0	37.0	6.0	1.5	3.0	5.0	3.0	3.0
			1500 1599	5.0	(4.1)	72.8	416.4	49.2	6.9	2.8	3.8	4.4	2.8	2.4
			1300 1399	2.0	(1.6)	73.3	456.0	52.0	7.0	2.1	2.5	5.5	2.0	2.5
			1200 1299	6.0	(4.9)	71.7	392.8	39.2	6.7	2.6	3.3	5.3	2.2	3.2
			1100 1199	2.0	(1.6)	71.3	385.0	40.0	6.0	2.8	4.0	5.0	2.0	3.0
			1000 1099	9.0	(7.4)	71.2	359.9	38.7	5.7	2.8	3.2	5.3	2.1	3.8
			999	7.0	(5.7)	71.1	372.3	40.1	5.7	3.0	2.7	5.9	1.9	4.6

					(%)		(kg)	(cm2)	(cm)	(cm)				
				122.0	(2.0)	74.2	447.8	59.9	7.6	2.8	6.6	4.4	3.8	2.9
			3000	6.0	(1.9)	76.4	460.3	73.8	8.3	2.7	10.8	3.5	5.0	3.0
			2900 2999	10.0	(3.2)	74.9	424.0	63.9	7.6	2.9	9.5	3.5	5.0	3.0
			2800 2899	14.0	(4.4)	75.2	449.6	66.7	7.9	2.8	9.4	3.4	5.0	2.7
			2700 2799	12.0	(3.8)	74.6	441.5	62.0	7.9	2.9	8.8	3.3	4.8	2.9
			2600 2699	14.0	(4.4)	74.3	417.6	59.0	7.6	2.9	8.6	3.7	4.8	2.8
			2500 2599	21.0	(6.6)	75.0	419.2	62.0	7.5	2.5	8.0	3.8	4.7	2.8
			2400 2499	15.0	(4.7)	74.4	445.9	61.3	7.6	2.8	7.7	3.8	4.5	2.7
			2300 2399	17.0	(5.4)	74.5	415.4	59.9	7.4	2.7	7.6	3.9	4.6	2.7
			2200 2299	12.0	(3.8)	74.5	455.3	62.0	7.7	2.7	7.2	3.7	4.4	2.8
			2100 2199	7.0	(2.2)	73.7	438.1	55.7	7.5	2.8	6.1	4.1	3.9	2.6
			2000 2099	22.0	(7.0)	73.5	428.5	54.7	7.3	2.7	6.5	4.1	4.0	2.6
			1900 1999	13.0	(4.1)	73.2	434.5	54.8	7.4	3.2	6.1	4.2	3.8	2.7
			1800 1899	10.0	(3.2)	72.7	439.7	54.1	7.2	3.3	5.1	3.9	3.6	2.8
			1700 1799	6.0	(1.9)	72.6	457.8	54.5	7.6	3.6	5.3	4.0	3.5	2.5
			1600 1699	5.0	(1.6)	73.0	371.8	48.0	6.7	2.7	4.4	4.6	3.0	2.4
			1500 1599	6.0	(1.9)	72.9	394.3	47.5	6.5	2.4	5.5	4.3	3.2	3.3
			1400 1499	6.0	(1.9)	72.3	415.7	51.7	6.9	3.5	5.2	4.5	3.2	3.2
			1300 1399	6.0	(1.9)	73.2	385.2	50.3	6.7	2.7	4.3	4.5	2.7	3.3
			1200 1299	4.0	(1.3)	71.8	351.8	42.5	5.7	2.9	4.0	5.0	2.3	4.5
			1100 1199	14.0	(4.4)	71.8	346.8	40.3	5.6	2.6	3.8	5.1	2.1	4.5
			1000 1099	16.0	(5.1)	71.7	321.5	38.1	5.3	2.4	3.4	5.1	2.3	3.9
			999	80.0	(25.3)	71.4	276.1	32.9	4.3	1.9	2.6	5.4	1.8	5.1
				316.0	(5.3)	73.2	380.6	50.2	6.5	2.6	5.7	4.4	3.4	3.5
			3000	25.0	(7.1)	76.6	456.3	76.5	8.3	2.9	11.1	3.4	5.0	2.8
			2900 2999	9.0	(2.5)	75.3	457.2	68.2	8.0	2.8	10.2	3.4	5.0	2.3
			2800 2899	12.0	(3.4)	75.8	477.3	69.9	8.4	2.6	10.2	3.4	5.0	2.8
			2700 2799	26.0	(7.4)	75.2	463.9	67.8	8.1	3.0	9.5	3.4	5.0	2.7
			2600 2699	30.0	(8.5)	75.4	448.5	67.2	8.1	2.8	9.3	3.7	4.9	2.6
			2500 2599	32.0	(9.1)	75.4	445.3	66.7	8.0	2.7	9.3	3.5	4.9	2.6
			2400 2499	27.0	(7.6)	75.3	464.4	67.0	8.0	2.7	8.4	3.8	4.8	2.6
			2300 2399	23.0	(6.5)	74.5	459.4	63.5	7.9	3.1	7.7	3.7	4.6	2.7
			2200 2299	24.0	(6.8)	74.4	452.6	63.7	7.8	3.1	6.8	4.1	4.3	2.4
			2100 2199	29.0	(8.2)	73.2	466.7	59.1	7.7	3.6	6.7	3.9	4.2	2.6
			2000 2099	27.0	(7.6)	73.3	446.0	56.2	7.7	3.3	6.3	3.9	4.1	2.6
			1900 1999	10.0	(2.8)	73.2	497.5	61.6	8.1	3.7	5.7	4.1	3.6	2.4
			1800 1899	7.0	(2.0)	72.6	451.6	53.3	7.5	3.5	5.7	4.0	3.6	2.4
			1700 1799	8.0	(2.3)	72.8	449.5	55.8	7.6	3.7	5.4	4.1	3.4	2.9
			1600 1699	2.0	(0.6)	72.4	474.8	51.5	7.6	3.1	4.0	4.0	3.0	2.0
			1500 1599	4.0	(1.1)	73.5	478.5	60.8	7.7	3.3	5.0	4.5	3.0	2.5
			1400 1499	6.0	(1.7)	72.1	438.2	48.0	7.1	3.1	5.7	3.7	3.5	2.8
			1300 1399	2.0	(0.6)	71.1	442.3	47.0	7.3	4.2	5.0	3.5	3.0	3.5
			1200 1299	1.0	(0.3)	69.8	348.0	28.0	5.0	2.5	6.0	4.0	4.0	3.0
			1100 1199	3.0	(0.8)	73.0	398.3	47.7	6.5	2.2	4.3	4.7	3.3	2.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1000 1099	6.0	(1.7)	71.5	352.3	38.8	5.6	2.5	3.8	4.5	2.5	3.2
			999	40.0	(11.3)	71.7	318.8	35.5	5.1	2.0	2.9	4.8	2.2	3.8
				353.0	(5.9)	74.2	439.3	60.3	7.6	2.9	7.4	3.9	4.2	2.8
			3000	1.0	(2.9)	77.7	462.0	82.0	8.5	2.6	10.0	4.0	5.0	3.0
			2900 2999	1.0	(2.9)	75.4	482.0	72.0	8.1	3.0	10.0	4.0	5.0	3.0
			2800 2899	1.0	(2.9)	74.2	424.0	64.0	7.1	3.3	9.0	4.0	5.0	3.0
			2700 2799	2.0	(5.7)	76.4	394.5	70.0	7.7	2.6	8.5	3.5	5.0	2.0
			2600 2699	1.0	(2.9)	74.9	407.0	60.0	7.1	2.2	7.0	4.0	5.0	3.0
			2500 2599	3.0	(8.6)	74.6	460.3	65.3	7.8	3.1	8.3	3.7	5.0	3.0
			2400 2499	3.0	(8.6)	74.0	428.0	61.3	7.6	3.5	8.0	3.7	4.7	2.7
			2300 2399	3.0	(8.6)	74.2	459.0	62.0	7.5	2.9	7.7	4.0	4.7	3.0
			2200 2299	2.0	(5.7)	73.0	392.0	53.0	7.2	3.6	6.5	4.0	4.5	3.0
			2100 2199	3.0	(8.6)	74.3	456.7	59.7	7.8	2.5	6.7	4.3	4.0	3.0
			2000 2099	5.0	(14.3)	74.4	454.8	59.8	7.5	2.3	5.4	4.2	3.6	2.6
			1900 1999	1.0	(2.9)	71.7	437.0	52.0	6.3	3.5	7.0	4.0	5.0	3.0
			1700 1799	2.0	(5.7)	73.2	429.0	56.0	7.3	3.4	4.0	5.0	3.0	2.5
			1600 1699	1.0	(2.9)	71.4	413.0	48.0	6.5	3.8	4.0	4.0	3.0	2.0
			1400 1499	1.0	(2.9)	70.2	400.0	34.0	6.8	3.5	4.0	4.0	3.0	4.0
			1200 1299	1.0	(2.9)	72.6	469.0	48.0	6.8	1.9	4.0	4.0	2.0	4.0
			1100 1199	1.0	(2.9)	70.3	479.5	44.0	7.6	4.3	4.0	4.0	3.0	3.0
			1000 1099	2.0	(5.7)	70.5	427.8	37.0	7.2	3.5	3.5	5.0	2.0	4.0
			999	1.0	(2.9)	72.4	394.0	48.0	6.3	2.8	2.0	6.0	2.0	4.0
				35.0	(0.6)	73.7	438.3	57.9	7.4	3.0	6.4	4.1	4.0	2.9
			3000	146.0	(19.8)	76.0	454.5	72.0	7.8	2.6	10.3	3.6	5.0	2.9
			2900 2999	83.0	(11.3)	75.1	448.5	68.2	7.5	2.8	9.3	3.8	4.9	2.9
			2800 2899	123.0	(16.7)	74.8	453.4	66.5	7.4	2.8	8.5	4.0	4.8	2.9
			2700 2799	118.0	(16.0)	74.3	468.6	64.8	7.5	2.9	8.2	3.9	4.7	2.8
			2600 2699	96.0	(13.0)	74.1	461.4	63.3	7.4	3.0	7.3	3.8	4.4	2.8
			2500 2599	45.0	(6.1)	73.2	452.1	58.1	7.1	3.2	6.8	3.9	4.4	2.9
			2400 2499	28.0	(3.8)	73.1	449.1	58.3	7.2	3.4	6.1	4.1	4.1	2.8
			2300 2399	20.0	(2.7)	73.0	419.2	52.8	6.6	2.6	5.2	4.2	3.5	2.8
			2200 2299	13.0	(1.8)	72.4	425.3	55.7	6.6	3.8	5.5	4.1	3.8	3.0
			2100 2199	6.0	(0.8)	73.3	438.8	54.8	7.6	3.1	5.5	4.7	3.7	2.7
			2000 2099	12.0	(1.6)	72.4	444.9	54.2	7.0	3.6	5.7	4.1	3.6	2.8
			1900 1999	5.0	(0.7)	72.8	419.4	51.6	6.7	2.9	3.8	4.6	2.8	2.8
			1800 1899	2.0	(0.3)	72.7	398.0	55.0	6.0	3.3	4.0	4.5	3.0	2.5
			1700 1799	2.0	(0.3)	72.7	404.0	52.5	5.7	2.5	6.0	4.0	3.5	4.0
			1600 1699	2.0	(0.3)	71.0	358.3	41.0	6.3	3.9	4.0	3.5	3.5	3.0
			1500 1599	1.0	(0.1)	71.4	337.0	40.0	5.5	3.0	4.0	4.0	3.0	2.0
			1400 1499	3.0	(0.4)	71.4	421.7	46.3	6.5	3.5	5.0	4.3	3.3	3.7
			1300 1399	5.0	(0.7)	71.2	409.2	42.0	5.8	2.7	4.0	4.4	3.0	3.8
			1200 1299	6.0	(0.8)	72.8	392.5	51.0	6.4	2.9	4.3	4.5	3.0	4.0
			1100 1199	4.0	(0.5)	72.9	346.0	47.3	5.6	2.2	2.8	5.0	2.3	3.8

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1000 1099	2.0	(0.3)	71.0	326.0	35.0	5.0	2.5	3.0	5.5	2.0	4.0
			999	14.0	(1.9)	71.4	339.7	38.0	5.0	2.2	3.0	5.4	2.1	4.3
				736.0	(12.2)	74.4	449.7	64.0	7.3	2.9	8.0	3.9	4.5	2.9
			2900 2999	2.0	(0.9)	75.5	438.5	68.0	7.5	2.5	12.0	3.0	5.0	2.5
			2700 2799	4.0	(1.8)	77.3	504.0	83.3	7.8	2.1	11.5	3.3	5.0	2.8
			2600 2699	6.0	(2.7)	76.1	502.7	73.3	8.3	2.3	10.8	3.3	5.0	2.8
			2500 2599	11.0	(4.9)	75.8	439.2	68.1	7.8	2.4	10.5	3.5	5.0	2.7
			2400 2499	9.0	(4.0)	75.6	459.9	69.7	7.8	2.6	9.0	3.3	4.9	2.8
			2300 2399	13.0	(5.8)	75.6	475.9	71.7	7.8	2.7	8.5	3.8	4.7	2.9
			2200 2299	16.0	(7.2)	75.6	454.0	70.3	7.9	2.8	8.8	3.6	4.8	2.8
			2100 2199	17.0	(7.6)	74.9	454.3	66.5	7.8	3.0	8.1	3.9	4.6	2.7
			2000 2099	21.0	(9.4)	74.5	458.3	64.2	7.7	3.0	7.9	3.8	4.4	2.7
			1900 1999	26.0	(11.7)	74.2	457.7	62.7	7.7	3.1	7.5	3.9	4.5	2.7
			1800 1899	24.0	(10.8)	74.1	435.8	58.2	7.4	2.6	6.5	4.0	4.0	2.7
			1700 1799	14.0	(6.3)	73.2	466.5	57.3	7.6	3.2	5.9	4.0	3.7	2.6
			1600 1699	15.0	(6.7)	73.5	432.3	56.7	7.3	3.1	5.3	4.4	3.5	2.5
			1500 1599	7.0	(3.1)	72.5	451.0	55.1	7.2	3.6	4.9	4.7	3.1	2.6
			1400 1499	3.0	(1.3)	73.2	427.0	52.0	6.9	2.4	3.7	4.7	2.3	3.0
			1300 1399	3.0	(1.3)	73.8	386.7	52.0	6.9	2.4	4.7	4.7	3.0	2.3
			1200 1299	4.0	(1.8)	73.4	393.0	46.5	6.9	1.9	4.3	4.8	2.8	3.0
			1100 1199	2.0	(0.9)	71.8	362.0	41.0	6.3	2.9	4.0	5.0	2.0	3.5
			1000 1099	4.0	(1.8)	72.8	418.8	48.0	6.5	2.1	3.8	4.5	2.0	4.0
			999	22.0	(9.9)	71.6	332.8	36.3	5.3	2.1	2.6	5.1	2.0	4.1
				223.0	(3.7)	74.2	439.2	60.3	7.4	2.8	7.0	4.0	4.0	2.9
			3000	1.0	(0.6)	77.9	473.0	86.0	8.4	2.7	12.0	3.0	5.0	3.0
			2900 2999	1.0	(0.6)	75.3	453.0	67.0	8.5	3.1	8.0	4.0	5.0	3.0
			2800 2899	13.0	(7.2)	75.7	459.2	69.6	8.1	2.6	10.9	3.2	5.0	2.8
			2700 2799	13.0	(7.2)	75.5	460.0	69.6	7.7	2.6	10.2	3.5	5.0	2.7
			2600 2699	11.0	(6.1)	75.6	447.1	69.1	8.0	2.8	9.5	3.5	4.9	2.7
			2500 2599	20.0	(11.0)	75.6	435.4	67.8	7.8	2.6	8.7	3.6	4.9	2.8
			2400 2499	16.0	(8.8)	75.3	437.8	65.5	7.7	2.5	8.8	3.9	4.8	2.6
			2300 2399	15.0	(8.3)	74.9	468.6	66.2	7.7	2.7	8.0	4.0	4.6	2.9
			2200 2299	11.0	(6.1)	74.6	459.0	60.9	8.2	2.7	6.5	4.0	4.1	2.6
			2100 2199	17.0	(9.4)	73.9	451.7	59.1	7.6	3.0	6.5	4.2	4.2	2.6
			2000 2099	16.0	(8.8)	73.7	425.1	55.4	7.5	2.8	5.9	4.1	4.0	2.8
			1900 1999	18.0	(9.9)	74.2	432.4	57.6	7.5	2.6	5.5	4.4	3.7	2.6
			1800 1899	10.0	(5.5)	73.2	421.6	53.6	7.4	3.1	5.0	3.9	3.7	2.6
			1700 1799	7.0	(3.9)	72.7	467.0	53.3	7.8	3.3	4.1	4.1	3.0	2.3
			1600 1699	1.0	(0.6)	73.4	310.0	47.0	5.3	2.0	7.0	4.0	4.0	3.0
			1500 1599	2.0	(1.1)	70.1	463.5	45.5	6.7	4.3	5.5	4.0	3.5	2.0
			1400 1499	2.0	(1.1)	74.3	390.0	52.5	7.5	2.4	5.0	4.0	3.5	2.5
			1000 1099	1.0	(0.6)	71.5	355.0	37.0	5.3	2.0	3.0	5.0	2.0	3.0
			999	6.0	(3.3)	72.1	324.6	39.8	5.2	2.1	4.2	4.8	2.8	5.3

					(%)	(kg)	(m2)	(m)	(m)					
				181.0	(3.0)	74.5	440.1	61.6	7.6	2.7	7.4	3.9	4.3	2.8
			3000	4.0	(2.7)	74.8	442.8	65.3	8.2	3.4	11.8	3.0	5.0	3.0
			2900 2999	1.0	(0.7)	75.1	367.0	56.0	7.9	2.5	11.0	4.0	5.0	3.0
			2800 2899	3.0	(2.0)	76.3	438.7	72.7	7.9	2.6	11.3	3.3	5.0	2.7
			2700 2799	3.0	(2.0)	76.1	463.7	69.7	7.8	2.0	10.0	3.7	5.0	2.3
			2600 2699	1.0	(0.7)	74.3	481.0	64.0	7.3	2.5	8.0	4.0	5.0	3.0
			2500 2599	8.0	(5.4)	75.2	431.9	63.5	7.9	2.6	9.4	3.4	5.0	2.6
			2400 2499	3.0	(2.0)	75.0	541.3	75.0	8.6	3.5	9.0	3.7	5.0	2.7
			2300 2399	7.0	(4.8)	74.8	469.1	64.0	7.8	2.6	7.3	3.7	4.4	2.9
			2200 2299	8.0	(5.4)	74.3	453.9	58.8	8.2	2.8	6.9	3.6	4.3	2.6
			2100 2199	9.0	(6.1)	74.4	454.8	60.7	7.6	2.5	7.1	3.9	4.3	2.7
			2000 2099	5.0	(3.4)	73.2	437.4	55.6	7.4	3.2	5.8	4.2	3.8	2.8
			1900 1999	10.0	(6.8)	73.7	433.5	57.2	7.3	2.9	6.5	3.8	4.0	2.6
			1800 1899	7.0	(4.8)	73.6	448.7	60.6	7.3	3.3	6.1	3.6	3.9	2.9
			1700 1799	8.0	(5.4)	73.1	470.3	56.0	7.3	2.9	5.0	3.9	3.3	2.6
			1600 1699	2.0	(1.4)	71.4	427.5	41.0	7.2	3.1	4.0	3.0	3.5	3.0
			1500 1599	2.0	(1.4)	72.5	391.5	50.5	6.5	3.3	5.0	4.0	3.5	2.5
			1400 1499	5.0	(3.4)	73.1	346.2	50.0	6.1	2.8	4.4	4.2	3.2	3.0
			1300 1399	3.0	(2.0)	72.9	436.0	52.0	7.3	3.0	4.3	5.3	2.3	3.0
			1200 1299	7.0	(4.8)	72.3	378.5	44.7	6.3	2.6	3.9	4.6	2.4	3.4
			1100 1199	3.0	(2.0)	72.1	398.7	47.0	6.2	2.8	2.3	4.3	2.0	3.0
			1000 1099	5.0	(3.4)	72.7	374.4	41.8	6.2	1.7	3.2	4.8	2.2	4.0
			999	43.0	(29.3)	71.7	320.8	36.5	5.1	2.1	2.2	5.3	1.9	3.8
				147.0	(2.4)	73.2	401.5	51.4	6.7	2.6	5.3	4.3	3.3	3.1
			3000	7.0	(2.9)	76.9	455.6	77.4	7.7	2.2	11.7	3.6	5.0	2.7
			2900 2999	5.0	(2.1)	77.1	491.4	78.2	8.7	2.3	10.4	3.4	5.0	2.4
			2800 2899	9.0	(3.8)	77.8	463.1	84.7	8.1	2.5	10.4	3.2	5.0	2.9
			2700 2799	20.0	(8.3)	76.2	450.7	72.5	7.7	2.4	9.6	3.5	5.0	2.9
			2600 2699	20.0	(8.3)	76.1	463.6	69.7	8.3	2.3	9.2	3.5	5.0	2.9
			2500 2599	28.0	(11.7)	75.0	449.4	65.1	7.9	2.8	8.6	3.9	4.9	2.9
			2400 2499	13.0	(5.4)	75.1	464.3	67.5	7.6	2.6	8.2	4.0	4.8	2.9
			2300 2399	20.0	(8.3)	74.3	459.5	62.4	7.8	2.9	8.3	3.9	4.7	2.5
			2200 2299	18.0	(7.5)	75.0	457.8	65.6	8.0	2.8	8.3	3.9	4.7	2.7
			2100 2199	22.0	(9.2)	74.7	449.2	62.6	7.6	2.6	7.1	4.0	4.4	2.7
			2000 2099	18.0	(7.5)	74.6	433.3	59.4	7.7	2.5	6.1	4.0	4.1	2.8
			1900 1999	10.0	(4.2)	73.7	460.1	57.9	7.9	3.0	5.8	3.9	4.1	2.9
			1800 1899	14.0	(5.8)	74.5	443.9	61.1	7.8	2.8	6.0	4.2	3.7	2.9
			1700 1799	9.0	(3.8)	73.9	412.7	56.8	6.9	2.6	4.4	4.4	3.0	2.6
			1600 1699	3.0	(1.3)	72.6	438.3	51.3	7.9	3.6	4.0	4.0	3.3	2.3
			1500 1599	4.0	(1.7)	72.9	443.6	50.8	7.9	3.1	4.0	4.8	3.0	2.5
			1400 1499	2.0	(0.8)	73.5	343.5	47.0	6.5	2.4	6.0	4.0	3.5	3.0
			1300 1399	2.0	(0.8)	72.8	354.0	44.0	5.5	1.7	6.0	5.0	3.5	5.0
			1200 1299	1.0	(0.4)	72.6	373.5	49.0	6.3	3.0	4.0	5.0	2.0	7.0
			1000 1099	1.0	(0.4)	72.7	295.0	35.0	5.5	1.4	5.0	5.0	3.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			999	14.0	(5.8)	71.9	284.5	33.4	4.7	1.6	2.4	5.1	1.9	4.1
				240.0	(4.0)	74.9	439.6	63.1	7.6	2.6	7.5	3.9	4.3	2.9
			2900 2999	2.0	(9.5)	74.3	425.3	61.5	7.3	3.0	9.5	4.0	5.0	2.5
			2800 2899	2.0	(9.5)	75.3	476.3	70.0	7.8	2.8	10.0	4.0	5.0	3.0
			2700 2799	1.0	(4.8)	76.4	538.5	75.0	8.8	2.1	10.0	4.0	5.0	3.0
			2500 2599	1.0	(4.8)	74.0	422.5	58.0	6.7	2.4	8.0	5.0	4.0	2.0
			2100 2199	2.0	(9.5)	74.2	467.8	61.5	8.3	3.2	7.5	3.5	4.5	3.0
			2000 2099	6.0	(28.6)	74.6	435.3	60.8	7.7	2.6	5.0	4.3	3.8	3.0
			1900 1999	1.0	(4.8)	73.1	484.0	55.0	8.1	3.1	7.0	4.0	4.0	3.0
			1500 1599	1.0	(4.8)	73.9	315.0	46.0	6.3	2.0	6.0	5.0	4.0	5.0
			1300 1399	1.0	(4.8)	71.7	450.0	52.0	6.8	3.7	5.0	4.0	4.0	4.0
			1200 1299	1.0	(4.8)	73.7	364.0	50.0	6.3	2.1	5.0	4.0	3.0	3.0
			999	3.0	(14.3)	71.6	339.7	37.0	4.5	1.6	4.0	4.0	2.3	3.3
				21.0	(0.3)	73.9	425.9	57.0	7.1	2.6	6.5	4.1	4.0	3.1
			2800 2899	1.0	(1.3)	73.5	409.0	58.0	7.5	3.7	11.0	3.0	5.0	3.0
			2700 2799	2.0	(2.5)	77.8	463.0	83.5	8.6	2.6	10.5	3.5	5.0	2.0
			2600 2699	3.0	(3.8)	76.0	461.0	74.0	7.7	2.6	11.3	3.0	5.0	2.3
			2500 2599	3.0	(3.8)	77.0	474.7	80.7	7.7	2.4	10.0	3.7	5.0	2.7
			2400 2499	5.0	(6.3)	75.5	451.4	67.6	7.4	2.2	9.0	4.0	5.0	2.2
			2300 2399	5.0	(6.3)	76.0	439.6	67.6	7.9	2.2	9.2	3.6	5.0	2.6
			2200 2299	4.0	(5.1)	75.1	444.5	62.5	7.9	2.4	8.0	4.0	4.5	2.5
			2100 2199	6.0	(7.6)	75.0	431.7	64.2	7.3	2.5	7.5	3.8	4.5	3.0
			2000 2099	9.0	(11.4)	74.1	419.0	56.3	7.2	2.4	6.4	4.0	4.1	2.4
			1900 1999	7.0	(8.9)	74.1	462.6	59.1	7.6	2.5	6.0	4.4	3.9	2.3
			1800 1899	10.0	(12.7)	74.3	444.0	60.4	7.7	2.8	5.5	4.4	3.6	2.7
			1700 1799	2.0	(2.5)	75.3	408.0	62.5	6.7	1.8	4.0	4.5	3.0	2.0
			1600 1699	5.0	(6.3)	72.2	417.8	50.6	7.1	3.6	4.6	4.2	3.2	2.6
			1400 1499	2.0	(2.5)	72.3	422.5	45.5	6.5	2.4	4.5	4.5	3.0	2.5
			1200 1299	3.0	(3.8)	72.4	384.3	42.7	7.0	2.6	4.3	4.7	2.7	3.7
			1100 1199	2.0	(2.5)	71.8	405.0	47.0	6.3	3.0	3.5	4.5	2.0	2.5
			1000 1099	3.0	(3.8)	72.9	365.7	47.0	5.6	2.0	3.0	5.0	2.0	4.3
			999	7.0	(8.9)	71.4	293.8	33.7	4.4	1.8	2.4	4.9	2.0	3.6
				79.0	(1.3)	74.2	421.3	58.1	7.1	2.5	6.4	4.2	3.8	2.7
			2600 2699	1.0	(4.3)	72.8	565.0	68.0	8.7	4.8	11.0	3.0	5.0	3.0
			2300 2399	2.0	(8.7)	75.3	503.5	72.5	9.0	3.6	9.0	3.5	5.0	3.0
			2200 2299	3.0	(13.0)	75.5	572.3	78.0	8.7	3.0	9.0	4.0	5.0	2.7
			2100 2199	7.0	(30.4)	74.8	529.0	68.0	8.4	2.8	8.4	3.7	4.7	3.0
			2000 2099	5.0	(21.7)	73.7	538.0	63.6	8.6	3.4	8.0	3.8	4.6	3.0
			1900 1999	1.0	(4.3)	75.1	517.0	70.0	7.3	2.0	5.0	4.0	4.0	3.0
			1700 1799	2.0	(8.7)	72.8	569.0	66.5	8.1	3.9	5.5	4.0	3.5	2.5
			1600 1699	1.0	(4.3)	71.8	515.0	51.0	8.1	3.5	4.0	3.0	4.0	3.0

							(kg)	(m2)	(m)	(m)				
					(%)									
			999	1.0	(4.3)	71.8	322.0	35.0	4.7	1.4	2.0	6.0	2.0	7.0
				23.0	(0.4)	74.2	529.3	66.5	8.3	3.1	7.7	3.8	4.5	3.1
			2900 2999	2.0	(9.1)	75.4	445.5	72.5	7.5	3.3	9.5	3.5	5.0	3.0
			2700 2799	1.0	(4.5)	76.8	465.0	77.0	7.1	1.8	8.0	3.0	5.0	3.0
			2600 2699	1.0	(4.5)	72.9	394.0	50.0	7.0	3.1	11.0	3.0	5.0	3.0
			2500 2599	3.0	(13.6)	75.3	424.3	67.0	7.3	2.6	10.0	3.3	5.0	3.0
			2300 2399	3.0	(13.6)	74.4	461.0	64.3	7.1	2.6	7.3	3.7	4.7	3.0
			2200 2299	1.0	(4.5)	75.1	403.0	61.0	7.7	2.6	7.0	3.0	4.0	3.0
			2100 2199	6.0	(27.3)	74.2	429.0	60.2	7.3	2.8	6.7	3.8	4.3	3.0
			2000 2099	2.0	(9.1)	75.2	403.0	66.5	7.3	3.0	7.0	4.0	4.0	3.0
			1900 1999	1.0	(4.5)	73.8	371.0	45.0	7.4	1.9	5.0	3.0	4.0	3.0
			1700 1799	1.0	(4.5)	72.8	449.0	51.0	7.1	2.5	4.0	4.0	3.0	2.0
			1500 1599	1.0	(4.5)	75.4	437.0	68.0	7.7	2.8	7.0	4.0	4.0	2.0
				22.0	(0.4)	74.7	429.4	63.0	7.3	2.7	7.6	3.6	4.5	2.9
			3000	2.0	(9.1)	75.7	460.5	73.0	7.8	3.0	10.5	3.5	5.0	2.5
			2600 2699	1.0	(4.5)	73.3	469.0	59.0	7.6	3.4	8.0	4.0	5.0	3.0
			2300 2399	1.0	(4.5)	74.6	475.0	61.0	8.8	3.0	7.0	3.0	5.0	3.0
			2200 2299	3.0	(13.6)	75.2	427.0	62.3	7.3	2.0	7.3	4.0	4.3	2.7
			2000 2099	3.0	(13.6)	74.9	458.0	66.7	7.7	2.9	5.7	4.3	3.7	2.7
			1900 1999	2.0	(9.1)	73.5	361.3	48.0	6.5	2.2	4.5	4.0	3.5	3.5
			1800 1899	1.0	(4.5)	71.5	467.0	50.0	7.7	4.1	3.0	4.0	3.0	3.0
			1200 1299	1.0	(4.5)	69.5	445.0	32.0	5.5	2.4	3.0	5.0	2.0	5.0
			1000 1099	1.0	(4.5)	72.4	373.0	42.0	5.9	2.0	3.0	6.0	2.0	4.0
			999	7.0	(31.8)	71.4	292.4	36.0	4.9	2.6	2.7	5.7	2.0	4.4
				22.0	(0.4)	73.2	389.8	51.1	6.5	2.6	5.1	4.6	3.3	3.5
			2900 2999	1.0	(16.7)	76.6	466.0	74.0	7.7	1.9	10.0	4.0	5.0	3.0
			2700 2799	2.0	(33.3)	74.4	404.5	58.0	7.2	2.5	9.5	3.5	5.0	3.0
			2600 2699	2.0	(33.3)	75.0	507.8	71.5	9.2	3.9	9.0	3.0	5.0	3.0
			2100 2199	1.0	(16.7)	71.0	404.5	45.0	6.6	4.0	6.0	4.0	4.0	3.0
				6.0	(0.1)	74.4	449.2	63.0	7.8	3.1	8.8	3.5	4.8	3.0
			3000	3.0	(33.3)	74.0	419.3	63.0	7.3	3.6	11.0	3.3	5.0	3.0
			2900 2999	1.0	(11.1)	73.5	418.8	50.0	7.1	2.1	5.0	4.0	4.0	3.0
			2800 2899	1.0	(11.1)	73.0	419.8	51.0	6.7	2.5	4.0	4.0	3.0	3.0
			2700 2799	1.0	(11.1)	74.6	484.4	72.0	7.5	3.5	7.0	3.0	5.0	3.0
			2600 2699	1.0	(11.1)	72.4	381.6	49.0	6.7	3.4	6.0	4.0	4.0	3.0
			2500 2599	2.0	(22.2)	72.5	489.8	56.0	7.5	3.4	4.5	4.0	3.5	3.0
				9.0	(0.1)	73.4	438.0	58.1	7.2	3.2	7.1	3.7	4.2	3.0
			3000	1.0	(7.7)	76.4	424.6	68.0	8.2	2.3	12.0	4.0	5.0	3.0
			2900 2999	4.0	(30.8)	74.5	453.2	63.5	7.9	3.0	10.0	3.8	5.0	3.0

					(%)		(kg)	(m2)	(m)	(m)				
			2800 2899	3.0	(23.1)	74.1	462.5	65.7	7.1	3.0	7.3	3.7	4.7	3.0
			2700 2799	2.0	(15.4)	74.0	512.3	66.0	7.9	3.1	6.0	4.0	4.5	3.0
			2600 2699	1.0	(7.7)	74.1	481.2	70.0	6.8	3.3	6.0	5.0	4.0	3.0
			2500 2599	1.0	(7.7)	74.4	441.8	60.0	6.8	2.0	4.0	4.0	3.0	3.0
			2400 2499	1.0	(7.7)	72.0	422.6	55.0	6.7	4.2	5.0	4.0	4.0	3.0
				13.0	(0.2)	74.3	461.2	64.3	7.5	3.0	7.8	3.9	4.5	3.0
			2500 2599	1.0	(10.0)	76.1	470.5	71.0	9.5	3.4	9.0	4.0	5.0	3.0
			2300 2399	3.0	(30.0)	73.9	488.2	62.0	9.0	3.9	7.3	3.7	4.7	3.0
			2000 2099	1.0	(10.0)	76.2	342.0	67.0	7.5	3.0	6.0	4.0	4.0	3.0
			1900 1999	2.0	(20.0)	74.5	457.8	57.0	9.4	3.1	5.0	3.5	3.5	3.0
			1800 1899	1.0	(10.0)	72.4	433.5	46.0	8.4	3.6	5.0	4.0	3.0	3.0
			999	2.0	(20.0)	73.0	338.3	49.0	4.8	1.9	2.0	6.0	2.0	5.0
				10.0	(0.2)	74.1	430.3	58.2	8.1	3.2	5.6	4.2	3.7	3.4
			3000	14.0	(10.0)	77.2	508.2	81.5	8.9	2.7	11.3	3.5	5.0	2.9
			2800 2899	12.0	(8.6)	76.6	484.1	76.6	8.8	2.8	9.9	3.4	5.0	3.0
			2700 2799	8.0	(5.7)	75.8	459.6	66.6	8.8	2.6	9.4	3.6	5.0	3.0
			2600 2699	10.0	(7.1)	75.7	440.2	64.2	8.2	2.2	8.4	3.6	4.9	3.0
			2500 2599	15.0	(10.7)	75.8	472.3	69.8	8.6	2.8	8.4	3.7	4.7	3.0
			2400 2499	10.0	(7.1)	75.9	467.2	72.5	8.1	2.7	7.8	4.0	4.5	3.0
			2300 2399	17.0	(12.1)	74.6	480.0	65.4	8.5	3.3	7.4	3.8	4.2	3.0
			2200 2299	10.0	(7.1)	74.3	474.5	64.6	7.9	3.2	7.1	3.9	4.3	3.0
			2100 2199	12.0	(8.6)	74.4	454.6	59.5	8.4	3.0	5.9	4.0	3.8	3.0
			2000 2099	12.0	(8.6)	73.9	457.9	58.5	7.8	2.8	5.0	4.0	3.4	3.0
			1900 1999	11.0	(7.9)	72.9	434.9	53.6	7.3	3.3	5.1	3.8	3.5	2.9
			1800 1899	2.0	(1.4)	73.3	453.0	61.5	7.4	3.8	5.0	4.0	3.0	3.0
			1700 1799	1.0	(0.7)	73.5	439.6	49.0	7.6	2.1	4.0	4.0	3.0	3.0
			1100 1199	2.0	(1.4)	73.3	342.5	43.5	6.8	2.2	4.0	5.0	2.5	4.0
			999	4.0	(2.9)	72.5	332.3	45.8	5.8	2.9	2.3	5.5	1.8	6.0
				140.0	(2.3)	75.1	462.6	65.8	8.2	2.9	7.5	3.8	4.3	3.1
			3000	136.0	(85.5)	74.7	439.8	61.3	8.2	2.9	8.8	3.9	4.7	2.6
			2900 2999	11.0	(6.9)	73.2	430.6	53.3	7.7	3.2	6.6	4.1	4.1	2.7
			2800 2899	2.0	(1.3)	73.3	436.6	53.5	7.8	3.0	5.5	5.0	3.5	3.0
			2700 2799	1.0	(0.6)	72.5	429.4	59.0	6.7	4.1	7.0	4.0	4.0	3.0
			2600 2699	1.0	(0.6)	72.0	423.4	43.0	6.7	2.4	5.0	4.0	3.0	2.0
			2500 2599	2.0	(1.3)	73.1	439.2	51.5	7.3	2.6	4.0	5.0	3.0	2.0
			2300 2399	2.0	(1.3)	73.0	390.1	51.5	7.1	3.3	5.0	4.5	2.5	3.0
			2000 2099	1.0	(0.6)	73.3	287.0	36.0	5.6	1.0	5.0	4.0	3.0	2.0
			1200 1299	1.0	(0.6)	70.3	382.0	35.0	6.1	3.3	3.0	4.0	2.0	3.0
			999	2.0	(1.3)	71.3	309.2	32.5	5.3	2.3	3.0	6.0	1.5	5.5
				159.0	(2.6)	74.4	435.4	59.6	8.1	2.9	8.3	4.0	4.5	2.6

					(%)		(kg)	(cm2)	(cm)	(cm)				
			3000	9.0	(8.8)	76.7	505.2	80.1	8.1	2.5	11.7	3.0	5.0	2.8
			2900 2999	3.0	(2.9)	77.4	479.7	85.3	8.0	2.7	12.0	3.3	5.0	3.0
			2800 2899	11.0	(10.8)	76.6	470.6	75.9	7.9	2.3	10.7	3.3	5.0	2.6
			2700 2799	13.0	(12.7)	76.1	487.1	76.9	7.8	2.8	10.7	3.3	5.0	2.7
			2600 2699	10.0	(9.8)	75.3	505.7	71.4	8.4	3.0	10.2	3.5	5.0	2.8
			2500 2599	15.0	(14.7)	75.2	490.0	69.1	8.1	2.8	9.2	3.8	5.0	2.8
			2400 2499	5.0	(4.9)	74.8	492.9	71.8	8.3	3.6	8.8	3.4	5.0	2.6
			2300 2399	11.0	(10.8)	74.3	495.9	66.0	7.8	3.0	7.5	3.8	4.4	2.8
			2200 2299	10.0	(9.8)	73.6	495.5	60.4	8.0	3.0	6.7	4.2	4.2	2.9
			2100 2199	4.0	(3.9)	75.0	492.1	64.0	7.9	2.1	5.3	4.0	3.5	3.0
			2000 2099	1.0	(1.0)	72.7	426.0	45.0	6.7	1.8	8.0	4.0	5.0	2.0
			1900 1999	2.0	(2.0)	72.6	562.5	64.5	8.5	4.3	7.5	3.5	4.5	3.0
			1700 1799	1.0	(1.0)	71.2	510.0	46.0	7.2	3.0	5.0	4.0	3.0	2.0
			1500 1599	1.0	(1.0)	71.9	353.0	44.0	5.9	3.1	5.0	5.0	3.0	2.0
			1300 1399	1.0	(1.0)	75.3	359.0	54.0	7.0	1.4	4.0	5.0	2.0	4.0
			1100 1199	1.0	(1.0)	70.5	326.0	39.0	4.7	3.4	5.0	4.0	3.0	4.0
			999	4.0	(3.9)	71.8	328.5	40.5	4.9	2.2	2.8	5.0	2.0	4.3
				102.0	(1.7)	75.1	481.9	68.9	7.8	2.8	8.9	3.7	4.6	2.8
			3000	3.0	(3.8)	76.8	474.7	81.7	7.9	2.9	12.0	3.7	5.0	3.0
			2800 2899	1.0	(1.3)	73.8	402.0	58.0	6.4	2.7	10.0	3.0	5.0	3.0
			2700 2799	1.0	(1.3)	75.8	440.4	68.0	8.1	2.7	11.0	4.0	5.0	3.0
			2600 2699	9.0	(11.5)	75.4	435.0	67.4	7.5	2.7	10.4	3.3	5.0	2.9
			2500 2599	3.0	(3.8)	75.1	441.3	70.0	7.7	3.4	9.7	3.3	5.0	2.7
			2400 2499	18.0	(23.1)	74.7	434.7	61.4	7.8	2.8	7.8	4.1	4.6	2.9
			2300 2399	12.0	(15.4)	74.8	458.6	64.8	8.0	3.0	6.8	3.8	4.3	3.0
			2200 2299	14.0	(17.9)	72.6	444.6	55.1	7.2	3.6	6.2	3.8	4.0	2.9
			2100 2199	3.0	(3.8)	73.8	452.6	58.0	8.1	3.2	7.3	3.7	4.0	3.0
			2000 2099	1.0	(1.3)	75.5	340.0	62.0	7.3	2.9	5.0	4.0	4.0	3.0
			1900 1999	3.0	(3.8)	73.1	452.9	62.0	7.6	4.3	6.0	4.0	3.7	2.7
			1800 1899	1.0	(1.3)	71.9	517.0	55.0	8.3	4.2	4.0	4.0	3.0	3.0
			1700 1799	3.0	(3.8)	74.1	443.3	59.3	7.0	2.4	3.3	4.3	2.3	3.0
			1100 1199	1.0	(1.3)	70.3	512.0	40.0	6.9	2.8	5.0	5.0	2.0	3.0
			1000 1099	2.0	(2.6)	72.4	305.5	45.0	5.0	2.6	3.5	5.5	2.0	3.0
			999	3.0	(3.8)	72.1	293.7	38.7	4.3	1.7	2.3	5.0	2.0	4.7
				78.0	(1.3)	74.2	435.4	60.8	7.4	3.0	7.3	3.9	4.1	3.0
			3000	297.0	(61.0)	75.4	474.3	69.6	8.1	2.8	10.4	3.6	5.0	2.7
			2900 2999	8.0	(1.6)	74.4	477.8	63.0	8.1	2.9	7.9	3.8	4.8	2.9
			2800 2899	20.0	(4.1)	75.0	468.2	65.5	7.9	2.5	8.3	3.9	4.6	2.8
			2700 2799	39.0	(8.0)	74.4	467.9	62.9	7.8	2.8	8.6	3.9	4.8	2.9
			2600 2699	29.0	(6.0)	74.6	473.1	63.9	8.1	2.9	8.2	3.7	4.7	2.9
			2500 2599	18.0	(3.7)	74.3	479.4	64.4	8.0	3.1	8.0	3.8	4.7	2.8
			2400 2499	9.0	(1.8)	74.5	458.0	64.2	7.8	3.1	7.9	3.4	4.7	2.8
			2300 2399	16.0	(3.3)	73.8	483.8	63.4	8.0	3.5	7.1	3.9	4.3	2.9

					(%)		(kg)	(cm2)	(cm)	(cm)				
			2200 2299	33.0	(6.8)	73.5	475.1	59.1	7.9	3.2	6.5	3.7	4.1	2.9
			2100 2199	9.0	(1.8)	74.8	468.2	67.9	7.6	3.0	6.2	4.0	3.9	3.0
			2000 2099	4.0	(0.8)	72.8	436.1	50.0	8.1	3.4	5.5	3.8	3.8	2.8
			1900 1999	4.0	(0.8)	72.6	468.7	54.8	7.3	3.3	4.8	3.8	3.3	3.0
			1800 1899	1.0	(0.2)	74.2	526.7	69.0	9.6	4.4	5.0	4.0	3.0	3.0
				487.0	(8.1)	75.0	473.4	66.9	8.1	2.9	9.3	3.7	4.8	2.8
			3000	19.0	(40.4)	74.6	436.3	60.4	7.9	2.8	9.8	3.9	4.8	3.1
			2900 2999	4.0	(8.5)	75.2	426.9	62.5	7.8	2.4	10.0	3.8	5.0	2.8
			2700 2799	3.0	(6.4)	74.8	454.9	65.7	8.0	3.2	7.7	4.0	4.7	3.0
			2600 2699	3.0	(6.4)	73.6	444.7	58.0	7.2	2.9	5.7	4.7	3.7	3.7
			2500 2599	6.0	(12.8)	73.9	444.2	59.7	7.5	3.0	5.7	4.3	4.0	2.8
			2400 2499	6.0	(12.8)	73.1	431.0	54.2	7.5	3.3	6.8	4.0	4.5	2.8
			2300 2399	1.0	(2.1)	73.2	582.0	67.0	9.9	4.7	5.0	4.0	4.0	3.0
			2200 2299	1.0	(2.1)	71.4	482.5	46.0	7.6	3.4	5.0	4.0	4.0	3.0
			2100 2199	1.0	(2.1)	71.4	473.5	47.0	7.8	3.8	5.0	4.0	4.0	3.0
			1700 1799	1.0	(2.1)	74.1	392.0	49.0	7.6	2.1	5.0	4.0	3.0	2.0
			1300 1399	2.0	(4.3)	71.5	361.0	43.0	5.5	3.0	3.5	5.0	2.5	4.5
				47.0	(0.8)	74.0	438.3	58.4	7.7	2.9	7.8	4.1	4.4	3.0
			2700 2799	2.0	(9.5)	75.5	504.8	71.0	8.7	2.8	9.5	4.0	5.0	3.0
			2600 2699	3.0	(14.3)	77.5	530.2	82.7	8.9	2.2	9.3	3.7	5.0	3.0
			2400 2499	2.0	(9.5)	74.7	548.0	70.5	8.3	3.0	6.0	4.0	4.0	3.0
			2300 2399	3.0	(14.3)	74.8	482.1	65.0	8.1	2.7	6.3	3.3	4.0	2.7
			2200 2299	4.0	(19.0)	74.0	431.9	60.0	7.2	2.9	5.5	4.0	4.0	2.8
			2100 2199	1.0	(4.8)	75.1	497.9	64.0	8.4	2.2	4.0	4.0	3.0	3.0
			2000 2099	3.0	(14.3)	74.9	483.0	65.3	8.3	2.8	4.3	4.3	3.0	3.0
			1200 1299	2.0	(9.5)	71.7	309.5	33.5	5.0	1.7	2.0	4.5	2.0	3.0
			1000 1099	1.0	(4.8)	69.8	327.6	28.0	4.2	2.1	2.0	5.0	2.0	4.0
				21.0	(0.3)	74.6	464.9	62.9	7.7	2.6	5.9	4.0	3.8	3.0
			2300 2399	2.0	(33.3)	74.0	483.6	57.5	8.1	2.5	7.0	4.0	4.0	3.0
			2200 2299	1.0	(16.7)	73.7	357.2	51.0	7.2	3.0	5.0	5.0	3.0	3.0
			1100 1199	1.0	(16.7)	71.3	415.4	39.0	6.8	2.8	3.0	4.0	2.0	4.0
			999	2.0	(33.3)	71.3	366.6	36.0	5.3	1.9	2.5	4.0	2.0	4.0
				6.0	(0.1)	72.6	412.1	46.2	6.8	2.4	4.5	4.2	2.8	3.5
			3000	68.0	(30.6)	74.6	399.4	60.3	7.2	2.7	8.5	3.9	4.7	2.9
			2900 2999	10.0	(4.5)	73.7	355.7	54.6	6.1	2.7	6.6	4.4	4.1	2.8
			2800 2899	14.0	(6.3)	75.0	404.6	61.1	7.2	2.4	8.4	3.9	4.6	2.9
			2700 2799	12.0	(5.4)	75.5	441.4	66.0	7.8	2.4	9.3	3.7	4.8	2.8
			2600 2699	14.0	(6.3)	74.5	429.5	61.6	7.4	2.8	7.8	3.8	4.6	2.8
			2500 2599	12.0	(5.4)	75.2	436.0	65.9	7.5	2.7	7.9	3.8	4.6	2.8

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2400 2499	11.0	(5.0)	74.3	451.7	63.7	7.8	3.3	7.6	3.8	4.5	2.9
			2300 2399	28.0	(12.6)	74.2	434.5	59.4	7.5	2.8	6.9	3.8	4.2	2.9
			2200 2299	8.0	(3.6)	74.1	436.6	61.4	7.7	3.3	6.4	3.6	4.1	2.9
			2100 2199	18.0	(8.1)	73.3	428.3	55.3	7.2	3.2	5.8	3.9	4.1	2.7
			2000 2099	8.0	(3.6)	72.3	438.2	52.3	7.0	3.5	4.9	4.1	3.8	3.0
			1900 1999	6.0	(2.7)	72.8	502.2	55.5	8.1	3.2	3.7	3.8	3.0	2.8
			1800 1899	1.0	(0.5)	73.9	268.0	43.0	4.8	1.1	3.0	4.0	2.0	4.0
			1600 1699	1.0	(0.5)	72.3	434.2	53.0	6.2	3.0	7.0	5.0	4.0	3.0
			1500 1599	2.0	(0.9)	74.5	425.9	61.5	7.1	2.6	4.5	5.0	2.5	2.5
			1400 1499	2.0	(0.9)	73.8	465.6	61.5	7.0	2.7	5.0	6.0	3.0	4.0
			1300 1399	1.0	(0.5)	73.5	424.8	55.0	7.3	2.9	5.0	6.0	3.0	3.0
			1200 1299	4.0	(1.8)	72.7	354.2	45.0	6.0	2.4	4.0	5.3	2.3	3.3
			1100 1199	1.0	(0.5)	71.0	352.0	36.0	6.2	3.1	2.0	6.0	2.0	4.0
			999	1.0	(0.5)	72.8	435.7	55.0	5.3	2.0	3.0	6.0	2.0	3.0
				222.0	(3.7)	74.2	418.4	59.5	7.3	2.8	7.3	4.0	4.3	2.9
			3000	2.0	(2.9)	77.2	473.6	80.5	8.5	2.7	12.0	3.0	5.0	2.5
			2900 2999	2.0	(2.9)	78.0	434.4	80.5	7.8	1.9	9.5	4.0	5.0	3.0
			2800 2899	2.0	(2.9)	76.3	393.2	70.0	7.3	2.4	9.0	3.0	5.0	3.0
			2700 2799	5.0	(7.4)	76.1	437.5	73.0	7.5	2.6	8.2	3.8	4.8	2.8
			2600 2699	6.0	(8.8)	75.9	415.4	67.3	7.4	2.1	7.8	3.7	4.8	3.0
			2500 2599	7.0	(10.3)	74.8	431.6	66.1	7.0	2.8	8.6	3.7	5.0	2.9
			2400 2499	6.0	(8.8)	75.1	419.7	64.8	7.2	2.6	8.0	3.8	4.8	3.0
			2300 2399	9.0	(13.2)	74.1	435.2	58.7	7.6	2.8	7.1	4.1	4.4	2.9
			2200 2299	11.0	(16.2)	73.1	411.0	52.9	7.0	3.1	5.8	4.0	3.9	2.9
			2100 2199	6.0	(8.8)	73.3	453.3	56.2	7.3	2.8	5.3	4.5	3.7	2.8
			2000 2099	3.0	(4.4)	73.2	362.6	49.3	6.4	2.7	5.7	5.0	3.3	2.7
			1900 1999	2.0	(2.9)	72.4	338.1	38.0	6.3	2.2	3.5	4.0	3.0	3.0
			1800 1899	3.0	(4.4)	73.9	405.3	55.0	6.7	2.3	3.7	4.3	3.0	3.0
			1700 1799	1.0	(1.5)	72.8	410.3	49.0	6.9	2.7	4.0	4.0	3.0	3.0
			1100 1199	1.0	(1.5)	69.8	322.4	35.0	4.7	3.6	3.0	4.0	2.0	3.0
			1000 1099	1.0	(1.5)	72.1	284.2	34.0	5.5	2.0	5.0	4.0	4.0	3.0
			999	1.0	(1.5)	73.8	319.2	47.0	6.0	1.8	2.0	5.0	2.0	4.0
				68.0	(1.1)	74.4	416.1	60.1	7.1	2.7	6.9	4.0	4.2	2.9
			3000	56.0	(48.3)	75.5	446.2	68.4	8.2	3.0	10.9	3.6	5.0	2.9
			2900 2999	6.0	(5.2)	74.8	471.7	65.5	8.1	2.9	11.0	3.5	5.0	2.7
			2800 2899	8.0	(6.9)	74.8	403.9	60.4	7.7	2.8	11.1	3.9	5.0	3.0
			2700 2799	6.0	(5.2)	75.9	439.0	68.8	7.8	2.5	10.2	4.0	5.0	2.8
			2600 2699	11.0	(9.5)	74.7	427.8	61.7	7.9	3.0	8.9	4.0	4.9	2.8
			2500 2599	6.0	(5.2)	74.7	455.6	67.0	8.2	3.5	8.0	3.7	4.5	2.8
			2400 2499	5.0	(4.3)	74.1	410.9	56.6	7.5	2.9	7.8	4.0	4.4	2.8
			2300 2399	8.0	(6.9)	74.3	441.6	58.3	7.6	2.5	7.8	4.0	4.6	2.9
			2200 2299	4.0	(3.4)	73.9	474.1	61.0	7.5	2.8	6.8	3.8	4.0	3.0
			2100 2199	1.0	(0.9)	73.5	335.0	50.0	6.4	2.8	6.0	4.0	4.0	3.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
			2000 2099	1.0	(0.9)	75.5	488.0	77.0	6.8	2.5	4.0	5.0	3.0	3.0
			1900 1999	1.0	(0.9)	73.3	371.0	46.0	6.8	2.2	5.0	5.0	3.0	3.0
			1800 1899	1.0	(0.9)	71.2	443.2	41.0	7.3	3.2	8.0	4.0	4.0	4.0
			1400 1499	1.0	(0.9)	71.0	378.1	51.0	5.4	4.3	6.0	5.0	4.0	3.0
			999	1.0	(0.9)	69.4	367.0	32.0	5.1	3.3	4.0	5.0	2.0	6.0
				116.0	(1.9)	75.0	439.6	64.6	7.9	2.9	9.8	3.8	4.8	2.9
			3000	12.0	(7.9)	76.5	465.3	76.2	8.1	2.7	11.3	3.3	5.0	3.0
			2900 2999	8.0	(5.3)	76.7	443.5	76.6	7.6	2.5	10.4	3.4	5.0	3.0
			2800 2899	11.0	(7.2)	75.3	453.6	65.2	7.9	2.5	9.2	3.6	4.9	3.0
			2700 2799	9.0	(5.9)	75.1	459.3	66.4	7.8	2.8	9.8	3.8	5.0	3.1
			2600 2699	13.0	(8.6)	75.7	463.4	69.5	7.9	2.6	9.5	3.7	4.8	3.0
			2500 2599	11.0	(7.2)	74.8	446.9	62.4	7.8	2.6	8.4	3.9	4.7	2.8
			2400 2499	9.0	(5.9)	74.7	454.4	64.9	7.8	2.9	8.1	4.0	4.7	3.0
			2300 2399	7.0	(4.6)	75.0	462.1	67.0	7.7	2.7	7.9	4.1	4.4	3.0
			2200 2299	9.0	(5.9)	74.7	452.9	62.7	7.8	2.6	7.3	4.0	4.4	2.9
			2100 2199	8.0	(5.3)	74.0	464.0	63.6	7.5	3.2	7.4	4.3	4.3	3.0
			2000 2099	4.0	(2.6)	75.4	383.8	59.0	7.1	1.9	6.8	4.3	4.3	2.5
			1900 1999	2.0	(1.3)	72.9	424.1	52.5	7.0	3.0	6.5	4.0	3.5	2.5
			1800 1899	4.0	(2.6)	74.0	411.7	57.0	7.3	2.7	6.8	4.3	4.0	2.8
			1600 1699	2.0	(1.3)	73.5	417.6	53.5	6.7	2.3	5.0	4.5	3.0	3.0
			1400 1499	5.0	(3.3)	73.0	399.7	49.6	6.6	2.4	4.8	4.4	3.0	4.0
			1300 1399	11.0	(7.2)	73.1	416.9	51.2	6.9	2.5	3.6	4.3	2.1	4.2
			1200 1299	17.0	(11.2)	72.1	392.1	44.3	6.4	2.7	2.8	4.4	2.0	4.4
			1100 1199	9.0	(5.9)	72.7	393.7	49.7	6.4	2.8	2.7	4.7	2.2	4.4
			1000 1099	1.0	(0.7)	70.9	403.0	39.0	6.7	3.3	2.0	6.0	2.0	4.0
				152.0	(2.5)	74.4	436.6	61.1	7.4	2.7	7.2	4.0	4.0	3.3
			3000	4.0	(12.1)	75.6	429.3	68.3	7.0	2.3	10.8	3.5	5.0	2.5
			2800 2899	1.0	(3.0)	74.7	384.4	57.0	6.4	1.8	10.0	4.0	5.0	2.0
			2700 2799	2.0	(6.1)	75.8	382.5	64.0	6.2	1.4	11.0	3.0	5.0	2.0
			2600 2699	2.0	(6.1)	75.8	447.6	67.5	7.6	2.2	11.0	3.0	5.0	3.0
			2500 2599	5.0	(15.2)	75.6	371.5	62.8	6.5	1.8	10.2	3.4	4.8	2.4
			2400 2499	3.0	(9.1)	73.9	393.0	54.3	6.1	1.8	8.3	3.7	5.0	2.0
			2300 2399	2.0	(6.1)	77.3	428.9	77.0	7.4	2.0	8.5	3.0	5.0	2.5
			2200 2299	5.0	(15.2)	73.8	411.7	55.8	6.9	2.6	6.0	4.0	3.8	3.0
			2100 2199	3.0	(9.1)	74.3	409.4	57.3	6.5	2.1	5.7	4.7	3.7	3.0
			2000 2099	1.0	(3.0)	73.5	347.2	47.0	5.9	1.7	6.0	4.0	4.0	2.0
			1900 1999	1.0	(3.0)	70.2	519.8	59.0	8.1	6.5	9.0	3.0	5.0	3.0
			1800 1899	3.0	(9.1)	73.9	384.9	48.7	6.7	1.6	3.7	4.0	2.7	2.7
			1600 1699	1.0	(3.0)	71.6	362.6	35.0	6.3	2.3	4.0	3.0	3.0	2.0
				33.0	(0.5)	74.6	403.9	59.5	6.7	2.2	8.1	3.6	4.4	2.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2800 2899	1.0	(1.6)	78.5	472.4	88.0	8.7	2.6	11.0	4.0	5.0	3.0
			2700 2799	6.0	(9.7)	76.8	433.3	74.0	7.8	2.3	11.0	3.7	5.0	2.7
			2600 2699	3.0	(4.8)	76.3	424.0	70.0	8.0	2.5	9.7	3.3	5.0	2.3
			2500 2599	12.0	(19.4)	75.8	442.6	69.7	8.0	2.8	8.3	3.8	4.8	2.6
			2400 2499	9.0	(14.5)	76.0	435.8	68.7	7.8	2.3	8.4	3.8	4.8	2.7
			2300 2399	10.0	(16.1)	74.2	428.2	56.7	7.9	2.8	6.4	3.9	4.0	2.6
			2200 2299	8.0	(12.9)	74.5	445.2	63.0	7.6	2.9	6.6	3.6	4.3	2.5
			2100 2199	4.0	(6.5)	75.3	417.6	67.8	7.8	3.3	6.8	4.3	4.0	2.8
			2000 2099	1.0	(1.6)	74.0	554.2	71.0	8.1	3.5	5.0	5.0	3.0	3.0
			1900 1999	1.0	(1.6)	73.6	370.2	47.0	7.0	2.2	3.0	5.0	3.0	2.0
			1800 1899	1.0	(1.6)	75.3	552.4	79.0	7.3	2.5	6.0	4.0	4.0	3.0
			1700 1799	2.0	(3.2)	73.2	357.9	44.5	5.8	1.6	2.5	4.5	2.0	2.0
			1300 1399	1.0	(1.6)	69.1	333.2	32.0	5.3	4.2	5.0	4.0	3.0	3.0
			1100 1199	1.0	(1.6)	70.8	412.0	38.0	5.3	2.1	2.0	6.0	2.0	5.0
			999	2.0	(3.2)	71.9	262.6	32.0	4.5	1.6	2.5	5.5	2.0	4.0
				62.0	(1.0)	75.0	428.3	63.8	7.6	2.6	7.4	3.9	4.3	2.7
			2900 2999	3.0	(13.6)	75.5	446.2	67.0	7.9	2.5	9.7	3.0	5.0	2.7
			2800 2899	1.0	(4.5)	77.7	517.0	88.0	8.6	2.7	12.0	4.0	5.0	3.0
			2700 2799	1.0	(4.5)	74.5	468.0	58.0	8.2	2.3	11.0	4.0	5.0	3.0
			2600 2699	2.0	(9.1)	75.2	425.3	61.5	7.5	2.1	7.5	3.5	4.5	3.0
			2500 2599	1.0	(4.5)	75.4	465.0	73.0	6.8	2.4	9.0	4.0	5.0	3.0
			2400 2499	1.0	(4.5)	74.4	473.4	67.0	8.5	3.9	10.0	4.0	5.0	3.0
			2300 2399	5.0	(22.7)	74.4	463.2	62.8	8.3	3.3	7.8	3.8	4.6	3.0
			2200 2299	1.0	(4.5)	75.8	362.0	56.0	7.5	1.5	9.0	4.0	5.0	3.0
			2100 2199	2.0	(9.1)	73.3	494.2	67.0	7.2	3.8	7.0	3.5	4.0	3.0
			1800 1899	2.0	(9.1)	73.9	404.9	54.0	7.2	2.5	4.0	4.0	3.0	3.0
			1400 1499	1.0	(4.5)	72.5	338.1	45.0	6.1	2.9	4.0	4.0	2.0	4.0
			1300 1399	1.0	(4.5)	71.8	356.4	43.0	6.4	3.3	4.0	4.0	2.0	5.0
			1200 1299	1.0	(4.5)	72.6	354.4	44.0	5.7	2.1	2.0	5.0	2.0	5.0
				22.0	(0.4)	74.5	438.1	61.5	7.6	2.8	7.5	3.8	4.2	3.2
			3000	5.0	(7.8)	77.0	423.2	74.6	7.5	2.0	11.4	3.0	5.0	3.0
			2800 2899	2.0	(3.1)	75.4	423.8	64.5	8.3	2.9	10.0	3.0	5.0	2.5
			2700 2799	8.0	(12.5)	74.9	445.7	65.6	8.3	3.4	9.9	3.3	5.0	3.0
			2600 2699	7.0	(10.9)	75.2	409.2	66.9	7.5	3.1	8.6	3.9	4.9	2.9
			2500 2599	8.0	(12.5)	74.6	431.9	61.0	7.8	2.8	7.0	3.8	4.3	2.9
			2400 2499	3.0	(4.7)	75.9	432.7	69.7	7.8	2.7	8.3	3.7	5.0	3.0
			2300 2399	5.0	(7.8)	74.7	461.4	61.8	7.5	2.3	6.8	4.2	4.2	3.0
			2200 2299	7.0	(10.9)	73.1	431.1	55.9	7.4	3.5	6.3	4.1	3.9	2.9
			2100 2199	3.0	(4.7)	73.8	436.5	59.3	8.1	3.6	6.3	3.7	4.3	3.3
			2000 2099	8.0	(12.5)	73.4	427.3	56.3	6.9	2.9	4.8	3.5	3.6	2.8
			1900 1999	5.0	(7.8)	73.8	463.2	59.8	7.3	2.7	4.8	3.8	3.4	3.0
			1800 1899	3.0	(4.7)	74.2	382.0	51.7	7.2	2.2	4.7	4.7	3.3	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				64.0	(1.1)	74.5	432.2	62.1	7.6	2.9	7.3	3.7	4.3	2.9
			3000	3.0	(8.3)	76.7	446.1	77.7	7.7	2.7	11.3	3.0	5.0	2.7
			2900 2999	4.0	(11.1)	76.3	428.4	73.0	7.8	2.8	11.0	3.3	5.0	2.5
			2800 2899	2.0	(5.6)	76.0	443.3	70.5	8.1	2.9	9.5	3.5	5.0	3.0
			2700 2799	7.0	(19.4)	74.8	443.3	64.6	7.3	2.6	9.9	3.1	5.0	2.7
			2600 2699	6.0	(16.7)	75.3	417.6	65.2	7.6	2.8	7.7	4.0	4.5	2.7
			2500 2599	7.0	(19.4)	73.9	415.3	56.9	7.5	3.0	8.4	4.0	4.7	2.9
			2400 2499	5.0	(13.9)	74.9	423.5	62.4	7.6	2.7	5.8	3.8	4.0	2.8
			2300 2399	1.0	(2.8)	73.0	464.8	60.0	7.6	3.9	7.0	4.0	5.0	3.0
			2200 2299	1.0	(2.8)	73.6	381.0	52.0	7.3	3.0	7.0	4.0	4.0	3.0
				36.0	(0.6)	75.0	428.3	64.8	7.6	2.8	8.7	3.6	4.7	2.8
			3000	1.0	(4.3)	75.3	463.9	67.0	8.1	2.8	11.0	4.0	5.0	2.0
			2900 2999	4.0	(17.4)	74.2	475.1	61.5	8.8	3.5	8.8	3.8	4.8	3.0
			2800 2899	1.0	(4.3)	74.5	470.3	68.0	7.1	2.9	9.0	4.0	5.0	3.0
			2700 2799	1.0	(4.3)	77.4	418.6	78.0	7.2	2.0	11.0	3.0	5.0	3.0
			2600 2699	2.0	(8.7)	74.0	441.1	61.0	7.8	3.4	8.0	4.5	5.0	3.0
			2500 2599	1.0	(4.3)	73.5	445.9	56.0	6.9	2.4	5.0	4.0	4.0	2.0
			2400 2499	4.0	(17.4)	75.3	420.6	64.8	7.6	2.5	8.3	3.5	4.8	2.8
			2300 2399	2.0	(8.7)	74.3	427.6	57.0	7.5	2.5	5.5	4.5	3.5	3.0
			2200 2299	3.0	(13.0)	74.8	434.9	62.0	7.4	2.4	6.7	4.0	4.0	3.0
			2000 2099	1.0	(4.3)	74.4	430.4	65.0	7.8	3.6	3.0	4.0	3.0	3.0
			1000 1099	1.0	(4.3)	71.3	337.7	35.0	5.1	2.0	3.0	5.0	2.0	3.0
			999	2.0	(8.7)	71.4	365.9	39.0	5.0	2.0	2.5	6.0	2.0	2.0
				23.0	(0.4)	74.3	431.5	59.7	7.4	2.7	7.0	4.1	4.1	2.8
			2300 2399	1.0	(50.0)	74.7	470.5	58.0	8.0	1.9	8.0	4.0	4.0	3.0
			2000 2099	1.0	(50.0)	70.9	546.0	55.0	9.3	5.5	8.0	3.0	5.0	3.0
				2.0	(0.0)	72.8	508.3	56.5	8.7	3.7	8.0	3.5	4.5	3.0
			2900 2999	2.0	(2.4)	77.0	493.0	81.0	8.0	2.4	11.0	3.0	5.0	3.0
			2800 2899	3.0	(3.7)	77.3	454.9	78.0	8.4	2.5	11.0	3.0	5.0	3.0
			2700 2799	2.0	(2.4)	76.8	467.4	78.5	7.8	2.4	10.5	4.0	5.0	3.0
			2600 2699	3.0	(3.7)	74.8	482.3	68.0	8.7	3.6	10.3	3.3	5.0	3.0
			2500 2599	7.0	(8.5)	76.2	472.4	72.4	8.5	2.6	9.3	3.7	4.9	2.4
			2400 2499	3.0	(3.7)	74.2	474.8	68.3	8.2	4.0	9.3	3.7	5.0	3.0
			2300 2399	7.0	(8.5)	74.6	442.4	64.0	7.9	3.1	8.3	3.9	4.7	2.9
			2200 2299	2.0	(2.4)	74.3	416.8	60.0	7.1	2.8	8.0	4.0	4.5	3.0
			2100 2199	5.0	(6.1)	74.6	452.8	60.2	8.2	2.7	5.6	4.2	4.0	2.8
			2000 2099	3.0	(3.7)	73.3	417.5	60.0	6.9	3.7	7.0	4.0	4.0	3.3
			1900 1999	8.0	(9.8)	73.6	435.2	55.6	8.2	3.4	4.6	4.1	3.1	3.0
			1800 1899	6.0	(7.3)	73.7	459.4	58.3	8.1	3.3	4.8	4.0	3.2	2.7
			1700 1799	1.0	(1.2)	74.7	437.6	56.0	8.2	2.2	3.0	5.0	2.0	3.0
			1600 1699	3.0	(3.7)	73.5	421.8	55.7	7.3	3.0	4.7	4.3	2.7	3.7

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1500 1599	1.0	(1.2)	70.9	427.2	45.0	7.0	4.1	4.0	4.0	2.0	4.0
			1400 1499	1.0	(1.2)	72.9	422.3	53.0	7.5	3.5	3.0	5.0	2.0	2.0
			1300 1399	1.0	(1.2)	72.0	446.5	56.0	7.5	4.5	3.0	4.0	2.0	6.0
			1200 1299	7.0	(8.5)	72.8	369.9	43.9	6.2	2.0	2.9	4.3	2.0	4.0
			1100 1199	6.0	(7.3)	72.8	349.3	41.2	6.1	1.8	2.5	4.0	2.0	4.0
			1000 1099	8.0	(9.8)	71.9	321.0	38.5	4.8	1.9	2.3	4.4	2.0	3.9
			999	3.0	(3.7)	72.0	330.3	40.3	5.3	2.3	2.0	4.7	2.0	4.3
				82.0	(1.4)	73.9	419.4	57.0	7.3	2.8	5.8	4.0	3.4	3.3
			3000	3.0	(1.3)	77.0	455.1	77.0	8.5	2.6	11.7	3.3	5.0	2.7
			2900 2999	5.0	(2.1)	75.8	444.9	70.8	8.2	3.0	10.6	3.4	5.0	2.8
			2800 2899	14.0	(6.0)	76.5	465.4	74.0	8.4	2.6	10.2	3.4	5.0	2.9
			2700 2799	15.0	(6.4)	75.5	464.7	68.3	8.4	2.8	9.1	3.9	5.0	2.9
			2600 2699	16.0	(6.8)	75.5	486.3	73.6	8.5	3.4	9.4	3.3	5.0	2.9
			2500 2599	17.0	(7.2)	75.2	441.9	68.1	7.5	2.8	8.6	3.9	4.7	2.5
			2400 2499	23.0	(9.8)	75.0	466.3	67.5	8.2	3.1	8.1	3.8	4.7	3.0
			2300 2399	41.0	(17.4)	74.9	473.3	66.8	8.1	3.0	7.9	3.8	4.6	2.9
			2200 2299	21.0	(8.9)	74.4	475.8	65.0	8.1	3.3	7.3	3.8	4.3	2.8
			2100 2199	23.0	(9.8)	73.4	471.0	60.2	7.7	3.4	6.3	4.0	4.0	3.0
			2000 2099	21.0	(8.9)	73.4	471.3	58.5	8.0	3.4	5.2	4.2	3.7	2.9
			1900 1999	22.0	(9.4)	72.8	454.2	54.1	7.5	3.3	5.5	4.0	3.7	2.9
			1800 1899	7.0	(3.0)	72.4	419.8	51.9	6.9	3.4	4.6	4.3	3.4	2.7
			1700 1799	4.0	(1.7)	72.5	475.1	56.3	7.5	3.6	4.3	4.5	2.8	2.8
			1600 1699	1.0	(0.4)	71.4	395.0	53.0	6.0	4.4	4.0	3.0	4.0	3.0
			1500 1599	1.0	(0.4)	71.7	414.0	49.0	6.4	3.5	3.0	4.0	2.0	3.0
			1100 1199	1.0	(0.4)	71.8	339.1	36.0	5.4	1.8	2.0	4.0	2.0	4.0
				235.0	(3.9)	74.5	464.7	64.5	8.0	3.1	7.5	3.8	4.4	2.9
			3000	1.0	(0.9)	73.2	380.2	52.0	7.4	3.5	8.0	4.0	4.0	3.0
			2900 2999	1.0	(0.9)	74.7	463.1	63.0	9.3	3.7	9.0	4.0	5.0	2.0
			2700 2799	2.0	(1.7)	75.5	441.3	67.5	8.8	3.3	8.5	3.5	5.0	2.5
			2600 2699	3.0	(2.6)	76.5	448.5	73.0	8.3	2.6	9.0	3.7	5.0	2.3
			2500 2599	5.0	(4.3)	75.0	478.0	68.2	9.3	3.9	8.6	3.8	4.8	2.4
			2400 2499	7.0	(6.0)	75.0	431.5	62.9	8.3	3.0	8.0	3.6	4.7	2.3
			2300 2399	10.0	(8.5)	74.6	466.2	62.6	8.4	3.1	7.4	3.8	4.5	2.8
			2200 2299	9.0	(7.7)	73.4	447.7	58.4	7.8	3.6	7.6	3.7	4.3	2.7
			2100 2199	9.0	(7.7)	74.6	434.5	60.4	7.9	2.8	6.1	4.0	3.9	2.9
			2000 2099	12.0	(10.3)	73.9	467.8	61.1	8.3	3.4	5.8	4.0	3.6	2.6
			1900 1999	11.0	(9.4)	73.4	421.5	55.2	7.5	3.2	5.3	4.2	3.5	2.5
			1800 1899	7.0	(6.0)	73.6	439.2	56.1	7.7	3.2	5.3	4.0	3.1	2.7
			1700 1799	13.0	(11.1)	72.3	386.0	47.0	6.6	3.1	3.3	4.4	2.5	2.6
			1600 1699	3.0	(2.6)	72.9	427.0	50.0	7.2	2.8	3.3	4.3	2.7	2.7
			1500 1599	1.0	(0.9)	71.6	383.1	41.0	5.3	2.1	6.0	4.0	4.0	4.0
			1400 1499	1.0	(0.9)	74.3	393.3	62.0	5.8	2.3	6.0	4.0	4.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1300 1399	2.0	(1.7)	72.4	349.6	43.5	5.5	2.2	4.0	4.5	2.0	3.0
			1200 1299	2.0	(1.7)	72.2	352.8	39.5	5.8	2.0	3.5	5.0	2.0	4.0
			1100 1199	8.0	(6.8)	71.9	322.9	40.0	5.3	2.4	2.8	4.9	2.0	3.4
			1000 1099	4.0	(3.4)	72.7	337.3	45.5	5.2	2.1	2.8	4.8	2.0	3.8
			999	6.0	(5.1)	71.4	310.8	35.2	4.7	2.1	2.7	5.2	2.0	4.5
				117.0	(1.9)	73.5	416.1	54.9	7.3	3.0	5.6	4.1	3.5	2.8
			3000	1.0	(1.0)	78.4	410.6	89.0	6.6	2.0	12.0	3.0	5.0	2.0
			2900 2999	3.0	(3.0)	76.9	423.8	74.0	7.3	1.8	11.3	3.3	5.0	2.7
			2800 2899	9.0	(8.9)	76.5	461.4	77.8	7.7	2.7	10.7	3.4	5.0	2.7
			2700 2799	4.0	(4.0)	77.1	462.3	78.8	7.8	2.1	10.5	4.0	5.0	2.8
			2600 2699	8.0	(7.9)	76.9	444.9	76.0	7.5	2.0	9.8	3.5	5.0	2.9
			2500 2599	12.0	(11.9)	75.3	444.7	66.2	7.4	2.3	8.9	3.8	4.8	2.8
			2400 2499	10.0	(9.9)	75.3	451.1	68.0	7.4	2.5	8.0	3.8	4.6	2.9
			2300 2399	12.0	(11.9)	74.2	479.3	63.1	7.6	2.8	7.4	3.8	4.5	2.9
			2200 2299	13.0	(12.9)	74.1	445.9	57.8	7.8	2.7	6.8	3.8	4.2	2.7
			2100 2199	2.0	(2.0)	73.8	438.0	55.5	7.7	2.8	6.0	3.5	4.0	2.0
			2000 2099	9.0	(8.9)	73.9	458.4	57.4	7.4	2.5	5.0	4.1	3.4	2.7
			1900 1999	6.0	(5.9)	73.8	473.1	61.2	7.7	3.1	5.3	4.0	3.5	2.8
			1800 1899	1.0	(1.0)	74.3	407.8	66.0	6.8	3.5	4.0	4.0	3.0	2.0
			1700 1799	2.0	(2.0)	74.8	429.9	61.0	7.0	2.0	4.0	4.0	2.5	3.0
			1600 1699	3.0	(3.0)	72.4	425.0	57.0	7.3	4.5	4.3	4.7	3.3	3.3
			1500 1599	1.0	(1.0)	73.5	340.6	45.0	7.0	2.4	6.0	4.0	3.0	5.0
			1400 1499	1.0	(1.0)	70.8	506.9	52.0	8.7	5.3	2.0	4.0	2.0	3.0
			1100 1199	2.0	(2.0)	71.8	384.1	42.5	5.8	2.4	2.5	4.0	2.0	4.0
			1000 1099	1.0	(1.0)	73.4	369.7	53.0	6.0	2.5	2.0	5.0	2.0	4.0
			999	1.0	(1.0)	72.8	343.1	35.0	6.1	1.0	2.0	5.0	2.0	4.0
				101.0	(1.7)	74.9	449.0	64.8	7.5	2.6	7.5	3.8	4.2	2.9
			3000	1.0	(7.7)	76.0	486.3	76.0	6.8	1.9	11.0	3.0	5.0	3.0
			2300 2399	1.0	(7.7)	74.9	452.9	70.0	7.7	3.4	7.0	4.0	4.0	3.0
			2100 2199	1.0	(7.7)	71.9	408.8	50.0	7.7	4.5	8.0	4.0	5.0	3.0
			1900 1999	1.0	(7.7)	73.6	481.5	59.0	8.2	3.3	6.0	4.0	4.0	3.0
			1800 1899	1.0	(7.7)	70.8	430.6	57.0	7.5	6.2	6.0	4.0	4.0	3.0
			1300 1399	3.0	(23.1)	72.5	404.8	47.3	6.6	2.7	3.0	4.3	2.0	4.7
			1200 1299	1.0	(7.7)	72.8	381.7	42.0	7.2	2.3	3.0	4.0	2.0	5.0
			1000 1099	3.0	(23.1)	72.2	401.5	46.0	6.4	2.7	2.7	4.7	2.0	4.7
			999	1.0	(7.7)	71.2	394.0	40.0	6.1	2.9	3.0	6.0	2.0	3.0
				13.0	(0.2)	72.7	419.6	51.8	6.9	3.1	4.7	4.3	2.9	3.9
			3000	10.0	(3.3)	75.8	442.5	68.9	7.9	2.6	11.0	3.3	5.0	2.8
			2900 2999	2.0	(0.7)	77.0	449.4	80.0	7.9	2.8	10.5	3.5	5.0	2.5
			2800 2899	3.0	(1.0)	74.9	469.3	66.3	8.5	3.3	10.0	3.3	5.0	3.0
			2700 2799	10.0	(3.3)	75.7	450.8	68.6	8.4	2.9	9.2	3.6	5.0	3.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
			2600 2699	24.0	(7.9)	75.0	428.1	63.5	7.8	2.8	8.9	3.4	4.9	2.9
			2500 2599	25.0	(8.3)	74.7	452.4	64.9	8.0	3.1	8.4	3.7	4.9	2.8
			2400 2499	25.0	(8.3)	74.8	449.9	63.9	7.9	2.9	7.8	3.9	4.5	2.7
			2300 2399	32.0	(10.6)	74.3	443.8	61.2	7.7	2.9	6.9	3.8	4.2	2.9
			2200 2299	13.0	(4.3)	74.0	403.0	56.7	7.6	3.1	6.2	3.8	4.2	3.1
			2100 2199	23.0	(7.6)	74.1	433.0	59.7	7.6	3.0	6.1	3.6	4.0	2.9
			2000 2099	17.0	(5.6)	73.6	433.5	56.8	7.2	2.9	5.1	4.0	3.4	2.9
			1900 1999	8.0	(2.6)	72.4	446.5	49.9	7.8	3.4	5.1	3.8	3.8	3.0
			1800 1899	10.0	(3.3)	72.8	437.1	51.9	7.6	3.3	5.3	4.1	3.7	2.8
			1700 1799	5.0	(1.7)	73.5	420.8	57.6	6.9	3.0	4.0	4.6	2.8	3.0
			1600 1699	11.0	(3.6)	73.4	441.7	52.6	7.8	2.7	4.4	4.1	2.9	3.3
			1500 1599	9.0	(3.0)	73.2	466.3	56.0	7.5	2.9	5.1	4.1	3.0	3.8
			1400 1499	16.0	(5.3)	72.6	402.0	46.8	6.6	2.5	4.1	4.3	2.7	3.9
			1300 1399	10.0	(3.3)	72.8	419.4	47.1	7.2	2.5	2.9	4.1	2.2	3.7
			1200 1299	18.0	(5.9)	72.7	423.2	46.6	7.0	2.4	2.4	4.3	2.0	4.2
			1100 1199	9.0	(3.0)	72.0	404.0	44.0	6.2	2.4	2.2	4.7	2.0	4.6
			1000 1099	6.0	(2.0)	72.7	350.9	45.0	6.2	2.5	3.2	4.3	2.5	3.3
			999	17.0	(5.6)	71.5	359.3	37.1	5.7	2.3	2.9	5.0	2.2	3.6
				303.0	(5.0)	73.8	429.2	56.6	7.4	2.8	6.1	3.9	3.7	3.2
			3000	20.0	(4.8)	76.7	455.4	74.7	8.7	2.8	11.0	3.4	5.0	2.7
			2900 2999	13.0	(3.1)	77.5	474.3	82.3	8.5	2.7	10.7	3.2	5.0	2.7
			2800 2899	21.0	(5.1)	76.1	452.4	71.8	8.2	2.7	9.9	3.4	5.0	2.8
			2700 2799	17.0	(4.1)	76.2	453.4	71.2	8.2	2.5	9.3	3.8	5.0	2.7
			2600 2699	40.0	(9.7)	75.4	471.8	69.3	8.1	2.8	9.0	3.5	5.0	2.8
			2500 2599	27.0	(6.5)	75.4	460.2	67.7	8.1	2.8	8.3	3.7	4.9	3.0
			2400 2499	34.0	(8.2)	75.0	481.0	67.7	8.3	3.1	8.3	3.7	4.8	2.8
			2300 2399	40.0	(9.7)	74.6	470.1	65.0	7.9	3.0	7.5	3.6	4.5	2.8
			2200 2299	36.0	(8.7)	74.3	459.6	62.1	8.0	3.1	7.1	3.6	4.4	2.9
			2100 2199	29.0	(7.0)	74.1	460.2	60.4	7.8	2.9	5.9	4.0	3.9	3.0
			2000 2099	20.0	(4.8)	74.1	443.7	59.9	7.8	3.0	5.6	4.0	3.8	2.8
			1900 1999	16.0	(3.9)	73.0	453.3	53.8	7.6	3.2	5.1	4.0	3.4	3.0
			1800 1899	11.0	(2.7)	73.8	445.1	58.3	7.6	2.9	4.4	4.3	3.3	2.9
			1700 1799	8.0	(1.9)	73.3	461.7	54.5	7.8	2.9	4.4	4.0	3.0	3.6
			1600 1699	9.0	(2.2)	73.6	442.5	55.0	7.2	2.5	4.7	4.2	3.0	3.6
			1500 1599	11.0	(2.7)	72.6	445.0	50.3	7.1	2.8	3.9	4.2	2.7	3.5
			1400 1499	14.0	(3.4)	73.0	419.0	48.4	6.8	2.2	3.9	4.3	2.5	3.8
			1300 1399	8.0	(1.9)	72.1	412.6	47.5	6.6	3.0	3.3	4.5	2.1	4.0
			1200 1299	20.0	(4.8)	72.4	407.3	45.8	6.3	2.3	2.8	4.7	2.0	4.1
			1100 1199	4.0	(1.0)	71.2	417.5	38.0	6.3	2.4	3.8	4.5	2.3	2.8
			1000 1099	6.0	(1.5)	71.8	407.1	44.7	6.2	2.7	4.3	5.0	2.5	4.0
			999	9.0	(2.2)	71.2	347.4	36.1	5.3	2.3	2.6	5.3	2.0	4.0
				413.0	(6.9)	74.5	452.7	62.2	7.7	2.8	7.0	3.9	4.1	3.0
			2500 2599	2.0	(40.0)	75.4	409.0	64.5	7.3	2.4	8.5	4.0	5.0	3.0
			2400 2499	1.0	(20.0)	75.1	306.0	53.0	6.4	1.8	8.0	4.0	5.0	2.0

[illegible]

					(%)		(kg)	(m2)	(m)	(m)				
			3000	5.0	(0.9)	78.2	547.4	86.4	9.2	2.0	12.0	3.2	5.0	2.2
			2900 2999	6.0	(1.1)	78.5	534.0	86.5	9.4	2.0	11.8	3.3	5.0	2.5
			2800 2899	14.0	(2.5)	77.5	544.6	84.6	8.5	2.0	11.5	3.5	5.0	2.4
			2700 2799	22.0	(3.9)	77.5	544.7	83.2	8.9	2.0	11.0	3.5	5.0	2.5
			2600 2699	44.0	(7.9)	76.4	522.9	75.0	8.6	2.2	10.5	3.5	5.0	2.5
			2500 2599	49.0	(8.8)	75.4	516.5	68.5	8.4	2.3	9.3	3.7	5.0	2.5
			2400 2499	54.0	(9.7)	75.1	533.1	69.0	8.3	2.4	8.9	3.6	4.9	2.4
			2300 2399	67.0	(12.0)	74.9	520.4	66.7	8.2	2.3	8.1	3.7	4.7	2.6
			2200 2299	100.0	(17.9)	74.4	511.1	62.8	8.0	2.3	7.4	3.6	4.4	2.6
			2100 2199	61.0	(10.9)	74.3	517.7	62.9	8.0	2.4	6.7	3.9	4.2	2.5
			2000 2099	44.0	(7.9)	74.0	504.5	60.7	7.8	2.5	6.2	4.0	4.0	2.5
			1900 1999	38.0	(6.8)	73.4	508.8	56.5	7.8	2.5	5.4	3.9	3.7	2.7
			1800 1899	27.0	(4.8)	73.3	494.5	55.4	7.5	2.3	4.7	4.1	3.3	2.5
			1700 1799	16.0	(2.9)	73.4	480.1	56.2	7.6	2.6	4.4	4.2	3.1	2.6
			1600 1699	3.0	(0.5)	72.2	516.7	53.7	7.4	3.0	4.7	4.0	3.3	2.7
			1500 1599	4.0	(0.7)	72.3	419.8	46.8	6.0	2.1	3.0	4.0	2.0	2.3
			1400 1499	2.0	(0.4)	71.8	371.0	40.0	5.4	2.0	3.0	4.5	2.5	2.5
			1300 1399	1.0	(0.2)	73.3	486.0	61.0	6.7	2.7	3.0	4.0	2.0	3.0
			1000 1099	1.0	(0.2)	72.2	277.0	37.0	5.0	2.1	3.0	3.0	2.0	2.0
				558.0	(7.5)	74.8	515.2	65.7	8.1	2.3	7.8	3.7	4.4	2.5
			3000	4.0	(2.8)	79.9	557.3	102.8	9.5	2.5	11.8	3.3	5.0	2.8
			2900 2999	3.0	(2.1)	77.6	622.7	89.0	9.3	2.0	11.0	3.3	5.0	2.7
			2800 2899	4.0	(2.8)	77.6	547.3	84.5	8.6	1.8	10.8	3.5	5.0	2.5
			2700 2799	7.0	(4.9)	77.3	531.1	82.7	8.8	2.3	11.0	3.4	5.0	2.4
			2600 2699	13.0	(9.2)	75.4	506.6	69.2	8.2	2.3	9.6	3.5	5.0	2.6
			2500 2599	4.0	(2.8)	76.4	527.3	76.5	8.5	2.3	8.8	4.0	4.8	2.3
			2400 2499	5.0	(3.5)	75.2	547.2	72.4	8.6	2.7	9.0	3.6	5.0	2.6
			2300 2399	12.0	(8.5)	75.0	499.0	64.8	8.1	2.3	8.7	3.8	4.8	2.8
			2200 2299	13.0	(9.2)	74.5	521.9	65.4	7.9	2.3	6.7	3.9	4.2	2.5
			2100 2199	22.0	(15.5)	74.3	514.8	64.1	7.7	2.4	7.0	4.0	4.3	2.5
			2000 2099	10.0	(7.0)	74.2	525.2	63.6	7.8	2.3	6.3	4.3	4.1	2.6
			1900 1999	12.0	(8.5)	74.4	483.1	59.8	7.6	2.0	5.6	4.2	3.8	2.5
			1800 1899	10.0	(7.0)	74.2	478.3	57.7	7.5	1.9	4.3	4.5	3.0	2.5
			1700 1799	12.0	(8.5)	73.1	475.1	53.6	6.9	2.2	4.5	4.2	3.1	2.4
			1600 1699	7.0	(4.9)	73.7	434.9	51.1	7.4	2.1	3.3	4.6	2.6	2.3
			1500 1599	1.0	(0.7)	72.5	371.0	44.0	6.3	2.5	3.0	5.0	3.0	2.0
			1400 1499	1.0	(0.7)	71.6	464.0	46.0	6.6	2.7	3.0	5.0	2.0	2.0
			1300 1399	1.0	(0.7)	72.5	383.0	45.0	5.0	1.5	2.0	5.0	2.0	2.0
			999	1.0	(0.7)	71.3	291.0	31.0	4.3	1.5	3.0	5.0	2.0	2.0
				142.0	(1.9)	74.8	504.4	65.5	7.9	2.2	7.1	4.0	4.1	2.5
			3000	19.0	(8.9)	75.9	525.3	76.1	8.4	2.7	10.6	3.6	5.0	2.5
			2900 2999	12.0	(5.6)	74.7	521.3	67.1	8.2	2.6	9.0	3.6	4.8	2.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2800 2899	10.0	(4.7)	75.8	519.5	75.4	8.2	2.6	10.3	3.3	4.9	2.4
			2700 2799	16.0	(7.5)	75.1	518.8	68.9	8.2	2.5	9.4	3.7	4.9	2.7
			2600 2699	19.0	(8.9)	74.8	508.7	66.4	7.9	2.4	8.6	3.7	4.7	2.7
			2500 2599	19.0	(8.9)	73.9	521.6	63.1	8.0	2.8	8.8	3.7	4.7	2.6
			2400 2499	24.0	(11.2)	74.0	510.4	63.0	7.9	2.8	8.8	3.7	4.8	2.7
			2300 2399	21.0	(9.8)	74.2	495.8	63.0	7.6	2.5	7.9	3.7	4.6	2.8
			2200 2299	19.0	(8.9)	74.4	508.5	63.9	7.8	2.4	7.6	3.8	4.5	2.8
			2100 2199	11.0	(5.1)	73.9	466.0	57.5	7.5	2.4	7.1	4.0	4.4	2.8
			2000 2099	7.0	(3.3)	73.7	475.2	57.6	7.5	2.5	5.7	4.3	3.9	2.6
			1900 1999	17.0	(7.9)	73.3	513.9	58.1	7.6	2.5	5.5	3.9	3.8	2.8
			1800 1899	5.0	(2.3)	72.8	493.0	55.2	7.1	2.6	5.8	4.2	3.8	2.6
			1700 1799	7.0	(3.3)	72.0	502.4	54.7	7.1	3.4	5.1	3.9	3.6	2.6
			1600 1699	6.0	(2.8)	72.7	453.5	52.8	6.7	2.6	3.8	4.5	3.0	2.7
			1200 1299	1.0	(0.5)	74.7	336.0	53.0	5.7	1.5	3.0	4.0	2.0	2.0
			999	1.0	(0.5)	72.3	326.0	38.0	5.1	1.6	3.0	4.0	2.0	2.0
				214.0	(2.9)	74.3	505.5	64.1	7.8	2.6	8.0	3.8	4.5	2.7
			3000	46.0	(5.9)	78.3	563.4	89.3	9.2	2.1	11.6	3.3	5.0	2.5
			2900 2999	26.0	(3.3)	77.4	545.6	82.9	8.9	2.2	11.5	3.4	5.0	2.6
			2800 2899	39.0	(5.0)	76.9	557.9	82.7	8.9	2.4	11.1	3.6	5.0	2.4
			2700 2799	63.0	(8.1)	76.5	547.1	78.6	8.8	2.4	10.7	3.5	5.0	2.3
			2600 2699	84.0	(10.8)	76.1	571.2	79.1	8.8	2.6	10.1	3.5	5.0	2.5
			2500 2599	87.0	(11.2)	75.1	566.7	73.3	8.6	2.8	9.5	3.6	5.0	2.4
			2400 2499	60.0	(7.7)	75.3	553.0	73.0	8.5	2.7	8.9	3.6	4.9	2.4
			2300 2399	109.0	(14.0)	74.6	548.7	68.0	8.5	2.7	8.0	3.7	4.7	2.3
			2200 2299	98.0	(12.6)	74.6	553.3	68.4	8.6	2.9	7.4	3.8	4.4	2.5
			2100 2199	57.0	(7.3)	73.7	541.9	63.2	8.0	2.7	6.7	3.9	4.2	2.5
			2000 2099	41.0	(5.3)	73.9	555.1	64.8	8.3	2.8	6.3	4.1	4.0	2.5
			1900 1999	22.0	(2.8)	73.2	559.7	63.0	8.3	3.2	5.8	4.0	3.8	2.4
			1800 1899	21.0	(2.7)	72.8	532.2	57.8	8.0	3.1	5.1	4.1	3.4	2.6
			1700 1799	17.0	(2.2)	72.4	541.1	56.3	7.9	3.2	5.1	4.1	3.5	2.4
			1600 1699	6.0	(0.8)	71.7	552.5	54.0	7.9	3.4	3.7	4.2	2.8	2.3
			1500 1599	1.0	(0.1)	74.1	474.5	53.0	8.0	1.8	3.0	3.0	3.0	2.0
			1400 1499	1.0	(0.1)	73.7	427.5	54.0	6.0	1.5	3.0	5.0	2.0	1.0
			1200 1299	1.0	(0.1)	73.0	316.5	44.0	4.3	1.2	3.0	4.0	2.0	2.0
				779.0	(10.5)	75.2	554.2	72.2	8.6	2.7	8.7	3.7	4.6	2.4
			2400 2499	1.0	(50.0)	75.0	497.0	70.0	7.7	2.8	10.0	4.0	5.0	3.0
			1600 1699	1.0	(50.0)	72.1	510.0	48.0	6.9	2.0	4.0	4.0	3.0	3.0
				2.0	(0.0)	73.5	503.5	59.0	7.3	2.4	7.0	4.0	4.0	3.0
			3000	4.0	(2.2)	77.1	531.0	80.8	8.4	2.0	11.3	3.0	5.0	2.5
			2900 2999	7.0	(3.9)	77.0	493.6	78.6	8.3	2.2	11.0	3.3	5.0	2.7
			2800 2899	13.0	(7.2)	75.2	545.7	70.0	8.1	2.1	10.2	3.4	5.0	2.7
			2700 2799	22.0	(12.2)	74.7	526.1	68.0	8.0	2.6	9.5	3.6	4.9	2.8

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2600 2699	32.0	(17.7)	74.5	523.9	66.1	7.8	2.4	8.3	3.7	4.8	2.6
			2500 2599	30.0	(16.6)	74.2	513.9	63.7	7.6	2.4	7.2	3.7	4.5	2.9
			2400 2499	9.0	(5.0)	73.7	514.3	62.4	8.1	3.1	7.9	3.7	4.7	2.7
			2300 2399	14.0	(7.7)	73.5	501.1	59.3	7.4	2.6	6.1	3.7	4.0	2.7
			2200 2299	12.0	(6.6)	74.5	525.9	66.7	7.9	2.5	6.4	4.1	3.8	2.7
			2100 2199	8.0	(4.4)	73.0	489.1	55.8	7.3	2.6	5.1	3.9	3.6	2.6
			2000 2099	9.0	(5.0)	73.1	453.8	52.9	6.8	2.2	5.4	4.0	3.8	2.4
			1900 1999	3.0	(1.7)	72.4	545.3	57.0	8.0	3.2	6.0	4.3	4.0	2.7
			1800 1899	7.0	(3.9)	72.7	513.9	55.6	7.7	2.9	3.9	3.9	3.0	2.6
			1700 1799	5.0	(2.8)	72.8	490.4	53.6	7.0	2.4	4.2	4.2	3.0	2.6
			1600 1699	4.0	(2.2)	73.8	452.3	56.3	7.2	2.2	3.8	4.3	2.5	2.5
			1500 1599	1.0	(0.6)	72.4	469.1	52.0	7.3	3.1	3.0	5.0	2.0	3.0
			1400 1499	1.0	(0.6)	71.4	336.0	39.0	4.3	2.0	3.0	5.0	2.0	3.0
				181.0	(2.4)	74.2	512.0	63.9	7.7	2.5	7.5	3.7	4.3	2.7
			3000	4.0	(1.6)	77.7	584.8	88.3	9.6	2.5	12.0	3.8	5.0	2.3
			2900 2999	2.0	(0.8)	77.5	558.0	88.0	8.5	2.1	11.5	3.5	5.0	2.5
			2800 2899	1.0	(0.4)	76.0	568.0	68.0	9.5	1.7	10.0	4.0	5.0	2.0
			2700 2799	4.0	(1.6)	78.0	549.3	86.8	9.0	1.9	11.5	3.8	5.0	2.3
			2600 2699	3.0	(1.2)	75.3	550.7	75.3	8.3	2.9	10.0	3.7	5.0	2.7
			2500 2599	9.0	(3.6)	76.3	548.8	79.1	8.3	2.2	10.1	3.7	5.0	2.6
			2400 2499	7.0	(2.8)	75.1	569.3	71.4	8.3	2.2	10.0	3.6	5.0	2.6
			2300 2399	17.0	(6.8)	75.5	521.1	71.6	8.0	2.3	10.0	3.5	5.0	2.8
			2200 2299	18.0	(7.2)	74.2	530.8	63.4	8.1	2.5	8.8	3.6	4.9	2.6
			2100 2199	23.0	(9.2)	74.5	532.1	65.3	8.2	2.4	8.7	3.9	4.8	2.6
			2000 2099	27.0	(10.8)	74.3	534.6	65.5	7.9	2.5	7.6	4.0	4.4	2.5
			1900 1999	41.0	(16.4)	74.1	529.5	62.9	8.0	2.5	7.7	4.0	4.6	2.6
			1800 1899	36.0	(14.4)	73.8	520.7	61.9	7.8	2.7	6.8	3.9	4.1	2.6
			1700 1799	30.0	(12.0)	74.0	511.6	61.0	8.0	2.6	6.5	3.9	4.0	2.5
			1600 1699	23.0	(9.2)	73.3	528.6	58.7	7.8	2.6	5.0	4.3	3.2	2.4
			1400 1499	4.0	(1.6)	72.5	508.5	53.5	7.5	2.7	4.8	4.0	3.0	2.8
			1200 1299	1.0	(0.4)	72.6	373.0	39.0	7.3	2.3	4.0	5.0	3.0	5.0
				250.0	(3.4)	74.4	529.0	65.0	8.0	2.5	7.8	3.9	4.4	2.6
			3000	15.0	(2.8)	79.4	561.2	94.9	9.3	1.7	11.7	3.2	5.0	2.7
			2900 2999	12.0	(2.2)	79.6	588.3	98.3	9.5	1.8	11.5	3.3	5.0	3.0
			2800 2899	19.0	(3.5)	77.7	546.9	83.6	9.1	2.0	11.1	3.2	5.0	2.8
			2700 2799	28.0	(5.2)	76.8	564.7	79.2	9.0	2.1	10.4	3.5	5.0	2.6
			2600 2699	39.0	(7.2)	76.2	551.4	75.5	8.7	2.2	10.2	3.4	5.0	2.8
			2500 2599	29.0	(5.4)	75.7	532.3	72.0	8.6	2.4	9.3	3.5	5.0	2.7
			2400 2499	48.0	(8.9)	75.3	540.8	69.2	8.6	2.3	9.4	3.5	4.9	2.6
			2300 2399	77.0	(14.2)	75.1	536.1	68.2	8.5	2.4	8.5	3.6	4.8	2.7
			2200 2299	84.0	(15.5)	74.6	524.7	65.0	8.2	2.5	7.5	3.8	4.5	2.6
			2100 2199	52.0	(9.6)	74.3	513.7	62.1	8.1	2.4	7.2	3.8	4.5	2.6

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2000 2099	51.0	(9.4)	73.9	504.5	60.0	7.9	2.6	6.2	4.0	4.1	2.6
			1900 1999	32.0	(5.9)	73.3	508.0	58.3	7.6	2.7	6.0	4.1	3.8	2.5
			1800 1899	32.0	(5.9)	73.0	486.7	55.1	7.3	2.6	5.0	4.1	3.3	2.4
			1700 1799	13.0	(2.4)	72.9	521.6	58.3	7.4	2.8	4.0	4.2	3.0	2.6
			1600 1699	7.0	(1.3)	72.5	484.7	51.3	7.4	2.7	4.0	4.4	3.0	2.6
			1500 1599	2.0	(0.4)	71.8	504.2	44.5	6.3	1.4	3.0	4.0	2.0	2.5
			999	1.0	(0.2)	71.9	316.5	31.0	5.2	1.1	3.0	4.0	2.0	2.0
				541.0	(7.3)	75.0	528.1	67.7	8.3	2.4	8.0	3.7	4.5	2.6
			3000	13.0	(2.1)	78.4	539.1	87.3	9.0	1.9	11.5	3.2	4.9	2.8
			2900 2999	10.0	(1.6)	77.8	571.8	88.7	9.0	2.2	11.7	3.3	5.0	2.6
			2800 2899	16.0	(2.6)	77.3	569.0	84.1	9.0	2.2	11.3	3.5	5.0	2.6
			2700 2799	29.0	(4.7)	76.4	550.8	77.3	8.7	2.2	10.6	3.6	5.0	2.5
			2600 2699	32.0	(5.2)	76.0	545.0	76.2	8.4	2.4	9.9	3.5	5.0	2.5
			2500 2599	41.0	(6.7)	75.5	549.8	73.0	8.3	2.3	9.2	3.7	4.9	2.6
			2400 2499	55.0	(9.0)	75.0	524.9	68.2	8.1	2.3	8.9	3.7	4.9	2.7
			2300 2399	74.0	(12.1)	74.9	545.2	69.0	8.1	2.4	8.1	3.8	4.6	2.6
			2200 2299	82.0	(13.4)	74.3	541.1	66.5	8.0	2.5	7.3	3.8	4.4	2.7
			2100 2199	68.0	(11.1)	74.0	525.7	62.6	7.9	2.5	6.5	4.0	4.1	2.6
			2000 2099	54.0	(8.8)	73.9	542.2	63.5	8.0	2.6	6.0	4.1	3.9	2.6
			1900 1999	52.0	(8.5)	73.6	514.3	59.3	7.7	2.5	5.9	4.0	3.8	2.6
			1800 1899	34.0	(5.5)	73.3	517.8	59.2	7.7	2.8	4.9	4.1	3.3	2.4
			1700 1799	40.0	(6.5)	72.8	498.6	54.6	7.6	2.8	4.4	4.3	3.2	2.4
			1600 1699	10.0	(1.6)	72.5	496.2	53.8	7.3	2.8	3.9	4.5	2.7	2.5
			1500 1599	1.0	(0.2)	72.1	500.0	50.0	6.5	2.1	3.0	5.0	2.0	2.0
			1400 1499	2.0	(0.3)	72.0	456.3	46.5	6.3	2.1	2.5	5.0	2.5	2.5
			1000 1099	1.0	(0.2)	72.5	286.0	36.0	4.7	1.3	4.0	4.0	3.0	2.0
				614.0	(8.3)	74.6	533.1	66.8	8.0	2.4	7.5	3.9	4.3	2.6
			3000	7.0	(1.6)	79.0	560.1	91.0	9.7	1.9	12.0	3.0	5.0	2.4
			2900 2999	15.0	(3.4)	79.1	527.8	92.6	8.8	1.8	11.8	3.6	5.0	2.3
			2800 2899	20.0	(4.6)	78.5	531.4	88.9	8.5	1.6	11.3	3.5	5.0	2.6
			2700 2799	18.0	(4.1)	77.5	516.6	80.9	8.5	1.9	10.6	3.7	5.0	2.4
			2600 2699	32.0	(7.4)	76.9	535.9	79.3	8.8	2.1	10.7	3.5	5.0	2.4
			2500 2599	27.0	(6.2)	76.4	511.5	74.6	8.2	2.0	9.2	3.8	4.9	2.4
			2400 2499	39.0	(9.0)	76.1	509.3	71.9	8.4	2.1	9.4	3.6	4.9	2.5
			2300 2399	64.0	(14.7)	75.2	508.6	66.7	7.9	2.1	8.2	3.8	4.6	2.4
			2200 2299	56.0	(12.9)	75.2	504.7	66.8	8.1	2.2	8.2	3.7	4.6	2.7
			2100 2199	46.0	(10.6)	74.5	490.6	61.0	7.9	2.2	7.0	3.8	4.4	2.6
			2000 2099	32.0	(7.4)	74.4	504.6	61.7	7.8	2.2	6.2	4.1	4.0	2.7
			1900 1999	29.0	(6.7)	73.8	490.2	58.4	7.5	2.3	5.8	4.2	3.9	2.5
			1800 1899	19.0	(4.4)	74.0	482.2	57.4	7.9	2.3	5.7	3.9	3.8	2.5
			1700 1799	14.0	(3.2)	73.5	476.9	54.8	7.3	2.2	4.6	4.1	3.4	2.5
			1600 1699	10.0	(2.3)	73.7	431.1	50.6	7.1	1.9	3.8	4.0	2.9	2.3
			1500 1599	3.0	(0.7)	73.0	360.0	43.3	6.0	1.7	3.0	3.7	3.0	2.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1400 1499	1.0	(0.2)	71.8	399.0	36.0	6.7	1.9	3.0	4.0	2.0	2.0
			1200 1299	1.0	(0.2)	73.0	415.5	44.0	7.1	1.9	3.0	4.0	2.0	3.0
			999	2.0	(0.5)	71.7	234.5	27.0	3.6	0.8	1.5	4.0	1.5	2.0
				435.0	(5.9)	75.5	503.1	68.3	8.1	2.1	8.1	3.8	4.5	2.5
			3000	4.0	(1.8)	80.0	577.0	101.5	9.3	1.8	12.0	3.8	5.0	3.0
			2900 2999	4.0	(1.8)	78.6	546.6	90.5	8.8	1.7	11.5	3.5	5.0	3.0
			2800 2899	5.0	(2.3)	76.3	517.2	74.4	8.5	2.2	9.8	3.4	5.0	2.8
			2700 2799	1.0	(0.5)	76.1	603.9	69.0	10.4	1.9	9.0	4.0	5.0	3.0
			2600 2699	6.0	(2.8)	76.7	573.7	78.7	9.1	2.1	10.5	3.5	5.0	2.7
			2500 2599	14.0	(6.5)	75.7	543.9	71.4	8.4	2.0	9.4	3.6	5.0	2.4
			2400 2499	13.0	(6.0)	75.0	535.8	67.4	8.5	2.3	9.2	3.7	5.0	2.6
			2300 2399	14.0	(6.5)	75.1	566.0	70.4	8.5	2.3	8.4	3.9	4.7	2.6
			2200 2299	21.0	(9.7)	74.5	547.4	65.2	8.2	2.2	8.0	4.1	4.6	2.5
			2100 2199	30.0	(13.8)	74.2	549.8	63.8	8.0	2.2	7.2	3.9	4.5	2.4
			2000 2099	35.0	(16.1)	74.2	564.0	65.6	8.2	2.4	6.7	4.2	4.0	2.5
			1900 1999	34.0	(15.7)	73.8	556.1	62.3	7.9	2.3	5.8	4.3	3.8	2.4
			1800 1899	16.0	(7.4)	73.3	551.6	58.4	7.9	2.4	4.8	4.4	3.1	2.4
			1700 1799	16.0	(7.4)	73.1	552.0	58.6	7.8	2.6	4.4	4.3	3.1	2.7
			1600 1699	3.0	(1.4)	72.2	516.3	51.3	7.6	2.8	3.3	3.7	2.7	2.7
			1300 1399	1.0	(0.5)	72.6	583.0	54.0	8.5	2.5	3.0	4.0	2.0	3.0
				217.0	(2.9)	74.5	553.3	66.0	8.2	2.3	7.2	4.0	4.2	2.5
			3000	1.0	(0.5)	80.8	577.0	106.0	9.7	1.9	12.0	4.0	5.0	2.0
			2900 2999	2.0	(0.9)	76.7	544.0	81.0	8.7	2.5	11.5	4.0	5.0	2.0
			2800 2899	3.0	(1.4)	76.8	538.7	82.7	8.4	2.4	11.7	3.0	5.0	2.3
			2700 2799	9.0	(4.2)	76.5	494.2	75.9	8.1	2.2	11.1	3.4	5.0	2.4
			2600 2699	8.0	(3.7)	76.7	527.0	76.8	8.4	1.9	10.5	3.3	5.0	2.1
			2500 2599	13.0	(6.0)	75.4	525.1	72.7	8.0	2.6	10.2	3.2	5.0	2.5
			2400 2499	12.0	(5.6)	75.6	496.8	71.6	7.9	2.4	9.5	3.6	5.0	2.5
			2300 2399	22.0	(10.2)	75.3	521.0	70.0	7.8	2.1	8.2	3.6	4.8	2.6
			2200 2299	23.0	(10.6)	74.6	519.9	66.0	7.9	2.4	8.0	3.6	4.5	2.4
			2100 2199	25.0	(11.6)	74.4	501.4	62.1	8.0	2.3	7.1	4.0	4.4	2.6
			2000 2099	36.0	(16.7)	74.2	493.5	60.4	7.8	2.3	6.3	4.0	4.0	2.6
			1900 1999	21.0	(9.7)	73.7	486.1	58.3	7.6	2.6	6.0	4.0	4.0	2.5
			1800 1899	19.0	(8.8)	73.6	468.0	55.8	7.3	2.3	4.8	4.4	3.4	2.3
			1700 1799	14.0	(6.5)	73.4	497.0	56.6	7.5	2.4	4.0	4.4	3.0	2.2
			1600 1699	4.0	(1.9)	73.8	529.8	59.8	7.8	2.3	3.5	4.8	2.8	2.0
			1500 1599	4.0	(1.9)	73.1	474.5	53.5	7.2	2.4	3.3	5.0	2.5	2.0
				216.0	(2.9)	74.6	502.4	64.5	7.8	2.3	7.3	3.9	4.2	2.4
			3000	1.0	(1.6)	76.9	501.0	78.0	7.7	1.7	12.0	3.0	5.0	3.0
			2800 2899	1.0	(1.6)	78.4	505.0	88.0	7.7	1.4	12.0	3.0	5.0	3.0
			2700 2799	5.0	(7.9)	75.5	551.2	76.0	8.1	2.5	9.8	3.6	5.0	3.0
			2600 2699	3.0	(4.8)	75.1	541.7	70.0	8.1	2.2	9.0	3.7	5.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2500 2599	5.0	(7.9)	76.2	556.2	81.4	8.0	2.4	9.8	4.0	5.0	2.8
			2400 2499	15.0	(23.8)	75.3	541.8	73.1	8.2	2.5	8.5	3.4	4.9	2.9
			2300 2399	9.0	(14.3)	75.1	504.4	69.6	7.8	2.5	7.7	3.7	4.7	2.9
			2200 2299	7.0	(11.1)	74.5	523.4	64.3	8.0	2.3	7.3	3.7	4.4	2.9
			2100 2199	8.0	(12.7)	74.5	509.8	63.3	8.0	2.3	7.1	3.8	4.3	2.6
			2000 2099	5.0	(7.9)	74.6	482.6	64.0	7.4	2.2	6.8	3.6	4.4	2.8
			1900 1999	2.0	(3.2)	73.3	597.5	64.5	7.9	2.5	7.0	3.5	4.5	3.0
			1800 1899	1.0	(1.6)	72.5	372.0	39.0	6.6	2.0	6.0	4.0	4.0	3.0
			1600 1699	1.0	(1.6)	73.2	458.0	53.0	7.0	2.3	5.0	3.0	3.0	3.0
				63.0	(0.9)	75.0	524.0	69.6	7.9	2.4	8.1	3.6	4.7	2.9
			3000	9.0	(13.6)	77.0	518.4	82.9	8.1	2.3	11.2	3.2	5.0	2.3
			2900 2999	1.0	(1.5)	78.2	570.0	94.0	8.3	2.0	11.0	4.0	5.0	3.0
			2800 2899	8.0	(12.1)	76.2	551.6	78.0	8.4	2.3	9.8	4.1	4.9	2.4
			2700 2799	5.0	(7.6)	74.9	555.6	72.0	8.5	2.9	10.4	3.4	5.0	2.6
			2600 2699	6.0	(9.1)	75.1	541.7	69.5	8.2	2.2	8.8	3.8	4.8	2.3
			2500 2599	5.0	(7.6)	75.0	541.4	69.2	8.5	2.5	10.2	3.6	5.0	2.4
			2400 2499	8.0	(12.1)	75.2	514.5	67.3	8.2	2.2	9.0	3.8	4.9	2.8
			2300 2399	3.0	(4.5)	75.5	507.7	67.3	8.2	2.0	9.0	3.7	5.0	2.3
			2200 2299	3.0	(4.5)	71.8	526.3	55.0	7.9	3.8	8.0	3.7	5.0	2.3
			2100 2199	4.0	(6.1)	73.8	534.5	58.8	8.1	2.1	6.5	4.3	4.3	2.5
			2000 2099	3.0	(4.5)	73.4	423.7	56.3	6.5	2.6	6.0	4.0	4.0	3.0
			1900 1999	8.0	(12.1)	72.6	535.1	55.6	8.0	3.0	6.0	4.0	3.9	2.6
			1800 1899	1.0	(1.5)	72.4	460.0	48.0	6.8	2.2	5.0	4.0	3.0	3.0
			1700 1799	1.0	(1.5)	72.4	622.0	63.0	7.7	2.8	5.0	5.0	3.0	3.0
			1500 1599	1.0	(1.5)	72.2	531.0	53.0	7.9	3.0	3.0	4.0	2.0	2.0
				66.0	(0.9)	74.8	528.9	68.3	8.1	2.5	8.7	3.8	4.6	2.5
			3000	7.0	(16.3)	75.4	565.7	72.9	8.8	2.5	11.3	3.1	5.0	2.7
			2900 2999	4.0	(9.3)	76.8	547.0	81.5	8.8	2.4	12.0	3.3	5.0	2.8
			2800 2899	6.0	(14.0)	75.3	534.2	70.5	8.3	2.4	10.0	3.5	4.8	2.7
			2700 2799	12.0	(27.9)	74.7	505.1	67.3	7.7	2.5	9.0	3.5	4.9	2.4
			2600 2699	5.0	(11.6)	73.7	559.5	65.8	8.4	3.1	7.8	3.4	4.8	2.8
			2400 2499	3.0	(7.0)	73.3	501.3	57.0	7.9	2.8	7.0	3.7	4.7	3.0
			2300 2399	5.0	(11.6)	73.9	490.6	60.2	7.6	2.5	7.0	3.0	4.4	2.8
			2000 2099	1.0	(2.3)	73.8	539.5	65.0	6.9	2.1	4.0	4.0	3.0	3.0
				43.0	(0.6)	74.8	528.1	68.2	8.1	2.6	9.2	3.4	4.8	2.7
			3000	5.0	(23.8)	75.1	550.7	70.4	8.7	2.7	10.4	3.4	5.0	3.0
			2900 2999	4.0	(19.0)	73.9	493.1	60.5	7.3	2.2	8.3	3.8	4.8	3.0
			2800 2899	3.0	(14.3)	72.8	511.5	57.0	7.6	3.0	7.0	3.3	4.0	3.0
			2700 2799	5.0	(23.8)	73.3	511.2	60.8	7.3	2.7	6.0	3.4	4.0	3.0
			2600 2699	3.0	(14.3)	74.1	575.5	65.7	8.2	2.3	6.3	3.7	4.0	3.0
			2500 2599	1.0	(4.8)	73.9	410.8	53.0	5.9	1.3	4.0	5.0	3.0	2.0

					(%)	(kg)	(cm ²)	(cm)	(cm)					
				21.0	(0.3)	73.9	521.6	62.8	7.7	2.5	7.6	3.6	4.3	3.0
			3000	3.0	(14.3)	74.6	516.4	69.7	8.1	3.1	11.7	3.0	5.0	3.0
			2900 2999	11.0	(52.4)	74.4	542.3	65.0	8.6	2.7	9.5	3.1	4.9	3.0
			2800 2899	5.0	(23.8)	73.1	513.0	61.4	7.7	3.3	7.8	3.8	4.6	3.0
			2600 2699	1.0	(4.8)	74.3	552.0	70.0	7.3	2.4	5.0	4.0	4.0	3.0
			2200 2299	1.0	(4.8)	72.6	474.2	52.0	7.6	3.0	4.0	3.0	3.0	3.0
				21.0	(0.3)	74.1	528.8	64.4	8.2	2.9	8.9	3.3	4.7	3.0
			3000	1.0	(3.4)	76.3	602.0	80.0	9.5	2.6	12.0	3.0	5.0	3.0
			2900 2999	2.0	(6.9)	75.1	491.5	67.0	8.0	2.5	11.5	3.5	5.0	3.0
			2700 2799	2.0	(6.9)	77.0	602.8	83.5	9.2	2.1	11.0	3.5	5.0	3.0
			2500 2599	6.0	(20.7)	74.9	517.5	64.5	8.6	2.4	9.3	3.3	4.8	3.0
			2400 2499	1.0	(3.4)	76.5	448.0	73.0	6.5	1.3	9.0	4.0	5.0	2.0
			2300 2399	1.0	(3.4)	73.9	493.0	58.0	7.7	2.3	7.0	4.0	4.0	3.0
			2200 2299	2.0	(6.9)	75.8	496.8	68.5	8.7	2.3	6.5	4.0	4.0	3.0
			2100 2199	7.0	(24.1)	74.4	505.7	59.4	8.1	2.1	5.9	4.1	4.3	2.9
			2000 2099	5.0	(17.2)	74.8	475.5	60.4	7.6	1.8	6.2	3.8	3.8	3.0
			1900 1999	1.0	(3.4)	74.8	378.0	53.0	7.0	1.6	5.0	5.0	3.0	3.0
			1700 1799	1.0	(3.4)	74.2	430.5	53.0	7.0	1.6	3.0	5.0	2.0	3.0
				29.0	(0.4)	75.0	501.9	64.1	8.1	2.1	7.7	3.8	4.3	2.9
			3000	12.0	(7.0)	78.0	592.3	88.5	9.9	2.3	11.8	3.4	5.0	2.9
			2900 2999	8.0	(4.7)	77.1	552.9	78.8	9.6	2.2	11.1	3.3	5.0	2.8
			2800 2899	6.0	(3.5)	76.0	515.3	71.8	8.8	2.4	10.8	3.3	5.0	2.7
			2700 2799	6.0	(3.5)	75.8	550.5	73.7	9.1	2.6	10.5	3.2	5.0	2.8
			2600 2699	12.0	(7.0)	75.2	543.0	69.5	8.7	2.5	9.2	3.6	4.9	3.0
			2500 2599	17.0	(9.9)	75.5	513.2	69.2	8.5	2.4	9.0	3.7	4.9	2.9
			2400 2499	26.0	(15.1)	74.7	537.4	66.8	8.9	2.9	8.0	3.5	4.8	3.0
			2300 2399	33.0	(19.2)	74.2	539.2	65.2	8.6	2.9	7.4	3.8	4.4	2.8
			2200 2299	22.0	(12.8)	74.1	533.2	62.2	8.6	2.7	6.6	3.9	4.2	2.9
			2100 2199	11.0	(6.4)	73.6	513.8	57.7	8.0	2.5	6.1	3.7	3.9	2.9
			2000 2099	8.0	(4.7)	73.2	529.0	57.8	8.6	3.2	4.5	4.1	3.3	2.8
			1900 1999	8.0	(4.7)	74.0	530.2	62.3	8.4	2.8	3.9	4.1	3.0	3.0
			1800 1899	1.0	(0.6)	72.8	502.6	52.0	8.0	2.7	4.0	3.0	3.0	3.0
			1700 1799	2.0	(1.2)	72.0	514.5	51.5	7.6	3.1	4.5	4.5	3.0	2.5
				172.0	(2.3)	74.9	536.7	67.3	8.7	2.7	7.9	3.7	4.5	2.9
			3000	381.0	(89.2)	74.8	498.9	64.5	8.5	2.7	9.2	3.7	4.8	2.6
			2900 2999	22.0	(5.2)	73.7	485.3	57.0	7.9	2.6	6.3	3.9	4.0	2.5
			2800 2899	4.0	(0.9)	72.8	475.1	53.5	7.7	3.0	5.0	4.3	3.3	3.0
			2700 2799	4.0	(0.9)	72.9	520.7	55.5	8.2	3.0	5.5	4.5	3.5	2.8
			2600 2699	8.0	(1.9)	73.2	485.4	53.6	7.8	2.6	5.0	4.1	3.1	2.4
			2200 2299	1.0	(0.2)	73.6	515.8	59.0	7.8	2.5	4.0	5.0	2.0	3.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
			2100 2199	2.0	(0.5)	73.4	483.1	51.5	7.7	2.0	3.5	5.0	2.0	2.5
			2000 2099	1.0	(0.2)	73.4	481.6	57.0	7.9	2.9	4.0	5.0	2.0	3.0
			1900 1999	1.0	(0.2)	74.4	474.7	55.0	8.2	2.0	4.0	5.0	2.0	2.0
			1800 1899	2.0	(0.5)	71.8	373.8	32.5	6.3	1.6	3.5	4.5	2.0	2.0
			1500 1599	1.0	(0.2)	73.3	310.0	43.0	5.1	1.3	4.0	4.0	3.0	3.0
				427.0	(5.8)	74.7	496.8	63.4	8.4	2.7	8.8	3.7	4.6	2.6
			3000	9.0	(25.7)	79.0	578.5	96.9	8.8	1.9	12.0	3.2	5.0	2.1
			2700 2799	1.0	(2.9)	74.5	575.4	68.0	8.6	2.5	12.0	3.0	5.0	2.0
			2600 2699	2.0	(5.7)	76.0	562.3	80.0	8.7	2.9	11.0	4.0	5.0	2.0
			2500 2599	3.0	(8.6)	76.2	528.3	79.7	7.8	2.4	9.7	3.3	5.0	2.3
			2400 2499	4.0	(11.4)	74.9	526.3	67.5	8.3	2.4	9.5	3.0	5.0	2.3
			2300 2399	2.0	(5.7)	75.3	544.5	75.5	8.4	3.1	8.0	4.0	4.5	2.5
			2200 2299	8.0	(22.9)	74.5	541.2	65.5	7.9	2.1	7.5	3.6	4.6	2.8
			2100 2199	3.0	(8.6)	74.0	596.3	66.3	8.9	2.8	6.3	3.7	4.3	2.3
			2000 2099	2.0	(5.7)	73.0	552.0	60.0	8.1	3.1	5.5	4.5	3.5	3.0
			1900 1999	1.0	(2.9)	74.3	394.0	55.0	7.2	2.4	7.0	4.0	5.0	2.0
				35.0	(0.5)	75.8	551.5	75.9	8.4	2.3	9.2	3.5	4.7	2.4
			3000	7.0	(3.1)	76.4	504.5	76.6	8.6	2.6	11.3	3.0	5.0	2.9
			2800 2899	1.0	(0.4)	77.6	454.6	78.0	6.7	1.0	10.0	4.0	5.0	3.0
			2700 2799	10.0	(4.4)	76.5	519.1	74.9	8.5	2.0	11.5	3.5	5.0	2.9
			2600 2699	14.0	(6.2)	76.6	548.8	79.0	8.7	2.2	11.1	3.4	5.0	2.9
			2500 2599	30.0	(13.2)	74.9	533.7	68.8	8.4	2.6	9.8	3.3	5.0	2.7
			2400 2499	52.0	(22.9)	74.2	521.8	63.7	8.1	2.7	8.5	3.2	4.8	2.8
			2300 2399	41.0	(18.1)	73.8	500.6	60.7	7.9	2.8	6.8	3.4	4.2	2.9
			2200 2299	37.0	(16.3)	73.7	510.7	60.2	7.9	2.6	6.4	3.6	4.1	2.8
			2100 2199	17.0	(7.5)	73.2	503.6	57.8	8.0	3.0	5.7	3.6	3.8	2.9
			2000 2099	5.0	(2.2)	73.2	506.0	56.6	8.0	2.8	5.2	3.6	3.2	3.0
			1900 1999	6.0	(2.6)	72.8	502.7	53.7	7.7	2.7	5.0	3.8	3.8	2.5
			1800 1899	3.0	(1.3)	72.1	525.9	55.3	8.0	3.6	5.7	3.7	3.7	2.7
			1700 1799	3.0	(1.3)	71.8	497.3	52.7	7.2	3.4	4.0	4.0	3.0	2.7
			1600 1699	1.0	(0.4)	73.3	489.6	64.0	7.7	3.8	3.0	3.0	2.0	2.0
				227.0	(3.1)	74.3	515.8	64.0	8.1	2.7	7.9	3.4	4.4	2.8
			2400 2499	1.0	(50.0)	72.7	507.0	53.0	8.3	3.2	11.0	3.0	5.0	2.0
			2100 2199	1.0	(50.0)	72.8	520.0	52.0	8.1	2.5	6.0	4.0	4.0	2.0
				2.0	(0.0)	72.8	513.5	52.5	8.2	2.9	8.5	3.5	4.5	2.0
			3000	2.0	(3.3)	76.6	559.3	75.0	9.4	2.1	11.0	3.5	5.0	3.0
			2900 2999	1.0	(1.7)	75.8	516.5	67.0	9.8	2.6	11.0	4.0	5.0	3.0
			2800 2899	10.0	(16.7)	74.0	519.9	60.0	8.3	2.5	8.8	3.9	4.7	3.0
			2700 2799	7.0	(11.7)	75.2	520.4	68.6	8.5	2.6	8.1	4.0	4.7	2.9
			2600 2699	15.0	(25.0)	75.0	535.8	66.5	8.7	2.5	7.5	4.0	4.4	2.9
			2500 2599	9.0	(15.0)	74.5	513.5	62.4	8.3	2.4	6.4	4.1	4.2	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2400 2499	8.0	(13.3)	73.1	569.8	59.0	9.2	3.3	5.8	4.0	4.1	3.0
			2300 2399	2.0	(3.3)	73.5	487.3	56.0	7.5	2.4	8.0	4.0	4.5	3.0
			2200 2299	3.0	(5.0)	73.5	528.7	60.0	8.3	2.9	4.3	4.0	3.3	2.7
			2100 2199	1.0	(1.7)	74.1	457.0	55.0	6.8	1.4	3.0	5.0	3.0	3.0
			1900 1999	1.0	(1.7)	71.6	497.5	48.0	8.3	3.8	4.0	4.0	4.0	3.0
			1800 1899	1.0	(1.7)	72.4	540.5	60.0	8.0	3.7	2.0	5.0	2.0	3.0
				60.0	(0.8)	74.4	529.2	63.0	8.5	2.6	7.2	4.0	4.3	3.0
			3000	2.0	(3.1)	78.7	600.0	89.5	10.6	2.0	12.0	3.0	5.0	2.5
			2900 2999	1.0	(1.6)	76.3	556.5	75.0	9.1	2.1	11.0	4.0	5.0	3.0
			2800 2899	3.0	(4.7)	77.6	523.8	80.0	9.2	1.9	10.3	3.7	5.0	3.0
			2700 2799	5.0	(7.8)	77.5	557.0	82.8	9.3	2.1	10.2	3.8	5.0	3.0
			2600 2699	12.0	(18.8)	76.4	576.3	75.9	9.5	2.2	9.6	3.7	5.0	2.8
			2500 2599	11.0	(17.2)	76.0	519.1	71.5	8.6	2.2	8.4	4.0	4.7	3.0
			2400 2499	13.0	(20.3)	74.6	542.8	64.5	8.8	2.6	7.5	3.6	4.5	2.7
			2300 2399	12.0	(18.8)	74.8	537.7	65.6	8.6	2.3	6.3	3.8	4.0	3.0
			2200 2299	2.0	(3.1)	74.7	478.4	62.5	8.1	2.5	6.0	3.5	4.0	3.0
			2100 2199	1.0	(1.6)	75.4	613.5	77.0	9.2	2.7	6.0	4.0	4.0	3.0
			1900 1999	1.0	(1.6)	73.2	494.3	59.0	7.8	3.2	4.0	4.0	3.0	3.0
			1800 1899	1.0	(1.6)	73.0	331.5	39.0	6.0	1.5	4.0	3.0	3.0	2.0
				64.0	(0.9)	75.7	541.3	70.8	8.9	2.3	8.2	3.7	4.6	2.9
			2800 2899	1.0	(14.3)	75.0	561.6	69.0	7.6	1.6	10.0	4.0	5.0	2.0
			2700 2799	1.0	(14.3)	77.2	546.0	84.0	9.0	2.6	11.0	3.0	5.0	3.0
			2500 2599	1.0	(14.3)	75.3	552.8	73.0	7.3	1.7	10.0	3.0	5.0	3.0
			2200 2299	1.0	(14.3)	73.0	422.2	46.0	6.3	1.4	8.0	5.0	4.0	4.0
			2100 2199	1.0	(14.3)	74.9	413.8	61.0	6.5	1.8	6.0	4.0	4.0	3.0
			2000 2099	1.0	(14.3)	76.1	450.1	65.0	8.5	2.0	5.0	4.0	4.0	3.0
			1900 1999	1.0	(14.3)	75.4	472.0	63.0	7.9	1.8	4.0	5.0	3.0	3.0
				7.0	(0.1)	75.3	488.4	65.9	7.6	1.8	7.7	4.0	4.3	3.0
			3000	97.0	(46.6)	74.5	441.7	61.7	7.3	2.6	9.1	3.5	4.8	2.8
			2900 2999	12.0	(5.8)	74.3	433.3	61.2	6.9	2.5	6.7	3.8	4.2	2.8
			2800 2899	15.0	(7.2)	73.9	429.9	56.6	7.1	2.5	6.9	3.9	4.1	2.7
			2700 2799	20.0	(9.6)	74.1	437.5	59.1	7.1	2.5	6.5	3.9	4.2	3.0
			2600 2699	14.0	(6.7)	74.1	432.4	57.8	7.3	2.5	7.9	3.5	4.4	2.9
			2500 2599	11.0	(5.3)	74.1	469.1	59.2	7.6	2.4	6.7	3.7	4.1	2.8
			2400 2499	6.0	(2.9)	74.0	498.1	61.0	7.9	2.6	8.3	3.8	4.8	3.0
			2300 2399	7.0	(3.4)	74.3	482.6	62.3	7.7	2.5	7.6	3.6	4.4	2.7
			2200 2299	6.0	(2.9)	74.1	461.4	59.2	7.1	2.2	6.3	4.0	3.8	2.7
			2100 2199	9.0	(4.3)	73.3	470.1	56.0	7.0	2.3	5.8	3.7	3.8	2.7
			2000 2099	6.0	(2.9)	73.2	465.3	50.2	7.6	2.2	5.5	3.5	3.8	2.7
			1900 1999	3.0	(1.4)	74.3	507.5	63.0	7.8	2.4	4.0	3.7	3.0	2.7
			1800 1899	2.0	(1.0)	71.9	408.9	44.0	5.7	2.1	2.5	4.0	2.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				208.0	(2.8)	74.2	446.9	59.8	7.3	2.5	7.8	3.6	4.4	2.8
			2600 2699	1.0	(5.0)	75.3	432.0	64.0	7.1	1.9	10.0	3.0	5.0	3.0
			2500 2599	1.0	(5.0)	72.7	524.4	55.0	8.2	3.0	9.0	3.0	5.0	3.0
			2400 2499	5.0	(25.0)	74.5	474.1	59.8	7.6	2.1	8.4	3.4	5.0	3.0
			2300 2399	1.0	(5.0)	75.2	497.1	61.0	8.4	1.8	7.0	3.0	4.0	3.0
			2200 2299	4.0	(20.0)	74.3	462.7	58.5	7.1	1.9	6.5	4.0	4.0	2.8
			2100 2199	5.0	(25.0)	73.8	435.8	54.6	6.6	1.9	5.2	3.8	3.8	3.0
			2000 2099	1.0	(5.0)	74.9	521.6	70.0	7.6	2.5	5.0	4.0	3.0	3.0
			1900 1999	1.0	(5.0)	72.6	474.8	44.0	7.8	2.0	3.0	5.0	3.0	3.0
			1800 1899	1.0	(5.0)	74.6	376.0	53.0	5.9	1.0	4.0	4.0	3.0	3.0
				20.0	(0.3)	74.2	461.3	57.6	7.2	2.0	6.6	3.7	4.2	3.0
			2600 2699	2.0	(18.2)	72.8	527.5	57.5	8.3	3.4	9.0	3.5	5.0	3.0
			2500 2599	2.0	(18.2)	73.8	546.7	66.0	8.8	3.5	8.0	3.0	5.0	3.0
			2300 2399	6.0	(54.5)	74.0	536.8	64.8	8.2	2.9	6.5	3.7	4.2	2.8
			2000 2099	1.0	(9.1)	73.2	415.2	51.0	6.6	2.3	5.0	4.0	3.0	3.0
				11.0	(0.1)	73.7	525.9	62.5	8.2	3.0	7.1	3.5	4.4	2.9
			3000	1.0	(4.3)	77.4	463.2	80.0	7.0	1.5	12.0	3.0	5.0	3.0
			2800 2899	2.0	(8.7)	77.5	550.0	91.5	8.3	2.8	11.0	3.5	5.0	3.0
			2700 2799	1.0	(4.3)	76.6	559.2	89.0	7.9	2.9	8.0	4.0	5.0	3.0
			2600 2699	1.0	(4.3)	79.9	519.6	97.0	7.6	0.8	11.0	4.0	5.0	2.0
			2400 2499	5.0	(21.7)	73.9	573.0	69.2	7.9	2.9	9.2	3.2	5.0	3.0
			2300 2399	7.0	(30.4)	74.8	539.1	69.6	8.3	2.7	9.4	3.7	5.0	2.9
			2200 2299	3.0	(13.0)	74.5	510.4	64.7	8.0	2.4	8.3	4.3	5.0	2.7
			2100 2199	1.0	(4.3)	76.8	504.8	81.0	7.3	1.9	6.0	5.0	4.0	3.0
			2000 2099	1.0	(4.3)	71.6	557.4	53.0	7.0	2.7	7.0	4.0	4.0	3.0
			1900 1999	1.0	(4.3)	75.5	456.2	67.0	6.5	1.4	5.0	4.0	4.0	3.0
				23.0	(0.3)	75.2	536.1	72.9	7.9	2.5	9.0	3.7	4.9	2.9
			3000	4.0	(7.4)	79.7	548.5	101.8	8.6	2.0	12.0	3.3	5.0	3.0
			2900 2999	1.0	(1.9)	78.1	683.0	96.0	9.3	1.6	11.0	4.0	5.0	2.0
			2800 2899	3.0	(5.6)	78.2	506.3	87.0	8.5	2.1	11.7	3.0	5.0	2.3
			2700 2799	1.0	(1.9)	76.8	563.0	84.0	9.0	2.8	12.0	3.0	5.0	3.0
			2600 2699	5.0	(9.3)	76.1	546.8	78.8	8.8	2.8	10.4	3.8	5.0	2.4
			2500 2599	5.0	(9.3)	76.0	488.2	71.0	8.0	2.1	9.6	3.6	5.0	2.2
			2400 2499	6.0	(11.1)	76.3	486.2	75.0	7.8	2.1	9.0	3.7	5.0	3.0
			2300 2399	5.0	(9.3)	75.1	508.6	69.4	7.8	2.5	8.6	4.0	5.0	2.8
			2200 2299	5.0	(9.3)	75.0	493.7	69.0	7.5	2.5	7.4	3.8	4.6	2.8
			2100 2199	7.0	(13.0)	74.1	501.4	65.7	7.7	3.0	6.6	4.0	4.0	2.9
			2000 2099	6.0	(11.1)	75.0	434.4	61.2	7.3	2.0	6.2	4.0	4.0	2.8
			1900 1999	4.0	(7.4)	75.0	457.4	63.5	7.2	1.9	5.8	4.0	3.8	2.5
			1800 1899	2.0	(3.7)	72.8	554.0	61.5	7.8	3.2	5.5	4.0	4.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				54.0	(0.7)	75.8	502.1	73.0	7.9	2.4	8.5	3.8	4.6	2.7
			2700 2799	2.0	(13.3)	74.5	403.4	58.0	7.0	2.3	10.0	3.5	5.0	3.0
			2600 2699	1.0	(6.7)	76.1	499.2	67.0	8.8	1.8	10.0	3.0	5.0	2.0
			2400 2499	2.0	(13.3)	75.5	490.8	65.0	8.4	2.0	8.5	4.0	5.0	2.5
			2300 2399	3.0	(20.0)	73.7	506.8	60.0	8.6	3.3	8.0	3.3	4.7	3.0
			2200 2299	3.0	(20.0)	74.7	472.1	58.7	7.9	1.9	6.3	4.0	4.0	3.0
			2100 2199	1.0	(6.7)	73.5	458.0	54.0	7.0	2.1	5.0	3.0	4.0	2.0
			2000 2099	2.0	(13.3)	73.0	426.4	48.5	7.0	2.3	4.5	3.5	3.5	2.5
			1800 1899	1.0	(6.7)	76.5	457.4	72.0	7.0	1.3	5.0	4.0	4.0	3.0
				15.0	(0.2)	74.5	466.2	59.5	7.8	2.3	7.3	3.6	4.4	2.7
			3000	2.0	(1.7)	79.3	577.0	93.0	9.6	1.6	11.5	3.5	5.0	2.0
			2900 2999	1.0	(0.8)	78.1	473.6	84.0	9.0	2.6	10.0	3.0	5.0	3.0
			2800 2899	3.0	(2.5)	77.2	470.7	74.7	8.8	2.2	10.3	3.7	5.0	2.0
			2700 2799	6.0	(5.1)	75.4	507.7	66.5	8.6	2.3	10.3	3.7	5.0	2.7
			2600 2699	6.0	(5.1)	76.2	492.5	71.2	8.4	2.2	9.5	3.8	5.0	2.3
			2500 2599	20.0	(16.9)	75.0	494.2	64.5	8.4	2.5	8.6	3.6	4.9	2.7
			2400 2499	14.0	(11.9)	74.8	482.2	64.4	8.2	2.7	8.2	3.9	4.9	2.6
			2300 2399	11.0	(9.3)	74.7	485.5	60.8	8.4	2.4	7.7	3.6	4.5	2.6
			2200 2299	16.0	(13.6)	73.6	481.8	57.4	7.8	2.7	6.8	3.7	4.3	2.3
			2100 2199	13.0	(11.0)	73.9	512.5	62.2	8.0	2.8	5.8	3.8	4.0	2.5
			2000 2099	6.0	(5.1)	74.0	482.0	61.0	7.5	2.6	5.8	3.8	3.8	2.5
			1900 1999	8.0	(6.8)	72.8	455.3	52.5	6.8	2.5	4.6	3.9	3.6	2.4
			1800 1899	4.0	(3.4)	72.8	466.4	51.8	7.5	2.7	4.3	4.0	3.0	2.0
			1700 1799	5.0	(4.2)	72.3	437.9	44.8	6.9	2.3	5.4	4.2	3.4	2.2
			1600 1699	2.0	(1.7)	72.3	396.0	44.5	6.9	2.9	4.5	4.0	3.5	2.0
			1100 1199	1.0	(0.8)	72.6	345.6	44.0	7.0	3.2	3.0	3.0	3.0	2.0
				118.0	(1.6)	74.4	484.0	61.5	8.0	2.5	7.4	3.8	4.4	2.5
			3000	15.0	(11.6)	79.3	572.1	97.1	9.1	1.9	11.7	3.2	5.0	2.3
			2900 2999	7.0	(5.4)	79.5	539.9	96.0	9.2	1.9	11.4	3.4	5.0	2.9
			2800 2899	9.0	(7.0)	77.6	531.7	84.2	8.9	2.3	11.1	3.4	5.0	2.6
			2700 2799	13.0	(10.1)	77.2	532.2	81.7	8.7	2.2	10.6	3.6	5.0	2.7
			2600 2699	8.0	(6.2)	76.4	511.5	77.5	8.1	2.3	10.3	3.6	5.0	2.4
			2500 2599	6.0	(4.7)	75.0	535.8	67.0	8.8	2.5	10.2	3.5	5.0	2.5
			2400 2499	18.0	(14.0)	75.3	548.1	70.9	8.5	2.4	9.3	3.6	5.0	2.6
			2300 2399	13.0	(10.1)	74.6	507.6	64.3	8.2	2.5	7.5	3.7	4.5	2.5
			2200 2299	16.0	(12.4)	74.6	531.1	67.7	8.4	2.8	7.2	3.7	4.4	2.9
			2100 2199	8.0	(6.2)	73.7	533.2	64.1	8.3	3.3	7.4	3.6	4.4	2.8
			2000 2099	6.0	(4.7)	73.1	483.6	58.8	7.7	3.3	6.2	4.0	4.0	2.7
			1900 1999	5.0	(3.9)	72.5	517.0	58.0	8.0	3.6	6.0	4.0	3.6	3.0
			1800 1899	3.0	(2.3)	74.3	470.6	61.7	7.1	2.2	4.3	3.0	3.0	3.0
			1700 1799	2.0	(1.6)	71.1	528.5	52.5	7.5	3.9	3.5	3.0	3.5	3.0
				129.0	(1.7)	75.8	531.4	74.5	8.5	2.5	9.0	3.6	4.7	2.6

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2900 2999	1.0	(1.8)	74.7	420.0	62.0	7.3	2.7	9.0	4.0	5.0	3.0
			2500 2599	1.0	(1.8)	75.6	514.2	65.0	9.2	2.2	9.0	3.0	5.0	3.0
			2400 2499	2.0	(3.6)	74.3	509.6	65.5	8.3	3.1	9.5	4.0	5.0	2.5
			2300 2399	10.0	(17.9)	74.1	532.9	61.5	8.4	2.5	8.4	3.5	4.9	2.7
			2200 2299	10.0	(17.9)	74.0	523.1	62.4	8.0	2.6	7.6	3.8	4.5	2.7
			2100 2199	10.0	(17.9)	73.5	511.9	60.3	8.0	2.9	6.9	4.0	4.0	2.6
			2000 2099	6.0	(10.7)	72.7	519.6	56.2	7.9	3.0	5.0	3.5	3.7	2.5
			1900 1999	9.0	(16.1)	72.6	500.7	50.7	7.5	2.3	4.9	3.8	3.4	3.0
			1800 1899	4.0	(7.1)	71.8	526.1	54.8	7.8	3.7	5.3	3.8	3.8	2.8
			1700 1799	2.0	(3.6)	72.8	503.4	52.5	8.2	3.0	4.0	4.0	3.0	2.5
			1300 1399	1.0	(1.8)	74.3	513.2	60.0	9.1	2.9	2.0	4.0	2.0	3.0
				56.0	(0.8)	73.4	515.7	58.5	8.0	2.8	6.6	3.8	4.1	2.7
			3000	9.0	(18.8)	76.9	540.7	86.2	8.0	2.5	11.1	3.1	5.0	2.9
			2900 2999	2.0	(4.2)	75.4	469.4	67.0	8.0	2.4	8.5	3.0	5.0	2.5
			2800 2899	4.0	(8.3)	78.4	560.8	92.8	8.5	2.0	11.8	3.3	5.0	2.3
			2700 2799	2.0	(4.2)	76.7	516.0	82.5	7.8	2.5	9.5	3.0	5.0	3.0
			2600 2699	8.0	(16.7)	74.7	465.8	61.1	7.8	2.3	8.8	3.5	4.9	2.6
			2500 2599	7.0	(14.6)	74.5	513.5	67.6	7.7	2.7	8.6	3.1	4.9	2.9
			2400 2499	9.0	(18.8)	74.8	512.9	67.7	7.9	2.6	6.0	3.2	4.1	2.8
			2200 2299	1.0	(2.1)	73.9	472.3	57.0	7.7	2.4	4.0	4.0	4.0	3.0
			2100 2199	3.0	(6.3)	73.3	482.1	57.7	8.1	3.3	5.3	4.0	3.3	3.0
			2000 2099	1.0	(2.1)	72.9	559.7	60.0	8.7	3.4	4.0	2.0	3.0	3.0
			1800 1899	2.0	(4.2)	73.0	473.4	49.5	8.3	2.8	3.0	3.5	2.5	3.0
				48.0	(0.6)	75.3	509.2	71.0	8.0	2.5	8.3	3.3	4.5	2.8
			3000	9.0	(20.0)	76.2	510.7	73.7	8.6	2.4	11.2	3.4	5.0	3.0
			2900 2999	5.0	(11.1)	75.2	564.0	76.2	8.4	3.0	11.0	4.0	5.0	2.8
			2800 2899	1.0	(2.2)	73.6	498.7	62.0	8.0	3.4	9.0	3.0	5.0	3.0
			2700 2799	1.0	(2.2)	75.2	513.3	67.0	7.8	1.9	9.0	4.0	5.0	3.0
			2600 2699	6.0	(13.3)	75.1	554.8	73.3	8.8	3.1	9.0	3.7	5.0	2.7
			2500 2599	7.0	(15.6)	74.6	537.3	65.1	8.5	2.5	7.7	3.7	4.6	2.4
			2400 2499	1.0	(2.2)	76.1	587.1	78.0	9.4	2.6	7.0	4.0	4.0	3.0
			2300 2399	5.0	(11.1)	73.4	495.3	56.2	8.1	2.9	6.0	4.0	4.0	3.0
			2200 2299	3.0	(6.7)	73.5	474.9	56.0	7.9	2.8	6.0	3.7	4.0	2.3
			2100 2199	1.0	(2.2)	72.4	391.6	44.0	7.1	2.9	3.0	4.0	3.0	3.0
			2000 2099	2.0	(4.4)	74.0	475.8	61.0	7.5	2.6	4.5	4.0	3.0	3.0
			1900 1999	3.0	(6.7)	75.5	495.8	64.0	8.2	1.8	4.3	4.0	3.0	2.7
			1700 1799	1.0	(2.2)	74.0	575.3	65.0	7.4	1.7	3.0	3.0	3.0	2.0
				45.0	(0.6)	74.8	520.3	67.1	8.3	2.6	8.1	3.7	4.4	2.8
			3000	1.0	(3.6)	79.5	680.5	95.0	13.0	2.6	12.0	3.0	5.0	3.0
			2700 2799	3.0	(10.7)	75.8	518.2	70.7	9.0	2.5	10.3	3.3	5.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2600 2699	2.0	(7.1)	74.8	512.0	69.0	8.1	2.9	10.5	3.0	5.0	3.0
			2500 2599	2.0	(7.1)	76.0	521.3	72.0	9.4	2.9	10.0	3.5	5.0	3.0
			2400 2499	5.0	(17.9)	74.8	548.8	66.2	8.4	2.2	9.8	3.6	5.0	3.0
			2300 2399	8.0	(28.6)	74.0	556.9	61.8	8.9	2.6	8.3	3.1	4.9	3.0
			2100 2199	7.0	(25.0)	74.0	516.7	59.3	8.4	2.6	6.7	3.6	4.0	2.7
				28.0	(0.4)	74.7	539.9	65.3	8.8	2.6	8.8	3.4	4.7	2.9
			3000	6.0	(6.0)	79.3	565.7	94.5	9.9	2.1	12.0	3.3	5.0	2.8
			2900 2999	6.0	(6.0)	78.0	535.1	84.7	9.1	1.9	11.0	3.2	5.0	2.5
			2800 2899	3.0	(3.0)	78.1	512.2	82.7	9.8	2.5	11.7	3.0	5.0	2.7
			2700 2799	4.0	(4.0)	79.0	578.0	89.8	10.8	2.3	10.8	3.5	5.0	2.3
			2600 2699	5.0	(5.0)	75.6	547.3	75.0	8.8	2.9	11.0	3.4	5.0	2.6
			2500 2599	10.0	(10.0)	76.1	531.7	71.8	9.4	2.5	9.9	3.5	5.0	2.5
			2400 2499	13.0	(13.0)	75.8	519.8	71.9	9.1	2.8	9.5	3.6	4.8	2.8
			2300 2399	16.0	(16.0)	75.7	525.1	68.4	9.3	2.5	8.5	3.7	4.7	2.6
			2200 2299	14.0	(14.0)	74.7	501.7	63.1	8.6	2.6	7.4	3.9	4.4	2.6
			2100 2199	8.0	(8.0)	74.0	504.6	58.4	8.4	2.6	5.9	4.0	4.0	2.5
			2000 2099	5.0	(5.0)	74.2	478.2	60.0	8.1	2.7	6.0	3.8	3.8	2.8
			1900 1999	5.0	(5.0)	73.4	467.5	52.2	7.7	2.4	4.8	4.4	3.2	2.4
			1800 1899	2.0	(2.0)	74.2	439.6	58.0	7.2	2.3	4.5	4.5	3.0	3.0
			1700 1799	2.0	(2.0)	74.8	443.8	59.5	7.3	1.9	3.0	4.5	2.0	2.5
			1500 1599	1.0	(1.0)	72.8	273.7	36.0	5.0	1.3	3.0	4.0	2.0	2.0
				100.0	(1.4)	75.8	515.0	69.9	8.9	2.5	8.5	3.7	4.5	2.6
			3000	15.0	(7.7)	80.0	583.3	94.8	11.2	2.1	11.8	3.3	5.0	2.4
			2900 2999	3.0	(1.5)	78.3	509.2	76.3	10.5	1.9	9.7	3.7	5.0	2.3
			2800 2899	2.0	(1.0)	74.9	517.3	68.0	8.8	3.0	10.0	3.5	5.0	3.0
			2700 2799	5.0	(2.6)	77.2	530.0	76.8	9.8	2.4	10.6	3.8	5.0	2.2
			2600 2699	23.0	(11.7)	76.4	513.4	72.9	9.2	2.5	10.0	3.6	5.0	2.5
			2500 2599	24.0	(12.2)	76.1	508.8	72.3	9.0	2.5	9.0	3.5	4.9	2.6
			2400 2499	25.0	(12.8)	75.2	493.9	64.9	8.7	2.5	7.9	3.7	4.7	2.6
			2300 2399	37.0	(18.9)	74.3	502.8	61.6	8.5	2.8	7.3	3.6	4.4	2.6
			2200 2299	23.0	(11.7)	74.8	524.6	65.3	8.7	2.6	7.0	4.0	4.3	2.7
			2100 2199	20.0	(10.2)	73.0	496.4	54.3	8.3	3.0	5.7	3.7	4.0	2.8
			2000 2099	7.0	(3.6)	74.0	487.0	57.7	8.5	2.8	5.4	4.0	3.7	3.0
			1900 1999	3.0	(1.5)	73.9	493.1	61.3	8.2	3.1	3.7	4.3	3.0	2.7
			1800 1899	1.0	(0.5)	73.1	473.9	53.0	7.5	2.5	5.0	5.0	3.0	3.0
			1700 1799	2.0	(1.0)	71.6	442.8	41.0	6.3	1.9	3.5	4.0	3.0	2.5
			1600 1699	1.0	(0.5)	73.4	403.0	46.0	6.4	1.4	4.0	4.0	3.0	3.0
			1500 1599	3.0	(1.5)	71.9	323.4	37.0	5.2	2.0	2.7	4.7	2.3	2.7
			1400 1499	1.0	(0.5)	73.9	428.0	55.0	6.4	1.8	3.0	4.0	2.0	3.0
			1300 1399	1.0	(0.5)	71.7	333.0	40.0	4.2	1.7	2.0	5.0	2.0	2.0
				196.0	(2.6)	75.3	506.7	66.6	8.8	2.6	7.9	3.7	4.5	2.6

					(%)		(kg)	(m2)	(m)	(m)				
			3000	9.0	(4.1)	78.3	543.8	87.1	9.4	2.1	11.9	3.6	5.0	2.0
			2900 2999	1.0	(0.5)	75.6	544.1	78.0	8.7	3.3	12.0	4.0	5.0	2.0
			2700 2799	4.0	(1.8)	76.3	482.9	74.0	8.8	2.9	11.3	3.5	5.0	2.3
			2600 2699	9.0	(4.1)	76.3	493.8	73.8	8.3	2.3	10.1	3.7	5.0	2.2
			2500 2599	22.0	(9.9)	75.0	521.7	67.3	8.8	2.8	9.0	3.9	4.9	2.1
			2400 2499	22.0	(9.9)	75.5	506.7	66.8	8.9	2.5	8.2	3.6	4.6	2.6
			2300 2399	21.0	(9.5)	74.5	479.6	60.9	8.0	2.5	7.3	3.8	4.4	2.3
			2200 2299	34.0	(15.3)	74.6	483.5	60.8	8.4	2.5	6.9	4.0	4.3	2.5
			2100 2199	29.0	(13.1)	74.2	505.4	60.9	8.3	2.6	6.0	4.0	3.8	2.5
			2000 2099	34.0	(15.3)	73.9	492.0	57.7	8.3	2.6	5.2	4.1	3.4	2.7
			1900 1999	15.0	(6.8)	73.8	484.7	54.9	8.5	2.6	4.6	4.1	3.3	2.5
			1800 1899	13.0	(5.9)	73.0	510.3	52.8	8.2	2.6	3.6	4.2	2.6	2.8
			1700 1799	6.0	(2.7)	73.0	485.1	56.7	7.2	2.8	4.3	4.5	2.7	2.7
			1600 1699	1.0	(0.5)	70.3	452.4	42.0	6.9	3.9	3.0	5.0	2.0	2.0
			1500 1599	1.0	(0.5)	72.0	283.9	38.0	4.5	2.0	3.0	4.0	2.0	2.0
			1400 1499	1.0	(0.5)	72.3	420.4	44.0	5.6	1.4	2.0	5.0	2.0	3.0
				222.0	(3.0)	74.6	496.9	62.3	8.4	2.6	6.9	3.9	4.0	2.5
			3000	9.0	(6.2)	77.8	545.2	85.2	8.8	1.9	11.7	3.3	5.0	2.3
			2900 2999	1.0	(0.7)	76.5	504.0	76.0	7.4	1.6	11.0	4.0	5.0	2.0
			2800 2899	3.0	(2.1)	76.4	520.4	73.3	8.1	1.6	12.0	3.0	5.0	2.3
			2700 2799	11.0	(7.6)	76.4	526.1	75.6	8.2	1.9	10.2	3.5	5.0	2.8
			2600 2699	14.0	(9.7)	76.8	542.5	80.1	8.5	2.1	10.5	3.6	5.0	2.6
			2500 2599	8.0	(5.5)	75.5	518.3	68.6	8.4	2.2	10.4	3.1	5.0	2.5
			2400 2499	17.0	(11.7)	75.0	494.4	65.9	7.9	2.2	9.1	3.7	5.0	2.9
			2300 2399	19.0	(13.1)	74.4	503.3	62.5	7.9	2.3	7.8	3.7	4.7	2.6
			2200 2299	19.0	(13.1)	74.4	477.2	62.2	7.5	2.3	7.2	3.6	4.3	2.5
			2100 2199	21.0	(14.5)	73.9	469.1	55.7	7.8	2.3	6.6	3.8	4.1	2.8
			2000 2099	9.0	(6.2)	73.7	486.8	59.3	7.4	2.6	5.1	3.4	3.9	2.8
			1900 1999	6.0	(4.1)	73.0	470.5	52.0	7.4	2.5	4.2	3.8	3.0	2.3
			1800 1899	6.0	(4.1)	72.4	442.6	51.7	6.3	2.7	4.2	3.5	3.2	2.5
			1700 1799	1.0	(0.7)	73.5	473.4	55.0	6.7	1.8	3.0	4.0	2.0	3.0
			1600 1699	1.0	(0.7)	71.0	393.3	44.0	4.8	2.5	4.0	4.0	3.0	2.0
				145.0	(2.0)	74.9	497.3	65.4	7.8	2.2	8.1	3.6	4.5	2.6
			3000	3.0	(13.6)	77.1	506.3	81.7	7.4	1.7	11.7	3.3	5.0	2.7
			2600 2699	1.0	(4.5)	74.3	363.6	54.0	5.7	1.5	10.0	3.0	5.0	3.0
			2500 2599	3.0	(13.6)	75.7	488.1	70.0	8.5	2.7	10.3	3.0	5.0	3.0
			2400 2499	5.0	(22.7)	75.1	475.0	64.6	7.5	2.0	8.0	3.6	4.8	2.6
			2300 2399	4.0	(18.2)	75.0	479.4	63.8	7.2	1.7	7.8	3.8	4.5	2.8
			2200 2299	2.0	(9.1)	74.7	398.6	60.0	6.8	2.4	6.5	2.5	5.0	2.5
			2100 2199	2.0	(9.1)	73.5	446.1	56.5	6.8	2.5	6.5	4.0	4.0	3.0
			2000 2099	2.0	(9.1)	73.5	452.1	54.0	6.8	1.9	5.5	4.0	4.0	3.0
				22.0	(0.3)	75.1	465.2	64.9	7.3	2.0	8.4	3.5	4.7	2.8

					(%)		(kg)	(m2)	(m)	(m)				
			3000	23.0	(6.3)	77.2	499.1	77.6	8.9	2.2	11.4	3.2	5.0	2.8
			2900 2999	1.0	(0.3)	77.1	627.2	88.0	9.2	2.3	12.0	3.0	5.0	3.0
			2800 2899	16.0	(4.4)	75.9	503.6	71.7	8.5	2.4	10.4	3.3	5.0	2.9
			2700 2799	31.0	(8.5)	75.4	521.8	69.5	8.7	2.6	9.8	3.4	5.0	2.9
			2600 2699	43.0	(11.8)	75.4	518.6	69.1	8.6	2.6	9.2	3.4	5.0	2.9
			2500 2599	39.0	(10.7)	75.1	507.9	66.4	8.4	2.4	8.5	3.5	4.9	2.9
			2400 2499	49.0	(13.5)	74.3	501.8	63.0	8.2	2.7	7.8	3.6	4.8	2.9
			2300 2399	57.0	(15.7)	74.3	508.9	62.2	8.2	2.5	6.8	3.7	4.2	2.9
			2200 2299	24.0	(6.6)	74.2	488.4	59.9	8.0	2.4	6.3	3.7	4.0	2.8
			2100 2199	24.0	(6.6)	74.1	485.2	58.9	8.0	2.5	5.3	3.8	3.8	2.8
			2000 2099	22.0	(6.0)	73.6	480.8	57.0	7.9	2.7	4.4	3.8	3.4	2.9
			1900 1999	7.0	(1.9)	72.5	463.9	49.3	7.7	3.0	4.7	4.1	3.4	2.7
			1800 1899	8.0	(2.2)	73.1	462.1	53.9	7.4	2.7	3.8	4.1	3.1	2.9
			1700 1799	5.0	(1.4)	72.1	488.7	51.6	7.1	3.1	3.4	4.0	2.8	3.2
			1600 1699	3.0	(0.8)	72.2	419.1	47.3	6.6	2.8	3.3	4.3	3.0	3.0
			1500 1599	5.0	(1.4)	73.3	352.9	46.2	5.9	1.9	4.0	4.0	3.0	2.6
			1400 1499	2.0	(0.5)	72.6	435.6	49.5	6.5	2.4	2.0	4.0	2.0	2.0
			1300 1399	1.0	(0.3)	71.4	377.9	38.0	6.0	2.5	3.0	4.0	2.0	3.0
			1000 1099	3.0	(0.8)	71.8	323.5	33.7	5.6	1.8	5.7	4.3	3.3	3.0
			999	1.0	(0.3)	73.9	280.4	46.0	5.1	1.5	3.0	4.0	2.0	3.0
				364.0	(4.9)	74.6	497.0	63.6	8.2	2.5	7.6	3.6	4.4	2.9
			3000	10.0	(5.1)	80.0	579.7	95.6	10.6	1.9	11.9	3.4	5.0	2.6
			2900 2999	3.0	(1.5)	77.4	580.7	82.3	10.1	2.5	11.3	4.0	5.0	3.0
			2800 2899	4.0	(2.0)	77.7	516.9	83.0	8.9	2.2	11.3	3.3	5.0	2.5
			2700 2799	10.0	(5.1)	76.7	508.3	76.0	8.4	2.1	10.2	3.6	5.0	2.6
			2600 2699	10.0	(5.1)	75.7	506.9	70.8	8.4	2.4	9.8	3.3	5.0	2.7
			2500 2599	17.0	(8.7)	75.4	527.0	68.6	8.6	2.4	8.6	3.8	4.9	2.7
			2400 2499	23.0	(11.7)	75.4	503.5	68.7	8.1	2.3	8.0	3.6	4.7	2.7
			2300 2399	36.0	(18.4)	74.6	499.3	63.8	8.1	2.5	7.8	3.6	4.7	2.9
			2200 2299	31.0	(15.8)	74.5	498.4	63.7	7.9	2.5	6.7	3.8	4.2	2.8
			2100 2199	12.0	(6.1)	73.9	498.5	60.4	7.9	2.8	6.2	3.8	4.0	2.9
			2000 2099	13.0	(6.6)	74.0	496.9	59.9	8.0	2.6	5.4	3.9	3.7	2.7
			1900 1999	12.0	(6.1)	73.0	495.5	55.2	7.6	2.7	4.8	3.8	3.5	2.9
			1800 1899	8.0	(4.1)	73.0	465.4	51.4	7.3	2.5	4.3	4.4	3.0	2.9
			1700 1799	3.0	(1.5)	72.6	448.5	49.3	7.3	2.7	3.3	4.0	3.3	2.7
			1600 1699	1.0	(0.5)	72.9	468.2	52.0	7.3	2.6	2.0	4.0	3.0	3.0
			1500 1599	3.0	(1.5)	70.9	409.0	38.0	6.1	2.6	2.7	4.3	2.3	2.7
				196.0	(2.6)	74.9	504.5	65.9	8.2	2.4	7.5	3.7	4.4	2.8
			2700 2799	1.0	(6.3)	75.4	457.5	74.0	8.3	3.9	12.0	3.0	5.0	3.0
			2600 2699	2.0	(12.5)	76.0	416.0	66.5	7.3	1.9	9.5	4.0	5.0	3.0
			2500 2599	1.0	(6.3)	74.5	446.5	68.0	8.3	4.1	10.0	3.0	5.0	3.0
			2400 2499	4.0	(25.0)	74.3	421.9	59.0	7.5	2.8	8.3	4.0	5.0	3.0
			2300 2399	2.0	(12.5)	74.1	435.8	57.5	7.2	2.4	7.0	4.0	4.5	2.5
			2200 2299	3.0	(18.8)	73.9	448.0	56.3	7.8	2.7	6.0	4.0	4.0	3.0

[illegible]

