

					(%)		(kg)	(m2)	(m)	(m)				
			1700 1799	4.0	(1.9)	72.2	521.8	66.3	8.2	3.0	5.8	3.8	4.0	2.8
			1600 1699	8.0	(3.8)	71.3	525.8	61.3	8.0	3.1	6.3	3.8	4.0	2.4
			1500 1599	40.0	(19.2)	71.1	503.5	57.1	7.7	2.9	4.4	4.2	3.1	2.6
			1400 1499	65.0	(31.3)	70.6	493.5	55.1	7.4	2.9	3.6	4.1	2.7	2.5
			1300 1399	56.0	(26.9)	69.9	476.1	50.9	7.0	3.1	3.0	4.3	2.3	2.6
			1200 1299	26.0	(12.5)	69.4	487.3	49.8	7.2	3.5	2.5	4.5	2.0	2.8
			1100 1199	5.0	(2.4)	69.2	470.8	44.8	7.2	3.2	2.8	4.4	2.2	2.8
			900 999	2.0	(1.0)	70.1	510.0	48.5	6.9	2.0	4.0	4.5	2.5	3.5
			800 899	2.0	(1.0)	69.7	548.0	54.5	7.2	3.0	3.0	4.0	2.0	3.0
				208.0	(5.9)	70.4	491.9	53.8	7.4	3.0	3.6	4.2	2.6	2.6
			2000 2099	1.0	(1.1)	70.5	544.0	60.0	8.5	3.9	8.0	4.0	5.0	3.0
			1600 1699	4.0	(4.5)	72.4	483.3	62.5	7.7	2.4	5.5	3.8	4.0	2.3
			1500 1599	15.0	(17.0)	71.4	480.7	59.2	7.6	3.0	4.0	4.0	3.0	2.2
			1400 1499	45.0	(51.1)	70.8	453.3	53.2	7.0	2.8	3.0	4.2	2.6	2.1
			1300 1399	14.0	(15.9)	70.5	454.8	50.6	6.9	2.6	2.6	4.3	2.0	2.1
			1200 1299	6.0	(6.8)	70.1	429.5	47.7	6.5	2.6	2.3	4.3	2.0	2.2
			1100 1199	2.0	(2.3)	70.8	389.5	45.0	6.2	1.9	2.5	5.0	2.0	2.0
			700 799	1.0	(1.1)	68.7	369.0	39.0	4.2	2.2	2.0	5.0	2.0	3.0
				88.0	(2.5)	70.8	456.6	53.6	7.0	2.8	3.2	4.2	2.6	2.1
			1800 1899	1.0	(3.6)	71.7	472.0	62.0	8.0	3.5	7.0	3.0	4.0	3.0
			1700 1799	2.0	(7.1)	71.8	539.0	65.5	8.2	3.1	7.5	4.0	4.5	2.0
			1600 1699	1.0	(3.6)	71.4	504.0	64.0	7.7	3.4	7.0	5.0	4.0	3.0
			1500 1599	13.0	(46.4)	71.2	497.7	56.9	7.6	2.7	4.6	4.2	3.2	2.5
			1400 1499	8.0	(28.6)	70.3	485.6	53.6	7.5	3.3	3.6	3.9	2.8	2.0
			1300 1399	1.0	(3.6)	71.2	474.0	53.0	7.6	2.4	3.0	4.0	3.0	3.0
			700 799	1.0	(3.6)	70.7	334.0	42.0	5.1	1.5	3.0	5.0	2.0	6.0
			500 599	1.0	(3.6)	70.6	324.0	36.0	5.1	0.9	2.0	6.0	2.0	6.0
				28.0	(0.8)	71.0	483.6	55.6	7.5	2.8	4.5	4.2	3.1	2.6
			1700 1799	1.0	(0.9)	71.5	486.2	62.0	7.7	3.3	6.0	4.0	4.0	2.0
			1600 1699	16.0	(14.5)	71.1	539.8	60.3	8.6	3.5	5.2	4.1	3.5	2.9
			1500 1599	31.0	(28.2)	71.0	543.7	59.5	8.7	3.4	4.4	4.1	3.4	2.5
			1400 1499	17.0	(15.5)	70.4	507.2	54.8	7.9	3.3	4.0	4.2	2.9	2.8
			1300 1399	22.0	(20.0)	70.2	470.9	50.6	7.5	3.2	3.3	4.2	2.5	2.4
			1200 1299	17.0	(15.5)	70.5	451.7	49.8	7.3	2.9	3.2	4.2	2.4	2.4
			1100 1199	5.0	(4.5)	69.8	424.0	42.2	6.7	2.4	3.0	4.2	2.2	2.6
			1000 1099	1.0	(0.9)	71.2	361.0	52.0	5.4	2.2	3.0	5.0	2.0	2.0
				110.0	(3.1)	70.6	501.1	54.8	8.0	3.2	4.0	4.2	2.9	2.5
			1500 1599	1.0	(50.0)	70.4	427.0	51.0	6.9	3.1	5.0	5.0	3.0	3.0
			600 699	1.0	(50.0)	70.4	311.0	37.0	4.5	1.0	2.0	5.0	2.0	3.0
				2.0	(0.1)	70.4	369.0	44.0	5.7	2.0	3.5	5.0	2.5	3.0

					(%)		(kg)	(m2)	(m)	(m)				
			1700 1799	3.0	(1.4)	73.5	560.8	75.3	8.5	2.5	8.7	3.7	5.0	3.0
			1600 1699	15.0	(6.9)	72.4	516.6	67.1	7.8	2.6	6.5	4.1	4.1	2.5
			1500 1599	14.0	(6.4)	71.1	519.0	61.6	7.8	3.3	5.6	4.1	3.8	2.6
			1400 1499	48.0	(22.0)	71.1	504.7	59.2	7.7	3.0	4.9	4.0	3.4	2.5
			1300 1399	53.0	(24.3)	70.2	488.4	52.8	7.3	3.1	4.0	4.2	3.0	2.4
			1200 1299	46.0	(21.1)	69.8	488.9	52.0	7.1	3.3	3.3	4.5	2.5	2.4
			1100 1199	23.0	(10.6)	69.5	489.2	50.5	7.0	3.3	3.1	4.3	2.3	2.6
			1000 1099	10.0	(4.6)	69.6	442.1	47.0	6.5	3.0	2.4	4.6	2.0	2.6
			900 999	1.0	(0.5)	69.5	533.5	51.0	6.7	2.6	2.0	5.0	2.0	4.0
			800 899	2.0	(0.9)	69.2	443.3	39.5	6.3	2.3	2.0	5.0	2.0	3.5
			700 799	2.0	(0.9)	69.3	314.8	34.5	4.9	2.0	3.5	5.0	2.0	4.5
			600 699	1.0	(0.5)	70.0	215.0	29.0	3.4	0.8	2.0	5.0	1.0	4.0
				218.0	(6.2)	70.5	491.9	55.0	7.3	3.1	4.2	4.3	3.0	2.5
			2200 2299	1.0	(0.4)	72.1	494.0	68.0	7.9	3.5	7.0	4.0	4.0	2.0
			2000 2099	1.0	(0.4)	70.8	545.5	58.0	8.7	3.5	8.0	3.0	5.0	3.0
			1900 1999	1.0	(0.4)	73.7	459.0	64.0	8.0	1.8	7.0	4.0	5.0	2.0
			1800 1899	2.0	(0.7)	71.9	493.0	60.0	8.5	3.1	8.5	4.0	5.0	3.0
			1700 1799	16.0	(5.8)	72.1	508.6	65.7	7.8	2.9	6.6	3.6	4.3	2.6
			1600 1699	29.0	(10.5)	71.4	506.5	60.6	7.6	2.8	5.6	3.8	3.8	2.6
			1500 1599	82.0	(29.7)	70.9	492.3	56.5	7.5	2.9	4.3	4.1	3.2	2.5
			1400 1499	81.0	(29.3)	70.4	487.1	54.5	7.3	3.2	3.9	4.2	2.9	2.5
			1300 1399	36.0	(13.0)	70.0	472.9	51.4	7.2	3.3	3.4	4.3	2.4	2.4
			1200 1299	15.0	(5.4)	69.4	432.4	45.1	6.5	3.0	3.1	4.3	2.7	2.3
			1100 1199	8.0	(2.9)	69.7	462.2	48.5	6.6	2.9	2.5	4.9	2.0	2.5
			1000 1099	1.0	(0.4)	65.6	540.0	40.0	6.7	5.1	3.0	5.0	2.0	2.0
			900 999	1.0	(0.4)	69.6	313.5	35.0	4.4	1.5	2.0	5.0	2.0	3.0
			700 799	1.0	(0.4)	69.3	176.0	22.0	2.7	0.6	2.0	6.0	1.0	3.0
			600 699	1.0	(0.4)	69.8	197.5	28.0	2.7	0.6	2.0	5.0	1.0	3.0
				276.0	(7.9)	70.6	483.9	55.1	7.3	3.0	4.2	4.1	3.1	2.5
			2000 2099	1.0	(0.6)	72.7	464.0	64.0	7.8	2.6	8.0	4.0	5.0	2.0
			1900 1999	1.0	(0.6)	71.3	523.0	68.0	8.2	4.3	9.0	4.0	5.0	3.0
			1800 1899	2.0	(1.2)	72.5	537.5	68.0	8.1	2.7	7.0	3.5	4.0	2.0
			1700 1799	9.0	(5.6)	71.8	521.3	61.7	8.3	2.9	6.2	3.9	4.1	2.6
			1600 1699	20.0	(12.4)	72.2	500.2	63.8	7.9	2.8	5.8	3.9	3.9	2.5
			1500 1599	63.0	(39.1)	70.8	490.4	54.8	7.7	3.0	3.9	4.0	3.1	2.6
			1400 1499	26.0	(16.1)	70.3	475.5	53.5	7.4	3.3	3.5	4.2	2.9	2.7
			1300 1399	17.0	(10.6)	70.0	462.3	50.8	6.8	3.0	3.4	4.5	2.4	2.6
			1200 1299	10.0	(6.2)	69.0	473.6	48.9	6.8	3.7	2.8	4.4	2.1	2.6
			1100 1199	4.0	(2.5)	68.7	446.0	43.8	6.4	3.4	2.3	4.5	2.0	2.5
			1000 1099	2.0	(1.2)	69.1	543.5	46.0	7.7	2.9	2.5	5.0	2.0	3.0
			900 999	1.0	(0.6)	71.8	376.0	52.0	5.4	1.4	5.0	4.0	3.0	3.0
			800 899	1.0	(0.6)	67.0	540.0	49.0	5.9	4.3	2.0	4.0	2.0	3.0
			600 699	1.0	(0.6)	69.0	272.5	31.0	3.3	1.3	1.0	6.0	1.0	5.0

					(%)		(kg)	(m2)	(m)	(m)				
			500 599	3.0	(1.9)	69.2	364.3	33.7	5.1	1.6	2.0	6.0	1.7	6.3
				161.0	(4.6)	70.7	483.0	54.6	7.4	3.0	4.1	4.2	3.0	2.7
			2300 2399	1.0	(0.2)	71.1	493.0	56.0	7.9	2.9	8.0	4.0	5.0	3.0
			2000 2099	5.0	(0.9)	72.8	527.1	66.4	8.7	2.7	8.2	3.6	5.0	2.6
			1900 1999	4.0	(0.7)	71.9	552.5	62.8	8.4	2.6	8.3	3.8	5.0	2.5
			1800 1899	8.0	(1.4)	72.2	532.3	65.8	8.1	2.7	7.0	3.6	4.5	2.6
			1700 1799	30.0	(5.4)	72.2	513.3	62.4	8.2	2.6	6.4	3.9	4.2	2.7
			1600 1699	79.0	(14.2)	71.9	502.7	62.2	7.7	2.7	5.5	3.9	4.0	2.7
			1500 1599	151.0	(27.2)	71.2	503.3	58.9	7.5	2.8	4.3	4.0	3.4	2.7
			1400 1499	161.0	(29.0)	70.7	481.6	54.9	7.1	2.8	3.7	4.2	3.0	2.6
			1300 1399	61.0	(11.0)	70.0	486.4	52.0	7.1	3.1	3.2	4.4	2.5	2.8
			1200 1299	33.0	(5.9)	69.5	467.8	49.0	6.7	3.2	2.9	4.5	2.2	2.7
			1100 1199	9.0	(1.6)	68.9	448.7	44.6	6.4	3.3	2.9	4.8	2.1	2.7
			1000 1099	8.0	(1.4)	67.8	480.1	41.8	6.6	3.9	2.9	4.8	2.1	2.9
			900 999	2.0	(0.4)	69.9	294.5	32.0	4.3	0.9	3.0	5.5	2.0	3.0
			800 899	1.0	(0.2)	68.5	276.0	23.0	4.3	1.4	2.0	5.0	2.0	2.0
			700 799	2.0	(0.4)	69.3	258.3	28.0	4.1	1.3	2.0	5.5	1.5	2.5
				555.0	(15.8)	70.9	491.2	56.5	7.3	2.9	4.3	4.1	3.2	2.7
			1800 1899	1.0	(2.9)	77.7	544.0	102.0	8.4	1.9	8.0	3.0	5.0	3.0
			1700 1799	3.0	(8.8)	72.7	517.0	65.3	8.6	2.7	6.3	3.7	4.7	3.0
			1600 1699	2.0	(5.9)	72.8	513.3	69.0	7.8	2.5	5.0	4.0	4.0	3.0
			1500 1599	4.0	(11.8)	71.6	490.5	56.0	7.2	1.9	4.3	4.0	3.0	2.8
			1400 1499	7.0	(20.6)	72.0	527.9	67.4	7.7	3.0	4.6	4.1	3.3	3.0
			1300 1399	10.0	(29.4)	70.5	478.6	53.4	6.9	2.7	3.5	4.3	2.6	2.9
			1200 1299	4.0	(11.8)	69.8	507.8	53.5	7.4	3.4	3.5	4.0	2.8	2.8
			1100 1199	1.0	(2.9)	65.7	562.0	35.0	8.3	5.2	4.0	4.0	3.0	3.0
			1000 1099	2.0	(5.9)	67.5	500.0	43.0	7.0	4.3	2.0	5.0	2.0	2.5
				34.0	(1.0)	71.1	504.6	58.9	7.5	2.9	4.2	4.1	3.1	2.9
			2000 2099	1.0	(0.3)	71.6	506.0	61.0	7.3	2.5	9.0	3.0	5.0	3.0
			1900 1999	5.0	(1.4)	73.6	529.8	74.6	8.4	2.7	7.6	3.4	5.0	2.2
			1800 1899	6.0	(1.7)	72.5	505.0	63.2	8.0	2.2	7.7	3.3	4.5	2.5
			1700 1799	21.0	(5.9)	71.7	496.0	60.6	7.6	2.7	6.6	3.8	4.1	2.3
			1600 1699	46.0	(13.0)	71.8	502.7	60.3	7.7	2.6	5.8	3.8	3.8	2.3
			1500 1599	73.0	(20.6)	71.3	496.2	58.2	7.5	2.7	4.5	3.8	3.3	2.4
			1400 1499	115.0	(32.4)	70.8	484.1	55.0	7.3	2.8	4.0	4.2	2.9	2.4
			1300 1399	57.0	(16.1)	70.1	492.2	52.3	7.2	3.0	3.3	4.5	2.4	2.3
			1200 1299	20.0	(5.6)	69.5	455.4	46.5	6.6	3.0	3.0	4.5	2.4	2.3
			1100 1199	8.0	(2.3)	68.3	494.9	44.5	6.8	3.6	3.1	4.6	2.1	2.4
			1000 1099	1.0	(0.3)	68.4	298.0	25.0	4.3	1.5	4.0	5.0	3.0	3.0
			900 999	1.0	(0.3)	68.9	262.0	20.0	3.9	0.4	2.0	4.0	2.0	2.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			800 899	1.0	(0.3)	70.4	314.0	33.0	5.5	1.1	3.0	4.0	3.0	4.0
				355.0	(10.1)	70.9	489.1	55.7	7.3	2.8	4.4	4.1	3.1	2.4
			1800 1899	2.0	(2.5)	71.8	505.0	64.0	6.7	2.2	8.0	3.5	4.5	2.0
			1700 1799	4.0	(4.9)	71.8	532.3	64.8	7.7	2.6	6.8	3.8	4.3	2.8
			1600 1699	4.0	(4.9)	72.8	532.0	69.5	7.8	2.4	4.8	3.8	3.8	2.8
			1500 1599	21.0	(25.9)	70.5	509.6	57.8	7.7	3.4	4.6	4.0	3.5	2.8
			1400 1499	28.0	(34.6)	70.2	500.1	56.4	7.2	3.4	4.0	4.1	3.2	2.9
			1300 1399	14.0	(17.3)	69.7	481.1	51.1	6.9	3.2	3.1	4.5	2.4	2.9
			1200 1299	3.0	(3.7)	69.2	484.0	50.7	6.8	3.6	2.7	4.3	2.3	2.7
			1100 1199	3.0	(3.7)	68.4	572.7	56.7	7.2	4.4	2.7	4.3	2.0	3.0
			1000 1099	1.0	(1.2)	68.3	323.0	31.0	5.1	2.7	2.0	4.0	2.0	3.0
			700 799	1.0	(1.2)	69.3	257.0	32.0	4.2	2.0	2.0	4.0	2.0	2.0
				81.0	(2.3)	70.3	499.4	56.2	7.2	3.3	4.1	4.1	3.1	2.8
			1500 1599	2.0	(1.8)	71.3	413.0	52.5	6.8	2.5	4.5	4.0	3.5	2.0
			1400 1499	14.0	(12.3)	70.4	458.1	50.0	6.9	2.5	3.9	4.4	3.0	2.3
			1300 1399	51.0	(44.7)	70.3	434.9	48.7	6.6	2.6	2.9	4.8	2.3	2.1
			1200 1299	26.0	(22.8)	70.4	412.2	46.8	6.3	2.3	2.6	4.7	2.1	2.0
			1100 1199	17.0	(14.9)	70.1	402.7	44.5	6.1	2.3	2.5	5.0	2.1	2.3
			1000 1099	3.0	(2.6)	68.7	451.7	46.0	6.3	3.6	2.0	5.0	2.0	2.7
			800 899	1.0	(0.9)	70.9	294.0	39.0	4.8	1.2	2.0	5.0	2.0	2.0
				114.0	(3.2)	70.3	426.6	47.7	6.5	2.5	2.9	4.7	2.3	2.1
			1600 1699	1.0	(7.7)	71.3	491.5	59.0	7.8	3.1	5.0	3.0	4.0	3.0
			1500 1599	5.0	(38.5)	71.0	462.3	56.0	7.3	3.1	4.2	4.2	3.2	3.0
			1400 1499	5.0	(38.5)	70.4	482.7	56.2	7.4	3.5	3.6	4.0	3.0	2.2
			1300 1399	2.0	(15.4)	71.2	454.0	59.0	7.0	3.1	3.0	3.5	2.5	3.0
				13.0	(0.4)	70.8	471.1	56.8	7.3	3.3	3.8	3.9	3.1	2.7
			1500 1599	1.0	(50.0)	71.6	433.0	52.0	6.7	1.7	4.0	3.0	3.0	2.0
			1400 1499	1.0	(50.0)	67.6	490.7	43.0	6.2	3.6	3.0	4.0	3.0	3.0
				2.0	(0.1)	69.6	461.9	47.5	6.5	2.6	3.5	3.5	3.0	2.5
			1700 1799	5.0	(8.2)	70.0	427.7	48.2	6.6	2.9	4.0	3.8	3.0	3.0
			1600 1699	15.0	(24.6)	70.7	439.2	51.2	6.6	2.5	2.7	4.3	2.3	2.9
			1500 1599	23.0	(37.7)	70.3	415.6	48.2	6.1	2.5	2.4	5.0	2.0	2.9
			1400 1499	11.0	(18.0)	69.7	398.1	43.5	5.9	2.6	2.2	5.1	2.0	3.0
			1300 1399	4.0	(6.6)	69.8	481.0	52.0	7.2	3.4	2.8	4.5	2.0	3.0
			1200 1299	3.0	(4.9)	68.3	490.7	50.3	7.9	5.3	2.7	4.3	2.0	3.0
				61.0	(1.7)	70.1	427.2	48.4	6.4	2.7	2.6	4.7	2.2	3.0
			1700 1799	11.0	(22.0)	70.2	537.0	59.7	7.6	3.7	4.7	4.0	3.5	3.0
			1600 1699	7.0	(14.0)	71.2	481.9	58.9	7.3	2.9	4.1	4.1	3.3	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1500 1599	11.0	(22.0)	70.1	446.1	51.9	7.0	3.5	3.5	3.9	3.0	3.0
			1400 1499	7.0	(14.0)	69.4	449.0	52.3	6.5	3.9	3.1	4.0	2.6	3.0
			1300 1399	7.0	(14.0)	69.7	427.5	49.4	6.4	3.3	3.0	4.3	2.3	3.3
			1200 1299	5.0	(10.0)	69.2	430.3	49.4	6.1	3.6	2.6	4.4	2.0	3.0
			900 999	2.0	(4.0)	70.6	293.5	37.5	5.2	1.6	2.0	4.5	2.0	3.0
				50.0	(1.4)	70.1	461.2	53.5	6.9	3.4	3.6	4.1	2.8	3.0
			1800 1899	1.0	(1.0)	69.3	473.9	51.0	7.5	4.1	8.0	3.0	5.0	2.0
			1700 1799	5.0	(5.0)	71.7	547.7	64.8	7.7	2.7	6.4	3.4	4.0	3.0
			1600 1699	19.0	(19.0)	71.4	482.5	59.2	7.5	2.9	5.4	3.8	3.8	2.7
			1500 1599	36.0	(36.0)	70.3	492.8	54.5	7.3	3.1	3.8	3.8	3.0	2.7
			1400 1499	14.0	(14.0)	70.3	487.2	53.7	7.2	3.1	3.2	4.0	2.3	2.6
			1300 1399	13.0	(13.0)	69.8	507.7	53.1	7.1	3.2	2.7	4.3	2.2	2.6
			1200 1299	6.0	(6.0)	69.4	447.3	48.8	6.3	3.3	2.2	4.3	2.0	2.8
			1100 1199	3.0	(3.0)	70.1	488.7	54.0	7.1	3.2	2.3	5.0	2.0	2.7
			900 999	3.0	(3.0)	69.7	328.4	40.7	5.0	2.4	2.3	5.0	2.0	2.7
				100.0	(2.9)	70.4	486.8	54.8	7.2	3.0	3.9	4.0	2.9	2.7
			1800 1899	5.0	(4.1)	70.8	496.0	58.0	7.8	3.4	6.4	3.2	4.4	2.8
			1700 1799	9.0	(7.4)	71.5	453.6	57.9	7.3	2.9	5.2	3.7	3.7	2.8
			1600 1699	19.0	(15.6)	70.5	484.1	56.3	7.3	3.3	4.7	3.8	3.5	2.7
			1500 1599	52.0	(42.6)	70.1	475.3	52.0	7.1	3.1	3.7	4.0	2.8	2.8
			1400 1499	25.0	(20.5)	69.6	486.6	53.0	6.9	3.5	3.0	4.0	2.4	2.7
			1300 1399	10.0	(8.2)	69.1	480.4	51.0	6.9	3.9	2.8	4.1	2.2	2.9
			1200 1299	2.0	(1.6)	68.0	448.6	38.5	6.5	3.4	2.0	5.0	2.0	2.5
				122.0	(3.5)	70.1	478.2	53.3	7.1	3.3	3.8	3.9	2.9	2.7
			1600 1699	5.0	(62.5)	70.6	518.2	54.8	7.7	2.8	3.0	4.4	2.6	3.0
			1500 1599	1.0	(12.5)	70.1	501.0	48.0	7.0	2.2	2.0	5.0	2.0	3.0
			1300 1399	1.0	(12.5)	69.3	491.0	50.0	6.7	3.2	2.0	5.0	2.0	3.0
			800 899	1.0	(12.5)	68.3	293.7	27.0	4.3	1.9	2.0	6.0	2.0	3.0
				8.0	(0.2)	70.1	484.6	49.9	7.0	2.7	2.6	4.8	2.4	3.0
			1400 1499	1.0	(25.0)	69.6	462.5	38.0	7.3	1.9	3.0	4.0	2.0	2.0
			1300 1399	1.0	(25.0)	69.0	473.0	42.0	5.6	1.8	3.0	5.0	2.0	2.0
			1000 1099	1.0	(25.0)	69.6	378.5	38.0	4.7	1.2	2.0	5.0	2.0	2.0
			500 599	1.0	(25.0)	69.5	354.9	43.0	4.4	2.2	2.0	5.0	2.0	5.0
				4.0	(0.1)	69.4	417.2	40.3	5.5	1.8	2.5	4.8	2.0	2.8
			1500 1599	3.0	(10.7)	69.7	429.7	47.7	6.3	2.9	3.3	3.7	3.0	2.0
			1400 1499	14.0	(50.0)	70.0	439.8	49.8	6.3	2.8	3.0	3.9	2.2	2.4
			1300 1399	9.0	(32.1)	69.7	415.5	43.1	6.3	2.5	2.4	4.2	2.1	2.3
			1200 1299	2.0	(7.1)	70.0	487.6	54.5	7.0	3.3	2.5	4.5	2.0	2.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
				28.0	(0.8)	69.9	434.3	47.8	6.4	2.7	2.8	4.0	2.3	2.3
			1800 1899	1.0	(1.1)	70.0	600.0	64.0	8.2	4.1	6.0	4.0	4.0	3.0
			1700 1799	4.0	(4.2)	71.8	472.8	59.3	7.5	2.7	5.0	3.5	3.8	3.0
			1600 1699	13.0	(13.7)	70.3	477.3	53.3	7.1	3.1	3.8	3.8	3.1	2.7
			1500 1599	25.0	(26.3)	70.2	491.5	52.0	7.5	3.0	3.6	4.0	2.9	2.6
			1400 1499	23.0	(24.2)	69.8	516.2	53.5	7.7	3.5	2.7	3.8	2.2	2.6
			1300 1399	21.0	(22.1)	69.3	491.9	50.3	7.2	3.7	2.2	4.1	2.0	2.7
			1200 1299	7.0	(7.4)	69.0	486.7	48.6	7.4	3.9	2.1	4.1	2.0	2.9
			1000 1099	1.0	(1.1)	66.3	442.3	30.0	5.5	3.5	2.0	5.0	2.0	4.0
				95.0	(2.7)	69.9	495.1	52.1	7.4	3.4	3.1	4.0	2.5	2.7
			1500 1599	1.0	(33.3)	70.8	488.2	61.0	7.8	4.0	4.0	4.0	3.0	3.0
			1400 1499	2.0	(66.7)	70.8	395.4	48.5	6.0	2.0	2.5	4.0	2.0	3.0
				3.0	(0.1)	70.8	426.3	52.7	6.6	2.7	3.0	4.0	2.3	3.0
			1600 1699	1.0	(20.0)	69.2	541.2	56.0	7.0	3.7	4.0	3.0	3.0	2.0
			1400 1499	2.0	(40.0)	69.5	439.3	43.5	6.5	2.5	3.5	4.0	2.5	2.0
			1200 1299	1.0	(20.0)	67.8	577.8	51.0	6.6	3.7	4.0	5.0	2.0	4.0
			900 999	1.0	(20.0)	66.5	493.8	37.0	6.2	3.9	2.0	6.0	2.0	4.0
				5.0	(0.1)	68.5	498.3	46.2	6.5	3.3	3.4	4.4	2.4	2.8
			1900 1999	1.0	(12.5)	75.2	529.6	85.0	8.1	2.1	6.0	4.0	4.0	2.0
			1700 1799	1.0	(12.5)	70.3	463.4	52.0	6.8	2.7	4.0	4.0	3.0	2.0
			1600 1699	1.0	(12.5)	69.4	480.6	55.0	6.9	4.1	4.0	4.0	3.0	2.0
			1500 1599	1.0	(12.5)	69.9	415.6	50.0	6.2	3.2	4.0	4.0	3.0	2.0
			1400 1499	4.0	(50.0)	69.2	513.2	53.8	7.2	3.9	3.3	4.3	2.5	2.8
				8.0	(0.2)	70.2	492.8	57.1	7.1	3.5	3.9	4.1	2.9	2.4
			1000 1099	1.0	(0.0)	68.9	440.1	45.0	4.8	2.2	2.0	5.0	2.0	5.0
			1800 1899	2.0	(2.2)	71.5	493.3	53.5	7.2	1.6	5.0	4.0	3.5	2.0
			1700 1799	6.0	(6.5)	71.7	454.6	58.0	7.3	2.6	5.5	4.0	3.8	2.8
			1600 1699	29.0	(31.5)	71.3	475.2	57.8	7.3	2.8	4.8	4.0	3.5	2.8
			1500 1599	29.0	(31.5)	70.4	482.8	52.7	7.1	2.9	3.5	4.1	2.8	2.6
			1400 1499	19.0	(20.7)	70.2	503.0	54.3	7.2	3.1	3.4	4.3	2.5	2.7
			1300 1399	5.0	(5.4)	69.4	544.0	53.0	7.9	3.6	2.8	4.2	2.6	2.8
			1200 1299	1.0	(1.1)	71.7	476.6	65.0	7.1	3.2	3.0	5.0	2.0	3.0
			1100 1199	1.0	(1.1)	68.5	472.6	49.0	6.3	3.9	2.0	4.0	2.0	3.0
				92.0	(2.6)	70.7	486.1	55.1	7.3	2.9	4.0	4.1	3.0	2.7
			1700 1799	7.0	(5.0)	71.3	471.3	58.6	7.8	3.3	6.3	3.7	4.0	2.4
			1600 1699	20.0	(14.2)	71.2	474.2	58.9	7.4	3.1	5.3	3.9	4.0	2.5
			1500 1599	55.0	(39.0)	70.4	467.2	52.9	7.3	3.2	3.5	3.9	3.1	2.5
			1400 1499	33.0	(23.4)	69.8	469.5	51.7	7.0	3.4	2.3	4.1	2.3	2.5

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1300 1399	24.0	(17.0)	70.1	457.9	50.9	6.8	3.0	2.5	4.3	2.0	2.3
			1100 1199	1.0	(0.7)	66.1	372.0	22.0	6.0	3.8	3.0	6.0	2.0	4.0
			800 899	1.0	(0.7)	70.3	465.2	45.0	7.2	2.1	2.0	5.0	2.0	4.0
				141.0	(4.0)	70.3	466.7	53.1	7.2	3.2	3.4	4.0	2.9	2.5
			2000 2099	1.0	(3.3)	73.4	401.0	65.0	6.7	2.1	8.0	4.0	5.0	3.0
			1700 1799	1.0	(3.3)	71.7	492.0	50.0	8.0	1.5	5.0	4.0	4.0	2.0
			1600 1699	3.0	(10.0)	69.3	507.7	49.0	6.7	2.9	4.7	4.3	3.3	2.3
			1500 1599	10.0	(33.3)	70.3	475.4	53.6	7.0	3.0	3.9	4.3	3.1	2.5
			1400 1499	5.0	(16.7)	69.5	473.2	52.8	6.9	3.8	3.8	4.6	2.8	2.4
			1300 1399	4.0	(13.3)	69.9	466.0	49.5	6.9	3.0	3.5	4.5	2.5	2.5
			1200 1299	3.0	(10.0)	68.3	425.3	41.7	6.9	4.2	2.7	4.3	2.0	2.0
			1000 1099	3.0	(10.0)	70.7	315.0	40.0	5.4	1.7	2.0	4.7	2.0	3.0
				30.0	(0.9)	70.0	454.0	50.2	6.8	3.0	3.8	4.4	2.9	2.5
			1800 1899	4.0	(4.8)	71.3	490.1	61.8	7.0	2.9	5.8	3.8	4.0	2.5
			1700 1799	8.0	(9.5)	70.7	470.1	56.0	7.1	3.1	4.4	3.9	3.4	2.8
			1600 1699	18.0	(21.4)	70.5	476.2	53.7	7.0	2.8	4.2	3.9	3.2	2.4
			1500 1599	21.0	(25.0)	70.0	482.0	52.1	7.1	3.1	3.3	4.1	2.8	2.4
			1400 1499	13.0	(15.5)	69.4	465.6	49.1	6.4	3.1	3.0	4.1	2.2	2.4
			1300 1399	16.0	(19.0)	69.2	464.9	47.3	6.6	3.2	2.4	4.3	2.1	2.7
			1200 1299	2.0	(2.4)	67.5	474.7	43.0	6.7	4.4	2.5	4.5	2.0	2.0
			1000 1099	1.0	(1.2)	69.7	389.4	43.0	4.9	1.9	2.0	6.0	2.0	2.0
			700 799	1.0	(1.2)	69.2	276.6	22.0	5.2	1.1	2.0	6.0	1.0	5.0
				84.0	(2.4)	69.9	470.5	51.2	6.8	3.0	3.5	4.1	2.7	2.5
			1800 1899	2.0	(20.0)	70.8	476.9	50.0	7.1	2.0	5.5	3.5	4.0	2.5
			1600 1699	2.0	(20.0)	69.5	521.3	51.0	7.8	3.5	4.0	4.0	3.0	2.5
			1500 1599	2.0	(20.0)	70.8	540.3	55.5	7.7	2.5	3.0	3.5	3.0	2.5
			1400 1499	3.0	(30.0)	70.2	502.9	57.0	7.0	3.3	3.3	4.0	2.7	2.3
			1300 1399	1.0	(10.0)	69.5	489.8	46.0	7.3	3.0	3.0	4.0	2.0	3.0
				10.0	(0.3)	70.2	507.5	53.0	7.4	2.9	3.8	3.8	3.0	2.5
			2000 2099	2.0	(9.1)	71.8	487.8	60.5	7.6	2.5	6.5	3.5	4.5	2.0
			1800 1899	1.0	(4.5)	70.4	486.4	53.0	7.2	2.8	4.0	3.0	3.0	2.0
			1700 1799	2.0	(9.1)	71.8	492.6	59.0	8.0	2.7	5.0	3.5	3.5	2.0
			1600 1699	5.0	(22.7)	70.2	465.0	49.8	6.7	2.6	3.8	3.8	3.0	2.4
			1500 1599	4.0	(18.2)	70.4	471.6	51.8	7.2	2.8	3.3	3.3	2.3	2.3
			1400 1499	5.0	(22.7)	69.0	434.5	42.6	6.3	2.9	2.8	4.4	2.0	2.4
			1300 1399	1.0	(4.5)	69.1	508.2	48.0	6.8	2.9	2.0	4.0	2.0	2.0
			900 999	2.0	(9.1)	68.5	384.7	33.5	5.2	2.0	2.0	5.5	2.0	3.0
				22.0	(0.6)	70.1	459.5	48.9	6.8	2.7	3.6	3.9	2.7	2.3

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1900 1999	1.0	(1.4)	71.9	546.5	64.0	8.0	2.5	7.0	4.0	5.0	3.0
			1800 1899	4.0	(5.4)	69.6	592.0	54.3	8.0	3.0	4.5	4.3	3.3	2.8
			1700 1799	10.0	(13.5)	69.7	465.3	50.4	7.2	3.6	3.8	4.3	2.9	2.7
			1600 1699	11.0	(14.9)	69.6	466.9	50.5	6.9	3.5	3.9	4.2	2.9	2.7
			1500 1599	8.0	(10.8)	69.5	457.5	48.4	7.0	3.4	3.9	4.0	2.9	2.9
			1400 1499	26.0	(35.1)	69.5	478.3	50.5	7.1	3.6	3.2	4.3	2.4	2.7
			1300 1399	11.0	(14.9)	69.1	473.7	48.2	6.8	3.5	2.7	4.6	2.1	2.6
			1200 1299	1.0	(1.4)	69.9	332.6	40.0	4.5	1.7	2.0	4.0	2.0	2.0
			1100 1199	1.0	(1.4)	69.0	521.3	47.0	7.5	3.3	3.0	4.0	2.0	4.0
			600 699	1.0	(1.4)	68.3	189.1	18.0	3.5	1.5	2.0	4.0	2.0	2.0
				74.0	(2.1)	69.5	473.7	49.7	7.0	3.4	3.5	4.3	2.6	2.7
			1600 1699	2.0	(9.1)	71.0	452.4	58.0	7.2	3.4	5.5	3.5	4.0	3.0
			1500 1599	3.0	(13.6)	70.9	474.1	54.7	7.9	3.3	5.0	4.0	3.7	3.0
			1400 1499	4.0	(18.2)	70.0	456.9	49.8	7.2	3.2	3.3	4.0	2.8	3.0
			1300 1399	6.0	(27.3)	70.2	454.5	48.0	7.1	2.7	3.2	4.2	2.2	2.7
			1200 1299	1.0	(4.5)	69.1	414.8	44.0	6.5	3.5	2.0	4.0	2.0	3.0
			1000 1099	2.0	(9.1)	69.2	499.0	42.0	7.5	2.6	2.0	4.0	2.0	3.0
			900 999	3.0	(13.6)	70.3	463.0	49.7	7.0	2.6	2.3	4.3	2.0	4.0
			800 899	1.0	(4.5)	70.2	347.5	44.0	5.2	2.2	2.0	5.0	2.0	3.0
				22.0	(0.6)	70.2	456.0	49.5	7.1	2.9	3.3	4.1	2.6	3.0
			1800 1899	1.0	(0.5)	71.7	491.0	63.0	7.1	2.8	7.0	4.0	5.0	3.0
			1600 1699	7.0	(3.3)	71.6	480.6	58.4	7.6	2.7	5.6	4.1	3.9	2.9
			1500 1599	29.0	(13.9)	70.7	474.0	53.5	7.8	3.2	4.2	3.9	3.2	2.7
			1400 1499	77.0	(36.8)	70.3	475.0	52.8	7.5	3.3	3.6	4.2	2.7	2.8
			1300 1399	75.0	(35.9)	69.9	474.1	51.5	7.1	3.4	2.8	4.5	2.1	2.7
			1200 1299	18.0	(8.6)	69.3	442.1	48.1	6.6	3.5	2.5	4.6	2.1	2.7
			1100 1199	1.0	(0.5)	67.6	468.0	46.0	6.6	4.7	2.0	4.0	2.0	3.0
			499	1.0	(0.5)	68.4	310.2	32.0	3.8	1.9	1.0	6.0	2.0	2.0
				209.0	(6.0)	70.1	471.2	52.1	7.3	3.3	3.4	4.3	2.5	2.8
			2500	1.0	(20.0)	70.3	549.1	65.0	7.9	4.3	7.0	4.0	4.0	3.0
			1800 1899	1.0	(20.0)	70.0	525.2	53.0	10.0	4.8	5.0	3.0	3.0	3.0
			1400 1499	1.0	(20.0)	69.0	529.2	38.0	7.3	1.8	2.0	4.0	2.0	2.0
			1300 1399	1.0	(20.0)	67.1	563.6	42.0	6.8	3.6	2.0	4.0	2.0	3.0
			1200 1299	1.0	(20.0)	70.3	470.5	50.0	5.8	1.7	2.0	6.0	2.0	2.0
				5.0	(0.1)	69.3	527.5	49.6	7.6	3.2	3.6	4.2	2.6	2.6
			1500 1599	2.0	(66.7)	70.3	471.3	50.0	8.2	3.5	4.0	4.0	3.0	3.0
			800 899	1.0	(33.3)	70.1	277.2	36.0	4.0	1.3	2.0	5.0	2.0	3.0
				3.0	(0.1)	70.2	406.6	45.3	6.8	2.8	3.3	4.3	2.7	3.0
			1900 1999	3.0	(3.6)	70.0	393.2	46.7	6.5	3.1	2.0	4.0	2.0	3.0
			1700 1799	3.0	(3.6)	70.4	486.0	59.0	7.8	4.2	6.7	3.0	4.0	3.0

							(kg)	(m2)	(m)	(m)				
					(%)									
			1600 1699	9.0	(10.8)	70.6	490.4	54.6	7.6	3.1	4.1	4.2	3.0	2.9
			1500 1599	21.0	(25.3)	70.4	490.2	54.4	7.5	3.3	3.2	4.0	2.8	2.9
			1400 1499	35.0	(42.2)	69.4	496.0	50.8	7.4	3.7	2.7	4.2	2.2	2.9
			1300 1399	9.0	(10.8)	69.1	460.4	47.1	6.9	3.6	2.3	4.3	2.0	3.1
			1200 1299	1.0	(1.2)	69.0	496.5	42.0	7.4	2.8	3.0	4.0	2.0	3.0
			1000 1099	1.0	(1.2)	69.0	483.7	48.0	6.5	3.2	2.0	4.0	2.0	4.0
			500 599	1.0	(1.2)	69.6	323.1	32.0	4.4	0.9	2.0	4.0	2.0	2.0
				83.0	(2.4)	69.8	483.8	51.5	7.3	3.4	3.1	4.1	2.5	2.9
			1300 1399	3.0	(0.1)	69.7	477.9	53.3	7.1	3.7	3.3	5.0	2.3	3.0
			2500	1.0	(0.0)	70.3	549.1	65.0	7.9	4.3	7.0	4.0	4.0	3.0
			2300 2399	1.0	(0.0)	71.1	493.0	56.0	7.9	2.9	8.0	4.0	5.0	3.0
			2200 2299	1.0	(0.0)	72.1	494.0	68.0	7.9	3.5	7.0	4.0	4.0	2.0
			2000 2099	12.0	(0.3)	72.2	506.0	63.4	8.1	2.8	7.9	3.6	4.9	2.6
			1900 1999	16.0	(0.5)	72.4	506.1	65.3	8.0	2.7	6.6	3.8	4.4	2.5
			1800 1899	44.0	(1.3)	71.6	515.9	61.3	7.8	2.8	6.5	3.6	4.2	2.6
			1700 1799	165.0	(4.7)	71.5	498.5	60.5	7.7	2.9	5.9	3.8	3.9	2.7
			1600 1699	411.0	(11.7)	71.3	493.7	59.1	7.5	2.8	5.1	3.9	3.6	2.6
			1500 1599	853.0	(24.3)	70.8	489.6	55.6	7.5	3.0	4.0	4.0	3.1	2.6
			1400 1499	945.0	(26.9)	70.4	482.4	53.9	7.2	3.1	3.6	4.2	2.8	2.6
			1300 1399	616.0	(17.6)	69.9	474.0	50.9	7.0	3.1	3.1	4.4	2.3	2.6
			1200 1299	260.0	(7.4)	69.6	461.2	48.8	6.8	3.2	2.8	4.5	2.2	2.5
			1100 1199	92.0	(2.6)	69.3	461.0	46.7	6.7	3.1	2.8	4.6	2.1	2.6
			1000 1099	39.0	(1.1)	68.8	443.7	43.0	6.3	3.1	2.4	4.7	2.1	2.8
			900 999	19.0	(0.5)	69.7	385.2	40.5	5.6	2.0	2.6	4.8	2.1	3.2
			800 899	12.0	(0.3)	69.4	399.2	40.3	5.7	2.2	2.3	4.8	2.1	3.1
			700 799	9.0	(0.3)	69.4	284.3	31.3	4.4	1.6	2.4	5.2	1.7	3.7
			600 699	5.0	(0.1)	69.5	237.0	28.6	3.5	1.0	1.8	5.0	1.4	3.4
			500 599	6.0	(0.2)	69.5	349.2	35.3	4.9	1.5	2.0	5.5	1.8	5.3
			499	1.0	(0.0)	68.4	310.2	32.0	3.8	1.9	1.0	6.0	2.0	2.0
				3508.0	(100.0)	70.5	480.9	54.0	7.2	3.0	3.8	4.2	2.9	2.6

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2500	1.0	(0.4)	75.8	538.0	85.0	8.6	1.9	12.0	3.0	5.0	2.0
			1700 1799	6.0	(2.3)	71.6	545.8	62.7	8.3	2.9	6.3	3.7	4.3	3.0
			1600 1699	20.0	(7.7)	71.2	567.1	62.4	7.8	2.7	5.5	3.7	3.8	2.3
			1500 1599	59.0	(22.6)	70.5	537.6	56.6	7.6	2.9	4.2	3.9	3.2	2.4
			1400 1499	84.0	(32.2)	70.0	533.1	53.3	7.3	2.9	3.5	4.3	2.6	2.5
			1300 1399	59.0	(22.6)	69.6	519.4	51.0	7.0	2.8	2.8	4.3	2.1	2.5
			1200 1299	25.0	(9.6)	69.2	521.5	49.1	7.0	3.0	2.6	4.4	2.0	2.4
			1100 1199	6.0	(2.3)	69.4	460.7	45.8	6.0	2.5	2.5	4.8	2.0	2.2
			1000 1099	1.0	(0.4)	66.4	627.0	52.0	6.4	4.6	3.0	5.0	2.0	3.0
				261.0	(8.1)	70.0	531.5	54.0	7.3	2.9	3.6	4.2	2.7	2.5
			2300 2399	1.0	(4.0)	74.7	610.0	86.0	7.7	1.5	10.0	3.0	5.0	3.0
			1700 1799	3.0	(12.0)	70.4	532.3	59.7	7.1	3.1	6.7	3.7	4.0	2.3
			1600 1699	1.0	(4.0)	70.3	610.0	63.0	8.4	3.5	8.0	4.0	5.0	2.0
			1500 1599	7.0	(28.0)	71.0	579.3	58.6	8.5	2.7	4.7	3.7	3.1	2.6
			1400 1499	7.0	(28.0)	71.1	542.9	58.1	7.4	2.1	3.4	4.1	2.7	2.1
			1300 1399	5.0	(20.0)	69.1	589.4	55.2	8.2	3.9	3.2	4.4	2.2	2.2
			1100 1199	1.0	(4.0)	68.7	420.0	35.0	5.0	1.4	2.0	5.0	2.0	2.0
				25.0	(0.8)	70.6	561.6	58.2	7.8	2.7	4.5	4.0	3.0	2.3
			1700 1799	2.0	(4.8)	72.3	570.0	63.0	8.7	2.1	6.5	4.0	4.5	2.5
			1600 1699	6.0	(14.3)	71.0	618.2	62.7	8.6	2.7	6.7	4.0	4.0	2.2
			1500 1599	10.0	(23.8)	71.0	579.8	59.8	8.9	3.1	4.4	4.2	3.2	2.5
			1400 1499	10.0	(23.8)	69.7	600.8	56.2	8.6	3.6	4.6	4.3	3.3	2.3
			1300 1399	7.0	(16.7)	68.5	579.4	50.1	8.0	3.9	3.6	4.3	2.6	2.4
			1200 1299	6.0	(14.3)	69.0	601.8	53.3	7.9	3.4	3.7	4.8	2.5	2.7
			1100 1199	1.0	(2.4)	68.9	512.0	46.0	7.0	3.0	3.0	5.0	2.0	2.0
				42.0	(1.3)	70.0	591.3	56.6	8.4	3.3	4.6	4.3	3.2	2.4
			2200 2299	1.0	(0.8)	73.2	673.5	77.0	10.0	2.6	9.0	3.0	5.0	3.0
			1800 1899	1.0	(0.8)	73.7	586.7	70.0	9.2	1.7	7.0	4.0	4.0	2.0
			1700 1799	1.0	(0.8)	74.9	601.7	77.0	10.3	2.0	7.0	4.0	4.0	3.0
			1600 1699	12.0	(9.2)	71.1	607.1	61.8	9.1	3.1	5.1	3.9	3.6	2.8
			1500 1599	43.0	(32.8)	70.4	569.1	56.4	8.4	3.1	4.3	4.0	3.3	2.4
			1400 1499	39.0	(29.8)	70.2	571.3	56.3	8.4	3.2	3.7	3.8	2.9	2.5
			1300 1399	24.0	(18.3)	69.1	573.0	51.2	8.1	3.6	3.1	4.3	2.3	2.3
			1200 1299	8.0	(6.1)	70.2	532.1	50.6	7.7	2.5	3.4	4.0	2.5	2.4
			1100 1199	1.0	(0.8)	67.4	691.5	55.0	9.6	5.4	4.0	3.0	3.0	2.0
			900 999	1.0	(0.8)	70.5	332.0	41.0	5.0	1.6	2.0	4.0	2.0	2.0
				131.0	(4.1)	70.2	572.0	55.8	8.4	3.2	4.0	4.0	3.0	2.4
			1600 1699	1.0	(3.7)	72.6	608.0	75.0	9.1	3.2	7.0	4.0	4.0	3.0
			1500 1599	3.0	(11.1)	71.2	528.7	63.7	8.1	3.6	5.7	3.7	3.7	2.3

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1400 1499	4.0	(14.8)	69.3	576.0	59.5	7.2	3.7	4.3	3.5	3.5	2.0
			1300 1399	9.0	(33.3)	70.0	546.1	55.6	7.8	3.3	4.6	3.9	3.1	2.6
			1200 1299	3.0	(11.1)	70.9	498.2	53.0	7.2	2.1	5.0	4.7	3.0	2.3
			1100 1199	6.0	(22.2)	70.1	551.5	56.5	7.5	3.0	2.8	3.8	2.0	2.2
			800 899	1.0	(3.7)	70.4	351.0	42.0	5.3	1.7	3.0	5.0	2.0	3.0
				27.0	(0.8)	70.2	539.5	57.2	7.6	3.1	4.3	3.9	3.0	2.4
			1900 1999	1.0	(0.5)	71.8	667.0	72.0	10.0	3.6	5.0	4.0	4.0	3.0
			1800 1899	1.0	(0.5)	72.5	556.0	65.0	8.3	2.1	8.0	3.0	5.0	3.0
			1700 1799	20.0	(9.9)	72.0	568.1	65.0	8.4	2.6	6.8	3.5	4.4	2.8
			1600 1699	33.0	(16.3)	70.9	554.2	58.0	8.1	2.7	5.0	3.6	3.6	2.6
			1500 1599	56.0	(27.7)	70.4	559.5	56.4	8.0	3.0	4.2	3.8	3.3	2.6
			1400 1499	55.0	(27.2)	69.9	545.7	54.4	7.5	3.0	3.6	4.1	2.7	2.4
			1300 1399	21.0	(10.4)	68.9	535.4	48.6	7.2	3.2	3.2	4.0	2.5	2.3
			1200 1299	11.0	(5.4)	69.6	520.1	51.3	7.0	2.9	3.2	4.3	2.5	2.6
			1100 1199	2.0	(1.0)	68.8	471.3	48.5	6.5	3.6	2.5	4.0	2.0	3.0
			1000 1099	1.0	(0.5)	71.6	364.5	48.0	6.3	1.8	2.0	4.0	2.0	2.0
			900 999	1.0	(0.5)	68.1	427.0	36.0	6.0	2.9	2.0	4.0	2.0	2.0
				202.0	(6.3)	70.3	549.1	55.8	7.8	2.9	4.2	3.9	3.1	2.5
			2100 2199	1.0	(0.1)	72.4	692.0	69.0	9.5	1.8	11.0	4.0	5.0	2.0
			2000 2099	5.0	(0.7)	72.6	613.8	70.4	8.6	2.2	7.8	3.4	4.8	2.4
			1900 1999	6.0	(0.8)	71.1	597.3	59.8	8.6	2.6	7.2	3.8	4.5	2.8
			1800 1899	10.0	(1.4)	71.5	588.0	64.0	8.2	2.5	7.4	3.8	4.6	2.5
			1700 1799	68.0	(9.6)	71.5	581.2	63.6	8.1	2.5	5.9	3.9	4.0	2.4
			1600 1699	177.0	(24.9)	70.8	584.4	60.7	7.9	2.7	5.0	4.1	3.6	2.4
			1500 1599	178.0	(25.1)	70.3	577.9	57.6	7.8	2.8	4.2	4.1	3.2	2.4
			1400 1499	168.0	(23.7)	70.1	574.2	57.4	7.6	2.9	3.3	4.3	2.6	2.4
			1300 1399	68.0	(9.6)	69.5	564.7	53.9	7.4	3.1	3.2	4.4	2.3	2.4
			1200 1299	23.0	(3.2)	68.4	579.1	49.5	7.2	3.3	2.8	4.7	2.1	2.3
			1100 1199	3.0	(0.4)	69.0	444.7	39.7	6.3	2.5	2.7	4.7	2.0	2.0
			800 899	2.0	(0.3)	70.7	366.5	41.5	5.5	1.3	3.0	3.5	2.5	2.5
			700 799	1.0	(0.1)	72.1	313.0	44.0	4.8	0.3	1.0	5.0	1.0	2.0
				710.0	(22.0)	70.4	576.9	58.4	7.8	2.8	4.3	4.2	3.1	2.4
			2100 2199	1.0	(0.3)	72.7	531.0	64.0	7.4	1.4	8.0	3.0	5.0	2.0
			2000 2099	2.0	(0.7)	73.0	627.5	77.0	8.9	2.7	8.5	3.5	5.0	3.0
			1900 1999	2.0	(0.7)	72.7	566.0	71.5	8.8	3.0	8.5	3.0	5.0	2.5
			1800 1899	9.0	(3.1)	71.8	567.8	65.6	8.0	2.6	7.3	3.7	4.8	2.7
			1700 1799	32.0	(11.0)	71.6	554.5	63.2	8.0	2.7	6.2	3.8	4.2	2.6
			1600 1699	53.0	(18.2)	71.2	558.7	60.5	8.0	2.7	5.7	3.8	4.0	2.6
			1500 1599	74.0	(25.4)	70.9	544.8	57.2	7.8	2.6	4.6	3.9	3.5	2.6
			1400 1499	76.0	(26.1)	70.2	526.6	54.6	7.2	2.8	3.7	4.1	3.0	2.6

					(%)		(kg)	(m2)	(m)	(m)				
			1300 1399	27.0	(9.3)	69.7	543.6	52.2	7.4	2.8	3.4	4.3	2.7	2.7
			1200 1299	8.0	(2.7)	69.3	520.6	46.1	7.1	2.6	2.8	4.4	2.3	2.3
			1100 1199	2.0	(0.7)	68.8	456.8	40.5	6.5	2.8	2.0	4.5	2.0	2.5
			1000 1099	2.0	(0.7)	69.5	365.3	36.0	5.2	1.6	2.0	4.5	2.0	2.0
			800 899	1.0	(0.3)	70.0	285.0	35.0	4.1	1.2	2.0	5.0	2.0	2.0
			499	2.0	(0.7)	70.9	345.0	41.0	5.4	1.1	3.5	4.0	2.0	2.5
				291.0	(9.0)	70.7	540.1	57.1	7.6	2.7	4.7	3.9	3.4	2.6
			2300 2399	1.0	(3.4)	73.2	554.5	67.0	9.5	2.6	9.0	4.0	5.0	3.0
			1600 1699	4.0	(13.8)	71.5	587.4	66.3	8.8	3.4	6.3	4.0	4.0	3.0
			1500 1599	4.0	(13.8)	71.0	594.6	59.8	8.4	2.6	4.8	3.8	3.8	3.0
			1400 1499	5.0	(17.2)	70.5	573.9	58.4	8.1	2.9	4.6	3.8	3.4	3.0
			1300 1399	7.0	(24.1)	69.7	573.9	53.7	7.8	3.0	3.9	4.3	2.9	3.1
			1200 1299	4.0	(13.8)	69.2	576.9	46.0	8.1	2.6	3.3	4.3	2.8	2.8
			1100 1199	2.0	(6.9)	69.3	487.5	42.0	6.7	2.1	2.5	4.0	2.0	2.5
			1000 1099	2.0	(6.9)	67.7	559.3	43.5	6.6	3.1	3.0	5.0	2.0	2.5
				29.0	(0.9)	70.1	571.4	55.0	8.0	2.9	4.4	4.1	3.2	2.9
			2000 2099	2.0	(0.5)	73.1	616.0	73.5	9.3	2.6	8.5	3.5	5.0	2.5
			1900 1999	3.0	(0.8)	72.3	569.7	69.0	8.1	2.6	8.7	3.7	5.0	2.3
			1800 1899	5.0	(1.3)	71.6	557.2	62.0	8.1	2.5	7.6	4.2	4.6	2.2
			1700 1799	34.0	(8.7)	71.3	569.1	62.2	8.0	2.6	6.4	3.8	4.2	2.3
			1600 1699	61.0	(15.7)	70.9	560.5	59.9	7.9	2.7	5.5	4.0	3.8	2.3
			1500 1599	117.0	(30.1)	70.4	559.2	56.1	7.8	2.7	4.6	3.9	3.3	2.2
			1400 1499	94.0	(24.2)	69.8	552.7	53.9	7.4	2.9	4.0	4.1	2.9	2.1
			1300 1399	49.0	(12.6)	69.5	561.6	52.1	7.4	2.8	3.3	4.4	2.4	2.2
			1200 1299	18.0	(4.6)	69.2	540.9	50.4	7.5	3.3	2.6	4.4	2.0	2.1
			1100 1199	6.0	(1.5)	68.0	532.5	43.3	7.0	3.4	2.7	4.3	2.2	2.2
				389.0	(12.1)	70.2	558.1	56.0	7.6	2.8	4.5	4.1	3.2	2.2
			1200 1299	2.0	(0.1)	69.8	468.5	47.5	6.0	2.1	3.0	5.0	2.0	2.0
			1800 1899	1.0	(3.8)	74.1	531.0	63.0	11.1	2.5	8.0	4.0	5.0	3.0
			1700 1799	1.0	(3.8)	74.0	521.0	77.0	7.1	1.8	6.0	4.0	4.0	3.0
			1500 1599	4.0	(15.4)	70.0	590.0	59.8	7.8	3.3	4.3	3.8	3.3	2.5
			1400 1499	10.0	(38.5)	69.5	611.5	58.9	7.8	3.5	3.8	4.2	2.8	2.8
			1300 1399	4.0	(15.4)	69.5	548.0	51.3	7.4	2.9	3.8	4.3	2.5	2.8
			1200 1299	3.0	(11.5)	68.7	550.0	55.0	7.4	4.3	3.7	4.0	2.7	2.7
			1100 1199	3.0	(11.5)	68.1	492.3	37.7	6.8	2.8	3.0	4.3	2.3	2.3
				26.0	(0.8)	69.7	571.0	55.8	7.7	3.3	4.0	4.1	2.9	2.7
			1600 1699	1.0	(1.7)	71.0	528.0	57.0	7.8	2.6	6.0	4.0	4.0	3.0
			1500 1599	3.0	(5.0)	70.2	539.7	52.7	7.8	2.7	4.7	4.7	3.3	2.0
			1400 1499	10.0	(16.7)	70.4	505.1	52.5	7.1	2.4	3.7	4.7	2.9	2.0
			1300 1399	21.0	(35.0)	69.9	485.4	48.9	6.6	2.4	2.8	4.6	2.0	2.1

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1200 1299	16.0	(26.7)	69.0	493.4	47.6	6.5	3.1	2.4	4.4	2.2	2.0
			1100 1199	5.0	(8.3)	69.2	495.2	47.2	6.6	2.8	2.2	4.8	2.0	2.0
			1000 1099	4.0	(6.7)	68.4	459.0	41.8	6.3	3.2	2.0	4.5	2.0	2.0
				60.0	(1.9)	69.6	493.3	48.9	6.7	2.7	2.9	4.6	2.3	2.0
			1700 1799	2.0	(11.8)	72.2	482.5	59.5	8.0	2.5	7.5	4.0	4.0	2.0
			1600 1699	3.0	(17.6)	71.7	512.7	64.0	7.7	3.0	4.3	3.3	3.3	2.3
			1500 1599	3.0	(17.6)	70.6	510.2	55.0	7.3	2.7	4.0	4.0	3.0	2.7
			1400 1499	5.0	(29.4)	70.4	497.4	54.4	7.2	2.9	4.0	3.8	3.0	3.0
			1300 1399	2.0	(11.8)	70.6	587.8	59.0	7.9	2.8	3.0	4.0	2.0	3.0
			1200 1299	2.0	(11.8)	69.8	409.8	41.0	5.5	1.6	2.0	3.5	2.0	2.5
				17.0	(0.5)	70.8	500.9	55.8	7.3	2.7	4.1	3.8	2.9	2.6
			1200 1299	1.0	(0.0)	74.5	380.7	73.0	6.0	1.8	2.0	4.0	2.0	3.0
			1400 1499	1.0	(0.0)	72.3	452.5	56.0	7.4	1.8	2.0	4.0	2.0	3.0
			1800 1899	1.0	(3.8)	70.4	506.0	55.0	7.6	3.1	5.0	4.0	4.0	3.0
			1700 1799	4.0	(15.4)	68.9	552.3	51.3	7.3	3.4	4.8	4.0	3.8	3.0
			1600 1699	3.0	(11.5)	70.5	514.1	58.0	7.4	3.2	3.3	3.7	3.3	2.7
			1500 1599	5.0	(19.2)	70.0	506.8	49.4	7.4	2.7	3.2	4.2	2.8	2.8
			1400 1499	6.0	(23.1)	69.3	461.3	45.5	6.2	2.6	2.8	4.2	2.2	2.7
			1300 1399	3.0	(11.5)	68.5	479.5	45.7	6.4	3.5	2.3	5.0	2.0	3.0
			1200 1299	1.0	(3.8)	69.1	385.8	37.0	4.8	1.6	2.0	5.0	2.0	2.0
			1100 1199	3.0	(11.5)	70.7	333.7	43.3	4.7	1.4	2.3	3.7	2.0	3.0
				26.0	(0.8)	69.6	476.3	48.4	6.6	2.8	3.2	4.2	2.7	2.8
			1900 1999	1.0	(0.6)	71.1	563.9	65.0	7.9	3.3	7.0	3.0	4.0	2.0
			1800 1899	5.0	(3.1)	71.4	514.6	59.6	7.5	2.6	6.6	3.4	4.0	2.6
			1700 1799	13.0	(8.2)	71.2	566.0	65.0	8.0	3.1	5.6	3.5	4.1	2.7
			1600 1699	32.0	(20.1)	70.8	554.3	58.4	7.9	2.8	4.7	3.6	3.5	2.5
			1500 1599	56.0	(35.2)	70.2	538.2	54.1	7.4	2.7	3.7	3.8	3.0	2.6
			1400 1499	35.0	(22.0)	69.7	520.8	50.2	7.4	2.8	3.1	4.1	2.5	2.5
			1300 1399	11.0	(6.9)	69.2	512.4	48.1	7.1	3.0	2.8	4.2	2.2	2.4
			1200 1299	4.0	(2.5)	68.7	476.4	44.8	5.8	2.7	3.0	4.8	2.0	2.8
			1000 1099	2.0	(1.3)	69.3	386.0	38.0	5.5	2.0	2.0	5.0	2.0	2.5
				159.0	(4.9)	70.2	534.0	54.4	7.5	2.8	3.9	3.8	3.0	2.5
			2000 2099	1.0	(0.6)	71.9	616.2	70.0	8.4	2.7	7.0	3.0	4.0	3.0
			1900 1999	1.0	(0.6)	72.6	511.6	69.0	7.4	2.4	7.0	3.0	4.0	3.0
			1800 1899	3.0	(1.7)	70.1	518.1	57.0	7.2	3.3	5.0	3.7	4.0	2.7
			1700 1799	7.0	(4.0)	71.1	512.2	55.1	7.5	2.2	5.3	3.7	3.7	2.6
			1600 1699	40.0	(23.1)	70.6	511.4	55.9	7.2	2.7	5.0	3.5	3.5	2.5
			1500 1599	74.0	(42.8)	69.8	517.0	52.7	6.9	2.9	3.6	3.7	2.9	2.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1400 1499	35.0	(20.2)	69.1	506.8	47.9	6.7	2.9	2.9	4.2	2.4	2.4
			1300 1399	10.0	(5.8)	67.9	520.0	44.7	6.9	3.8	2.7	4.0	2.2	2.6
			1200 1299	1.0	(0.6)	66.4	627.2	52.0	7.4	5.3	3.0	4.0	2.0	3.0
			900 999	1.0	(0.6)	67.6	306.4	23.0	5.0	2.5	2.0	5.0	2.0	3.0
				173.0	(5.4)	69.8	513.6	52.2	7.0	2.9	3.8	3.8	3.0	2.5
			1700 1799	4.0	(7.0)	71.1	594.7	60.8	7.8	2.1	4.8	3.8	3.5	3.0
			1600 1699	50.0	(87.7)	69.6	554.7	51.4	7.5	2.8	3.1	4.3	2.7	3.0
			1500 1599	1.0	(1.8)	69.8	580.0	54.0	8.8	3.6	2.0	4.0	2.0	2.0
			1300 1399	2.0	(3.5)	69.4	566.5	48.5	7.8	2.6	2.0	4.5	2.0	3.0
				57.0	(1.8)	69.7	558.4	52.0	7.6	2.8	3.2	4.2	2.7	3.0
			1400 1499	1.0	(0.0)	70.9	575.7	57.0	7.6	1.9	3.0	4.0	2.0	3.0
			1500 1599	1.0	(7.7)	68.8	388.0	39.0	5.4	2.6	4.0	4.0	3.0	3.0
			1400 1499	4.0	(30.8)	69.6	518.5	51.3	6.6	2.5	3.5	4.0	2.5	2.5
			1300 1399	7.0	(53.8)	69.5	421.3	42.0	5.7	2.1	2.3	4.1	2.0	2.1
			1200 1299	1.0	(7.7)	68.3	401.8	35.0	5.2	2.3	2.0	5.0	2.0	3.0
				13.0	(0.4)	69.4	447.2	44.1	5.9	2.3	2.8	4.2	2.2	2.4
			1700 1799	1.0	(4.3)	71.1	375.0	50.0	6.8	2.9	5.0	4.0	4.0	3.0
			1600 1699	3.0	(13.0)	70.6	592.4	60.3	7.9	2.7	4.3	4.3	3.0	2.0
			1500 1599	11.0	(47.8)	69.6	504.6	51.5	6.6	2.9	3.5	3.9	3.0	2.5
			1400 1499	5.0	(21.7)	68.9	492.0	45.6	6.5	2.8	2.8	4.2	2.2	2.6
			1200 1299	1.0	(4.3)	68.5	620.1	58.0	7.6	4.1	2.0	4.0	2.0	3.0
			1100 1199	1.0	(4.3)	71.2	395.0	48.0	6.8	2.2	2.0	6.0	2.0	2.0
			1000 1099	1.0	(4.3)	68.9	397.0	35.0	6.4	2.5	2.0	5.0	2.0	2.0
				23.0	(0.7)	69.6	503.3	50.7	6.8	2.8	3.3	4.2	2.7	2.4
			1500 1599	14.0	(70.0)	69.9	480.7	48.9	6.7	2.5	3.3	4.0	3.0	3.0
			1400 1499	5.0	(25.0)	70.1	461.6	50.2	6.0	2.2	2.2	4.4	2.0	3.0
			1300 1399	1.0	(5.0)	68.6	469.0	44.0	5.8	2.7	3.0	4.0	2.0	2.0
				20.0	(0.6)	69.9	475.3	49.0	6.5	2.4	3.0	4.1	2.7	3.0
			1900 1999	3.0	(8.8)	70.7	594.1	61.7	7.9	2.7	5.7	3.7	4.0	2.7
			1800 1899	6.0	(17.6)	70.6	589.3	62.0	8.1	3.1	5.5	3.3	4.0	2.7
			1700 1799	7.0	(20.6)	70.7	558.7	60.1	7.4	2.6	4.9	3.7	3.7	2.7
			1600 1699	7.0	(20.6)	69.2	565.6	53.3	7.4	3.2	3.9	3.6	3.1	2.3
			1500 1599	11.0	(32.4)	68.7	542.1	47.1	7.1	3.1	3.3	3.8	2.7	2.5
				34.0	(1.1)	69.7	563.3	55.0	7.5	3.0	4.3	3.6	3.4	2.6
			1700 1799	4.0	(9.8)	71.0	522.7	58.8	7.2	2.5	5.8	3.8	4.0	2.3
			1600 1699	16.0	(39.0)	71.5	548.3	61.5	7.7	2.4	5.1	4.1	3.6	2.4

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1500 1599	10.0	(24.4)	70.5	562.6	59.8	7.5	2.8	4.1	4.2	3.1	2.3
			1400 1499	8.0	(19.5)	69.5	575.6	55.9	7.5	3.2	3.0	4.4	2.5	2.3
			1300 1399	2.0	(4.9)	68.6	533.0	47.0	6.5	2.9	3.0	4.5	2.0	2.5
			1200 1299	1.0	(2.4)	68.7	552.0	51.0	7.6	3.8	3.0	4.0	2.0	2.0
				41.0	(1.3)	70.6	554.0	58.8	7.5	2.8	4.3	4.1	3.2	2.3
			1800 1899	1.0	(1.8)	70.9	545.6	69.0	7.0	3.7	7.0	4.0	4.0	3.0
			1700 1799	8.0	(14.5)	70.0	511.5	55.0	7.0	3.0	4.6	3.9	3.5	2.6
			1600 1699	6.0	(10.9)	70.5	534.9	56.2	7.6	2.8	3.8	3.5	3.2	2.5
			1500 1599	20.0	(36.4)	70.1	508.5	52.6	6.9	2.6	3.4	4.0	2.8	2.4
			1400 1499	11.0	(20.0)	69.5	511.0	45.7	6.9	2.2	3.2	4.2	2.5	2.6
			1300 1399	8.0	(14.5)	68.6	517.2	45.0	6.6	2.9	2.5	4.4	2.1	2.5
			1100 1199	1.0	(1.8)	66.2	666.0	49.0	6.8	4.1	3.0	4.0	2.0	3.0
				55.0	(1.7)	69.7	517.1	51.1	6.9	2.7	3.5	4.0	2.8	2.5
			1700 1799	1.0	(5.6)	74.5	540.8	75.0	8.3	1.5	6.0	4.0	4.0	3.0
			1500 1599	8.0	(44.4)	70.2	512.8	53.0	7.4	2.8	3.3	4.0	3.0	2.5
			1400 1499	7.0	(38.9)	70.4	473.8	51.3	6.6	2.4	2.6	3.9	2.1	2.6
			1300 1399	2.0	(11.1)	69.8	467.3	51.5	6.8	3.2	2.0	4.0	2.0	2.0
				18.0	(0.6)	70.5	494.1	53.4	7.1	2.6	3.0	3.9	2.6	2.5
			1500 1599	1.0	(14.3)	69.0	412.8	42.0	5.5	2.6	4.0	4.0	3.0	2.0
			1400 1499	1.0	(14.3)	69.8	431.1	44.0	6.4	2.4	4.0	4.0	3.0	2.0
			1000 1099	5.0	(71.4)	70.9	366.7	42.6	5.6	1.3	2.0	4.4	2.0	2.2
				7.0	(0.2)	70.5	382.5	42.7	5.7	1.6	2.6	4.3	2.3	2.1
			1800 1899	2.0	(3.3)	71.0	514.5	56.5	7.5	2.5	5.5	4.0	4.0	2.0
			1700 1799	5.0	(8.2)	70.5	560.3	60.2	7.5	3.0	6.0	4.0	4.0	2.6
			1600 1699	10.0	(16.4)	70.3	574.4	59.7	7.4	2.9	4.0	3.7	3.2	2.2
			1500 1599	21.0	(34.4)	69.2	558.2	53.0	7.4	3.3	3.3	3.8	2.8	2.7
			1400 1499	11.0	(18.0)	68.6	500.6	48.5	6.4	3.4	2.8	4.3	2.1	2.3
			1300 1399	11.0	(18.0)	68.6	502.8	44.3	6.7	3.0	2.2	4.3	2.0	2.5
			1200 1299	1.0	(1.6)	69.7	435.0	45.0	6.3	2.5	2.0	5.0	2.0	2.0
				61.0	(1.9)	69.3	537.2	52.3	7.1	3.1	3.4	4.0	2.7	2.5
			1600 1699	3.0	(12.5)	70.1	512.4	53.7	7.1	2.8	3.7	3.3	3.0	2.3
			1500 1599	11.0	(45.8)	69.9	536.6	53.0	7.6	3.0	3.7	3.6	2.9	2.6
			1400 1499	8.0	(33.3)	69.0	548.4	49.9	7.1	3.0	3.1	3.6	2.5	2.5
			1300 1399	2.0	(8.3)	69.2	512.8	44.0	6.5	2.1	2.5	4.0	2.0	2.5
				24.0	(0.7)	69.6	535.5	51.3	7.3	2.9	3.4	3.6	2.7	2.5
			2000 2099	1.0	(2.7)	69.0	500.4	51.0	6.2	3.1	5.0	4.0	4.0	2.0
			1900 1999	3.0	(8.1)	69.7	532.3	53.7	7.1	3.0	4.7	3.3	3.3	2.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1800 1899	4.0	(10.8)	70.6	528.9	55.3	7.4	2.5	5.5	4.0	4.0	2.0
			1700 1799	6.0	(16.2)	71.1	500.7	57.2	7.0	2.3	4.3	3.3	3.7	2.5
			1600 1699	8.0	(21.6)	68.6	506.0	43.8	6.9	3.0	4.1	3.9	3.3	2.3
			1500 1599	6.0	(16.2)	68.9	523.5	47.8	7.0	3.1	2.8	4.2	2.5	2.3
			1400 1499	2.0	(5.4)	68.8	484.7	47.0	5.8	2.7	2.5	4.0	2.0	2.0
			1300 1399	7.0	(18.9)	67.7	493.2	37.3	5.6	2.3	2.3	4.6	2.0	2.1
				37.0	(1.1)	69.2	508.9	47.8	6.7	2.7	3.7	3.9	3.0	2.2
			2000 2099	1.0	(1.3)	72.9	515.3	69.0	7.1	2.0	7.0	3.0	4.0	3.0
			1800 1899	7.0	(9.2)	70.9	558.4	58.7	8.2	2.9	5.7	4.0	4.0	2.6
			1700 1799	18.0	(23.7)	70.3	519.8	54.5	7.1	2.6	3.8	4.4	2.9	2.3
			1600 1699	11.0	(14.5)	70.5	556.1	57.8	7.7	2.8	3.6	4.1	3.0	2.5
			1500 1599	11.0	(14.5)	70.3	516.1	52.9	7.6	2.9	3.5	4.1	2.6	2.5
			1400 1499	10.0	(13.2)	70.3	494.3	50.5	6.8	2.1	2.7	4.2	2.1	2.4
			1300 1399	14.0	(18.4)	69.7	508.6	48.5	7.3	2.7	2.7	4.4	2.2	2.5
			1200 1299	3.0	(3.9)	68.3	593.7	52.7	7.9	4.2	3.0	4.7	2.0	2.7
			1000 1099	1.0	(1.3)	69.2	381.6	37.0	4.5	1.3	2.0	4.0	2.0	3.0
				76.0	(2.4)	70.2	523.7	53.4	7.3	2.7	3.5	4.2	2.7	2.5
			1600 1699	1.0	(33.3)	73.0	515.3	69.0	7.5	2.1	7.0	4.0	4.0	3.0
			1500 1599	1.0	(33.3)	70.6	619.8	53.0	10.5	3.2	6.0	4.0	4.0	2.0
			1300 1399	1.0	(33.3)	69.1	472.2	54.0	6.5	4.2	2.0	4.0	2.0	3.0
				3.0	(0.1)	70.9	535.8	58.7	8.2	3.2	5.0	4.0	3.3	2.7
			1800 1899	1.0	(1.8)	70.4	567.2	57.0	8.3	3.1	7.0	4.0	4.0	3.0
			1700 1799	4.0	(7.1)	70.8	559.0	60.8	7.7	2.9	6.0	3.8	4.3	3.0
			1600 1699	4.0	(7.1)	70.9	524.7	57.3	8.0	3.0	6.3	4.0	3.8	2.8
			1500 1599	12.0	(21.4)	70.1	503.0	51.3	7.5	2.9	4.0	3.9	3.1	2.5
			1400 1499	18.0	(32.1)	70.1	523.8	53.1	7.8	3.2	3.6	4.1	2.8	2.6
			1300 1399	12.0	(21.4)	68.8	513.3	49.0	7.3	3.8	3.3	4.2	2.4	3.0
			1200 1299	4.0	(7.1)	68.3	495.0	43.8	7.0	3.6	2.5	4.3	2.0	2.5
			800 899	1.0	(1.8)	69.8	311.0	35.0	4.0	1.0	2.0	5.0	2.0	2.0
				56.0	(1.7)	69.8	514.6	51.8	7.5	3.2	3.9	4.1	2.9	2.7
			2500	2.0	(2.2)	71.1	560.4	64.5	8.3	3.5	6.5	4.0	4.0	2.5
			2100 2199	2.0	(2.2)	71.4	524.3	56.5	7.9	2.3	6.0	3.0	4.0	2.5
			2000 2099	1.0	(1.1)	70.3	482.6	50.0	7.3	2.7	5.0	4.0	4.0	2.0
			1900 1999	3.0	(3.3)	68.9	520.1	53.7	7.2	4.2	4.3	3.3	3.0	3.0
			1800 1899	5.0	(5.6)	71.2	543.1	60.4	8.1	2.9	5.6	3.6	3.8	2.6
			1700 1799	12.0	(13.3)	70.5	574.4	60.9	8.3	3.5	5.4	3.8	3.8	2.7
			1600 1699	14.0	(15.6)	70.3	555.8	55.4	7.7	2.8	4.5	3.9	3.4	2.7
			1500 1599	20.0	(22.2)	69.6	555.6	53.9	7.5	3.1	3.5	3.9	2.8	2.8
			1400 1499	18.0	(20.0)	69.5	564.0	55.5	7.8	3.6	3.1	4.1	2.3	2.8
			1300 1399	12.0	(13.3)	68.8	540.8	48.8	7.2	3.2	2.7	4.3	2.1	2.8

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
			1200 1299	1.0	(1.1)	68.7	613.3	48.0	8.1	3.0	2.0	4.0	2.0	3.0
				90.0	(2.8)	69.8	555.2	55.2	7.7	3.2	4.0	3.9	3.0	2.7
			1900 1999	1.0	(20.0)	70.1	629.9	56.0	8.6	2.7	6.0	4.0	4.0	3.0
			1500 1599	4.0	(80.0)	69.7	563.0	52.8	7.9	3.2	4.0	3.8	3.3	3.0
				5.0	(0.2)	69.7	576.4	53.4	8.0	3.1	4.4	3.8	3.4	3.0
			1800 1899	1.0	(2.9)	73.9	568.5	80.0	7.1	1.6	6.0	3.0	4.0	3.0
			1700 1799	2.0	(5.9)	70.3	578.0	59.0	8.3	3.3	5.5	3.5	4.0	2.5
			1600 1699	8.0	(23.5)	70.8	548.6	56.0	7.9	2.5	3.6	4.0	3.1	3.0
			1500 1599	9.0	(26.5)	70.6	499.4	50.9	7.3	2.2	3.3	3.9	2.9	2.9
			1400 1499	6.0	(17.6)	70.2	503.5	52.0	6.9	2.5	3.2	4.2	2.3	3.0
			1300 1399	4.0	(11.8)	68.6	534.6	45.0	7.3	3.0	2.5	4.0	2.3	3.0
			1200 1299	4.0	(11.8)	68.8	470.3	42.0	6.4	2.6	2.0	4.5	2.0	3.0
				34.0	(1.1)	70.2	519.1	51.9	7.3	2.5	3.3	4.0	2.8	2.9
			1400 1499	1.0	(0.0)	71.6	490.5	58.0	7.4	2.3	4.0	4.0	3.0	3.0
			2500	3.0	(0.1)	72.7	552.9	71.3	8.4	3.0	8.3	3.7	4.3	2.3
			2300 2399	2.0	(0.1)	74.0	582.3	76.5	8.6	2.0	9.5	3.5	5.0	3.0
			2200 2299	1.0	(0.0)	73.2	673.5	77.0	10.0	2.6	9.0	3.0	5.0	3.0
			2100 2199	4.0	(0.1)	72.0	567.9	61.5	8.2	1.9	7.8	3.3	4.5	2.3
			2000 2099	13.0	(0.4)	72.3	590.0	68.7	8.3	2.5	7.5	3.5	4.6	2.5
			1900 1999	24.0	(0.7)	70.9	572.4	61.6	8.1	3.0	6.5	3.5	4.1	2.6
			1800 1899	63.0	(2.0)	71.3	556.6	61.7	8.0	2.7	6.5	3.7	4.3	2.5
			1700 1799	265.0	(8.2)	71.2	558.7	61.6	7.9	2.7	5.8	3.8	4.0	2.5
			1600 1699	588.0	(18.2)	70.7	562.8	58.7	7.8	2.8	4.9	3.9	3.5	2.5
			1500 1599	868.0	(26.9)	70.3	549.4	55.4	7.6	2.8	4.1	3.9	3.1	2.5
			1400 1499	760.0	(23.5)	69.9	544.2	54.1	7.4	2.9	3.5	4.2	2.7	2.4
			1300 1399	412.0	(12.8)	69.3	536.6	50.4	7.2	3.0	3.0	4.3	2.3	2.5
			1200 1299	152.0	(4.7)	69.1	529.7	49.1	7.1	3.0	2.8	4.4	2.2	2.4
			1100 1199	43.0	(1.3)	69.1	490.0	45.7	6.6	2.8	2.6	4.4	2.1	2.3
			1000 1099	19.0	(0.6)	69.3	424.3	41.4	5.9	2.3	2.2	4.6	2.0	2.3
			900 999	3.0	(0.1)	68.7	355.1	33.3	5.3	2.3	2.0	4.3	2.0	2.3
			800 899	5.0	(0.2)	70.3	336.0	39.0	4.9	1.3	2.6	4.4	2.2	2.4
			700 799	1.0	(0.0)	72.1	313.0	44.0	4.8	0.3	1.0	5.0	1.0	2.0
			499	2.0	(0.1)	70.9	345.0	41.0	5.4	1.1	3.5	4.0	2.0	2.5
				3228.0	(100.0)	70.2	547.1	55.3	7.5	2.8	4.1	4.0	3.0	2.5