

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			800 899	2.0	( 10.0)	69.8	441.5	46.5	5.3	1.9	2.5	5.5	2.0	3.5
			700 799	3.0	( 15.0)	68.9	451.0	39.3	5.6	1.9	2.3	5.7	2.0	4.3
			600 699	11.0	( 55.0)	69.2	361.0	34.6	4.3	1.2	1.6	6.1	1.5	4.4
			500 599	4.0	( 20.0)	69.8	271.5	31.5	3.7	0.8	1.3	6.3	1.0	4.5
				20.0	( 2.5)	69.3	364.6	35.9	4.5	1.3	1.8	6.0	1.5	4.3
			600 699	1.0	( 0.1)	68.4	312.0	26.0	3.9	1.1	2.0	7.0	1.0	7.0
			800 899	1.0	( 2.3)	69.9	489.0	46.0	6.5	1.9	3.0	6.0	2.0	4.0
			700 799	4.0	( 9.3)	69.3	491.3	45.5	6.0	2.1	2.3	5.8	2.0	3.8
			600 699	36.0	( 83.7)	69.3	399.8	38.7	4.8	1.5	1.9	5.8	1.6	4.4
			500 599	2.0	( 4.7)	68.8	358.0	34.0	4.9	2.1	1.5	6.5	1.5	5.5
				43.0	( 5.5)	69.3	408.5	39.3	5.0	1.6	2.0	5.8	1.6	4.4
			800 899	5.0	( 5.3)	70.6	376.4	43.6	5.6	1.6	2.0	4.8	2.0	2.2
			700 799	22.0	( 23.2)	68.9	383.3	35.2	4.8	1.5	2.2	5.3	2.0	2.7
			600 699	38.0	( 40.0)	68.7	363.9	31.9	4.3	1.3	2.1	5.2	1.8	3.3
			500 599	21.0	( 22.1)	69.0	347.8	33.0	4.2	1.2	1.9	5.2	1.8	2.7
			499	9.0	( 9.5)	69.5	289.1	28.3	3.9	0.6	2.0	5.3	1.7	3.0
				95.0	( 12.1)	69.0	358.4	33.2	4.4	1.3	2.1	5.2	1.8	2.9
			700 799	3.0	( 60.0)	68.1	362.2	30.0	4.4	1.7	2.0	4.3	2.0	2.7
			600 699	2.0	( 40.0)	68.5	320.8	26.5	3.5	0.8	1.5	6.0	1.5	3.5
				5.0	( 0.6)	68.3	345.6	28.6	4.0	1.3	1.8	5.0	1.8	3.0
			600 699	2.0	( 0.3)	68.3	400.8	33.0	4.6	1.6	2.0	6.0	2.0	3.0
			600 699	11.0	( 40.7)	68.2	382.6	30.7	4.1	1.2	1.8	4.9	1.7	4.7
			500 599	16.0	( 59.3)	68.9	371.9	34.8	4.1	1.1	1.9	5.0	1.6	4.2
				27.0	( 3.4)	68.6	376.3	33.1	4.1	1.2	1.9	5.0	1.6	4.4
			700 799	3.0	( 3.9)	69.6	404.0	39.7	4.4	0.9	2.0	5.7	2.0	4.3
			600 699	59.0	( 77.6)	69.1	369.3	36.6	3.9	1.1	1.9	5.3	1.7	3.6
			500 599	14.0	( 18.4)	68.8	349.4	32.9	3.5	0.9	1.9	5.1	1.6	3.6
				76.0	( 9.7)	69.1	367.0	36.1	3.8	1.1	1.9	5.3	1.7	3.6
			900 999	4.0	( 2.7)	69.3	364.8	35.8	5.2	1.8	2.5	4.5	2.3	2.0
			800 899	4.0	( 2.7)	69.3	391.8	39.5	5.3	2.0	2.3	4.3	2.0	2.8
			700 799	19.0	( 12.7)	68.9	411.1	36.2	5.1	1.6	2.2	5.2	2.0	3.5
			600 699	103.0	( 68.7)	68.9	390.9	35.6	4.4	1.3	1.9	5.3	1.7	4.2
			500 599	19.0	( 12.7)	68.8	363.8	32.4	4.1	1.1	1.7	5.3	1.6	4.4
			499	1.0	( 0.7)	69.1	257.0	31.0	2.6	0.9	2.0	6.0	1.0	7.0
				150.0	( 19.1)	68.9	388.5	35.3	4.5	1.4	1.9	5.2	1.7	4.1

					(%)		(kg)	(cm2)	(cm)	(cm)				
			800 899	1.0	( 2.4)	69.4	427.0	43.0	5.4	2.0	2.0	6.0	2.0	4.0
			700 799	1.0	( 2.4)	69.6	419.0	39.0	5.5	1.4	2.0	4.0	2.0	4.0
			600 699	30.0	( 71.4)	68.6	375.3	32.6	4.1	1.2	2.1	4.8	1.8	3.9
			500 599	8.0	( 19.0)	68.5	379.4	34.4	3.8	1.2	1.8	4.8	1.8	4.5
			499	2.0	( 4.8)	69.8	325.5	34.5	4.2	0.8	1.5	5.5	1.5	5.0
				42.0	( 5.4)	68.7	376.0	33.4	4.1	1.2	2.0	4.8	1.8	4.1
			700 799	5.0	( 15.2)	68.5	388.2	35.6	4.3	1.7	2.6	4.4	2.4	3.2
			600 699	22.0	( 66.7)	68.6	381.4	34.5	4.2	1.4	2.1	4.6	1.8	3.5
			500 599	6.0	( 18.2)	69.2	394.1	39.3	4.2	1.3	2.0	5.0	1.7	4.5
				33.0	( 4.2)	68.7	384.7	35.5	4.2	1.4	2.2	4.7	1.9	3.7
			800 899	6.0	( 6.1)	68.9	449.8	40.3	5.1	1.7	2.7	4.8	2.0	3.2
			700 799	12.0	( 12.2)	68.7	450.8	37.9	5.1	1.5	2.1	5.5	2.0	2.9
			600 699	74.0	( 75.5)	69.2	358.1	35.0	4.1	1.1	1.7	5.9	1.4	4.2
			500 599	6.0	( 6.1)	68.8	322.2	29.5	3.8	0.9	1.7	6.0	1.5	3.8
				98.0	( 12.5)	69.1	372.9	35.3	4.3	1.2	1.8	5.8	1.5	4.0
			600 699	5.0	( 83.3)	68.5	354.5	32.0	3.6	1.2	2.2	4.6	1.8	3.0
			500 599	1.0	( 16.7)	66.5	436.5	28.0	4.4	2.2	2.0	4.0	2.0	4.0
				6.0	( 0.8)	68.1	368.2	31.3	3.7	1.3	2.2	4.5	1.8	3.2
			900 999	1.0	( 6.7)	70.1	488.0	53.0	6.6	2.9	3.0	4.0	2.0	2.0
			800 899	1.0	( 6.7)	67.5	481.0	39.0	6.3	3.5	2.0	4.0	2.0	3.0
			700 799	6.0	( 40.0)	68.9	379.7	36.3	4.1	1.3	2.2	5.5	2.0	3.3
			600 699	4.0	( 26.7)	69.7	335.3	39.3	4.0	1.4	1.5	6.0	1.5	4.0
			500 599	3.0	( 20.0)	68.7	283.3	25.3	3.1	0.5	1.7	5.7	1.0	4.7
				15.0	( 1.9)	69.0	362.5	36.2	4.2	1.4	1.9	5.5	1.7	3.7
			700 799	2.0	( 16.7)	69.0	395.8	33.5	5.0	1.3	2.0	5.0	2.0	3.5
			600 699	6.0	( 50.0)	68.8	313.6	31.2	3.5	1.2	2.0	4.3	1.7	4.0
			500 599	4.0	( 33.3)	68.5	394.5	34.3	4.1	1.3	2.0	4.8	2.0	4.0
				12.0	( 1.5)	68.7	354.3	32.6	4.0	1.2	2.0	4.6	1.8	3.9
			700 799	1.0	( 0.1)	69.2	296.2	34.0	4.0	1.7	2.0	5.0	2.0	2.0
			600 699	1.0	( 0.1)	69.1	464.5	34.0	6.0	1.0	2.0	5.0	2.0	5.0
			900 999	1.0	( 5.6)	70.6	295.0	38.0	5.1	1.6	2.0	4.0	2.0	3.0
			700 799	1.0	( 5.6)	67.9	456.0	31.0	5.4	1.6	2.0	5.0	2.0	4.0
			600 699	15.0	( 83.3)	69.2	322.9	33.2	3.6	1.0	1.5	5.8	1.2	3.9
			500 599	1.0	( 5.6)	69.6	368.5	37.0	3.3	0.2	2.0	5.0	1.0	4.0

					(%)		(kg)	(m <sup>2</sup> )	(m)	(m)				
				18.0	( 2.3)	69.2	331.3	33.6	3.8	1.0	1.6	5.6	1.3	3.9
			800 899	1.0	( 4.2)	67.2	460.0	38.0	5.0	3.0	2.0	5.0	2.0	2.0
			700 799	4.0	( 16.7)	68.8	422.5	37.3	4.5	1.3	2.0	5.5	2.0	4.3
			600 699	15.0	( 62.5)	68.9	356.5	34.3	3.7	1.1	1.7	5.7	1.3	3.9
			500 599	4.0	( 16.7)	68.7	243.3	23.0	3.0	0.8	1.5	6.5	1.3	5.3
				24.0	( 3.1)	68.8	353.0	33.1	3.8	1.1	1.7	5.8	1.4	4.1
			600 699	1.0	( 0.1)	68.6	392.0	27.0	4.6	0.5	2.0	6.0	1.0	4.0
			600 699	2.0	( 0.3)	69.2	474.0	45.5	5.0	1.6	2.0	6.0	1.0	2.5
			800 899	1.0	( 20.0)	69.6	464.8	45.0	6.0	1.9	2.0	5.0	2.0	4.0
			700 799	2.0	( 40.0)	68.3	351.1	31.5	3.8	1.4	2.0	5.5	1.5	2.5
			600 699	1.0	( 20.0)	69.3	333.4	34.0	3.9	1.0	2.0	6.0	1.0	3.0
			499	1.0	( 20.0)	69.4	270.2	25.0	3.5	0.1	2.0	5.0	1.0	3.0
				5.0	( 0.6)	69.0	354.1	33.4	4.2	1.1	2.0	5.4	1.4	3.0
			700 799	1.0	( 11.1)	68.2	386.8	33.0	3.4	1.0	2.0	5.0	2.0	3.0
			600 699	4.0	( 44.4)	68.0	409.1	35.0	4.5	1.9	2.3	5.3	2.0	3.3
			500 599	4.0	( 44.4)	68.1	394.1	32.0	4.3	1.4	2.0	6.5	1.3	3.5
				9.0	( 1.1)	68.1	399.9	33.4	4.3	1.6	2.1	5.8	1.7	3.3
			700 799	1.0	( 16.7)	69.8	367.6	38.0	4.5	1.0	1.0	6.0	1.0	3.0
			600 699	1.0	( 16.7)	73.1	260.4	54.0	4.5	1.2	1.0	6.0	1.0	3.0
			500 599	4.0	( 66.7)	69.3	374.5	36.8	4.7	1.4	1.0	6.0	1.0	4.0
				6.0	( 0.8)	70.0	354.3	39.8	4.6	1.3	1.0	6.0	1.0	3.7
			600 699	4.0	( 0.5)	69.0	402.5	35.0	4.3	0.9	1.8	5.0	1.8	4.0
			1000 1099	1.0	( 5.0)	68.6	362.8	29.0	5.5	1.9	2.0	4.0	2.0	2.0
			900 999	4.0	( 20.0)	68.5	420.9	39.0	5.9	2.9	2.0	4.3	2.0	2.0
			700 799	9.0	( 45.0)	68.8	410.6	36.2	4.8	1.5	2.1	5.6	2.0	3.2
			600 699	3.0	( 15.0)	68.7	345.1	32.7	4.1	1.4	2.0	5.3	1.0	3.0
			500 599	3.0	( 15.0)	67.5	307.3	18.7	3.7	1.0	1.7	5.7	1.3	3.0
				20.0	( 2.5)	68.5	384.9	33.3	4.8	1.7	2.0	5.2	1.8	2.9
			1000 1099	1.0	( 7.7)	69.5	390.4	42.0	6.3	3.0	2.0	4.0	2.0	2.0
			900 999	9.0	( 69.2)	68.6	392.5	37.1	5.8	2.8	2.2	4.3	2.0	2.1
			600 699	2.0	( 15.4)	68.5	350.3	32.5	4.0	1.6	2.0	5.0	2.0	3.5
			500 599	1.0	( 7.7)	67.2	403.5	27.0	4.0	1.5	2.0	6.0	1.0	3.0
				13.0	( 1.7)	68.6	386.7	36.0	5.4	2.5	2.2	4.5	1.9	2.4

[illegible]

					(%)		(kg)	(cm2)	(cm)	(cm)				
			1000 1099	25.0	( 40.3)	68.4	445.6	39.6	5.6	2.5	2.1	4.6	2.0	2.9
			900 999	27.0	( 43.5)	68.7	484.8	42.3	6.1	2.5	2.3	4.9	2.0	2.1
			800 899	10.0	( 16.1)	68.3	470.5	40.8	6.0	2.8	2.0	5.4	2.0	2.2
				62.0	( 17.0)	68.5	466.7	40.9	5.9	2.5	2.1	4.9	2.0	2.5
			900 999	1.0	( 0.3)	68.9	494.0	37.0	6.2	1.4	2.0	5.0	2.0	2.0
			800 899	2.0	( 0.5)	69.0	491.0	47.0	6.0	2.5	2.0	4.0	2.0	2.0
			900 999	17.0	( 94.4)	68.2	468.6	41.6	5.5	2.7	2.0	4.6	2.0	2.2
			600 699	1.0	( 5.6)	68.7	381.0	43.0	4.6	2.8	3.0	5.0	2.0	3.0
				18.0	( 4.9)	68.2	463.7	41.7	5.5	2.7	2.1	4.6	2.0	2.2
			1000 1099	1.0	( 3.6)	66.6	569.0	39.0	6.3	3.3	2.0	4.0	2.0	3.0
			900 999	20.0	( 71.4)	68.3	498.3	40.0	5.7	2.1	2.2	4.2	2.1	2.0
			800 899	4.0	( 14.3)	68.7	341.3	29.5	3.9	1.0	2.0	4.8	2.0	2.0
			700 799	1.0	( 3.6)	68.8	284.5	26.0	4.0	1.1	2.0	4.0	2.0	3.0
			600 699	2.0	( 7.1)	69.5	328.0	34.5	3.8	0.8	1.5	3.5	1.5	3.0
				28.0	( 7.7)	68.4	458.6	37.5	5.3	1.9	2.1	4.2	2.1	2.1
			800 899	1.0	( 33.3)	68.4	275.0	23.0	4.0	1.3	2.0	7.0	1.0	2.0
			700 799	1.0	( 33.3)	69.5	344.0	38.0	4.3	1.5	2.0	6.0	2.0	4.0
			600 699	1.0	( 33.3)	69.8	289.0	33.0	4.0	1.0	1.0	7.0	1.0	2.0
				3.0	( 0.8)	69.2	302.7	31.3	4.1	1.3	1.7	6.7	1.3	2.7
			900 999	1.0	( 33.3)	67.9	380.0	31.0	5.2	2.6	2.0	6.0	2.0	2.0
			800 899	1.0	( 33.3)	70.2	411.0	41.0	5.7	1.3	2.0	4.0	2.0	2.0
			700 799	1.0	( 33.3)	69.1	347.0	34.0	5.2	2.1	2.0	6.0	2.0	2.0
				3.0	( 0.8)	69.1	379.3	35.3	5.4	2.0	2.0	5.3	2.0	2.0
			900 999	3.0	( 50.0)	69.0	469.7	46.0	5.8	2.6	2.0	5.0	2.0	2.0
			800 899	2.0	( 33.3)	69.0	451.5	40.5	5.1	1.6	2.5	5.5	2.0	3.0
			700 799	1.0	( 16.7)	69.2	391.0	35.0	4.5	0.9	2.0	6.0	1.0	3.0
				6.0	( 1.6)	69.0	450.5	42.3	5.3	2.0	2.2	5.3	1.8	2.5
			900 999	2.0	( 28.6)	68.7	480.5	41.5	5.5	1.9	2.0	5.0	2.0	2.0
			800 899	5.0	( 71.4)	68.1	456.8	38.0	5.1	2.1	2.2	4.8	2.0	2.8
				7.0	( 1.9)	68.3	463.6	39.0	5.2	2.0	2.1	4.9	2.0	2.6
			900 999	7.0	( 22.6)	69.0	484.7	41.9	5.7	1.6	2.1	4.6	2.0	2.3
			800 899	23.0	( 74.2)	68.0	510.3	42.0	5.8	2.6	2.0	4.9	2.0	2.1

					(%)		(kg)	(cm <sup>2</sup> )	(cm)	(cm)				
			600 699	1.0	( 3.2)	70.0	327.0	38.0	4.0	1.0	2.0	3.0	2.0	3.0
				31.0	( 8.5)	68.3	498.6	41.9	5.7	2.3	2.1	4.7	2.0	2.2
			1000 1099	1.0	( 50.0)	70.4	426.5	40.0	6.9	1.6	3.0	5.0	2.0	2.0
			600 699	1.0	( 50.0)	68.9	221.9	22.0	3.5	1.0	2.0	3.0	1.0	2.0
				2.0	( 0.5)	69.7	324.2	31.0	5.2	1.3	2.5	4.0	1.5	2.0
			800 899	1.0	( 0.3)	70.4	360.0	38.0	4.9	0.8	2.0	6.0	1.0	2.0
			1000 1099	8.0	( 72.7)	67.9	510.7	42.0	5.9	2.8	2.0	4.6	2.0	3.0
			900 999	2.0	( 18.2)	68.3	491.8	38.5	5.7	1.9	2.5	4.5	2.0	2.0
			700 799	1.0	( 9.1)	69.4	218.0	27.0	3.2	1.0	2.0	5.0	2.0	3.0
				11.0	( 3.0)	68.1	480.7	40.0	5.6	2.4	2.1	4.6	2.0	2.8
			800 899	2.0	( 0.5)	69.8	436.0	47.0	4.8	1.6	2.0	5.0	2.0	2.0
			900 999	1.0	( 0.3)	69.6	395.6	42.0	5.2	1.9	2.0	5.0	2.0	2.0
			1000 1099	2.0	( 0.5)	67.6	465.8	38.5	5.5	2.9	2.0	5.0	2.0	1.5
			1000 1099	3.0	( 42.9)	68.0	412.3	35.3	5.2	2.6	2.0	5.0	2.0	2.0
			900 999	2.0	( 28.6)	68.2	393.4	33.0	4.8	2.0	1.5	5.5	1.0	3.0
			700 799	2.0	( 28.6)	68.3	352.6	32.5	4.3	1.9	1.5	6.0	1.0	2.0
				7.0	( 1.9)	68.1	389.9	33.9	4.8	2.2	1.7	5.4	1.4	2.3
			900 999	54.0	( 14.8)	68.6	457.1	41.3	5.6	2.5	2.0	4.4	2.0	3.0
			1000 1099	28.0	( 53.8)	69.0	444.3	41.9	6.0	2.4	2.0	4.3	2.0	2.1
			900 999	23.0	( 44.2)	69.0	416.7	39.5	5.5	2.2	2.0	4.6	2.0	2.1
			600 699	1.0	( 1.9)	69.4	275.0	32.0	3.9	1.5	2.0	4.0	2.0	2.0
				52.0	( 14.2)	69.0	428.9	40.6	5.7	2.3	2.0	4.4	2.0	2.1
			1000 1099	1.0	( 3.3)	69.8	391.2	41.0	5.3	1.7	2.0	5.0	2.0	2.0
			900 999	29.0	( 96.7)	68.7	418.0	39.2	5.7	2.6	2.0	4.2	2.0	2.0
				30.0	( 8.2)	68.8	417.1	39.2	5.7	2.5	2.0	4.2	2.0	2.0
			1000 1099	7.0	( 1.9)	67.5	521.3	39.1	5.6	2.4	2.3	4.3	2.0	2.6
			1100 1199	1.0	( 0.3)	71.8	485.9	54.0	6.6	1.1	3.0	4.0	2.0	2.0
			700 799	1.0	( 0.3)	69.1	475.2	44.0	4.5	1.1	2.0	7.0	1.0	2.0

[illegible]

[illegible]