

					(%)		(kg)	(m ²)	(m)	(m)				
			3000	3.0	(0.6)	78.3	515.0	88.0	9.2	2.4	12.0	3.0	5.0	3.0
			2900 2999	1.0	(0.2)	77.9	512.0	82.0	9.4	2.3	12.0	3.0	5.0	3.0
			2800 2899	2.0	(0.4)	78.2	518.2	83.5	8.8	1.7	12.0	3.0	5.0	3.0
			2700 2799	8.0	(1.5)	77.5	472.2	77.1	8.8	2.1	10.5	3.4	5.0	2.9
			2600 2699	18.0	(3.4)	76.7	478.8	74.6	8.6	2.4	9.8	3.4	5.0	2.8
			2500 2599	20.0	(3.8)	76.0	472.2	71.5	8.4	2.6	9.7	3.6	5.0	2.8
			2400 2499	35.0	(6.6)	75.6	483.8	69.1	8.6	2.7	9.5	3.4	5.0	2.8
			2300 2399	70.0	(13.2)	75.5	484.3	69.1	8.5	2.7	9.0	3.7	4.9	2.7
			2200 2299	74.0	(13.9)	75.2	476.8	66.3	8.3	2.7	7.5	3.6	4.5	2.7
			2100 2199	81.0	(15.2)	74.4	464.8	60.9	8.1	2.8	6.8	3.7	4.3	2.8
			2000 2099	54.0	(10.2)	74.1	462.7	58.7	8.0	2.8	6.0	3.9	4.0	2.8
			1900 1999	48.0	(9.0)	73.7	458.4	57.0	7.7	2.8	4.7	3.8	3.3	2.7
			1800 1899	15.0	(2.8)	72.6	457.0	51.3	7.6	3.1	4.5	3.8	3.3	2.8
			1700 1799	7.0	(1.3)	72.3	452.1	47.7	7.8	3.2	3.9	4.0	2.9	2.7
			1600 1699	1.0	(0.2)	71.7	395.0	40.0	6.2	2.3	7.0	4.0	4.0	3.0
			1400 1499	5.0	(0.9)	72.9	353.0	43.8	6.3	2.2	4.0	4.6	2.4	2.8
			1300 1399	15.0	(2.8)	72.0	377.4	42.5	5.7	2.2	4.1	4.9	2.5	4.1
			1200 1299	30.0	(5.6)	71.8	349.1	39.6	5.6	2.3	3.2	4.8	2.2	4.2
			1100 1199	32.0	(6.0)	71.3	320.9	35.4	4.8	2.1	2.6	5.4	2.0	5.3
			1000 1099	12.0	(2.3)	71.0	378.2	37.6	5.9	2.8	2.8	5.4	2.0	5.8
			999	1.0	(0.2)	71.8	233.0	29.0	3.5	0.9	2.0	4.0	1.0	6.0
				532.0	(8.5)	74.3	449.3	59.6	7.7	2.6	6.7	3.9	4.0	3.1
			3000	7.0	(5.0)	78.2	522.1	89.7	9.5	3.0	11.9	3.0	5.0	2.9
			2800 2899	2.0	(1.4)	78.3	603.0	96.5	9.8	2.9	11.0	4.0	5.0	3.0
			2700 2799	6.0	(4.3)	77.1	468.8	76.5	8.4	2.3	10.8	3.7	5.0	2.8
			2600 2699	5.0	(3.6)	77.1	486.0	76.2	8.9	2.3	10.4	3.6	5.0	3.0
			2500 2599	9.0	(6.5)	76.2	472.4	70.3	8.4	2.3	10.0	3.7	5.0	2.9
			2400 2499	8.0	(5.8)	74.9	462.5	65.0	7.9	2.7	10.0	3.8	5.0	3.0
			2300 2399	11.0	(7.9)	75.3	439.5	65.2	7.8	2.6	8.8	3.5	4.9	3.1
			2200 2299	11.0	(7.9)	74.3	399.2	57.5	7.1	2.6	7.7	4.1	4.5	3.0
			2100 2199	12.0	(8.6)	74.7	442.6	60.2	8.0	2.6	6.4	4.0	4.1	2.9
			2000 2099	14.0	(10.1)	74.1	428.7	58.3	7.3	2.7	5.3	4.2	3.6	2.9
			1900 1999	6.0	(4.3)	73.5	419.7	56.3	7.2	3.1	4.8	4.2	3.3	2.7
			1800 1899	1.0	(0.7)	74.2	339.0	48.0	6.0	1.4	5.0	5.0	4.0	2.0
			1700 1799	2.0	(1.4)	73.6	414.0	61.0	7.0	3.6	5.0	4.5	3.5	2.5
			1600 1699	1.0	(0.7)	71.7	292.0	31.0	5.5	2.0	4.0	4.0	3.0	2.0
			1500 1599	1.0	(0.7)	71.6	398.0	52.0	6.6	4.3	7.0	4.0	4.0	5.0
			1400 1499	5.0	(3.6)	72.4	381.8	43.2	6.4	2.3	4.4	4.6	3.0	3.2
			1300 1399	17.0	(12.2)	71.8	350.0	39.8	5.5	2.3	3.9	4.6	2.5	3.6
			1200 1299	17.0	(12.2)	71.5	342.8	38.0	5.3	2.3	3.2	4.5	2.3	3.8
			1100 1199	4.0	(2.9)	71.3	298.0	35.3	4.4	2.2	3.3	4.5	2.3	5.3
				139.0	(2.2)	74.2	416.2	57.4	7.1	2.5	6.7	4.1	3.8	3.2

					(%)		(kg)	(m2)	(m)	(m)				
			3000	6.0	(2.2)	77.0	464.2	77.2	8.5	2.5	10.8	3.5	5.0	2.8
			2900 2999	1.0	(0.4)	77.7	467.0	79.0	9.4	2.6	12.0	3.0	5.0	2.0
			2800 2899	5.0	(1.8)	75.8	432.0	69.6	7.7	2.6	9.8	3.4	5.0	3.0
			2700 2799	2.0	(0.7)	77.2	428.5	85.0	7.5	3.2	10.5	3.5	5.0	3.0
			2600 2699	6.0	(2.2)	76.3	442.3	77.0	7.5	2.9	10.5	3.5	5.0	3.0
			2500 2599	22.0	(8.0)	75.2	430.3	65.4	7.7	2.7	9.5	3.5	5.0	2.7
			2400 2499	19.0	(6.9)	75.3	428.5	67.1	7.5	2.7	8.7	3.6	4.8	2.9
			2300 2399	8.0	(2.9)	75.8	431.9	68.9	7.9	2.8	9.4	3.5	5.0	2.9
			2200 2299	10.0	(3.6)	74.5	414.2	59.3	7.7	2.8	8.4	3.6	4.8	2.7
			2100 2199	12.0	(4.4)	73.7	418.6	58.3	7.3	3.3	6.9	3.8	4.3	2.8
			2000 2099	13.0	(4.7)	73.6	415.5	54.8	7.5	3.1	6.2	4.2	3.9	2.8
			1900 1999	8.0	(2.9)	73.0	417.2	52.9	7.2	3.2	5.9	4.0	3.9	3.0
			1800 1899	7.0	(2.6)	72.6	382.0	48.7	6.5	3.0	5.3	3.7	3.7	3.0
			1700 1799	2.0	(0.7)	72.6	420.0	50.0	7.1	3.1	4.5	4.5	3.5	4.0
			1600 1699	5.0	(1.8)	73.0	369.2	49.8	6.4	2.9	6.4	3.8	3.8	3.4
			1500 1599	6.0	(2.2)	72.5	353.5	45.7	6.1	2.7	6.3	4.5	3.7	4.2
			1400 1499	3.0	(1.1)	72.7	370.0	46.7	5.9	2.4	4.7	4.7	3.0	3.3
			1300 1399	22.0	(8.0)	71.9	356.9	42.1	5.8	2.6	4.6	4.6	2.6	4.3
			1200 1299	56.0	(20.4)	71.6	305.2	36.1	4.8	2.1	3.4	4.5	2.3	4.3
			1100 1199	47.0	(17.2)	71.4	275.6	33.3	4.0	1.8	2.9	4.9	2.0	5.1
			1000 1099	11.0	(4.0)	71.3	234.0	28.4	3.8	1.6	2.2	4.6	1.9	5.2
			999	3.0	(1.1)	71.7	179.3	25.7	3.6	1.3	3.0	5.7	1.3	7.0
				274.0	(4.4)	73.0	355.8	48.2	6.0	2.4	5.6	4.2	3.3	3.9
			3000	6.0	(1.5)	77.6	459.8	81.3	8.5	2.6	11.8	3.5	5.0	3.0
			2900 2999	8.0	(2.0)	76.0	487.3	75.0	8.0	2.7	10.8	3.3	5.0	2.9
			2800 2899	11.0	(2.8)	75.7	450.6	69.6	7.7	2.5	10.7	3.5	5.0	2.9
			2700 2799	24.0	(6.0)	76.4	481.4	74.4	8.2	2.4	10.7	3.7	5.0	2.8
			2600 2699	24.0	(6.0)	76.2	443.9	72.9	7.9	2.7	10.0	3.7	5.0	3.0
			2500 2599	38.0	(9.5)	75.7	466.1	69.4	8.3	2.8	9.9	3.7	5.0	2.8
			2400 2499	23.0	(5.8)	75.5	425.7	64.5	7.9	2.5	8.5	3.8	4.9	2.8
			2300 2399	24.0	(6.0)	74.8	470.5	65.8	8.0	3.0	8.2	3.9	4.8	2.9
			2200 2299	19.0	(4.8)	73.9	450.5	57.7	7.9	3.0	7.6	3.7	4.6	2.8
			2100 2199	19.0	(4.8)	74.5	449.7	61.2	7.9	2.8	6.7	3.9	4.4	2.7
			2000 2099	15.0	(3.8)	73.4	442.4	55.8	7.7	3.1	6.0	3.9	3.9	2.9
			1900 1999	6.0	(1.5)	74.1	482.2	63.5	8.0	3.2	6.3	4.0	4.0	3.0
			1700 1799	5.0	(1.3)	73.8	471.1	54.6	7.6	2.1	5.6	3.8	3.6	3.0
			1600 1699	2.0	(0.5)	73.5	421.3	55.0	7.3	2.9	5.5	4.0	4.0	4.0
			1500 1599	13.0	(3.3)	73.4	421.7	49.5	7.2	2.2	5.5	3.7	3.8	2.9
			1400 1499	16.0	(4.0)	72.6	411.7	45.1	6.9	2.4	5.1	3.6	3.6	3.3
			1300 1399	40.0	(10.1)	72.3	368.7	41.0	6.2	2.3	3.6	3.9	2.8	3.5
			1200 1299	35.0	(8.8)	71.7	367.5	36.8	6.2	2.3	3.3	4.1	2.5	3.3
			1100 1199	42.0	(10.6)	71.2	325.1	33.1	5.4	2.3	2.9	4.2	2.3	4.1
			1000 1099	12.0	(3.0)	71.2	283.9	28.7	5.1	2.0	2.7	4.8	2.1	4.7
			999	16.0	(4.0)	71.5	269.7	29.8	4.6	1.6	2.6	4.6	2.1	5.2

					(%)		(kg)	(cm2)	(cm)	(cm)				
				398.0	(6.4)	73.8	410.8	53.9	7.1	2.5	6.5	3.9	3.8	3.3
			2700 2799	1.0	(4.8)	78.8	425.0	83.0	8.5	2.0	9.0	3.0	5.0	3.0
			2500 2599	1.0	(4.8)	79.2	616.0	98.0	10.4	2.5	11.0	4.0	5.0	3.0
			2400 2499	1.0	(4.8)	75.3	402.0	60.0	7.2	1.8	11.0	3.0	5.0	3.0
			2300 2399	1.0	(4.8)	72.7	419.0	57.0	7.3	4.1	8.0	4.0	5.0	3.0
			2100 2199	1.0	(4.8)	74.9	433.0	59.0	7.4	1.9	7.0	4.0	4.0	3.0
			2000 2099	1.0	(4.8)	73.1	372.0	46.0	6.3	2.1	6.0	4.0	4.0	3.0
			1400 1499	1.0	(4.8)	72.1	410.0	44.0	6.0	2.1	5.0	4.0	3.0	3.0
			1300 1399	6.0	(28.6)	72.2	367.2	42.5	6.3	2.6	3.7	4.3	2.7	3.3
			1200 1299	6.0	(28.6)	71.9	331.7	37.3	5.6	2.1	4.5	4.7	2.7	4.0
			1100 1199	2.0	(9.5)	71.0	292.0	32.5	4.8	2.4	2.5	5.0	2.0	4.0
				21.0	(0.3)	73.0	374.0	47.2	6.4	2.4	5.3	4.3	3.2	3.5
			3000	39.0	(7.6)	76.7	439.9	73.2	7.9	2.2	10.2	3.7	5.0	2.8
			2900 2999	22.0	(4.3)	76.7	462.1	73.5	8.2	2.2	10.0	3.7	5.0	2.8
			2800 2899	30.0	(5.8)	75.8	457.4	70.9	7.9	2.6	9.7	3.7	4.9	2.9
			2700 2799	61.0	(11.8)	76.0	443.2	70.4	7.8	2.4	9.8	3.8	4.9	2.9
			2600 2699	76.0	(14.8)	75.5	455.9	69.8	7.8	2.8	9.3	3.8	4.9	2.9
			2500 2599	82.0	(15.9)	74.9	457.7	65.7	8.0	3.0	8.2	4.0	4.8	2.9
			2400 2499	81.0	(15.7)	74.5	451.1	63.1	7.7	2.9	7.7	4.0	4.6	2.9
			2300 2399	35.0	(6.8)	74.0	437.9	60.0	7.3	2.9	6.6	4.0	4.2	2.9
			2200 2299	26.0	(5.0)	74.3	421.8	59.3	7.2	2.6	6.5	4.0	4.3	2.9
			2100 2199	8.0	(1.6)	73.7	423.0	58.4	7.1	3.0	6.5	4.0	3.9	2.9
			2000 2099	7.0	(1.4)	72.6	410.9	51.7	7.1	3.5	7.1	4.0	4.4	2.9
			1900 1999	7.0	(1.4)	72.4	454.7	54.4	7.5	3.8	5.1	4.0	3.7	3.0
			1800 1899	2.0	(0.4)	73.3	372.5	56.0	7.0	3.8	7.5	4.0	5.0	3.0
			1700 1799	2.0	(0.4)	73.5	368.0	54.5	6.3	2.9	7.0	3.5	4.5	3.0
			1600 1699	1.0	(0.2)	73.5	407.0	55.0	6.4	2.5	6.0	4.0	4.0	4.0
			1500 1599	4.0	(0.8)	72.8	438.3	54.0	6.5	2.7	5.3	4.5	3.0	3.8
			1400 1499	4.0	(0.8)	72.3	401.5	50.0	6.1	2.9	4.5	4.3	3.3	4.0
			1300 1399	6.0	(1.2)	71.5	369.9	42.8	5.8	3.0	5.0	4.2	2.8	3.5
			1200 1299	8.0	(1.6)	71.0	354.3	37.8	5.3	2.6	3.0	4.4	2.3	4.1
			1100 1199	6.0	(1.2)	71.5	311.0	36.2	5.0	2.3	2.7	4.5	2.0	3.8
			1000 1099	5.0	(1.0)	71.0	323.3	33.8	5.0	2.3	2.4	5.2	1.8	5.2
			999	3.0	(0.6)	72.0	275.5	32.3	4.8	1.5	3.0	4.7	2.3	6.3
				515.0	(8.3)	74.9	441.1	64.6	7.6	2.7	8.2	3.9	4.6	3.0
			3000	1.0	(0.4)	75.0	371.0	57.0	7.0	2.1	11.0	3.0	5.0	3.0
			2900 2999	1.0	(0.4)	75.5	422.6	66.0	8.6	3.3	10.0	3.0	5.0	3.0
			2800 2899	4.0	(1.7)	78.0	461.9	81.3	8.5	2.0	10.8	3.0	5.0	3.0
			2600 2699	8.0	(3.5)	76.0	444.0	71.4	7.7	2.5	10.5	3.6	4.9	3.0
			2500 2599	6.0	(2.6)	76.4	504.1	77.2	8.6	2.7	10.0	3.5	5.0	3.0
			2400 2499	10.0	(4.4)	75.7	455.8	72.0	8.0	3.0	8.2	3.8	4.7	2.9
			2300 2399	14.0	(6.1)	75.5	462.7	67.8	8.0	2.5	8.4	3.8	4.8	2.9
			2200 2299	26.0	(11.4)	75.1	457.9	65.8	8.0	2.8	8.7	3.8	4.9	2.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2100 2199	22.0	(9.6)	74.8	439.2	64.1	7.6	2.8	8.0	3.7	4.6	2.9
			2000 2099	25.0	(10.9)	74.4	453.6	60.6	7.8	2.7	7.8	3.9	4.6	2.8
			1900 1999	30.0	(13.1)	74.3	431.3	59.9	7.5	2.8	6.0	4.3	4.0	2.9
			1800 1899	7.0	(3.1)	73.4	421.4	55.9	6.8	2.8	6.6	4.0	4.1	2.7
			1700 1799	7.0	(3.1)	72.8	430.0	51.0	7.4	3.2	4.4	4.0	3.3	2.9
			1600 1699	6.0	(2.6)	74.0	416.1	52.8	7.3	2.2	6.0	3.7	3.8	3.3
			1500 1599	4.0	(1.7)	74.2	418.4	50.8	7.6	1.8	5.3	4.0	4.0	3.0
			1400 1499	3.0	(1.3)	73.0	367.8	41.0	6.9	2.0	4.3	4.0	3.0	3.0
			1300 1399	9.0	(3.9)	72.7	407.6	46.3	6.7	2.3	4.3	3.8	3.0	3.6
			1200 1299	18.0	(7.9)	72.5	382.3	44.8	6.1	2.2	4.0	4.1	2.8	3.7
			1100 1199	21.0	(9.2)	71.6	308.0	35.8	4.5	1.7	3.2	4.3	2.1	4.6
			1000 1099	4.0	(1.7)	71.3	354.5	33.8	6.0	2.2	4.0	4.0	2.8	5.0
			999	3.0	(1.3)	71.4	235.8	29.0	3.6	1.4	2.0	5.0	2.0	5.3
				229.0	(3.7)	74.1	421.3	57.5	7.2	2.5	6.7	3.9	4.0	3.2
			3000	3.0	(1.7)	76.7	463.0	75.3	8.1	2.4	11.7	3.0	5.0	3.0
			2900 2999	2.0	(1.1)	76.8	459.5	74.0	8.2	2.1	11.5	3.0	5.0	3.0
			2800 2899	3.0	(1.7)	76.4	451.7	74.7	7.4	2.2	11.7	3.7	5.0	2.7
			2700 2799	8.0	(4.6)	78.1	483.1	85.3	8.3	2.1	11.3	3.3	5.0	2.6
			2600 2699	6.0	(3.4)	76.5	473.3	71.2	8.6	2.3	9.5	3.3	5.0	3.0
			2500 2599	11.0	(6.3)	76.6	456.3	74.7	8.2	2.5	9.4	3.5	5.0	3.0
			2400 2499	17.0	(9.7)	76.0	465.1	72.5	8.0	2.6	9.8	3.6	5.0	2.9
			2300 2399	31.0	(17.7)	75.5	454.3	67.7	8.0	2.6	8.7	3.5	4.9	2.8
			2200 2299	21.0	(12.0)	74.6	472.5	63.2	8.1	2.8	7.3	3.7	4.5	2.9
			2100 2199	26.0	(14.9)	74.4	447.9	61.2	7.9	2.9	6.4	3.7	4.2	2.9
			2000 2099	14.0	(8.0)	74.3	420.1	58.4	7.3	2.7	5.7	4.2	3.9	2.7
			1900 1999	12.0	(6.9)	73.9	442.0	55.8	7.6	2.6	5.4	3.9	3.8	2.8
			1800 1899	5.0	(2.9)	73.6	437.2	58.0	7.4	3.1	4.6	4.2	3.2	3.0
			1600 1699	1.0	(0.6)	74.8	336.0	57.0	6.0	2.0	3.0	4.0	2.0	2.0
			1400 1499	1.0	(0.6)	74.5	390.5	53.0	7.3	2.0	5.0	3.0	3.0	3.0
			1300 1399	1.0	(0.6)	73.0	387.5	50.0	6.5	2.7	4.0	4.0	3.0	3.0
			1200 1299	3.0	(1.7)	71.0	435.2	41.3	6.1	2.7	3.7	5.0	2.3	5.0
			1100 1199	5.0	(2.9)	71.5	327.5	35.8	5.2	2.1	3.2	4.2	2.0	4.4
			1000 1099	4.0	(2.3)	71.5	302.3	33.5	4.3	1.5	2.8	5.3	2.0	5.5
			999	1.0	(0.6)	72.6	270.5	36.0	4.2	1.0	2.0	4.0	2.0	3.0
				175.0	(2.8)	75.0	444.9	63.9	7.7	2.6	7.5	3.7	4.3	3.0
			2900 2999	2.0	(1.2)	76.3	476.0	77.0	9.1	3.5	10.5	3.5	5.0	3.0
			2700 2799	2.0	(1.2)	77.6	426.5	71.5	8.3	1.5	11.0	3.0	5.0	3.0
			2600 2699	4.0	(2.4)	75.8	443.3	71.0	8.2	3.1	10.3	3.0	5.0	3.0
			2500 2599	7.0	(4.3)	75.8	446.0	70.6	7.7	2.6	9.9	3.6	5.0	3.0
			2400 2499	8.0	(4.9)	75.6	468.8	70.4	8.3	2.9	9.3	3.5	5.0	2.9
			2300 2399	9.0	(5.5)	75.4	437.7	66.4	7.5	2.5	8.2	3.9	4.8	2.9
			2200 2299	18.0	(11.0)	75.5	474.6	71.3	8.3	3.1	7.8	3.8	4.5	2.9
			2100 2199	18.0	(11.0)	74.7	455.4	63.3	7.8	2.8	6.8	3.9	4.3	2.7

					(%)		(kg)	(m2)	(m)	(m)				
			2000 2099	20.0	(12.2)	73.9	462.1	62.0	7.8	3.4	6.2	4.0	4.0	2.8
			1900 1999	13.0	(7.9)	73.7	445.5	56.8	7.5	2.8	5.6	4.2	3.6	2.8
			1800 1899	3.0	(1.8)	73.7	451.5	54.0	8.0	2.7	3.7	4.0	3.0	3.0
			1700 1799	1.0	(0.6)	74.4	318.0	48.0	5.9	1.4	7.0	4.0	4.0	2.0
			1600 1699	4.0	(2.4)	73.2	349.1	49.5	5.8	2.4	5.5	3.8	3.5	2.8
			1500 1599	4.0	(2.4)	73.6	328.6	51.0	5.8	2.5	5.5	4.5	3.3	3.0
			1300 1399	14.0	(8.5)	71.7	351.9	40.4	5.6	2.6	3.1	4.4	2.3	3.6
			1200 1299	24.0	(14.6)	71.7	356.2	38.0	5.5	2.1	2.8	4.7	2.1	3.6
			1100 1199	13.0	(7.9)	71.3	287.2	32.8	4.4	2.0	2.8	4.8	1.8	4.3
				164.0	(2.6)	73.8	413.1	55.8	7.0	2.7	5.9	4.1	3.6	3.1
			2900 2999	1.0	(0.6)	75.5	453.0	79.0	7.1	3.6	9.0	4.0	5.0	3.0
			2800 2899	2.0	(1.2)	76.5	437.0	74.5	7.5	2.5	11.0	3.5	5.0	3.0
			2700 2799	1.0	(0.6)	76.8	448.0	74.0	8.0	2.1	12.0	3.0	5.0	2.0
			2600 2699	3.0	(1.8)	76.2	443.0	72.7	8.3	2.9	9.3	3.7	5.0	2.7
			2500 2599	4.0	(2.5)	77.6	460.5	78.3	8.5	2.1	9.8	3.3	5.0	2.3
			2400 2499	12.0	(7.4)	76.7	459.8	72.9	8.3	2.2	9.5	3.6	4.9	2.6
			2300 2399	14.0	(8.6)	75.9	474.4	73.4	8.1	2.8	9.6	3.6	4.9	2.9
			2200 2299	22.0	(13.5)	75.3	468.6	68.0	8.0	2.7	8.0	3.7	4.8	2.6
			2100 2199	22.0	(13.5)	74.9	437.6	63.5	7.6	2.7	6.9	4.0	4.4	2.9
			2000 2099	21.0	(12.9)	74.2	423.0	59.2	7.3	2.7	5.9	3.9	4.0	2.9
			1900 1999	14.0	(8.6)	73.1	424.4	52.6	7.3	3.0	5.6	4.1	3.7	2.8
			1700 1799	6.0	(3.7)	73.2	425.0	54.0	7.4	3.2	4.5	4.3	3.2	3.0
			1600 1699	2.0	(1.2)	73.3	414.0	57.5	7.1	3.5	5.0	4.0	3.0	3.0
			1400 1499	1.0	(0.6)	73.7	391.0	58.0	5.7	2.5	6.0	4.0	3.0	4.0
			1300 1399	3.0	(1.8)	72.2	375.0	40.0	5.9	1.9	3.7	4.7	2.7	3.0
			1200 1299	8.0	(4.9)	71.0	323.8	34.5	5.0	2.4	2.6	4.9	2.1	3.5
			1100 1199	14.0	(8.6)	72.0	284.8	35.2	4.5	1.6	3.4	5.1	2.4	4.8
			1000 1099	4.0	(2.5)	72.4	308.5	36.3	5.5	1.7	3.3	5.0	2.5	3.5
			999	9.0	(5.5)	71.4	313.1	36.9	4.6	2.1	3.7	5.2	2.4	5.2
				163.0	(2.6)	74.2	413.4	58.1	7.1	2.5	6.5	4.1	3.9	3.1
			2800 2899	1.0	(4.8)	78.9	476.2	95.0	8.2	2.7	12.0	3.0	5.0	3.0
			2700 2799	1.0	(4.8)	80.6	534.6	102.0	9.7	2.0	12.0	4.0	5.0	3.0
			2500 2599	2.0	(9.5)	73.7	504.0	59.0	8.4	3.1	11.5	3.5	5.0	3.0
			2400 2499	1.0	(4.8)	75.9	452.0	69.0	9.3	3.4	11.0	3.0	5.0	3.0
			2300 2399	3.0	(14.3)	75.5	481.1	69.0	8.6	3.0	9.3	3.3	4.7	3.0
			2200 2299	3.0	(14.3)	75.1	433.2	64.0	7.8	2.7	9.3	3.7	5.0	3.0
			2100 2199	3.0	(14.3)	73.7	443.7	60.0	8.1	3.8	8.3	4.3	5.0	3.0
			1200 1299	2.0	(9.5)	71.8	244.3	30.5	4.2	1.4	4.0	5.0	2.5	4.5
			1100 1199	4.0	(19.0)	71.8	245.0	33.8	3.8	1.6	3.3	4.8	2.0	4.3
			999	1.0	(4.8)	71.7	296.5	43.0	6.3	4.2	5.0	5.0	3.0	7.0
				21.0	(0.3)	74.2	395.7	57.2	7.0	2.7	7.9	4.0	4.0	3.6

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2700 2799	3.0	(4.6)	77.6	461.3	82.7	8.4	2.7	12.0	3.0	5.0	2.7
			2600 2699	1.0	(1.5)	76.4	494.0	69.0	9.3	2.3	11.0	3.0	5.0	3.0
			2500 2599	5.0	(7.7)	76.3	485.4	73.4	8.1	2.2	10.2	3.4	5.0	2.8
			2400 2499	3.0	(4.6)	76.1	470.7	73.0	8.4	2.8	10.3	3.3	5.0	2.7
			2300 2399	9.0	(13.8)	75.9	478.4	69.1	8.2	2.2	9.6	3.8	5.0	2.7
			2200 2299	6.0	(9.2)	75.7	448.0	66.8	7.5	2.0	9.0	3.5	4.8	2.5
			2100 2199	9.0	(13.8)	74.8	468.9	64.9	7.7	2.6	7.4	3.7	4.3	3.1
			2000 2099	10.0	(15.4)	73.6	449.0	56.1	7.3	2.6	7.0	3.7	4.2	3.2
			1900 1999	6.0	(9.2)	73.2	456.8	55.3	7.3	2.9	4.2	4.2	3.3	3.0
			1800 1899	1.0	(1.5)	71.9	435.0	55.0	7.0	4.3	5.0	3.0	3.0	3.0
			1700 1799	2.0	(3.1)	72.8	372.5	44.0	6.6	2.4	5.5	3.5	3.5	3.0
			1600 1699	1.0	(1.5)	74.6	442.0	65.0	6.6	2.4	3.0	2.0	2.0	2.0
			1500 1599	1.0	(1.5)	70.9	456.0	52.0	7.3	4.9	7.0	4.0	4.0	4.0
			1400 1499	2.0	(3.1)	72.2	387.5	42.5	6.1	2.1	4.0	4.0	3.0	3.0
			1200 1299	3.0	(4.6)	71.3	367.3	40.3	5.0	2.4	3.0	4.3	2.0	3.7
			1100 1199	1.0	(1.5)	70.5	263.0	26.0	4.0	1.9	2.0	5.0	2.0	5.0
			1000 1099	1.0	(1.5)	73.2	210.0	36.0	3.9	0.9	2.0	4.0	1.0	7.0
			999	1.0	(1.5)	71.0	252.0	25.0	3.8	1.3	2.0	6.0	1.0	7.0
				65.0	(1.0)	74.5	443.7	60.9	7.4	2.5	7.4	3.7	4.1	3.1
			2400 2499	2.0	(18.2)	78.7	602.5	93.0	10.8	2.8	9.0	3.5	5.0	2.5
			2300 2399	3.0	(27.3)	74.5	576.0	71.0	9.3	3.5	9.3	3.7	5.0	3.0
			2100 2199	2.0	(18.2)	73.0	519.0	59.5	8.1	3.5	6.5	4.0	4.5	3.0
			2000 2099	1.0	(9.1)	72.5	461.0	46.0	8.1	2.8	4.0	4.0	4.0	3.0
			1200 1299	3.0	(27.3)	71.2	319.0	32.7	5.7	2.6	3.0	4.3	2.0	3.7
				11.0	(0.2)	73.9	489.9	60.2	8.3	3.0	6.5	3.9	4.0	3.1
			3000	1.0	(3.7)	74.1	471.0	59.0	8.0	2.7	10.0	4.0	5.0	3.0
			2900 2999	1.0	(3.7)	75.5	464.0	65.0	8.7	2.6	12.0	3.0	5.0	3.0
			2600 2699	1.0	(3.7)	78.7	458.0	87.0	7.4	1.4	9.0	4.0	5.0	3.0
			2500 2599	2.0	(7.4)	74.8	437.0	64.0	7.3	2.7	10.5	3.0	5.0	2.5
			2400 2499	1.0	(3.7)	76.7	400.0	68.0	7.6	1.8	8.0	3.0	5.0	2.0
			2300 2399	5.0	(18.5)	74.7	475.6	65.6	7.8	2.8	7.8	3.8	4.8	2.8
			2200 2299	2.0	(7.4)	75.1	451.5	65.5	8.3	3.0	6.5	3.5	4.0	3.0
			2100 2199	5.0	(18.5)	75.2	466.2	67.6	7.9	2.7	6.6	4.0	4.0	2.8
			2000 2099	5.0	(18.5)	74.1	435.8	61.0	7.0	2.8	6.4	4.4	4.2	3.0
			1900 1999	3.0	(11.1)	74.0	417.7	54.7	7.0	2.2	6.0	4.0	3.7	2.7
			1200 1299	1.0	(3.7)	71.7	446.0	48.0	7.3	3.5	2.0	5.0	2.0	4.0
				27.0	(0.4)	74.8	450.3	63.7	7.6	2.6	7.3	3.9	4.3	2.9
			2600 2699	1.0	(16.7)	76.1	436.0	69.0	8.7	2.9	10.0	3.0	5.0	3.0
			2100 2199	1.0	(16.7)	75.5	459.0	68.0	8.0	2.6	6.0	5.0	4.0	3.0
			2000 2099	1.0	(16.7)	73.9	358.0	55.0	6.4	2.8	9.0	3.0	5.0	3.0
			1200 1299	2.0	(33.3)	71.9	297.0	35.5	4.8	1.8	3.0	4.0	2.0	3.5

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
			1100 1199	1.0	(16.7)	71.0	239.0	29.0	4.0	2.1	3.0	4.0	2.0	3.0
				6.0	(0.1)	73.4	347.7	48.7	6.1	2.3	5.7	3.8	3.3	3.2
			2500 2599	1.0	(16.7)	74.6	462.0	60.0	8.4	2.7	9.0	3.0	5.0	3.0
			2300 2399	1.0	(16.7)	77.2	503.0	85.0	9.0	3.4	11.0	3.0	5.0	3.0
			2200 2299	3.0	(50.0)	73.6	438.7	55.3	7.3	2.8	6.3	3.3	4.0	3.0
			2000 2099	1.0	(16.7)	74.3	480.5	61.0	8.2	2.7	4.0	3.0	3.0	3.0
				6.0	(0.1)	74.5	460.3	62.0	7.9	2.9	7.2	3.2	4.2	3.0
			2300 2399	2.0	(0.0)	74.6	438.5	60.0	7.6	2.5	8.5	4.0	5.0	3.0
			2500 2599	1.0	(0.0)	74.1	422.8	53.0	7.7	2.3	10.0	3.0	5.0	3.0
			2500 2599	1.0	(5.3)	76.2	416.5	66.0	8.0	2.2	10.0	4.0	5.0	2.0
			2400 2499	2.0	(10.5)	75.8	447.8	69.5	8.1	2.8	6.5	4.0	4.0	2.5
			2300 2399	4.0	(21.1)	74.5	417.5	57.3	7.7	2.5	7.0	4.0	4.5	2.8
			2200 2299	4.0	(21.1)	75.7	429.1	66.0	7.9	2.5	6.5	4.0	4.3	2.3
			2100 2199	1.0	(5.3)	73.5	426.5	56.0	7.0	2.9	7.0	3.0	4.0	3.0
			2000 2099	3.0	(15.8)	74.3	434.8	59.0	7.5	2.6	5.0	4.0	3.7	2.7
			1900 1999	1.0	(5.3)	73.7	368.0	52.0	7.4	3.1	5.0	4.0	4.0	2.0
			1000 1099	2.0	(10.5)	72.2	367.8	39.5	6.0	2.0	2.5	4.5	2.0	6.0
			999	1.0	(5.3)	73.4	350.5	47.0	5.3	1.5	2.0	7.0	2.0	6.0
				19.0	(0.3)	74.5	414.9	58.4	7.4	2.5	5.8	4.2	3.8	3.1
			3000	3.0	(4.7)	78.2	498.4	85.7	9.3	2.6	12.0	3.7	5.0	3.0
			2900 2999	1.0	(1.6)	75.0	505.1	69.0	8.6	3.2	11.0	4.0	5.0	2.0
			2800 2899	2.0	(3.1)	77.9	528.9	86.0	9.2	2.4	11.5	4.0	5.0	3.0
			2700 2799	11.0	(17.2)	76.4	481.8	74.5	8.5	2.6	10.5	3.2	5.0	2.7
			2600 2699	5.0	(7.8)	75.2	463.1	71.8	8.2	3.6	11.2	3.4	5.0	3.0
			2500 2599	3.0	(4.7)	74.8	473.3	63.0	8.6	2.9	9.7	3.7	5.0	3.0
			2400 2499	5.0	(7.8)	74.1	495.8	66.0	8.4	3.7	9.0	3.8	5.0	3.0
			2300 2399	8.0	(12.5)	73.8	445.6	58.1	8.0	3.2	6.8	3.9	4.3	2.6
			2200 2299	7.0	(10.9)	73.7	454.3	59.0	7.9	3.3	6.3	4.1	4.1	3.0
			2100 2199	2.0	(3.1)	75.5	499.3	75.5	8.0	3.1	7.0	3.5	4.0	3.0
			2000 2099	4.0	(6.3)	74.8	481.1	64.5	8.2	2.7	5.3	4.5	3.5	3.0
			1900 1999	3.0	(4.7)	73.0	479.5	56.7	8.0	3.6	5.0	4.0	3.3	3.0
			1800 1899	2.0	(3.1)	71.6	396.8	44.0	7.2	3.8	4.5	4.0	3.0	3.0
			1400 1499	1.0	(1.6)	73.9	401.0	48.0	6.6	1.3	6.0	5.0	3.0	6.0
			1200 1299	2.0	(3.1)	71.4	334.0	37.5	5.3	2.5	4.5	4.0	3.0	3.0
			1100 1199	5.0	(7.8)	71.8	309.0	36.6	4.5	1.7	2.2	4.4	2.0	5.2
				64.0	(1.0)	74.6	454.5	63.2	7.9	2.9	7.8	3.8	4.2	3.1
			3000	49.0	(26.9)	75.8	427.8	66.8	8.5	2.9	9.8	3.6	5.0	3.0
			2900 2999	27.0	(14.8)	75.5	440.3	66.1	8.3	2.8	9.2	3.5	5.0	2.9

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2800 2899	16.0	(8.8)	74.9	423.0	61.4	8.1	2.9	8.3	3.6	4.8	2.9
			2700 2799	11.0	(6.0)	75.0	409.8	59.2	8.0	2.6	7.5	3.9	4.5	2.9
			2600 2699	22.0	(12.1)	75.6	434.6	63.9	8.5	2.6	6.7	4.4	4.0	2.8
			2500 2599	14.0	(7.7)	74.5	405.7	55.7	8.0	2.7	6.1	4.2	4.0	2.8
			2400 2499	8.0	(4.4)	73.7	423.9	57.5	7.7	3.4	6.5	4.3	4.1	2.4
			2300 2399	6.0	(3.3)	73.7	448.4	56.2	7.8	2.9	5.2	4.5	3.3	2.8
			2200 2299	1.0	(0.5)	69.8	519.2	47.0	8.4	5.4	5.0	4.0	4.0	3.0
			2100 2199	2.0	(1.1)	73.3	381.2	51.5	7.2	3.1	5.0	4.5	3.0	2.5
			2000 2099	2.0	(1.1)	72.8	334.7	42.0	6.0	2.3	5.0	4.5	3.0	2.5
			1800 1899	2.0	(1.1)	74.0	400.6	51.0	8.0	2.6	7.0	4.5	3.5	3.5
			1700 1799	2.0	(1.1)	72.5	376.0	47.0	6.7	3.1	6.5	4.5	4.0	4.0
			1600 1699	2.0	(1.1)	73.2	400.6	49.5	6.5	2.1	3.0	5.5	2.0	3.0
			1500 1599	1.0	(0.5)	70.9	449.0	39.0	6.5	2.5	5.0	5.0	3.0	4.0
			1300 1399	2.0	(1.1)	72.2	482.6	51.5	7.0	2.9	4.0	5.0	3.0	4.0
			1200 1299	9.0	(4.9)	71.5	340.4	36.8	5.5	2.3	3.4	5.1	2.1	4.3
			1100 1199	5.0	(2.7)	71.8	334.9	39.2	5.6	2.5	3.2	4.6	2.0	4.4
			999	1.0	(0.5)	71.8	152.2	20.0	3.5	0.7	2.0	4.0	1.0	2.0
				182.0	(2.9)	74.8	417.9	59.8	7.9	2.8	7.6	4.0	4.3	3.0
			3000	4.0	(5.1)	78.0	461.8	82.3	8.6	2.3	12.0	3.0	5.0	3.0
			2900 2999	3.0	(3.8)	76.1	475.9	72.0	8.9	2.9	11.7	3.0	5.0	3.0
			2800 2899	1.0	(1.3)	79.2	449.0	88.0	8.5	2.0	11.0	3.0	5.0	3.0
			2700 2799	6.0	(7.6)	75.7	491.9	74.2	8.5	3.2	11.2	3.2	5.0	2.3
			2600 2699	16.0	(20.3)	75.5	482.9	73.3	7.8	2.9	10.4	3.4	5.0	2.6
			2500 2599	12.0	(15.2)	75.6	489.2	72.8	8.1	2.9	9.8	3.7	5.0	2.6
			2400 2499	7.0	(8.9)	75.1	503.8	72.0	8.4	3.3	9.6	3.3	4.9	2.6
			2300 2399	13.0	(16.5)	75.4	479.9	70.2	8.3	2.9	7.7	3.7	4.5	3.0
			2200 2299	7.0	(8.9)	75.3	521.1	69.9	8.5	2.6	8.3	3.4	4.7	2.6
			2100 2199	5.0	(6.3)	74.1	436.5	55.8	7.8	2.6	6.2	4.0	4.2	3.0
			2000 2099	3.0	(3.8)	74.6	437.0	64.3	7.3	2.8	5.7	4.3	4.0	3.0
			1800 1899	2.0	(2.5)	72.7	424.5	52.5	8.2	4.2	4.5	4.0	3.5	2.5
				79.0	(1.3)	75.5	481.4	71.0	8.2	2.9	9.2	3.5	4.7	2.7
			2900 2999	1.0	(1.3)	76.6	445.8	73.0	8.4	2.6	12.0	3.0	5.0	3.0
			2800 2899	1.0	(1.3)	77.2	497.4	82.0	8.8	2.7	11.0	4.0	5.0	3.0
			2700 2799	1.0	(1.3)	78.0	453.4	82.0	8.3	2.1	10.0	3.0	5.0	3.0
			2600 2699	1.0	(1.3)	74.7	394.0	57.0	6.4	1.6	10.0	3.0	5.0	3.0
			2500 2599	5.0	(6.5)	76.1	470.5	73.0	8.7	3.1	9.2	3.4	5.0	3.0
			2400 2499	6.0	(7.8)	75.4	457.6	67.5	7.7	2.5	8.3	4.0	4.8	2.5
			2300 2399	15.0	(19.5)	75.2	443.6	63.9	8.1	2.7	7.5	3.8	4.3	2.9
			2200 2299	12.0	(15.6)	74.9	454.6	65.6	8.0	3.0	6.3	3.9	4.3	2.9
			2100 2199	8.0	(10.4)	74.6	448.1	63.1	8.0	3.1	6.8	3.8	4.1	3.0
			2000 2099	10.0	(13.0)	73.1	414.2	52.1	7.4	3.2	5.5	4.1	3.5	2.9
			1900 1999	5.0	(6.5)	73.0	428.0	51.4	7.7	3.2	4.6	3.6	3.4	2.6
			1800 1899	1.0	(1.3)	71.1	512.4	52.0	8.0	4.4	4.0	4.0	3.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1700 1799	1.0	(1.3)	72.5	315.8	41.0	5.5	2.2	3.0	4.0	2.0	3.0
			1400 1499	1.0	(1.3)	71.3	385.6	46.0	5.4	3.2	6.0	4.0	4.0	2.0
			1300 1399	1.0	(1.3)	72.7	329.6	44.0	5.9	2.5	4.0	5.0	3.0	3.0
			1200 1299	5.0	(6.5)	72.5	336.1	43.6	5.0	1.9	3.8	4.8	2.6	2.8
			1100 1199	3.0	(3.9)	71.7	327.8	40.7	5.3	2.7	2.0	5.3	2.0	3.0
				77.0	(1.2)	74.3	429.5	59.9	7.6	2.8	6.5	3.9	4.0	2.9
			3000	174.0	(54.9)	76.1	473.6	72.7	8.4	2.6	10.2	3.6	5.0	2.8
			2900 2999	9.0	(2.8)	74.2	461.6	60.2	7.8	2.7	7.6	3.8	4.7	2.9
			2800 2899	7.0	(2.2)	75.6	472.6	69.1	8.2	2.6	9.1	3.4	4.6	2.9
			2700 2799	20.0	(6.3)	74.3	466.1	60.7	8.0	2.8	7.8	3.8	4.5	2.8
			2600 2699	18.0	(5.7)	75.0	484.8	67.9	8.3	3.0	8.8	3.9	4.8	2.9
			2500 2599	25.0	(7.9)	75.3	456.1	68.9	7.9	2.9	9.8	3.5	4.9	2.7
			2400 2499	5.0	(1.6)	75.6	489.2	68.4	8.9	2.8	9.0	3.6	4.8	2.4
			2300 2399	16.0	(5.0)	74.6	466.6	63.8	7.9	2.8	7.0	4.0	4.2	2.7
			2200 2299	10.0	(3.2)	73.8	466.9	61.4	7.6	3.2	7.1	3.9	4.3	2.9
			2100 2199	9.0	(2.8)	74.2	430.9	59.2	7.4	2.7	6.4	4.1	4.1	2.8
			2000 2099	4.0	(1.3)	72.0	400.4	44.0	6.8	2.9	6.5	4.0	4.0	2.5
			1900 1999	4.0	(1.3)	73.9	435.2	56.3	7.3	2.5	4.8	4.3	3.3	3.0
			1800 1899	2.0	(0.6)	73.5	464.0	58.0	7.7	3.1	6.0	4.5	3.5	3.0
			1500 1599	1.0	(0.3)	72.3	469.0	49.0	7.4	2.8	5.0	4.0	3.0	3.0
			1400 1499	2.0	(0.6)	69.7	365.9	37.0	5.2	3.8	4.0	5.5	2.5	3.5
			1300 1399	3.0	(0.9)	71.4	341.5	36.0	5.7	2.5	3.3	4.3	2.3	3.0
			1200 1299	6.0	(1.9)	72.0	366.2	42.7	6.1	2.7	2.7	4.7	2.0	2.8
			1100 1199	2.0	(0.6)	71.1	338.1	32.0	6.0	2.5	2.0	5.0	1.5	2.5
				317.0	(5.1)	75.3	464.2	67.5	8.1	2.7	9.0	3.8	4.7	2.8
			3000	19.0	(59.4)	75.4	459.1	69.2	8.1	3.0	9.7	3.7	4.9	3.0
			2900 2999	2.0	(6.3)	78.0	468.0	87.0	8.3	2.8	9.0	4.5	5.0	3.0
			2700 2799	5.0	(15.6)	74.6	449.6	64.0	8.1	3.2	7.8	4.0	4.4	3.0
			2500 2599	1.0	(3.1)	74.0	464.3	58.0	8.6	3.2	6.0	4.0	4.0	3.0
			2300 2399	1.0	(3.1)	74.3	343.0	47.0	6.0	1.0	4.0	4.0	3.0	3.0
			2100 2199	1.0	(3.1)	74.5	488.0	67.0	7.1	2.5	4.0	5.0	3.0	3.0
			999	3.0	(9.4)	70.9	299.6	30.3	4.7	2.0	2.0	4.7	1.3	3.3
				32.0	(0.5)	74.9	440.7	64.8	7.7	2.9	8.2	3.9	4.3	3.0
			3000	1.0	(3.7)	81.6	493.1	98.0	10.8	1.7	12.0	4.0	5.0	3.0
			2800 2899	3.0	(11.1)	74.9	512.8	66.0	8.8	2.9	9.7	4.0	5.0	2.7
			2700 2799	3.0	(11.1)	75.7	522.9	70.0	8.7	2.3	9.7	4.0	5.0	2.7
			2600 2699	8.0	(29.6)	75.6	516.3	70.6	8.8	2.6	9.1	3.8	4.8	2.9
			2500 2599	6.0	(22.2)	74.2	476.1	63.8	8.3	3.4	10.0	4.0	5.0	2.8
			2400 2499	1.0	(3.7)	74.4	398.9	53.0	7.2	1.9	7.0	4.0	4.0	2.0
			2300 2399	1.0	(3.7)	74.5	366.1	52.0	7.2	2.0	7.0	4.0	4.0	3.0
			2200 2299	1.0	(3.7)	75.8	476.2	66.0	9.2	2.7	5.0	4.0	4.0	3.0

					(%)		(kg)	(m2)	(m)	(m)				
			2000 2099	2.0	(7.4)	74.7	376.5	55.5	7.0	2.1	4.0	4.5	3.0	2.5
			1700 1799	1.0	(3.7)	72.4	337.7	37.0	5.9	1.7	3.0	5.0	2.0	2.0
				27.0	(0.4)	75.2	478.5	65.7	8.4	2.6	8.6	4.0	4.6	2.7
			2700 2799	1.0	(16.7)	80.3	430.4	103.0	7.2	2.0	12.0	3.0	5.0	3.0
			2400 2499	1.0	(16.7)	75.4	486.6	73.0	7.8	2.8	6.0	4.0	4.0	3.0
			2000 2099	1.0	(16.7)	74.4	460.4	61.0	7.7	2.6	8.0	3.0	4.0	3.0
			1200 1299	2.0	(33.3)	72.2	353.8	38.5	5.8	1.8	5.0	5.0	2.5	4.5
			1000 1099	1.0	(16.7)	70.9	408.0	48.0	5.4	3.5	6.0	7.0	2.0	5.0
				6.0	(0.1)	74.2	415.5	60.3	6.6	2.4	7.0	4.5	3.3	3.8
			3000	74.0	(36.5)	75.2	392.9	63.5	7.2	2.6	8.8	3.9	4.8	2.9
			2900 2999	9.0	(4.4)	75.4	420.2	66.0	7.4	2.6	9.2	3.9	4.7	2.9
			2800 2899	12.0	(5.9)	75.1	401.5	61.3	7.4	2.4	8.8	4.0	4.6	2.5
			2700 2799	9.0	(4.4)	76.3	445.7	74.9	7.6	2.6	8.9	3.8	4.9	2.9
			2600 2699	21.0	(10.3)	74.7	459.6	65.6	7.7	2.9	8.4	3.8	4.7	2.6
			2500 2599	18.0	(8.9)	74.6	466.1	65.3	7.8	3.0	8.9	3.7	4.9	2.7
			2400 2499	17.0	(8.4)	74.6	451.6	63.0	7.8	2.9	7.9	3.9	4.6	2.8
			2300 2399	9.0	(4.4)	73.7	490.8	63.9	8.5	3.9	7.3	3.9	4.3	2.9
			2200 2299	6.0	(3.0)	73.8	487.5	61.2	8.1	3.2	7.0	4.5	4.0	2.7
			2100 2199	11.0	(5.4)	73.4	518.0	61.5	8.7	3.7	6.7	4.1	4.0	3.0
			2000 2099	5.0	(2.5)	73.6	483.3	59.8	8.1	3.3	4.6	4.0	3.2	2.6
			1900 1999	3.0	(1.5)	72.5	454.2	51.3	8.3	3.9	4.7	4.0	3.0	3.0
			1800 1899	2.0	(1.0)	73.1	399.9	46.0	7.3	2.4	3.0	5.0	2.5	2.5
			1400 1499	1.0	(0.5)	74.2	299.0	46.0	5.9	1.6	4.0	4.0	2.0	4.0
			1300 1399	1.0	(0.5)	73.1	277.0	41.0	6.1	2.5	4.0	4.0	2.0	4.0
			1000 1099	2.0	(1.0)	71.5	252.6	31.0	4.2	1.8	2.5	5.5	2.0	6.0
			999	3.0	(1.5)	71.3	194.5	25.3	3.4	1.3	2.0	4.7	1.7	3.0
				203.0	(3.3)	74.7	427.0	62.6	7.5	2.8	8.1	3.9	4.5	2.8
			3000	1.0	(1.9)	78.1	502.2	97.0	7.5	2.9	12.0	3.0	5.0	3.0
			2900 2999	2.0	(3.7)	77.3	511.3	82.0	8.2	2.0	11.5	3.5	5.0	3.0
			2800 2899	2.0	(3.7)	77.2	451.8	75.5	8.2	2.0	9.5	3.5	5.0	3.0
			2700 2799	3.0	(5.6)	76.0	456.0	72.0	7.7	2.5	9.0	3.3	5.0	3.0
			2600 2699	6.0	(11.1)	76.6	449.7	77.2	7.7	2.7	8.8	3.3	5.0	3.0
			2500 2599	7.0	(13.0)	75.6	460.5	69.0	8.0	2.6	8.6	3.6	5.0	2.9
			2400 2499	8.0	(14.8)	75.4	432.4	67.3	7.3	2.4	7.8	4.1	4.6	3.0
			2300 2399	8.0	(14.8)	75.0	459.5	67.8	7.6	2.9	6.8	4.3	4.3	2.9
			2200 2299	1.0	(1.9)	74.4	477.8	59.0	8.1	2.4	6.0	4.0	4.0	3.0
			2100 2199	3.0	(5.6)	74.1	403.7	54.7	7.0	2.3	5.3	4.0	3.7	3.0
			2000 2099	1.0	(1.9)	71.8	393.2	48.0	7.0	4.0	3.0	4.0	3.0	3.0
			1900 1999	1.0	(1.9)	70.9	346.6	36.0	6.4	3.5	3.0	4.0	3.0	3.0
			1800 1899	1.0	(1.9)	72.2	346.8	38.0	6.0	1.9	4.0	4.0	3.0	3.0
			1700 1799	1.0	(1.9)	74.0	416.9	51.0	7.3	1.9	8.0	5.0	4.0	4.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1500 1599	4.0	(7.4)	73.4	353.7	52.5	5.9	2.6	5.3	4.8	3.5	3.8
			1400 1499	1.0	(1.9)	72.7	380.6	48.0	5.9	2.4	5.0	5.0	3.0	3.0
			1200 1299	3.0	(5.6)	71.1	356.3	38.0	5.3	2.6	3.3	4.7	2.3	3.7
			1000 1099	1.0	(1.9)	70.1	375.3	38.0	5.3	3.5	3.0	6.0	2.0	3.0
				54.0	(0.9)	74.8	431.2	64.1	7.3	2.6	7.2	4.0	4.3	3.1
			2500 2599	1.0	(0.0)	74.6	488.6	67.0	8.8	3.5	11.0	3.0	5.0	3.0
			3000	37.0	(45.7)	76.2	451.5	71.0	8.7	2.9	10.8	3.7	5.0	2.8
			2900 2999	7.0	(8.6)	76.6	449.0	75.9	8.1	2.8	10.9	3.7	5.0	2.7
			2800 2899	9.0	(11.1)	75.1	457.2	64.2	8.2	2.7	9.8	4.1	4.9	2.9
			2700 2799	6.0	(7.4)	74.3	399.8	57.0	7.7	2.9	9.5	4.0	4.7	2.8
			2600 2699	8.0	(9.9)	74.9	445.1	65.3	7.9	3.1	9.4	3.8	4.8	2.9
			2500 2599	7.0	(8.6)	74.8	438.1	64.0	7.8	2.9	8.9	3.7	4.6	2.9
			2400 2499	5.0	(6.2)	74.2	397.4	59.0	7.3	3.2	8.4	3.6	4.8	2.8
			2300 2399	1.0	(1.2)	73.5	371.2	57.0	5.7	2.7	8.0	4.0	4.0	2.0
			2000 2099	1.0	(1.2)	74.1	336.5	48.0	6.1	1.6	4.0	5.0	3.0	3.0
				81.0	(1.3)	75.5	440.6	67.3	8.2	2.9	10.0	3.8	4.9	2.8
			3000	4.0	(2.0)	76.0	450.6	72.0	8.5	3.1	10.3	3.5	5.0	3.0
			2900 2999	1.0	(0.5)	78.2	404.0	79.0	7.7	1.7	10.0	4.0	5.0	3.0
			2800 2899	4.0	(2.0)	75.9	463.3	68.3	8.2	2.3	10.5	3.8	5.0	3.0
			2700 2799	10.0	(5.1)	75.8	448.6	71.3	8.0	2.9	9.9	3.6	5.0	3.0
			2600 2699	8.0	(4.1)	75.1	440.5	68.0	7.9	3.2	10.3	4.0	5.0	2.9
			2500 2599	12.0	(6.1)	74.8	421.5	63.7	7.6	3.0	8.9	4.0	5.0	2.8
			2400 2499	13.0	(6.6)	75.0	443.3	65.3	7.8	2.9	8.5	4.0	4.7	3.0
			2300 2399	17.0	(8.7)	75.0	449.4	65.4	8.1	3.0	8.1	4.1	4.6	3.1
			2200 2299	6.0	(3.1)	74.1	461.3	60.3	8.0	3.1	6.7	4.0	4.0	2.7
			2100 2199	6.0	(3.1)	73.6	454.2	59.2	7.8	3.4	7.0	4.3	4.5	3.0
			2000 2099	3.0	(1.5)	72.6	468.0	56.7	7.8	3.9	7.0	4.3	4.3	3.0
			1900 1999	5.0	(2.6)	74.1	470.5	62.0	8.0	3.1	7.6	4.6	4.2	3.4
			1800 1899	3.0	(1.5)	73.9	463.6	61.3	7.2	2.8	7.3	4.0	4.0	3.0
			1700 1799	7.0	(3.6)	73.5	471.6	58.7	7.4	2.8	6.3	4.0	3.9	3.0
			1600 1699	8.0	(4.1)	72.3	460.7	54.0	6.4	3.0	5.1	4.6	3.1	3.0
			1500 1599	13.0	(6.6)	72.3	396.6	48.2	5.9	2.6	4.5	4.4	2.9	3.3
			1400 1499	19.0	(9.7)	72.2	421.5	47.4	6.2	2.5	3.7	4.4	2.5	3.6
			1300 1399	21.0	(10.7)	72.3	395.3	47.6	5.7	2.4	2.8	4.5	2.2	3.8
			1200 1299	21.0	(10.7)	71.4	368.6	42.0	5.2	2.6	2.8	4.6	2.1	3.6
			1100 1199	11.0	(5.6)	71.3	335.4	37.0	5.1	2.3	2.7	5.0	2.1	3.6
			1000 1099	3.0	(1.5)	70.8	325.2	32.7	4.7	2.1	2.3	5.0	2.0	5.0
			999	1.0	(0.5)	70.8	219.6	17.0	4.8	1.5	2.0	6.0	2.0	5.0
				196.0	(3.1)	73.4	419.6	55.0	6.8	2.8	5.9	4.3	3.5	3.3
			2900 2999	2.0	(4.2)	77.5	410.0	79.0	6.7	1.7	11.5	3.5	5.0	3.0
			2800 2899	2.0	(4.2)	78.4	470.4	87.5	8.3	2.3	11.0	3.5	5.0	2.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2700 2799	5.0	(10.4)	75.3	413.5	65.8	6.7	2.1	10.0	3.6	5.0	2.2
			2600 2699	6.0	(12.5)	75.7	453.5	69.5	7.6	2.4	9.8	3.7	5.0	2.5
			2500 2599	10.0	(20.8)	75.5	431.5	65.9	7.8	2.5	8.6	3.7	4.9	2.5
			2400 2499	11.0	(22.9)	75.0	465.5	66.9	7.9	2.9	8.6	3.7	4.9	2.5
			2300 2399	7.0	(14.6)	74.7	463.4	64.4	7.9	2.9	7.3	3.9	4.4	2.6
			2200 2299	2.0	(4.2)	75.3	412.6	63.5	7.5	2.4	6.5	4.5	4.0	2.5
			2100 2199	1.0	(2.1)	73.8	420.4	56.0	7.7	3.1	7.0	4.0	4.0	3.0
			2000 2099	2.0	(4.2)	73.2	508.9	58.5	8.3	3.4	4.5	4.0	3.5	3.0
				48.0	(0.8)	75.3	447.7	67.2	7.7	2.6	8.6	3.8	4.8	2.5
			3000	2.0	(2.5)	76.2	544.4	75.5	10.7	3.8	10.0	3.5	5.0	3.0
			2800 2899	1.0	(1.2)	76.2	380.4	66.0	7.8	2.5	10.0	4.0	5.0	3.0
			2700 2799	2.0	(2.5)	75.7	360.9	63.0	6.7	2.0	10.0	4.0	5.0	3.0
			2600 2699	2.0	(2.5)	76.2	405.4	72.5	6.9	2.5	10.5	4.0	5.0	3.0
			2500 2599	8.0	(9.9)	75.7	422.7	67.9	7.5	2.6	9.4	3.5	5.0	2.9
			2400 2499	21.0	(25.9)	75.4	435.1	67.5	7.7	2.7	8.5	3.7	4.9	2.8
			2300 2399	17.0	(21.0)	74.6	440.8	63.1	7.8	3.1	7.4	3.7	4.6	2.8
			2200 2299	9.0	(11.1)	73.9	390.7	56.8	6.9	2.9	6.6	3.7	4.1	2.8
			2100 2199	6.0	(7.4)	73.8	413.4	58.0	7.0	2.9	5.3	3.8	3.7	2.3
			2000 2099	3.0	(3.7)	73.7	433.0	62.3	7.5	3.9	6.7	3.3	4.3	2.7
			1900 1999	3.0	(3.7)	73.1	446.0	55.0	7.6	3.3	4.0	4.0	3.0	3.0
			1800 1899	1.0	(1.2)	72.1	563.0	58.0	8.3	3.7	5.0	4.0	3.0	3.0
			1700 1799	2.0	(2.5)	72.8	450.8	60.5	6.8	3.7	3.5	4.5	2.5	3.0
			1600 1699	1.0	(1.2)	71.4	417.0	44.0	6.5	3.2	3.0	4.0	3.0	3.0
			1300 1399	1.0	(1.2)	70.2	378.2	44.0	5.1	4.0	2.0	4.0	2.0	3.0
			999	2.0	(2.5)	71.0	254.7	32.0	3.6	2.0	2.0	5.0	2.0	5.0
				81.0	(1.3)	74.6	424.9	62.5	7.4	2.9	7.3	3.8	4.4	2.9
			2600 2699	2.0	(15.4)	75.8	440.0	69.5	7.8	2.6	10.5	3.0	5.0	3.0
			2400 2499	1.0	(7.7)	75.3	410.0	71.0	7.3	3.5	10.0	4.0	5.0	3.0
			2300 2399	2.0	(15.4)	75.4	479.6	74.5	8.0	3.3	7.0	3.5	5.0	3.0
			2200 2299	2.0	(15.4)	74.5	464.6	69.0	7.5	3.4	6.5	3.5	4.0	3.0
			1400 1499	2.0	(15.4)	72.4	325.7	45.0	5.3	2.6	4.5	4.0	3.0	3.5
			1200 1299	3.0	(23.1)	71.0	310.0	33.3	5.5	2.8	2.7	4.7	2.0	4.3
			999	1.0	(7.7)	70.2	256.9	27.0	3.3	1.9	2.0	6.0	1.0	7.0
				13.0	(0.2)	73.5	385.9	54.9	6.5	2.9	5.9	4.0	3.5	3.7
			3000	2.0	(2.7)	78.5	499.8	89.0	8.8	2.4	11.0	3.5	5.0	2.5
			2800 2899	8.0	(11.0)	77.3	467.9	81.4	8.2	2.6	11.3	3.3	5.0	2.5
			2700 2799	9.0	(12.3)	76.3	457.8	76.4	7.8	2.8	10.4	3.4	5.0	2.6
			2600 2699	8.0	(11.0)	75.7	443.3	68.9	7.6	2.5	9.8	3.6	5.0	2.5
			2500 2599	11.0	(15.1)	75.0	442.4	64.7	7.8	2.8	8.5	3.5	4.6	2.8
			2400 2499	6.0	(8.2)	75.6	447.7	69.0	7.7	2.6	6.8	4.3	4.2	2.8
			2300 2399	14.0	(19.2)	74.2	414.3	59.7	7.2	2.9	7.1	4.3	4.2	2.9
			2200 2299	4.0	(5.5)	74.3	457.9	61.3	8.0	3.0	5.5	3.8	4.0	3.3

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2100 2199	2.0	(2.7)	72.8	319.9	43.5	5.8	2.4	5.5	4.0	3.5	2.0
			2000 2099	3.0	(4.1)	73.7	454.2	62.3	7.2	3.3	4.3	3.7	3.0	3.0
			1900 1999	1.0	(1.4)	72.7	399.0	50.0	7.1	3.2	5.0	4.0	4.0	2.0
			1800 1899	1.0	(1.4)	77.2	321.4	68.0	6.4	1.5	5.0	4.0	3.0	3.0
			1600 1699	1.0	(1.4)	73.5	388.6	50.0	6.0	1.7	7.0	5.0	4.0	3.0
			1300 1399	1.0	(1.4)	70.8	455.3	47.0	7.0	4.2	4.0	5.0	3.0	3.0
			1100 1199	1.0	(1.4)	71.4	277.2	33.0	5.1	2.5	4.0	5.0	2.0	3.0
			999	1.0	(1.4)	71.7	314.0	36.0	4.6	1.7	3.0	4.0	2.0	4.0
				73.0	(1.2)	75.2	435.0	66.2	7.5	2.7	8.1	3.8	4.4	2.7
			3000	1.0	(3.2)	76.6	463.2	75.0	7.8	2.2	10.0	3.0	5.0	3.0
			2900 2999	2.0	(6.5)	76.0	449.9	69.0	8.2	2.4	11.5	3.0	5.0	2.5
			2800 2899	2.0	(6.5)	75.7	505.0	76.0	8.4	3.3	10.5	3.5	5.0	2.5
			2700 2799	10.0	(32.3)	76.0	432.1	72.1	7.3	2.5	9.7	3.4	5.0	2.5
			2600 2699	5.0	(16.1)	76.7	428.4	71.8	7.8	2.1	10.0	3.6	5.0	2.8
			2500 2599	3.0	(9.7)	75.0	411.0	64.0	7.2	2.7	8.7	4.0	4.7	2.7
			2400 2499	4.0	(12.9)	76.6	450.4	75.3	7.8	2.4	8.3	4.3	4.8	2.8
			2200 2299	2.0	(6.5)	73.7	408.4	55.0	7.3	2.9	6.0	4.5	4.0	3.5
			1500 1599	1.0	(3.2)	73.2	436.0	56.0	7.0	3.0	5.0	4.0	3.0	4.0
			999	1.0	(3.2)	70.3	246.0	19.0	3.5	1.0	1.0	5.0	2.0	6.0
				31.0	(0.5)	75.7	431.3	68.5	7.4	2.5	9.0	3.7	4.7	2.8
			2800 2899	1.0	(7.1)	75.4	435.1	64.0	8.1	2.5	11.0	3.0	5.0	3.0
			2700 2799	1.0	(7.1)	74.8	515.5	70.0	7.4	2.5	9.0	3.0	5.0	3.0
			2600 2699	2.0	(14.3)	75.1	426.5	68.5	6.8	2.7	8.5	3.5	5.0	3.0
			2500 2599	2.0	(14.3)	73.8	464.4	64.5	8.1	4.0	9.0	3.0	5.0	3.0
			2400 2499	1.0	(7.1)	74.7	418.5	63.0	7.2	2.7	7.0	4.0	4.0	3.0
			2100 2199	2.0	(14.3)	73.3	377.1	49.5	7.4	3.0	6.0	5.0	3.5	3.0
			1900 1999	1.0	(7.1)	72.8	334.0	49.0	5.8	3.0	7.0	4.0	4.0	3.0
			1700 1799	1.0	(7.1)	75.4	476.1	61.0	8.2	1.6	7.0	5.0	4.0	5.0
			1400 1499	1.0	(7.1)	74.5	384.8	60.0	5.6	1.8	7.0	5.0	4.0	3.0
			1300 1399	1.0	(7.1)	72.6	400.4	49.0	6.0	2.4	5.0	5.0	3.0	5.0
			1100 1199	1.0	(7.1)	71.8	375.3	48.0	5.5	3.1	3.0	6.0	2.0	3.0
				14.0	(0.2)	74.0	419.7	59.2	7.0	2.8	7.4	4.1	4.1	3.3
			2700 2799	1.0	(9.1)	77.8	571.0	100.0	9.0	3.9	9.0	4.0	5.0	3.0
			2600 2699	2.0	(18.2)	75.1	495.3	67.0	9.2	3.3	8.5	3.0	5.0	3.0
			2400 2499	1.0	(9.1)	75.4	456.5	63.0	7.7	1.8	8.0	3.0	5.0	3.0
			2300 2399	2.0	(18.2)	76.9	466.3	73.0	8.2	1.8	10.0	3.0	5.0	3.0
			2200 2299	1.0	(9.1)	74.1	399.5	52.0	7.9	2.7	7.0	3.0	4.0	3.0
			2100 2199	4.0	(36.4)	74.7	451.8	61.5	7.9	2.5	6.5	3.5	4.0	3.0
				11.0	(0.2)	75.5	468.8	67.4	8.2	2.6	7.9	3.3	4.5	3.0
			2800 2899	1.0	(0.7)	77.8	566.4	99.0	8.5	3.3	12.0	3.0	5.0	3.0
			2600 2699	4.0	(2.9)	75.9	477.9	71.8	8.3	2.6	10.0	3.5	5.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2500 2599	6.0	(4.3)	75.4	471.7	71.2	7.8	2.9	9.0	3.7	4.8	3.0
			2400 2499	7.0	(5.1)	75.2	447.4	65.4	7.9	2.7	9.4	3.9	5.0	3.0
			2300 2399	6.0	(4.3)	74.5	440.6	63.8	7.6	3.0	8.5	4.0	4.8	2.8
			2200 2299	11.0	(8.0)	73.8	434.3	60.7	7.3	3.3	7.3	3.7	4.5	2.9
			2100 2199	6.0	(4.3)	74.1	411.8	58.2	6.9	2.6	5.5	3.7	3.7	3.2
			2000 2099	4.0	(2.9)	74.0	435.2	60.8	7.2	3.0	6.0	4.3	3.5	3.0
			1900 1999	2.0	(1.4)	72.9	437.4	53.5	7.0	3.0	3.5	3.5	3.0	3.0
			1800 1899	1.0	(0.7)	73.4	450.4	49.0	8.7	2.9	2.0	4.0	3.0	2.0
			1700 1799	5.0	(3.6)	73.1	440.7	54.8	6.8	2.7	4.2	4.4	2.8	3.0
			1600 1699	4.0	(2.9)	73.0	412.0	54.8	5.9	2.5	4.3	4.5	3.0	3.3
			1500 1599	3.0	(2.2)	71.4	393.1	50.7	5.1	3.5	5.7	4.0	3.7	4.7
			1400 1499	5.0	(3.6)	72.2	440.0	51.4	6.0	2.7	3.4	4.2	2.6	3.0
			1300 1399	10.0	(7.2)	72.2	354.8	44.6	5.0	2.2	3.3	4.3	2.4	3.1
			1200 1299	16.0	(11.6)	71.5	362.5	43.0	5.1	2.6	2.4	4.8	2.1	3.1
			1100 1199	25.0	(18.1)	71.7	318.9	38.9	4.4	1.9	2.2	4.6	2.0	3.7
			1000 1099	17.0	(12.3)	71.2	289.9	33.7	4.1	1.9	2.0	5.1	2.0	4.1
			999	5.0	(3.6)	71.2	281.3	33.0	3.8	1.7	2.0	5.4	1.8	5.0
				138.0	(2.2)	72.7	378.9	49.4	5.8	2.5	4.4	4.4	3.0	3.4
			3000	3.0	(1.2)	78.8	493.4	90.0	8.3	1.9	11.0	3.0	5.0	3.0
			2900 2999	4.0	(1.6)	76.7	483.3	75.8	8.3	2.4	10.5	4.0	5.0	3.3
			2800 2899	10.0	(4.0)	78.1	499.2	87.9	8.6	2.4	10.4	3.3	5.0	2.8
			2700 2799	21.0	(8.4)	76.7	467.1	77.0	8.3	2.7	10.4	3.5	5.0	2.9
			2600 2699	34.0	(13.5)	76.3	455.9	75.2	8.0	2.8	9.6	3.6	5.0	2.9
			2500 2599	41.0	(16.3)	76.1	472.0	74.4	8.2	2.8	8.3	3.7	4.9	3.0
			2400 2499	28.0	(11.2)	75.1	444.2	65.2	7.8	2.7	8.3	3.9	4.7	3.0
			2300 2399	41.0	(16.3)	75.0	447.8	65.5	7.8	2.9	7.3	3.9	4.5	2.8
			2200 2299	21.0	(8.4)	74.9	464.8	66.6	7.7	2.7	6.6	4.0	4.2	3.0
			2100 2199	11.0	(4.4)	74.4	463.2	62.4	7.9	2.9	6.0	4.2	3.9	3.0
			2000 2099	7.0	(2.8)	74.0	440.7	60.1	7.4	2.9	5.6	4.1	3.7	3.0
			1900 1999	4.0	(1.6)	73.1	494.8	58.3	7.7	3.2	4.5	4.5	3.3	3.0
			1800 1899	7.0	(2.8)	72.5	433.7	53.7	7.2	3.6	4.0	4.4	2.6	3.0
			1700 1799	3.0	(1.2)	73.2	486.4	58.3	8.0	3.5	4.0	4.7	2.7	3.0
			1600 1699	1.0	(0.4)	69.6	390.0	34.0	4.5	2.6	6.0	4.0	4.0	5.0
			1500 1599	1.0	(0.4)	74.1	418.3	64.0	6.0	2.6	4.0	5.0	2.0	3.0
			1400 1499	4.0	(1.6)	72.7	391.6	50.0	5.6	2.2	3.5	4.5	2.3	3.3
			1300 1399	3.0	(1.2)	72.9	334.5	48.7	4.9	2.2	3.3	4.0	2.3	3.0
			1200 1299	3.0	(1.2)	72.1	320.1	38.3	5.0	1.8	3.0	4.7	2.3	5.0
			1100 1199	2.0	(0.8)	71.5	318.1	36.5	5.0	2.2	2.5	4.5	2.0	3.5
			1000 1099	2.0	(0.8)	71.3	249.7	32.0	3.1	1.4	2.0	4.5	2.0	3.5
				251.0	(4.0)	75.3	453.2	68.4	7.8	2.8	7.8	3.9	4.4	3.0
			3000	1.0	(0.3)	80.0	471.9	96.0	8.1	1.5	12.0	3.0	5.0	2.0
			2800 2899	1.0	(0.3)	78.0	514.6	87.0	10.3	3.6	12.0	4.0	5.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2600 2699	5.0	(1.6)	75.4	469.0	69.6	8.7	3.3	9.8	3.6	5.0	3.0
			2500 2599	15.0	(4.7)	75.6	446.8	68.3	7.8	2.5	9.0	3.9	4.9	3.0
			2400 2499	14.0	(4.4)	75.3	428.4	63.9	8.0	2.7	8.6	3.9	5.0	2.8
			2300 2399	31.0	(9.7)	75.0	441.6	63.4	7.9	2.7	8.2	3.7	4.6	2.7
			2200 2299	50.0	(15.7)	74.5	428.4	59.4	7.7	2.7	6.9	3.8	4.4	2.9
			2100 2199	43.0	(13.5)	74.4	412.6	58.3	7.5	2.7	6.2	3.7	4.1	2.8
			2000 2099	43.0	(13.5)	73.9	423.1	56.6	7.3	2.7	5.3	4.0	3.8	2.9
			1900 1999	38.0	(11.9)	73.8	405.4	53.8	7.3	2.7	4.6	3.9	3.2	2.8
			1800 1899	25.0	(7.9)	73.2	396.6	50.1	7.1	2.8	4.2	4.2	2.9	2.8
			1700 1799	9.0	(2.8)	72.7	396.1	48.6	6.6	2.8	3.4	3.9	2.4	2.7
			1600 1699	4.0	(1.3)	72.0	337.9	40.0	6.2	2.8	2.8	4.0	2.0	2.5
			1500 1599	1.0	(0.3)	72.7	435.6	40.0	8.6	2.5	3.0	5.0	2.0	3.0
			1400 1499	1.0	(0.3)	72.7	339.1	47.0	5.1	2.2	7.0	4.0	3.0	6.0
			1300 1399	5.0	(1.6)	71.0	410.9	44.2	6.1	3.4	4.0	4.6	2.4	3.6
			1200 1299	9.0	(2.8)	71.8	333.8	39.1	5.0	2.0	3.6	4.7	2.1	3.3
			1100 1199	9.0	(2.8)	71.2	321.4	34.8	5.0	2.3	2.4	4.6	2.0	3.9
			1000 1099	7.0	(2.2)	71.6	308.0	37.1	4.5	2.0	2.3	4.4	2.0	3.7
			999	7.0	(2.2)	71.6	264.4	31.4	3.8	1.3	2.3	4.7	1.6	4.6
				318.0	(5.1)	74.0	408.9	55.6	7.2	2.6	5.8	3.9	3.7	2.9
			3000	2.0	(2.5)	79.7	450.9	97.0	7.3	1.8	12.0	3.0	5.0	2.0
			2900 2999	3.0	(3.7)	76.8	452.2	81.7	7.3	2.7	11.7	3.0	5.0	2.3
			2800 2899	2.0	(2.5)	76.8	470.9	74.0	8.4	2.1	10.5	3.5	5.0	2.5
			2700 2799	6.0	(7.4)	77.1	462.5	81.5	7.9	2.6	10.7	3.3	5.0	2.8
			2600 2699	4.0	(4.9)	77.0	426.1	75.0	7.1	1.8	10.5	3.5	5.0	2.8
			2500 2599	7.0	(8.6)	75.8	424.4	66.9	7.4	2.2	9.1	3.4	5.0	2.6
			2400 2499	15.0	(18.5)	75.6	457.7	69.3	7.9	2.6	8.7	3.7	4.9	2.9
			2300 2399	8.0	(9.9)	75.0	475.0	66.9	8.5	3.1	8.0	3.9	4.4	3.0
			2200 2299	9.0	(11.1)	74.3	462.1	60.9	8.1	3.0	6.7	3.9	4.1	3.0
			2100 2199	4.0	(4.9)	74.2	414.1	56.5	7.3	2.6	6.8	4.3	4.0	3.0
			2000 2099	4.0	(4.9)	74.8	450.4	65.3	7.5	2.8	7.5	4.0	4.5	3.0
			1900 1999	4.0	(4.9)	74.7	410.3	56.3	7.5	2.1	4.3	4.0	3.0	2.5
			1800 1899	3.0	(3.7)	73.8	415.5	59.3	8.0	3.8	5.0	4.0	3.0	3.0
			1700 1799	2.0	(2.5)	73.2	458.9	58.0	6.5	2.6	6.5	4.0	4.0	3.0
			1500 1599	2.0	(2.5)	73.8	412.9	57.5	6.4	2.5	7.0	4.5	3.5	3.0
			1400 1499	1.0	(1.2)	71.0	397.5	42.0	4.7	2.3	4.0	4.0	3.0	4.0
			1300 1399	1.0	(1.2)	71.1	341.0	37.0	5.4	2.8	3.0	5.0	2.0	4.0
			1200 1299	1.0	(1.2)	71.8	311.0	36.0	4.9	1.8	3.0	5.0	2.0	3.0
			1100 1199	2.0	(2.5)	71.5	441.6	47.5	5.9	2.8	3.5	5.0	2.5	4.5
			999	1.0	(1.2)	71.0	252.2	26.0	3.5	1.1	2.0	3.0	2.0	3.0
				81.0	(1.3)	75.1	441.3	65.7	7.5	2.6	7.9	3.8	4.3	2.9
			1500 1599	2.0	(22.2)	72.7	371.0	53.0	5.3	2.8	5.0	4.0	3.5	3.0
			1200 1299	3.0	(33.3)	72.0	357.4	44.7	5.5	2.7	2.7	5.0	2.3	3.7
			1100 1199	2.0	(22.2)	72.9	329.1	47.0	4.5	1.8	2.0	5.0	2.0	4.0
			1000 1099	2.0	(22.2)	71.2	355.6	45.0	4.3	2.7	2.5	4.5	2.0	3.5

					(%)		(kg)	(m2)	(m)	(m)				
				9.0	(0.1)	72.2	353.8	47.1	5.0	2.5	3.0	4.7	2.4	3.6
			3000	4.0	(0.7)	76.5	464.0	76.5	8.5	3.1	10.3	3.8	5.0	3.0
			2900 2999	2.0	(0.3)	76.5	442.6	69.5	8.3	2.1	10.0	4.0	5.0	3.0
			2800 2899	5.0	(0.9)	76.5	475.8	75.6	8.6	2.8	12.0	3.6	5.0	2.8
			2700 2799	12.0	(2.1)	75.7	460.6	70.9	8.0	2.7	10.6	3.5	5.0	2.8
			2600 2699	26.0	(4.5)	76.2	470.2	71.1	8.8	2.8	10.1	3.4	5.0	2.8
			2500 2599	23.0	(4.0)	75.4	465.7	69.3	8.4	3.1	9.3	3.6	5.0	2.9
			2400 2499	36.0	(6.2)	75.2	462.7	67.5	8.3	3.0	8.5	3.8	4.9	2.9
			2300 2399	47.0	(8.1)	75.0	445.3	64.4	8.0	2.9	7.5	3.7	4.6	2.9
			2200 2299	37.0	(6.4)	74.8	459.7	64.6	8.1	3.0	6.8	3.9	4.2	3.1
			2100 2199	22.0	(3.8)	73.8	436.8	57.8	7.7	3.1	6.1	4.0	4.0	3.0
			2000 2099	23.0	(4.0)	74.4	445.3	60.7	7.8	2.8	5.0	3.9	3.4	3.0
			1900 1999	14.0	(2.4)	73.7	460.8	61.6	7.5	3.2	5.7	4.0	3.8	3.1
			1800 1899	17.0	(2.9)	74.1	447.1	61.7	6.9	2.7	5.7	4.0	3.7	3.2
			1700 1799	7.0	(1.2)	72.6	447.0	54.3	6.7	3.0	4.6	4.0	3.4	3.0
			1600 1699	10.0	(1.7)	73.1	444.9	56.6	6.6	2.8	5.1	4.2	3.6	3.0
			1500 1599	29.0	(5.0)	72.4	425.1	51.4	6.2	2.8	4.4	4.2	3.1	3.3
			1400 1499	58.0	(10.0)	72.3	422.4	51.2	5.9	2.6	3.6	4.2	2.6	3.5
			1300 1399	45.0	(7.8)	71.8	380.9	45.4	5.2	2.4	3.2	4.3	2.4	3.3
			1200 1299	54.0	(9.3)	71.6	358.4	41.9	5.0	2.3	2.9	4.6	2.1	3.4
			1100 1199	22.0	(3.8)	71.2	326.2	38.0	4.3	2.2	2.3	4.8	2.0	3.8
			1000 1099	20.0	(3.5)	72.8	370.8	49.3	6.0	2.7	4.0	4.4	3.0	3.3
			999	65.0	(11.2)	72.0	377.8	44.4	5.9	2.7	3.9	4.8	2.6	3.5
				578.0	(9.3)	73.4	418.9	55.3	6.7	2.7	5.5	4.1	3.4	3.2
			3000	6.0	(1.3)	77.2	508.5	82.3	8.6	2.5	11.2	3.2	5.0	2.7
			2900 2999	8.0	(1.7)	77.9	487.8	85.0	8.4	2.3	11.4	3.1	5.0	2.9
			2800 2899	7.0	(1.5)	78.0	488.3	86.1	8.7	2.6	11.0	3.7	5.0	3.0
			2700 2799	8.0	(1.7)	76.6	468.2	75.5	8.5	2.8	10.6	3.1	5.0	3.0
			2600 2699	32.0	(6.7)	77.3	478.1	80.8	8.5	2.6	10.2	3.5	5.0	2.9
			2500 2599	37.0	(7.8)	76.0	463.7	72.1	8.4	2.8	9.4	3.6	5.0	2.9
			2400 2499	55.0	(11.5)	75.8	474.0	70.4	8.5	2.8	8.3	3.6	4.8	3.0
			2300 2399	46.0	(9.6)	75.3	464.3	68.7	8.1	2.9	7.9	3.8	4.7	2.9
			2200 2299	61.0	(12.8)	74.9	459.8	66.2	7.9	2.9	7.1	3.9	4.4	2.9
			2100 2199	50.0	(10.5)	74.5	453.9	62.8	7.9	3.0	6.2	4.0	4.1	2.9
			2000 2099	32.0	(6.7)	73.9	442.4	59.2	7.5	3.0	5.2	4.2	3.6	3.0
			1900 1999	18.0	(3.8)	74.4	457.8	61.8	7.6	2.7	4.8	4.2	3.4	2.9
			1800 1899	10.0	(2.1)	74.0	439.0	58.1	6.7	2.2	5.4	4.1	3.5	3.0
			1700 1799	7.0	(1.5)	73.4	435.9	57.4	6.9	2.9	4.7	4.3	3.1	3.6
			1600 1699	16.0	(3.4)	73.7	431.3	58.2	6.1	2.2	4.8	4.0	3.3	3.3
			1500 1599	34.0	(7.1)	73.2	432.6	54.8	6.2	2.3	3.7	4.4	2.6	3.6
			1400 1499	15.0	(3.1)	72.7	426.7	52.9	6.0	2.5	3.3	4.4	2.4	3.7
			1300 1399	15.0	(3.1)	72.4	382.9	47.3	5.5	2.4	2.9	4.7	2.3	3.2
			1200 1299	16.0	(3.4)	71.7	338.6	38.5	4.9	1.9	2.6	4.8	2.0	3.4
			1100 1199	4.0	(0.8)	71.2	273.6	30.3	3.9	1.6	2.3	4.8	1.8	4.0

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
				477.0	(7.7)	74.8	450.4	64.7	7.6	2.7	6.8	3.9	4.0	3.0
			3000	2.0	(11.1)	75.3	413.5	68.0	6.8	2.5	11.0	3.5	5.0	3.0
			2800 2899	1.0	(5.6)	74.9	356.5	53.0	6.7	1.6	12.0	3.0	5.0	2.0
			2700 2799	1.0	(5.6)	76.2	433.0	67.0	7.6	1.7	8.0	4.0	5.0	3.0
			2600 2699	2.0	(11.1)	74.6	393.3	58.0	7.3	2.7	7.0	4.0	4.5	3.0
			2500 2599	2.0	(11.1)	74.9	390.3	63.5	6.7	2.6	9.0	4.0	5.0	3.0
			2400 2499	2.0	(11.1)	73.5	389.8	55.5	6.0	2.6	9.5	3.5	4.5	2.5
			2300 2399	3.0	(16.7)	75.5	443.5	64.0	7.5	1.9	7.0	4.3	4.3	3.0
			2100 2199	2.0	(11.1)	71.3	441.8	47.5	7.5	4.2	6.0	4.0	4.0	3.0
			1300 1399	1.0	(5.6)	72.8	354.0	44.0	5.8	2.0	3.0	5.0	2.0	5.0
			1200 1299	1.0	(5.6)	71.8	409.0	46.0	7.0	3.5	4.0	6.0	2.0	6.0
			1100 1199	1.0	(5.6)	71.8	215.0	26.0	4.1	1.1	3.0	4.0	2.0	4.0
				18.0	(0.3)	74.1	397.5	56.3	6.8	2.5	7.6	4.1	4.2	3.2
			3000	455.0	(7.3)	76.2	451.2	71.6	8.2	2.7	10.1	3.6	5.0	2.9
			2900 2999	122.0	(2.0)	76.2	457.0	72.0	8.1	2.6	10.0	3.6	4.9	2.9
			2800 2899	158.0	(2.5)	76.2	459.6	72.7	8.1	2.6	10.1	3.6	4.9	2.8
			2700 2799	279.0	(4.5)	76.1	455.9	72.1	8.0	2.6	9.9	3.6	4.9	2.8
			2600 2699	400.0	(6.4)	75.9	459.7	71.4	8.1	2.7	9.5	3.7	4.9	2.9
			2500 2599	488.0	(7.8)	75.4	457.3	68.5	8.1	2.8	9.0	3.7	4.9	2.8
			2400 2499	501.0	(8.0)	75.3	455.0	67.0	8.0	2.8	8.5	3.8	4.8	2.8
			2300 2399	563.0	(9.0)	75.0	456.9	65.7	8.0	2.8	7.9	3.8	4.6	2.8
			2200 2299	505.0	(8.1)	74.7	454.6	63.7	7.9	2.8	7.2	3.8	4.4	2.9
			2100 2199	442.0	(7.1)	74.4	445.8	60.8	7.8	2.9	6.6	3.9	4.2	2.9
			2000 2099	362.0	(5.8)	73.9	439.8	58.2	7.5	2.9	5.9	4.0	3.9	2.9
			1900 1999	260.0	(4.2)	73.7	439.7	56.7	7.5	2.9	5.2	4.0	3.5	2.9
			1800 1899	121.0	(1.9)	73.3	425.5	54.2	7.2	2.9	5.0	4.1	3.3	2.9
			1700 1799	82.0	(1.3)	73.1	431.4	53.1	7.1	2.9	4.8	4.1	3.2	3.0
			1600 1699	71.0	(1.1)	73.1	412.9	53.1	6.4	2.6	5.0	4.1	3.3	3.1
			1500 1599	125.0	(2.0)	72.8	414.1	51.7	6.3	2.6	4.7	4.3	3.1	3.4
			1400 1499	153.0	(2.5)	72.4	409.8	48.9	6.1	2.5	4.0	4.2	2.7	3.5
			1300 1399	244.0	(3.9)	72.0	373.2	43.5	5.7	2.4	3.6	4.4	2.5	3.6
			1200 1299	370.0	(5.9)	71.7	347.0	39.2	5.3	2.3	3.1	4.6	2.2	3.7
			1100 1199	287.0	(4.6)	71.4	308.6	35.3	4.7	2.0	2.7	4.7	2.1	4.4
			1000 1099	110.0	(1.8)	71.6	317.4	36.6	5.0	2.2	2.8	4.8	2.2	4.5
			999	130.0	(2.1)	71.7	322.0	37.6	5.1	2.1	3.2	4.9	2.2	4.3
				6228.0	(100.0)	74.3	428.5	59.9	7.3	2.7	6.9	4.0	4.0	3.1

					(%)		(kg)	(m ²)	(m)	(m)				
			3000	3.0	(0.5)	79.5	560.1	96.0	9.3	1.9	12.0	3.0	5.0	2.7
			2900 2999	4.0	(0.7)	79.2	528.9	93.5	8.7	1.8	11.8	3.3	5.0	2.5
			2800 2899	4.0	(0.7)	78.6	532.1	86.8	9.5	2.0	11.3	3.5	5.0	2.8
			2700 2799	17.0	(2.9)	79.2	549.0	92.8	9.2	1.7	11.0	3.6	5.0	2.5
			2600 2699	25.0	(4.2)	77.8	548.6	85.2	9.1	2.1	10.5	3.6	4.9	2.7
			2500 2599	24.0	(4.0)	76.9	546.3	79.3	9.0	2.2	10.8	3.3	5.0	2.8
			2400 2499	70.0	(11.8)	75.9	530.0	72.6	8.7	2.4	10.1	3.4	5.0	2.6
			2300 2399	105.0	(17.6)	75.3	527.8	69.2	8.5	2.3	8.9	3.6	4.9	2.6
			2200 2299	104.0	(17.5)	75.0	523.4	66.9	8.5	2.5	7.6	3.7	4.5	2.7
			2100 2199	105.0	(17.6)	74.7	513.4	62.9	8.4	2.3	6.8	3.7	4.3	2.7
			2000 2099	75.0	(12.6)	73.9	507.0	60.2	8.0	2.6	5.8	3.7	3.8	2.8
			1900 1999	36.0	(6.1)	73.9	488.2	59.1	7.7	2.5	4.8	4.1	3.3	2.7
			1800 1899	16.0	(2.7)	73.1	480.9	52.1	8.0	2.7	4.4	4.1	3.1	2.7
			1700 1799	4.0	(0.7)	72.1	470.4	48.5	7.2	2.8	3.8	4.3	2.8	2.8
			1600 1699	1.0	(0.2)	70.7	461.0	42.0	6.6	3.1	3.0	4.0	3.0	3.0
			1300 1399	1.0	(0.2)	73.2	553.0	62.0	7.7	2.8	3.0	4.0	2.0	3.0
			1000 1099	1.0	(0.2)	71.2	160.0	20.0	2.1	0.2	1.0	4.0	1.0	2.0
				595.0	(8.1)	75.2	519.8	67.8	8.4	2.4	7.9	3.7	4.4	2.7
			3000	7.0	(5.5)	80.1	613.7	102.9	10.0	1.9	12.0	3.6	5.0	2.7
			2800 2899	1.0	(0.8)	75.6	604.0	77.0	9.5	3.0	12.0	3.0	5.0	3.0
			2700 2799	4.0	(3.1)	76.6	596.5	79.0	10.2	2.7	11.0	3.8	5.0	2.8
			2600 2699	6.0	(4.7)	78.2	563.3	90.0	9.3	2.4	11.2	3.3	5.0	2.5
			2500 2599	2.0	(1.6)	75.7	499.5	69.0	8.2	2.1	10.5	3.5	5.0	3.0
			2400 2499	12.0	(9.4)	76.0	524.8	74.2	8.3	2.3	9.6	3.4	4.9	2.7
			2300 2399	19.0	(14.8)	75.6	525.4	70.2	8.7	2.4	8.9	3.6	4.9	2.8
			2200 2299	17.0	(13.3)	74.2	522.2	62.8	8.3	2.6	7.2	3.8	4.5	2.6
			2100 2199	31.0	(24.2)	74.6	518.2	63.7	8.1	2.3	6.2	4.1	4.1	2.8
			2000 2099	12.0	(9.4)	74.5	438.5	58.3	7.2	2.0	5.9	4.0	3.9	2.9
			1900 1999	11.0	(8.6)	73.0	507.3	57.4	7.9	3.1	4.4	4.2	3.4	2.9
			1800 1899	2.0	(1.6)	73.0	606.5	64.5	9.3	3.9	6.0	4.5	3.5	3.0
			1700 1799	4.0	(3.1)	73.0	508.0	56.8	7.7	2.9	4.0	4.3	2.8	3.0
				128.0	(1.7)	75.2	523.2	68.3	8.4	2.4	7.6	3.8	4.4	2.8
			3000	4.0	(2.6)	77.8	538.8	88.8	8.1	2.0	10.5	3.8	5.0	2.8
			2900 2999	4.0	(2.6)	77.8	549.0	87.0	8.8	2.2	11.3	3.8	5.0	2.0
			2800 2899	10.0	(6.4)	78.0	549.1	87.5	9.0	2.1	10.8	3.7	5.0	2.7
			2700 2799	10.0	(6.4)	76.8	521.7	77.6	8.4	2.0	10.6	3.8	5.0	2.7
			2600 2699	13.0	(8.3)	75.8	550.3	76.7	8.3	2.6	9.5	4.2	4.9	2.7
			2500 2599	6.0	(3.8)	75.9	496.0	71.2	8.3	2.3	8.8	3.8	4.7	2.7
			2400 2499	26.0	(16.7)	75.2	493.4	66.7	8.0	2.2	9.0	4.0	4.8	2.8
			2300 2399	32.0	(20.5)	74.8	516.7	66.1	8.2	2.5	8.4	4.1	4.7	2.8
			2200 2299	19.0	(12.2)	74.1	499.6	60.3	7.8	2.4	6.8	3.8	4.4	2.6
			2100 2199	17.0	(10.9)	74.4	485.5	60.7	7.9	2.3	6.5	4.2	4.1	2.8

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2000 2099	5.0	(3.2)	72.9	474.4	50.8	7.1	2.1	5.8	4.4	3.8	2.6
			1900 1999	3.0	(1.9)	72.9	482.0	53.7	7.2	2.5	4.0	4.0	3.3	2.7
			1800 1899	5.0	(3.2)	71.9	476.1	49.8	7.1	3.0	4.4	4.4	3.6	3.0
			1700 1799	1.0	(0.6)	74.6	523.0	64.0	8.8	2.7	3.0	5.0	2.0	3.0
			1500 1599	1.0	(0.6)	73.8	368.0	48.0	5.8	1.3	3.0	4.0	2.0	2.0
				156.0	(2.1)	75.2	508.9	67.8	8.1	2.3	8.3	4.0	4.6	2.7
			3000	16.0	(2.0)	80.1	585.8	102.5	9.9	2.1	12.0	3.1	5.0	3.0
			2900 2999	9.0	(1.1)	78.3	567.9	92.1	8.9	2.1	12.0	3.0	5.0	3.0
			2800 2899	21.0	(2.6)	78.2	581.3	92.7	9.3	2.4	11.6	3.3	5.0	2.8
			2700 2799	45.0	(5.6)	77.9	569.0	88.0	9.3	2.3	11.4	3.3	5.0	2.8
			2600 2699	85.0	(10.5)	76.9	563.7	81.0	9.1	2.3	10.8	3.3	5.0	2.8
			2500 2599	132.0	(16.3)	76.1	548.8	75.9	8.9	2.5	10.3	3.3	5.0	2.8
			2400 2499	164.0	(20.3)	75.6	550.6	73.1	8.9	2.6	9.5	3.4	5.0	2.8
			2300 2399	106.0	(13.1)	74.8	524.2	66.7	8.4	2.6	8.8	3.5	4.9	2.8
			2200 2299	70.0	(8.7)	74.8	524.0	65.1	8.4	2.4	7.4	3.7	4.5	2.8
			2100 2199	89.0	(11.0)	74.3	527.9	63.4	8.3	2.6	6.3	3.7	4.2	2.8
			2000 2099	42.0	(5.2)	74.0	518.4	60.9	8.1	2.5	6.2	4.0	4.1	2.8
			1900 1999	11.0	(1.4)	73.6	508.5	58.1	7.7	2.5	4.7	3.9	3.5	2.6
			1800 1899	8.0	(1.0)	74.5	512.0	62.1	8.3	2.3	5.3	3.6	3.8	2.9
			1700 1799	2.0	(0.2)	71.3	492.8	44.0	7.5	3.0	6.0	4.0	3.5	3.5
			1600 1699	2.0	(0.2)	73.7	460.8	54.0	7.8	2.4	4.5	4.0	3.0	3.0
			1500 1599	2.0	(0.2)	71.3	520.8	44.0	8.0	3.0	3.5	4.5	2.5	3.0
			1300 1399	3.0	(0.4)	73.0	334.8	39.7	5.6	1.3	3.0	4.0	2.0	2.3
			1100 1199	1.0	(0.1)	72.3	280.5	31.0	6.0	1.8	3.0	4.0	2.0	3.0
			1000 1099	1.0	(0.1)	73.3	264.5	36.0	4.3	0.4	3.0	4.0	2.0	2.0
				809.0	(11.0)	75.7	541.6	72.5	8.7	2.5	9.0	3.5	4.7	2.8
			2100 2199	1.0	(50.0)	75.9	601.0	77.0	10.2	3.1	7.0	5.0	4.0	3.0
			1200 1299	1.0	(50.0)	71.8	312.0	37.0	3.9	1.2	2.0	4.0	2.0	3.0
				2.0	(0.0)	73.8	456.5	57.0	7.0	2.1	4.5	4.5	3.0	3.0
			2900 2999	1.0	(0.7)	80.0	544.0	94.0	10.4	2.0	11.0	4.0	5.0	2.0
			2800 2899	2.0	(1.4)	78.6	536.0	85.5	9.1	1.5	11.0	4.0	5.0	3.0
			2700 2799	9.0	(6.3)	77.2	536.7	82.7	8.9	2.5	11.7	3.3	5.0	2.9
			2600 2699	12.0	(8.3)	76.8	512.8	76.4	8.6	2.2	10.8	3.4	5.0	2.8
			2500 2599	29.0	(20.1)	75.9	532.9	73.2	8.6	2.3	10.1	3.4	5.0	2.7
			2400 2499	45.0	(31.3)	75.0	518.7	68.2	8.3	2.6	8.7	3.8	4.8	2.6
			2300 2399	28.0	(19.4)	74.4	511.1	63.5	8.1	2.6	7.7	4.0	4.5	2.8
			2200 2299	8.0	(5.6)	73.8	470.4	58.9	7.4	2.6	7.0	3.9	4.4	3.0
			2100 2199	2.0	(1.4)	73.0	479.5	51.5	7.0	2.0	5.0	4.0	4.0	3.0
			2000 2099	2.0	(1.4)	72.5	531.0	55.0	8.3	3.3	5.0	3.5	4.0	3.0
			1900 1999	2.0	(1.4)	73.8	394.4	50.5	6.0	1.4	5.0	4.0	3.5	2.5
			1700 1799	1.0	(0.7)	70.8	436.4	34.0	6.9	2.4	3.0	3.0	3.0	2.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1600 1699	1.0	(0.7)	73.5	414.0	54.0	6.0	1.9	5.0	4.0	3.0	2.0
			1000 1099	1.0	(0.7)	71.8	367.0	49.0	3.1	1.6	3.0	5.0	2.0	3.0
			999	1.0	(0.7)	73.0	186.0	32.0	3.8	0.9	2.0	4.0	2.0	3.0
				144.0	(2.0)	75.2	511.7	68.4	8.2	2.4	8.8	3.7	4.7	2.7
			3000	1.0	(0.4)	82.6	499.0	110.0	9.3	1.2	12.0	3.0	5.0	3.0
			2700 2799	4.0	(1.6)	79.0	572.5	95.3	9.1	1.9	11.8	3.0	5.0	3.0
			2600 2699	6.0	(2.4)	78.6	536.3	89.7	9.1	2.0	11.2	3.5	5.0	2.8
			2500 2599	14.0	(5.7)	77.5	568.6	85.9	9.3	2.4	11.1	3.6	5.0	2.7
			2400 2499	12.0	(4.9)	76.8	553.3	80.3	8.9	2.3	10.9	3.3	5.0	2.6
			2300 2399	27.0	(11.0)	75.5	553.7	72.4	8.9	2.6	9.6	3.6	4.9	2.6
			2200 2299	21.0	(8.6)	75.8	524.7	72.2	8.5	2.3	9.0	3.7	4.8	2.9
			2100 2199	50.0	(20.4)	74.9	532.2	67.5	8.5	2.5	8.2	3.8	4.8	2.7
			2000 2099	45.0	(18.4)	74.4	506.4	62.0	8.2	2.4	7.0	3.8	4.4	2.7
			1900 1999	36.0	(14.7)	74.1	490.3	59.1	8.0	2.5	6.1	4.1	4.0	2.8
			1800 1899	18.0	(7.3)	73.2	474.2	53.8	7.6	2.6	5.3	4.2	3.7	2.7
			1700 1799	8.0	(3.3)	73.3	487.5	55.8	7.6	2.6	5.3	4.4	3.6	2.6
			1500 1599	1.0	(0.4)	73.9	556.0	66.0	7.5	2.3	4.0	4.0	3.0	2.0
			1200 1299	1.0	(0.4)	72.5	293.0	34.0	5.3	1.4	3.0	5.0	2.0	2.0
			1100 1199	1.0	(0.4)	72.7	290.5	38.0	5.0	1.5	5.0	3.0	3.0	3.0
				245.0	(3.3)	75.1	519.2	67.4	8.4	2.4	8.0	3.8	4.5	2.7
			3000	9.0	(1.4)	79.9	570.8	98.8	9.7	1.8	12.0	3.4	5.0	2.7
			2900 2999	8.0	(1.2)	79.9	536.8	98.4	9.0	1.8	11.8	3.5	5.0	2.8
			2800 2899	9.0	(1.4)	78.6	559.9	88.8	9.6	1.9	11.9	3.3	5.0	2.7
			2700 2799	22.0	(3.4)	78.3	571.2	89.0	9.4	2.0	11.4	3.4	5.0	2.7
			2600 2699	33.0	(5.1)	77.6	542.4	82.3	9.0	1.9	11.3	3.3	5.0	2.5
			2500 2599	27.0	(4.1)	76.7	540.7	77.4	8.9	2.2	10.6	3.5	5.0	2.9
			2400 2499	81.0	(12.4)	76.3	530.3	74.9	8.7	2.3	9.7	3.6	5.0	2.8
			2300 2399	134.0	(20.6)	75.4	530.4	68.9	8.6	2.4	8.9	3.6	4.9	2.8
			2200 2299	104.0	(16.0)	74.7	523.0	64.5	8.4	2.3	7.5	3.8	4.5	2.7
			2100 2199	108.0	(16.6)	74.2	509.6	61.3	8.1	2.5	6.6	3.9	4.2	2.7
			2000 2099	73.0	(11.2)	73.9	497.8	58.7	8.0	2.6	5.9	4.1	3.9	2.7
			1900 1999	28.0	(4.3)	73.9	494.4	57.9	8.0	2.5	4.8	4.1	3.4	2.7
			1800 1899	11.0	(1.7)	72.5	492.3	50.8	7.5	2.7	4.5	4.5	3.2	2.7
			1700 1799	3.0	(0.5)	72.2	520.7	56.7	7.5	3.4	3.0	4.3	2.3	2.7
			1600 1699	1.0	(0.2)	73.0	516.0	56.0	6.1	1.4	5.0	5.0	3.0	2.0
			1000 1099	1.0	(0.2)	72.4	248.0	33.0	4.0	1.0	2.0	4.0	2.0	3.0
				652.0	(8.8)	75.3	522.9	68.4	8.5	2.3	8.2	3.8	4.5	2.7
			3000	3.0	(0.6)	82.3	635.7	118.7	10.2	1.7	12.0	3.0	5.0	2.7
			2900 2999	7.0	(1.4)	79.9	586.3	101.4	9.6	2.0	11.9	3.6	5.0	3.0
			2800 2899	15.0	(3.0)	79.4	595.1	99.1	9.8	2.3	11.9	3.3	5.0	2.9
			2700 2799	19.0	(3.8)	78.5	588.9	94.2	9.1	2.0	11.3	3.6	5.0	2.8

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2600 2699	20.0	(4.0)	78.0	577.1	88.3	9.3	2.1	10.6	3.6	5.0	2.6
			2500 2599	24.0	(4.9)	76.8	558.4	80.6	8.9	2.2	10.0	3.6	5.0	2.8
			2400 2499	44.0	(8.9)	76.2	559.6	77.8	8.8	2.5	9.5	3.8	4.9	2.8
			2300 2399	76.0	(15.4)	75.5	554.6	73.4	8.6	2.6	8.7	3.6	4.9	2.8
			2200 2299	66.0	(13.4)	75.0	531.8	69.4	8.2	2.5	7.3	4.0	4.5	2.8
			2100 2199	105.0	(21.3)	74.3	532.1	64.7	8.3	2.6	6.6	4.0	4.2	2.7
			2000 2099	60.0	(12.1)	73.9	529.2	63.3	8.0	2.7	6.1	4.1	4.0	2.7
			1900 1999	29.0	(5.9)	73.2	499.8	57.8	7.6	2.8	5.0	4.0	3.5	2.8
			1800 1899	11.0	(2.2)	72.4	538.2	55.2	7.6	2.8	4.4	4.3	3.2	2.7
			1700 1799	13.0	(2.6)	72.0	511.7	51.5	7.5	3.0	3.7	4.3	2.8	2.7
			1600 1699	1.0	(0.2)	74.5	331.0	49.0	5.6	1.0	5.0	5.0	4.0	2.0
			1200 1299	1.0	(0.2)	73.3	281.0	43.0	4.8	1.6	3.0	3.0	2.0	2.0
				494.0	(6.7)	75.3	543.0	71.4	8.4	2.5	7.7	3.9	4.4	2.8
			3000	1.0	(0.3)	81.4	559.0	106.0	9.1	1.0	12.0	3.0	5.0	3.0
			2900 2999	3.0	(0.8)	80.1	549.7	98.7	9.0	1.4	11.3	3.3	5.0	2.7
			2800 2899	5.0	(1.3)	79.3	549.0	93.8	9.0	1.5	12.0	3.2	5.0	2.6
			2700 2799	26.0	(6.5)	78.3	534.1	88.2	8.6	1.8	11.2	3.2	5.0	2.7
			2600 2699	28.0	(7.0)	77.8	521.4	84.4	8.3	1.8	10.6	3.4	5.0	2.5
			2500 2599	23.0	(5.8)	76.9	512.3	77.3	8.3	1.9	10.4	3.5	5.0	2.8
			2400 2499	42.0	(10.5)	77.0	522.7	78.6	8.3	1.9	9.6	3.6	5.0	2.7
			2300 2399	59.0	(14.8)	76.1	505.1	72.2	8.1	2.0	8.4	3.6	4.9	2.6
			2200 2299	67.0	(16.8)	75.2	491.2	66.1	7.9	2.2	7.6	3.7	4.6	2.6
			2100 2199	77.0	(19.3)	74.8	482.9	63.5	7.7	2.2	6.7	3.8	4.2	2.6
			2000 2099	39.0	(9.8)	74.5	480.5	61.9	7.5	2.1	5.6	3.9	4.0	2.6
			1900 1999	14.0	(3.5)	73.8	471.9	57.4	7.2	2.2	4.4	4.0	3.1	2.4
			1800 1899	4.0	(1.0)	73.7	456.3	56.0	6.4	1.8	3.8	4.0	2.8	2.5
			1700 1799	7.0	(1.8)	72.6	489.5	54.0	8.2	3.5	4.0	3.9	3.0	2.7
			1600 1699	1.0	(0.3)	73.6	341.0	48.0	5.1	1.3	3.0	4.0	3.0	3.0
			1500 1599	1.0	(0.3)	71.6	363.0	36.0	5.2	1.5	3.0	4.0	3.0	2.0
			999	2.0	(0.5)	72.2	213.5	31.0	3.6	1.1	3.0	4.5	2.5	4.5
				399.0	(5.4)	75.8	498.3	70.5	7.9	2.0	8.0	3.7	4.5	2.6
			2800 2899	1.0	(0.5)	76.1	559.0	78.0	8.8	2.6	12.0	4.0	5.0	3.0
			2700 2799	1.0	(0.5)	80.7	603.0	107.0	9.5	1.5	12.0	3.0	5.0	3.0
			2600 2699	1.0	(0.5)	80.6	597.5	107.0	10.1	2.2	10.0	4.0	5.0	3.0
			2500 2599	5.0	(2.5)	76.7	590.9	81.0	8.9	2.0	10.6	3.0	5.0	2.8
			2400 2499	27.0	(13.6)	76.8	581.4	83.1	9.0	2.4	10.4	3.3	5.0	2.9
			2300 2399	23.0	(11.6)	75.5	553.5	71.3	8.8	2.3	9.2	3.9	4.9	2.7
			2200 2299	43.0	(21.7)	75.6	553.7	71.4	8.6	2.2	8.0	4.0	4.7	2.6
			2100 2199	36.0	(18.2)	74.5	538.1	65.6	8.2	2.4	7.2	3.9	4.4	2.7
			2000 2099	41.0	(20.7)	74.4	542.6	64.6	7.9	2.2	5.7	4.0	3.8	2.6
			1900 1999	13.0	(6.6)	73.4	509.9	56.9	7.3	2.2	4.2	4.2	3.2	2.5
			1800 1899	3.0	(1.5)	74.6	482.3	63.7	6.6	1.6	4.0	4.7	2.7	2.3
			1700 1799	2.0	(1.0)	74.3	510.0	61.5	8.0	2.3	2.5	5.0	2.5	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1600 1699	2.0	(1.0)	73.0	465.0	48.0	7.0	1.7	3.0	4.0	2.5	2.0
				198.0	(2.7)	75.2	548.5	69.8	8.3	2.2	7.6	3.9	4.3	2.7
			2800 2899	4.0	(2.2)	78.5	594.0	95.0	8.9	1.9	11.8	3.0	5.0	3.0
			2700 2799	3.0	(1.7)	78.2	530.3	86.3	8.5	1.6	11.7	3.7	5.0	2.7
			2600 2699	8.0	(4.4)	77.9	545.8	87.6	8.5	1.9	10.5	3.4	5.0	2.8
			2500 2599	9.0	(5.0)	77.5	560.3	83.6	8.8	1.8	11.1	3.2	5.0	2.8
			2400 2499	10.0	(5.5)	76.9	545.7	81.6	8.7	2.4	10.4	3.5	5.0	2.3
			2300 2399	19.0	(10.5)	75.8	543.8	74.1	8.4	2.3	8.8	3.5	4.9	2.7
			2200 2299	32.0	(17.7)	75.0	517.6	67.2	8.0	2.2	8.0	3.6	4.7	2.7
			2100 2199	36.0	(19.9)	74.7	503.5	63.8	7.9	2.2	6.8	3.8	4.3	2.7
			2000 2099	31.0	(17.1)	74.1	505.2	60.5	7.9	2.4	5.8	3.9	3.9	2.7
			1900 1999	19.0	(10.5)	73.5	481.3	55.5	7.3	2.2	4.5	3.9	3.2	2.6
			1800 1899	6.0	(3.3)	72.3	465.5	47.0	7.4	2.6	4.8	4.5	3.0	2.8
			1700 1799	3.0	(1.7)	71.8	498.7	46.7	7.7	2.8	4.0	4.3	3.0	2.3
			1400 1499	1.0	(0.6)	71.6	470.0	50.0	5.2	2.0	2.0	4.0	2.0	2.0
				181.0	(2.5)	75.0	516.1	67.2	8.0	2.2	7.4	3.7	4.3	2.7
			2600 2699	2.0	(11.8)	75.2	441.0	60.0	8.1	2.2	9.5	3.5	5.0	3.0
			2500 2599	3.0	(17.6)	75.4	430.0	59.3	8.8	2.5	9.7	3.7	5.0	3.0
			2400 2499	3.0	(17.6)	74.5	450.3	60.0	8.1	2.9	9.0	3.7	5.0	2.7
			2300 2399	2.0	(11.8)	74.0	397.0	49.0	7.7	2.3	8.5	3.5	5.0	3.0
			2200 2299	1.0	(5.9)	73.5	405.0	51.0	6.2	1.8	7.0	4.0	4.0	3.0
			2100 2199	3.0	(17.6)	74.5	394.3	52.7	7.5	2.1	6.3	4.0	3.7	2.7
			2000 2099	1.0	(5.9)	75.2	355.0	51.0	7.2	1.4	8.0	4.0	4.0	2.0
			1900 1999	2.0	(11.8)	73.1	439.5	48.5	7.0	2.1	4.0	4.0	3.0	2.5
				17.0	(0.2)	74.5	419.9	54.9	7.8	2.3	7.9	3.8	4.4	2.8
			2900 2999	1.0	(1.5)	78.8	534.0	86.0	8.9	1.2	11.0	4.0	5.0	3.0
			2800 2899	2.0	(2.9)	79.3	591.0	98.5	8.8	1.4	12.0	3.5	5.0	3.0
			2700 2799	5.0	(7.4)	78.1	560.0	86.8	9.3	2.0	11.4	3.4	5.0	2.4
			2600 2699	7.0	(10.3)	76.9	554.9	81.0	9.2	2.5	11.0	3.6	5.0	2.9
			2500 2599	13.0	(19.1)	76.5	545.5	77.7	8.5	2.1	10.0	3.2	5.0	2.5
			2400 2499	16.0	(23.5)	75.5	545.6	72.1	8.7	2.6	9.2	3.4	5.0	2.6
			2300 2399	4.0	(5.9)	75.7	445.0	64.8	7.3	1.6	8.5	3.3	4.8	2.5
			2200 2299	4.0	(5.9)	75.3	547.3	72.3	8.0	2.2	7.0	4.3	4.3	3.0
			2100 2199	10.0	(14.7)	74.7	540.3	65.3	8.0	2.0	6.9	3.6	4.5	2.4
			2000 2099	4.0	(5.9)	74.4	540.5	65.3	8.2	2.5	5.8	3.5	4.3	3.0
			1900 1999	1.0	(1.5)	73.6	399.0	49.0	6.7	1.8	4.0	4.0	3.0	2.0
			1700 1799	1.0	(1.5)	73.9	504.0	63.0	8.3	3.2	3.0	3.0	2.0	2.0
				68.0	(0.9)	76.0	539.1	73.9	8.5	2.2	8.9	3.5	4.8	2.6
			3000	1.0	(1.9)	77.6	577.0	92.0	9.0	2.8	12.0	3.0	5.0	2.0
			2900 2999	1.0	(1.9)	79.1	570.0	91.0	10.3	2.1	11.0	3.0	5.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2800 2899	6.0	(11.1)	77.4	555.0	84.8	9.0	2.4	11.2	3.5	5.0	2.8
			2700 2799	6.0	(11.1)	76.0	548.3	74.3	8.7	2.4	10.3	3.7	5.0	3.0
			2600 2699	8.0	(14.8)	75.3	533.5	67.6	8.6	2.2	9.8	3.6	4.9	2.6
			2500 2599	7.0	(13.0)	75.6	540.7	71.3	8.8	2.5	7.6	4.1	4.7	2.9
			2400 2499	13.0	(24.1)	74.9	537.3	66.8	8.8	2.6	8.2	4.1	4.6	2.9
			2300 2399	4.0	(7.4)	74.5	608.0	71.8	9.4	3.3	7.0	4.0	4.3	2.8
			2100 2199	3.0	(5.6)	75.2	560.3	70.7	8.6	2.4	5.7	4.3	3.7	2.7
			2000 2099	1.0	(1.9)	74.8	518.0	68.0	8.6	3.0	4.0	4.0	3.0	3.0
			1900 1999	3.0	(5.6)	72.6	474.0	50.3	7.0	2.3	4.0	4.3	3.0	2.7
			1800 1899	1.0	(1.9)	72.6	520.0	53.0	8.5	3.2	4.0	4.0	3.0	3.0
				54.0	(0.7)	75.4	544.0	70.7	8.7	2.5	8.4	3.9	4.5	2.8
			2600 2699	7.0	(26.9)	77.0	539.1	74.9	9.4	1.8	12.0	3.4	5.0	2.6
			2500 2599	4.0	(15.4)	76.1	524.8	68.8	8.8	1.6	10.3	3.3	5.0	2.8
			2400 2499	6.0	(23.1)	76.3	501.0	73.0	8.1	1.9	9.2	3.5	5.0	2.8
			2300 2399	2.0	(7.7)	76.2	481.8	66.5	8.6	1.8	7.5	3.0	4.5	3.0
			2100 2199	3.0	(11.5)	74.6	468.5	62.3	7.5	2.4	7.3	3.7	4.3	2.3
			2000 2099	1.0	(3.8)	71.5	556.5	56.0	8.8	4.6	6.0	4.0	4.0	3.0
			1900 1999	2.0	(7.7)	74.0	504.0	58.5	7.7	2.0	4.0	4.0	3.0	3.0
			1800 1899	1.0	(3.8)	73.0	344.0	43.0	5.6	1.6	5.0	3.0	3.0	3.0
				26.0	(0.4)	75.8	506.0	68.2	8.4	2.0	9.1	3.5	4.6	2.7
			2900 2999	1.0	(16.7)	78.7	590.0	86.0	11.0	2.1	12.0	3.0	5.0	3.0
			2800 2899	1.0	(16.7)	82.1	541.0	108.0	10.1	1.5	12.0	4.0	5.0	3.0
			2600 2699	1.0	(16.7)	79.0	591.0	87.0	10.6	1.6	12.0	3.0	5.0	3.0
			2500 2599	2.0	(33.3)	75.0	594.5	70.0	9.3	2.5	11.5	3.5	5.0	3.0
			2300 2399	1.0	(16.7)	76.1	598.0	75.0	9.0	1.7	7.0	5.0	4.0	3.0
				6.0	(0.1)	77.7	584.8	82.7	9.9	2.0	11.0	3.7	4.8	3.0
			3000	1.0	(4.0)	79.6	543.0	98.0	8.1	1.3	12.0	3.0	5.0	2.0
			2600 2699	3.0	(12.0)	77.7	593.7	82.3	9.9	1.9	10.7	3.7	5.0	2.3
			2500 2599	6.0	(24.0)	75.7	525.8	70.3	7.9	1.7	9.8	3.7	5.0	2.5
			2400 2499	8.0	(32.0)	74.9	467.8	65.1	7.2	2.2	8.5	3.8	5.0	2.1
			2300 2399	3.0	(12.0)	74.6	508.0	61.3	7.8	1.9	6.3	3.7	4.3	2.3
			2200 2299	1.0	(4.0)	73.2	517.5	61.0	7.6	3.1	7.0	4.0	4.0	3.0
			2100 2199	2.0	(8.0)	74.0	498.5	56.5	7.7	1.9	6.5	4.0	4.0	2.0
			1900 1999	1.0	(4.0)	74.3	424.5	55.0	6.4	1.5	4.0	4.0	3.0	3.0
				25.0	(0.3)	75.4	507.3	68.0	7.8	2.0	8.6	3.7	4.7	2.3
			3000	4.0	(3.0)	80.1	560.2	98.0	9.6	1.6	12.0	3.5	5.0	2.5
			2900 2999	3.0	(2.2)	80.6	593.8	108.0	9.9	2.2	12.0	3.3	5.0	3.0
			2800 2899	7.0	(5.2)	77.0	528.7	77.6	9.2	2.2	11.6	3.6	5.0	3.0
			2700 2799	17.0	(12.7)	78.1	554.5	89.5	8.8	2.1	11.7	3.3	5.0	2.6
			2600 2699	17.0	(12.7)	76.6	568.8	80.6	9.2	2.6	11.1	3.5	5.0	2.6
			2500 2599	28.0	(20.9)	75.4	546.6	71.5	8.9	2.6	10.1	3.7	5.0	2.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2400 2499	16.0	(11.9)	74.4	533.7	62.5	8.5	2.4	8.5	3.8	4.9	2.7
			2300 2399	19.0	(14.2)	73.9	530.5	63.7	8.0	2.8	7.6	3.7	4.7	2.6
			2200 2299	10.0	(7.5)	74.7	572.5	71.6	8.5	2.9	7.7	4.0	4.6	2.6
			2100 2199	6.0	(4.5)	72.8	566.2	60.7	8.0	3.1	6.3	4.2	4.3	2.8
			2000 2099	4.0	(3.0)	73.4	532.6	61.5	8.3	3.2	4.8	3.8	3.5	2.0
			1900 1999	1.0	(0.7)	71.4	612.0	52.0	8.6	3.2	5.0	4.0	4.0	3.0
			1800 1899	1.0	(0.7)	71.5	629.0	53.0	9.5	3.7	5.0	4.0	4.0	3.0
			1700 1799	1.0	(0.7)	70.3	631.0	50.0	9.1	4.2	3.0	4.0	3.0	2.0
				134.0	(1.8)	75.6	551.2	73.5	8.7	2.6	9.4	3.7	4.8	2.6
			3000	186.0	(38.8)	76.2	493.7	70.0	9.0	2.4	9.7	3.4	5.0	2.8
			2900 2999	54.0	(11.3)	75.5	502.8	67.7	8.7	2.5	9.4	3.4	5.0	2.7
			2800 2899	52.0	(10.8)	75.1	503.5	65.9	8.6	2.5	8.9	3.5	4.9	2.8
			2700 2799	45.0	(9.4)	75.0	477.6	62.9	8.4	2.4	7.5	3.8	4.5	2.7
			2600 2699	44.0	(9.2)	74.3	469.8	58.1	8.1	2.4	6.8	4.0	4.2	2.6
			2500 2599	40.0	(8.3)	74.5	486.3	60.4	8.3	2.4	6.5	3.9	4.1	2.7
			2400 2499	30.0	(6.3)	73.7	484.0	56.1	8.0	2.5	6.2	4.1	4.1	2.5
			2300 2399	15.0	(3.1)	73.2	445.0	50.4	7.8	2.7	4.6	4.2	3.3	2.5
			2200 2299	4.0	(0.8)	72.7	499.6	53.8	8.3	3.3	5.5	4.3	3.8	2.5
			2100 2199	3.0	(0.6)	72.8	441.9	50.7	6.8	2.5	5.0	4.3	3.7	2.3
			2000 2099	3.0	(0.6)	74.3	433.8	60.0	7.1	2.4	3.7	4.3	2.0	2.7
			1900 1999	1.0	(0.2)	73.4	453.1	52.0	7.6	2.4	4.0	5.0	2.0	2.0
			1800 1899	1.0	(0.2)	71.9	279.3	36.0	5.2	2.4	4.0	4.0	2.0	3.0
			1100 1199	1.0	(0.2)	70.6	260.8	22.0	4.0	1.2	2.0	5.0	1.0	3.0
			999	1.0	(0.2)	71.8	146.6	23.0	2.4	0.4	2.0	5.0	1.0	2.0
				480.0	(6.5)	75.2	486.9	64.6	8.6	2.5	8.3	3.7	4.6	2.7
			3000	1.0	(3.7)	78.7	560.0	93.0	9.3	2.2	12.0	3.0	5.0	3.0
			2700 2799	2.0	(7.4)	78.7	558.0	93.5	8.2	1.6	11.0	3.0	5.0	2.5
			2600 2699	5.0	(18.5)	79.1	549.7	93.0	9.3	1.9	10.8	3.6	5.0	2.6
			2500 2599	3.0	(11.1)	75.9	524.9	74.3	8.1	2.2	10.3	3.3	5.0	2.3
			2400 2499	1.0	(3.7)	75.4	530.6	66.0	9.0	2.2	10.0	4.0	5.0	3.0
			2300 2399	8.0	(29.6)	76.7	562.7	80.5	9.4	2.7	9.4	3.4	5.0	2.9
			2200 2299	6.0	(22.2)	75.2	593.7	73.7	8.9	2.5	8.0	4.0	4.7	3.0
			2000 2099	1.0	(3.7)	71.8	637.7	59.0	9.6	4.1	9.0	3.0	5.0	3.0
				27.0	(0.4)	76.7	564.1	80.7	9.0	2.4	9.7	3.5	4.9	2.8
			3000	2.0	(1.5)	79.3	492.9	91.5	8.6	1.7	12.0	3.0	5.0	2.5
			2900 2999	2.0	(1.5)	77.3	558.7	80.5	9.1	1.8	11.5	3.0	5.0	3.0
			2800 2899	2.0	(1.5)	77.3	549.4	83.0	9.3	2.5	12.0	3.0	5.0	2.0
			2700 2799	3.0	(2.3)	79.6	531.2	95.0	9.2	1.9	12.0	3.0	5.0	2.3
			2600 2699	16.0	(12.0)	76.8	559.1	80.4	8.8	2.2	11.7	3.2	5.0	2.8
			2500 2599	14.0	(10.5)	76.1	537.7	75.2	8.6	2.3	10.4	3.6	5.0	2.8
			2400 2499	21.0	(15.8)	75.5	519.6	71.7	8.5	2.7	10.0	3.1	5.0	2.7
			2300 2399	29.0	(21.8)	74.7	508.5	65.0	8.4	2.6	8.6	3.4	4.8	2.9

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2200 2299	16.0	(12.0)	73.8	505.4	59.4	8.0	2.6	7.4	3.8	4.4	2.8
			2100 2199	12.0	(9.0)	73.8	496.4	60.0	7.8	2.6	6.5	3.8	3.9	2.8
			2000 2099	10.0	(7.5)	74.0	512.0	60.4	8.1	2.5	6.5	3.5	3.9	2.8
			1900 1999	5.0	(3.8)	74.2	492.3	58.6	7.6	1.9	4.8	3.6	3.2	2.8
			1700 1799	1.0	(0.8)	70.6	454.0	41.0	6.8	3.4	3.0	4.0	3.0	3.0
				133.0	(1.8)	75.2	518.8	68.7	8.4	2.5	8.9	3.4	4.6	2.8
			2300 2399	1.0	(14.3)	72.8	428.2	47.0	6.5	1.8	9.0	4.0	5.0	2.0
			2200 2299	1.0	(14.3)	76.2	465.0	68.0	8.4	2.0	7.0	5.0	4.0	3.0
			2100 2199	3.0	(42.9)	75.4	444.7	61.7	7.8	1.9	6.3	3.3	4.3	3.0
			2000 2099	1.0	(14.3)	74.4	472.0	59.0	8.1	2.4	5.0	4.0	4.0	3.0
			1900 1999	1.0	(14.3)	75.3	473.0	66.0	7.4	1.9	5.0	4.0	3.0	3.0
				7.0	(0.1)	75.0	453.2	60.7	7.7	2.0	6.4	3.9	4.1	2.9
			3000	2.0	(5.1)	74.7	446.8	58.0	7.7	2.0	8.5	4.0	4.5	3.0
			2800 2899	7.0	(17.9)	75.0	518.3	67.9	8.4	2.5	8.3	4.0	4.7	3.0
			2700 2799	12.0	(30.8)	74.6	530.7	65.7	9.0	3.0	7.8	3.9	4.6	3.0
			2600 2699	11.0	(28.2)	73.9	494.0	56.3	8.2	2.3	5.5	4.1	4.0	3.0
			2500 2599	1.0	(2.6)	76.1	585.0	75.0	10.8	3.3	7.0	4.0	4.0	3.0
			2400 2499	1.0	(2.6)	71.6	498.0	47.0	8.0	3.3	5.0	4.0	4.0	3.0
			2200 2299	4.0	(10.3)	74.6	511.6	61.5	8.1	1.9	6.0	4.3	3.5	3.0
			2000 2099	1.0	(2.6)	72.5	445.0	44.0	7.1	2.0	3.0	4.0	3.0	3.0
				39.0	(0.5)	74.4	510.2	61.8	8.5	2.5	6.9	4.0	4.3	3.0
			3000	5.0	(10.4)	80.0	589.4	100.6	9.9	1.9	11.8	4.0	5.0	2.4
			2900 2999	2.0	(4.2)	79.8	590.9	92.5	10.5	1.4	12.0	4.0	5.0	2.5
			2800 2899	3.0	(6.3)	76.8	555.5	75.7	9.3	1.9	11.3	3.3	5.0	2.0
			2700 2799	6.0	(12.5)	75.0	572.5	70.8	9.1	2.7	9.3	3.8	5.0	2.7
			2600 2699	7.0	(14.6)	74.6	533.8	64.3	8.8	2.5	9.0	3.9	5.0	2.6
			2500 2599	12.0	(25.0)	75.2	540.5	68.5	8.7	2.4	8.8	3.8	4.6	2.8
			2400 2499	8.0	(16.7)	74.9	529.9	64.5	8.5	2.1	8.8	3.9	4.6	2.6
			2300 2399	1.0	(2.1)	75.0	537.2	61.0	8.6	1.5	7.0	4.0	4.0	3.0
			2200 2299	1.0	(2.1)	74.7	557.3	69.0	8.9	3.0	7.0	4.0	4.0	3.0
			2100 2199	1.0	(2.1)	76.6	434.0	71.0	7.4	1.8	7.0	4.0	4.0	2.0
			2000 2099	1.0	(2.1)	72.2	537.5	56.0	7.3	3.0	4.0	4.0	3.0	3.0
			1800 1899	1.0	(2.1)	72.8	552.4	59.0	8.9	3.7	4.0	3.0	3.0	3.0
				48.0	(0.7)	75.8	548.1	71.8	8.9	2.3	9.2	3.8	4.7	2.6
			2600 2699	1.0	(7.7)	76.6	563.6	78.0	9.4	2.3	11.0	3.0	5.0	3.0
			2500 2599	1.0	(7.7)	79.9	467.1	88.0	9.1	1.3	11.0	4.0	5.0	2.0
			2400 2499	1.0	(7.7)	76.3	642.0	87.0	9.1	2.7	12.0	4.0	5.0	3.0
			2300 2399	1.0	(7.7)	75.3	567.6	72.0	9.1	2.7	9.0	4.0	5.0	2.0
			2200 2299	1.0	(7.7)	74.7	450.9	53.0	8.3	1.7	7.0	4.0	4.0	2.0
			2100 2199	3.0	(23.1)	74.7	496.3	64.0	7.5	2.1	7.3	4.0	4.3	2.3

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2000 2099	2.0	(15.4)	73.6	444.3	53.5	7.8	2.6	6.5	4.0	4.0	3.0
			1900 1999	2.0	(15.4)	73.5	514.5	61.5	7.2	2.5	5.0	4.0	3.5	3.0
			1500 1599	1.0	(7.7)	73.1	502.0	51.0	8.3	2.5	2.0	4.0	2.0	3.0
				13.0	(0.2)	74.9	507.7	65.5	8.1	2.3	7.5	3.9	4.2	2.6
			3000	156.0	(42.2)	75.3	443.1	64.9	7.5	2.2	9.4	3.5	4.9	2.6
			2900 2999	79.0	(21.4)	74.9	435.8	61.8	7.3	2.2	8.6	3.8	4.9	2.5
			2800 2899	75.0	(20.3)	74.6	429.2	60.0	7.1	2.3	7.0	4.0	4.1	2.6
			2700 2799	12.0	(3.2)	75.5	468.3	68.8	7.5	2.3	7.9	3.5	4.3	2.7
			2600 2699	11.0	(3.0)	75.8	488.9	70.7	8.1	2.3	8.9	3.9	4.5	2.4
			2500 2599	11.0	(3.0)	76.2	528.0	75.3	8.6	2.3	8.8	3.6	4.6	2.8
			2400 2499	4.0	(1.1)	75.9	542.0	75.3	8.9	2.8	9.3	3.5	5.0	2.8
			2300 2399	12.0	(3.2)	74.7	497.4	64.9	8.2	2.6	8.0	3.8	4.8	2.5
			2200 2299	2.0	(0.5)	75.0	515.4	67.0	8.3	2.6	6.5	3.5	4.0	2.5
			2100 2199	4.0	(1.1)	73.0	516.0	58.0	7.8	2.9	5.8	3.8	4.0	2.8
			2000 2099	2.0	(0.5)	73.2	560.4	59.0	8.7	3.0	5.5	3.5	3.5	2.5
			1800 1899	1.0	(0.3)	75.4	480.9	65.0	8.2	2.2	3.0	4.0	2.0	3.0
			1600 1699	1.0	(0.3)	71.7	321.0	42.0	5.7	3.3	3.0	6.0	2.0	3.0
				370.0	(5.0)	75.1	447.8	63.8	7.5	2.3	8.5	3.7	4.7	2.6
			2800 2899	1.0	(10.0)	78.0	465.6	87.0	7.1	1.8	10.0	4.0	5.0	3.0
			2600 2699	1.0	(10.0)	80.0	512.8	99.0	8.6	1.7	10.0	4.0	5.0	3.0
			2500 2599	1.0	(10.0)	76.4	501.6	68.0	8.6	1.5	8.0	3.0	5.0	2.0
			2300 2399	1.0	(10.0)	75.8	479.4	67.0	7.9	1.7	9.0	4.0	5.0	2.0
			2200 2299	4.0	(40.0)	75.4	440.8	60.5	7.6	1.6	6.0	3.5	4.0	3.0
			2100 2199	1.0	(10.0)	74.2	580.8	64.0	9.3	2.7	6.0	4.0	4.0	2.0
			2000 2099	1.0	(10.0)	72.1	530.8	49.0	8.0	2.7	4.0	3.0	3.0	2.0
				10.0	(0.1)	75.8	483.4	67.6	8.0	1.8	7.1	3.6	4.3	2.6
			3000	1.0	(6.7)	77.0	573.2	82.0	9.4	2.4	12.0	4.0	5.0	3.0
			2800 2899	1.0	(6.7)	74.1	570.8	71.0	7.9	3.0	10.0	3.0	5.0	3.0
			2700 2799	2.0	(13.3)	77.2	533.9	78.5	8.8	1.8	10.5	4.0	5.0	3.0
			2600 2699	2.0	(13.3)	75.2	562.8	74.0	8.9	3.0	11.0	3.5	5.0	3.0
			2500 2599	2.0	(13.3)	73.7	483.1	59.5	7.8	2.9	9.0	3.5	5.0	3.0
			2400 2499	4.0	(26.7)	73.7	513.1	62.0	8.0	3.0	8.3	3.0	4.5	3.0
			2300 2399	1.0	(6.7)	72.7	483.4	63.0	8.0	4.7	7.0	4.0	4.0	3.0
			2200 2299	2.0	(13.3)	75.4	512.8	69.5	8.2	2.3	5.5	4.0	4.0	2.5
				15.0	(0.2)	74.8	524.3	68.5	8.3	2.8	8.9	3.5	4.7	2.9
			3000	3.0	(10.7)	78.4	533.9	87.0	9.0	1.8	11.7	3.7	5.0	2.3
			2900 2999	2.0	(7.1)	79.6	546.4	98.0	9.1	1.9	11.0	3.5	5.0	2.5
			2700 2799	5.0	(17.9)	77.8	553.5	87.4	8.8	2.1	10.6	3.6	5.0	2.8
			2600 2699	3.0	(10.7)	76.9	592.1	89.7	8.7	2.9	10.7	3.7	5.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2500 2599	1.0	(3.6)	74.7	622.0	77.0	9.3	3.6	10.0	4.0	5.0	3.0
			2400 2499	7.0	(25.0)	75.1	532.4	70.7	8.5	2.8	8.7	3.4	5.0	3.0
			2300 2399	1.0	(3.6)	75.8	561.8	78.0	8.8	2.9	8.0	4.0	5.0	3.0
			2200 2299	6.0	(21.4)	75.3	495.5	68.5	8.1	2.5	6.0	3.8	3.8	3.0
				28.0	(0.4)	76.5	540.1	79.4	8.6	2.5	9.2	3.6	4.8	2.9
			3000	2.0	(5.1)	82.8	575.5	117.0	9.6	1.2	12.0	3.5	5.0	2.0
			2700 2799	2.0	(5.1)	79.4	559.5	99.0	8.6	1.8	12.0	3.5	5.0	2.5
			2500 2599	2.0	(5.1)	77.0	598.5	85.0	9.3	2.5	10.0	4.0	5.0	3.0
			2400 2499	5.0	(12.8)	76.8	513.6	77.4	8.5	2.1	10.0	3.2	5.0	2.6
			2300 2399	7.0	(17.9)	76.4	498.1	70.0	8.9	2.0	9.4	3.9	4.9	3.0
			2200 2299	8.0	(20.5)	75.5	502.9	70.0	8.0	2.2	8.1	4.0	4.9	2.9
			2100 2199	9.0	(23.1)	75.3	486.6	65.7	8.0	2.1	7.2	3.7	4.4	3.0
			2000 2099	1.0	(2.6)	74.9	456.0	64.0	7.9	2.7	6.0	4.0	4.0	2.0
			1900 1999	2.0	(5.1)	73.2	462.0	54.0	6.9	2.3	5.0	4.0	3.5	3.0
			1700 1799	1.0	(2.6)	71.9	363.0	46.0	5.0	2.6	5.0	5.0	3.0	2.0
				39.0	(0.5)	76.2	504.3	73.0	8.3	2.1	8.6	3.8	4.7	2.8
			2800 2899	1.0	(3.1)	78.8	475.6	82.0	8.7	1.3	12.0	3.0	5.0	2.0
			2600 2699	4.0	(12.5)	75.1	531.4	68.0	8.8	2.6	10.5	3.3	5.0	2.8
			2500 2599	3.0	(9.4)	75.8	496.8	69.7	8.8	2.6	10.3	3.7	5.0	2.7
			2400 2499	7.0	(21.9)	76.5	487.6	72.6	8.4	2.1	9.4	3.4	5.0	3.0
			2300 2399	4.0	(12.5)	75.2	565.8	72.8	8.7	2.7	8.5	3.3	4.8	2.8
			2200 2299	6.0	(18.8)	74.0	497.3	58.0	8.5	2.6	7.5	3.7	4.5	3.0
			2100 2199	2.0	(6.3)	74.5	530.0	67.0	8.3	2.9	7.5	4.5	4.0	3.5
			2000 2099	3.0	(9.4)	73.3	435.9	53.7	6.9	2.4	5.3	3.7	4.0	3.0
			1800 1899	1.0	(3.1)	72.8	368.4	44.0	6.8	2.5	4.0	3.0	3.0	3.0
			1700 1799	1.0	(3.1)	74.9	486.2	64.0	7.9	2.2	3.0	4.0	3.0	2.0
				32.0	(0.4)	75.1	499.2	66.0	8.3	2.5	8.4	3.5	4.6	2.9
			3000	4.0	(5.1)	75.5	574.9	76.8	8.4	2.5	8.5	3.5	4.8	3.0
			2900 2999	4.0	(5.1)	75.9	504.7	74.0	8.3	2.6	12.0	3.3	5.0	2.8
			2700 2799	3.0	(3.8)	75.7	522.9	73.7	8.1	2.4	10.7	3.0	5.0	3.0
			2600 2699	15.0	(19.0)	75.5	496.1	70.9	8.1	2.6	9.3	3.6	4.9	2.8
			2500 2599	13.0	(16.5)	75.8	502.1	70.9	8.4	2.4	9.5	3.5	5.0	2.6
			2400 2499	11.0	(13.9)	74.8	502.8	68.1	8.0	2.8	8.5	3.1	4.8	2.8
			2300 2399	10.0	(12.7)	75.0	523.1	67.3	8.3	2.4	7.1	3.3	4.4	2.9
			2200 2299	8.0	(10.1)	74.4	478.2	62.8	8.0	2.7	6.1	3.6	4.1	2.4
			2100 2199	6.0	(7.6)	75.5	457.4	64.8	7.8	2.1	6.5	3.7	4.2	2.5
			2000 2099	3.0	(3.8)	73.4	560.9	63.3	8.0	2.9	4.7	3.7	3.3	3.0
			1900 1999	1.0	(1.3)	74.5	403.0	54.0	6.9	1.7	4.0	4.0	3.0	3.0
			1800 1899	1.0	(1.3)	75.3	359.0	58.0	6.0	1.3	6.0	4.0	4.0	5.0
				79.0	(1.1)	75.2	501.7	68.7	8.1	2.5	8.3	3.4	4.6	2.8
			3000	1.0	(1.6)	78.9	537.4	93.0	9.1	2.1	12.0	3.0	5.0	3.0
			2900 2999	2.0	(3.3)	79.5	556.2	96.5	9.0	1.6	12.0	3.0	5.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2800 2899	1.0	(1.6)	80.3	544.8	96.0	9.7	1.4	12.0	3.0	5.0	3.0
			2700 2799	5.0	(8.2)	77.5	521.1	78.8	8.6	1.6	11.0	3.4	5.0	2.6
			2600 2699	9.0	(14.8)	75.9	540.5	74.9	8.8	2.6	10.3	3.6	5.0	2.8
			2500 2599	3.0	(4.9)	75.8	532.2	74.3	8.4	2.6	10.0	3.7	5.0	3.0
			2400 2499	6.0	(9.8)	76.1	588.5	80.7	8.7	2.5	9.3	3.8	5.0	2.7
			2300 2399	14.0	(23.0)	74.7	527.3	66.4	8.3	2.5	7.6	3.9	4.6	2.9
			2200 2299	9.0	(14.8)	74.6	523.5	66.7	8.4	2.8	6.8	3.7	4.4	2.9
			2100 2199	5.0	(8.2)	74.4	489.2	63.2	7.8	2.6	6.2	3.6	4.2	2.8
			2000 2099	5.0	(8.2)	72.7	538.8	60.0	8.0	3.5	6.4	4.2	4.0	2.8
			1800 1899	1.0	(1.6)	72.6	589.4	66.0	7.7	3.5	4.0	4.0	3.0	3.0
				61.0	(0.8)	75.4	534.7	71.6	8.4	2.5	8.5	3.7	4.6	2.8
			3000	1.0	(2.1)	81.6	551.5	116.0	9.0	2.2	12.0	4.0	5.0	2.0
			2900 2999	1.0	(2.1)	78.9	459.3	88.0	8.3	1.9	12.0	3.0	5.0	3.0
			2800 2899	1.0	(2.1)	75.0	461.3	63.0	7.6	2.1	11.0	3.0	5.0	3.0
			2500 2599	5.0	(10.4)	76.9	511.3	80.8	7.9	2.1	10.4	3.4	5.0	2.8
			2400 2499	7.0	(14.6)	74.9	483.4	65.4	7.6	2.4	9.1	3.6	5.0	2.6
			2300 2399	9.0	(18.8)	74.8	475.4	65.8	7.4	2.3	7.4	3.4	4.4	2.7
			2200 2299	9.0	(18.8)	74.3	468.8	59.2	7.7	2.3	7.9	3.9	4.6	2.9
			2100 2199	8.0	(16.7)	74.6	496.4	64.4	7.9	2.5	6.6	4.0	4.1	3.0
			2000 2099	3.0	(6.3)	73.2	489.0	56.3	7.9	3.0	5.0	3.3	3.7	3.0
			1900 1999	1.0	(2.1)	75.4	556.4	65.0	8.7	1.4	4.0	5.0	3.0	2.0
			1800 1899	1.0	(2.1)	71.6	460.4	42.0	7.8	3.0	4.0	4.0	3.0	3.0
			1700 1799	1.0	(2.1)	74.0	354.0	45.0	6.6	1.4	4.0	4.0	3.0	3.0
			1600 1699	1.0	(2.1)	70.1	442.6	38.0	6.5	3.4	2.0	4.0	2.0	3.0
				48.0	(0.7)	74.9	482.5	65.2	7.7	2.3	7.7	3.7	4.4	2.8
			3000	3.0	(8.3)	78.9	548.8	90.7	9.5	2.1	12.0	3.0	5.0	3.0
			2900 2999	1.0	(2.8)	75.8	556.0	74.0	10.0	3.3	12.0	4.0	5.0	3.0
			2700 2799	2.0	(5.6)	73.8	522.8	62.5	7.5	2.5	11.0	3.5	5.0	3.0
			2600 2699	9.0	(25.0)	76.6	524.2	77.7	8.7	2.4	10.4	3.3	5.0	2.8
			2500 2599	7.0	(19.4)	75.9	511.8	70.0	8.6	2.2	9.1	3.1	5.0	2.7
			2400 2499	5.0	(13.9)	75.4	518.2	69.8	8.7	2.7	8.6	3.8	5.0	2.8
			2300 2399	2.0	(5.6)	73.7	486.4	57.0	7.5	2.3	5.5	4.0	4.0	3.0
			2200 2299	1.0	(2.8)	75.3	592.4	68.0	10.4	2.6	9.0	4.0	5.0	2.0
			2100 2199	3.0	(8.3)	74.5	561.7	64.7	9.2	2.7	7.0	3.0	4.3	3.0
			2000 2099	3.0	(8.3)	73.9	555.7	61.7	8.4	2.4	5.3	3.7	3.7	2.7
				36.0	(0.5)	75.7	529.4	71.4	8.7	2.4	9.1	3.4	4.8	2.8
			2500 2599	1.0	(10.0)	75.8	379.1	63.0	7.0	2.0	10.0	3.0	5.0	2.0
			2400 2499	2.0	(20.0)	75.7	468.9	66.5	7.7	1.9	10.0	3.5	5.0	3.0
			2300 2399	3.0	(30.0)	75.1	456.6	66.3	7.1	2.1	7.3	3.3	4.3	2.3
			2200 2299	2.0	(20.0)	74.8	411.1	55.0	7.2	1.6	6.5	4.0	4.0	2.0
			2000 2099	1.0	(10.0)	74.7	394.9	57.0	7.2	2.2	6.0	4.0	4.0	2.0
			1800 1899	1.0	(10.0)	73.4	473.3	58.0	6.6	2.3	4.0	4.0	3.0	2.0

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
				10.0	(0.1)	75.0	437.7	62.0	7.2	2.0	7.5	3.6	4.3	2.3
			2400 2499	2.0	(22.2)	76.5	522.0	77.0	8.5	2.4	10.0	3.0	5.0	3.0
			2300 2399	1.0	(11.1)	75.7	554.0	70.0	9.2	2.2	7.0	3.0	5.0	3.0
			2200 2299	2.0	(22.2)	76.3	550.0	76.0	9.2	2.5	9.5	3.0	5.0	2.5
			2100 2199	2.0	(22.2)	74.3	484.3	56.0	8.6	2.3	7.0	3.5	4.0	3.0
			2000 2099	1.0	(11.1)	74.2	414.0	46.0	7.3	1.0	5.0	4.0	4.0	3.0
			1900 1999	1.0	(11.1)	73.9	382.5	47.0	6.0	1.0	6.0	4.0	4.0	3.0
				9.0	(0.1)	75.3	495.9	64.6	8.3	2.0	7.9	3.3	4.6	2.9
			3000	4.0	(2.7)	81.7	559.8	111.8	10.1	2.1	12.0	3.3	5.0	3.0
			2900 2999	3.0	(2.0)	79.4	553.9	98.7	8.6	1.9	12.0	3.0	5.0	3.0
			2800 2899	6.0	(4.1)	78.5	538.5	86.5	9.6	2.0	12.0	3.2	5.0	3.0
			2700 2799	10.0	(6.8)	78.1	543.1	88.8	8.8	2.2	11.4	3.6	5.0	2.9
			2600 2699	13.0	(8.8)	77.8	542.9	84.7	9.2	2.3	10.7	3.7	5.0	2.8
			2500 2599	7.0	(4.8)	75.8	516.3	74.9	8.4	2.7	10.4	3.7	5.0	2.6
			2400 2499	20.0	(13.6)	75.6	506.2	70.0	8.2	2.3	9.2	3.5	4.9	3.0
			2300 2399	25.0	(17.0)	75.6	485.7	69.0	8.1	2.4	8.7	3.7	4.8	2.8
			2200 2299	33.0	(22.4)	74.7	481.3	64.3	8.0	2.6	7.0	3.8	4.5	2.9
			2100 2199	6.0	(4.1)	73.5	449.4	56.0	7.3	2.8	6.2	3.7	3.8	2.7
			2000 2099	12.0	(8.2)	73.6	443.8	56.0	7.0	2.5	4.8	4.0	3.7	2.8
			1900 1999	3.0	(2.0)	73.8	420.3	50.3	7.1	1.9	4.0	4.3	3.0	2.7
			1800 1899	3.0	(2.0)	73.8	435.1	57.0	6.8	2.4	4.0	4.7	3.0	3.0
			1700 1799	2.0	(1.4)	73.5	403.7	53.0	6.7	2.5	3.5	4.5	2.5	3.0
				147.0	(2.0)	75.8	495.1	71.2	8.2	2.4	8.4	3.7	4.6	2.9
			3000	14.0	(5.1)	80.0	551.0	99.6	9.4	2.0	12.0	3.4	5.0	2.6
			2900 2999	15.0	(5.5)	77.7	537.9	85.6	9.0	2.3	11.1	3.5	5.0	2.9
			2800 2899	28.0	(10.2)	77.4	525.2	83.5	8.7	2.3	11.5	3.5	5.0	2.8
			2700 2799	25.0	(9.1)	76.8	532.0	79.1	8.9	2.5	10.5	3.6	5.0	3.0
			2600 2699	45.0	(16.4)	75.9	522.0	73.3	8.6	2.5	9.8	3.6	5.0	2.8
			2500 2599	27.0	(9.9)	74.9	515.7	67.9	8.3	2.7	8.9	3.7	4.9	2.9
			2400 2499	43.0	(15.7)	75.4	512.9	70.8	8.2	2.6	8.6	3.6	4.9	2.8
			2300 2399	37.0	(13.5)	74.5	513.2	65.5	8.1	2.7	7.4	3.7	4.4	2.9
			2200 2299	20.0	(7.3)	74.5	502.6	63.9	8.1	2.6	6.4	4.0	4.2	2.9
			2100 2199	11.0	(4.0)	74.5	478.4	61.5	7.6	2.2	5.0	4.1	3.5	2.9
			2000 2099	7.0	(2.6)	73.7	513.0	60.1	7.6	2.4	4.6	4.4	3.4	3.0
			1900 1999	2.0	(0.7)	73.8	499.2	59.5	9.0	3.4	4.5	4.0	3.5	3.0
				274.0	(3.7)	75.8	518.8	73.3	8.4	2.5	9.0	3.7	4.7	2.9
			3000	4.0	(2.1)	78.8	564.3	93.0	9.5	2.1	12.0	3.5	5.0	2.8
			2800 2899	1.0	(0.5)	78.3	578.4	91.0	9.4	2.2	11.0	3.0	5.0	3.0
			2700 2799	7.0	(3.6)	76.8	540.5	81.9	8.8	2.5	11.7	3.7	5.0	2.7
			2600 2699	12.0	(6.2)	76.2	537.4	74.4	9.2	2.6	10.6	3.3	5.0	2.9
			2500 2599	12.0	(6.2)	75.6	528.0	71.9	8.6	2.5	9.4	3.7	5.0	2.9
			2400 2499	24.0	(12.3)	74.9	516.7	67.0	8.3	2.6	8.9	3.6	5.0	2.8

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2300 2399	39.0	(20.0)	74.7	493.1	63.9	8.0	2.4	7.6	3.7	4.7	2.7
			2200 2299	22.0	(11.3)	74.5	473.5	60.1	8.1	2.5	7.1	3.7	4.5	2.8
			2100 2199	22.0	(11.3)	74.6	453.3	59.8	7.6	2.2	6.4	3.8	4.2	2.8
			2000 2099	15.0	(7.7)	73.9	460.5	56.6	7.7	2.6	5.7	4.1	3.7	2.9
			1900 1999	18.0	(9.2)	74.1	448.4	57.1	7.0	2.0	4.2	3.9	3.1	2.6
			1800 1899	14.0	(7.2)	73.0	449.9	48.8	7.5	2.3	4.3	4.1	3.1	2.7
			1700 1799	2.0	(1.0)	72.3	429.9	45.0	6.7	2.3	3.0	4.0	2.5	3.0
			1600 1699	3.0	(1.5)	72.6	400.9	45.3	5.8	1.8	3.3	4.7	2.3	2.3
				195.0	(2.6)	74.7	486.0	63.2	8.0	2.4	7.3	3.8	4.3	2.8
			2900 2999	1.0	(0.6)	79.6	531.6	98.0	9.7	2.7	12.0	3.0	5.0	3.0
			2800 2899	9.0	(5.8)	78.3	534.6	90.0	8.7	2.2	11.8	3.3	5.0	2.9
			2700 2799	9.0	(5.8)	77.3	533.8	81.0	8.9	2.1	11.6	3.4	5.0	2.7
			2600 2699	13.0	(8.4)	76.9	521.5	77.1	8.7	2.0	11.1	3.5	5.0	2.8
			2500 2599	15.0	(9.7)	76.9	512.3	78.3	8.6	2.2	10.3	3.5	5.0	2.7
			2400 2499	20.0	(13.0)	75.6	519.4	70.8	8.5	2.4	9.8	3.4	5.0	2.9
			2300 2399	22.0	(14.3)	74.9	506.4	67.1	8.3	2.7	8.9	3.6	4.9	2.8
			2200 2299	27.0	(17.5)	74.8	497.1	63.8	8.1	2.3	7.9	3.5	4.6	2.9
			2100 2199	23.0	(14.9)	74.5	469.5	61.3	7.7	2.3	6.9	3.8	4.2	2.8
			2000 2099	5.0	(3.2)	73.2	513.5	57.6	7.5	2.6	4.6	4.0	3.6	2.8
			1900 1999	3.0	(1.9)	75.0	432.0	58.0	7.1	1.5	4.7	4.3	3.0	3.0
			1800 1899	3.0	(1.9)	73.1	480.6	55.7	7.2	2.6	3.7	4.0	2.7	2.3
			1700 1799	3.0	(1.9)	73.8	398.0	51.0	6.7	1.9	3.3	4.7	2.7	3.0
			1600 1699	1.0	(0.6)	74.4	266.3	41.0	5.9	1.0	11.0	3.0	5.0	2.0
				154.0	(2.1)	75.5	500.8	69.2	8.2	2.3	8.8	3.6	4.6	2.8
			3000	4.0	(0.9)	79.0	519.0	88.8	9.3	1.9	11.8	3.5	5.0	2.8
			2900 2999	1.0	(0.2)	78.3	536.5	91.0	8.2	1.9	11.0	4.0	5.0	3.0
			2800 2899	22.0	(5.0)	77.0	502.0	78.3	8.4	2.2	11.9	3.6	5.0	2.7
			2700 2799	24.0	(5.4)	76.6	523.3	75.9	9.1	2.4	11.1	3.5	5.0	2.8
			2600 2699	40.0	(9.0)	76.1	509.2	72.3	8.8	2.4	10.2	3.8	5.0	2.9
			2500 2599	54.0	(12.2)	75.3	509.6	68.2	8.6	2.6	9.6	3.6	5.0	2.8
			2400 2499	69.0	(15.6)	75.0	523.9	67.0	8.8	2.7	8.6	3.7	5.0	2.8
			2300 2399	60.0	(13.6)	74.8	509.7	64.5	8.5	2.6	7.6	3.7	4.5	2.9
			2200 2299	55.0	(12.4)	74.7	501.1	63.3	8.3	2.5	6.7	3.7	4.3	2.9
			2100 2199	48.0	(10.9)	74.3	504.0	62.5	8.2	2.6	5.5	3.8	4.0	2.8
			2000 2099	36.0	(8.1)	73.7	482.6	57.3	7.6	2.4	4.8	3.9	3.4	2.9
			1900 1999	13.0	(2.9)	73.6	487.2	57.3	7.8	2.6	4.0	4.1	3.0	2.8
			1800 1899	5.0	(1.1)	72.7	465.5	54.0	7.3	3.0	3.8	4.0	3.4	2.8
			1700 1799	4.0	(0.9)	72.3	499.6	54.8	7.5	3.3	3.3	4.5	2.5	3.3
			1600 1699	1.0	(0.2)	72.8	437.0	49.0	7.7	2.9	2.0	4.0	2.0	3.0
			1500 1599	1.0	(0.2)	73.6	356.0	48.0	6.3	2.0	5.0	4.0	3.0	3.0
			1400 1499	1.0	(0.2)	72.5	353.6	45.0	4.8	1.7	2.0	5.0	2.0	2.0
			999	4.0	(0.9)	73.0	342.6	45.8	5.2	1.7	5.5	4.3	3.3	2.3
				442.0	(6.0)	75.0	504.8	66.0	8.4	2.5	7.9	3.7	4.5	2.8

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			3000	10.0	(3.3)	80.1	577.0	98.6	9.7	1.6	11.9	3.3	5.0	2.9
			2900 2999	2.0	(0.7)	80.9	561.5	106.5	8.9	1.4	11.5	4.0	5.0	2.5
			2800 2899	8.0	(2.6)	79.6	562.4	97.1	9.4	1.8	11.6	3.4	5.0	2.9
			2700 2799	9.0	(3.0)	79.3	536.2	93.9	9.3	2.0	11.1	3.7	5.0	2.8
			2600 2699	13.0	(4.3)	78.1	552.6	88.3	9.0	2.1	10.5	3.7	5.0	2.8
			2500 2599	21.0	(6.9)	76.6	521.9	79.0	8.3	2.3	9.7	3.7	5.0	3.0
			2400 2499	27.0	(8.9)	76.0	520.0	72.9	8.7	2.4	9.4	3.7	5.0	2.7
			2300 2399	73.0	(23.9)	75.3	515.2	69.5	8.1	2.4	8.2	3.6	4.8	2.8
			2200 2299	55.0	(18.0)	74.7	518.0	66.7	8.3	2.7	7.3	3.8	4.4	2.9
			2100 2199	42.0	(13.8)	74.1	504.8	62.2	7.9	2.7	6.2	3.9	4.0	2.8
			2000 2099	28.0	(9.2)	73.8	509.8	60.1	7.9	2.6	5.4	3.9	3.7	2.8
			1900 1999	8.0	(2.6)	74.3	491.1	60.0	7.6	2.0	4.4	4.0	3.0	2.8
			1800 1899	5.0	(1.6)	73.0	475.9	51.6	7.4	2.3	4.0	3.8	3.2	2.8
			1700 1799	1.0	(0.3)	68.8	621.0	38.0	9.0	4.2	5.0	3.0	4.0	2.0
			1600 1699	3.0	(1.0)	72.4	349.3	41.7	5.4	1.8	3.0	4.0	2.3	2.3
				305.0	(4.1)	75.5	517.9	70.6	8.3	2.4	7.9	3.7	4.5	2.8
			3000	16.0	(33.3)	75.4	506.0	68.7	8.2	2.4	9.8	4.0	4.9	2.9
			2800 2899	4.0	(8.3)	75.6	507.2	69.5	8.4	2.3	10.5	4.0	5.0	3.0
			2700 2799	4.0	(8.3)	74.0	504.5	61.5	7.8	2.6	8.5	4.0	5.0	3.0
			2600 2699	4.0	(8.3)	74.7	516.1	66.8	8.3	2.8	9.3	3.5	5.0	2.5
			2500 2599	9.0	(18.8)	74.2	495.7	60.9	8.1	2.7	7.8	3.9	4.4	3.0
			2400 2499	3.0	(6.3)	74.8	489.3	63.3	7.4	1.9	5.7	4.3	4.0	3.0
			2300 2399	6.0	(12.5)	73.1	456.8	53.2	7.1	2.4	6.5	4.2	4.0	2.7
			2100 2199	1.0	(2.1)	71.9	508.5	54.0	6.3	2.7	6.0	4.0	4.0	2.0
			2000 2099	1.0	(2.1)	75.5	409.5	61.0	7.2	1.6	4.0	4.0	3.0	3.0
				48.0	(0.7)	74.6	495.7	63.8	7.9	2.5	8.4	4.0	4.6	2.9
			3000	469.0	(6.4)	76.7	494.3	74.8	8.6	2.2	10.1	3.5	5.0	2.7
			2900 2999	211.0	(2.9)	76.5	495.4	74.6	8.3	2.2	9.9	3.6	5.0	2.7
			2800 2899	310.0	(4.2)	76.6	509.9	76.5	8.5	2.2	10.0	3.6	4.8	2.7
			2700 2799	375.0	(5.1)	77.2	537.4	81.4	8.8	2.2	10.5	3.5	4.9	2.7
			2600 2699	560.0	(7.6)	76.6	533.6	77.1	8.8	2.3	10.1	3.6	4.9	2.7
			2500 2599	623.0	(8.4)	76.0	530.4	73.6	8.7	2.4	9.8	3.5	4.9	2.8
			2400 2499	923.0	(12.5)	75.6	529.2	71.7	8.6	2.5	9.2	3.6	4.9	2.7
			2300 2399	1045.0	(14.2)	75.1	520.5	68.0	8.4	2.5	8.4	3.7	4.8	2.8
			2200 2299	871.0	(11.8)	74.8	514.3	65.7	8.2	2.4	7.4	3.8	4.5	2.8
			2100 2199	899.0	(12.2)	74.5	509.6	63.1	8.1	2.4	6.6	3.8	4.2	2.7
			2000 2099	582.0	(7.9)	74.0	504.0	60.3	7.9	2.5	5.8	3.9	3.9	2.7
			1900 1999	273.0	(3.7)	73.7	486.0	57.5	7.6	2.4	4.8	4.0	3.4	2.7
			1800 1899	125.0	(1.7)	73.0	481.0	53.3	7.5	2.6	4.5	4.1	3.2	2.8
			1700 1799	66.0	(0.9)	72.5	487.7	52.2	7.5	2.9	3.9	4.2	2.9	2.7
			1600 1699	19.0	(0.3)	72.8	401.7	46.5	6.2	2.0	3.8	4.3	2.7	2.5
			1500 1599	7.0	(0.1)	72.7	455.2	48.1	7.0	2.2	3.4	4.1	2.6	2.6

[illegible]

[illegible]