

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1900 1999	1.0	(0.4)	72.2	556.0	67.0	7.8	2.3	7.0	4.0	4.0	2.0
			1700 1799	7.0	(2.8)	72.6	544.0	71.7	8.3	3.2	6.1	4.1	4.0	2.9
			1600 1699	17.0	(6.8)	71.0	535.8	61.6	7.8	3.2	4.7	4.2	3.4	2.8
			1500 1599	32.0	(12.9)	70.8	519.0	59.9	8.0	3.5	4.8	4.1	3.6	2.6
			1400 1499	37.0	(14.9)	70.9	512.3	57.6	7.9	3.1	4.2	4.1	3.2	2.7
			1300 1399	33.0	(13.3)	70.5	488.1	55.5	7.3	3.2	3.9	4.2	2.8	2.7
			1200 1299	26.0	(10.4)	70.4	492.5	54.1	7.4	3.1	3.5	4.2	2.7	2.9
			1100 1199	39.0	(15.7)	69.7	491.3	52.3	7.2	3.5	3.2	4.4	2.4	2.9
			1000 1099	35.0	(14.1)	69.7	481.9	50.8	7.2	3.4	2.8	4.7	2.1	2.8
			900 999	3.0	(1.2)	69.6	398.0	43.3	5.7	2.6	3.3	4.7	2.7	2.3
			800 899	7.0	(2.8)	69.0	513.6	44.3	6.6	2.3	2.7	4.7	2.0	3.0
			700 799	3.0	(1.2)	70.6	495.3	52.3	7.1	2.4	3.7	4.3	2.3	3.3
			600 699	7.0	(2.8)	69.6	410.4	42.3	5.6	2.1	2.9	4.7	2.1	4.4
			500 599	2.0	(0.8)	68.0	405.0	34.5	5.3	2.5	2.0	5.0	2.0	3.0
				249.0	(7.4)	70.3	497.7	55.0	7.4	3.2	3.8	4.3	2.8	2.8
			1700 1799	1.0	(2.7)	70.0	553.0	55.0	8.7	3.8	5.0	4.0	4.0	3.0
			1600 1699	2.0	(5.4)	72.0	503.0	67.0	8.0	3.5	6.0	4.0	4.0	3.0
			1500 1599	8.0	(21.6)	71.2	501.0	61.3	7.4	3.1	5.3	4.1	3.5	3.0
			1400 1499	6.0	(16.2)	70.5	493.5	54.2	7.6	3.1	3.8	4.0	3.2	2.5
			1300 1399	8.0	(21.6)	71.1	473.0	56.6	7.3	2.9	3.6	3.9	2.9	2.8
			1200 1299	5.0	(13.5)	70.4	503.0	57.6	7.2	3.3	3.0	4.8	2.2	2.2
			1100 1199	4.0	(10.8)	70.1	505.8	54.0	7.5	3.4	3.0	5.0	2.0	2.3
			1000 1099	3.0	(8.1)	69.2	471.0	44.3	7.0	3.1	2.7	4.7	2.0	2.0
				37.0	(1.1)	70.7	493.6	56.6	7.4	3.2	3.9	4.3	2.9	2.6
			1700 1799	2.0	(5.9)	71.5	508.5	56.5	7.2	1.8	8.0	4.0	4.5	2.0
			1600 1699	4.0	(11.8)	72.0	503.8	66.3	7.6	3.1	5.8	4.3	4.0	2.5
			1500 1599	6.0	(17.6)	71.5	491.0	58.3	7.5	2.6	5.7	3.8	3.5	2.3
			1400 1499	5.0	(14.7)	70.5	503.4	58.6	7.5	3.6	4.6	4.6	3.0	2.2
			1300 1399	5.0	(14.7)	71.0	490.4	57.6	7.5	3.0	4.4	4.0	3.2	2.4
			1200 1299	9.0	(26.5)	70.9	466.8	55.1	6.9	2.6	3.9	4.4	2.8	2.3
			1100 1199	3.0	(8.8)	70.5	423.0	52.0	6.7	3.1	3.0	4.7	2.0	2.3
				34.0	(1.0)	71.1	482.9	57.7	7.2	2.8	4.8	4.3	3.2	2.3
			2300 2399	1.0	(1.1)	71.2	567.8	77.0	7.6	4.5	9.0	3.0	5.0	2.0
			1900 1999	1.0	(1.1)	72.5	600.1	76.0	9.9	4.3	6.0	4.0	4.0	2.0
			1700 1799	2.0	(2.2)	69.6	584.2	56.0	8.9	4.0	5.0	4.0	4.0	3.0
			1600 1699	7.0	(7.6)	70.3	586.1	63.4	8.8	4.2	5.9	3.6	4.1	2.6
			1500 1599	13.0	(14.1)	71.1	552.7	64.0	8.3	3.6	5.0	3.6	3.7	2.8
			1400 1499	10.0	(10.9)	70.4	521.4	54.8	7.7	3.1	4.8	4.0	3.4	2.8
			1300 1399	15.0	(16.3)	70.3	520.9	54.5	7.8	3.2	3.7	3.8	3.1	2.7
			1200 1299	8.0	(8.7)	68.9	504.9	47.0	7.3	3.5	3.6	3.9	2.9	2.6
			1100 1199	10.0	(10.9)	69.0	512.1	49.9	7.2	3.6	3.6	4.2	2.9	2.8
			1000 1099	13.0	(14.1)	69.3	514.1	50.5	7.2	3.3	3.3	4.5	2.5	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			900 999	5.0	(5.4)	70.1	485.1	53.6	6.7	2.9	2.8	4.4	2.0	3.0
			800 899	4.0	(4.3)	68.2	521.3	46.0	6.8	3.5	3.3	4.0	2.3	3.3
			700 799	1.0	(1.1)	66.6	604.0	47.0	7.0	4.4	3.0	4.0	2.0	3.0
			500 599	2.0	(2.2)	70.5	425.0	49.0	7.1	2.9	3.5	4.5	3.0	4.5
				92.0	(2.7)	69.9	526.7	54.7	7.7	3.4	4.1	4.0	3.1	2.8
			1700 1799	1.0	(25.0)	71.5	502.9	63.0	6.4	2.1	7.0	4.0	4.0	2.0
			900 999	1.0	(25.0)	69.0	454.5	34.0	7.0	2.0	3.0	4.0	2.0	3.0
			800 899	1.0	(25.0)	68.3	384.8	33.0	4.9	2.0	3.0	5.0	2.0	4.0
			700 799	1.0	(25.0)	70.6	292.3	39.0	5.0	1.6	3.0	4.0	2.0	4.0
				4.0	(0.1)	69.8	408.6	42.3	5.8	1.9	4.0	4.3	2.5	3.3
			1800 1899	2.0	(0.6)	70.5	509.0	62.0	7.2	3.8	8.5	4.0	5.0	3.0
			1700 1799	6.0	(1.9)	73.0	497.0	72.0	7.5	2.8	7.2	3.8	4.3	2.8
			1600 1699	6.0	(1.9)	71.7	488.5	58.5	7.7	2.5	6.0	4.0	4.0	2.8
			1500 1599	13.0	(4.2)	71.1	488.5	59.3	7.7	3.4	6.2	3.8	4.2	2.7
			1400 1499	29.0	(9.4)	71.0	502.6	59.3	7.5	3.2	5.8	4.2	4.0	2.6
			1300 1399	68.0	(22.1)	70.8	495.0	58.4	7.5	3.3	5.3	4.1	3.8	2.6
			1200 1299	88.0	(28.6)	70.3	484.8	55.3	7.3	3.4	4.4	4.3	3.3	2.6
			1100 1199	51.0	(16.6)	70.2	483.6	54.4	7.3	3.4	3.7	4.4	2.8	2.6
			1000 1099	29.0	(9.4)	69.5	477.1	51.2	6.9	3.5	3.1	4.6	2.3	2.4
			900 999	6.0	(1.9)	68.3	502.0	44.8	7.3	3.9	3.0	4.5	2.3	2.7
			800 899	6.0	(1.9)	68.8	380.0	36.7	5.2	2.3	3.0	4.3	2.2	2.7
			700 799	1.0	(0.3)	71.3	508.0	56.0	7.4	2.2	2.0	4.0	2.0	3.0
			500 599	3.0	(1.0)	69.3	317.3	36.0	3.7	1.4	2.0	4.7	2.0	4.3
				308.0	(9.1)	70.4	485.2	55.7	7.3	3.3	4.6	4.3	3.3	2.6
			2000 2099	1.0	(0.5)	74.2	493.0	81.0	6.7	2.3	9.0	4.0	5.0	2.0
			1900 1999	1.0	(0.5)	72.4	469.5	64.0	8.6	3.5	9.0	3.0	5.0	2.0
			1800 1899	5.0	(2.5)	72.2	472.6	65.4	7.0	2.7	6.8	3.8	4.2	2.6
			1700 1799	15.0	(7.4)	71.8	500.9	63.8	7.5	3.0	6.5	3.7	4.1	2.7
			1600 1699	22.0	(10.8)	71.2	486.3	58.7	7.6	3.0	5.5	3.9	3.9	2.7
			1500 1599	29.0	(14.3)	71.4	481.3	59.0	7.2	2.8	4.4	4.1	3.2	2.6
			1400 1499	45.0	(22.2)	70.7	479.7	55.8	7.1	2.9	4.3	4.0	3.2	2.6
			1300 1399	24.0	(11.8)	70.1	497.7	53.8	7.5	3.4	3.7	4.0	2.8	2.5
			1200 1299	33.0	(16.3)	69.7	477.8	49.8	6.9	3.1	3.3	4.2	2.5	2.6
			1100 1199	21.0	(10.3)	69.7	466.3	50.9	6.9	3.4	3.1	4.4	2.3	2.7
			1000 1099	6.0	(3.0)	69.4	471.7	46.5	7.0	3.1	2.8	4.7	2.0	2.3
			800 899	1.0	(0.5)	70.0	564.5	52.0	7.7	2.4	3.0	4.0	2.0	4.0
				203.0	(6.0)	70.6	482.7	55.5	7.2	3.0	4.3	4.1	3.1	2.6
			1900 1999	1.0	(0.5)	72.7	509.0	68.0	7.8	2.6	7.0	3.0	4.0	2.0
			1800 1899	1.0	(0.5)	71.3	575.0	67.0	8.2	3.5	10.0	4.0	5.0	3.0
			1700 1799	9.0	(4.3)	72.2	499.0	65.2	7.7	2.8	7.0	3.9	4.2	2.7
			1600 1699	25.0	(11.8)	71.6	492.2	61.0	7.6	2.9	5.9	3.9	4.0	2.6

					(%)		(kg)	(m2)	(m)	(m)				
			1500 1599	21.0	(10.0)	71.7	507.0	62.3	7.5	2.8	5.2	4.0	3.5	2.8
			1400 1499	40.0	(19.0)	70.7	494.9	56.2	7.4	3.0	4.1	3.9	3.2	2.7
			1300 1399	26.0	(12.3)	70.5	489.6	56.5	7.3	3.3	4.3	4.4	3.2	2.6
			1200 1299	45.0	(21.3)	70.2	487.3	54.2	7.1	3.2	3.4	4.3	2.5	2.6
			1100 1199	29.0	(13.7)	69.4	471.8	50.1	7.0	3.5	3.0	4.3	2.4	2.6
			1000 1099	11.0	(5.2)	69.2	469.8	48.5	6.7	3.4	2.9	4.5	2.1	2.5
			700 799	1.0	(0.5)	69.8	394.0	42.0	5.8	2.1	2.0	4.0	2.0	2.0
			500 599	2.0	(0.9)	70.0	244.0	34.0	3.5	1.1	2.0	6.0	1.0	4.0
				211.0	(6.2)	70.6	486.8	56.0	7.2	3.1	4.2	4.2	3.0	2.6
			2200 2299	2.0	(0.4)	72.8	544.5	74.5	7.8	2.9	9.5	3.0	5.0	2.5
			2100 2199	3.0	(0.6)	74.0	573.3	81.0	7.8	2.2	8.7	3.3	5.0	2.3
			1900 1999	8.0	(1.7)	74.0	555.3	78.9	8.2	2.4	8.9	3.8	5.0	2.1
			1800 1899	16.0	(3.4)	73.1	553.4	75.1	8.0	2.7	6.6	3.3	4.6	2.2
			1700 1799	41.0	(8.7)	72.1	520.6	64.9	7.9	2.8	5.8	3.6	4.2	2.5
			1600 1699	84.0	(17.8)	71.6	518.8	63.0	7.7	3.0	4.8	3.9	3.7	2.4
			1500 1599	108.0	(22.9)	71.3	504.3	61.2	7.5	3.0	4.3	4.0	3.5	2.5
			1400 1499	110.0	(23.4)	70.6	501.3	57.4	7.2	3.0	3.8	4.2	3.1	2.4
			1300 1399	49.0	(10.4)	70.0	490.6	52.9	7.0	3.2	3.1	4.6	2.5	2.3
			1200 1299	21.0	(4.5)	69.8	492.5	54.8	6.7	3.3	3.1	4.4	2.5	2.5
			1100 1199	11.0	(2.3)	70.2	445.7	49.1	6.7	2.7	2.6	4.4	2.2	2.5
			1000 1099	6.0	(1.3)	69.4	483.3	49.8	6.5	3.1	2.5	4.8	2.2	2.0
			900 999	8.0	(1.7)	69.5	421.5	46.1	5.9	2.8	2.6	4.6	2.1	2.1
			700 799	1.0	(0.2)	68.8	254.5	25.0	4.7	2.0	2.0	4.0	2.0	3.0
			600 699	1.0	(0.2)	70.6	422.0	48.0	5.5	1.5	2.0	4.0	2.0	5.0
			500 599	1.0	(0.2)	69.8	496.0	48.0	6.6	2.2	3.0	5.0	2.0	4.0
			499	1.0	(0.2)	69.6	465.0	49.0	4.8	1.6	2.0	5.0	2.0	4.0
				471.0	(13.9)	71.1	504.9	59.9	7.4	3.0	4.3	4.1	3.4	2.4
			1700 1799	1.0	(4.2)	72.0	497.5	63.0	7.1	2.3	7.0	4.0	4.0	3.0
			1600 1699	3.0	(12.5)	71.5	506.2	62.7	7.4	3.0	5.3	4.0	3.7	2.7
			1500 1599	4.0	(16.7)	70.2	476.1	53.0	7.5	3.5	5.0	4.0	3.3	2.3
			1400 1499	1.0	(4.2)	70.6	376.0	44.0	7.2	2.9	4.0	4.0	3.0	2.0
			1300 1399	1.0	(4.2)	69.4	552.5	53.0	8.2	3.8	3.0	5.0	2.0	2.0
			1200 1299	2.0	(8.3)	70.0	400.5	41.0	6.2	2.0	3.0	4.0	2.0	2.5
			1100 1199	2.0	(8.3)	70.5	388.8	43.0	7.3	2.6	2.5	4.0	2.0	3.5
			1000 1099	4.0	(16.7)	69.2	385.4	35.8	6.4	2.5	2.3	4.5	2.0	2.5
			900 999	1.0	(4.2)	69.0	323.5	34.0	6.3	3.3	2.0	4.0	2.0	3.0
			800 899	1.0	(4.2)	70.1	322.0	34.0	6.0	1.9	3.0	4.0	2.0	3.0
			700 799	2.0	(8.3)	69.0	442.0	44.5	6.8	3.5	3.0	4.5	2.5	4.0
			600 699	1.0	(4.2)	69.6	471.0	46.0	8.6	4.0	5.0	5.0	3.0	5.0
			499	1.0	(4.2)	69.2	244.0	31.0	3.4	1.6	2.0	6.0	2.0	5.0
				24.0	(0.7)	70.0	425.6	46.0	6.9	2.9	3.7	4.3	2.6	2.9

					(%)		(kg)	(m ²)	(m)	(m)				
			2200 2299	1.0	(0.2)	75.7	556.0	93.0	8.0	2.3	12.0	3.0	5.0	2.0
			2100 2199	5.0	(1.0)	73.8	546.0	77.2	8.3	2.6	9.8	3.8	5.0	2.8
			2000 2099	3.0	(0.6)	73.0	508.3	70.7	7.8	2.7	7.7	3.7	5.0	2.7
			1900 1999	7.0	(1.4)	72.2	498.0	63.6	7.7	2.5	8.3	3.6	4.6	2.4
			1800 1899	24.0	(4.8)	72.5	528.7	68.0	8.0	2.7	7.3	3.6	4.5	2.6
			1700 1799	49.0	(9.8)	71.8	522.6	65.2	7.7	2.9	6.8	3.9	4.3	2.6
			1600 1699	67.0	(13.4)	71.2	513.5	60.8	7.6	3.0	6.0	4.0	3.9	2.6
			1500 1599	72.0	(14.4)	71.0	518.9	58.8	7.7	3.0	4.9	3.8	3.5	2.5
			1400 1499	66.0	(13.2)	70.6	502.9	56.2	7.4	3.1	4.5	4.2	3.3	2.7
			1300 1399	91.0	(18.2)	70.3	496.9	54.2	7.2	3.0	4.0	4.3	2.9	2.6
			1200 1299	49.0	(9.8)	69.5	502.1	52.0	7.1	3.5	3.9	4.2	2.9	2.7
			1100 1199	39.0	(7.8)	69.9	472.3	51.0	7.0	3.1	3.3	4.4	2.4	2.6
			1000 1099	15.0	(3.0)	69.9	437.9	47.3	6.4	2.7	2.9	4.3	2.3	2.5
			900 999	4.0	(0.8)	69.7	430.0	43.8	5.8	2.1	3.8	4.8	2.5	2.8
			800 899	5.0	(1.0)	69.3	415.2	43.0	5.7	2.5	2.4	5.0	2.0	2.6
			700 799	1.0	(0.2)	69.9	288.0	35.0	4.4	1.5	3.0	4.0	2.0	2.0
			500 599	1.0	(0.2)	67.0	402.0	31.0	4.7	2.8	3.0	5.0	2.0	4.0
				499.0	(14.8)	70.8	502.7	57.3	7.4	3.0	4.9	4.1	3.4	2.6
			1800 1899	3.0	(4.3)	71.3	490.7	62.7	7.4	3.4	7.0	3.3	4.3	2.7
			1700 1799	8.0	(11.4)	72.3	483.6	65.3	7.1	2.5	6.3	3.6	4.4	2.3
			1600 1699	5.0	(7.1)	72.7	502.8	68.6	6.8	2.1	5.4	3.8	4.0	2.4
			1500 1599	3.0	(4.3)	71.7	504.3	64.3	6.9	2.5	4.7	4.0	3.7	2.3
			1400 1499	15.0	(21.4)	71.4	508.1	61.4	7.1	2.6	4.0	3.8	3.1	2.6
			1300 1399	12.0	(17.1)	70.5	481.9	53.8	7.3	3.0	3.3	4.0	2.8	2.8
			1200 1299	16.0	(22.9)	70.1	487.2	54.0	6.8	3.0	2.8	4.1	2.2	2.5
			1100 1199	5.0	(7.1)	68.9	465.0	47.0	6.2	3.2	3.0	4.4	2.0	2.4
			1000 1099	1.0	(1.4)	68.6	411.0	34.0	5.4	1.8	2.0	5.0	2.0	2.0
			900 999	1.0	(1.4)	69.0	335.0	38.0	5.7	3.3	3.0	4.0	2.0	3.0
			600 699	1.0	(1.4)	68.9	277.0	29.0	4.0	1.6	2.0	5.0	2.0	2.0
				70.0	(2.1)	70.9	484.5	57.3	6.9	2.8	4.0	3.9	3.0	2.5
			1000 1099	4.0	(80.0)	69.2	413.6	44.5	6.7	3.7	3.5	5.0	2.3	2.8
			500 599	1.0	(20.0)	69.3	215.0	26.0	3.0	0.8	2.0	4.0	1.0	3.0
				5.0	(0.1)	69.2	373.9	40.8	6.0	3.1	3.2	4.8	2.0	2.8
			1600 1699	2.0	(7.7)	72.8	543.8	71.5	8.1	2.6	5.0	4.0	3.5	3.0
			1500 1599	5.0	(19.2)	71.1	512.9	60.0	8.2	3.6	4.8	4.2	3.2	3.0
			1400 1499	1.0	(3.8)	69.6	460.0	42.0	7.3	2.6	5.0	4.0	4.0	3.0
			1300 1399	2.0	(7.7)	71.6	482.1	61.5	7.0	2.6	3.5	4.0	2.5	3.0
			1200 1299	10.0	(38.5)	69.9	516.7	54.5	7.5	3.5	3.6	4.0	2.8	2.9
			1100 1199	4.0	(15.4)	71.7	466.0	57.5	7.2	2.3	2.5	4.5	2.0	3.0
			1000 1099	2.0	(7.7)	71.3	395.0	51.0	6.3	2.2	2.0	4.0	2.0	2.5

					(%)	(kg)	(cm ²)	(cm)	(cm)					
				26.0	(0.8)	70.8	496.0	57.1	7.5	3.1	3.7	4.1	2.8	2.9
			1300 1399	2.0	(33.3)	71.8	547.5	69.0	8.2	3.5	3.5	4.0	3.0	3.0
			1200 1299	2.0	(33.3)	70.8	544.8	58.0	8.1	3.0	3.0	4.0	2.5	3.0
			1100 1199	2.0	(33.3)	71.5	561.0	61.5	7.9	2.4	2.5	4.5	2.5	3.0
				6.0	(0.2)	71.3	551.1	62.8	8.1	3.0	3.0	4.2	2.7	3.0
			2000 2099	1.0	(1.9)	75.0	505.5	79.0	7.5	1.5	8.0	4.0	5.0	2.0
			1900 1999	1.0	(1.9)	71.4	457.5	60.0	7.5	3.4	6.0	3.0	4.0	3.0
			1800 1899	1.0	(1.9)	72.5	457.0	57.0	7.7	1.9	4.0	4.0	3.0	2.0
			1700 1799	10.0	(19.2)	70.1	468.9	50.9	6.8	2.8	3.6	4.4	2.7	2.4
			1600 1699	15.0	(28.8)	70.4	446.5	50.3	6.8	2.7	3.1	4.4	2.5	2.7
			1500 1599	13.0	(25.0)	70.6	443.0	52.2	6.7	2.7	2.8	4.4	2.5	2.4
			1400 1499	5.0	(9.6)	69.5	453.6	48.2	6.8	3.3	3.0	4.6	2.2	2.8
			1300 1399	3.0	(5.8)	70.4	391.2	46.0	5.8	2.1	2.3	4.7	2.0	2.7
			1200 1299	2.0	(3.8)	70.7	470.5	57.5	7.2	3.3	3.0	4.0	2.0	3.0
			1100 1199	1.0	(1.9)	69.8	458.0	42.0	7.6	2.7	2.0	5.0	2.0	2.0
				52.0	(1.5)	70.5	450.1	51.4	6.8	2.8	3.2	4.4	2.5	2.5
			1900 1999	1.0	(6.3)	71.3	487.0	67.0	6.8	3.6	8.0	3.0	5.0	3.0
			1800 1899	2.0	(12.5)	71.0	478.0	60.0	7.7	3.7	6.0	4.0	4.0	3.0
			1700 1799	9.0	(56.3)	70.2	529.2	58.9	7.6	3.6	4.8	3.7	3.6	3.0
			1000 1099	4.0	(25.0)	68.6	478.5	50.3	6.0	3.7	3.0	5.0	2.3	3.3
				16.0	(0.5)	70.0	507.5	57.4	7.2	3.6	4.7	4.0	3.4	3.1
			2000 2099	1.0	(1.3)	72.0	566.3	64.0	7.9	2.1	7.0	4.0	4.0	3.0
			1800 1899	3.0	(3.8)	70.8	541.7	65.7	7.4	3.6	6.7	3.7	4.0	3.0
			1700 1799	14.0	(17.9)	72.0	526.7	67.1	7.6	2.8	6.4	3.9	4.2	2.6
			1600 1699	7.0	(9.0)	71.1	523.3	59.6	7.7	2.8	5.6	3.7	3.7	2.6
			1500 1599	20.0	(25.6)	70.3	501.7	53.4	7.3	2.8	4.1	4.1	3.1	2.9
			1400 1499	13.0	(16.7)	70.0	519.3	56.8	7.5	3.6	3.9	4.1	2.9	2.8
			1300 1399	6.0	(7.7)	70.5	487.5	58.3	7.1	3.4	3.5	4.0	2.7	2.5
			1200 1299	6.0	(7.7)	70.7	508.0	59.5	7.3	3.3	3.3	4.2	2.5	2.8
			1100 1199	3.0	(3.8)	69.3	516.7	50.7	8.0	3.9	3.0	4.3	2.7	3.0
			1000 1099	2.0	(2.6)	69.3	422.1	46.0	7.3	4.0	2.0	4.0	2.0	3.0
			900 999	2.0	(2.6)	67.7	460.7	45.5	6.3	4.5	2.5	4.5	2.0	3.0
			500 599	1.0	(1.3)	69.3	393.0	36.0	5.2	1.4	2.0	6.0	2.0	5.0
				78.0	(2.3)	70.6	508.9	57.7	7.4	3.2	4.5	4.0	3.2	2.8
			2100 2199	1.0	(0.8)	72.7	507.0	69.0	8.0	2.9	5.0	4.0	4.0	3.0
			2000 2099	2.0	(1.5)	70.2	450.7	52.0	7.0	3.4	6.5	3.5	4.0	3.0
			1900 1999	3.0	(2.3)	71.9	576.1	72.0	8.4	3.6	6.7	4.0	4.3	3.0
			1800 1899	6.0	(4.5)	70.9	515.8	60.0	8.1	3.6	5.5	3.7	4.0	2.8
			1700 1799	21.0	(15.9)	70.2	496.8	56.9	7.5	3.7	5.0	3.8	3.7	2.8
			1600 1699	17.0	(12.9)	70.3	519.2	59.7	7.6	3.8	4.5	4.2	3.4	2.8

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1500 1599	24.0	(18.2)	70.6	503.7	58.3	7.7	3.5	4.0	4.2	3.0	2.8
			1400 1499	16.0	(12.1)	69.8	487.4	53.4	7.1	3.5	3.7	3.9	2.8	2.9
			1300 1399	23.0	(17.4)	69.8	470.1	50.2	6.9	3.1	3.3	4.4	2.5	2.9
			1200 1299	10.0	(7.6)	69.3	479.4	49.6	7.0	3.6	3.0	4.6	2.5	2.9
			1100 1199	4.0	(3.0)	70.0	480.7	47.0	7.1	2.5	2.3	4.5	2.3	3.0
			1000 1099	2.0	(1.5)	69.7	406.7	48.0	6.5	3.6	2.5	4.5	2.0	3.0
			900 999	3.0	(2.3)	69.5	385.5	44.3	5.4	2.7	2.0	5.0	2.0	2.3
				132.0	(3.9)	70.2	491.5	55.2	7.3	3.5	4.1	4.2	3.1	2.9
			1600 1699	1.0	(14.3)	71.7	487.0	66.0	7.2	3.4	5.0	4.0	4.0	3.0
			1500 1599	1.0	(14.3)	70.4	463.0	47.0	6.8	2.1	4.0	4.0	3.0	2.0
			1400 1499	1.0	(14.3)	70.4	461.0	51.0	5.6	1.8	3.0	5.0	3.0	3.0
			1200 1299	3.0	(42.9)	69.0	474.7	51.3	6.6	3.9	2.7	4.7	2.3	3.0
			1000 1099	1.0	(14.3)	70.5	469.0	50.0	6.3	1.9	2.0	4.0	2.0	3.0
				7.0	(0.2)	70.0	472.0	52.6	6.5	3.0	3.1	4.4	2.7	2.9
			1700 1799	1.0	(4.8)	71.8	481.5	61.0	7.6	2.7	4.0	4.0	3.0	3.0
			1600 1699	16.0	(76.2)	69.8	524.2	54.0	7.5	3.4	3.3	4.2	2.8	3.0
			1500 1599	1.0	(4.8)	69.5	482.2	59.0	7.4	4.9	4.0	4.0	3.0	3.0
			1200 1299	1.0	(4.8)	69.7	521.2	49.0	7.2	2.6	3.0	4.0	2.0	2.0
			1100 1199	2.0	(9.5)	68.8	479.6	44.5	7.3	3.6	2.5	4.5	2.0	2.5
				21.0	(0.6)	69.8	515.8	53.4	7.5	3.4	3.3	4.2	2.7	2.9
			1500 1599	1.0	(33.3)	69.8	580.8	55.0	8.7	3.6	3.0	4.0	3.0	3.0
			1400 1499	1.0	(33.3)	71.7	485.4	65.0	7.8	3.6	4.0	5.0	3.0	3.0
			1000 1099	1.0	(33.3)	70.9	380.0	45.0	5.7	1.5	2.0	5.0	2.0	3.0
				3.0	(0.1)	70.8	482.1	55.0	7.4	2.9	3.0	4.7	2.7	3.0
			2100 2199	1.0	(2.0)	74.9	456.0	71.0	7.9	1.4	10.0	4.0	5.0	2.0
			1700 1799	2.0	(4.0)	73.0	474.0	62.5	7.9	2.0	5.0	3.5	3.5	2.5
			1600 1699	4.0	(8.0)	71.8	481.5	58.0	8.1	2.7	5.0	4.0	3.8	2.8
			1500 1599	4.0	(8.0)	71.2	466.9	52.8	7.7	2.6	3.8	5.0	3.0	2.5
			1400 1499	6.0	(12.0)	70.7	495.3	56.7	7.7	3.3	4.0	4.0	2.8	3.0
			1300 1399	12.0	(24.0)	70.1	456.7	51.5	7.0	3.3	3.3	4.3	2.7	2.6
			1200 1299	8.0	(16.0)	69.9	446.6	47.6	6.8	2.9	3.0	4.6	2.3	2.6
			1100 1199	6.0	(12.0)	69.9	449.4	48.3	6.5	2.8	3.0	4.7	2.0	2.5
			1000 1099	6.0	(12.0)	70.3	461.0	53.5	6.6	3.0	2.5	4.5	2.0	2.3
			900 999	1.0	(2.0)	68.6	377.0	40.0	5.5	3.2	2.0	5.0	2.0	2.0
				50.0	(1.5)	70.5	461.2	52.6	7.1	2.9	3.5	4.4	2.6	2.6
			1600 1699	1.0	(20.0)	69.3	494.8	47.0	6.6	2.6	5.0	4.0	4.0	3.0
			1400 1499	3.0	(60.0)	70.2	437.1	46.7	7.2	2.8	3.0	4.0	3.0	2.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1300 1399	1.0	(20.0)	69.5	428.0	38.0	6.3	1.9	2.0	4.0	2.0	3.0
				5.0	(0.1)	69.9	446.8	45.0	6.9	2.6	3.2	4.0	3.0	2.8
			1900 1999	1.0	(14.3)	71.5	538.6	63.0	7.4	2.5	6.0	3.0	4.0	3.0
			1800 1899	1.0	(14.3)	71.8	576.8	74.0	8.0	3.6	6.0	4.0	4.0	3.0
			1700 1799	2.0	(28.6)	70.7	522.3	62.0	7.3	3.5	4.5	4.0	3.5	3.0
			1400 1499	1.0	(14.3)	70.3	407.4	48.0	5.7	2.3	4.0	4.0	3.0	3.0
			1300 1399	1.0	(14.3)	70.7	451.2	43.0	7.8	2.1	3.0	4.0	2.0	2.0
			500 599	1.0	(14.3)	70.7	261.4	38.0	3.1	0.5	1.0	7.0	1.0	4.0
				7.0	(0.2)	70.9	468.6	55.7	6.7	2.6	4.1	4.3	3.0	3.0
			2000 2099	1.0	(5.3)	70.3	522.8	59.0	8.2	4.0	6.0	4.0	4.0	3.0
			1800 1899	2.0	(10.5)	71.4	515.2	67.5	7.8	3.8	6.0	4.0	4.0	2.0
			1700 1799	6.0	(31.6)	71.3	532.6	66.0	7.9	3.5	5.8	3.8	4.0	3.0
			1600 1699	3.0	(15.8)	70.8	481.8	52.0	7.1	2.3	4.3	3.3	3.7	2.7
			1400 1499	4.0	(21.1)	70.6	485.1	54.5	6.9	2.5	3.8	3.8	3.0	2.5
			1300 1399	2.0	(10.5)	72.0	404.3	58.5	6.4	2.5	4.0	4.0	3.0	3.0
			1100 1199	1.0	(5.3)	70.9	416.4	63.0	6.0	3.9	5.0	5.0	3.0	3.0
				19.0	(0.6)	71.1	492.6	60.2	7.3	3.1	4.9	3.8	3.6	2.7
			1500 1599	1.0	(4.5)	73.7	451.0	72.0	7.3	2.5	5.0	4.0	4.0	3.0
			1400 1499	1.0	(4.5)	71.4	402.8	58.0	5.9	2.6	4.0	4.0	3.0	3.0
			1300 1399	6.0	(27.3)	70.3	403.7	49.8	6.8	3.3	4.2	4.0	3.2	3.0
			1200 1299	7.0	(31.8)	70.8	447.5	55.3	7.3	3.3	3.1	4.1	2.7	2.9
			1100 1199	6.0	(27.3)	68.8	451.2	47.8	6.9	4.1	2.8	4.2	2.0	2.8
			1000 1099	1.0	(4.5)	69.6	331.4	37.0	5.2	2.1	3.0	4.0	2.0	3.0
				22.0	(0.7)	70.3	429.4	51.8	6.9	3.4	3.5	4.1	2.7	2.9
			1700 1799	6.0	(6.0)	71.6	497.4	62.3	7.5	2.9	5.7	3.7	4.0	2.5
			1600 1699	10.0	(10.0)	71.0	509.5	59.9	7.7	3.2	5.8	3.9	3.9	2.6
			1500 1599	18.0	(18.0)	70.5	492.8	55.1	7.4	3.0	4.8	4.0	3.3	2.6
			1400 1499	17.0	(17.0)	70.4	513.0	57.2	7.6	3.4	3.8	4.2	3.1	2.8
			1300 1399	22.0	(22.0)	70.3	496.5	54.8	7.1	3.0	3.4	4.3	2.8	2.7
			1200 1299	16.0	(16.0)	69.6	499.9	51.1	7.1	3.2	3.1	4.3	2.3	2.7
			1100 1199	7.0	(7.0)	71.0	410.7	50.7	6.7	2.5	2.6	4.4	2.0	2.7
			1000 1099	3.0	(3.0)	70.1	472.6	52.0	6.5	2.8	2.3	4.7	2.0	2.3
			900 999	1.0	(1.0)	70.7	337.0	39.0	6.1	1.7	2.0	5.0	2.0	2.0
				100.0	(3.0)	70.4	492.2	55.1	7.3	3.1	4.0	4.2	3.0	2.6
			1700 1799	11.0	(6.7)	72.0	489.0	64.5	7.4	2.8	5.9	4.0	4.1	2.5
			1600 1699	18.0	(10.9)	72.1	474.9	63.8	7.2	2.7	5.7	3.7	4.1	2.5
			1500 1599	13.0	(7.9)	71.2	462.5	57.0	7.1	2.8	4.0	3.9	3.2	2.6
			1400 1499	61.0	(37.0)	70.0	496.0	53.7	7.5	3.5	3.3	3.8	3.0	2.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1300 1399	29.0	(17.6)	70.6	448.4	53.4	6.9	3.0	3.1	3.7	2.9	2.7
			1200 1299	22.0	(13.3)	70.6	472.6	57.9	7.2	3.5	2.5	3.9	2.1	2.8
			1100 1199	11.0	(6.7)	70.3	461.6	55.2	7.2	3.6	2.4	4.1	2.1	2.9
				165.0	(4.9)	70.7	476.8	56.4	7.3	3.2	3.6	3.8	3.0	2.7
			1700 1799	4.0	(21.1)	71.3	473.6	61.3	7.2	3.3	5.5	4.0	4.0	3.0
			1600 1699	2.0	(10.5)	69.9	526.3	57.0	7.7	3.8	4.5	4.5	3.5	3.0
			1500 1599	4.0	(21.1)	71.0	439.3	58.5	6.1	2.8	4.0	4.3	3.0	3.0
			1400 1499	1.0	(5.3)	69.1	434.1	48.0	6.0	3.4	4.0	4.0	3.0	3.0
			1300 1399	2.0	(10.5)	70.0	414.4	50.0	6.3	3.1	2.5	4.0	2.0	3.0
			1200 1299	3.0	(15.8)	69.5	468.6	54.3	6.9	4.0	3.3	3.7	2.3	2.3
			1000 1099	3.0	(15.8)	69.8	374.2	40.7	5.1	1.8	2.3	4.7	2.0	3.0
				19.0	(0.6)	70.3	447.1	54.0	6.5	3.1	3.8	4.2	2.9	2.9
			2000 2099	1.0	(2.4)	74.7	568.0	81.0	9.2	2.5	7.0	4.0	4.0	3.0
			1900 1999	3.0	(7.3)	72.7	537.9	74.7	7.6	3.0	6.3	4.0	4.0	2.7
			1800 1899	6.0	(14.6)	72.4	515.2	69.0	7.8	3.0	6.2	3.7	4.0	2.7
			1700 1799	1.0	(2.4)	72.5	478.2	60.0	7.6	1.9	6.0	4.0	4.0	2.0
			1600 1699	3.0	(7.3)	70.9	495.2	56.7	7.3	2.7	4.3	3.7	3.3	2.7
			1500 1599	2.0	(4.9)	69.8	549.3	60.0	7.2	3.6	5.0	4.0	4.0	2.0
			1400 1499	7.0	(17.1)	71.0	464.4	58.4	6.7	2.9	3.7	4.0	3.0	3.0
			1300 1399	5.0	(12.2)	70.6	495.0	57.8	7.4	3.3	3.4	4.2	2.8	2.8
			1200 1299	8.0	(19.5)	70.2	470.9	55.1	7.1	3.5	3.1	3.6	2.4	2.9
			1100 1199	4.0	(9.8)	70.1	498.2	54.5	7.3	3.3	3.3	4.8	2.3	2.8
			1000 1099	1.0	(2.4)	68.6	395.5	31.0	5.4	1.7	2.0	5.0	2.0	3.0
				41.0	(1.2)	71.0	493.1	59.9	7.3	3.1	4.3	4.0	3.1	2.8
			2000 2099	1.0	(7.1)	72.3	551.9	67.0	8.3	2.7	8.0	4.0	5.0	3.0
			1600 1699	4.0	(28.6)	71.9	485.9	62.8	8.0	3.2	5.3	3.5	4.0	2.8
			1500 1599	2.0	(14.3)	70.5	496.1	56.0	7.3	3.2	5.5	3.0	4.0	2.0
			1400 1499	5.0	(35.7)	69.2	494.3	54.2	6.7	3.9	3.8	3.6	3.2	2.4
			1300 1399	1.0	(7.1)	70.6	492.0	56.0	6.7	2.6	5.0	5.0	3.0	2.0
			1200 1299	1.0	(7.1)	70.7	530.1	55.0	8.1	3.0	4.0	3.0	4.0	2.0
				14.0	(0.4)	70.6	498.7	58.0	7.4	3.4	4.9	3.6	3.7	2.4
			1900 1999	2.0	(7.7)	72.1	450.0	65.0	7.3	3.3	6.0	3.5	4.0	3.0
			1700 1799	2.0	(7.7)	72.8	384.6	60.5	6.5	2.0	6.5	3.5	4.0	3.0
			1600 1699	8.0	(30.8)	71.7	454.1	60.0	7.2	2.9	4.5	4.0	3.6	3.0
			1500 1599	4.0	(15.4)	71.5	499.7	62.8	8.0	3.5	4.5	4.0	3.5	3.0
			1400 1499	3.0	(11.5)	68.2	549.6	50.3	7.4	4.2	3.0	4.0	3.0	2.3
			1300 1399	2.0	(7.7)	70.0	519.0	54.5	6.8	2.7	4.0	4.0	3.0	3.0
			1200 1299	3.0	(11.5)	71.5	499.8	66.7	7.8	3.9	3.3	5.0	2.7	2.7
			1100 1199	1.0	(3.8)	68.3	585.6	59.0	8.8	5.8	4.0	4.0	3.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1000 1099	1.0	(3.8)	67.7	572.4	50.0	7.5	4.5	3.0	5.0	3.0	3.0
				26.0	(0.8)	70.9	486.4	59.7	7.4	3.4	4.3	4.1	3.4	2.9
			1900 1999	1.0	(1.4)	72.5	483.6	63.0	7.6	2.3	7.0	4.0	4.0	3.0
			1800 1899	2.0	(2.7)	72.3	483.1	70.0	7.2	3.3	5.0	4.0	4.0	3.0
			1700 1799	19.0	(26.0)	70.5	479.2	56.5	6.9	3.1	3.8	4.2	2.9	2.9
			1600 1699	9.0	(12.3)	70.9	466.9	59.0	6.5	2.9	3.8	4.1	3.0	2.9
			1500 1599	7.0	(9.6)	70.1	463.9	55.0	6.3	3.2	3.9	4.3	3.0	2.9
			1400 1499	15.0	(20.5)	70.0	443.9	51.5	6.2	3.0	3.2	4.4	2.5	2.9
			1300 1399	12.0	(16.4)	70.3	450.0	54.5	6.3	3.1	3.1	4.7	2.4	2.8
			1200 1299	5.0	(6.8)	69.2	441.9	46.8	6.0	3.1	2.8	4.2	2.2	2.8
			1100 1199	2.0	(2.7)	68.8	441.3	48.5	5.9	3.5	3.0	5.0	2.5	3.0
			800 899	1.0	(1.4)	68.2	290.5	25.0	3.1	0.9	2.0	5.0	2.0	3.0
				73.0	(2.2)	70.3	458.1	54.4	6.4	3.0	3.5	4.3	2.7	2.9
			2400 2499	1.0	(5.3)	76.5	594.5	96.0	9.1	2.3	12.0	3.0	5.0	3.0
			1600 1699	2.0	(10.5)	70.0	446.5	44.5	7.0	2.5	3.5	4.0	3.0	3.0
			1500 1599	4.0	(21.1)	70.8	438.9	51.5	6.8	2.6	4.0	4.3	3.3	3.0
			1400 1499	6.0	(31.6)	69.9	478.8	49.8	6.8	2.9	3.3	4.2	2.7	2.7
			1300 1399	4.0	(21.1)	70.5	442.8	49.8	6.7	2.6	2.3	4.8	2.0	2.8
			1200 1299	1.0	(5.3)	70.4	399.5	46.0	6.1	2.2	2.0	5.0	2.0	3.0
			1100 1199	1.0	(5.3)	69.1	387.5	45.0	5.6	3.4	3.0	4.0	2.0	3.0
				19.0	(0.6)	70.5	456.5	51.6	6.8	2.7	3.6	4.3	2.7	2.8
			2000 2099	1.0	(0.7)	71.9	555.4	66.0	8.3	2.9	6.0	3.0	5.0	3.0
			1700 1799	6.0	(4.1)	71.1	517.7	62.3	7.8	3.4	5.2	4.0	3.7	3.0
			1600 1699	6.0	(4.1)	70.4	522.9	57.5	7.5	3.2	5.0	3.7	3.7	3.0
			1500 1599	21.0	(14.2)	71.4	467.3	58.6	7.0	2.7	4.0	4.3	3.1	3.0
			1400 1499	22.0	(14.9)	71.0	479.6	57.2	7.3	2.9	3.8	4.3	2.9	2.9
			1300 1399	42.0	(28.4)	70.4	489.9	56.0	7.3	3.3	3.3	4.3	2.6	3.0
			1200 1299	26.0	(17.6)	69.7	477.0	51.5	7.1	3.4	3.0	4.5	2.3	2.8
			1100 1199	13.0	(8.8)	69.0	465.5	44.0	6.9	3.2	2.8	4.5	2.2	2.8
			1000 1099	10.0	(6.8)	69.4	432.3	46.1	6.5	3.2	2.6	4.9	2.0	3.1
			900 999	1.0	(0.7)	68.7	388.0	38.0	5.2	2.4	2.0	5.0	2.0	2.0
				148.0	(4.4)	70.4	479.1	54.3	7.1	3.1	3.5	4.3	2.7	2.9
			1800 1899	1.0	(12.5)	72.0	503.9	60.0	7.5	2.2	7.0	3.0	4.0	2.0
			1400 1499	1.0	(12.5)	68.8	595.6	59.0	8.3	4.8	4.0	4.0	3.0	3.0
			1300 1399	2.0	(25.0)	70.2	518.6	62.0	7.1	3.9	4.5	4.5	3.5	3.0
			1200 1299	2.0	(25.0)	69.6	516.8	57.5	7.5	4.2	3.0	4.0	2.5	3.0
			1100 1199	1.0	(12.5)	69.8	562.1	53.0	8.3	3.3	3.0	3.0	2.0	3.0
			500 599	1.0	(12.5)	71.2	387.1	49.0	5.8	1.7	3.0	4.0	2.0	3.0
				8.0	(0.2)	70.2	514.9	57.5	7.4	3.5	4.0	3.9	2.9	2.9

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
			2000 2099	2.0	(1.7)	75.6	542.8	89.0	8.2	2.2	6.5	4.0	4.0	3.0
			1900 1999	1.0	(0.9)	72.9	536.0	70.0	7.8	2.3	9.0	4.0	5.0	2.0
			1800 1899	1.0	(0.9)	71.9	495.0	70.0	7.4	3.7	6.0	4.0	4.0	2.0
			1700 1799	4.0	(3.5)	71.8	507.5	64.5	7.9	3.3	5.3	4.0	4.0	3.3
			1600 1699	2.0	(1.7)	70.5	512.7	59.0	7.7	3.6	5.5	4.0	4.0	3.0
			1500 1599	20.0	(17.4)	71.6	496.4	62.6	7.7	3.2	4.0	4.0	3.1	3.1
			1400 1499	31.0	(27.0)	70.8	500.6	57.5	7.7	3.3	3.3	4.1	3.0	3.0
			1300 1399	23.0	(20.0)	70.2	518.7	56.7	7.9	3.7	3.2	4.3	2.5	3.2
			1200 1299	20.0	(17.4)	70.5	494.1	55.8	7.7	3.5	2.5	4.5	2.1	3.0
			1100 1199	7.0	(6.1)	68.9	493.7	50.7	7.2	4.1	2.0	4.4	2.0	3.1
			800 899	1.0	(0.9)	69.1	466.3	53.0	5.3	3.2	2.0	6.0	2.0	2.0
			700 799	1.0	(0.9)	66.6	512.3	42.0	4.8	3.3	2.0	5.0	2.0	4.0
			600 699	2.0	(1.7)	70.5	426.7	51.5	6.0	2.5	2.0	5.5	2.0	4.5
				115.0	(3.4)	70.7	501.9	58.3	7.6	3.4	3.4	4.2	2.8	3.1
			1400 1499	1.0	(50.0)	69.2	563.8	59.0	6.6	3.5	4.0	5.0	3.0	3.0
			1100 1199	1.0	(50.0)	69.6	542.1	55.0	6.6	2.9	2.0	5.0	2.0	3.0
				2.0	(0.1)	69.4	553.0	57.0	6.6	3.2	3.0	5.0	2.5	3.0
			2400 2499	1.0	(0.0)	76.5	594.5	96.0	9.1	2.3	12.0	3.0	5.0	3.0
			2300 2399	1.0	(0.0)	71.2	567.8	77.0	7.6	4.5	9.0	3.0	5.0	2.0
			2200 2299	3.0	(0.1)	73.8	548.3	80.7	7.9	2.7	10.3	3.0	5.0	2.3
			2100 2199	10.0	(0.3)	73.8	541.3	76.9	8.1	2.4	9.0	3.7	4.9	2.6
			2000 2099	14.0	(0.4)	72.9	519.6	70.8	7.9	2.7	7.1	3.8	4.5	2.8
			1900 1999	32.0	(0.9)	72.7	525.2	70.1	7.9	2.8	7.7	3.7	4.5	2.5
			1800 1899	76.0	(2.2)	72.2	523.3	68.0	7.8	3.0	6.7	3.6	4.3	2.6
			1700 1799	260.0	(7.7)	71.5	507.8	62.9	7.6	3.0	5.8	3.9	3.9	2.7
			1600 1699	372.0	(11.0)	71.2	506.0	60.5	7.6	3.0	5.1	3.9	3.7	2.6
			1500 1599	474.0	(14.0)	71.1	499.4	59.2	7.5	3.0	4.5	4.0	3.4	2.6
			1400 1499	586.0	(17.3)	70.5	496.1	56.2	7.3	3.1	4.0	4.1	3.1	2.7
			1300 1399	534.0	(15.8)	70.4	487.1	54.9	7.2	3.2	3.8	4.2	2.9	2.7
			1200 1299	458.0	(13.5)	70.0	486.2	53.6	7.2	3.3	3.5	4.3	2.6	2.7
			1100 1199	291.0	(8.6)	69.8	475.1	51.3	7.1	3.3	3.1	4.4	2.4	2.7
			1000 1099	164.0	(4.9)	69.5	463.5	48.7	6.8	3.2	2.8	4.6	2.2	2.6
			900 999	37.0	(1.1)	69.3	432.9	44.8	6.2	3.0	2.8	4.6	2.2	2.5
			800 899	27.0	(0.8)	68.9	446.8	41.7	5.9	2.5	2.8	4.6	2.1	2.9
			700 799	12.0	(0.4)	69.5	435.3	44.3	6.2	2.6	2.8	4.3	2.2	3.3
			600 699	12.0	(0.4)	69.8	408.0	43.5	5.8	2.2	2.8	4.8	2.2	4.3
			500 599	15.0	(0.4)	69.5	350.3	38.1	4.8	1.8	2.3	5.1	1.9	3.9
			499	2.0	(0.1)	69.4	354.5	40.0	4.1	1.6	2.0	5.5	2.0	4.5
				3381.0	(100.0)	70.6	491.3	56.4	7.3	3.1	4.2	4.1	3.1	2.7

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1800 1899	2.0	(0.9)	71.5	502.5	59.0	8.3	3.0	7.0	4.0	4.0	3.0
			1700 1799	8.0	(3.5)	70.8	572.5	61.6	7.8	2.9	5.6	3.6	4.0	2.9
			1600 1699	22.0	(9.7)	71.0	552.6	60.6	7.9	2.9	4.8	3.8	3.6	2.9
			1500 1599	32.0	(14.1)	71.0	545.2	59.2	7.7	2.7	4.0	4.0	3.3	2.8
			1400 1499	45.0	(19.8)	70.4	548.9	56.1	7.6	2.8	4.0	4.0	3.3	2.6
			1300 1399	34.0	(15.0)	69.7	551.0	55.9	7.2	3.2	3.4	4.2	2.7	2.7
			1200 1299	39.0	(17.2)	69.4	528.6	50.3	7.1	2.9	3.1	4.2	2.4	2.6
			1100 1199	30.0	(13.2)	69.5	518.6	50.9	7.1	3.0	2.8	4.4	2.1	2.7
			1000 1099	12.0	(5.3)	68.5	516.0	46.8	6.7	3.2	2.5	4.2	2.0	2.8
			900 999	3.0	(1.3)	68.8	480.3	46.0	6.2	2.9	2.0	4.7	2.0	2.3
				227.0	(7.3)	70.0	539.3	54.9	7.4	2.9	3.6	4.1	2.9	2.7
			1700 1799	5.0	(16.7)	70.8	493.4	52.4	7.7	2.6	5.6	3.8	4.2	2.4
			1600 1699	5.0	(16.7)	71.7	509.2	62.4	7.4	2.6	5.8	3.6	3.8	2.6
			1500 1599	7.0	(23.3)	71.2	513.7	59.1	7.1	2.5	4.0	3.9	3.0	2.6
			1400 1499	5.0	(16.7)	70.2	498.2	51.8	6.8	2.5	4.0	4.4	3.0	2.6
			1300 1399	5.0	(16.7)	70.2	515.2	49.0	7.3	2.2	3.0	4.4	2.4	2.8
			1200 1299	2.0	(6.7)	69.1	449.5	44.5	6.0	2.8	3.0	4.5	2.0	2.5
			1100 1199	1.0	(3.3)	69.7	461.0	51.0	4.8	1.9	2.0	5.0	2.0	2.0
				30.0	(1.0)	70.7	501.2	54.4	7.1	2.5	4.3	4.1	3.1	2.6
			1800 1899	1.0	(9.1)	72.4	562.0	69.0	8.4	2.8	7.0	5.0	4.0	3.0
			1600 1699	1.0	(9.1)	69.2	538.0	56.0	7.9	4.4	5.0	4.0	4.0	3.0
			1500 1599	1.0	(9.1)	71.9	641.0	73.0	9.5	3.7	6.0	4.0	4.0	2.0
			1400 1499	2.0	(18.2)	71.2	542.5	58.5	8.0	2.6	4.0	3.5	3.0	2.0
			1300 1399	5.0	(45.5)	70.6	543.0	55.4	7.7	2.6	3.8	4.6	2.8	2.0
			1200 1299	1.0	(9.1)	69.1	637.0	55.0	8.6	3.6	3.0	5.0	2.0	2.0
				11.0	(0.4)	70.7	561.6	58.8	8.1	3.0	4.4	4.4	3.1	2.2
			1800 1899	1.0	(0.8)	73.7	629.0	88.0	8.7	3.4	9.0	4.0	5.0	3.0
			1700 1799	1.0	(0.8)	71.6	653.0	64.0	9.6	2.5	6.0	5.0	4.0	3.0
			1600 1699	12.0	(9.2)	70.8	574.6	58.3	8.7	3.0	5.2	3.3	3.9	2.7
			1500 1599	28.0	(21.5)	70.2	566.3	54.8	8.2	3.0	4.8	3.8	3.5	2.7
			1400 1499	35.0	(26.9)	70.0	575.7	55.7	8.3	3.3	4.4	3.9	3.3	2.7
			1300 1399	23.0	(17.7)	69.7	560.3	51.4	8.2	3.2	3.8	4.0	3.0	2.6
			1200 1299	11.0	(8.5)	68.9	589.9	52.9	8.2	3.8	3.4	4.2	2.7	2.8
			1100 1199	13.0	(10.0)	69.3	540.1	48.8	7.5	3.0	3.1	3.9	2.5	2.6
			1000 1099	4.0	(3.1)	68.7	538.1	49.3	7.9	4.0	2.8	3.8	2.8	2.8
			800 899	1.0	(0.8)	68.8	359.5	29.0	5.4	1.6	2.0	4.0	2.0	2.0
			499	1.0	(0.8)	70.7	227.0	31.0	4.6	1.1	2.0	4.0	2.0	3.0
				130.0	(4.2)	69.9	564.0	53.8	8.2	3.2	4.2	3.9	3.2	2.7
			2000 2099	1.0	(4.3)	72.2	573.0	73.0	8.7	3.7	9.0	3.0	5.0	3.0
			1600 1699	1.0	(4.3)	70.9	506.0	56.0	7.0	2.3	4.0	3.0	3.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1400 1499	1.0	(4.3)	71.3	600.0	69.0	8.0	3.2	6.0	5.0	4.0	3.0
			1300 1399	1.0	(4.3)	70.0	531.0	62.0	7.1	4.0	6.0	4.0	4.0	2.0
			1200 1299	10.0	(43.5)	70.2	517.8	54.2	7.4	3.0	4.4	4.5	3.2	2.5
			1100 1199	3.0	(13.0)	70.1	538.0	54.3	7.2	2.6	3.0	4.3	2.7	2.0
			1000 1099	4.0	(17.4)	69.5	532.5	52.3	6.6	2.7	3.5	5.0	2.5	3.3
			900 999	1.0	(4.3)	68.4	546.0	48.0	7.3	3.6	3.0	5.0	2.0	2.0
			800 899	1.0	(4.3)	70.6	323.0	43.0	4.2	1.3	2.0	4.0	2.0	3.0
				23.0	(0.7)	70.1	521.8	55.0	7.1	2.9	4.2	4.4	3.0	2.6
			2200 2299	1.0	(0.5)	72.8	660.0	72.0	10.0	2.6	10.0	3.0	5.0	2.0
			1900 1999	1.0	(0.5)	69.9	642.0	59.0	9.0	3.5	6.0	4.0	4.0	3.0
			1800 1899	4.0	(2.1)	72.0	562.0	64.3	7.8	2.1	7.0	3.3	4.3	2.5
			1700 1799	13.0	(6.7)	70.6	545.0	57.5	7.7	2.8	6.5	3.9	4.2	2.7
			1600 1699	29.0	(14.9)	70.4	554.7	57.1	7.8	2.9	5.7	3.8	3.9	2.7
			1500 1599	37.0	(19.0)	70.4	548.8	55.8	7.8	2.8	4.5	4.0	3.3	2.7
			1400 1499	40.0	(20.5)	70.0	535.0	54.5	7.5	3.1	4.1	4.0	3.1	2.5
			1300 1399	25.0	(12.8)	69.1	553.7	51.6	7.4	3.2	3.6	3.8	2.9	2.6
			1200 1299	25.0	(12.8)	69.7	512.2	49.4	6.9	2.5	3.0	4.2	2.4	2.5
			1100 1199	14.0	(7.2)	69.1	484.2	44.1	6.6	2.6	2.6	4.3	2.1	2.5
			1000 1099	4.0	(2.1)	71.0	473.4	53.3	6.1	1.6	2.3	4.5	2.0	2.3
			900 999	1.0	(0.5)	68.9	401.0	44.0	5.1	2.8	3.0	4.0	2.0	2.0
			800 899	1.0	(0.5)	70.5	426.0	46.0	5.5	1.4	2.0	4.0	2.0	3.0
				195.0	(6.3)	70.0	536.3	53.8	7.4	2.9	4.3	4.0	3.1	2.6
			2100 2199	1.0	(0.2)	69.0	654.0	51.0	9.9	3.7	8.0	4.0	5.0	2.0
			1900 1999	9.0	(1.5)	72.2	593.7	67.2	8.6	2.4	7.1	3.6	4.6	2.6
			1800 1899	13.0	(2.2)	71.5	614.4	67.2	8.4	2.9	6.8	3.5	4.6	2.4
			1700 1799	41.0	(6.9)	71.4	603.8	66.5	8.1	2.8	6.0	3.9	4.0	2.6
			1600 1699	91.0	(15.2)	70.8	602.2	63.0	8.1	3.0	5.1	4.0	3.7	2.5
			1500 1599	98.0	(16.4)	70.5	597.3	61.1	7.9	2.9	4.6	4.0	3.4	2.6
			1400 1499	117.0	(19.6)	70.3	583.2	58.5	7.8	2.9	4.0	4.2	3.1	2.5
			1300 1399	89.0	(14.9)	69.8	580.3	56.3	7.5	3.0	3.7	4.3	2.9	2.6
			1200 1299	81.0	(13.5)	69.6	572.2	54.8	7.3	2.9	3.0	4.5	2.4	2.5
			1100 1199	28.0	(4.7)	68.8	548.2	49.8	7.0	3.2	2.9	4.3	2.2	2.3
			1000 1099	16.0	(2.7)	69.0	556.8	51.2	7.1	3.1	2.8	4.8	2.0	2.3
			900 999	1.0	(0.2)	70.1	361.0	42.0	4.3	1.2	3.0	5.0	2.0	2.0
			800 899	3.0	(0.5)	70.2	340.0	37.7	5.1	1.4	2.3	4.0	2.0	2.0
			700 799	3.0	(0.5)	69.7	280.5	30.0	4.8	1.4	3.0	4.0	2.3	2.3
			600 699	2.0	(0.3)	69.8	281.3	33.0	4.2	1.2	2.0	4.5	1.5	2.0
			500 599	2.0	(0.3)	69.7	265.5	25.5	4.1	0.5	2.0	5.0	2.0	2.0
			499	3.0	(0.5)	68.8	208.2	19.3	2.7	0.3	1.7	5.7	1.3	4.0
				598.0	(19.2)	70.2	579.5	58.3	7.7	2.9	4.2	4.2	3.1	2.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2200 2299	1.0	(0.5)	73.0	628.0	76.0	9.0	2.7	11.0	3.0	5.0	2.0
			1900 1999	2.0	(0.9)	72.5	587.0	69.0	9.0	2.9	8.0	3.5	4.5	2.5
			1800 1899	9.0	(4.1)	72.5	543.4	65.8	7.9	2.1	7.2	3.3	4.7	2.3
			1700 1799	16.0	(7.2)	71.8	552.3	63.1	7.8	2.3	5.9	3.8	3.9	2.3
			1600 1699	41.0	(18.5)	71.0	560.9	59.4	7.8	2.6	4.8	3.9	3.6	2.3
			1500 1599	74.0	(33.3)	70.7	544.1	58.9	7.4	2.8	4.1	4.0	3.4	2.4
			1400 1499	41.0	(18.5)	70.6	554.5	58.7	7.3	2.7	3.8	4.0	3.1	2.5
			1300 1399	17.0	(7.7)	70.4	505.8	53.1	6.8	2.3	2.9	4.4	2.4	2.3
			1200 1299	6.0	(2.7)	69.5	524.2	50.8	7.4	3.1	2.7	4.7	2.2	2.5
			1100 1199	6.0	(2.7)	70.1	471.0	48.7	6.4	2.3	2.5	5.0	2.2	2.7
			1000 1099	6.0	(2.7)	69.9	483.1	50.0	5.9	2.1	2.5	4.3	2.2	2.7
			900 999	1.0	(0.5)	66.6	558.0	44.0	6.9	4.6	2.0	5.0	2.0	2.0
			800 899	1.0	(0.5)	70.5	366.0	45.0	4.5	1.2	2.0	4.0	2.0	2.0
			499	1.0	(0.5)	70.3	276.0	37.0	3.5	0.8	2.0	4.0	1.0	2.0
				222.0	(7.1)	70.8	541.4	58.3	7.4	2.6	4.3	4.0	3.3	2.4
			1600 1699	2.0	(12.5)	71.8	553.8	60.0	8.6	2.5	6.0	4.0	4.0	2.0
			1500 1599	2.0	(12.5)	70.2	548.3	57.5	8.8	4.1	6.5	4.0	4.0	2.0
			1400 1499	1.0	(6.3)	69.7	514.0	49.0	6.9	2.4	5.0	4.0	3.0	2.0
			1300 1399	1.0	(6.3)	71.6	508.0	64.0	7.2	2.8	3.0	4.0	2.0	2.0
			1100 1199	1.0	(6.3)	69.9	397.0	44.0	5.8	2.3	2.0	4.0	2.0	2.0
			900 999	4.0	(25.0)	69.6	386.1	39.8	6.1	2.5	2.3	4.0	2.0	2.0
			800 899	2.0	(12.5)	70.2	376.8	42.5	6.3	2.5	2.0	4.5	2.0	2.0
			700 799	2.0	(12.5)	70.2	368.0	39.5	5.8	1.8	2.0	4.0	2.0	2.0
			500 599	1.0	(6.3)	68.5	258.5	28.0	3.6	1.9	2.0	5.0	2.0	2.0
				16.0	(0.5)	70.2	432.2	46.4	6.7	2.5	3.4	4.1	2.6	2.0
			2100 2199	1.0	(0.2)	69.9	627.0	64.0	8.3	3.9	8.0	4.0	5.0	3.0
			2000 2099	2.0	(0.4)	73.2	582.0	74.5	7.7	1.9	8.0	4.0	4.5	3.0
			1900 1999	12.0	(2.6)	70.5	573.9	60.5	7.8	3.1	7.3	3.8	4.5	2.3
			1800 1899	12.0	(2.6)	71.1	600.1	66.9	7.7	2.9	6.5	3.9	4.1	2.6
			1700 1799	42.0	(9.0)	70.9	576.1	62.4	7.9	2.9	6.1	3.8	4.0	2.4
			1600 1699	89.0	(19.1)	70.7	570.1	59.6	7.8	2.7	5.4	4.0	3.8	2.5
			1500 1599	70.0	(15.0)	70.4	561.0	58.6	7.5	2.9	4.9	4.1	3.4	2.6
			1400 1499	80.0	(17.2)	70.3	572.6	58.1	7.7	2.8	4.3	4.3	3.2	2.6
			1300 1399	57.0	(12.2)	70.1	557.0	55.9	7.4	2.8	3.9	4.3	2.9	2.6
			1200 1299	49.0	(10.5)	69.5	552.6	54.7	7.2	3.1	3.4	4.4	2.6	2.7
			1100 1199	35.0	(7.5)	69.3	552.0	52.5	7.3	3.1	2.9	4.4	2.1	2.8
			1000 1099	16.0	(3.4)	68.9	516.6	47.6	6.5	2.9	2.5	4.3	2.0	2.7
			900 999	1.0	(0.2)	69.5	402.0	43.0	5.3	2.2	2.0	5.0	2.0	2.0
				466.0	(14.9)	70.3	563.8	57.8	7.5	2.9	4.6	4.2	3.2	2.6
			1300 1399	1.0	(0.0)	70.9	499.0	54.0	6.7	1.9	3.0	5.0	2.0	2.0

					(%)		(kg)	(m ²)	(m)	(m)				
			1700 1799	2.0	(25.0)	71.3	545.0	60.0	8.6	3.0	6.0	3.5	4.0	2.0
			1500 1599	2.0	(25.0)	69.2	650.5	59.5	7.5	3.0	5.0	3.5	3.5	2.5
			1300 1399	2.0	(25.0)	69.3	501.0	44.5	6.8	2.3	3.5	4.0	2.5	2.0
			1000 1099	1.0	(12.5)	68.8	388.0	34.0	5.5	2.0	2.0	4.0	2.0	2.0
			900 999	1.0	(12.5)	68.0	322.0	22.0	4.1	1.0	2.0	5.0	2.0	2.0
				8.0	(0.3)	69.6	512.9	48.0	6.9	2.5	4.1	3.9	3.0	2.1
			1700 1799	2.0	(3.5)	70.3	612.5	63.0	7.6	3.0	6.5	4.0	4.0	2.5
			1600 1699	1.0	(1.8)	70.7	548.0	58.0	7.1	2.4	4.0	3.0	4.0	3.0
			1500 1599	7.0	(12.3)	70.2	540.1	56.3	7.1	2.7	4.0	4.0	3.3	2.9
			1400 1499	16.0	(28.1)	69.6	562.2	51.9	7.3	2.6	3.6	3.9	3.0	2.8
			1300 1399	10.0	(17.5)	69.8	533.0	52.4	7.0	2.6	3.2	4.0	2.5	2.8
			1200 1299	7.0	(12.3)	68.8	534.0	47.3	6.9	2.9	3.3	4.1	3.0	2.9
			1100 1199	11.0	(19.3)	69.6	493.9	49.5	6.8	2.9	2.7	4.1	2.1	2.8
			1000 1099	2.0	(3.5)	69.3	462.5	41.0	6.7	2.3	2.5	4.5	2.0	2.0
			900 999	1.0	(1.8)	69.3	382.0	39.0	4.0	1.1	2.0	5.0	2.0	3.0
				57.0	(1.8)	69.7	532.6	51.4	7.0	2.7	3.4	4.0	2.8	2.8
			1800 1899	2.0	(10.5)	70.1	527.5	52.5	7.0	2.4	7.5	3.5	4.5	2.5
			1700 1799	2.0	(10.5)	70.8	519.0	55.5	8.0	3.0	5.5	3.5	3.5	2.5
			1600 1699	2.0	(10.5)	69.7	579.8	58.5	8.1	3.9	7.0	3.5	4.0	2.5
			1500 1599	1.0	(5.3)	70.4	482.0	57.0	6.6	3.1	4.0	4.0	3.0	3.0
			1400 1499	2.0	(10.5)	71.0	673.4	72.0	9.1	3.7	6.0	4.0	4.0	3.0
			1300 1399	2.0	(10.5)	70.1	490.3	54.0	7.3	3.4	5.0	3.5	3.5	2.5
			1200 1299	6.0	(31.6)	70.2	526.3	51.0	7.4	2.4	3.8	3.8	2.8	2.8
			1100 1199	2.0	(10.5)	69.6	543.8	58.0	7.1	3.8	3.0	3.5	2.0	2.5
				19.0	(0.6)	70.2	542.5	56.0	7.6	3.0	5.0	3.7	3.3	2.7
			1600 1699	1.0	(0.0)	69.0	528.0	51.0	7.5	3.7	5.0	4.0	4.0	3.0
			1500 1599	1.0	(50.0)	67.7	659.0	67.0	8.9	6.8	6.0	4.0	4.0	2.0
			1300 1399	1.0	(50.0)	70.9	594.5	65.0	7.2	2.5	3.0	4.0	2.0	2.0
				2.0	(0.1)	69.3	626.8	66.0	8.1	4.7	4.5	4.0	3.0	2.0
			1700 1799	6.0	(33.3)	69.3	552.5	53.2	6.9	3.0	3.7	4.0	3.2	2.8
			1400 1499	5.0	(27.8)	69.8	466.8	49.0	6.2	2.5	3.8	3.6	3.0	2.4
			1300 1399	2.0	(11.1)	69.3	438.0	45.0	6.2	2.9	3.0	4.0	3.0	2.0
			1200 1299	1.0	(5.6)	68.2	537.0	49.0	6.9	3.8	2.0	4.0	2.0	2.0
			1100 1199	2.0	(11.1)	69.7	420.5	45.5	5.3	2.0	2.0	3.5	2.0	3.0
			900 999	1.0	(5.6)	69.4	366.5	34.0	5.7	1.8	2.0	5.0	2.0	2.0
			800 899	1.0	(5.6)	70.8	340.5	44.0	5.4	1.8	3.0	5.0	2.0	2.0
				18.0	(0.6)	69.5	478.3	48.4	6.3	2.7	3.2	3.9	2.8	2.5

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			2500	1.0	(0.8)	73.0	571.7	77.0	8.3	3.1	12.0	4.0	5.0	2.0
			2300 2399	1.0	(0.8)	73.2	571.5	74.0	7.6	1.9	10.0	3.0	5.0	2.0
			2100 2199	1.0	(0.8)	69.4	617.6	62.0	9.3	5.0	8.0	3.0	5.0	3.0
			2000 2099	3.0	(2.3)	72.0	608.0	66.3	8.8	2.4	8.0	3.0	5.0	3.0
			1800 1899	3.0	(2.3)	72.0	571.6	67.7	8.6	3.1	8.0	4.0	4.3	2.3
			1700 1799	6.0	(4.7)	71.8	550.2	63.5	7.9	2.5	6.3	3.3	4.3	2.5
			1600 1699	28.0	(21.9)	70.7	544.5	57.7	7.4	2.6	4.9	3.6	3.5	2.5
			1500 1599	27.0	(21.1)	70.1	557.2	56.3	7.6	3.0	4.4	3.6	3.3	2.5
			1400 1499	17.0	(13.3)	70.4	539.7	54.9	7.5	2.6	4.2	3.9	3.0	2.5
			1300 1399	21.0	(16.4)	69.6	542.8	53.6	7.5	3.3	3.4	3.9	2.5	2.5
			1200 1299	11.0	(8.6)	70.0	511.8	53.6	6.9	2.9	3.2	4.1	2.5	2.6
			1100 1199	9.0	(7.0)	70.2	508.3	51.2	6.9	2.2	2.8	4.1	2.1	2.3
				128.0	(4.1)	70.4	544.3	56.6	7.5	2.8	4.5	3.8	3.2	2.5
			2300 2399	1.0	(0.5)	69.6	632.2	73.0	7.6	4.9	8.0	4.0	5.0	3.0
			2100 2199	2.0	(1.1)	73.2	548.2	72.0	8.6	2.7	7.5	4.0	5.0	3.0
			2000 2099	3.0	(1.6)	71.9	502.8	60.0	7.5	2.3	7.7	4.0	4.3	3.0
			1900 1999	8.0	(4.3)	70.7	566.0	60.4	8.1	3.1	6.4	3.6	4.1	3.0
			1800 1899	13.0	(7.0)	70.7	552.4	60.7	8.0	3.3	5.8	3.7	4.0	2.9
			1700 1799	26.0	(13.9)	70.6	546.3	59.6	7.6	3.0	5.5	3.9	4.0	2.8
			1600 1699	34.0	(18.2)	70.4	548.4	58.5	7.6	3.1	4.9	3.8	3.5	2.9
			1500 1599	32.0	(17.1)	70.1	531.5	54.1	7.4	2.8	4.2	3.8	3.2	2.7
			1400 1499	34.0	(18.2)	69.8	538.7	54.7	7.2	3.0	3.7	4.0	3.0	2.8
			1300 1399	15.0	(8.0)	69.5	526.2	52.7	6.9	3.0	3.2	4.2	2.6	2.5
			1200 1299	13.0	(7.0)	69.5	510.3	51.5	6.9	3.1	2.8	4.4	2.2	2.8
			1100 1199	2.0	(1.1)	69.8	594.7	53.0	8.4	3.0	3.0	4.5	2.0	3.0
			1000 1099	1.0	(0.5)	68.9	461.4	42.0	5.3	1.9	2.0	5.0	2.0	3.0
			900 999	1.0	(0.5)	67.6	443.6	39.0	4.9	2.9	2.0	5.0	2.0	2.0
			800 899	2.0	(1.1)	69.0	329.9	32.0	4.5	1.6	2.0	4.5	2.0	2.0
				187.0	(6.0)	70.2	536.9	56.2	7.4	3.0	4.5	4.0	3.3	2.8
			1200 1299	1.0	(0.0)	68.9	464.0	41.0	5.6	2.0	2.0	4.0	2.0	2.0
			1600 1699	65.0	(91.5)	69.6	562.9	52.4	8.0	3.2	2.8	4.1	2.5	3.0
			1500 1599	1.0	(1.4)	66.5	572.0	40.0	7.2	4.1	3.0	5.0	2.0	3.0
			1200 1299	2.0	(2.8)	70.4	545.8	49.5	8.2	2.3	2.0	4.5	2.0	3.0
			1100 1199	1.0	(1.4)	68.0	566.5	50.0	7.8	4.4	2.0	4.0	2.0	3.0
			900 999	1.0	(1.4)	69.4	326.0	36.0	3.8	1.2	2.0	4.0	2.0	2.0
			600 699	1.0	(1.4)	69.1	415.5	39.0	5.3	1.9	2.0	6.0	2.0	3.0
				71.0	(2.3)	69.5	557.2	51.7	7.9	3.2	2.7	4.2	2.5	3.0
			1300 1399	6.0	(54.5)	69.7	490.7	49.0	7.0	2.9	3.0	4.2	3.0	2.7
			1200 1299	3.0	(27.3)	69.7	515.9	49.7	7.6	3.0	3.0	4.0	2.0	3.0
			1100 1199	1.0	(9.1)	70.1	421.8	47.0	6.3	2.5	2.0	5.0	2.0	3.0
			1000 1099	1.0	(9.1)	70.0	368.8	39.0	5.8	1.9	2.0	4.0	2.0	3.0

					(%)	(kg)	(cm2)	(cm)	(cm)					
				11.0	(0.4)	69.8	480.3	48.1	7.0	2.8	2.8	4.2	2.5	2.8
			1500 1599	1.0	(25.0)	70.9	559.9	62.0	6.9	2.3	4.0	4.0	3.0	2.0
			1400 1499	1.0	(25.0)	69.7	555.7	59.0	6.4	2.9	3.0	3.0	3.0	2.0
			1300 1399	2.0	(50.0)	70.3	442.1	48.0	6.0	2.0	3.5	4.5	2.5	2.0
				4.0	(0.1)	70.3	500.0	54.3	6.3	2.3	3.5	4.0	2.8	2.0
			1400 1499	1.0	(50.0)	72.5	460.6	64.0	7.0	2.3	3.0	4.0	3.0	3.0
			1200 1299	1.0	(50.0)	70.4	462.4	45.0	6.7	1.6	2.0	5.0	2.0	3.0
				2.0	(0.1)	71.5	461.5	54.5	6.8	1.9	2.5	4.5	2.5	3.0
			2200 2299	1.0	(2.8)	71.2	543.8	63.0	8.9	3.8	10.0	3.0	5.0	3.0
			2000 2099	1.0	(2.8)	72.1	563.8	66.0	8.2	2.5	6.0	3.0	4.0	3.0
			1900 1999	2.0	(5.6)	71.7	526.2	63.5	7.9	3.0	6.0	3.5	4.0	2.5
			1800 1899	3.0	(8.3)	71.1	587.7	64.3	7.9	2.8	6.3	4.0	4.0	2.7
			1700 1799	5.0	(13.9)	72.1	527.1	64.4	7.7	2.5	5.4	3.8	4.0	3.0
			1600 1699	10.0	(27.8)	70.8	534.2	59.6	7.9	3.2	4.6	3.8	3.5	2.9
			1500 1599	3.0	(8.3)	70.0	519.7	58.7	7.1	3.6	4.0	3.3	3.3	3.0
			1400 1499	4.0	(11.1)	69.3	488.5	49.5	6.8	3.4	3.8	4.0	2.8	2.8
			1300 1399	3.0	(8.3)	69.2	573.3	56.3	7.0	3.3	2.7	4.0	2.7	2.7
			1200 1299	4.0	(11.1)	68.8	549.1	52.8	7.0	3.6	2.8	4.5	2.3	2.3
				36.0	(1.2)	70.5	536.9	58.9	7.6	3.2	4.6	3.8	3.4	2.8
			1700 1799	4.0	(8.2)	70.3	533.0	57.3	7.3	3.0	4.3	3.8	3.5	2.8
			1600 1699	5.0	(10.2)	71.2	551.2	59.4	7.5	2.2	4.4	4.2	3.6	2.4
			1500 1599	9.0	(18.4)	70.5	543.8	57.1	7.6	2.9	4.0	4.4	3.1	2.7
			1400 1499	9.0	(18.4)	70.3	564.3	58.3	7.7	3.0	4.1	4.3	3.3	3.0
			1300 1399	12.0	(24.5)	70.3	510.6	54.5	7.2	2.8	3.8	3.9	2.8	2.4
			1200 1299	5.0	(10.2)	69.1	588.0	54.2	7.5	3.4	2.8	4.0	2.0	2.8
			1100 1199	3.0	(6.1)	70.0	433.1	44.3	6.2	1.9	2.7	4.0	2.3	2.7
			1000 1099	2.0	(4.1)	69.8	401.3	38.5	5.7	1.6	2.5	4.0	2.0	2.5
				49.0	(1.6)	70.3	531.2	55.1	7.3	2.8	3.8	4.1	3.0	2.7
			1900 1999	2.0	(3.6)	71.0	615.3	66.5	8.5	3.3	6.5	3.0	4.0	2.5
			1700 1799	2.0	(3.6)	70.7	534.6	59.0	6.8	2.4	5.5	4.0	4.0	3.0
			1600 1699	6.0	(10.7)	70.3	551.5	57.0	8.0	3.3	5.3	3.7	4.0	3.0
			1500 1599	7.0	(12.5)	70.2	528.6	55.6	7.4	3.0	4.3	3.9	3.4	2.4
			1400 1499	13.0	(23.2)	70.6	528.8	56.8	7.2	2.5	3.8	3.8	3.0	2.8
			1300 1399	12.0	(21.4)	70.4	511.7	53.4	7.1	2.5	3.3	4.1	2.8	2.8
			1200 1299	8.0	(14.3)	69.4	541.9	54.0	7.2	3.4	3.1	4.4	2.3	2.8
			1100 1199	6.0	(10.7)	70.3	421.5	46.7	6.3	2.2	2.7	4.5	2.0	2.7
				56.0	(1.8)	70.3	521.2	54.9	7.2	2.8	3.8	4.0	3.0	2.7
			1600 1699	4.0	(14.3)	71.6	479.8	59.0	7.2	2.5	5.8	3.8	4.0	2.8
			1500 1599	1.0	(3.6)	72.2	520.6	71.0	7.0	2.9	6.0	4.0	4.0	3.0

					(%)		(kg)	(cm ²)	(cm)	(cm)				
			1400 1499	9.0	(32.1)	70.6	478.4	49.9	7.2	2.3	3.8	3.7	3.2	2.6
			1300 1399	9.0	(32.1)	71.4	510.5	61.1	7.6	2.9	3.9	3.6	2.9	2.8
			1200 1299	3.0	(10.7)	71.1	514.5	58.3	7.3	2.4	2.7	4.0	2.0	2.7
			1100 1199	2.0	(7.1)	71.3	482.3	55.5	6.6	1.9	2.0	4.5	2.0	3.0
				28.0	(0.9)	71.2	494.6	56.9	7.3	2.5	3.9	3.8	3.0	2.7
			1500 1599	2.0	(40.0)	70.5	388.9	49.0	5.5	2.3	2.5	4.0	2.0	3.5
			1400 1499	1.0	(20.0)	69.5	609.4	59.0	8.6	4.0	3.0	4.0	3.0	2.0
			1200 1299	1.0	(20.0)	69.1	464.3	45.0	5.7	2.3	3.0	5.0	2.0	3.0
			1000 1099	1.0	(20.0)	70.6	368.8	44.0	4.5	0.9	2.0	5.0	2.0	3.0
				5.0	(0.2)	70.0	444.0	49.2	5.9	2.3	2.6	4.4	2.2	3.0
			1800 1899	1.0	(0.8)	73.0	490.6	70.0	6.8	2.1	6.0	4.0	4.0	3.0
			1700 1799	1.0	(0.8)	72.8	530.2	66.0	7.7	1.8	5.0	4.0	4.0	3.0
			1600 1699	5.0	(4.2)	70.2	537.8	55.4	7.8	3.2	4.6	4.0	3.6	2.8
			1500 1599	8.0	(6.7)	70.5	543.7	60.6	7.4	3.2	4.9	4.1	3.5	2.8
			1400 1499	23.0	(19.3)	70.2	532.1	55.5	7.3	2.9	4.1	3.9	3.1	2.9
			1300 1399	27.0	(22.7)	69.8	528.0	54.6	7.2	3.2	3.5	4.1	3.0	2.9
			1200 1299	32.0	(26.9)	69.9	529.6	53.0	7.1	2.8	3.3	4.1	2.4	2.9
			1100 1199	20.0	(16.8)	69.0	507.8	48.2	6.8	3.1	2.6	4.6	2.1	2.5
			1000 1099	2.0	(1.7)	69.5	472.8	43.0	6.5	2.1	2.0	4.5	2.0	2.5
				119.0	(3.8)	69.9	526.1	53.7	7.2	3.0	3.6	4.1	2.8	2.8
			2400 2499	1.0	(1.9)	70.1	632.4	64.0	8.3	3.6	6.0	3.0	4.0	3.0
			1800 1899	3.0	(5.6)	70.2	596.5	62.3	8.1	3.6	6.3	3.3	4.3	3.0
			1700 1799	4.0	(7.4)	71.4	558.1	61.5	8.0	2.6	4.0	3.3	3.5	2.8
			1600 1699	10.0	(18.5)	70.2	559.7	57.0	7.5	2.9	4.4	4.0	3.3	2.6
			1500 1599	6.0	(11.1)	70.5	517.9	56.8	7.0	2.7	4.2	3.8	3.2	2.5
			1400 1499	6.0	(11.1)	69.5	548.5	54.7	7.2	3.3	4.2	3.8	3.0	2.3
			1300 1399	11.0	(20.4)	69.4	569.0	54.0	7.3	3.1	3.2	3.9	2.5	2.7
			1200 1299	5.0	(9.3)	70.0	518.5	51.4	6.8	2.4	2.8	4.0	2.2	2.2
			1100 1199	8.0	(14.8)	69.4	504.5	48.3	6.7	2.7	2.5	4.5	2.3	2.6
				54.0	(1.7)	69.9	547.0	55.1	7.3	2.9	3.8	3.9	2.9	2.6
			2100 2199	1.0	(2.9)	72.4	607.6	76.0	9.4	3.9	8.0	3.0	5.0	3.0
			2000 2099	2.0	(5.9)	70.9	530.2	58.0	8.1	3.0	6.5	3.0	4.0	3.0
			1900 1999	3.0	(8.8)	72.3	480.7	59.0	7.9	2.2	6.3	3.3	4.0	2.7
			1800 1899	4.0	(11.8)	72.1	522.0	64.5	7.4	2.2	5.8	3.8	4.0	2.5
			1700 1799	6.0	(17.6)	71.8	494.2	60.3	7.3	2.3	5.2	4.0	3.8	2.8
			1600 1699	9.0	(26.5)	70.8	523.6	56.8	7.6	2.8	4.4	3.8	3.3	2.8
			1500 1599	2.0	(5.9)	70.5	481.1	55.5	6.9	2.9	3.5	3.5	3.0	2.5
			1400 1499	1.0	(2.9)	69.1	530.2	55.0	6.3	3.3	4.0	4.0	3.0	2.0
			1300 1399	4.0	(11.8)	69.9	530.5	57.5	6.9	3.3	3.5	4.0	3.0	2.5
			1200 1299	2.0	(5.9)	69.2	510.4	52.5	7.0	3.8	2.5	4.0	2.0	3.0

					(%)		(kg)	(cm2)	(cm)	(cm)				
				34.0	(1.1)	71.0	515.1	58.9	7.4	2.8	4.8	3.7	3.5	2.7
			2100 2199	1.0	(1.9)	70.9	442.5	61.0	7.0	3.9	5.0	4.0	4.0	3.0
			2000 2099	1.0	(1.9)	72.6	500.4	72.0	6.3	2.2	7.0	4.0	4.0	3.0
			1900 1999	1.0	(1.9)	70.5	482.2	54.0	6.1	2.1	5.0	4.0	4.0	3.0
			1700 1799	2.0	(3.8)	72.3	508.6	61.5	7.4	1.8	5.0	4.5	3.5	3.0
			1600 1699	12.0	(22.6)	70.6	479.8	53.7	6.1	2.0	4.4	3.8	3.4	2.7
			1500 1599	10.0	(18.9)	71.1	481.9	55.5	6.7	2.1	4.1	4.3	3.1	2.5
			1400 1499	15.0	(28.3)	70.5	473.6	53.6	6.1	2.2	3.2	4.1	2.3	2.5
			1300 1399	5.0	(9.4)	70.1	445.9	48.2	5.6	1.9	3.0	4.6	2.2	2.4
			1200 1299	5.0	(9.4)	69.0	516.5	51.4	6.5	3.3	3.0	4.6	2.6	2.8
			1100 1199	1.0	(1.9)	67.7	463.8	42.0	5.2	3.1	3.0	4.0	2.0	3.0
				53.0	(1.7)	70.5	479.2	53.8	6.2	2.2	3.8	4.2	2.9	2.6
			1700 1799	1.0	(0.0)	73.5	492.5	73.0	6.8	1.9	7.0	4.0	5.0	3.0
			2100 2199	3.0	(3.7)	71.8	597.0	70.0	7.4	2.4	7.3	3.0	4.7	3.0
			2000 2099	4.0	(4.9)	72.7	606.7	70.0	8.8	2.4	8.0	3.8	5.0	3.0
			1900 1999	6.0	(7.4)	70.9	554.3	61.7	7.8	3.1	5.7	4.2	4.2	3.0
			1800 1899	1.0	(1.2)	71.8	590.5	66.0	9.7	3.6	6.0	4.0	4.0	3.0
			1700 1799	6.0	(7.4)	70.4	577.5	61.2	7.6	3.0	4.7	4.2	3.3	3.0
			1600 1699	6.0	(7.4)	70.7	557.8	62.7	7.5	3.1	5.0	4.0	3.5	3.0
			1500 1599	12.0	(14.8)	70.2	518.1	55.6	7.1	3.0	4.2	4.3	3.2	2.8
			1400 1499	14.0	(17.3)	70.0	520.2	53.9	7.3	3.0	3.9	4.2	2.9	2.9
			1300 1399	17.0	(21.0)	69.4	509.7	49.8	7.0	3.0	3.1	4.3	2.4	2.8
			1200 1299	6.0	(7.4)	69.3	512.5	48.3	6.8	2.7	2.8	4.5	2.3	2.7
			1100 1199	5.0	(6.2)	69.0	470.0	45.0	6.9	3.3	2.8	4.8	2.2	3.0
			1000 1099	1.0	(1.2)	68.8	450.8	43.0	6.2	2.9	2.0	6.0	2.0	2.0
				81.0	(2.6)	70.2	530.7	55.5	7.3	3.0	4.2	4.2	3.1	2.9
			2500	1.0	(0.9)	69.8	549.0	60.0	7.8	4.0	6.0	4.0	4.0	2.0
			2000 2099	2.0	(1.7)	70.3	565.8	61.5	7.0	3.1	6.5	4.0	4.0	3.0
			1900 1999	8.0	(7.0)	71.3	581.0	65.1	8.0	2.9	6.0	3.8	4.1	2.9
			1800 1899	10.0	(8.7)	70.2	596.2	62.2	7.7	3.4	5.7	3.7	4.0	2.9
			1700 1799	22.0	(19.1)	70.8	575.3	64.9	7.7	3.2	4.5	3.9	3.5	3.0
			1600 1699	12.0	(10.4)	70.4	571.8	62.4	7.9	3.5	4.3	3.8	3.1	2.9
			1500 1599	12.0	(10.4)	69.8	567.6	59.3	7.2	3.3	3.8	4.2	3.1	2.9
			1400 1499	26.0	(22.6)	69.7	563.7	56.5	7.4	3.2	3.0	4.2	2.5	2.8
			1300 1399	14.0	(12.2)	69.5	553.4	56.0	7.0	3.2	2.9	4.2	2.4	2.9
			1200 1299	6.0	(5.2)	68.8	614.2	57.8	7.9	4.1	3.3	4.3	2.7	3.0
			1100 1199	2.0	(1.7)	70.4	621.3	64.5	8.7	3.8	3.0	5.0	2.0	3.0
				115.0	(3.7)	70.1	573.5	60.4	7.5	3.3	4.1	4.0	3.1	2.9
			2200 2299	1.0	(1.7)	71.1	526.3	68.0	8.3	4.5	8.0	4.0	5.0	3.0
			2000 2099	1.0	(1.7)	71.4	587.9	58.0	8.8	2.2	7.0	4.0	4.0	4.0

							(kg)	(cm2)	(cm)	(cm)				
					(%)									
			1800 1899	3.0	(5.1)	71.2	540.1	62.7	7.5	2.9	6.7	3.3	4.3	2.3
			1700 1799	3.0	(5.1)	71.2	521.1	58.0	7.5	2.5	6.0	4.0	3.7	2.3
			1600 1699	2.0	(3.4)	68.9	561.6	52.0	7.8	3.9	5.5	4.5	4.0	2.5
			1500 1599	14.0	(23.7)	70.6	526.2	56.4	7.6	2.9	3.9	4.3	3.1	2.9
			1400 1499	6.0	(10.2)	70.1	533.8	55.0	7.3	2.9	3.3	4.2	3.2	3.0
			1300 1399	11.0	(18.6)	70.0	529.2	53.0	7.5	3.0	2.7	4.4	2.2	2.8
			1200 1299	9.0	(15.3)	69.5	525.9	51.9	7.3	3.2	2.4	4.2	2.1	3.0
			1100 1199	9.0	(15.3)	69.1	502.3	50.4	6.7	3.4	2.1	3.9	2.0	2.8
				59.0	(1.9)	70.1	526.5	54.5	7.4	3.0	3.6	4.2	2.8	2.8
			2500	2.0	(0.1)	71.4	560.4	68.5	8.1	3.5	9.0	4.0	4.5	2.0
			2400 2499	1.0	(0.0)	70.1	632.4	64.0	8.3	3.6	6.0	3.0	4.0	3.0
			2300 2399	2.0	(0.1)	71.4	601.9	73.5	7.6	3.4	9.0	3.5	5.0	2.5
			2200 2299	4.0	(0.1)	72.0	589.5	69.8	9.1	3.4	9.8	3.3	5.0	2.5
			2100 2199	10.0	(0.3)	71.3	583.6	66.8	8.3	3.3	7.4	3.5	4.8	2.9
			2000 2099	20.0	(0.6)	72.0	567.0	65.8	8.1	2.5	7.5	3.6	4.5	3.0
			1900 1999	54.0	(1.7)	71.2	569.5	62.8	8.1	2.9	6.6	3.7	4.3	2.7
			1800 1899	85.0	(2.7)	71.3	573.9	64.5	8.0	2.9	6.5	3.7	4.2	2.6
			1700 1799	226.0	(7.2)	71.0	564.2	62.1	7.8	2.8	5.6	3.8	3.9	2.6
			1600 1699	505.0	(16.2)	70.5	563.4	58.7	7.8	2.9	4.8	3.9	3.5	2.7
			1500 1599	507.0	(16.3)	70.5	555.2	58.1	7.6	2.9	4.4	4.0	3.3	2.6
			1400 1499	570.0	(18.3)	70.2	554.4	56.4	7.5	2.9	4.0	4.1	3.1	2.6
			1300 1399	444.0	(14.2)	69.8	544.8	54.3	7.3	2.9	3.5	4.2	2.7	2.6
			1200 1299	355.0	(11.4)	69.6	542.5	52.7	7.2	3.0	3.1	4.3	2.4	2.6
			1100 1199	215.0	(6.9)	69.4	516.3	49.7	6.9	2.9	2.7	4.3	2.1	2.6
			1000 1099	73.0	(2.3)	69.2	508.9	48.1	6.6	2.8	2.6	4.4	2.1	2.6
			900 999	17.0	(0.5)	68.9	417.3	40.5	5.5	2.4	2.2	4.6	2.0	2.1
			800 899	12.0	(0.4)	70.0	354.0	39.1	5.2	1.6	2.2	4.3	2.0	2.2
			700 799	5.0	(0.2)	69.9	315.5	33.8	5.2	1.5	2.6	4.0	2.2	2.2
			600 699	3.0	(0.1)	69.6	326.0	35.0	4.6	1.4	2.0	5.0	1.7	2.3
			500 599	3.0	(0.1)	69.3	263.2	26.3	3.9	1.0	2.0	5.0	2.0	2.0
			499	5.0	(0.2)	69.5	225.5	25.2	3.3	0.6	1.8	5.0	1.4	3.4
				3118.0	(100.0)	70.2	548.4	56.3	7.5	2.9	4.1	4.1	3.1	2.6